

Golden Gate Tank Removal, Inc.  
 2055 Shipley Street  
 San Francisco, CA 94107  
 Ph. (415) 512-1555  
 Fax. (415) 512-0964



# Fax

**To:** Mr. Robert Weston **From:** Cathy

---

**Fax:** (510) 567-6781 **Pages:** Nine Total

---

**Tele:** (510) 337-9335 **Date:** July 23, 2003

---

**Re:** 600 Central Avenue Leak Report **CC:**  
 and Certificates of Analysis

---

**Comments:**

Hello Robert:

Here is the paperwork that you so kindly requested for the above-mentioned site location.

If I can be of assistance to you with anything else give me a call @ 512-1555 ext. 12.

Have a pleasant afternoon!

*Cathy*

UNDERGROUND STORAGE TANK UNAUTHORIZED RELEASE (LEAK) / CONTAMINATION SITE REPORT			
<b>EMERGENCY</b> <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO		<b>HAS STATE OFFICE OF EMERGENCY SERVICES REPORT BEEN FILED?</b> <input type="checkbox"/> YES <input type="checkbox"/> NO	
<b>REPORT DATE</b> 07/24/03		<b>CASE #</b> _____	
<b>NAME OF INDIVIDUAL FILING REPORT</b> CATHY KELLER		<b>PHONE</b> (415) 512-1555	
<b>REPRESENTING</b> <input type="checkbox"/> LOCAL AGENCY <input checked="" type="checkbox"/> OWNER/OPERATOR <input type="checkbox"/> REGIONAL BOARD		<b>SIGNATURE</b> 	
<b>ADDRESS</b> 255		<b>COMPANY OR AGENCY NAME</b> GOLDEN GATE TANK REMOVAL, INC.	
<b>STREET</b> SHIPLEY STREET		<b>CITY</b> SAN FRANCISCO	
<b>STATE</b> CA		<b>ZIP</b> 94107	
<b>CONTACT PERSON</b> GEDDIE HALDEMAN		<b>PHONE</b> (415) 567-6193	
<input type="checkbox"/> UNKNOWN		JAME	

RESPON PART	ADDRESS 3286 JACKSON STREET CITY SAN FRANCISCO STATE CA ZIP 94118	
SITE LOCATION	FACILITY NAME (IF APPLICABLE)	OPERATOR
	PHONE ( )	
SITE LOCATION	ADDRESS 600 CENTRAL AVENUE CITY ALAMEDA COUNTY ALAMEDA ZIP 94501	
	CROSS STREET WEBSTER STREET	
IMPLEMENTING AGENCIES	LOCAL AGENCY ALAMEDA COUNTY ENVIRONMENTAL HEALTH REGIONAL BOARD	AGENCY NAME
	CONTACT PERSON ROBERT WESTON	PHONE (510) 567-6781
SUBSTANCES INVOLVED	(1) NAME HEATING OIL	QUANTITY LOST (GALLONS) <input checked="" type="checkbox"/> UNKNOWN
	(2)	<input type="checkbox"/> UNKNOWN
DISCOVERY/ABATEMENT	DATE DISCOVERED 07.15.03	HOW DISCOVERED <input checked="" type="checkbox"/> TANK TEST <input checked="" type="checkbox"/> TANK REMOVAL
	DATE DISCHARGE BEGAN UNKNOWN	INVENTORY CONTROL <input type="checkbox"/> SUBSURFACE MONITORING <input type="checkbox"/> NUISANCE CONDITIONS <input type="checkbox"/>
	HAS DISCHARGE BEEN STOPPED? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO IF YES, DATE 07.15.03	METHOD USED TO STOP DISCHARGE (CHECK ALL THAT APPLY) <input checked="" type="checkbox"/> REMOVE CONTENTS <input checked="" type="checkbox"/> CLOSE TANK & REMOVE <input type="checkbox"/> REPAIR PIPING
SOURCE/ CAUSE	SOURCE OF DISCHARGE <input type="checkbox"/> TANK LEAK <input checked="" type="checkbox"/> UNKNOWN <input type="checkbox"/> PIPING LEAK <input type="checkbox"/> OTHER	CAUSE(S) <input type="checkbox"/> OVERFILL <input type="checkbox"/> CORROSION <input checked="" type="checkbox"/> RUPTURE/FAILURE <input type="checkbox"/> SPILL <input type="checkbox"/> OTHER
	CASE TYPE <input checked="" type="checkbox"/> UNDETERMINED <input type="checkbox"/> SOIL ONLY <input type="checkbox"/> GROUNDWATER <input type="checkbox"/> DRINKING WATER - (CHECK ONLY IF WATER WELLS HAVE ACTUALLY BEEN AFFECTED)	
CURRENT STATUS	CHECK ONE ONLY <input checked="" type="checkbox"/> NO ACTION TAKEN <input type="checkbox"/> LEAK BEING CONFIRMED <input type="checkbox"/> REMEDIATION PLAN	
	<input type="checkbox"/> PRELIMINARY SITE ASSESSMENT WORKPLAN SUBMITTED <input type="checkbox"/> PRELIMINARY SITE ASSESSMENT UNDERWAY <input type="checkbox"/> CASE CLOSED (CLEANUP COMPLETED OR UNNECESSARY)	
REMEDIAL ACTION	CHECK APPROPRIATE ACTION(S) <input type="checkbox"/> CAP SITE (CS) <input type="checkbox"/> CONTAINMENT BARRIER (CB) <input type="checkbox"/> VACUUM EXTRACT (VE)	
	<input type="checkbox"/> EXCAVATE & DISPOSE (ED) <input type="checkbox"/> EXCAVATE & TREAT (ET) <input checked="" type="checkbox"/> NO ACTION REQUIRED (NA) <input type="checkbox"/> OTHER (OT)	
REMEDIAL ACTION	<input type="checkbox"/> REMOVE FREE PRODUCT (FP) <input type="checkbox"/> PUMP & TREAT GROUNDWATER (GT) <input type="checkbox"/> TREATMENT AT HOOKUP (HU)	
	<input type="checkbox"/> ENHANCED BIO DEGRADATION (IT) <input type="checkbox"/> REPLACE SUPPLY (RS) <input type="checkbox"/> VENT SOIL (VS)	
COMMENTS		



North State Labs

CA ELAP#1753

90 South Spruce Avenue, Suite V • South San Francisco, CA 94080 • (650) 266-4563 • FAX (650) 266-4560

# CERTIFICATE OF ANALYSIS


Job Number: 03-0989  
 Client : Golden Gate Tank  
 Project :

Date Sampled : 07/15/2003  
 Date Analyzed: 07/17/2003  
 Date Reported: 07/17/2003

## Volatile Organics by GC/MS Method 8260 Quality Control/Quality Assurance Summary

Laboratory Number	03-0909	MS/MSD	RPD	Recovery	RPD
Client ID	Blank	Recovery		Limit	Limit
Matrix	W	W			
Analyte	Results UG/L	Recoveries			
Bromoform	ND<1				
Isopropylbenzene	ND<1				
Bromobenzene	ND<1				
1,1,2,2-Tetrachloroethane	ND<1				
n-Propylbenzene	ND<1				
2-Chlorotoluene	ND<1				
4-Chlorotoluene	ND<1				
1,3,5-Trimethylbenzene	ND<1				
tert-Butylbenzene	ND<1				
1,2,4-Trimethylbenzene	ND<1				
1,3-Dichlorobenzene	ND<1				
1,4-Dichlorobenzene	ND<1				
sec-Butylbenzene	ND<1				
1,2-Dichlorobenzene	ND<1				
n-Butylbenzene	ND<1				
Naphthalene	ND<2				
1,2,4 Trichlorobenzene	ND<1				
Hexachlorobutadiene	ND<1				
1,2,3-Trichlorobenzene	ND<1				
1,2,3-Trichloropropane	ND<1				
Acetonitrile	ND<50				
Acrylonitrile	ND<50				
Isobutanol	ND<50				
1,1,1-Trichloroethane	ND<0.5				
SUR-Dibromofluoromethane	95	101/105	5	67-129	21
SUR-Toluene-d8	95	97/97	0	72-119	16
SUR-4-Bromofluorobenzene	99	102/103	1	78-121	19

Reviewed and Approved

  
 John A. Murphy  
 Laboratory Director



**North State Labs**  
 90 South Spruce Avenue, Suite W, South San Francisco, CA 94080  
 Phone: (650) 266-4563 Fax: (650) 266-4560

03-0989

Chain of Custody / Request for Analysis  
 Lab Job No.: \_\_\_\_\_ Page 1 of 1

Client: <b>GGTR</b>					Report to: <b>SALVADOR</b>			Phone: <b>415 512 1555</b>			Turnaround Time	
Mailing Address: <b>255 SHIPLEY ST SF CA 94107</b>					Billing to: <b>GGTR</b>			Fax: <b>415 512 0964</b>			Date: <b>7-15-03</b>	
								email: <b>DATA@GGTR.COM</b>			Sampler: <b>Tim H.</b>	
								PO# <b>8375</b>				
Project / Site Address / Global ID: <b>ALAMEDA CA Analysis</b> <b>8375 / 600 CENTRAL AVE Requested</b>											EDF <input type="checkbox"/>	
											Field Point ID	
Sample ID	Sample Type	Container No./Type	Pres.	Sampling Date/Time	8260	TPH <sub>g</sub>	TPH-D <sup>30</sup>					
<b>8375-W2</b>	<b>WATER</b>	<b>2 LITRE 2 VCAA</b>	<b>COOL</b>	<b>7/15/03 2PM</b>	<b>X</b>	<b>X</b>	<b>X</b>					
Relinquished by: <b>Tim Hallen</b>					Date: <b>7/16/03</b>		Time: <b>11<sup>30</sup></b>		Received by:			Lab Comments/ Hazards
Relinquished by:					Date:		Time:		Received by:			
Relinquished by:					Date:		Time:		Received by:			



North State Labs

CA ELAP# 1753

90 South Spruce Avenue, Suite V • South San Francisco, CA 94080 • (650) 266-4563 • FAX (650) 266-4560

## C E R T I F I C A T E O F A N A L Y S I S

Lab Number: 03-0989  
 Client: Golden Gate Tank  
 Project:

Date Reported: 07/17/2003

Gasoline Range Hydrocarbons by Method 8015M

Analyte	Method	Result	Unit	Date Sampled	Date Analyzed
Sample: 03-0989-01	Client ID: 8375-W2			07/15/2003	W
Gasoline Range Organics	SW8020F	*296	UG/L		07/17/2003

\*Does not match gasoline pattern.

Page 1



North State Labs

CA ELAP# 1753

90 South Spruce Avenue, Suite V - South San Francisco, CA 94080 • (650) 266-4563 • FAX (650) 266-4560

C E R T I F I C A T E O F A N A L Y S I S

Quality Control/Quality Assurance

Lab Number: 03-0989  
 Client: Golden Gate Tank  
 Project:

Date Reported: 07/17/2003  
 Gasoline Range Hydrocarbons by Method 8015M

Analyte	Method	Reporting Unit Limit	Blank	Avg MS/MSD Recovery	RPD
Gasoline Range Organics	SW8020F	50 UG/L	ND	114/84	30

ELAP Certificate NO:1753

Reviewed and Approved

John A. Murphy, Laboratory Director

Page 2 of 2



North State Labs

CA ELAP#1753

90 South Spruce Avenue, Suite V • South San Francisco, CA 94080 • (650) 266-4563 • FAX (650) 266-4560

## C E R T I F I C A T E O F A N A L Y S I S

Job Number: 03-0989  
 Client : Golden Gate Tank  
 Project :

Date Sampled : 07/15/2003  
 Date Analyzed: 07/17/2003  
 Date Reported: 07/17/2003

## Volatile Organics by GC/MS Method 8260

Laboratory Number	03-0989-01
Client ID	8375-W2
Matrix	W
Analyte	UG/L
Bromochloromethane	ND<5
Dichlorodifluoromethane	ND<5
Chloromethane	ND<10
Vinyl chloride	ND<5
Bromomethane	ND<5
Chloroethane	ND<5
Trichlorofluoromethane	ND<5
1,1-Dichloroethane	ND<1
Acetone	ND<50
Methylene chloride	ND<50
trans-1,2-Dichloroethene	ND<1
Methyl-tert-butyl ether	ND<1
1,1-Dichloroethane	ND<1
2,2-Dichloropropane	ND<1
cis-1,2-Dichloroethene	ND<1
2-Butanone	ND<10
Chloroform	52
Carbon tetrachloride	ND<1
1,1-Dichloropropene	ND<1
Benzene	ND<1
1,2-Dichloroethane	ND<1
Trichloroethene	ND<2
1,2-Dichloropropane	ND<1
Dibromomethane	ND<1
Bromodichloromethane	ND<1
trans-1,3-Dichloropropene	ND<1
4-Methyl-2-pentanone	ND<10
Toluene	ND<1
cis-1,3-Dichloropropene	ND<1
1,1,2-Trichloroethane	ND<1
Tetrachloroethene	ND<1
1,3-Dichloropropene	ND<1
2-Hexanone	ND<10
Dibromochloromethane	ND<1
1,2-Dibromoethane	ND<1

Page 1 Of 4



North State Labs

CA ELAP# 1753

90 South Spruce Avenue, Suite V • South San Francisco, CA 94080 • (650) 266-4563 • FAX (650) 266-4560

## C E R T I F I C A T E O F A N A L Y S I S

Job Number: 03-0989  
 Client : Golden Gate Tank  
 Project :

Date Sampled : 07/15/2003  
 Date Analyzed: 07/17/2003  
 Date Reported: 07/17/2003

## Volatile Organics by GC/MS Method 8260

Laboratory Number	03 0989-01
Client ID	0375-W2
Matrix	W
Analyte	UG/L
Chlorobenzene	ND<2
1,1,1,2-Tetrachloroethane	ND<1
Ethylbenzene	ND<1
Xylene, Isomers m & p	ND<2
o-Xylene	ND<1
Styrene	ND<1
Bromoform	ND<1
Isopropylbenzene	ND<1
Bromobenzene	ND<1
1,1,2,2-Tetrachloroethane	ND<1
n-Propylbenzene	ND<1
2-Chlorotoluene	ND<1
4-Chlorotoluene	ND<1
1,3,5-Trimethylbenzene	1
tert-Butylbenzene	ND<1
1,2,4-Trimethylbenzene	3
1,3-Dichlorobenzene	ND<1
1,4-Dichlorobenzene	ND<1
sec-Butylbenzene	ND<1
1,2-Dichlorobenzene	ND<1
n-Butylbenzene	ND<1
Naphthalene	9
1,2,4-Trichlorobenzene	ND<1
Hexachlorobutadiene	ND<1
1,2,3-Trichlorobenzene	ND<1
1,2,3-Trichloropropane	ND<1
Acetonitrile	ND<50
Acrylonitrile	ND<50
Isobutanol	ND<50
1,1,1-Trichloroethane	ND<0.5
SUR-Dibromofluoromethane	94
SUR-Toluene-d8	96
SUR-4-Bromofluorobenzene	101





North State Labs

CA RIAP# 1753

90 South Spruce Avenue, Suite V • South San Francisco, CA 94080 • (650) 266-4563 • FAX (650) 266-4560

CERTIFICATE OF ANALYSIS

Job Number: 03-0989
Client : Golden Gate Tank
Project :

Date Sampled : 07/15/2003
Date Analyzed: 07/17/2003
Date Reported: 07/17/2003

Volatile Organics by GC/MS Method 8260
Quality Control/Quality Assurance Summary

Table with columns: Laboratory Number, Client ID, Matrix, Analyte, Results, %Recoveries, RPD, Recovery Limit, RPD Limit. Lists various chemical compounds and their analysis results.