ALAMEDA COUNTY HEALTH CARE SERVICES AGENCY



DAVID J. KEARS, Agency Director

ENVIRONMENTAL HEALTH SERVICES ENVIRONMENTAL PROTECTION 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502-6577 (510) 567-6700 FAX (510) 337-9335

July 28, 2009

BRUCE KAYE SEARS ROEBUCK & CO 3333 BEVERLY RD DEP 824 HOFFMAN ESTATES IL 60179 C/O HAAGEN PPTY MGMT INC HAAGEN HOLLYWOOD PARTNERSHIP UNK UNK UN 00000-0000 C/O MADISON PARK PROP SEARS LOFTS LLC 409 13TH STREET OAKLAND CA 946122607

Subject: Fuel Leak Case No. RO0002600 and Geotracker Global ID T0600101208, SEARS RETAIL STORE, 2633 TELEGRAPH AVE, OAKLAND CA 94612 – Groundwater Monitoring Requirements

Dear Responsible Party(ies):

The purpose of this correspondence is to inform you of changes to groundwater monitoring requirements for all fuel leak cases in California. The California State Water Resources Control Board (State Water Board) has approved Resolution No. 2009-0042 (Actions to Improve Administration of the UST Cleanup Fund and UST Cleanup Program). Resolution No. 2009-0042 states that, "Regional Water Board and LOP agencies shall reduce quarterly groundwater monitoring requirements to semiannual or less frequent monitoring at all site unless site-specific needs warrant otherwise and shall notify all responsible parties of the new requirements no later than August 1, 2009. If more than semiannual monitoring is required for a case, the responsible party and State Water board shall be notified of the rationale and the notice shall be posted on Geotracker."

The groundwater monitoring wells at your site have not been monitored since 2005. In accordance with Resolution No. 2009-0042, groundwater monitoring for your site is to be conducted on a semiannual basis unless site-specific needs warrant otherwise. The semiannual monitoring is to be conducted during the first and third quarters. Please present results from the semiannual groundwater monitoring in groundwater monitoring reports no later than 60 days following the groundwater sampling event.

If you have any questions, please call me at (510) 777-2478 or send me an electronic mail message at paresh.khatri@acgov.org.

Sincerely,

Paresh C. Khatri

Hazardous Materials Specialist

Enclosure: ACEH Electronic Report Upload (ftp) Instructions

cc: Joseph R. Liles, URS Corporation, 2020 East First Street, Suite 400, Santa Ana, CA 92705 Leroy Griffin, Oakland Fire Department, 250 Frank H. Ogawa Plaza, Ste. 3341, Oakland, CA 94612-2032 (Sent via E-mail to: lgriffin@oaklandnet.com)

Donna Drogos, ACEH (Sent via E-mail to: donna.drogos@acgov.org)
Paresh Khatri, ACEH (Sent via E-mail to: paresh.khatri@acgov.org)

Geotracker, File

RESPONSIBLE PARTY OF RECORD AS OF 07/22/2009

RO0002600, SEARS RETAIL STORE, 2633 TELEGRAPH AVE $\,$, OAKLAND, CA, 94612

Alameda County Environmental Health (ACEH) has the following information on record regarding the Responsible Party(ies) for the above referenced site. Please update the following information for our records. Should you have contact information regarding additional Responsible Parties, please correct the information accordingly. Also, please check the "e-mail preferred" box to receive all future correspondences and notifications by e-mail.

□ E-mail Preferred	☐ Hardcopy Preferred
ACEH is requesting your e-mail address so that we can corre privacy. Your e-mail address will remain confidential and wi	espond with you quickly and efficiently regarding your case. Please note that ACEH respects you ill not be provided to any third party.
Current Information	Corrections or Additions
BRUCE KAYE	Name:
SEARS ROEBUCK & CO	Company:
3333 BEVERLY RD DEP 824	Address:
HOFFMAN ESTATES IL 60179	City:State:Zip:
	E-mail:
	Home Phone: ()
	Office Phone: ()
	Cell Phone: ()
C/O HAAGEN PPTY MGMT INC	Name:
HAAGEN HOLLYWOOD PARTNERSHIP	Company:
UNK	Address:
UNK UN 000000000	City: State: Zíp:
	E-mail:
	Home Phone: ()
	Office Phone: ()
	Cell Phone: ()
C/O MADISON PARK PROP	Name:
SEARS LOFTS LLC	Company:
409 13TH STREET	Address:
OAKLAND CA 946122607	City:State:Zip:
	E-mail:
	Home Phone: ()
	Office Phone: ()
	Cell Phone: ()