

From: [Dave Goldberg](#)
To: [Plunkett, Steven, Env. Health](#)
Subject: FW: Geotracker #'s
Date: Wednesday, August 19, 2009 8:40:50 AM

Dave Goldberg
Facilities Specialist
Rolls Royce Engine Services Oakland
(5100 615-5095 Office
Cell (510) 507-1452 Cell

 **Consider the environment - please check if it is necessary before you print this email**

From: Dave Goldberg
Sent: Wednesday, August 19, 2009 8:38 AM
To: 'Steve.plunkett@acgov.org'
Subject: Geotracker #'s

Hello Mr. Plunkett,

I received a notice to comply from Alameda County Health Care Services, Mr. Paresh Khatri. The notice is in reference to Rolls-Royce Engine Services Oakland's Main Plant site, not our Test Facility.

I'm trying to accomplish a couple of things. The notice to comply is regarding entry of data into Geotracker, for the main plant site. This notice caused me to look into the work that is ongoing at our Test Cell Facility. I contacted our Contractor, Gettler -Ryan (G-R) and asked if they were uploading data for the Test Cell site into Geotracker, my contact at G-R told me that they have not been uploading and I needed to claim the site. I have gone online and attempted to "claim the site".

As I understand from G-R, I need to obtain permission to let them as our representative upload the data. Please give me a call or send me a note regarding this subject if you can. I'll reference below the Geotracker & case #'s associated with this business and the location they refer to. I want to be certain that we are compliant with all and are taking the correct actions regarding these cases.

| | | |
|---|---------------------------|------------------|
| Notice to Comply, Main Plant site - | Geotracker # T06019789353 | SLIC # RO0002915 |
| Test Cell - | Geotracker # T06019775776 | SLIC # RO0002606 |
| Main Plant Site, Baseline Investigation - | Geotracker # T10000000142 | RB # 01S0692 |

Thank You!

Dave Goldberg
Facilities Specialist
Rolls Royce Engine Services Oakland
(510) 615-5095 Office
Cell (510) 507-1452 Cell

 **Consider the environment - please check if it is necessary before you print this email**