



Rolls-Royce

**Rolls-Royce Engine Services –
Oakland, Inc.**
7200 Earhart Rd
Oakland, CA 94621
Telephone: (510) 613-1000
Fax: (510) 625-6911

RECEIVED

By Alameda County Environmental Health 2:22 pm, May 09, 2017

May 8, 2017

Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Subject: **Rolls-Royce Engine Services Test Facility
6701 Old Earhart Road
Oakland, California
Alameda County Site #RO0002606**

I have reviewed the attached routine groundwater monitoring report dated May, 1st, 2017.

I agree with the conclusions and recommendation presented in the referenced report. The information in this report is accurate to the best of my knowledge. This report was prepared by Gettler-Ryan Incorporated, whose assistance and advice I have relied upon.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

A handwritten signature in blue ink that reads "Dave Goldberg". The signature is stylized and includes a large loop at the end.

Dave Goldberg

HS&E Manager



May 1, 2017

Mr. Keith Nowell
Alameda County Environmental Health Department
1131 Harbor Bay Parkway, Ste. 250
Alameda, California 94502

**Subject: First Semi-Annual 2017 Event
Groundwater Monitoring and Sampling Report
Rolls-Royce Engine Services Test Facility
6701 Old Earhart Road, Oakland, California
Alameda County Site #RO0002606**

Mr. Nowell,

On behalf of Rolls-Royce Engine Services-Oakland Inc. (R-R), Gettler-Ryan Inc. (GR) has prepared this First Semi-Annual 2017 Event, Groundwater Monitoring and Sampling Report for the site referenced above. This report describes the field and analytical methods, provides a summary of groundwater monitoring results, and presents conclusions and recommendations regarding groundwater conditions at the site.

SITE LOCATION AND DESCRIPTION

The subject site is located at 6701 Old Earhart Road, adjacent to the Metropolitan Oakland International Airport (MOIA)-North Field, Oakland, California (Figure 1). Topography in the vicinity of the subject site is relatively flat at an average elevation of approximately 7.5 feet above mean sea level. The closest surface water is within the tidal wetlands bordering the site to the east.

Pertinent site features consist of six engine test cells with auxiliary structures (sheds, pumphouse, waste water sumps, aboveground oil/water separator, control buildings, gas conditioning facility, air receivers, cooling towers, flare stack, etc), one 30,000-gallon aboveground liquefied petroleum fuel tank, one 10,000-gallon jet A fuel underground storage tank (UST) and two paired 8,000-gallon jet A fuel USTs. Pertinent site features and the location of the USTs are shown on Figure 2.

For site background and previous environmental investigation, please refer to GR report No. 25-948218.07, *Well Installation Report*, dated January 11, 2008.

GROUNDWATER MONITORING

On March 28, 2017, GR personnel conducted semi-annual groundwater monitoring of nineteen wells (MW-1 through MW-15, MW-17, MW-18, NPORD MW-3 and NPORD MW-4). Work at the site included measuring static groundwater levels, evaluating groundwater in the wells for the presence of petroleum hydrocarbons, and purging and sampling the wells for laboratory analysis. Groundwater monitoring and sampling were performed in accordance with GR Field Methods and Procedures, Groundwater Sampling (attached).

On March 28, 2017, GR collected depth to groundwater measurements in eighteen wells (MW-1 through MW-15, MW-18, NPORD MW-3 and NPORD MW-4) and checked groundwater for the presence of Separate-Phase Hydrocarbons (SPH). SPH was not detected in any of the wells. MW-17 was not accessible due to flooding. Water level data, groundwater elevations, and SPH thicknesses are presented in attached Table 1. SPH thicknesses and approximate SPH volumes purged are summarized in Table 3. Field data sheets for this event are attached.

Rolls-Royce personnel have been periodically removing SPH present in well MW-18 through the use of absorbent socks. SPH removal logs for the most recent and historic events are attached to this report.

Groundwater monitoring wells MW-1 through MW-15, MW-18, NPORD MW-3 and NPORD MW-4 were purged and sampled. Groundwater samples were submitted under chain-of-custody protocol to Pace Analytical (NELAP #08263CA) of Davis, California. A copy of the laboratory analytical reports and chain-of-custody documents are attached. Purge water generated from the sampling activities was stored onsite in 55-gallon DOT approved drums pending disposal. GR understands that the disposal of water generated will be handled by R-R.

ANALYTICAL METHODS

Groundwater samples were analyzed for Total Petroleum Hydrocarbons as gasoline (TPHg), Benzene, Toluene, Ethylbenzene, and total Xylenes (BTEX), Methyl-tert Butyl Ether (MtBE), and Naphthalene by EPA Method 8260B, and for Total Petroleum Hydrocarbons as diesel (TPHd), Total Petroleum Hydrocarbons as motor oil (TPHmo), and Total Petroleum Hydrocarbons as jet fuel (TPHjf) by modified EPA Method 8015. Current and historic groundwater analytical results are presented in Tables 1 and 2.

RESULTS

Groundwater Gradient

On March 28, 2017, the groundwater flow direction was to the south at hydraulic gradient of 0.03 ft/ft. A Potentiometric Map is presented as Figure 3.

Analytical Results

TPHd was detected in groundwater samples collected from eight wells at concentrations ranging from 111 parts per billion (ppb) in well NPORDMW-4 to 22,800 ppb in well MW-18. Concentrations of TPHmo were detected in ten wells at levels ranging from 116 ppb in well MW-8 to 27,600 ppb in well MW-18. TPHjf were detected in twelve wells at concentrations ranging from 50 ppb in well MW-6 to 12,000 ppb in well MW-18.

TPHg was detected in two wells at a concentration of 64 ppb in MW-13 and 773 ppb in MW-18. Concentrations of TPHg were reported below the laboratory method detection limits in water samples collected from the remaining wells.

BTEX constituents were reported as below the laboratory method detection limits in all of the wells. MtBE was detected in wells MW-14 and MW-18 at concentrations of 0.89 ppb and 0.58 ppb, respectively. Concentrations of Naphthalene were reported below the laboratory method detection limits in water samples collected from all the wells. TPHg, TPHd, TPHmo and TPHjf concentrations are presented on Figure 4.


CONCLUSIONS AND RECOMMENDATIONS


Based on the results of this groundwater monitoring and sampling event, GR concludes and recommends the following:

- Concentrations of TPHd, TPHmo and TPHjf in groundwater samples were generally consistent with those observed during the previous monitoring and sampling events;
- Concentrations of TPHg were limited to the vicinity of wells MW-13 and MW-18;
- Separate-Phase Hydrocarbons was not detected in MW-18;
- GR recommends the continuation of the current semi-annual monitoring and sampling program for the site. SPH will continue to be removed from well MW-18 on a periodic basis.

If you have any questions about this report, please feel free to contact our Dublin office at (925) 551-7555.

Sincerely,
Gettler-Ryan Inc.


Deanna L. Harding
Project Manager


Hagop Kevork
P.E. No. C55734



Attachments: Table 1, Groundwater Monitoring Results
Table 2, Field Measurements and Groundwater Analytical Results
Table 3, SPH Thickness and Volumes Purged - MW-18
Figure 1, Vicinity Map
Figure 2, Site Plan
Figure 3, Potentiometric Map
Figure 4, Concentration Map
GR Field Methods and Procedures
Field Data Sheets
SPH Removal Logs
Laboratory Analytical Report and Chain of Custody

CC: Mr. Dave Goldberg, Rolls-Royce Engine Services-Oakland Inc.
Ms. Colleen Liang, Port of Oakland

Table 1
Groundwater Monitoring Data and Analytical Results
Rolls-Royce Engine Services Test Facility
6701 Old Earhart Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	SPHT (ft.)	GWE (msl)	TPH-G (µg/L)	TPH-D ¹ (µg/L)	TPH-MO (µg/L)	TPH-JF (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Napthalene (µg/L)	SVOC (µg/L)
MW-1															
10/03/07	7.17	3.04	0.00	4.13	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/14/08	7.17	3.02	0.00	4.15	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/26/08	7.17	3.38	0.00	3.79	<50	<50	<100	51 ⁷	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/25/08	7.17	3.03	0.00	4.14	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
12/19/08	7.17	2.82	0.00	4.35	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/09	7.17	3.30	0.00	3.87	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/24/09	7.17	2.57	0.00	4.60	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/24/09	7.17	3.08	0.00	4.09	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
01/15/10	7.17	2.21	0.00	4.96	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/09/10	7.17	2.95	0.00	4.22	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/21/11	7.17	2.31	0.00	4.86	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/02/11	7.17	2.94	0.00	4.23	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
04/17/12	7.17	3.00	0.00	4.17	<50	<50	280 ²³	72 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/18/12	7.17	3.15	0.00	4.02	<50	<50	160	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/25/13	7.17	3.30	0.00	3.87	<50	<50	<100	59	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/16/13	7.17	3.17	0.00	4.00	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/26/14	7.17	2.85	0.00	4.32	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
10/16/14	7.17	2.77	0.00	4.40	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/15	7.17	2.27	0.00	4.90	<50	<48	<95	<48	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
09/29/15	7.17	2.67	0.00	4.50	<50	<47.8	<98.6	<98.6 ²⁵	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
03/29/16	7.17	2.85	0.00	4.32	<50	<47	<94	<150 ²⁶	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
10/24-25/16	7.17	2.87	0.00	4.30	<50	<93	<93	<50	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
03/28/17	7.17	2.88	0.00	4.29	<50	<96.3	<96.3	<50	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
MW-2															
10/03/07	7.03	2.80	0.00	4.23	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/14/08	7.03	2.94	0.00	4.09	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/26/08	7.03	3.32	0.00	3.71	<50	<50	<100	97 ⁷	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/25/08	7.03	2.75	0.00	4.28	<50	<50	<100	410 ¹⁶	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
12/19/08	7.03	2.54	0.00	4.49	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/09	7.03	3.15	0.00	3.88	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/24/09	7.03	2.52	0.00	4.51	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/24/09	7.03	2.87	0.00	4.16	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
01/15/10	7.03	2.15	0.00	4.88	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA

Table 1
Groundwater Monitoring Data and Analytical Results
Rolls-Royce Engine Services Test Facility
6701 Old Earhart Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	SPHT (ft.)	GWE (msl)	TPH-G (µg/L)	TPH-D ¹ (µg/L)	TPH-MO (µg/L)	TPH-JF (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Napthalene (µg/L)	SVOC (µg/L)
MW-2 (cont)															
09/09/10	7.03	2.79	0.00	4.24	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/21/11	7.03	1.92	0.00	5.11	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/02/11	7.03	2.70	0.00	4.33	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
04/17/12	7.03	2.41	0.00	4.62	<50	62 ⁶	340	170 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/18/12	7.03	3.03	0.00	4.00	<50	<50	190	51 ⁹	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/25/13	7.03	3.21	0.00	3.82	<50	<50	<100	60	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/16/13	7.03	2.85	0.00	4.18	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/26/14	7.03	2.47	0.00	4.56	<50	53 ⁶	490	67 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
10/16/14	7.03	2.56	0.00	4.47	<50	110 ⁶	830	93 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/15	7.03	2.80	0.00	4.23	<50	56	560	73 ¹⁸	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
09/29/15	7.03	2.00	0.00	5.03	<50	<46.6	248	93.6 ^{18, 25}	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
03/29/16	7.03	2.64	0.00	4.39	<50	120 ³⁰	400	<150 ^{26,27}	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
10/24-25/16	7.03	2.40	0.00	4.63	<50	<94	522	<50	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
03/28/17	7.03	2.50	0.00	4.53	<50	<96.1	816	<50	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
MW-3															
10/02/07	6.73	4.56	0.00	2.17	<50	<50	<100	410	<0.50	<0.50	<0.50	<0.50	1.6 ⁴	<0.50	NA
03/14/08	6.73	3.98	0.00	2.75	<50	<50	<100	120 ⁹	<0.50	<0.50	<0.50	<0.50	0.99	<0.50	NA
06/26/08	6.73	4.21	0.00	2.52	<50	<50	<100	610 ⁷	<0.50	1.7	<0.50	<0.50	0.93	<0.50	NA
09/25/08	6.73	4.25	0.00	2.48	<50	<50	<100	650 ¹⁶	<0.50	<0.50	<0.50	<0.50	1.2	<0.50	NA
12/19/08	6.73	4.25	0.00	2.48	<50	<50	<100	520 ¹⁸	<0.50	<0.50	<0.50	<0.50	1.2	<0.50	NA
03/26/09	6.73	3.82	0.00	2.91	<50	<50	<100	400 ¹⁸	<0.50	<0.50	<0.50	<0.50	0.69	<0.50	NA
06/24/09	6.73	4.21	0.00	2.52	<50	<50	<100	460	<0.50	<0.50	<0.50	<0.50	0.80	<0.50	NA
09/24/09	6.73	4.33	0.00	2.40	<50	<50	<100	400	<0.50	<0.50	<0.50	<0.50	0.70	<0.50	NA
01/15/10	6.73	3.92	0.00	2.81	<50	<50	110	420 ¹⁸	<0.50	<0.50	<0.50	<0.50	0.70	<0.50	NA
09/09/10	6.73	4.52	0.00	2.21	<50	<50	<100	450	<0.50	<0.50	<0.50	<0.50	0.62	<0.50	NA
03/21/11	6.73	3.20	0.00	3.53	<50	<50	500	400	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/02/11	6.73	4.48	0.00	2.25	<50	70	340	590 ¹⁸	<0.50	<0.50	<0.50	<0.50	0.68	<0.50	NA
04/17/12	6.73	3.66	0.00	3.07	<50	56 ⁶	870	680 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/18/12	6.73	4.54	0.00	2.19	<50	<50	120	470	<0.50	<0.50	<0.50	<0.50	0.62	<0.50	NA
03/25/13	6.73	4.35	0.00	2.38	<50	<50	<100	760	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/16/13	6.73	4.48	0.00	2.25	<50	62	210	520	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/26/14	6.73	4.30	0.00	2.43	<50	<50	460	500 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
10/16/14	6.73	4.23	0.00	2.50	95	<50	210	440	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/15	6.73	4.05	0.00	2.68	<50	<48	340	510 ¹⁸	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA

Table 1
Groundwater Monitoring Data and Analytical Results
Rolls-Royce Engine Services Test Facility
6701 Old Earhart Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	SPHT (ft.)	GWE (msl)	TPH-G (µg/L)	TPH-D ¹ (µg/L)	TPH-MO (µg/L)	TPH-JF (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Napthalene (µg/L)	SVOC (µg/L)
MW-3 (cont)															
09/29/15	6.73	4.25	0.00	2.48	<50	<49.3	806	1,110 ^{18,25}	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
03/29/16	6.73	3.68	0.00	3.05	<50	110 ³¹	530	82 ^{28,29}	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
10/24-25/16	6.73	3.91	0.00	2.82	<50	<95	<95	170 ^{28,29}	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
03/28/17	6.73	3.62	0.00	3.11	<50	<94.6	380	110²⁸	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
MW-4															
10/2/07 ⁴	9.79	5.81	0.00	3.98	<50	86	<100	280	<0.50	0.63	<0.50	<0.50	<0.50	<0.50	NA
03/14/08	9.79	5.82	0.00	3.97	<50	3,300	2,400	3,400 ⁷	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/26/08	9.79	6.08	0.00	3.71	<50	2,300	1,900	2,700 ⁷	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/25/08	9.79	5.98	0.00	3.81	<50	1,600	1,400	2,100 ¹⁶	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
12/19/08	9.79	5.93	0.00	3.86	<50	<50 ¹⁹	<100 ¹⁹	440 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/09	9.79	5.65	0.00	4.14	<50	720	550	1,000 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/24/09	9.79	5.72	0.00	4.07	<50	<50	<100	480 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/24/09	9.79	5.85	0.00	3.94	<50	1,300	1,100	1,700 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
01/15/10	9.79	4.86	0.00	4.93	<50	210	280	580 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10 - <50 ^{21,22}
09/09/10	9.79	5.75	0.00	4.04	<50	380 ⁶	510	680 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/21/11	9.79	4.95	0.00	4.84	<50	<50	<100	220	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/02/11	9.79	5.76	0.00	4.03	<50	60	<100	490 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
04/17/12	9.79	4.98	0.00	4.81	<50	240 ⁶	920	1,000 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/18/12	9.79	5.92	0.00	3.87	<50	200 ⁶	600	780 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/25/13	9.79	5.90	0.00	3.89	<50	180	170	640	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/16/13	9.79	5.78	0.00	4.01	<50	<50	150 ¹³	490 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/26/14	9.79	5.58	0.00	4.21	<50	73	250	330 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
10/16/14	9.79	5.36	0.00	4.43	<50	55 ⁶	180 ¹³	380 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/15	9.79	4.87	0.00	4.92	<50	<49	110 ¹³	290 ¹⁸	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
09/29/15	9.79	5.57	0.00	4.22	<50	<48.2	232 ¹³	634 ¹⁸	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
03/29/16	9.79	5.03	0.00	4.76	<50	70	290 ²³	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
10/24-25/16	9.79	5.47	0.00	4.32	<50	184 ³⁰	1,050	78 ^{28,32}	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
03/28/17	9.79	5.13	0.00	4.66	<50	<97.3	268²³	60²⁸	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
MW-5															
10/02/07	8.35	4.75	0.00	3.60	<50	5,600	11,000	5,300	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/14/08	8.35	4.40	0.00	3.95	<50	1,200 ⁶	1,700	1,100 ⁷	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/26/08	8.35	4.68	0.00	3.67	<50	1,400 ⁶	3,200	2,000 ⁷	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA

Table 1
Groundwater Monitoring Data and Analytical Results
Rolls-Royce Engine Services Test Facility
6701 Old Earhart Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	SPHT (ft.)	GWE (msl)	TPH-G (µg/L)	TPH-D ¹ (µg/L)	TPH-MO (µg/L)	TPH-JF (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Napthalene (µg/L)	SVOC (µg/L)
MW-5 (cont)															
09/25/08	8.35	4.52	0.00	3.83	<50	670 ⁶	1,200	940 ¹⁶	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
12/19/08	8.35	4.43	0.00	3.92	<50	2,100 ⁶	4,100	1,900 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/09	8.35	4.25	0.00	4.10	<50	2,400 ⁶	5,500	2,600 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/24/09	8.35	4.38	0.00	3.97	<50	1,300 ⁶	2,700	990 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/24/09	8.35	4.47	0.00	3.88	<50	1,400 ⁶	3,000	1,400 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
01/15/10	8.35	3.47	0.00	4.88	<50	450 ⁶	1,800	870 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/09/10	8.35	4.34	0.00	4.01	<50	890 ⁶	2,200	600 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/21/11	8.35	3.59	0.00	4.76	<50	670 ⁶	1,600	460 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/02/11	8.35	4.39	0.00	3.96	<50	310 ⁶	760	450 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
04/17/12	8.35	3.88	0.00	4.47	<50	450 ⁶	960	1,500 ¹⁸	<0.50	0.57	<0.50	<0.50	<0.50	<0.50	NA
09/18/12	8.35	4.54	0.00	3.81	<50	190 ⁶	470	470 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/25/13	8.35	4.58	0.00	3.77	<50	510 ⁶	1,200	680	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/16/13	8.35	4.43	0.00	3.92	<50	2,000 ⁶	4,500	1,700 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/26/14	8.35	4.21	0.00	4.14	<50	180 ⁶	690	330 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
10/16/14	8.35	4.10	0.00	4.25	<50	160 ⁶	690	350 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/15	8.35	3.54	0.00	4.81	<50	270	1,100	370 ¹⁸	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
09/29/15	8.35	4.19	0.00	4.16	<50	<47.4	197 ¹³	646 ¹⁸	<0.50	<0.50	<0.50	<1.0	<0.50	1.1	NA
03/29/16	8.35	3.69	0.00	4.66	<50	330 ³⁰	1,400	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
10/24-25/16	8.35	4.13	0.00	4.22	<50	483 ³⁰	1,830	84 ²⁸	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
03/28/17	8.35	3.81	0.00	4.54	<50	604³⁰	2,160	90^{33,28,37}	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
MW-6															
10/02/07	9.51	5.90	0.00	3.61	<50	3,000 ⁶	7,700	2,500 ⁷	<0.50	<0.50	0.86	1.1	<0.50	0.53	NA
03/14/08	9.51	5.55	0.00	3.96	<50	3,600 ¹⁰	7,600	2,800 ⁷	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/26/08	9.51	5.80	0.00	3.71	<50	3,200 ¹⁰	9,400	3,200 ⁷	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/25/08	9.51	5.69	0.00	3.82	<50	3,500 ¹⁰	8,800	3,800 ¹⁶	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
12/19/08	9.51	5.43	0.00	4.08	<50	1,500 ¹⁰	5,500	1,200 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/09	9.51	5.38	0.00	4.13	<50	2,400 ⁶	6,800	1,800 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/24/09	9.51	5.46	0.00	4.05	<50	490 ⁶	1,600	450 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/24/09	9.51	5.60	0.00	3.91	<50	1,100 ¹⁰	3,400	860 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
01/15/10	9.51	4.57	0.00	4.94	<50	450 ⁶	2,700	790 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10 - <50 ^{21,22}
09/09/10	9.51	5.45	0.00	4.06	<50	620 ⁶	2,800	370 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/21/11	9.51	4.68	0.00	4.83	<50	<50	200	100 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/02/11	9.51	5.50	0.00	4.01	<50	310 ⁶	970	260 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
04/17/12	9.51	5.25	0.00	4.26	<50	62 ¹	130 ²³	650 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA

Table 1
Groundwater Monitoring Data and Analytical Results
Rolls-Royce Engine Services Test Facility
6701 Old Earhart Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	SPHT (ft.)	GWE (msl)	TPH-G (µg/L)	TPH-D ¹ (µg/L)	TPH-MO (µg/L)	TPH-JF (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Napthalene (µg/L)	SVOC (µg/L)
MW-6 (cont)															
09/18/12	9.51	5.64	0.00	3.87	<50	400 ⁶	1,300	500 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/25/13	9.51	5.64	0.00	3.87	<50	290 ⁶	870	620	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/16/13	9.51	5.51	0.00	4.00	<50	<50	<100 ¹³	200 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/26/14	9.51	5.30	0.00	4.21	<50	400 ⁶	2,600	490 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
10/16/14	9.51	5.18	0.00	4.33	<50	670 ⁶	4,400	680 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/15	9.51	4.61	0.00	4.90	<50	170 ⁶	1,700	230 ¹⁸	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
09/29/15	9.51	5.24	0.00	4.27	<50	151 ⁶	1,340	406 ^{18,25}	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
03/29/16	9.51	4.75	0.00	4.76	<50	210 ³⁰	1,200	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
10/24-25/16	9.51	5.20	0.00	4.31	<50	<95	131	290 ^{28,29,30}	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
03/28/17	9.51	4.86	0.00	4.65	<50	409³⁰	1,620	50^{33,28,37}	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
MW-7															
10/02/07	9.23	5.68	0.00	3.55	<50	12,000 ⁶	34,000	9,100 ⁷	<0.50	<0.50	<0.50	<0.50	<0.50	0.76	NA
03/14/08	9.23	5.32	0.00	3.91	<50	7,900 ⁶	20,000	5,500 ¹¹	<0.50	<0.50	<0.50	<0.50	<0.50	3.5	NA
06/26/08	9.23	5.56	0.00	3.67	<50	3,300 ⁶	10,000	3,300 ⁷	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/25/08	9.23	5.46	0.00	3.77	<50	5,300 ¹⁰	13,000	6,000 ¹⁶	<0.50	<0.50	<0.50	<0.50	<0.50	0.98	NA
12/19/08	9.23	5.38	0.00	3.85	<50	<50 ¹⁹	<100 ¹⁹	350 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/09	9.23	5.11	0.00	4.12	<50	710 ⁶	2,300	790 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/24/09	9.23	5.22	0.00	4.01	<50	<50	<100	390	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/24/09	9.23	5.38	0.00	3.85	<50	950 ⁶	2,600	980 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
01/15/10	9.23	4.38	0.00	4.85	<50	910 ⁶	4,900	1,200 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10 - <50 ^{21,22}
09/09/10	9.23	5.25	0.00	3.98	<50	1,800 ⁶	6,800	850 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/21/11	9.23	4.49	0.00	4.74	<50	<50	160	240 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/02/11	9.23	5.28	0.00	3.95	<50	2,100 ⁶	6,200	1,200 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
04/17/12	9.23	4.78	0.00	4.45	<50	810 ⁶	2,600	2,200 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/18/12	9.23	5.31	0.00	3.92	<50	510 ⁶	1,700	700 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/25/13	9.23	5.48	0.00	3.75	<50	1,100 ⁶	3,900	1,800	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/16/13	9.23	5.31	0.00	3.92	<50	<50	<100	380 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/26/14	9.23	5.09	0.00	4.14	<50	660 ⁶	4,100	830 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
10/16/14	9.23	5.01	0.00	4.22	<50	290 ⁶	2,000	520 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/15	9.23	4.45	0.00	4.78	<50	370 ⁶	3,100	400 ¹⁸	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
09/29/15	9.23	5.07	0.00	4.16	<50	<48.6	167 ¹³	637 ¹⁸	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
03/29/16	9.23	4.59	0.00	4.64	<50	550 ³⁰	<470	<500 ²⁶	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
10/24-25/16	9.23	5.02	0.00	4.21	<50	602 ³⁰	3,770	140 ²⁸	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
03/28/17	9.23	4.70	0.00	4.53	<50	455³⁰	2,310	84^{33,28,37}	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA

Table 1
Groundwater Monitoring Data and Analytical Results
Rolls-Royce Engine Services Test Facility
6701 Old Earhart Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	SPHT (ft.)	GWE (msl)	TPH-G (µg/L)	TPH-D ¹ (µg/L)	TPH-MO (µg/L)	TPH-JF (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Napthalene (µg/L)	SVOC (µg/L)
MW-8															
09/14/07	8.25	4.65	0.00	3.60	<50	790 ³	2,700	1,000 ²	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/14/08	Not able to sample well-no access agreement between Rolls-Royce and Port of Oakland														
07/03/08	8.25	4.49	0.00	3.76	<50	1,200 ⁶	4,400	1,800 ⁷	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/25/08	8.25	4.41	0.00	3.84	<50	<50	130	140 ¹⁶	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
12/19/08	8.25	4.31	0.00	3.94	<50	160 ⁶	840	340 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/09	8.25	4.05	0.00	4.20	<50	470 ³	1,500	570 ²	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/24/09	8.25	4.21	0.00	4.04	<50	<50	<100	650 ²	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/24/09	8.25	4.32	0.00	3.93	<50	130 ¹⁰	330	340 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
01/15/10	8.25	3.57	0.00	4.68	<50	120 ⁶	640	410 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/09/10	8.25	4.17	0.00	4.08	<50	82 ⁶	430	260 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/21/11	8.25	3.38	0.00	4.87	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/02/11	8.25	4.22	0.00	4.03	<50	63 ⁶	<100	240 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
04/17/12	8.25	3.70	0.00	4.55	<50	69 ⁶	340	370 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/18/12	8.25	4.33	0.00	3.92	<50	62 ⁶	210	490 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/25/13	8.25	4.31	0.00	3.94	<50	<50	<100	300	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/16/13	8.25	4.25	0.00	4.00	<50	96 ⁶	250	410 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/26/14	8.25	4.04	0.00	4.21	<50	72 ⁶	850	330 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
10/16/14	8.25	3.92	0.00	4.33	<50	110 ⁶	860	250 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/15	8.25	3.61	0.00	4.64	<50	<48	650	370 ¹⁸	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
09/29/15	8.25	4.01	0.00	4.24	<50	<48.6	408	299 ¹⁸	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
03/29/16	8.25	3.37	0.00	4.88	<50	64 ³⁰	150	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
10/24-25/16	8.25	3.95	0.00	4.30	<50	<95	153 ¹³	<50	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
03/28/17	8.25	3.56	0.00	4.69	<50	<97.7	116	<50	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
MW-9															
10/03/07	9.44	5.81	0.00	3.63	<50	7,700	10,000	6,700	<0.50	<0.50	<0.50	<0.50	<0.50 ⁴	<0.50	NA
03/14/08	9.44	5.51	0.00	3.93	<50	6,400	8,000	4,000 ⁷	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/26/08	9.44	5.72	0.00	3.72	<50	1,600 ¹⁰	1,800	1,800 ⁷	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/25/08	9.44	5.59	0.00	3.85	<50	5,900 ¹⁰	9,300	6,300 ¹⁶	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
12/19/08	9.44	5.43	0.00	4.01	<50	4,100 ⁶	8,500	4,000 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/09	9.44	5.26	0.00	4.18	<50	6,900 ⁶	9,700	5,600 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/24/09	9.44	5.42	0.00	4.02	<50	2,900 ⁶	5,200	1,800 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/24/09	9.44	5.53	0.00	3.91	<50	600 ¹⁰	1,100	720 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
01/15/10	9.44	4.69	0.00	4.75	<50	1,300 ⁶	3,100	1,600 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10-<50 ^{21,22}
09/09/10	9.44	5.43	0.00	4.01	<50	1,900 ⁶	4,500	960 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA

Table 1
Groundwater Monitoring Data and Analytical Results
Rolls-Royce Engine Services Test Facility
6701 Old Earhart Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	SPHT (ft.)	GWE (msl)	TPH-G (µg/L)	TPH-D ¹ (µg/L)	TPH-MO (µg/L)	TPH-JF (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Napthalene (µg/L)	SVOC (µg/L)
MW-9 (cont)															
03/21/11	9.44	4.58	0.00	4.86	<50	280 ⁶	780	460 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/02/11	9.44	5.39	0.00	4.05	<50	250 ⁶	500	700 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
04/17/12	9.44	4.85	0.00	4.59	<50	1,200 ⁶	2,500	2,700 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/18/12	9.44	5.57	0.00	3.87	<50	750 ⁶	1,700	940 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/25/13	9.44	5.48	0.00	3.96	<50	870 ⁶	2,600	1,200	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/16/13	9.44	5.50	0.00	3.94	<50	420 ⁶	1,200	520 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/26/14	9.44	5.27	0.00	4.17	<50	610 ⁶	3,000	710 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
10/16/14	9.44	5.20	0.00	4.24	<50	220 ⁶	880	510 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/15	9.44	4.78	0.00	4.66	<50	230	1,400	360 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/29/15	9.44	5.25	0.00	4.19	<50	813 ⁶	4,570	1,310 ^{18,25}	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
03/29/16	9.44	4.61	0.00	4.83	<50	570 ³⁰	2,400	<500 ²⁶	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
10/24-25/16	9.44	5.13	0.00	4.31	<50	855	4,090 ¹³	120 ^{28,33}	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
03/28/17	9.44	4.78	0.00	4.66	<50	484 ³⁰	1,800	57 ^{33,28}	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
MW-10															
10/03/07	7.51	3.89	0.00	3.62	110	4,200	1,300	4,500	<0.50	<0.50	<0.50	<0.50	<0.50 ⁴	<0.50	NA
03/14/08	7.51	3.68	0.00	3.83	53	420	270	420 ⁷	<0.50	<0.50	<0.50	<0.50	<0.50	0.50	NA
06/26/08	7.51	3.80	0.00	3.71	120	1,200	1,000	2,000	<0.50	<0.50	<0.50	<0.50	<0.50	5.0	NA
09/25/08	7.51	3.68	0.00	3.83	<50	3,100 ¹⁰	2,200	3,600	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
12/19/08	7.51	3.54	0.00	3.97	<50	1,700	1,200	1,900 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/09	7.51	3.36	0.00	4.15	53	1,500 ⁸	1,300	2,900	<0.50	<0.50	<0.50	<0.50	<0.50	1.8	NA
06/24/09	7.51	3.54	0.00	3.97	<50	710 ⁸	750	1,400	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/24/09	7.51	3.61	0.00	3.90	<50	480 ¹⁰	600	1,100 ¹⁸	<0.50	<0.50	<0.50	0.69	<0.50	<0.50	NA
01/15/10	7.51	2.81	0.00	4.70	<50	180	210	500 ¹⁸	<0.50	<0.50	0.66	3.5	<0.50	3.4	<10 - <50 ^{21,22}
09/09/10	7.51	3.48	0.00	4.03	<50	66 ⁸	<100	380 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	1.6	NA
03/21/11	7.51	2.70	0.00	4.81	<50	<50	<100	610 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/02/11	7.51	3.51	0.00	4.00	<50	93	260 ²³	890 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
04/17/12	7.51	2.97	0.00	4.54	<50	<50	<100	670 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/18/12	7.51	3.64	0.00	3.87	<50	77	180	600 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	0.51	NA
03/25/13	7.51	3.98	0.00	3.53	<50	120 ²⁴	<100	750	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/16/13	7.51	3.60	0.00	3.91	<50	53	<100	270 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/26/14	7.51	3.40	0.00	4.11	<50	<50	210	330 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
10/16/14	7.51	3.25	0.00	4.26	<50	<50	<100	250 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/15	7.51	2.94	0.00	4.57	<50	<48	<96	230 ¹⁸	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
09/29/15	7.51	3.43	0.00	4.08	<50	<46.8	<93.7	269 ¹⁸	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA

Table 1
Groundwater Monitoring Data and Analytical Results
Rolls-Royce Engine Services Test Facility
6701 Old Earhart Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	SPHT (ft.)	GWE (msl)	TPH-G (µg/L)	TPH-D ¹ (µg/L)	TPH-MO (µg/L)	TPH-JF (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Napthalene (µg/L)	SVOC (µg/L)
MW-10 (cont)															
03/29/16	7.51	2.78	0.00	4.73	<50	84	<95	130 ²⁸	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
10/24-25/16	7.51	3.28	0.00	4.23	<50	<94	<94	170 ²⁸	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
03/28/17	7.51	2.90	0.00	4.61	<50	<97.4	<97.4	280 ^{28,33}	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
MW-11															
10/03/07	7.60	4.01	0.00	3.59	80	250	490	610	<0.50	<0.50	<0.50	<0.50	<0.50 ⁴	<0.50	NA
03/14/08	7.60	3.71	0.00	3.89	61	410 ⁶	1,200	520 ⁷	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/26/08	7.60	3.92	0.00	3.68	<50	2,700 ¹⁰	7,300	3,600 ¹⁵	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/25/08	7.60	3.82	0.00	3.78	<50	2,800 ¹⁰	5,900	3,800 ¹⁶	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
12/19/08	7.60	3.71	0.00	3.89	<50	1,500 ⁶	3,700	1,800 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/09	7.60	3.49	0.00	4.11	<50	2,300 ⁶	4,200	2,800 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/24/09	7.60	3.70	0.00	3.90	<50	1,100 ⁶	2,600	1,200 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/24/09	7.60	3.37	0.00	4.23	<50	1,400 ¹⁰	3,800	1,800 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
01/15/10	7.60	3.02	0.00	4.58	<50	260 ⁶	860	620 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10 - <50 ^{21,22}
09/09/10	7.60	3.63	0.00	3.97	<50	510 ¹⁰	1,200	520 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/21/11	7.60	2.85	0.00	4.75	<50	83 ⁶	280	410 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/02/11	7.60	3.70	0.00	3.90	<50	470 ⁶	990	720 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
04/17/12	7.60	3.13	0.00	4.47	<50	95 ⁶	220	1,300 ¹⁸	<0.50	<0.50	<0.50	<0.50	0.50	<0.50	NA
09/18/12	7.60	3.83	0.00	3.77	<50	230	600	660 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/25/13	7.60	3.80	0.00	3.80	<50	230	450	1,200	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/16/13	7.60	3.87	0.00	3.73	<50	130 ⁶	280	350 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/26/14	7.60	3.55	0.00	4.05	<50	220 ⁶	1,000	560 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
10/16/14	7.60	3.48	0.00	4.12	<50	110 ⁶	430	340 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/15	7.60	3.17	0.00	4.43	<50	160 ⁶	770	540 ¹⁸	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
09/29/15	7.60	3.57	0.00	4.03	<50	<47.2	156 ¹³	340 ¹⁸	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
03/29/16	7.60	2.90	0.00	4.70	<50	76	250	91 ²⁸	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
10/24-25/16	7.60	3.48	0.00	4.12	83.2	194 ³⁰	<96	480 ^{28,33}	<0.50	<0.50	<0.50	<1.5	1.4	<0.50	NA
03/28/17	7.60	3.11	0.00	4.49	<50	<99.9	<99.9	120 ^{28,37}	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
MW-12															
10/03/07	7.32	3.61	0.00	3.71	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50 ⁴	<0.50	NA
03/14/08	7.32	3.35	0.00	3.97	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/26/08	7.32	3.60	0.00	3.72	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/25/08	7.32	3.50	0.00	3.82	<50	<50	<100	51 ¹⁶	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA

Table 1
Groundwater Monitoring Data and Analytical Results
Rolls-Royce Engine Services Test Facility
6701 Old Earhart Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	SPHT (ft.)	GWE (msl)	TPH-G (µg/L)	TPH-D ¹ (µg/L)	TPH-MO (µg/L)	TPH-JF (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Napthalene (µg/L)	SVOC (µg/L)
MW-12 (cont)															
12/19/08	7.32	3.09	0.00	4.23	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/09	7.32	3.13	0.00	4.19	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/24/09	7.32	3.21	0.00	4.11	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/24/09	7.32	3.38	0.00	3.94	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
01/15/10	7.32	2.80	0.00	4.52	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/09/10	7.32	3.39	0.00	3.93	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/21/11	7.32	2.30	0.00	5.02	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/02/11	7.32	3.36	0.00	3.96	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
04/17/12	7.32	2.72	0.00	4.60	<50	<50	<100	99 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/18/12	7.32	3.56	0.00	3.76	<50	<50	<100	97 ⁹	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/25/13	7.32	3.53	0.00	3.79	<50	<50	<100	73	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/16/13	7.32	3.44	0.00	3.88	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/26/14	7.32	3.08	0.00	4.24	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
10/16/14	7.32	3.04	0.00	4.28	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/15	7.32	3.03	0.00	4.29	<50	<48	<96	<48	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
09/29/15	7.32	3.00	0.00	4.32	<50	<47.1	<94.2	<94.2	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
03/29/16	7.32	2.83	0.00	4.49	<50	<47	<94	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
10/24-25/16	7.32	3.00	0.00	4.32	<50	<95	<95	<50	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
03/28/17	7.32	2.70	0.00	4.62	<50	<96.7	<96.7	<50	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
MW-13															
10/03/07	6.10	2.86	0.00	3.24	160	70 ⁸	<100	660	<0.50	<0.50	<0.50	<0.50	1.2 ⁴	1.7	NA
03/14/08	6.10	1.96	0.00	4.14	350 ¹²	490	130 ¹³	1,200	0.89	<0.50	<0.50	<0.50	2.0	8.9	NA
06/26/08	6.10	2.57	0.00	3.53	720	200 ⁸	<100	4,100 ¹⁵	2.0	<0.50	<0.50	0.60	3.3	3.3	NA
09/25/08	6.10	2.48	0.00	3.62	600	<200 ¹⁷	130 ¹³	1,900 ¹⁶	1.2	<0.50	<0.50	<0.50	2.9	11	NA
12/19/08	6.10	2.68	0.00	3.42	280	130 ⁸	<100	1,300 ¹⁸	0.89	<0.50	<0.50	<0.50	1.7	4.8	NA
03/26/09	6.10	2.44	0.00	3.66	310	86	120 ¹³	1,800 ¹⁸	0.81	<0.50	<0.50	<0.50	1.7	2.2	NA
06/24/09	6.10	2.91	0.00	3.19	330	170 ⁸	<100	2,000 ¹⁹	1.0	<0.50	<0.50	<0.50	1.9	5.2	NA
09/24/09	6.10	2.81	0.00	3.29	380	180	130 ¹³	5,400 ¹⁸	1.5	<0.50	<0.50	<0.50	2.5	6.8	NA
01/15/10	6.10	1.58	0.00	4.52	230	140	<100	1,600 ¹⁸	0.58	<0.50	<0.50	<0.50	1.4	3.1	NA
09/09/10	6.10	2.20	0.00	3.90	230	180 ⁸	<100	1,400 ¹⁸	0.95	<0.50	<0.50	<0.50	2.3	3.6	NA
03/21/11	6.10	1.10	0.00	5.00	260	76 ⁸	<100	2,400 ¹⁸	1.0	<0.50	<0.50	<0.50	1.7	3.1	NA
09/02/11	6.10	2.23	0.00	3.87	380 ¹²	500	260	1,400 ¹⁸	<0.50	<0.50	<0.50	<0.50	1.4	1.4	NA
04/17/12	6.10	1.50	0.00	4.60	310	190	110	3,400 ¹⁸	1.0	<0.50	<0.50	<0.50	2.6	1.4	NA
09/18/12	6.10	2.25	0.00	3.85	280	190	140	1,800 ¹⁸	0.68	<0.50	<0.50	<0.50	2.3	0.89	NA

Table 1
Groundwater Monitoring Data and Analytical Results
Rolls-Royce Engine Services Test Facility
6701 Old Earhart Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	SPHT (ft.)	GWE (msl)	TPH-G (µg/L)	TPH-D ¹ (µg/L)	TPH-MO (µg/L)	TPH-JF (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Napthalene (µg/L)	SVOC (µg/L)
MW-13 (cont)															
03/25/13	6.10	2.52	0.00	3.58	170 ¹²	<50	<100	610	<0.50	<0.50	<0.50	<0.50	1.4	<0.50	NA
09/16/13	6.10	2.28	0.00	3.82	190 ¹²	110	<100	1,400 ¹⁸	<0.50	<0.50	<0.50	<0.50	1.7	<0.50	NA
06/26/14	6.10	2.17	0.00	3.93	340	110	150 ¹³	1,900 ¹⁸	0.73	<0.50	<0.50	<0.50	2.4	0.6	NA
10/16/14	6.10	1.89	0.00	4.21	180 ¹²	58	<100	1,500 ¹⁸	<0.50	<0.50	<0.50	<0.50	1.9	<0.50	NA
03/26/15	6.10	2.03	0.00	4.07	192	<48	230 ¹³	1,500	0.61	<0.50	<0.50	<1.0	1.9	<0.50	NA
09/29/15	6.10	2.21	0.00	3.89	254	89	211 ¹³	3,060 ¹⁸	0.9	<0.50	<0.50	<1.0	2.1	0.59	NA
03/29/16	6.10	1.17	0.00	4.93	169	140	140	540 ^{28,29}	<0.50	<0.50	<0.50	<1.0	1.6	<0.50	NA
10/24-25/16	6.10	2.70	0.00	3.40	<50	<95	<95	380 ^{28,29}	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
03/28/17	6.10	1.38	0.00	4.72	64	173	<97.1	160^{28,33,34}	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
MW-14															
10/02/07	6.42	2.40	0.00	4.02	67	300	870	1,400	<0.50	<0.50	<0.50	<0.50	1.4 ⁴	6.1	NA
03/14/08	6.42	2.44	0.00	3.98	50	250 ⁶	350	500 ⁷	<0.50	<0.50	<0.50	<0.50	1.7	5.0	NA
06/26/08	6.42	2.62	0.00	3.80	<50	570 ¹⁰	2,700	2,000 ¹⁵	<0.50	<0.50	<0.50	<0.50	1.4	3.1	NA
09/25/08	6.42	2.58	0.00	3.84	<50	510 ¹⁰	1,700	1,800 ¹⁶	<0.50	<0.50	<0.50	<0.50	1.0	<0.50	NA
12/19/08	6.42	2.14	0.00	4.28	<50	480 ⁶	2,100	1,200 ¹⁸	<0.50	<0.50	<0.50	<0.50	1.2	<0.50	NA
03/26/09	6.42	2.23	0.00	4.19	<50	79 ⁶	540	1,000 ¹⁸	<0.50	<0.50	<0.50	<0.50	0.89	<0.50	NA
06/24/09	6.42	2.33	0.00	4.09	<50	<50	290	1,100 ¹⁸	<0.50	<0.50	<0.50	<0.50	1.2	0.52	NA
09/24/09	6.42	2.47	0.00	3.95	<50	88 ¹⁰	350	1,200 ¹⁸	<0.50	<0.50	<0.50	<0.50	0.83	<0.50	NA
01/15/10	6.42	1.95	0.00	4.47	<50	60 ⁶	490	1,100 ¹⁸	<0.50	<0.50	<0.50	<0.50	1.0	<0.50	NA
09/09/10	6.42	2.52	0.00	3.90	<50	150 ¹⁰	500	890 ¹⁸	<0.50	<0.50	<0.50	<0.50	1.2	<0.50	NA
03/21/11	6.42	1.40	0.00	5.02	<50	<50	230	730 ¹⁸	<0.50	<0.50	<0.50	<0.50	1.3	<0.50	NA
09/02/11	6.42	2.49	0.00	3.93	<50	140 ⁶	550	900 ¹⁸	<0.50	<0.50	<0.50	<0.50	0.98	<0.50	NA
04/17/12	6.42	1.83	0.00	4.59	<50	140 ⁶	800	2,400 ¹⁸	<0.50	0.69	<0.50	<0.50	1.2	<0.50	NA
09/18/12	6.42	2.65	0.00	3.77	51	130 ⁶	680	1,300 ¹⁸	<0.50	<0.50	<0.50	<0.50	1.0	<0.50	NA
03/25/13	6.42	2.63	0.00	3.79	<50	160	640	2,000	<0.50	<0.50	<0.50	<0.50	1.1	<0.50	NA
09/16/13	6.42	2.53	0.00	3.89	<50	86 ⁶	360	920 ¹⁸	<0.50	<0.50	<0.50	<0.50	0.74	<0.50	NA
06/26/14	6.42	2.15	0.00	4.27	<50	100 ⁶	650	950 ¹⁸	<0.50	<0.50	<0.50	<0.50	0.98	<0.50	NA
10/16/14	6.42	2.08	0.00	4.34	<50	100 ⁶	880	920 ¹⁸	<0.50	<0.50	<0.50	<0.50	0.83	<0.50	NA
03/26/15	6.42	2.08	0.00	4.34	<50	48 ⁶	730	790 ¹⁸	<0.50	<0.50	<0.50	<1.0	0.69	0.50	NA
09/29/15	6.42	2.03	0.00	4.39	<50	<48.7	574	1,070	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
03/29/16	6.42	1.90	0.00	4.52	<50	54	430	150 ²⁸	<0.50	<0.50	<0.50	<1.0	0.52	<0.50	NA
10/24-25/16	6.42	2.03	0.00	4.39	<50	<94	129	100 ²⁸	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
03/28/17	6.42	1.80	0.00	4.62	<50	226³⁰	333³⁶	100^{33,28}	<0.50	<0.50	<0.50	<1.5	0.89	<0.50	NA

Table 1
Groundwater Monitoring Data and Analytical Results
Rolls-Royce Engine Services Test Facility
6701 Old Earhart Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	SPHT (ft.)	GWE (msl)	TPH-G (µg/L)	TPH-D ¹ (µg/L)	TPH-MO (µg/L)	TPH-JF (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Napthalene (µg/L)	SVOC (µg/L)
MW-15															
10/02/07	7.51	4.85	0.00	2.66	<50	99	<100	120	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/14/08	7.51	4.62	0.00	2.89	<50	<50	<100	88 ⁷	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/26/08	7.51	4.81	0.00	2.70	<50	<50	<100	84 ⁷	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/25/08	7.51	4.81	0.00	2.70	<50	<50	<100	53	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
12/19/08	7.51	4.67	0.00	2.84	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/09	7.51	4.45	0.00	3.06	<50	<50	<100	110 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/24/09	7.51	4.68	0.00	2.83	<50	<50	<100	59	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/24/09	7.51	4.75	0.00	2.76	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
01/15/10	7.51	4.29	0.00	3.22	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/09/10	7.51	4.78	0.00	2.73	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/21/11	7.51	2.71	0.00	4.80	<50	<50	<100	200 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/02/11	7.51	4.77	0.00	2.74	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
04/17/12	7.51	3.65	0.00	3.86	<50	<50	120 ²³	170 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/18/12	7.51	4.89	0.00	2.62	<50	<50	<100	50 ⁹	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/25/13	7.51	4.78	0.00	2.73	<50	<50	<100	76	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/16/13	7.51	4.80	0.00	2.71	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/26/14	7.51	4.58	0.00	2.93	<50	<50	100	71 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
10/16/14	7.51	4.43	0.00	3.08	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/15	7.51	4.43	0.00	3.08	<50	<48	<96	<48	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
09/29/15	7.51	4.47	0.00	3.04	<50	<47.2	<94.5	<94.5	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
03/29/16	7.51	3.84	0.00	3.67	<50	66 ²⁴	<94	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
10/24-25/16	7.51	4.19	0.00	3.32	<50	<93	<93	<50	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
03/28/17	7.51	3.48	0.00	4.03	<50	<96.4	<96.4	<50	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
MW-17															
09/14/07	0.04	4.10	0.00	-4.06	<50	<50	220	150 ²	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/14/08	Not able to sample well-no access agreement between Rolls-Royce and Port of Oakland														
07/03/08	0.04	1.98	0.00	-1.94	<50	<50	<100	84 ⁷	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
9/25/08 ¹⁴	0.04	4.77	0.00	-4.73	<50	<50	120	110 ¹⁶	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
12/19/08	0.04	2.24	0.00	-2.20	<50	<50	<100	54	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/09	0.04	1.85	0.00	-1.81	<50	<50	<100	71 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/24/09	Not able to sample well-Oakland Airport security failed to provide access to well														
09/24/09	0.04	2.97	0.00	-2.93	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
1/15/10 ¹⁴	0.04	2.49	0.00	-2.45	<50	<50	<100	59 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/09/10	0.04	2.79	0.00	-2.75	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA

Table 1
Groundwater Monitoring Data and Analytical Results
Rolls-Royce Engine Services Test Facility
6701 Old Earhart Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	SPHT (ft.)	GWE (msl)	TPH-G (µg/L)	TPH-D ¹ (µg/L)	TPH-MO (µg/L)	TPH-JF (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Napthalene (µg/L)	SVOC (µg/L)
MW-17 (cont)															
03/21/11	0.04	2.25	0.00	-2.21	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/02/11	0.04	2.69	0.00	-2.65	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
04/17/12	0.04	2.49	0.00	-2.45	<50	<50	<100	240 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/18/12	0.04	2.96	0.00	-2.92	<50	<50	140 ²³	84 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/25/13	0.04	2.51	0.00	-2.47	<50	<50	<100	93	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/16/13	0.04	2.88	0.00	-2.84	<50	<50	<100	69 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/26/14	0.04	2.73	0.00	-2.69	<50	<50	<100	70 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
10/16/14	0.04	2.47	0.00	-2.43	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/15	0.04	0.25	0.00	-0.21	<50	<49	<97	<49	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
09/29/15	0.04	2.88	0.00	-2.84	<50	<48.3	<96.5	110	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
03/29/16	0.04	2.15	0.00	-2.11	<50	<47	<95	<50	<0.50	<0.50	<0.50	>1.0	<0.50	<0.50	NA
10/24-25/16	0.04	2.62	0.00	-2.58	<50	<94	<94	<50	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
03/28/17	0.04	Unable to access well due to flooding				--	--	--	--	--	--	--	--	--	NA
MW-18															
10/02/07	7.05	4.15	0.55	3.34**	Not developed or sampled due to presence of SPH										
03/14/08	7.05	3.62	0.63	3.93**	Not sampled due to presence of SPH										
06/26/08	7.05	4.11	1.14	3.85**	Not sampled due to presence of SPH										
09/25/08	7.05	3.77	0.56	3.73**	Not sampled due to presence of SPH										
12/19/08	7.05	3.30	0.36	4.04**	Not sampled due to presence of SPH										
03/26/09	7.05	3.28	0.55	4.21**	Not sampled due to presence of SPH										
06/24/09	7.05	3.53	0.48	3.90**	Not sampled due to presence of SPH										
09/24/09	7.05	3.57	0.46	3.85**	Not sampled due to presence of SPH										
01/15/10	7.05	3.02	0.66	4.56**	Not sampled due to presence of SPH										
09/09/10	7.05	3.18	0.10	3.95**	Not sampled due to presence of SPH										
03/21/11	7.05	1.99	0.15	5.18**	Not sampled due to presence of SPH										
09/02/11	7.05	3.49	0.51	3.97**	Not sampled due to presence of SPH										
04/17/12	7.05	2.52	0.15	4.65**	Not sampled due to presence of SPH										
09/18/12	7.05	3.14	0.00	3.91	2,100	210,000 ¹⁰	190,000	290,000	<0.50	<0.50	<0.50	2.4	2.0	<2.0	NA
03/25/13	7.05	3.27	0.15	3.90**	740	35,000	39,000	61,000	<0.50	<0.50	<0.50	1.7	2.2	<0.80	NA
09/16/13	7.05	3.15	0.00	3.90	570	35,000 ¹⁰	37,000	48,000	<0.50	<0.50	<0.50	1.2	1.8	<0.80	NA
06/26/14	7.05	2.91	0.00	4.14	600	100,000 ⁸	150,000	110,000	<0.50	<0.50	<0.50	1.0	1.8	<0.80	NA
10/16/14	7.05	2.77	0.00	4.28	450	12,000	25,000	17,000 ¹⁸	<0.50	<0.50	<0.50	0.77	2.2	<0.50	NA
03/26/15	7.05	2.58	0.00	4.47	640	31,800	72,700	41,700 ¹⁸	<0.50	<0.50	<0.50	1.1	1.3	<0.50	NA
09/29/15	7.05	2.88	0.00	4.17	608	23,600 ⁶	47,100	31,900 ^{18,25}	<0.50	<0.50	<0.50	<0.50	1.1	0.52	NA

Table 1
Groundwater Monitoring Data and Analytical Results
 Rolls-Royce Engine Services Test Facility
 6701 Old Earhart Road
 Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	SPHT (ft.)	GWE (msl)	TPH-G (µg/L)	TPH-D ¹ (µg/L)	TPH-MO (µg/L)	TPH-JF (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Napthalene (µg/L)	SVOC (µg/L)	
MW-18 (cont)																
03/29/16	7.05	2.36	0.04	4.72**	Not sampled due to presence of SPH				--	--	--	--	--	--	--	--
10/24-25/16	7.05	2.49	0.00	4.56	3,070	61,100 ³⁰	105,000	27,000 ^{29,33,34,35}	<0.50	<0.50	<0.50	<1.5	1.5	<0.50	NA	
03/28/17	7.05	2.38	0.00	4.67	773	22,800	27,600	12,000 ^{33,29,28,38,35}	<0.50	<0.50	<0.50	<15	0.58	<0.50	NA	
NPORD MW-3																
09/14/07	8.11	4.43	0.00	3.68	<50	<50	<100	64 ²	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA	
03/14/08	Not able to sample well-no access agreement between Rolls-Royce and Port of Oakland															
07/03/08	8.11	3.96	0.00	4.15	<50	<50	<100	99 ⁷	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA	
09/25/08	8.11	4.06	0.00	4.05	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA	
12/19/08	8.11	3.78	0.00	4.33	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA	
03/26/09	8.11	4.22	0.00	3.89	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA	
06/24/09	8.11	4.02	0.00	4.09	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA	
09/24/09	8.11	4.19	0.00	3.92	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA	
01/15/10	8.11	3.51	0.00	4.60	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA	
09/09/10	8.11	3.96	0.00	4.15	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA	
03/21/11	8.11	3.28	0.00	4.83	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA	
09/02/11	8.11	4.10	0.00	4.01	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA	
04/17/12	8.11	4.00	0.00	4.11	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA	
09/18/12	8.11	4.18	0.00	3.93	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA	
03/25/13	8.11	4.35	0.00	3.76	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA	
09/16/13	8.11	4.23	0.00	3.88	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA	
06/26/14	8.11	3.91	0.00	4.20	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA	
10/16/14	8.11	3.69	0.00	4.42	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA	
03/26/15	8.11	3.70	0.00	4.41	<50	<48	<97	<48	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	
09/29/15	8.11	3.65	0.00	4.46	<50	<47.2	<94.4	<94.4	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	
03/29/16	8.11	3.86	0.00	4.25	<50	<46	<92	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	
10/24-25/16	8.11	3.64	0.00	4.47	<50	<95	301 ¹³	<50	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA	
03/28/17	8.11	3.75	0.00	4.36	<50	<97.4	<97.4	<50	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA	
NPORD MW-4																
09/14/07	10.06	6.48	0.00	3.58	50	1,000 ³	1,400	2,000 ²	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA	
03/14/08	Not able to sample well-no access agreement between Rolls-Royce and Port of Oakland															
07/03/08	10.06	6.26	0.00	3.80	<50	360 ⁶	700	960 ⁷	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA	
09/25/08	10.06	6.28	0.00	3.78	<50	150 ⁶	240	820 ¹⁶	<0.50	<0.50	<0.50	<0.50	<0.50 ⁴	<0.50	NA	

Table 1
Groundwater Monitoring Data and Analytical Results
Rolls-Royce Engine Services Test Facility
6701 Old Earhart Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	SPHT (ft.)	GWE (msl)	TPH-G (µg/L)	TPH-D ¹ (µg/L)	TPH-MO (µg/L)	TPH-JF (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Napthalene (µg/L)	SVOC (µg/L)
NPORD MW-4 (cont)															
12/19/08	10.06	6.15	0.00	3.91	<50	320 ¹⁰	640	1,400 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/09	10.06	5.91	0.00	4.15	<50	95	160	520 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/24/09	10.06	6.10	0.00	3.96	<50	200 ⁶	100	1,000	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/24/09	10.06	6.20	0.00	3.86	<50	200 ^{10,20}	180 ²⁰	500 ^{18,20}	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
01/15/10	10.06	5.45	0.00	4.61	<50	93	<100	770 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/09/10	10.06	6.06	0.00	4.00	<50	<50	<100	290 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/21/11	10.06	5.31	0.00	4.75	<50	<50	<100	270	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/02/11	10.06	6.11	0.00	3.95	<50	95	<100	320 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
04/17/12	10.06	5.58	0.00	4.48	<50	64	130 ²³	940 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/18/12	10.06	6.27	0.00	3.79	<50	150	250	800 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/25/13	10.06	6.23	0.00	3.83	<50	57	<100	820	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/16/13	10.06	6.25	0.00	3.81	<50	72	120 ¹³	560 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/26/14	10.06	6.01	0.00	4.05	<50	90 ⁶	260	520 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
10/16/14	10.06	6.91	0.00	3.15	<50	200	480	690 ¹⁸	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/15	10.06	5.56	0.00	4.50	<50	91	270	470 ¹⁸	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
09/29/15	10.06	6.01	0.00	4.05	<50	140	711	771 ^{18,25}	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
03/29/16	10.06	5.37	0.00	4.69	<50	100	130	290 ²⁸	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
10/24-25/16	10.06	5.93	0.00	4.13	<50	111 ³⁰	111 ¹³	380	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
03/28/17	10.06	5.54	0.00	4.52	<50	111²⁴	<97.1	190²⁸	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
QA															
09/14/07	--	--	--	--	<50	NA	NA	NA	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
10/02/07	--	--	--	--	<50	NA	NA	NA	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/14/08	--	--	--	--	<50	NA	NA	NA	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
6/26/08 ¹⁴	--	--	--	--	<50	NA	NA	NA	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
07/03/08	--	--	--	--	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/25/08	--	--	--	--	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
12/19/08	--	--	--	--	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/09	--	--	--	--	<50	<50	<100	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/24/09	--	--	--	--	<50	NA	NA	NA	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/24/09	--	--	--	--	<50	NA	NA	NA	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
01/15/10	--	--	--	--	<50	NA	NA	NA	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/09/10	--	--	--	--	<50	NA	NA	NA	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/21/11	--	--	--	--	<50	NA	NA	NA	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/02/11	--	--	--	--	<50	NA	NA	NA	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA

Table 1
Groundwater Monitoring Data and Analytical Results
Rolls-Royce Engine Services Test Facility
6701 Old Earhart Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	SPHT (ft.)	GWE (msl)	TPH-G (µg/L)	TPH-D ¹ (µg/L)	TPH-MO (µg/L)	TPH-JF (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Napthalene (µg/L)	SVOC (µg/L)
QA (cont)															
04/17/12	--	--	--	--	<50	NA	NA	NA	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/18/12	--	--	--	--	<50	NA	NA	NA	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/25/13	--	--	--	--	<50	NA	NA	NA	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
09/16/13	--	--	--	--	<50	NA	NA	NA	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
06/26/14	--	--	--	--	<50	NA	NA	NA	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
10/16/14	--	--	--	--	<50	NA	NA	NA	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NA
03/26/15	--	--	--	--	<50	NA	NA	NA	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
09/29/15	--	--	--	--	<50	NA	NA	NA	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
03/29/16	--	--	--	--	<50	NA	NA	NA	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA
10/24-25/16	--	--	--	--	<50	NA	NA	NA	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA
03/28/17	--	--	--	--	<50	NA	NA	NA	<0.50	<0.50	<0.50	<1.5	<0.50	<0.50	NA

Table 1
Groundwater Monitoring Data and Analytical Results
 Roils-Royce Engine Services Test Facility
 6701 Old Earhart Road
 Oakland, California

EXPLANATIONS:

TOC = Top of Casing Elevation
 DTW = Depth to Water
 GWE = Groundwater Elevation
 ft = feet

SPHT = Separate Phase Hydrocarbon Thickness
 TPH-G= Total Petroleum Hydrocarbons as Gasoline
 TPH-D = Total Petroleum Hydrocarbons as Diesel

TPH-MO = Total Petroleum Hydrocarbons as Motor Oil
 TPH-JF = Total Petroleum Hydrocarbons as Jet Fuel
 B = Benzene
 T = Toluene
 E = Ethylbenzene
 X = Total Xylenes
 MTBE = Methyl Tertiary Butyl Ether

SVOC = Semi-Volatile Organic Compounds
 (µg/L) = Micrograms per liter
 NA = Not Analyzed
 -- = Not Measured
 QA = Trip Blank

ANALYTICAL METHODS:

Kiff Analytical LLC (NELAP #08263CA) prior to 2015
 Pace Analytical (CA Certification #08263CA)
 TPH-G, BTEX, MTBE, and Napthalene by EPA Method 8260B
 TPH-D, TPH-MO, and TPH-JF by modified EPA Method 8015
 SVOC by EPA Method 8270C

* TOC elevations surveyed relative to mean sea level by Morrow Surveying (PLS #5161) on October 8, 2007

** = GWE corrected for the presence of SPH [(TOC-DTW) + (SPH thickness x SPH specific gravity)]. Specific gravity of SPH is assumed to be 0.8.

- 1 Analyzed with Silica Gel Cleanup.
- 2 Discrete peaks, higher boiling hydrocarbons present in sample that are atypical for Jet Fuel.
- 3 Discrete peaks, higher boiling hydrocarbons present in sample that are atypical for Diesel Fuel.
- 4 Matrix spike/matrix spike duplicate results associated with these samples for the analyte Methyl-t-butyl ether were affected by the analyte concentrations already present in the un-spiked sample.
- 5 Due to the formation of an emulsion in this sample, the sample was centrifuged and decanted prior to extraction.
- 6 Hydrocarbons present in this sample are higher-boiling than typical Diesel Fuel.
- 7 Hydrocarbons present in this sample are higher-boiling than typical Jet Fuel.
- 8 Lower boiling hydrocarbons are present in this sample that are atypical for Diesel Fuel.
- 9 Discrete peaks present in this sample that are atypical for Jet Fuel.
- 10 Some lower-boiling hydrocarbons than Diesel and some higher-boiling hydrocarbons than Diesel are present in this sample.
- 11 Both lower-boiling and higher-boiling hydrocarbons than Jet Fuel are present in this sample.
- 12 Sample contained primarily compounds not found in typical Gasoline.
- 13 Hydrocarbons present in this sample are lower-boiling than typical Motor Oil.
- 14 Sample was analyzed by EPA Method 8260B using bottles that contained headspace bubbles greater than 1/4-inch in diameter.
- 15 Lower boiling hydrocarbons are present in this sample that are atypical for Jet Fuel.
- 16 Chromatographic pattern not typical for Jet Fuel.
- 17 Diesel method reporting limit for this sample was increased due to interference from Gasoline range hydrocarbons.
- 18 Higher-boiling hydrocarbons are present in this sample that are atypical for Jet Fuel.
- 19 Laboratory confirmed results.

Table 1
Groundwater Monitoring Data and Analytical Results
Rolls-Royce Engine Services Test Facility
6701 Old Earhart Road
Oakland, California

EXPLANATIONS:

- ²⁰ Repeat analysis by Modified EPA Method 8015 yielded inconsistent results for sample NPORD MW-4. The concentrations appear to vary between bottles. The highest concentration results are reported.
- ²¹ All analytes were ND or less than their respective reporting limits.
- ²² Analysis for SVOC requested by Client.
- ²³ Discrete peaks in Motor Oil range, atypical for Motor Oil.
- ²⁴ Discrete peaks in Diesel Range, atypical for Diesel Fuel.
- ²⁵ The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.
- ²⁶ Sample diluted due to high organic content.
- ²⁷ Aqueous sample that contains greater than ~1 vol % sediment.
- ²⁸ Diesel range compounds are significant; no recognizable pattern.
- ²⁹ Kerosene/kerosene range/jet fuel range.
- ³⁰ Higher-boiling hydrocarbons present, atypical for Diesel Fuel.
- ³¹ Lower and higher-boiling hydrocarbons present, atypical for Diesel Fuel.
- ³² Stoddard solvent/mineral spirit(>); and/or kerosene range/jet fuel range.
- ³³ Oil range compounds are significant.
- ³⁴ Gasoline range compounds are significant; and/or stoddard solvent/mineral spirit (?).
- ³⁵ Lighter than water immiscible sheen/product is present.
- ³⁶ Lower boiling hydrocarbons present, atypical for Motor Oil.
- ³⁷ Stoddard solvent/mineral spirit(>); and/or gasoline range compounds.
- ³⁸ Stoddard solvent/mineral spirit(?)

Table 2
Field Measurements and Groundwater Analytical Results
 Rolls-Royce Engine Services Test Facility
 6701 Old Earhart Road
 Oakland, California

WELL ID/ DATE	D.O. Pre-Purge (mg/L)	D.O. Post-Purge (mg/L)	ORP Pre-Purge (mV)	ORP Post-Purge (mV)	Ferric Iron (mg/L)	Ferrous Iron (mg/L)	Nitrate as NO₃ (mg/L)	Sulfate as SO₄ (mg/L)	Methane (ug/L)
MW-1 09/09/10	0.00	0.74	-462.4	-124.7	3.2	0.81	<10	2,000	117
MW-2 09/09/10	0.03	0.29	-261.9	-233.5	--	--	--	--	--
MW-3 09/09/10	0.38	0.24	-149.2	-123.5	--	--	--	--	--
MW-4 09/09/10	0.09	0.06	-295.2	-299.4	91	2.4	<2.5	8.6	6,590
MW-5 09/09/10	0.84	0.05	-374	-459	68	12	<2.5	<2.5	4,760
MW-6 09/09/10	0.22	0.20	-271.8	-273.5	40	<0.10	<2.5	540	3,280
MW-7 09/09/10	0.07	0.09	-260.7	-257.4	340	18	<2.5	<2.5	6,350
MW-8 09/09/10	0.14	0.11	-276	-281	23	2.1	<2.5	3.9	8,500
MW-9 09/09/10	0.00	0.65	-548.1	-501.4	13	<0.10	<2.5	23	8,310
MW-10 09/09/10	0.11	0.58	-333.3	-391.2	--	--	--	--	--
MW-11 09/09/10	0.84	0.96	-399.4	-370.1	--	--	--	--	--
MW-12 09/09/10	0.15	0.49	-340.1	-348.2	--	--	--	--	--
MW-13 09/09/10	0.45	0.82	-142.9	-130.5	--	--	--	--	--
MW-14 09/09/10	0.20	0.14	-264.6	-223.9	--	--	--	--	--

Table 2
Field Measurements and Groundwater Analytical Results
 Rolls-Royce Engine Services Test Facility
 6701 Old Earhart Road
 Oakland, California

WELL ID/ DATE	D.O. Pre-Purge (mg/L)	D.O. Post-Purge (mg/L)	ORP Pre-Purge (mV)	ORP Post-Purge (mV)	Ferrie Iron (mg/L)	Ferrous Iron (mg/L)	Nitrate as NO₃ (mg/L)	Sulfate as SO₄ (mg/L)	Methane (µg/L)
MW-15 09/09/10	0.51	0.63	196.1	180.2	--	--	--	--	--
MW-17 09/09/10	0.40	0.51	168.4	149.1	--	--	--	--	--
NPORD MW-3 09/09/10	0.46	0.50	-208.2	-211.6	3.2	3.2	<10	1,200	27.8

Table 2
Field Measurements and Groundwater Analytical Results
Rolls-Royce Engine Services Test Facility
6701 Old Earhart Road
Oakland, California

EXPLANATIONS:

ORP = Oxidation Reduction Potential
D.O. = Dissolved Oxygen
(mV) = Millivolts
(µg/L) = Micrograms per liter
(mg/L) = Milligrams per liter
-- = Not Measured


ANALYTICAL METHODS:

Nitrate as NO₃ and Sulfate as SO₃ by EPA Method 300.0
Ferric Iron by 200.7/SM 3500 Fe D
Ferrous Iron by SM 3500 Fe D
Methane by Method RSK-175M

Table 3
 SPH Thickness and Volumes Purged - MW-18
 Rolls-Royce Engine Services Test Facility
 6701 Old Earhart Road
 Oakland, California

Date	SPH Thickness (feet)	Depth To SPH From Top of Casing (feet)	Approximate Volume of Water Purged (gallons)	Approximate Volume of SPH Purged (gallons)
9/14/07	0.55	3.60	2.00	2.50
3/14/08	0.63	2.99	0.80	0.30
6/26/08	1.14	2.97	1.00	0.13
9/25/08	0.56	3.21	2.00	0.07
12/19/08	0.36	2.94	0.13	0.16
3/26/09	0.55	2.73	0.08	0.08
6/24/09	0.48	3.05	0.05	0.06
9/24/09	0.46	3.11	0.00	0.07
1/15/10	0.66	2.36	2.00	0.14
9/9/10	0.10	3.08	0.13	0.01
3/21/11	0.15	1.84	0.26	0.03
9/2/11	0.51	2.98	0.16	0.26
4/17/12	0.15	2.37	0.05	0.26
9/18/12	0.00	NA	3.50	0.00
3/25/13	0.15	3.12	4.50	0.15
9/16/13	0.00	NA	3.00	0.00
6/26/14	0.00	NA	4.00	0.00
10/16/14	0.00	NA	4.00	0.00
3/26/2015	0.00	NA	4.00	0.00
9/29/2015	0.00	NA	4.00	0.00
3/29/2016	0.04	2.32	0.00	0.00
10/24-25/2016	0.00	NA	4.00	0.00
3/28/2017	0.00	NA	4.00	0.00
Totals:			43.66	4.21

NA = Not Applicable



SITE LOCATION MAP
ROLLS-ROYCE ENGINE SERVICES TEST FACILITY
6701 OLD EARHART RD.
OAKLAND, CA

FIGURE

1

PROJECT NUMBER
 25-948218.7



REVIEWED BY

DATE
 11/13/07

REVISED DATE

EXPLANATION

- ◆ Groundwater monitoring well
- ⊕ Proposed monitoring well - not installed location inaccessible by drill rig



Source: Figure modified from drawing provided by Morrow Surveying, Dated: 10/8/07.

GETTLER - RYAN INC.
 6805 Sierra Court, Suite G
 Dublin, CA 94568 (925) 551-7555


SITE PLAN
 Rolls-Royce Engine Services Test Facility
 6701 Old Earhart Road
 Oakland, CA

PROJECT NUMBER: 948218.2
 FILE NAME: P:\Enviro\Rolls Royce\017-Rolls Royce.DWG | Layout Tab: Site Plan


REVIEWED BY: _____
 DATE: 11/07
 REVISED DATE: _____

EXPLANATION

- ◆ Groundwater monitoring well
- ⊕ Proposed monitoring well - not installed location inaccessible by drill rig
- 99.99 Groundwater elevation in feet referenced to Mean Sea Level
- - -99.99 - - - Groundwater elevation contour, dashed where inferred
- ⊠ Inaccessible



Approximate groundwater flow direction at a gradient of 0.03 Ft./Ft.



POTENTIOMETRIC MAP
 Rolls-Royce Engine Services Test Facility
 6701 Old Earhart Road
 Oakland, CA



GETTLER-RYAN INC.
 6805 Sierra Court, Suite C
 Dublin, CA 94568
 (925) 551-7555

PROJECT NUMBER: 948218.2
 REVIEWED BY: [Signature]
 DATE: March 28, 2017
 REVISION DATE: [Blank]

Source: Figure modified from drawing provided by Morrow Surveying, Dated: 10/8/07.

EXPLANATION

- ◆ Groundwater monitoring well
- ⊕ Proposed monitoring well - not installed location inaccessible by drill rig
- A/B/C/D Total Petroleum Hydrocarbons
TPH as Gasoline/TPH as Diesel/
TPH as Motor Oil/TPH as Jet
Fuel concentrations in ppb



Source: Figure modified from drawing provided by Morrow Surveying, Dated: 10/8/07.

CONCENTRATION MAP
 Rolls-Royce Engine Services Test Facility
 6701 Old Earhart Road
 Oakland, CA

GETTLER - RYAN INC.
 6805 Sierra Court, Suite G
 Dublin, CA 94568
 (925) 551-7555

PROJECT NUMBER: 948218.2
 FILE NAME: P:\Enviro\Rolls Royce\017-Rolls Royce.DWG | Layout Tab: Con2
 REVIEWED BY: [Signature]
 DATE: March 28, 2017
 REVISED DATE: [Blank]

GR FIELD METHODS AND PROCEDURES - GROUNDWATER SAMPLING

Gettler-Ryan Inc. (GR) field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. All work is performed in accordance with the GR Health & Safety Plan and all client-specific programs. The scope of work and type of analysis to be performed is determined prior to commencing field work.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, peristaltic or Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging (additional parameters such as dissolved oxygen, oxidation reduction potential, turbidity may also be measured, depending on specific scope of work.). Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards, as directed by the scope of work. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Rolls Royce Engine Test
 Site Address: 6701 Old Earhart Road
 City: Oakland, CA

Job Number: 17258218
 Event Date: 3-28-17 (inclusive)
 Sampler: AW

Well ID: MW-1
 Well Diameter: 21.4 in.
 Total Depth: 8.43 ft.
 Depth to Water: 2.88 ft.

Date Monitored: 3-28-17

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

5.55 xVF .17 = 0.94 x3 case volume = Estimated Purge Volume: 3.0 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 3.99

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ ltr
 Amt Removed from Well: _____ ltr
 Water Removed: _____ ltr

Start Time (purge): 1015
 Sample Time/Date: 1045 / 3-28-17
 Approx. Flow Rate: 0 gpm.
 Did well de-water? If yes, Time: _____ Volume: _____ gal.

Weather Conditions: Sunny
 Water Color: Cloudy Odor: Y 10
 Sediment Description: cloudy
 DTW @ Sampling: 3.90

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm)	Temperature (°/ F)	D.O. (mg/L)	ORP (mV)
<u>1020</u>	<u>1.0</u>	<u>8.08</u>	<u>9.83</u>	<u>16.7</u>		
<u>1025</u>	<u>2.0</u>	<u>8.05</u>	<u>9.87</u>	<u>16.9</u>		
<u>1030</u>	<u>3.0</u>	<u>8.01</u>	<u>9.90</u>	<u>17.2</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-1</u>	<u>7</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>PACE</u>	<u>TPH-JET FUEL/TPH-MO/TPH-DRO w/sgc(8015)/TPH-GRO/BTEX/MTBE/NAPHTHALENE(8260)</u>

COMMENTS:

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Rolls Royce Engine Test
 Site Address: 6701 Old Earhart Road
 City: Oakland, CA

Job Number: 17258218
 Event Date: 3-28-17 (inclusive)
 Sampler: AW

Well ID: MW-2
 Well Diameter: 2 1/4 in.
 Total Depth: 8.91 ft.
 Depth to Water: 2.50 ft.

Date Monitored: 3-28-17

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 3.78

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbant Sock (circle one)
Amt Removed from Skimmer: _____ ltr
Amt Removed from Well: _____ ltr
Water Removed: _____ ltr

Start Time (purge): 1055
 Sample Time/Date: 1125 / 3-28-17
 Approx. Flow Rate: — gpm.
 Did well de-water? N If yes, Time: _____ Volume: _____ gal.

Weather Conditions: Sunny
 Water Color: Cloudy Odor: Y / 10
 Sediment Description: Cloudy
 DTW @ Sampling: 3.71

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (mS/cm)	Temperature (F)	D.O. (mg/L)	ORP (mV)
<u>1100</u>	<u>1.5</u>	<u>7.14</u>	<u>11.25</u>	<u>18.2</u>	_____	_____
<u>1105</u>	<u>2.5</u>	<u>7.19</u>	<u>11.19</u>	<u>18.5</u>	_____	_____
<u>1110</u>	<u>3.5</u>	<u>7.23</u>	<u>11.12</u>	<u>18.7</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-2</u>	<u>7</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>PACE</u>	<u>TPH-JET FUEL/TPH-MO/TPH-DRO w/sgc(8015)/TPH-GRO/BTEX/MTBE/NAPHTHALENE(8260)</u>

COMMENTS: _____

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Rolls Royce Engine Test
 Site Address: 6701 Old Earhart Road
 City: Oakland, CA

Job Number: 17258218
 Event Date: 3-28-17 (inclusive)
 Sampler: FT

Well ID: MW-3
 Well Diameter: 2 1/4 in.
 Total Depth: 12.09 ft.
 Depth to Water: 3.62 ft.

Date Monitored: 3-28-17

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

8.47 xVF .17 = 1.43 x3 case volume = Estimated Purge Volume: 4.0 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 5.31

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ ltr
 Amt Removed from Well: _____ ltr
 Water Removed: _____ ltr

Start Time (purge): 1020 Weather Conditions: SUNNY
 Sample Time/Date: 1035 / 3-28-17 Water Color: CLEAN Odor: 0 / N MODERATE
 Approx. Flow Rate: _____ gpm. Sediment Description: NONE
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 3.64

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (US mS μmhos/cm)	Temperature (° / F)	D.O. (mg/L)	ORP (mV)
<u>1023</u>	<u>1.5</u>	<u>7.89</u>	<u>OFF-SCALE</u>	<u>17.9</u>	_____	_____
<u>1024</u>	<u>3.0</u>	<u>7.86</u>	<u>↓</u>	<u>17.7</u>	_____	_____
<u>1029</u>	<u>4.0</u>	<u>7.82</u>	<u>↓</u>	<u>17.5</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-3</u>	<u>7</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>PACE</u>	<u>TPH-JET FUEL/TPH-MO/TPH-DRO w/sgc(8015)/TPH-GRO/BTEX/MTBE/NAPHTHALENE(8260)</u>

COMMENTS:

BOUNT L. 8" (1SF) (2 BROKEN BOLTS IN FLANGES)

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Rolls Royce Engine Test
 Site Address: 6701 Old Earhart Road
 City: Oakland, CA

Job Number: 17258218
 Event Date: 3-28-17 (inclusive)
 Sampler: M

Well ID: MW-4
 Well Diameter: 214 in.
 Total Depth: 9.98 ft.
 Depth to Water: 5.13 ft.

Date Monitored: 3-28-17

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

4.85 xVF .17 = 0.8 x3 case volume = Estimated Purge Volume: 2.4 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.10

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started:	_____ (2400 hrs)
Time Completed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	_____ ft
Visual Confirmation/Description:	_____
Skimmer / Absorbant Sock (circle one)	_____
Amt Removed from Skimmer:	_____ ltr
Amt Removed from Well:	_____ ltr
Water Removed:	_____ ltr

Start Time (purge): 0930 Weather Conditions: Sun
 Sample Time/Date: 0955 3-28-17 Water Color: Black Odor: Y10
 Approx. Flow Rate: - gpm. Sediment Description: light
 Did well de-water? no If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 5.50

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µS / mS / cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>0933</u>	<u>1</u>	<u>6.86</u>	<u>Out of range</u>	<u>17.4</u>	_____	_____
<u>0936</u>	<u>2</u>	<u>6.94</u>	<u>↓</u>	<u>17.6</u>	_____	_____
<u>0939</u>	<u>2.5</u>	<u>6.96</u>	<u>↓</u>	<u>17.7</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>7</u> x voa vial	YES	HCL	PACE	TPH-JET FUEL/TPH-MO/TPH-DRO w/sgc(8015)/TPH-GRO/BTEX/MTBE/NAPHTHALENE(8260)

COMMENTS:

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Rolls Royce Engine Test
 Site Address: 6701 Old Earhart Road
 City: Oakland, CA

Job Number: 17258218
 Event Date: 3-28-17 (inclusive)
 Sampler: ML

Well ID: MW-5
 Well Diameter: 2.14 in.
 Total Depth: 9.66 ft.
 Depth to Water: 3.81 ft.

Date Monitored: 3-28-17

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

5.85 xVF 1.7 = 0.9 x3 case volume = Estimated Purge Volume: 2.7 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 4.98

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started:	_____ (2400 hrs)
Time Completed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	_____ ft
Visual Confirmation/Description:	_____
Skimmer / Absorbant Sock (circle one)	_____
Amt Removed from Skimmer:	_____ ltr
Amt Removed from Well:	_____ ltr
Water Removed:	_____ ltr

Start Time (purge): 0800 Weather Conditions: Sun
 Sample Time/Date: 0830 13-28-17 Water Color: Gray Odor: YIN
 Approx. Flow Rate: _____ gpm. Sediment Description: Medium
 Did well de-water? No If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 4.17

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µS / mS µmhos/cm)	Temperature (° / F)	D.O. (mg/L)	ORP (mV)
<u>0803</u>	<u>1</u>	<u>7.16</u>	<u>OUT of Range</u>	<u>17.2</u>	_____	_____
<u>0806</u>	<u>2</u>	<u>7.24</u>	<u>↓</u>	<u>17.4</u>	_____	_____
<u>0809</u>	<u>3</u>	<u>7.23</u>	<u>↓</u>	<u>17.5</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-5</u>	<u>7</u> x voa vial	YES	HCL	PACE	TPH-JET FUEL/TPH-MO/TPH-DRO w/sgc(8015)/ TPH-GRO/BTEX/MTBE/NAPHTHALENE(8260)

COMMENTS:

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Rolls Royce Engine Test
 Site Address: 6701 Old Earhart Road
 City: Oakland, CA

Job Number: 17258218
 Event Date: 3-28-17 (inclusive)
 Sampler: MC

Well ID: MW-6
 Well Diameter: 2.4 in.
 Total Depth: 10.71 ft.
 Depth to Water: 4.86 ft.

Date Monitored: 3-28-17

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

5.85 xVF .17 = 0.9 x3 case volume = Estimated Purge Volume: 2.7 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.53

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbant Sock (circle one)
Amt Removed from Skimmer: _____ ltr
Amt Removed from Well: _____ ltr
Water Removed: _____ ltr

Start Time (purge): 1015
 Sample Time/Date: 1040 / 3-28-17
 Approx. Flow Rate: _____ gpm.
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Weather Conditions: Sun
 Water Color: Black Odor: Y10
 Sediment Description: light
 DTW @ Sampling: 5.01

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µS/mS µmhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1018</u>	<u>1</u>	<u>7.11</u>	<u>3932</u>	<u>18.2</u>	_____	_____
<u>1021</u>	<u>2</u>	<u>7.20</u>	<u>3941</u>	<u>18.4</u>	_____	_____
<u>1024</u>	<u>3</u>	<u>7.22</u>	<u>3944</u>	<u>18.4</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-6</u>	<u>7</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>PACE</u>	<u>TPH-JET FUEL/TPH-MO/TPH-DRO w/sgc(8015)/TPH-GRO/BTEX/MTBE/NAPHTHALENE(8260)</u>

COMMENTS: _____

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Rolls Royce Engine Test
 Site Address: 6701 Old Earhart Road
 City: Oakland, CA

Job Number: 17258218
 Event Date: 3-28-17 (inclusive)
 Sampler: ML

Well ID: MW-7
 Well Diameter: 2.14 in.
 Total Depth: 10.10 ft.
 Depth to Water: 4.70 ft.

Date Monitored: 3-28-17

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 5.78
 $5.40 \times VF .17 = 0.9$ x3 case volume = Estimated Purge Volume: 2.7 gal.

Purge Equipment:
 Disposable Bailer: X
 Stainless Steel Bailer: _____
 Stack Pump: _____
 Peristaltic Pump: _____
 QED Bladder Pump: _____
 Other: _____

Sampling Equipment:
 Disposable Bailer: X
 Pressure Bailer: _____
 Metal Filters: _____
 Peristaltic Pump: _____
 QED Bladder Pump: _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ ltr
 Amt Removed from Well: _____ ltr
 Water Removed: _____ ltr

Start Time (purge): 0845 Weather Conditions: Sunny
 Sample Time/Date: 0915 3-28-17 Water Color: BLACK Odor: PIN light
 Approx. Flow Rate: _____ gpm. Sediment Description: medium
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 4.93

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (mS/cm)	Temperature (F)	D.O. (mg/L)	ORP (mV)
<u>0848</u>	<u>1</u>	<u>6.99</u>	<u>out of range</u>	<u>15.1</u>		
<u>0851</u>	<u>2</u>	<u>7.10</u>		<u>15.4</u>		
<u>0855</u>	<u>3</u>	<u>7.14</u>		<u>15.4</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-7</u>	<u>7</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>PACE</u>	<u>TPH-JET FUEL/TPH-MO/TPH-DRO w/sgc(8015)/TPH-GRO/BTEX/MTBE/NAPHTHALENE(8260)</u>

COMMENTS: _____

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Rolls Royce Engine Test
 Site Address: 6701 Old Earhart Road
 City: Oakland, CA

Job Number: 17258218
 Event Date: 3-28-17 (inclusive)
 Sampler: ML

Well ID: MW-8
 Well Diameter: 214 in.
 Total Depth: 9.84 ft.
 Depth to Water: 3.56 ft.

Date Monitored: 3-28-17

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

6.28 xVF .17 = 1.0 x3 case volume = Estimated Purge Volume: 3 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 4.81

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer X
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started:	_____ (2400 hrs)
Time Completed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	_____ ft
Visual Confirmation/Description:	_____
Skimmer / Absorbant Sock (circle one)	_____
Amt Removed from Skimmer:	_____ ltr
Amt Removed from Well:	_____ ltr
Water Removed:	_____ ltr

Start Time (purge): 1155
 Sample Time/Date: 1220 13-28-17
 Approx. Flow Rate: - gpm.
 Did well de-water? no If yes, Time: _____

Weather Conditions: Sunny
 Water Color: Cloudy Odor: Y1N
 Sediment Description: light
 Volume: _____ gal. DTW @ Sampling: 3.83

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µS) / mS (µmhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1158</u>	<u>1</u>	<u>6.99</u>	<u>Out of Range</u>	<u>19.3</u>	_____	_____
<u>1201</u>	<u>2</u>	<u>7.04</u>	<u>↓</u>	<u>19.5</u>	_____	_____
<u>1204</u>	<u>3</u>	<u>7.07</u>	<u>↓</u>	<u>19.5</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-8</u>	<u>7</u> x voa vial	YES	HCL	PACE	TPH-JET FUEL/TPH-MO/TPH-DRO w/sgc(8015)/TPH-GRO/BTEX/MTBE/NAPHTHALENE(8260)

COMMENTS: _____

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Rolls Royce Engine Test
 Site Address: 6701 Old Earhart Road
 City: Oakland, CA

Job Number: 17258218
 Event Date: 3-28-17 (inclusive)
 Sampler: AW

Well ID: MW-9
 Well Diameter: 2 1/4 in.
 Total Depth: 9.95 ft.
 Depth to Water: 4.78 ft.
5.17 xVF = .17 = 0.87

Date Monitored: 3-28-17

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

x3 case volume = Estimated Purge Volume: 3.0 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 5.81

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ ltr
 Amt Removed from Well: _____ ltr
 Water Removed: _____ ltr

Start Time (purge): 0845 Weather Conditions: Sunny
 Sample Time/Date: 0915 / 3-28-17 Water Color: Black Odor: 0 / N / moderate
 Approx. Flow Rate: _____ gpm. Sediment Description: Cloudy
 Did well de-water? N If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 5.29

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µS / mS / µmhos/cm)	Temperature (° / F)	D.O. (mg/L)	ORP (mV)
<u>0850</u>	<u>1.0</u>	<u>6.77</u>	<u>3.51</u>	<u>18.3</u>		
<u>0855</u>	<u>2.0</u>	<u>6.81</u>	<u>3.47</u>	<u>18.5</u>		
<u>0859</u>	<u>3.0</u>	<u>6.89</u>	<u>3.44</u>	<u>18.7</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-9</u>	<u>07</u> x voa vial	YES	HCL	PACE	TPH-JET FUEL/TPH-MO/TPH-DRO w/sgc(8015)/ TPH-GRO/BTEX/MTBE/NAPHTHALENE(8260)

COMMENTS: _____

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Rolls Royce Engine Test
 Site Address: 6701 Old Earhart Road
 City: Oakland, CA

Job Number: 17258218
 Event Date: 3-28-17 (inclusive)
 Sampler: AW

Well ID: MW-10
 Well Diameter: (2) 4 in.
 Total Depth: 10.05 ft.
 Depth to Water: 2.90 ft.

Date Monitored: 3-28-17

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

7.15 xVF .17 = 1.21 x3 case volume = Estimated Purge Volume: 4.0 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 4.33

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started:	_____ (2400 hrs)
Time Completed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	_____ ft
Visual Confirmation/Description:	_____
Skimmer / Absorbant Sock (circle one)	_____
Amt Removed from Skimmer:	_____ ltr
Amt Removed from Well:	_____ ltr
Water Removed:	_____ ltr

Start Time (purge): 0930
 Sample Time/Date: 1000 / 3-28-17
 Approx. Flow Rate: — gpm.
 Did well de-water? If yes, Time: — Volume: — gal.

Weather Conditions: Sunny
 Water Color: Cloudy Odor: Y / (N)
 Sediment Description: Cloudy
 DTW @ Sampling: 411

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µS / mS / µmhos/cm)	Temperature (°C / °F)	D.O. (mg/L)	ORP (mV)
<u>0935</u>	<u>1.5</u>	<u>7.26</u>	<u>7.31</u>	<u>17.4</u>		
<u>0940</u>	<u>3.0</u>	<u>7.30</u>	<u>7.38</u>	<u>17.6</u>		
<u>0945</u>	<u>4.0</u>	<u>7.33</u>	<u>7.40</u>	<u>17.8</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-10</u>	<u>7</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>PACE</u>	<u>TPH-JET FUEL/TPH-MO/TPH-DRO w/sgc(8015)/ TPH-GRO/BTEX/MTBE/NAPHTHALENE(8260)</u>

COMMENTS: _____

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Rolls Royce Engine Test
 Site Address: 6701 Old Earhart Road
 City: Oakland, CA

Job Number: 17258218
 Event Date: 3-28-17 (inclusive)
 Sampler: AW

Well ID: MW-11
 Well Diameter: (2) 4 in.
 Total Depth: 9.69 ft.
 Depth to Water: 3.11 ft.
6.58 xVF .17 = 1.11

Date Monitored: 3-28-17

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

x3 case volume = Estimated Purge Volume: 3.5 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 4.42

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ ltr
 Amt Removed from Well: _____ ltr
 Water Removed: _____ ltr

Start Time (purge): 0800
 Sample Time/Date: 0830 / 3-28-17
 Approx. Flow Rate: - gpm.
 Did well de-water? N If yes, Time: _____ Volume: _____ gal.

Weather Conditions: Sunny
 Water Color: Clear Odor: 0 / N / slight
 Sediment Description: Clear
 DTW @ Sampling: 4.06

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µS (mS) µmhos/cm)	Temperature (°C / F)	D.O. (mg/L)	ORP (mV)
<u>0805</u>	<u>1.6</u>	<u>6.93</u>	<u>9.84</u>	<u>15.2</u>		
<u>0810</u>	<u>2.5</u>	<u>7.00</u>	<u>9.88</u>	<u>15.6</u>		
<u>0815</u>	<u>3.5</u>	<u>7.04</u>	<u>9.92</u>	<u>15.9</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-11</u>	<u>7</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>PACE</u>	<u>TPH-JET FUEL/TPH-MO/TPH-DRO w/sgc(8015)/TPH-GRO/BTEX/MTBE/NAPHTHALENE(8260)</u>

COMMENTS: _____

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Rolls Royce Engine Test
 Site Address: 6701 Old Earhart Road
 City: Oakland, CA

Job Number: 17258218
 Event Date: 3-28-17 (inclusive)
 Sampler: AW

Well ID: MW-12
 Well Diameter: 8 1/4 in.
 Total Depth: 9.94 ft.
 Depth to Water: 2.70 ft.

Date Monitored: 3-28-17

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

7.24 xVF .17 = 1.23 x3 case volume = Estimated Purge Volume: 4.0 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 4.14

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ ltr
 Amt Removed from Well: _____ ltr
 Water Removed: _____ ltr

Start Time (purge): 1135
 Sample Time/Date: 1205 / 3-28-17
 Approx. Flow Rate: - gpm.
 Did well de-water? N If yes, Time: _____ Volume: _____ gal.

Weather Conditions: Sunny
 Water Color: Cloudy Odor: Y / N
 Sediment Description: Cloudy
 DTW @ Sampling: 3.99

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µS/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1140</u>	<u>1.5</u>	<u>7.54</u>	<u>15.18</u>	<u>19.6</u>		
<u>1145</u>	<u>3.0</u>	<u>7.61</u>	<u>15.11</u>	<u>19.8</u>		
<u>1150</u>	<u>4.0</u>	<u>7.63</u>	<u>15.05</u>	<u>19.9</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-12</u>	<u>7</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>PACE</u>	<u>TPH-JET FUEL/TPH-MO/TPH-DRO w/sgc(8015)/TPH-GRO/BTEX/MTBE/NAPHTHALENE(8260)</u>

COMMENTS: _____

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Rolls Royce Engine Test
 Site Address: 6701 Old Earhart Road
 City: Oakland, CA

Job Number: 17258218
 Event Date: 3.28.17 (inclusive)
 Sampler: FT

Well ID: MW-13
 Well Diameter: 1/4 in.
 Total Depth: 9.51 ft.
 Depth to Water: 1.38 ft.
8.13 xVF .66 = 5.36

Date Monitored: 3.28.17

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

x3 case volume = Estimated Purge Volume: 16.0 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 3.00

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer/ Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ ltr
 Amt Removed from Well: _____ ltr
 Water Removed: _____ ltr

Start Time (purge): 1050 Weather Conditions: SUNNY
 Sample Time/Date: 1150 / 3.28.17 Water Color: CLEAN Odor: 0 / N SLIGHT
 Approx. Flow Rate: _____ gpm. Sediment Description: NONE
 Did well de-water? Yes If yes, Time: 1058 Volume: 6.0 gal. DTW @ Sampling: 2.98

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µS / mS µmhos/cm)	Temperature (° / F)	D.O. (mg/L)	ORP (mV)
<u>1057</u>	<u>5.5</u>	<u>7.89</u>	<u>1227</u>	<u>17.8</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-13</u>	<u>7</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>PACE</u>	<u>TPH-JET FUEL/TPH-MO/TPH-DRO w/sgc(8015)/ TPH-GRO/BTEX/MTBE/NAPHTHALENE(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: MOULDED 12" OIL

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Rolls Royce Engine Test
 Site Address: 6701 Old Earhart Road
 City: Oakland, CA

Job Number: 17258218
 Event Date: 3-28-17 (inclusive)
 Sampler: FC

Well ID: MW-14
 Well Diameter: 2 1/4 in.
 Total Depth: 10.03 ft.
 Depth to Water: 1.80 ft.

Date Monitored: 3-28-17

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

8.23 xVF .17 = 1.39 x3 case volume = Estimated Purge Volume: 4.0 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 3.44

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one) _____
 Amt Removed from Skimmer: _____ ltr
 Amt Removed from Well: _____ ltr
 Water Removed: _____ ltr

Start Time (purge): 0945
 Sample Time/Date: 1005 / 3-28-17
 Approx. Flow Rate: / gpm.
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Weather Conditions: SUNNY
 Water Color: CLEAR Odor: 0 / N STRONG
 Sediment Description: NONE
 DTW @ Sampling: 1.81

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µS) mS (µmhos/cm)	Temperature (°C / F)	D.O. (mg/L)	ORP (mV)
<u>0948</u>	<u>1.5</u>	<u>8.31</u>	<u>OFF-SCALE</u>	<u>17.5</u>		
<u>0951</u>	<u>3.0</u>	<u>8.32</u>	<u>" "</u>	<u>17.3</u>		
<u>0954</u>	<u>4.0</u>	<u>8.28</u>	<u>3143</u>	<u>17.0</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-14</u>	<u>7</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>PACE</u>	<u>TPH-JET FUEL/TPH-MO/TPH-DRO w/sgc(8015)/TPH-GRO/BTEX/MTBE/NAPHTHALENE(8260)</u>

COMMENTS: MONITOR 8" (2SF)



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Rolls Royce Engine Test
 Site Address: 6701 Old Earhart Road
 City: Oakland, CA

Job Number: 17258218
 Event Date: 3.28.17 (inclusive)
 Sampler: FT

Well ID: MW-15
 Well Diameter: 2 1/4 in.
 Total Depth: 10.00 ft.
 Depth to Water: 3.48 ft.
6.52 xVF .17 = 1.10

Date Monitored: 3.28.17

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

x3 case volume = Estimated Purge Volume: 3.0 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 4.78

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started:	_____ (2400 hrs)
Time Completed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	_____ ft
Visual Confirmation/Description:	_____
Skimmer / Absorbant Sock (circle one)	_____
Amt Removed from Skimmer:	_____ ltr
Amt Removed from Well:	_____ ltr
Water Removed:	_____ ltr

Start Time (purge): 0900
 Sample Time/Date: 0919 / 3.28.17
 Approx. Flow Rate: — gpm.
 Did well de-water? No If yes, Time: _____ Volume: _____ gal.

Weather Conditions: SUNNY
 Water Color: CLEAR Odor: Y / 0
 Sediment Description: NONE
 DTW @ Sampling: 3.83

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µS/mS µmhos/cm)	Temperature (°C / °F)	D.O. (mg/L)	ORP (mV)
<u>0903</u>	<u>1.0</u>	<u>8.08</u>	<u>3626</u>	<u>16.5</u>	<u>—</u>	<u>—</u>
<u>0906</u>	<u>2.0</u>	<u>7.89</u>	<u>OFF-SCALE</u>	<u>16.9</u>	<u>—</u>	<u>—</u>
<u>0909</u>	<u>3.0</u>	<u>7.97</u>	<u>" "</u>	<u>17.3</u>	<u>—</u>	<u>—</u>

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-15</u>	<u>7</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>PACE</u>	<u>TPH-JET FUEL/TPH-MO/TPH-DRO w/sgc(8015)/TPH-GRO/BTEX/MTBE/NAPHTHALENE(8260)</u>

COMMENTS: MORRISON 8" (2SF)



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Rolls Royce Engine Test
 Site Address: 6701 Old Earhart Road
 City: Oakland, CA

Job Number: 17258218
 Event Date: 3.28.17 (inclusive)
 Sampler: FF

Well ID: MW-17
 Well Diameter: 21/4 in.
 Total Depth: 9.81 ft.
 Depth to Water: NA ft.

Date Monitored: UTA

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.
 _____ xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbant Sock (circle one)
Amt Removed from Skimmer: _____ ltr
Amt Removed from Well: _____ ltr
Water Removed: _____ ltr

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µS / mS µmhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	PACE	TPH-JET FUEL/TPH-MO/TPH-DRO w/sgc(8015)/TPH-GRO/BTEX/MTBE/NAPHTHALENE(8260)

COMMENTS: UTA: AWEA FLOODED WITH RAIN WATER (SEE PHOTO)

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Rolls Royce Engine Test
 Site Address: 6701 Old Earhart Road
 City: Oakland, CA

Job Number: 17258218
 Event Date: 3.28.17 (inclusive)
 Sampler: FT

Well ID: MW-18
 Well Diameter: Ø14 in.
 Total Depth: 9.94 ft.
 Depth to Water: 2.38 ft.

Date Monitored: 3.28.17

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

7.56 xVF .17 = 1.28 x3 case volume = Estimated Purge Volume: 4.0 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 3.89

Purge Equipment:

Disposable Bailer /
 Stainless Steel Bailer _____
 Stack Pump _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer /
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbant Sock (circle one)
Amt Removed from Skimmer: _____ ltr
Amt Removed from Well: _____ ltr
Water Removed: _____ ltr

Start Time (purge): 1115
 Sample Time/Date: 1135 3.28.17
 Approx. Flow Rate: — gpm.
 Did well de-water? No If yes, Time: _____

Weather Conditions: SUNNY
 Water Color: CLEAN Odor: Ø / N STROM
 Sediment Description: NONE
 Volume: _____ gal. DTW @ Sampling: 2.40

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µS/mS)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1118</u>	<u>1.5</u>	<u>7.56</u>	<u>788</u>	<u>18.4</u>	<u>/</u>	<u>/</u>
<u>1121</u>	<u>3.0</u>	<u>7.52</u>	<u>784</u>	<u>18.6</u>	<u>/</u>	<u>/</u>
<u>1124</u>	<u>4.0</u>	<u>7.49</u>	<u>779</u>	<u>18.8</u>	<u>/</u>	<u>/</u>

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-18</u>	<u>7</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>PACE</u>	<u>TPH-JET FUEL/TPH-MO/TPH-DRO w/sgc(8015)/TPH-GRO/BTEX/MTBE/NAPHTHALENE(8260)</u>

COMMENTS: MONITOR 8" (2BF)

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Rolls Royce Engine Test
 Site Address: 6701 Old Earhart Road
 City: Oakland, CA

Job Number: 17258218
 Event Date: 3-28-17 (inclusive)
 Sampler: ML

Well ID: NPORD MW-3

Date Monitored: 3-28-17

Well Diameter: 210 in.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Total Depth: 16.47 ft.

Depth to Water: 3.75 ft.

Check if water column is less than 0.50 ft.

12.72 xVF .666 = 8.3 x3 case volume = Estimated Purge Volume: 24.9 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.29

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump X
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started:	_____ (2400 hrs)
Time Completed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	_____ ft
Visual Confirmation/Description:	_____
Skimmer / Absorbant Sock (circle one)	_____
Amt Removed from Skimmer:	_____ ltr
Amt Removed from Well:	_____ ltr
Water Removed:	_____ ltr

Start Time (purge): 1235 Weather Conditions: Sunny
 Sample Time/Date: 1300 / 3-28-17 Water Color: Clear Odor: Y10
 Approx. Flow Rate: 2 gpm. Sediment Description: None
 Did well de-water? No If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 4.44

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (US) mS (µmhos/cm)	Temperature (° F)	D.O. (mg/L)	ORP (mV)
<u>1239</u>	<u>8</u>	<u>6.80</u>	<u>out of range</u>	<u>18.3</u>	_____	_____
<u>1243</u>	<u>16</u>	<u>6.92</u>	<u>↓</u>	<u>18.7</u>	_____	_____
<u>1248</u>	<u>26</u>	<u>6.94</u>	<u>↓</u>	<u>18.8</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>NPORD MW-3</u>	<u>7</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>PACE</u>	<u>TPH-JET FUEL/TPH-MO/TPH-DRO w/sgc(8015)/TPH-GRO/BTEX/MTBE/NAPHTHALENE(8260)</u>

COMMENTS: TUBING IN WELL.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Rolls Royce Engine Test
 Site Address: 6701 Old Earhart Road
 City: Oakland, CA

Job Number: 17258218
 Event Date: 3-28-17 (inclusive)
 Sampler: ML

Well ID: NPORD MW-4
 Well Diameter: 214 in.
 Total Depth: 11.45 ft.
 Depth to Water: 5.54 ft.
5.91 xVF 17 = 1.0

Date Monitored: 3-28-17

Volume Factor (VF)	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

x3 case volume = Estimated Purge Volume: 3 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.72

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbant Sock (circle one)
Amt Removed from Skimmer: _____ ltr
Amt Removed from Well: _____ ltr
Water Removed: _____ ltr

Start Time (purge): 1100
 Sample Time/Date: 1135 13-28-17
 Approx. Flow Rate: _____ gpm.
 Did well de-water? NO If yes, Time: _____

Weather Conditions: Sunny
 Water Color: Cloudy Odor: Y10
 Sediment Description: light
 Volume: _____ gal. DTW @ Sampling: 5.74

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µS/mS µmhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1103</u>	<u>1</u>	<u>7.17</u>	<u>Out of Range</u>	<u>19.1</u>	_____	_____
<u>1106</u>	<u>2</u>	<u>7.17</u>	<u>↓</u>	<u>19.4</u>	_____	_____
<u>1109</u>	<u>3</u>	<u>7.18</u>	<u>↓</u>	<u>19.4</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>NPORD MW-4</u>	<u>7</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>PACE</u>	<u>TPH-JET FUEL/TPH-MO/TPH-DRO w/sgc(8015)/TPH-GRO/BTEX/MTBE/NAPHTHALENE(8260)</u>

COMMENTS: TUBING IN WELL.

COPY



Chain-of-Custody-Record

Global ID #: T06019775776

Yes
 No

Direct Bill To:
Deanna Harding
Gettler-Ryan Inc.
6805 Sierra Court
Suite G
Dublin, CA 94568

Facility: Rolls-Royce Engine Test Facility
 Facility Address: 6701 Old Earhart Road, Oakland, CA
 Consultant Project #: 25-948218.1
 Consultant Name: GETTLER-RYAN INC.
 Address: 6805 Sierra Court Suite G, Dublin, CA 94568
 Project Contact: (Name) Deanna Harding
 (Phone) 925-551-7444 x180 (e-mail) deanna@grinc.com

(Name) Deanna Harding
 (Phone) 925-551-7444 x180
 Laboratory Name: Kiff Analytical
 Laboratory Service Order: _____
 Laboratory Service Code: _____
 Samples Collected by: (Name) Alex Wong
 Signature: _____

Sample I.D.	Number of Containers	Matrix S= Soil A=Air W=Water C=Charcoal	DATE/SAMPLE COLLECTION TIME	State Method: <input checked="" type="checkbox"/> CA <input type="checkbox"/> OR <input type="checkbox"/> WA <input type="checkbox"/> NW								Series <input type="checkbox"/> CO <input type="checkbox"/> UT <input type="checkbox"/> ID				Remarks	
				TPH-Jet A Fuel (8015) (HCL)	TPH-MO (8015) (HCL)	TPH-DRO with Silica Gel Cleanup (8015) (HCL)	TPH-GRO/BTEX/MTBE/Naphthalene (8260) (HCL)	TPH-Jet A Fuel (8015) (NP)	TPH-MO (8015) (NP)	TPH-DRO with Silica Gel Cleanup (8015) (NP)	TPH-GRO/BTEX/MTBE/Naphthalene (8260) (NP)						
QA	2	W	170328 / -				X										
MW-1	7	W	11045	X	X	X	X										
MW-2			1125														
MW-3			11035														
MW-4			10955														
MW-5			10830														
MW-6			11040														
MW-7			10915														
MW-8			11220														
MW-9			10915														
MW-10			11000														
MW-11			10830														
MW-12			11205														
MW-13			11150														

Relinquished By (Signature)	Organization	Date/Time	Received By (Signature)	Organization	Date/Time	Iced (Y/N)	Turn Around Time (Circle Choice) 24 Hrs. 48 Hrs. 5 Days 10 Days <u>As Contracted</u>
Relinquished By (Signature)	Organization	Date/Time	Received By (Signature)	Organization	Date/Time	Iced (Y/N)	
Relinquished By (Signature)	Organization	Date/Time	Received For Laboratory By (Signature)	Organization	Date/Time	Iced (Y/N)	



PES Environmental, Inc.
Engineering & Environmental Services

LOCATION: *BASE TEST CELL*

PROJECT:

JOB NO.:

SEPARATE-PHASE HYDROCARBON REMOVAL LOG

Date	Time	Well ID	Depth to Product (feet BTOC)	Depth to Water (feet BTOC)	Product Thickness (feet)	Amount of Product Removed	Notes <i>cooling tower in operation</i>
<i>12/5/16</i>	<i>04:35</i>	<i>MW18</i>				<i>430</i>	
<i>12/12/16</i>	<i>05:00</i>	<i>MW18</i>				<i>260</i>	
<i>12/19/16</i>	<i>05:08</i>	<i>MW18</i>				<i>80</i>	
<i>1/3/17</i>	<i>04:35</i>	<i>MW18</i>				<i>310</i>	
<i>1/9/17</i>	<i>05:00</i>	<i>MW18</i>				<i>250</i>	
<i>1/17/17</i>	<i>05:00</i>	<i>MW18</i>				<i>30</i>	<i>TOWER) 3 hrs</i>
<i>1/23/17</i>	<i>05:00</i>	<i>MW18</i>				<i>10</i>	<i>TOWER) 3 hrs</i>
<i>1/30/17</i>	<i>04:45</i>	<i>MW18</i>				<i>20</i>	<i>TOWER) 3 hrs</i>
<i>2/6/17</i>	<i>05:00</i>	<i>MW18</i>				<i>10</i>	<i>TOWER) 3 hrs</i>
<i>2/13/17</i>	<i>05:00</i>	<i>MW18</i>				<i>10</i>	<i>TOWER) 3 hrs</i>
<i>2/20/17</i>	<i>05:00</i>	<i>MW18</i>				<i>10</i>	<i>TOWER) 3 hrs</i>
<i>2/27/17</i>	<i>05:00</i>	<i>MW18</i>				<i>20</i>	<i>TOWER) 3 hrs</i>



PES Environmental, Inc.
Engineering & Environmental Services

LOCATION: *RR50 TEST CELL*
PROJECT:
JOB NO.:

SEPARATE-PHASE HYDROCARBON REMOVAL LOG

Date	Time	Well ID	Depth to Product (feet BTOC)	Depth to Water (feet BTOC)	Product Thickness (feet)	Amount of Product Removed	Notes
<i>9/12/14</i>	<i>05:00</i>	<i>MW19</i>				<i>170</i>	
<i>9/19/14</i>	<i>05:00</i>	<i>MW18</i>				<i>270</i>	
<i>9/24/14</i>	<i>4:35</i>	<i>MW18</i>				<i>10</i>	
<i>10/3/14</i>	<i>05:30</i>	<i>MW18</i>				<i>10</i>	
<i>10/10/14</i>	<i>05:30</i>	<i>MW18</i>				<i>40</i>	
<i>10/17/14</i>	<i>05:00</i>	<i>MW18</i>				<i>120</i>	
<i>10/27/14</i>	<i>05:00</i>	<i>MW18</i>				<i>10</i>	
<i>10/31/14</i>	<i>05:00</i>	<i>MW18</i>				<i>10</i>	
<i>11/7/14</i>	<i>05:00</i>	<i>MW18</i>				<i>260</i>	
<i>11/14/14</i>	<i>05:00</i>	<i>MW18</i>				<i>470</i>	
<i>11/21/14</i>	<i>05:00</i>	<i>MW18</i>				<i>90</i>	
<i>11/28/14</i>	<i>04:35</i>	<i>MW18</i>				<i>100</i>	

18

April 10, 2017

Deanna L. Harding
Gettler-Ryan Inc.
6805 Sierra Court
Suite G
Dublin, CA 94568

RE: Project: Rolls-Royce Engine Test Facili
Pace Project No.: 1284934

Dear Deanna L. Harding:

Enclosed are the analytical results for sample(s) received by the laboratory on March 30, 2017. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Some analyses have been subcontracted outside of the Pace Network. The subcontracted laboratory report has been attached.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Scott M Forbes
scott.forbes@pacelabs.com
(530) 297-4800
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Pace Analytical Services, LLC
2795 Second Street - Suite 300
Davis, CA 95618
(530) 297-4800

CERTIFICATIONS

Project: Rolls-Royce Engine Test Facili
Pace Project No.: 1284934

Davis Cerification IDs

2795 Second Street Suite 300 Davis, CA 95618
North Dakota Certification #: R-214
Oregon Certification #: CA300002
Washington Certification #: C926-15a

California Certification #: 08263CA
Minnesota Department of Health Certification #: 006-999-465

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: Rolls-Royce Engine Test Facili
Pace Project No.: 1284934

Lab ID	Sample ID	Matrix	Date Collected	Date Received
1284934001	QA	Water	03/28/17 00:00	03/30/17 13:08
1284934002	MW-1	Water	03/28/17 10:45	03/30/17 13:08
1284934003	MW-2	Water	03/28/17 11:25	03/30/17 13:08
1284934004	MW-3	Water	03/28/17 10:35	03/30/17 13:08
1284934005	MW-4	Water	03/28/17 09:55	03/30/17 13:08
1284934006	MW-5	Water	03/28/17 08:30	03/30/17 13:08
1284934007	MW-6	Water	03/28/17 10:40	03/30/17 13:08
1284934008	MW-7	Water	03/28/17 09:15	03/30/17 13:08
1284934009	MW-8	Water	03/28/17 12:20	03/30/17 13:08
1284934010	MW-9	Water	03/28/17 09:15	03/30/17 13:08
1284934011	MW-10	Water	03/28/17 10:00	03/30/17 13:08
1284934012	MW-11	Water	03/28/17 08:30	03/30/17 13:08
1284934013	MW-12	Water	03/28/17 12:05	03/30/17 13:08
1284934014	MW-13	Water	03/28/17 11:50	03/30/17 13:08
1284934015	MW-14	Water	03/28/17 10:05	03/30/17 13:08
1284934016	MW-15	Water	03/28/17 09:19	03/30/17 13:08
1284934017	MW-18	Water	03/28/17 11:35	03/30/17 13:08
1284934018	NPORDMW-3	Water	03/28/17 13:00	03/30/17 13:08
1284934019	NPORDMW-4	Water	03/28/17 11:35	03/30/17 13:08

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Rolls-Royce Engine Test Facili
Pace Project No.: 1284934

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
1284934001	QA	EPA 8260B	PP1	10	PASI-DAV
1284934002	MW-1	EPA 8015B	DYW	2	PASI-DAV
		EPA 8015B	DYW	2	PASI-DAV
1284934003	MW-2	EPA 8260B	PP1	10	PASI-DAV
		EPA 8015B	DYW	2	PASI-DAV
		EPA 8015B	DYW	2	PASI-DAV
		EPA 8260B	JCP	10	PASI-DAV
1284934004	MW-3	EPA 8015B	DYW	2	PASI-DAV
		EPA 8015B	DYW	2	PASI-DAV
		EPA 8260B	JCP	10	PASI-DAV
1284934005	MW-4	EPA 8015B	DYW	2	PASI-DAV
		EPA 8015B	DYW	2	PASI-DAV
		EPA 8260B	JCP	10	PASI-DAV
1284934006	MW-5	EPA 8015B	DYW	2	PASI-DAV
		EPA 8015B	DYW	2	PASI-DAV
		EPA 8260B	JCP	10	PASI-DAV
1284934007	MW-6	EPA 8015B	DYW	2	PASI-DAV
		EPA 8015B	DYW	2	PASI-DAV
		EPA 8260B	JCP	10	PASI-DAV
1284934008	MW-7	EPA 8015B	DYW	2	PASI-DAV
		EPA 8015B	DYW	2	PASI-DAV
		EPA 8260B	JCP	10	PASI-DAV
1284934009	MW-8	EPA 8015B	DYW	2	PASI-DAV
		EPA 8015B	DYW	2	PASI-DAV
		EPA 8260B	JCP	10	PASI-DAV
1284934010	MW-9	EPA 8015B	DYW	2	PASI-DAV
		EPA 8015B	DYW	2	PASI-DAV
		EPA 8260B	JCP	10	PASI-DAV
1284934011	MW-10	EPA 8015B	DYW	2	PASI-DAV
		EPA 8015B	DYW	2	PASI-DAV
		EPA 8260B	JCP	10	PASI-DAV
1284934012	MW-11	EPA 8015B	DYW	2	PASI-DAV
		EPA 8015B	DYW	2	PASI-DAV
		EPA 8260B	JCP	10	PASI-DAV
1284934013	MW-12	EPA 8015B	DYW	2	PASI-DAV
		EPA 8015B	DYW	2	PASI-DAV
		EPA 8260B	JCP	10	PASI-DAV

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Rolls-Royce Engine Test Facili
Pace Project No.: 1284934

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
1284934014	MW-13	EPA 8015B	DYW	2	PASI-DAV
		EPA 8015B	DYW	2	PASI-DAV
		EPA 8260B	JCP	10	PASI-DAV
1284934015	MW-14	EPA 8015B	DYW	2	PASI-DAV
		EPA 8015B	DYW	2	PASI-DAV
		EPA 8260B	JCP	10	PASI-DAV
1284934016	MW-15	EPA 8015B	DYW	2	PASI-DAV
		EPA 8015B	DYW	2	PASI-DAV
		EPA 8260B	JCP	10	PASI-DAV
1284934017	MW-18	EPA 8015B	DYW	2	PASI-DAV
		EPA 8015B	DYW	2	PASI-DAV
		EPA 8260B	JCP	10	PASI-DAV
1284934018	NPORDMW-3	EPA 8015B	DYW	2	PASI-DAV
		EPA 8015B	DYW	2	PASI-DAV
		EPA 8260B	JCP	10	PASI-DAV
1284934019	NPORDMW-4	EPA 8015B	DYW	2	PASI-DAV
		EPA 8015B	DYW	2	PASI-DAV
		EPA 8260B	JCP	10	PASI-DAV

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Rolls-Royce Engine Test Facili
Pace Project No.: 1284934

Sample: QA		Lab ID: 1284934001	Collected: 03/28/17 00:00	Received: 03/30/17 13:08	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Water		Analytical Method: EPA 8260B						
Benzene	ND	ug/L	0.50	1		03/31/17 12:38	71-43-2	
Ethylbenzene	ND	ug/L	0.50	1		03/31/17 12:38	100-41-4	
Gasoline Range Organics	ND	ug/L	50.0	1		03/31/17 12:38		
Methyl-tert-butyl ether	ND	ug/L	0.50	1		03/31/17 12:38	1634-04-4	
Naphthalene	ND	ug/L	0.50	1		03/31/17 12:38	91-20-3	
Toluene	ND	ug/L	0.50	1		03/31/17 12:38	108-88-3	
Xylene (Total)	ND	ug/L	1.5	1		03/31/17 12:38	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	112	%	70-130	1		03/31/17 12:38	17060-07-0	
Toluene-d8 (S)	104	%	70-130	1		03/31/17 12:38	2037-26-5	
4-Bromofluorobenzene (S)	90	%	70-130	1		03/31/17 12:38	460-00-4	

Sample: MW-1		Lab ID: 1284934002	Collected: 03/28/17 10:45	Received: 03/30/17 13:08	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS Water		Analytical Method: EPA 8015B Preparation Method: EPA 3511						
TPH - Motor Oil	ND	ug/L	96.3	1	03/31/17 10:03	04/02/17 13:19	64742-65-0	
Surrogates								
n-Octacosane (S)	101	%	75-150	1	03/31/17 10:03	04/02/17 13:19	630-02-4	
8015 GCS Water, Silica Gel		Analytical Method: EPA 8015B Preparation Method: EPA 3511						
TPH-DRO (C10-C28)	ND	ug/L	96.3	1	03/31/17 10:03	04/01/17 00:30		
Surrogates								
n-Octacosane (S)	95	%	75-139	1	03/31/17 10:03	04/01/17 00:30	630-02-4	CH
8260 MSV Med Water		Analytical Method: EPA 8260B						
Benzene	ND	ug/L	0.50	1		03/31/17 09:38	71-43-2	
Ethylbenzene	ND	ug/L	0.50	1		03/31/17 09:38	100-41-4	
Gasoline Range Organics	ND	ug/L	50.0	1		03/31/17 09:38		
Methyl-tert-butyl ether	ND	ug/L	0.50	1		03/31/17 09:38	1634-04-4	
Naphthalene	ND	ug/L	0.50	1		03/31/17 09:38	91-20-3	
Toluene	ND	ug/L	0.50	1		03/31/17 09:38	108-88-3	
Xylene (Total)	ND	ug/L	1.5	1		03/31/17 09:38	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	114	%	70-130	1		03/31/17 09:38	17060-07-0	
Toluene-d8 (S)	104	%	70-130	1		03/31/17 09:38	2037-26-5	
4-Bromofluorobenzene (S)	89	%	70-130	1		03/31/17 09:38	460-00-4	

Sample: MW-2		Lab ID: 1284934003	Collected: 03/28/17 11:25	Received: 03/30/17 13:08	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS Water		Analytical Method: EPA 8015B Preparation Method: EPA 3511						
TPH - Motor Oil	816	ug/L	96.1	1	03/31/17 10:03	04/02/17 13:50	64742-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Rolls-Royce Engine Test Facili
Pace Project No.: 1284934

Sample: MW-2	Lab ID: 1284934003	Collected: 03/28/17 11:25	Received: 03/30/17 13:08	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS Water Analytical Method: EPA 8015B Preparation Method: EPA 3511								
Surrogates								
n-Octacosane (S)	100	%	75-150	1	03/31/17 10:03	04/02/17 13:50	630-02-4	
8015 GCS Water, Silica Gel Analytical Method: EPA 8015B Preparation Method: EPA 3511								
TPH-DRO (C10-C28)	ND	ug/L	96.1	1	03/31/17 10:03	04/01/17 01:01		
Surrogates								
n-Octacosane (S)	96	%	75-139	1	03/31/17 10:03	04/01/17 01:01	630-02-4	CH
8260 MSV Med Water Analytical Method: EPA 8260B								
Benzene	ND	ug/L	0.50	1		03/31/17 12:58	71-43-2	
Ethylbenzene	ND	ug/L	0.50	1		03/31/17 12:58	100-41-4	
Gasoline Range Organics	ND	ug/L	50.0	1		03/31/17 12:58		
Methyl-tert-butyl ether	ND	ug/L	0.50	1		03/31/17 12:58	1634-04-4	
Naphthalene	ND	ug/L	0.50	1		03/31/17 12:58	91-20-3	
Toluene	ND	ug/L	0.50	1		03/31/17 12:58	108-88-3	
Xylene (Total)	ND	ug/L	1.5	1		03/31/17 12:58	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	116	%	70-130	1		03/31/17 12:58	17060-07-0	
Toluene-d8 (S)	105	%	70-130	1		03/31/17 12:58	2037-26-5	
4-Bromofluorobenzene (S)	93	%	70-130	1		03/31/17 12:58	460-00-4	

Sample: MW-3	Lab ID: 1284934004	Collected: 03/28/17 10:35	Received: 03/30/17 13:08	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS Water Analytical Method: EPA 8015B Preparation Method: EPA 3511								
TPH - Motor Oil	380	ug/L	94.6	1	03/31/17 10:03	04/02/17 14:21	64742-65-0	
Surrogates								
n-Octacosane (S)	101	%	75-150	1	03/31/17 10:03	04/02/17 14:21	630-02-4	
8015 GCS Water, Silica Gel Analytical Method: EPA 8015B Preparation Method: EPA 3511								
TPH-DRO (C10-C28)	ND	ug/L	94.6	1	03/31/17 10:03	04/01/17 01:32		
Surrogates								
n-Octacosane (S)	97	%	75-139	1	03/31/17 10:03	04/01/17 01:32	630-02-4	CH
8260 MSV Med Water Analytical Method: EPA 8260B								
Benzene	ND	ug/L	0.50	1		03/31/17 13:19	71-43-2	
Ethylbenzene	ND	ug/L	0.50	1		03/31/17 13:19	100-41-4	
Gasoline Range Organics	ND	ug/L	50.0	1		03/31/17 13:19		
Methyl-tert-butyl ether	ND	ug/L	0.50	1		03/31/17 13:19	1634-04-4	
Naphthalene	ND	ug/L	0.50	1		03/31/17 13:19	91-20-3	
Toluene	ND	ug/L	0.50	1		03/31/17 13:19	108-88-3	
Xylene (Total)	ND	ug/L	1.5	1		03/31/17 13:19	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	113	%	70-130	1		03/31/17 13:19	17060-07-0	
Toluene-d8 (S)	104	%	70-130	1		03/31/17 13:19	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Rolls-Royce Engine Test Facili
Pace Project No.: 1284934

Sample: MW-3	Lab ID: 1284934004	Collected: 03/28/17 10:35	Received: 03/30/17 13:08	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

8260 MSV Med Water Analytical Method: EPA 8260B

Surrogates

4-Bromofluorobenzene (S) 94 % 70-130 1 03/31/17 13:19 460-00-4

Sample: MW-4	Lab ID: 1284934005	Collected: 03/28/17 09:55	Received: 03/30/17 13:08	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

8015 GCS Water Analytical Method: EPA 8015B Preparation Method: EPA 3511

TPH - Motor Oil **268** ug/L 97.3 1 03/31/17 10:03 04/02/17 15:55 64742-65-0 DF

Surrogates

n-Octacosane (S) 111 % 75-150 1 03/31/17 10:03 04/02/17 15:55 630-02-4

8015 GCS Water, Silica Gel Analytical Method: EPA 8015B Preparation Method: EPA 3511

TPH-DRO (C10-C28) ND ug/L 97.3 1 03/31/17 10:03 04/01/17 03:06

Surrogates

n-Octacosane (S) 100 % 75-139 1 03/31/17 10:03 04/01/17 03:06 630-02-4 CH

8260 MSV Med Water Analytical Method: EPA 8260B

Benzene ND ug/L 0.50 1 03/31/17 13:39 71-43-2
Ethylbenzene ND ug/L 0.50 1 03/31/17 13:39 100-41-4
Gasoline Range Organics ND ug/L 50.0 1 03/31/17 13:39
Methyl-tert-butyl ether ND ug/L 0.50 1 03/31/17 13:39 1634-04-4
Naphthalene ND ug/L 0.50 1 03/31/17 13:39 91-20-3
Toluene ND ug/L 0.50 1 03/31/17 13:39 108-88-3
Xylene (Total) ND ug/L 1.5 1 03/31/17 13:39 1330-20-7

Surrogates
1,2-Dichloroethane-d4 (S) 114 % 70-130 1 03/31/17 13:39 17060-07-0
Toluene-d8 (S) 104 % 70-130 1 03/31/17 13:39 2037-26-5
4-Bromofluorobenzene (S) 92 % 70-130 1 03/31/17 13:39 460-00-4

Sample: MW-5	Lab ID: 1284934006	Collected: 03/28/17 08:30	Received: 03/30/17 13:08	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

8015 GCS Water Analytical Method: EPA 8015B Preparation Method: EPA 3511

TPH - Motor Oil **2160** ug/L 97.0 1 03/31/17 10:03 04/02/17 16:26 64742-65-0

Surrogates

n-Octacosane (S) 105 % 75-150 1 03/31/17 10:03 04/02/17 16:26 630-02-4

8015 GCS Water, Silica Gel Analytical Method: EPA 8015B Preparation Method: EPA 3511

TPH-DRO (C10-C28) **604** ug/L 97.0 1 03/31/17 10:03 04/01/17 04:39 DM

Surrogates

n-Octacosane (S) 97 % 75-139 1 03/31/17 10:03 04/01/17 04:39 630-02-4 CH

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Rolls-Royce Engine Test Facili
Pace Project No.: 1284934

Sample: MW-5		Lab ID: 1284934006	Collected: 03/28/17 08:30	Received: 03/30/17 13:08	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Water		Analytical Method: EPA 8260B						
Benzene	ND	ug/L	0.50	1		03/31/17 13:59	71-43-2	
Ethylbenzene	ND	ug/L	0.50	1		03/31/17 13:59	100-41-4	
Gasoline Range Organics	ND	ug/L	50.0	1		03/31/17 13:59		
Methyl-tert-butyl ether	ND	ug/L	0.50	1		03/31/17 13:59	1634-04-4	
Naphthalene	ND	ug/L	0.50	1		03/31/17 13:59	91-20-3	
Toluene	ND	ug/L	0.50	1		03/31/17 13:59	108-88-3	
Xylene (Total)	ND	ug/L	1.5	1		03/31/17 13:59	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	115	%	70-130	1		03/31/17 13:59	17060-07-0	
Toluene-d8 (S)	104	%	70-130	1		03/31/17 13:59	2037-26-5	
4-Bromofluorobenzene (S)	93	%	70-130	1		03/31/17 13:59	460-00-4	

Sample: MW-6		Lab ID: 1284934007	Collected: 03/28/17 10:40	Received: 03/30/17 13:08	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS Water		Analytical Method: EPA 8015B Preparation Method: EPA 3511						
TPH - Motor Oil	1620	ug/L	97.1	1	03/31/17 10:03	04/02/17 16:57	64742-65-0	
Surrogates								
n-Octacosane (S)	91	%	75-150	1	03/31/17 10:03	04/02/17 16:57	630-02-4	
8015 GCS Water, Silica Gel		Analytical Method: EPA 8015B Preparation Method: EPA 3511						
TPH-DRO (C10-C28)	409	ug/L	97.1	1	03/31/17 10:03	04/01/17 05:10		DM
Surrogates								
n-Octacosane (S)	92	%	75-139	1	03/31/17 10:03	04/01/17 05:10	630-02-4	CH
8260 MSV Med Water		Analytical Method: EPA 8260B						
Benzene	ND	ug/L	0.50	1		03/31/17 14:19	71-43-2	
Ethylbenzene	ND	ug/L	0.50	1		03/31/17 14:19	100-41-4	
Gasoline Range Organics	ND	ug/L	50.0	1		03/31/17 14:19		
Methyl-tert-butyl ether	ND	ug/L	0.50	1		03/31/17 14:19	1634-04-4	
Naphthalene	ND	ug/L	0.50	1		03/31/17 14:19	91-20-3	
Toluene	ND	ug/L	0.50	1		03/31/17 14:19	108-88-3	
Xylene (Total)	ND	ug/L	1.5	1		03/31/17 14:19	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	115	%	70-130	1		03/31/17 14:19	17060-07-0	
Toluene-d8 (S)	104	%	70-130	1		03/31/17 14:19	2037-26-5	
4-Bromofluorobenzene (S)	92	%	70-130	1		03/31/17 14:19	460-00-4	

Sample: MW-7		Lab ID: 1284934008	Collected: 03/28/17 09:15	Received: 03/30/17 13:08	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS Water		Analytical Method: EPA 8015B Preparation Method: EPA 3511						
TPH - Motor Oil	2310	ug/L	97.4	1	03/31/17 10:03	04/02/17 17:28	64742-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Rolls-Royce Engine Test Facili
Pace Project No.: 1284934

Sample: MW-7		Lab ID: 1284934008	Collected: 03/28/17 09:15	Received: 03/30/17 13:08	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS Water		Analytical Method: EPA 8015B Preparation Method: EPA 3511						
Surrogates								
n-Octacosane (S)	93	%	75-150	1	03/31/17 10:03	04/02/17 17:28	630-02-4	
8015 GCS Water, Silica Gel		Analytical Method: EPA 8015B Preparation Method: EPA 3511						
TPH-DRO (C10-C28)	455	ug/L	97.4	1	03/31/17 10:03	04/01/17 05:42		DM
Surrogates								
n-Octacosane (S)	89	%	75-139	1	03/31/17 10:03	04/01/17 05:42	630-02-4	CH
8260 MSV Med Water		Analytical Method: EPA 8260B						
Benzene	ND	ug/L	0.50	1		03/31/17 14:39	71-43-2	
Ethylbenzene	ND	ug/L	0.50	1		03/31/17 14:39	100-41-4	
Gasoline Range Organics	ND	ug/L	50.0	1		03/31/17 14:39		
Methyl-tert-butyl ether	ND	ug/L	0.50	1		03/31/17 14:39	1634-04-4	
Naphthalene	ND	ug/L	0.50	1		03/31/17 14:39	91-20-3	
Toluene	ND	ug/L	0.50	1		03/31/17 14:39	108-88-3	
Xylene (Total)	ND	ug/L	1.5	1		03/31/17 14:39	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	113	%	70-130	1		03/31/17 14:39	17060-07-0	
Toluene-d8 (S)	105	%	70-130	1		03/31/17 14:39	2037-26-5	
4-Bromofluorobenzene (S)	94	%	70-130	1		03/31/17 14:39	460-00-4	

Sample: MW-8		Lab ID: 1284934009	Collected: 03/28/17 12:20	Received: 03/30/17 13:08	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS Water		Analytical Method: EPA 8015B Preparation Method: EPA 3511						
TPH - Motor Oil	116	ug/L	97.7	1	03/31/17 10:03	04/02/17 17:59	64742-65-0	
Surrogates								
n-Octacosane (S)	104	%	75-150	1	03/31/17 10:03	04/02/17 17:59	630-02-4	
8015 GCS Water, Silica Gel		Analytical Method: EPA 8015B Preparation Method: EPA 3511						
TPH-DRO (C10-C28)	ND	ug/L	97.7	1	03/31/17 10:03	04/01/17 06:12		
Surrogates								
n-Octacosane (S)	110	%	75-139	1	03/31/17 10:03	04/01/17 06:12	630-02-4	CH
8260 MSV Med Water		Analytical Method: EPA 8260B						
Benzene	ND	ug/L	0.50	1		03/31/17 14:59	71-43-2	
Ethylbenzene	ND	ug/L	0.50	1		03/31/17 14:59	100-41-4	
Gasoline Range Organics	ND	ug/L	50.0	1		03/31/17 14:59		
Methyl-tert-butyl ether	ND	ug/L	0.50	1		03/31/17 14:59	1634-04-4	
Naphthalene	ND	ug/L	0.50	1		03/31/17 14:59	91-20-3	
Toluene	ND	ug/L	0.50	1		03/31/17 14:59	108-88-3	
Xylene (Total)	ND	ug/L	1.5	1		03/31/17 14:59	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	114	%	70-130	1		03/31/17 14:59	17060-07-0	
Toluene-d8 (S)	105	%	70-130	1		03/31/17 14:59	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Rolls-Royce Engine Test Facili
Pace Project No.: 1284934

Sample: MW-8	Lab ID: 1284934009	Collected: 03/28/17 12:20	Received: 03/30/17 13:08	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

8260 MSV Med Water Analytical Method: EPA 8260B

Surrogates

4-Bromofluorobenzene (S)	91	%	70-130	1		03/31/17 14:59	460-00-4
--------------------------	----	---	--------	---	--	----------------	----------

Sample: MW-9	Lab ID: 1284934010	Collected: 03/28/17 09:15	Received: 03/30/17 13:08	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

8015 GCS Water Analytical Method: EPA 8015B Preparation Method: EPA 3511

TPH - Motor Oil	1800	ug/L	96.7	1	03/31/17 10:03	04/02/17 18:30	64742-65-0
-----------------	-------------	------	------	---	----------------	----------------	------------

Surrogates

n-Octacosane (S)	89	%	75-150	1	03/31/17 10:03	04/02/17 18:30	630-02-4
------------------	----	---	--------	---	----------------	----------------	----------

8015 GCS Water, Silica Gel Analytical Method: EPA 8015B Preparation Method: EPA 3511

TPH-DRO (C10-C28)	484	ug/L	96.7	1	03/31/17 10:03	04/01/17 06:44	DM
-------------------	------------	------	------	---	----------------	----------------	----

Surrogates

n-Octacosane (S)	90	%	75-139	1	03/31/17 10:03	04/01/17 06:44	630-02-4 CH
------------------	----	---	--------	---	----------------	----------------	-------------

8260 MSV Med Water Analytical Method: EPA 8260B

Benzene	ND	ug/L	0.50	1		03/31/17 15:19	71-43-2
Ethylbenzene	ND	ug/L	0.50	1		03/31/17 15:19	100-41-4
Gasoline Range Organics	ND	ug/L	50.0	1		03/31/17 15:19	
Methyl-tert-butyl ether	ND	ug/L	0.50	1		03/31/17 15:19	1634-04-4
Naphthalene	ND	ug/L	0.50	1		03/31/17 15:19	91-20-3
Toluene	ND	ug/L	0.50	1		03/31/17 15:19	108-88-3
Xylene (Total)	ND	ug/L	1.5	1		03/31/17 15:19	1330-20-7
Surrogates							
1,2-Dichloroethane-d4 (S)	115	%	70-130	1		03/31/17 15:19	17060-07-0
Toluene-d8 (S)	105	%	70-130	1		03/31/17 15:19	2037-26-5
4-Bromofluorobenzene (S)	91	%	70-130	1		03/31/17 15:19	460-00-4

Sample: MW-10	Lab ID: 1284934011	Collected: 03/28/17 10:00	Received: 03/30/17 13:08	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

8015 GCS Water Analytical Method: EPA 8015B Preparation Method: EPA 3511

TPH - Motor Oil	ND	ug/L	97.4	1	03/31/17 10:03	04/02/17 19:01	64742-65-0
-----------------	----	------	------	---	----------------	----------------	------------

Surrogates

n-Octacosane (S)	110	%	75-150	1	03/31/17 10:03	04/02/17 19:01	630-02-4
------------------	-----	---	--------	---	----------------	----------------	----------

8015 GCS Water, Silica Gel Analytical Method: EPA 8015B Preparation Method: EPA 3511

TPH-DRO (C10-C28)	ND	ug/L	97.4	1	03/31/17 10:03	04/01/17 07:15	
-------------------	----	------	------	---	----------------	----------------	--

Surrogates

n-Octacosane (S)	95	%	75-139	1	03/31/17 10:03	04/01/17 07:15	630-02-4 CH
------------------	----	---	--------	---	----------------	----------------	-------------

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Rolls-Royce Engine Test Facili
Pace Project No.: 1284934

Sample: MW-10		Lab ID: 1284934011	Collected: 03/28/17 10:00	Received: 03/30/17 13:08	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Water		Analytical Method: EPA 8260B						
Benzene	ND	ug/L	0.50	1		03/31/17 15:39	71-43-2	
Ethylbenzene	ND	ug/L	0.50	1		03/31/17 15:39	100-41-4	
Gasoline Range Organics	ND	ug/L	50.0	1		03/31/17 15:39		
Methyl-tert-butyl ether	ND	ug/L	0.50	1		03/31/17 15:39	1634-04-4	
Naphthalene	ND	ug/L	0.50	1		03/31/17 15:39	91-20-3	
Toluene	ND	ug/L	0.50	1		03/31/17 15:39	108-88-3	
Xylene (Total)	ND	ug/L	1.5	1		03/31/17 15:39	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	112	%	70-130	1		03/31/17 15:39	17060-07-0	
Toluene-d8 (S)	105	%	70-130	1		03/31/17 15:39	2037-26-5	
4-Bromofluorobenzene (S)	91	%	70-130	1		03/31/17 15:39	460-00-4	

Sample: MW-11		Lab ID: 1284934012	Collected: 03/28/17 08:30	Received: 03/30/17 13:08	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS Water		Analytical Method: EPA 8015B Preparation Method: EPA 3511						
TPH - Motor Oil	ND	ug/L	99.9	1	03/31/17 10:03	04/02/17 19:32	64742-65-0	
Surrogates								
n-Octacosane (S)	115	%	75-150	1	03/31/17 10:03	04/02/17 19:32	630-02-4	
8015 GCS Water, Silica Gel		Analytical Method: EPA 8015B Preparation Method: EPA 3511						
TPH-DRO (C10-C28)	ND	ug/L	99.9	1	03/31/17 10:03	04/01/17 07:46		
Surrogates								
n-Octacosane (S)	100	%	75-139	1	03/31/17 10:03	04/01/17 07:46	630-02-4	CH
8260 MSV Med Water		Analytical Method: EPA 8260B						
Benzene	ND	ug/L	0.50	1		03/31/17 15:59	71-43-2	
Ethylbenzene	ND	ug/L	0.50	1		03/31/17 15:59	100-41-4	
Gasoline Range Organics	ND	ug/L	50.0	1		03/31/17 15:59		
Methyl-tert-butyl ether	ND	ug/L	0.50	1		03/31/17 15:59	1634-04-4	
Naphthalene	ND	ug/L	0.50	1		03/31/17 15:59	91-20-3	
Toluene	ND	ug/L	0.50	1		03/31/17 15:59	108-88-3	
Xylene (Total)	ND	ug/L	1.5	1		03/31/17 15:59	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	113	%	70-130	1		03/31/17 15:59	17060-07-0	
Toluene-d8 (S)	104	%	70-130	1		03/31/17 15:59	2037-26-5	
4-Bromofluorobenzene (S)	91	%	70-130	1		03/31/17 15:59	460-00-4	

Sample: MW-12		Lab ID: 1284934013	Collected: 03/28/17 12:05	Received: 03/30/17 13:08	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS Water		Analytical Method: EPA 8015B Preparation Method: EPA 3511						
TPH - Motor Oil	ND	ug/L	96.7	1	03/31/17 10:03	04/02/17 20:04	64742-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Rolls-Royce Engine Test Facili
Pace Project No.: 1284934

Sample: MW-12		Lab ID: 1284934013	Collected: 03/28/17 12:05	Received: 03/30/17 13:08	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS Water		Analytical Method: EPA 8015B Preparation Method: EPA 3511						
Surrogates								
n-Octacosane (S)	94	%.	75-150	1	03/31/17 10:03	04/02/17 20:04	630-02-4	
8015 GCS Water, Silica Gel		Analytical Method: EPA 8015B Preparation Method: EPA 3511						
TPH-DRO (C10-C28)	ND	ug/L	96.7	1	03/31/17 10:24	04/01/17 09:19		
Surrogates								
n-Octacosane (S)	90	%.	75-139	1	03/31/17 10:24	04/01/17 09:19	630-02-4	
8260 MSV Med Water		Analytical Method: EPA 8260B						
Benzene	ND	ug/L	0.50	1		03/31/17 16:19	71-43-2	
Ethylbenzene	ND	ug/L	0.50	1		03/31/17 16:19	100-41-4	
Gasoline Range Organics	ND	ug/L	50.0	1		03/31/17 16:19		
Methyl-tert-butyl ether	ND	ug/L	0.50	1		03/31/17 16:19	1634-04-4	
Naphthalene	ND	ug/L	0.50	1		03/31/17 16:19	91-20-3	
Toluene	ND	ug/L	0.50	1		03/31/17 16:19	108-88-3	
Xylene (Total)	ND	ug/L	1.5	1		03/31/17 16:19	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	111	%.	70-130	1		03/31/17 16:19	17060-07-0	
Toluene-d8 (S)	104	%.	70-130	1		03/31/17 16:19	2037-26-5	
4-Bromofluorobenzene (S)	90	%.	70-130	1		03/31/17 16:19	460-00-4	

Sample: MW-13		Lab ID: 1284934014	Collected: 03/28/17 11:50	Received: 03/30/17 13:08	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS Water		Analytical Method: EPA 8015B Preparation Method: EPA 3511						
TPH - Motor Oil	ND	ug/L	97.1	1	03/31/17 10:03	04/03/17 12:02	64742-65-0	
Surrogates								
n-Octacosane (S)	99	%.	75-150	1	03/31/17 10:03	04/03/17 12:02	630-02-4	
8015 GCS Water, Silica Gel		Analytical Method: EPA 8015B Preparation Method: EPA 3511						
TPH-DRO (C10-C28)	173	ug/L	97.1	1	03/31/17 10:24	04/01/17 10:52		
Surrogates								
n-Octacosane (S)	108	%.	75-139	1	03/31/17 10:24	04/01/17 10:52	630-02-4	
8260 MSV Med Water		Analytical Method: EPA 8260B						
Benzene	ND	ug/L	0.50	1		03/31/17 16:39	71-43-2	
Ethylbenzene	ND	ug/L	0.50	1		03/31/17 16:39	100-41-4	
Gasoline Range Organics	64.0	ug/L	50.0	1		03/31/17 16:39		
Methyl-tert-butyl ether	ND	ug/L	0.50	1		03/31/17 16:39	1634-04-4	
Naphthalene	ND	ug/L	0.50	1		03/31/17 16:39	91-20-3	
Toluene	ND	ug/L	0.50	1		03/31/17 16:39	108-88-3	
Xylene (Total)	ND	ug/L	1.5	1		03/31/17 16:39	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	112	%.	70-130	1		03/31/17 16:39	17060-07-0	
Toluene-d8 (S)	105	%.	70-130	1		03/31/17 16:39	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Rolls-Royce Engine Test Facili
Pace Project No.: 1284934

Sample: MW-13	Lab ID: 1284934014	Collected: 03/28/17 11:50	Received: 03/30/17 13:08	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

8260 MSV Med Water Analytical Method: EPA 8260B

Surrogates

4-Bromofluorobenzene (S)	92	%	70-130	1	03/31/17 16:39	460-00-4
--------------------------	----	---	--------	---	----------------	----------

Sample: MW-14	Lab ID: 1284934015	Collected: 03/28/17 10:05	Received: 03/30/17 13:08	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

8015 GCS Water Analytical Method: EPA 8015B Preparation Method: EPA 3511

TPH - Motor Oil	333	ug/L	97.2	1	03/31/17 10:03	04/03/17 12:33	64742-65-0	DH
-----------------	-----	------	------	---	----------------	----------------	------------	----

Surrogates

n-Octacosane (S)	94	%	75-150	1	03/31/17 10:03	04/03/17 12:33	630-02-4
------------------	----	---	--------	---	----------------	----------------	----------

8015 GCS Water, Silica Gel Analytical Method: EPA 8015B Preparation Method: EPA 3511

TPH-DRO (C10-C28)	226	ug/L	97.2	1	03/31/17 10:24	04/01/17 11:23		DM
-------------------	-----	------	------	---	----------------	----------------	--	----

Surrogates

n-Octacosane (S)	98	%	75-139	1	03/31/17 10:24	04/01/17 11:23	630-02-4
------------------	----	---	--------	---	----------------	----------------	----------

8260 MSV Med Water Analytical Method: EPA 8260B

Benzene	ND	ug/L	0.50	1	03/31/17 17:00	71-43-2
Ethylbenzene	ND	ug/L	0.50	1	03/31/17 17:00	100-41-4
Gasoline Range Organics	ND	ug/L	50.0	1	03/31/17 17:00	
Methyl-tert-butyl ether	0.89	ug/L	0.50	1	03/31/17 17:00	1634-04-4
Naphthalene	ND	ug/L	0.50	1	03/31/17 17:00	91-20-3
Toluene	ND	ug/L	0.50	1	03/31/17 17:00	108-88-3
Xylene (Total)	ND	ug/L	1.5	1	03/31/17 17:00	1330-20-7
Surrogates						
1,2-Dichloroethane-d4 (S)	110	%	70-130	1	03/31/17 17:00	17060-07-0
Toluene-d8 (S)	103	%	70-130	1	03/31/17 17:00	2037-26-5
4-Bromofluorobenzene (S)	91	%	70-130	1	03/31/17 17:00	460-00-4

Sample: MW-15	Lab ID: 1284934016	Collected: 03/28/17 09:19	Received: 03/30/17 13:08	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

8015 GCS Water Analytical Method: EPA 8015B Preparation Method: EPA 3511

TPH - Motor Oil	ND	ug/L	96.4	1	03/31/17 10:03	04/03/17 13:04	64742-65-0
-----------------	----	------	------	---	----------------	----------------	------------

Surrogates

n-Octacosane (S)	92	%	75-150	1	03/31/17 10:03	04/03/17 13:04	630-02-4
------------------	----	---	--------	---	----------------	----------------	----------

8015 GCS Water, Silica Gel Analytical Method: EPA 8015B Preparation Method: EPA 3511

TPH-DRO (C10-C28)	ND	ug/L	96.4	1	03/31/17 10:24	04/01/17 11:54
-------------------	----	------	------	---	----------------	----------------

Surrogates

n-Octacosane (S)	90	%	75-139	1	03/31/17 10:24	04/01/17 11:54	630-02-4
------------------	----	---	--------	---	----------------	----------------	----------

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Rolls-Royce Engine Test Facili
 Pace Project No.: 1284934

Sample: MW-15		Lab ID: 1284934016	Collected: 03/28/17 09:19	Received: 03/30/17 13:08	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Water		Analytical Method: EPA 8260B						
Benzene	ND	ug/L	0.50	1		04/06/17 01:58	71-43-2	
Ethylbenzene	ND	ug/L	0.50	1		04/06/17 01:58	100-41-4	
Gasoline Range Organics	ND	ug/L	50.0	1		04/06/17 01:58		
Methyl-tert-butyl ether	ND	ug/L	0.50	1		04/06/17 01:58	1634-04-4	
Naphthalene	ND	ug/L	0.50	1		04/06/17 01:58	91-20-3	
Toluene	ND	ug/L	0.50	1		04/06/17 01:58	108-88-3	
Xylene (Total)	ND	ug/L	1.5	1		04/06/17 01:58	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	102	%	70-130	1		04/06/17 01:58	17060-07-0	
Toluene-d8 (S)	101	%	70-130	1		04/06/17 01:58	2037-26-5	
4-Bromofluorobenzene (S)	93	%	70-130	1		04/06/17 01:58	460-00-4	

Sample: MW-18		Lab ID: 1284934017	Collected: 03/28/17 11:35	Received: 03/30/17 13:08	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS Water		Analytical Method: EPA 8015B Preparation Method: EPA 3511						
TPH - Motor Oil	27600	ug/L	493	5	03/31/17 10:03	04/03/17 17:13	64742-65-0	
Surrogates								
n-Octacosane (S)	111	%	75-150	5	03/31/17 10:03	04/03/17 17:13	630-02-4	
8015 GCS Water, Silica Gel		Analytical Method: EPA 8015B Preparation Method: EPA 3511						
TPH-DRO (C10-C28)	22800	ug/L	493	5	03/31/17 10:24	04/03/17 15:08		
Surrogates								
n-Octacosane (S)	109	%	75-139	5	03/31/17 10:24	04/03/17 15:08	630-02-4	
8260 MSV Med Water		Analytical Method: EPA 8260B						
Benzene	ND	ug/L	0.50	1		04/07/17 14:57	71-43-2	
Ethylbenzene	ND	ug/L	0.50	1		04/07/17 14:57	100-41-4	
Gasoline Range Organics	773	ug/L	50.0	1		04/07/17 14:57		
Methyl-tert-butyl ether	0.58	ug/L	0.50	1		04/07/17 14:57	1634-04-4	
Naphthalene	ND	ug/L	0.50	1		04/07/17 14:57	91-20-3	
Toluene	ND	ug/L	0.50	1		04/07/17 14:57	108-88-3	
Xylene (Total)	ND	ug/L	15.0	10		04/05/17 20:44	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	100	%	70-130	1		04/07/17 14:57	17060-07-0	
Toluene-d8 (S)	101	%	70-130	1		04/07/17 14:57	2037-26-5	
4-Bromofluorobenzene (S)	100	%	70-130	1		04/07/17 14:57	460-00-4	

Sample: NPORDMW-3		Lab ID: 1284934018	Collected: 03/28/17 13:00	Received: 03/30/17 13:08	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS Water		Analytical Method: EPA 8015B Preparation Method: EPA 3511						
TPH - Motor Oil	ND	ug/L	97.4	1	03/31/17 10:03	04/03/17 14:06	64742-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Rolls-Royce Engine Test Facili
Pace Project No.: 1284934

Sample: NPORDMW-3		Lab ID: 1284934018		Collected: 03/28/17 13:00		Received: 03/30/17 13:08		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8015 GCS Water		Analytical Method: EPA 8015B Preparation Method: EPA 3511							
Surrogates									
n-Octacosane (S)	95	%	75-150	1	03/31/17 10:03	04/03/17 14:06	630-02-4		
8015 GCS Water, Silica Gel		Analytical Method: EPA 8015B Preparation Method: EPA 3511							
TPH-DRO (C10-C28)	ND	ug/L	97.4	1	03/31/17 10:24	04/03/17 15:39			
Surrogates									
n-Octacosane (S)	99	%	75-139	1	03/31/17 10:24	04/03/17 15:39	630-02-4		
8260 MSV Med Water		Analytical Method: EPA 8260B							
Benzene	ND	ug/L	0.50	1		04/06/17 02:17	71-43-2		
Ethylbenzene	ND	ug/L	0.50	1		04/06/17 02:17	100-41-4		
Gasoline Range Organics	ND	ug/L	50.0	1		04/06/17 02:17			
Methyl-tert-butyl ether	ND	ug/L	0.50	1		04/06/17 02:17	1634-04-4		
Naphthalene	ND	ug/L	0.50	1		04/06/17 02:17	91-20-3		
Toluene	ND	ug/L	0.50	1		04/06/17 02:17	108-88-3		
Xylene (Total)	ND	ug/L	1.5	1		04/06/17 02:17	1330-20-7		
Surrogates									
1,2-Dichloroethane-d4 (S)	100	%	70-130	1		04/06/17 02:17	17060-07-0		
Toluene-d8 (S)	102	%	70-130	1		04/06/17 02:17	2037-26-5		
4-Bromofluorobenzene (S)	94	%	70-130	1		04/06/17 02:17	460-00-4		

Sample: NPORDMW-4		Lab ID: 1284934019		Collected: 03/28/17 11:35		Received: 03/30/17 13:08		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8015 GCS Water		Analytical Method: EPA 8015B Preparation Method: EPA 3511							
TPH - Motor Oil	ND	ug/L	97.1	1	03/31/17 10:03	04/03/17 14:37	64742-65-0		
Surrogates									
n-Octacosane (S)	109	%	75-150	1	03/31/17 10:03	04/03/17 14:37	630-02-4		
8015 GCS Water, Silica Gel		Analytical Method: EPA 8015B Preparation Method: EPA 3511							
TPH-DRO (C10-C28)	111	ug/L	97.1	1	03/31/17 10:24	04/01/17 13:27			DE
Surrogates									
n-Octacosane (S)	101	%	75-139	1	03/31/17 10:24	04/01/17 13:27	630-02-4		
8260 MSV Med Water		Analytical Method: EPA 8260B							
Benzene	ND	ug/L	0.50	1		04/06/17 02:37	71-43-2		
Ethylbenzene	ND	ug/L	0.50	1		04/06/17 02:37	100-41-4		
Gasoline Range Organics	ND	ug/L	50.0	1		04/06/17 02:37			
Methyl-tert-butyl ether	ND	ug/L	0.50	1		04/06/17 02:37	1634-04-4		
Naphthalene	ND	ug/L	0.50	1		04/06/17 02:37	91-20-3		
Toluene	ND	ug/L	0.50	1		04/06/17 02:37	108-88-3		
Xylene (Total)	ND	ug/L	1.5	1		04/06/17 02:37	1330-20-7		
Surrogates									
1,2-Dichloroethane-d4 (S)	102	%	70-130	1		04/06/17 02:37	17060-07-0		
Toluene-d8 (S)	102	%	70-130	1		04/06/17 02:37	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Pace Analytical Services, LLC
2795 Second Street - Suite 300
Davis, CA 95618
(530) 297-4800

ANALYTICAL RESULTS

Project: Rolls-Royce Engine Test Facili
Pace Project No.: 1284934

Sample: NPORDMW-4		Lab ID: 1284934019	Collected: 03/28/17 11:35	Received: 03/30/17 13:08	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Water		Analytical Method: EPA 8260B						
Surrogates								
4-Bromofluorobenzene (S)	94	%.	70-130	1		04/06/17 02:37	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Rolls-Royce Engine Test Facili
 Pace Project No.: 1284934

QC Batch: 109650 Analysis Method: EPA 8015B
 QC Batch Method: EPA 3511 Analysis Description: 8015 GCS Water
 Associated Lab Samples: 1284934002, 1284934003, 1284934004, 1284934005, 1284934006, 1284934007, 1284934008, 1284934009,
 1284934010, 1284934011, 1284934012, 1284934013, 1284934014, 1284934015, 1284934016, 1284934017,
 1284934018, 1284934019

METHOD BLANK: 433697 Matrix: Water
 Associated Lab Samples: 1284934002, 1284934003, 1284934004, 1284934005, 1284934006, 1284934007, 1284934008, 1284934009,
 1284934010, 1284934011, 1284934012, 1284934013, 1284934014, 1284934015, 1284934016, 1284934017,
 1284934018, 1284934019

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH - Motor Oil	ug/L	ND	100	04/02/17 11:15	
n-Octacosane (S)	%.	97	75-150	04/02/17 11:15	

LABORATORY CONTROL SAMPLE: 433698

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
n-Octacosane (S)	%.			93	75-150	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 433765 433766

Parameter	Units	1284934004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
n-Octacosane (S)	%.						86	83	75-150			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Rolls-Royce Engine Test Facili
Pace Project No.: 1284934

QC Batch: 109649 Analysis Method: EPA 8015B
QC Batch Method: EPA 3511 Analysis Description: 8015 GCS Water, SI Gel
Associated Lab Samples: 1284934002, 1284934003, 1284934004, 1284934005, 1284934006, 1284934007, 1284934008, 1284934009, 1284934010, 1284934011, 1284934012

METHOD BLANK: 433693 Matrix: Water
Associated Lab Samples: 1284934002, 1284934003, 1284934004, 1284934005, 1284934006, 1284934007, 1284934008, 1284934009, 1284934010, 1284934011, 1284934012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH-DRO (C10-C28)	ug/L	ND	100	03/31/17 18:49	
n-Octacosane (S)	%.	96	75-139	03/31/17 18:49	CH

LABORATORY CONTROL SAMPLE: 433694

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-DRO (C10-C28)	ug/L	1000	800	80	59-125	
n-Octacosane (S)	%.			88	75-139	CH

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 433757 433758

Parameter	Units	1284934004 Result	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	Max		Qual
			Spike Conc.	Spike Conc.	MS Result	MSD Result				RPD	RPD	
TPH-DRO (C10-C28)	ug/L	ND	976	985	632	869	60	83	57-125	32	25	M0
n-Octacosane (S)	%.						82	79	75-139			CH

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Rolls-Royce Engine Test Facili
Pace Project No.: 1284934

QC Batch: 109651 Analysis Method: EPA 8015B
QC Batch Method: EPA 3511 Analysis Description: 8015 GCS Water, SI Gel
Associated Lab Samples: 1284934013, 1284934014, 1284934015, 1284934016, 1284934017, 1284934018, 1284934019

METHOD BLANK: 433701 Matrix: Water
Associated Lab Samples: 1284934013, 1284934014, 1284934015, 1284934016, 1284934017, 1284934018, 1284934019

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH-DRO (C10-C28)	ug/L	ND	100	04/01/17 08:17	
n-Octacosane (S)	%.	92	75-139	04/01/17 08:17	

LABORATORY CONTROL SAMPLE: 433702

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-DRO (C10-C28)	ug/L	1000	862	86	59-125	
n-Octacosane (S)	%.			92	75-139	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 433703 433704

Parameter	Units	1284934013 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
TPH-DRO (C10-C28)	ug/L	ND	961	961	785	852	80	87	57-125	8	25	
n-Octacosane (S)	%.						89	95	75-139			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Rolls-Royce Engine Test Facili
Pace Project No.: 1284934

QC Batch: 109665 Analysis Method: EPA 8260B
QC Batch Method: EPA 8260B Analysis Description: 8260 MSV Med Water
Associated Lab Samples: 1284934001, 1284934002, 1284934003, 1284934004, 1284934005, 1284934006, 1284934007, 1284934008, 1284934009, 1284934010, 1284934011, 1284934012, 1284934013, 1284934014, 1284934015

METHOD BLANK: 433767 Matrix: Water
Associated Lab Samples: 1284934001, 1284934002, 1284934003, 1284934004, 1284934005, 1284934006, 1284934007, 1284934008, 1284934009, 1284934010, 1284934011, 1284934012, 1284934013, 1284934014, 1284934015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	0.50	03/31/17 09:14	
Ethylbenzene	ug/L	ND	0.50	03/31/17 09:14	
Gasoline Range Organics	ug/L	ND	50.0	03/31/17 09:14	
Methyl-tert-butyl ether	ug/L	ND	0.50	03/31/17 09:14	
Naphthalene	ug/L	ND	0.50	03/31/17 09:14	
Toluene	ug/L	ND	0.50	03/31/17 09:14	
Xylene (Total)	ug/L	ND	1.5	03/31/17 09:14	
1,2-Dichloroethane-d4 (S)	%	110	70-130	03/31/17 09:14	
4-Bromofluorobenzene (S)	%	91	70-130	03/31/17 09:14	
Toluene-d8 (S)	%	105	70-130	03/31/17 09:14	

LABORATORY CONTROL SAMPLE: 433768

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	40	38.4	96	75-125	
Ethylbenzene	ug/L	40	38.6	97	75-125	
Methyl-tert-butyl ether	ug/L	40	44.4	111	73-125	
Naphthalene	ug/L	40	44.8	112	69-128	
Toluene	ug/L	40	40.2	101	75-125	
Xylene (Total)	ug/L	120	111	92	75-125	
1,2-Dichloroethane-d4 (S)	%			110	70-130	
4-Bromofluorobenzene (S)	%			92	70-130	
Toluene-d8 (S)	%			105	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 433769 433770

Parameter	Units	1284934002 Result	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
			Spike Conc.	MS Result	MSD Result	MSD Result					
Benzene	ug/L	ND	40	40	38.0	38.4	95	96	75-125	1	30
Ethylbenzene	ug/L	ND	40	40	38.2	38.4	96	96	74-125	1	30
Methyl-tert-butyl ether	ug/L	ND	40	40	45.1	45.9	113	115	73-129	2	30
Naphthalene	ug/L	ND	40	40	47.0	47.0	117	117	60-133	0	30
Toluene	ug/L	ND	40	40	39.6	39.8	99	100	75-125	0	30
Xylene (Total)	ug/L	ND	120	120	109	109	91	91	61-129	0	30
1,2-Dichloroethane-d4 (S)	%						111	110	70-130		
4-Bromofluorobenzene (S)	%						92	94	70-130		
Toluene-d8 (S)	%						105	105	70-130		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Rolls-Royce Engine Test Facili
Pace Project No.: 1284934

QC Batch: 110090 Analysis Method: EPA 8260B
QC Batch Method: EPA 8260B Analysis Description: 8260 MSV Med Water
Associated Lab Samples: 1284934016, 1284934017, 1284934018, 1284934019

METHOD BLANK: 435455 Matrix: Water
Associated Lab Samples: 1284934016, 1284934017, 1284934018, 1284934019

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	0.50	04/05/17 18:47	
Ethylbenzene	ug/L	ND	0.50	04/05/17 18:47	
Gasoline Range Organics	ug/L	ND	50.0	04/05/17 18:47	
Methyl-tert-butyl ether	ug/L	ND	0.50	04/05/17 18:47	
Naphthalene	ug/L	ND	0.50	04/05/17 18:47	
Toluene	ug/L	ND	0.50	04/05/17 18:47	
Xylene (Total)	ug/L	ND	1.5	04/05/17 18:47	
1,2-Dichloroethane-d4 (S)	%	102	70-130	04/05/17 18:47	
4-Bromofluorobenzene (S)	%	93	70-130	04/05/17 18:47	
Toluene-d8 (S)	%	101	70-130	04/05/17 18:47	

LABORATORY CONTROL SAMPLE: 435456

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	40	40.9	102	75-125	
Ethylbenzene	ug/L	40	42.7	107	75-125	
Methyl-tert-butyl ether	ug/L	40	37.9	95	73-125	
Naphthalene	ug/L	40	38.4	96	69-128	
Toluene	ug/L	40	42.1	105	75-125	
Xylene (Total)	ug/L	120	131	109	75-125	
1,2-Dichloroethane-d4 (S)	%			96	70-130	
4-Bromofluorobenzene (S)	%			106	70-130	
Toluene-d8 (S)	%			101	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 435457 435458

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		1285106002 Result	Spike Conc.	Spike Conc.	MS Result					
Benzene	ug/L	ND	40	40	42.7	41.8	107	105	75-125	2 30
Ethylbenzene	ug/L	ND	40	40	44.1	42.4	110	106	74-125	4 30
Methyl-tert-butyl ether	ug/L	ND	40	40	39.6	39.5	99	99	73-129	0 30
Naphthalene	ug/L	ND	40	40	39.7	38.9	99	97	60-133	2 30
Toluene	ug/L	ND	40	40	43.5	42.7	109	107	75-125	2 30
Xylene (Total)	ug/L	ND	120	120	136	131	114	109	61-129	4 30
1,2-Dichloroethane-d4 (S)	%						97	97	70-130	
4-Bromofluorobenzene (S)	%						107	105	70-130	
Toluene-d8 (S)	%						102	102	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Rolls-Royce Engine Test Facili
 Pace Project No.: 1284934

QC Batch: 110296 Analysis Method: EPA 8260B
 QC Batch Method: EPA 8260B Analysis Description: 8260 MSV Med Water
 Associated Lab Samples: 1284934017

METHOD BLANK: 436227 Matrix: Water
 Associated Lab Samples: 1284934017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	0.50	04/07/17 10:45	
Ethylbenzene	ug/L	ND	0.50	04/07/17 10:45	
Gasoline Range Organics	ug/L	ND	50.0	04/07/17 10:45	
Methyl-tert-butyl ether	ug/L	ND	0.50	04/07/17 10:45	
Naphthalene	ug/L	ND	0.50	04/07/17 10:45	
Toluene	ug/L	ND	0.50	04/07/17 10:45	
1,2-Dichloroethane-d4 (S)	%	99	70-130	04/07/17 10:45	
4-Bromofluorobenzene (S)	%	95	70-130	04/07/17 10:45	
Toluene-d8 (S)	%	101	70-130	04/07/17 10:45	

LABORATORY CONTROL SAMPLE: 436228

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	40	40.7	102	75-125	
Ethylbenzene	ug/L	40	42.9	107	75-125	
Methyl-tert-butyl ether	ug/L	40	36.2	91	73-125	
Naphthalene	ug/L	40	33.2	83	69-128	
Toluene	ug/L	40	41.6	104	75-125	
1,2-Dichloroethane-d4 (S)	%			93	70-130	
4-Bromofluorobenzene (S)	%			102	70-130	
Toluene-d8 (S)	%			100	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 436251 436252

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		1285131007 Result	Spike Conc.	Spike Conc.	MS Result					
Benzene	ug/L	ND	40	40	41.9	41.8	105	104	75-125	0 30
Ethylbenzene	ug/L	ND	40	40	44.3	43.3	111	108	74-125	2 30
Methyl-tert-butyl ether	ug/L	ND	40	40	37.3	38.4	93	96	73-129	3 30
Naphthalene	ug/L	ND	40	40	36.1	36.8	90	92	60-133	2 30
Toluene	ug/L	ND	40	40	42.9	43.1	107	108	75-125	0 30
1,2-Dichloroethane-d4 (S)	%						95	95	70-130	
4-Bromofluorobenzene (S)	%						105	105	70-130	
Toluene-d8 (S)	%						101	102	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: Rolls-Royce Engine Test Facili
Pace Project No.: 1284934

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.
ND - Not Detected at or above adjusted reporting limit.
J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.
MDL - Adjusted Method Detection Limit.
PQL - Practical Quantitation Limit.
RL - Reporting Limit.
S - Surrogate
1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.
Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.
LCS(D) - Laboratory Control Sample (Duplicate)
MS(D) - Matrix Spike (Duplicate)
DUP - Sample Duplicate
RPD - Relative Percent Difference
NC - Not Calculable.
SG - Silica Gel - Clean-Up
U - Indicates the compound was analyzed for, but not detected.
N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.
Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.
TNI - The NELAC Institute.

LABORATORIES

PASI-DAV Pace Analytical Services - Davis

BATCH QUALIFIERS

Batch: 110090

[1] The recovery of the second source standard used to verify the initial calibration curve for Bromomethane is outside the laboratory's control limits. The Bromomethane result is estimated.

Batch: 110296

[1] The recovery of the second source standard used to verify the initial calibration curve for Bromomethane is outside the laboratory's control limits. The Bromomethane result is estimated.

ANALYTE QUALIFIERS

CH The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.
DE Discrete peaks present, atypical for Diesel Fuel.
DF Discrete peaks present, atypical for Motor Oil.
DH Lower boiling hydrocarbons present, atypical for Motor Oil.
DM Higher boiling hydrocarbons present, atypical for Diesel Fuel.
M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Rolls-Royce Engine Test Facili
Pace Project No.: 1284934

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
1284934002	MW-1	EPA 3511	109650	EPA 8015B	109701
1284934003	MW-2	EPA 3511	109650	EPA 8015B	109701
1284934004	MW-3	EPA 3511	109650	EPA 8015B	109701
1284934005	MW-4	EPA 3511	109650	EPA 8015B	109701
1284934006	MW-5	EPA 3511	109650	EPA 8015B	109701
1284934007	MW-6	EPA 3511	109650	EPA 8015B	109701
1284934008	MW-7	EPA 3511	109650	EPA 8015B	109701
1284934009	MW-8	EPA 3511	109650	EPA 8015B	109701
1284934010	MW-9	EPA 3511	109650	EPA 8015B	109701
1284934011	MW-10	EPA 3511	109650	EPA 8015B	109701
1284934012	MW-11	EPA 3511	109650	EPA 8015B	109701
1284934013	MW-12	EPA 3511	109650	EPA 8015B	109701
1284934014	MW-13	EPA 3511	109650	EPA 8015B	109701
1284934015	MW-14	EPA 3511	109650	EPA 8015B	109701
1284934016	MW-15	EPA 3511	109650	EPA 8015B	109701
1284934017	MW-18	EPA 3511	109650	EPA 8015B	109701
1284934018	NPORDMW-3	EPA 3511	109650	EPA 8015B	109701
1284934019	NPORDMW-4	EPA 3511	109650	EPA 8015B	109701
1284934002	MW-1	EPA 3511	109649	EPA 8015B	109699
1284934003	MW-2	EPA 3511	109649	EPA 8015B	109699
1284934004	MW-3	EPA 3511	109649	EPA 8015B	109699
1284934005	MW-4	EPA 3511	109649	EPA 8015B	109699
1284934006	MW-5	EPA 3511	109649	EPA 8015B	109699
1284934007	MW-6	EPA 3511	109649	EPA 8015B	109699
1284934008	MW-7	EPA 3511	109649	EPA 8015B	109699
1284934009	MW-8	EPA 3511	109649	EPA 8015B	109699
1284934010	MW-9	EPA 3511	109649	EPA 8015B	109699
1284934011	MW-10	EPA 3511	109649	EPA 8015B	109699
1284934012	MW-11	EPA 3511	109649	EPA 8015B	109699
1284934013	MW-12	EPA 3511	109651	EPA 8015B	109702
1284934014	MW-13	EPA 3511	109651	EPA 8015B	109702
1284934015	MW-14	EPA 3511	109651	EPA 8015B	109702
1284934016	MW-15	EPA 3511	109651	EPA 8015B	109702
1284934017	MW-18	EPA 3511	109651	EPA 8015B	109702
1284934018	NPORDMW-3	EPA 3511	109651	EPA 8015B	109702
1284934019	NPORDMW-4	EPA 3511	109651	EPA 8015B	109702
1284934001	QA	EPA 8260B	109665		
1284934002	MW-1	EPA 8260B	109665		
1284934003	MW-2	EPA 8260B	109665		
1284934004	MW-3	EPA 8260B	109665		
1284934005	MW-4	EPA 8260B	109665		
1284934006	MW-5	EPA 8260B	109665		
1284934007	MW-6	EPA 8260B	109665		
1284934008	MW-7	EPA 8260B	109665		
1284934009	MW-8	EPA 8260B	109665		
1284934010	MW-9	EPA 8260B	109665		
1284934011	MW-10	EPA 8260B	109665		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Rolls-Royce Engine Test Facili
Pace Project No.: 1284934

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
1284934012	MW-11	EPA 8260B	109665		
1284934013	MW-12	EPA 8260B	109665		
1284934014	MW-13	EPA 8260B	109665		
1284934015	MW-14	EPA 8260B	109665		
1284934016	MW-15	EPA 8260B	110090		
1284934017	MW-18	EPA 8260B	110090		
1284934017	MW-18	EPA 8260B	110296		
1284934018	NPORDMW-3	EPA 8260B	110090		
1284934019	NPORDMW-4	EPA 8260B	110090		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Global ID #: T06019775776

Yes
 No



Chain-of-Custody-Record

1284934

<p>Direct Bill To: Deanna Harding Gettler-Ryan Inc. 6805 Sierra Court Suite G Dublin, CA 94568</p>	<p>Facility: <u>Rolls-Royce Engine Test Facility</u> Facility Address: <u>6701 Old Earhart Road, Oakland, CA</u> Consultant Project #: <u>25-948218.1</u> Consultant Name: <u>GETTLER-RYAN INC.</u> Address: <u>6805 Sierra Court Suite G, Dublin, CA 94568</u> Project Contact: (Name) <u>Deanna Harding</u> (Phone) <u>925-551-7444 x180</u> (e-mail) <u>deanna@grinc.com</u></p>	<p>(Name) <u>Deanna Harding</u> (Phone) <u>925-551-7444 x180</u> Laboratory Name: <u>Kiff Analytical</u> Laboratory Service Order: _____ Laboratory Service Code: _____ Samples Collected by: (Name) <u>Alex Wang</u> Signature: _____</p>
---	---	--

Sample I.D.	Number of Containers	Matrix S=Soil A=Air W=Water C=Charcoal	DATE/SAMPLE COLLECTION TIME	State Method: <input checked="" type="checkbox"/> CA <input type="checkbox"/> OR <input type="checkbox"/> WA <input type="checkbox"/> NW								Series <input type="checkbox"/> CO <input type="checkbox"/> UT <input type="checkbox"/> ID			Remarks EDF NEEDED	
				TPH-Jet A Fuel (8015) (HCL)	TPH-MO (8015) (HCL)	TPH-DRO with Silica Gel Cleanup (8015) (HCL)	TPH-GRO/BTEX/MTBE/Naphthalene (8260) (HCL)	TPH-Jet A Fuel (8015) (NP)	TPH-MO (8015) (NP)	TPH-DRO with Silica Gel Cleanup (8015) (NP)	TPH-GRO/BTEX/MTBE/Naphthalene (8260) (NP)					
MW-14	7	W	1/30/05	X	X	X	X									Lab Sample No. 015
MW-15	7	W	1/09/09													016
MW-18	7	W	1/13/05													017
NPORDM-3	↓	↓	1/30/05													018
NPORDM-4	↓	↓	1/13/05													019

Relinquished By (Signature) 	Organization Gettler-Ryan	Date/Time 1/30/05	Received By (Signature) GR oppie	Organization Pac	Date/Time 1/14/05	Iced (Y/N)	Turn Around Time (Circle Choice) 24 Hrs. 48 Hrs. 5 Days 10 Days As Contracted
Relinquished By (Signature) 	Organization G-R	Date/Time 03/30/07	Received By (Signature) 	Organization Pac	Date/Time 03/30/07	Iced (Y/N)	
Relinquished By (Signature) 	Organization Pac	Date/Time 03/30/07	Received For Laboratory By (Signature) 		Date/Time 03/30/07	Iced (Y/N)	



Document Name:
Sample Condition Upon Receipt Form
 Document No.
F-DAV-C-002-rev.02

Document Revised: 25Feb2015
 Page 1 of 1
 Issuing Authority:
 Pace Davis, CA Quality Office

Sample Condition
 Upon Receipt

Client Name:
Gottler Ryan
 Project #:

WO#: 1284934

1284934

Courier: Fed Ex UPS USPS Client
 Commercial Pace **JTD** OnTrac Other:
 Tracking Number:

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No
 Packing Material: Bubble Wrap Bubble Bags None Other: Temp Blank? Yes No
 Thermom. Used: DA1434 DA2285 Type of Ice: Wet Blue Dry Ice None Samples on ice, cooling process has begun
 Cooler Temp Read(°C): 1.6 Cooler Temp Corrected(°C): 2.1 Biological Tissue Frozen? Yes No N/A
 Temp should be above freezing to 6°C Correction Factor: +2.5 Date and Initials of Person Examining Contents: DJD 3/30/17

Chain of Custody Present?	Yes	No	N/A	Comments:
Chain of Custody Filled Out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1. SR will treat both COCs as
Chain of Custody Relinquished?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2. One project, 1st page with
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3. 14 samples per N/A
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5.
Rush Turn Around Time Requested?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	6.
Sufficient Volume?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7.
Correct Containers Used?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8.
-Pace Containers Used?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	9.
Containers Intact?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10.
Filtered Volume Received for Dissolved Tests?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	11. Note if sediment is visible in the dissolved container.
Sample Labels Match COC?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12.
-Includes Date/Time/ID/Analysis Matrix: <u>WT</u>				
All containers needing acid/base preservation have been checked?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH >9 Sulfide, NaOH>12 Cyanide)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Sample #
Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC	<input checked="" type="checkbox"/>	<input type="checkbox"/>		Initial when completed: Lot # of added preservative:
Headspace in VOA Vials (>6mm)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	14. Sample 010 has one container
Trip Blank Present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15. with >6 mm headspace
Trip Blank Custody Seals Present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Pace Trip Blank Lot # (if purchased):				

CLIENT NOTIFICATION/RESOLUTION

Person Contacted: _____ Date/Time: _____ Field Data Required? Yes No
 Comments/Resolution: _____

Project Manager Review: Jaime Salvo Date: 3/30/2017
 Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)



McC Campbell Analytical, Inc.

"When Quality Counts"

Analytical Report

WorkOrder: 1703G66

Report Created for: Pace Analytical Services

2795 Second Street, Ste. 300
Davis, CA 95616

Project Contact: Scott Forbes

Project P.O.: 1284934

Project Name: 1284934; Rolls-Royce Engine Test Facility

Project Received: 03/31/2017

Analytical Report reviewed & approved for release on 04/06/2017 by:

Angela Rydelius,
Laboratory Manager

The report shall not be reproduced except in full, without the written approval of the laboratory. The analytical results relate only to the items tested. Results reported conform to the most current NELAP standards, where applicable, unless otherwise stated in the case narrative.





Glossary of Terms & Qualifier Definitions

Client: Pace Analytical Services
Project: 1284934; Rolls-Royce Engine Test Facility
WorkOrder: 1703G66

Glossary Abbreviation

%D	Serial Dilution Percent Difference
95% Interval	95% Confident Interval
DF	Dilution Factor
DI WET	(DISTLC) Waste Extraction Test using DI water
DISS	Dissolved (direct analysis of 0.45 µm filtered and acidified water sample)
DLT	Dilution Test (Serial Dilution)
DUP	Duplicate
EDL	Estimated Detection Limit
ITEF	International Toxicity Equivalence Factor
LCS	Laboratory Control Sample
MB	Method Blank
MB % Rec	% Recovery of Surrogate in Method Blank, if applicable
MDL	Method Detection Limit
ML	Minimum Level of Quantitation
MS	Matrix Spike
MSD	Matrix Spike Duplicate
N/A	Not Applicable
ND	Not detected at or above the indicated MDL or RL
NR	Data Not Reported due to matrix interference or insufficient sample amount.
PDS	Post Digestion Spike
PDSD	Post Digestion Spike Duplicate
PF	Prep Factor
RD	Relative Difference
RL	Reporting Limit (The RL is the lowest calibration standard in a multipoint calibration.)
RPD	Relative Percent Deviation
RRT	Relative Retention Time
SPK Val	Spike Value
SPKRef Val	Spike Reference Value
SPLP	Synthetic Precipitation Leachate Procedure
ST	Sorbent Tube
TCLP	Toxicity Characteristic Leachate Procedure
TEQ	Toxicity Equivalents
WET (STLC)	Waste Extraction Test (Soluble Threshold Limit Concentration)



Glossary of Terms & Qualifier Definitions

Client: Pace Analytical Services
Project: 1284934; Rolls-Royce Engine Test Facility
WorkOrder: 1703G66

Analytical Qualifiers

b1 aqueous sample that contains greater than ~1 vol. % sediment
b6 lighter than water immiscible sheen/product is present
e2 diesel range compounds are significant; no recognizable pattern
e4/e11 gasoline range compounds are significant.; and/or stoddard solvent/mineral spirit (?)
e7 oil range compounds are significant
e8 kerosene/kerosene range/jet fuel range
e11/e4 stoddard solvent/mineral spirit (?); and/or gasoline range compounds are significant.
e11 stoddard solvent/mineral spirit (?)



Analytical Report

Client: Pace Analytical Services
Date Received: 3/31/17 9:47
Date Prepared: 3/31/17
Project: 1284934; Rolls-Royce Engine Test Facility

WorkOrder: 1703G66
Extraction Method: SW3510C
Analytical Method: SW8015B
Unit: µg/L

Total Extractable Petroleum Hydrocarbons w/out SG Clean-Up

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
MW-1	1703G66-001A	Water	03/28/2017 10:45	GC9a	136586
<u>Analytes</u>		<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH-Jet Fuel (C9-C18)		ND	50	1	04/01/2017 12:54
<u>Surrogates</u>		<u>REC (%)</u>	<u>Limits</u>		
C9		105	66-138		04/01/2017 12:54
<u>Analyst(s):</u> TK					

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
MW-2	1703G66-002A	Water	03/28/2017 11:25	GC6A	136586
<u>Analytes</u>		<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH-Jet Fuel (C9-C18)		ND	50	1	04/04/2017 13:32
<u>Surrogates</u>		<u>REC (%)</u>	<u>Limits</u>		
C9		95	66-138		04/04/2017 13:32
<u>Analyst(s):</u> TK		<u>Analytical Comments:</u> b1			

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
MW-3	1703G66-003A	Water	03/28/2017 10:35	GC6A	136586
<u>Analytes</u>		<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH-Jet Fuel (C9-C18)		110	50	1	04/03/2017 13:23
<u>Surrogates</u>		<u>REC (%)</u>	<u>Limits</u>		
C9		93	66-138		04/03/2017 13:23
<u>Analyst(s):</u> TK		<u>Analytical Comments:</u> e2			

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
MW-4	1703G66-004A	Water	03/28/2017 09:55	GC9a	136586
<u>Analytes</u>		<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH-Jet Fuel (C9-C18)		60	50	1	04/01/2017 19:23
<u>Surrogates</u>		<u>REC (%)</u>	<u>Limits</u>		
C9		106	66-138		04/01/2017 19:23
<u>Analyst(s):</u> TK		<u>Analytical Comments:</u> e2			

(Cont.)

NELAP 4033ORELAP

 Angela Rydelius, Lab Manager



Analytical Report

Client: Pace Analytical Services
Date Received: 3/31/17 9:47
Date Prepared: 3/31/17
Project: 1284934; Rolls-Royce Engine Test Facility

WorkOrder: 1703G66
Extraction Method: SW3510C
Analytical Method: SW8015B
Unit: µg/L

Total Extractable Petroleum Hydrocarbons w/out SG Clean-Up

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
MW-5	1703G66-005A	Water	03/28/2017 08:30	GC9b	136586

Analytes	Result	RL	DF	Date Analyzed
TPH-Jet Fuel (C9-C18)	90	50	1	04/01/2017 05:08

Surrogates	REC (%)	Limits	Date Analyzed
C9	102	66-138	04/01/2017 05:08

Analyst(s): TK **Analytical Comments:** e7,e2,e11/e4

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
MW-6	1703G66-006A	Water	03/28/2017 10:40	GC9b	136586

Analytes	Result	RL	DF	Date Analyzed
TPH-Jet Fuel (C9-C18)	50	50	1	04/01/2017 09:01

Surrogates	REC (%)	Limits	Date Analyzed
C9	102	66-138	04/01/2017 09:01

Analyst(s): TK **Analytical Comments:** e7,e2,e11/e4

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
MW-7	1703G66-007A	Water	03/28/2017 09:15	GC9b	136586

Analytes	Result	RL	DF	Date Analyzed
TPH-Jet Fuel (C9-C18)	84	50	1	04/01/2017 10:19

Surrogates	REC (%)	Limits	Date Analyzed
C9	103	66-138	04/01/2017 10:19

Analyst(s): TK **Analytical Comments:** e7,e2,e11/e4

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
MW-8	1703G66-008A	Water	03/28/2017 12:20	GC9b	136586

Analytes	Result	RL	DF	Date Analyzed
TPH-Jet Fuel (C9-C18)	ND	50	1	04/01/2017 11:37

Surrogates	REC (%)	Limits	Date Analyzed
C9	101	66-138	04/01/2017 11:37

Analyst(s): TK

(Cont.)

NELAP 4033ORELAP

 Angela Rydelius, Lab Manager



Analytical Report

Client: Pace Analytical Services
Date Received: 3/31/17 9:47
Date Prepared: 3/31/17
Project: 1284934; Rolls-Royce Engine Test Facility

WorkOrder: 1703G66
Extraction Method: SW3510C
Analytical Method: SW8015B
Unit: µg/L

Total Extractable Petroleum Hydrocarbons w/out SG Clean-Up

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
MW-9	1703G66-009A	Water	03/28/2017 09:15	GC9a	136586

Analytes	Result	RL	DF	Date Analyzed
TPH-Jet Fuel (C9-C18)	57	50	1	04/01/2017 20:41

Surrogates	REC (%)	Limits	Date Analyzed
C9	105	66-138	04/01/2017 20:41

Analyst(s): TK **Analytical Comments:** e7,e2

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
MW-10	1703G66-010A	Water	03/28/2017 10:00	GC9a	136586

Analytes	Result	RL	DF	Date Analyzed
TPH-Jet Fuel (C9-C18)	280	50	1	04/01/2017 21:58

Surrogates	REC (%)	Limits	Date Analyzed
C9	106	66-138	04/01/2017 21:58

Analyst(s): TK **Analytical Comments:** e2,e7

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
MW-11	1703G66-011A	Water	03/28/2017 08:30	GC9b	136586

Analytes	Result	RL	DF	Date Analyzed
TPH-Jet Fuel (C9-C18)	120	50	1	04/01/2017 12:54

Surrogates	REC (%)	Limits	Date Analyzed
C9	100	66-138	04/01/2017 12:54

Analyst(s): TK **Analytical Comments:** e2,e11/e4

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
MW-12	1703G66-012A	Water	03/28/2017 12:05	GC9b	136586

Analytes	Result	RL	DF	Date Analyzed
TPH-Jet Fuel (C9-C18)	ND	50	1	04/01/2017 15:30

Surrogates	REC (%)	Limits	Date Analyzed
C9	101	66-138	04/01/2017 15:30

Analyst(s): TK

(Cont.)

NELAP 4033ORELAP

 Angela Rydelius, Lab Manager



Analytical Report

Client: Pace Analytical Services
Date Received: 3/31/17 9:47
Date Prepared: 3/31/17
Project: 1284934; Rolls-Royce Engine Test Facility

WorkOrder: 1703G66
Extraction Method: SW3510C
Analytical Method: SW8015B
Unit: µg/L

Total Extractable Petroleum Hydrocarbons w/out SG Clean-Up

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
MW-13	1703G66-013A	Water	03/28/2017 11:50	GC9b	136586

Analytes	Result	RL	DF	Date Analyzed	
TPH-Jet Fuel (C9-C18)	160	50	1	04/01/2017 16:48	
Surrogates	REC (%)	Limits			
C9	100	66-138		04/01/2017 16:48	
Analyst(s): TK		Analytical Comments: e2,e7,e4/e11			

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
MW-14	1703G66-014A	Water	03/28/2017 10:05	GC9b	136586

Analytes	Result	RL	DF	Date Analyzed	
TPH-Jet Fuel (C9-C18)	100	50	1	04/01/2017 18:05	
Surrogates	REC (%)	Limits			
C9	100	66-138		04/01/2017 18:05	
Analyst(s): TK		Analytical Comments: e7,e2			

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
MW-15	1703G66-015A	Water	03/28/2017 09:19	GC9a	136586

Analytes	Result	RL	DF	Date Analyzed	
TPH-Jet Fuel (C9-C18)	ND	50	1	04/01/2017 11:37	
Surrogates	REC (%)	Limits			
C9	104	66-138		04/01/2017 11:37	
Analyst(s): TK					

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
MW-18	1703G66-016A	Water	03/28/2017 11:35	GC11A	136586

Analytes	Result	RL	DF	Date Analyzed	
TPH-Jet Fuel (C9-C18)	12,000	2500	50	04/01/2017 21:22	
Surrogates	REC (%)	Limits			
C9	107	66-138		04/01/2017 21:22	
Analyst(s): TK		Analytical Comments: e7,e8,e2,e11,b6			

(Cont.)

NELAP 4033ORELAP

 Angela Rydelius, Lab Manager



Analytical Report

Client: Pace Analytical Services
Date Received: 3/31/17 9:47
Date Prepared: 3/31/17
Project: 1284934; Rolls-Royce Engine Test Facility

WorkOrder: 1703G66
Extraction Method: SW3510C
Analytical Method: SW8015B
Unit: µg/L

Total Extractable Petroleum Hydrocarbons w/out SG Clean-Up

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
NPORDMW-3	1703G66-017A	Water	03/28/2017 13:00	GC9b	136586

<u>Analytes</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH-Jet Fuel (C9-C18)	ND	50	1	04/01/2017 06:26

<u>Surrogates</u>	<u>REC (%)</u>	<u>Limits</u>	<u>Date Analyzed</u>
C9	101	66-138	04/01/2017 06:26

Analyst(s): TK

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
NPORDMW-4	1703G66-018A	Water	03/28/2017 11:35	GC9b	136586

<u>Analytes</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH-Jet Fuel (C9-C18)	190	50	1	04/01/2017 07:44

<u>Surrogates</u>	<u>REC (%)</u>	<u>Limits</u>	<u>Date Analyzed</u>
C9	103	66-138	04/01/2017 07:44

Analyst(s): TK

Analytical Comments: e2



Quality Control Report

Client: Pace Analytical Services	WorkOrder: 1703G66
Date Prepared: 3/31/17	BatchID: 136586
Date Analyzed: 4/1/17	Extraction Method: SW3510C
Instrument: GC6B	Analytical Method: SW8015B
Matrix: Water	Unit: µg/L
Project: 1284934; Rolls-Royce Engine Test Facility	Sample ID: MB/LCS/LCSD-136586

QC Report for SW8015B w/out SG Clean-Up

Analyte	MB Result	RL	SPK Val	MB SS %REC	MB SS Limits
TPH-Diesel (C10-C23)	ND	50	-	-	-
TPH-Motor Oil (C18-C36)	ND	250	-	-	-
Surrogate Recovery					
C9	605.4		625	97	79-111

Analyte	LCS Result	LCSD Result	SPK Val	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Limit
TPH-Diesel (C10-C23)	1070	1040	1000	107	104	88-134	2.92	30
Surrogate Recovery								
C9	609	622	625	97	100	79-111	2.15	30

McC Campbell Analytical, Inc.

1534 Willow Pass Rd
Pittsburg, CA 94565-1701
(925) 252-9262

CHAIN-OF-CUSTODY RECORD

WorkOrder: 1703G66

ClientCode: KIFF

WaterTrax WriteOn EDF Excel EQulS Email HardCopy ThirdParty J-flag

Report to:

Scott Forbes
Pace Analytical Services
2795 Second Street, Ste. 300
Davis, CA 95616
(530) 297-4800 FAX: (530) 297-4808

Email: scott.forbes@pacelabs.com
cc/3rd Party:
PO: 1284934
ProjectNo: 1284934; Rolls-Royce Engine Test Facility

Bill to:

Accounts Payable
Pace Analytical Services
1700 Elm Street SE
Minneapolis, MN 55414
sierra.hubbard@pacelabs.com

Requested TAT: 5 days;

Date Received: 03/31/2017
Date Logged: 03/31/2017

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)															
					1	2	3	4	5	6	7	8	9	10	11	12				
1703G66-001	MW-1	Water	3/28/2017 10:45	<input type="checkbox"/>	A															
1703G66-002	MW-2	Water	3/28/2017 11:25	<input type="checkbox"/>	A															
1703G66-003	MW-3	Water	3/28/2017 10:35	<input type="checkbox"/>	A															
1703G66-004	MW-4	Water	3/28/2017 09:55	<input type="checkbox"/>	A															
1703G66-005	MW-5	Water	3/28/2017 08:30	<input type="checkbox"/>	A															
1703G66-006	MW-6	Water	3/28/2017 10:40	<input type="checkbox"/>	A															
1703G66-007	MW-7	Water	3/28/2017 09:15	<input type="checkbox"/>	A															
1703G66-008	MW-8	Water	3/28/2017 12:20	<input type="checkbox"/>	A															
1703G66-009	MW-9	Water	3/28/2017 09:15	<input type="checkbox"/>	A															
1703G66-010	MW-10	Water	3/28/2017 10:00	<input type="checkbox"/>	A															
1703G66-011	MW-11	Water	3/28/2017 08:30	<input type="checkbox"/>	A															
1703G66-012	MW-12	Water	3/28/2017 12:05	<input type="checkbox"/>	A															
1703G66-013	MW-13	Water	3/28/2017 11:50	<input type="checkbox"/>	A															
1703G66-014	MW-14	Water	3/28/2017 10:05	<input type="checkbox"/>	A															
1703G66-015	MW-15	Water	3/28/2017 09:19	<input type="checkbox"/>	A															

Test Legend:

1	TPH_W	2		3		4	
5		6		7		8	
9		10		11		12	

Prepared by: Jena Alfaro

Comments:

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).
Hazardous samples will be returned to client or disposed of at client expense.

McC Campbell Analytical, Inc.

1534 Willow Pass Rd
Pittsburg, CA 94565-1701
(925) 252-9262

CHAIN-OF-CUSTODY RECORD

WorkOrder: 1703G66

ClientCode: KIFF

WaterTrax WriteOn EDF Excel EQUiS Email HardCopy ThirdParty J-flag

Report to:

Scott Forbes
Pace Analytical Services
2795 Second Street, Ste. 300
Davis, CA 95616
(530) 297-4800 FAX: (530) 297-4808

Email: scott.forbes@pacelabs.com
cc/3rd Party:
PO: 1284934
ProjectNo: 1284934; Rolls-Royce Engine Test Facility

Bill to:

Accounts Payable
Pace Analytical Services
1700 Elm Street SE
Minneapolis, MN 55414
sierra.hubbard@pacelabs.com

Requested TAT: 5 days;

Date Received: 03/31/2017

Date Logged: 03/31/2017

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)																	
					1	2	3	4	5	6	7	8	9	10	11	12						
1703G66-016	MW-18	Water	3/28/2017 11:35	<input type="checkbox"/>	A																	
1703G66-017	NPORDMW-3	Water	3/28/2017 13:00	<input type="checkbox"/>	A																	
1703G66-018	NPORDMW-4	Water	3/28/2017 11:35	<input type="checkbox"/>	A																	

Test Legend:

1	TPH_W	2		3		4	
5		6		7		8	
9		10		11		12	

Prepared by: Jena Alfaro

Comments:

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).
Hazardous samples will be returned to client or disposed of at client expense.

WORK ORDER SUMMARY

Client Name: PACE ANALYTICAL SERVICES	Project: 1284934; Rolls-Royce Engine Test Facility	Work Order: 1703G66
Client Contact: Scott Forbes		QC Level: LEVEL 2
Contact's Email: scott.forbes@pacelabs.com	Comments:	Date Logged: 3/31/2017

WaterTrax
 WriteOn
 EDF
 Excel
 Fax
 Email
 HardCopy
 ThirdParty
 J-flag

Lab ID	Client ID	Matrix	Test Name	Containers /Composites	Bottle & Preservative	De-chlorinated	Collection Date & Time	TAT	Sediment Content	Hold	SubOut
1703G66-001A	MW-1	Water	SW8015B (TEPHs) <TPH-Jet Fuel (C9-C18)>	2	VOA w/ HCl	<input type="checkbox"/>	3/28/2017 10:45	5 days	Present	<input type="checkbox"/>	
1703G66-002A	MW-2	Water	SW8015B (TEPHs) <TPH-Jet Fuel (C9-C18)>	2	VOA w/ HCl	<input type="checkbox"/>	3/28/2017 11:25	5 days	2%+	<input type="checkbox"/>	
1703G66-003A	MW-3	Water	SW8015B (TEPHs) <TPH-Jet Fuel (C9-C18)>	2	VOA w/ HCl	<input type="checkbox"/>	3/28/2017 10:35	5 days	Present	<input type="checkbox"/>	
1703G66-004A	MW-4	Water	SW8015B (TEPHs) <TPH-Jet Fuel (C9-C18)>	2	VOA w/ HCl	<input type="checkbox"/>	3/28/2017 9:55	5 days	Present	<input type="checkbox"/>	
1703G66-005A	MW-5	Water	SW8015B (TEPHs) <TPH-Jet Fuel (C9-C18)>	2	VOA w/ HCl	<input type="checkbox"/>	3/28/2017 8:30	5 days	Present	<input type="checkbox"/>	
1703G66-006A	MW-6	Water	SW8015B (TEPHs) <TPH-Jet Fuel (C9-C18)>	2	VOA w/ HCl	<input type="checkbox"/>	3/28/2017 10:40	5 days	Present	<input type="checkbox"/>	
1703G66-007A	MW-7	Water	SW8015B (TEPHs) <TPH-Jet Fuel (C9-C18)>	2	VOA w/ HCl	<input type="checkbox"/>	3/28/2017 9:15	5 days	Present	<input type="checkbox"/>	
1703G66-008A	MW-8	Water	SW8015B (TEPHs) <TPH-Jet Fuel (C9-C18)>	2	VOA w/ HCl	<input type="checkbox"/>	3/28/2017 12:20	5 days	Present	<input type="checkbox"/>	
1703G66-009A	MW-9	Water	SW8015B (TEPHs) <TPH-Jet Fuel (C9-C18)>	2	VOA w/ HCl	<input type="checkbox"/>	3/28/2017 9:15	5 days	Present	<input type="checkbox"/>	
1703G66-010A	MW-10	Water	SW8015B (TEPHs) <TPH-Jet Fuel (C9-C18)>	2	VOA w/ HCl	<input type="checkbox"/>	3/28/2017 10:00	5 days	Present	<input type="checkbox"/>	
1703G66-011A	MW-11	Water	SW8015B (TEPHs) <TPH-Jet Fuel (C9-C18)>	2	VOA w/ HCl	<input type="checkbox"/>	3/28/2017 8:30	5 days	Present	<input type="checkbox"/>	
1703G66-012A	MW-12	Water	SW8015B (TEPHs) <TPH-Jet Fuel (C9-C18)>	2	VOA w/ HCl	<input type="checkbox"/>	3/28/2017 12:05	5 days	Present	<input type="checkbox"/>	

NOTES: - STLC and TCLP extractions require 2 days to complete; therefore, all TATs begin after the extraction is completed (i.e., One-day TAT yields results in 3 days from sample submission).
 - MAI assumes that all material present in the provided sampling container is considered part of the sample - MAI does not exclude any material from the sample prior to sample preparation unless requested in writing by the client.



McC Campbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
 Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
 http://www.mccampbell.com / E-mail: main@mccampbell.com

WORK ORDER SUMMARY

Client Name: PACE ANALYTICAL SERVICES
Client Contact: Scott Forbes
Contact's Email: scott.forbes@pacelabs.com

Project: 1284934; Rolls-Royce Engine Test Facility
Comments:

Work Order: 1703G66
QC Level: LEVEL 2
Date Logged: 3/31/2017

WaterTrax WriteOn EDF Excel Fax Email HardCopy ThirdParty J-flag

Lab ID	Client ID	Matrix	Test Name	Containers /Composites	Bottle & Preservative	De-chlorinated	Collection Date & Time	TAT	Sediment Content	Hold	SubOut
1703G66-013A	MW-13	Water	SW8015B (TEPHs) <TPH-Jet Fuel (C9-C18)>	2	VOA w/ HCl	<input type="checkbox"/>	3/28/2017 11:50	5 days	Present	<input type="checkbox"/>	
1703G66-014A	MW-14	Water	SW8015B (TEPHs) <TPH-Jet Fuel (C9-C18)>	2	VOA w/ HCl	<input type="checkbox"/>	3/28/2017 10:05	5 days	Present	<input type="checkbox"/>	
1703G66-015A	MW-15	Water	SW8015B (TEPHs) <TPH-Jet Fuel (C9-C18)>	2	VOA w/ HCl	<input type="checkbox"/>	3/28/2017 9:19	5 days	Present	<input type="checkbox"/>	
1703G66-016A	MW-18	Water	SW8015B (TEPHs) <TPH-Jet Fuel (C9-C18)>	2	VOA w/ HCl	<input type="checkbox"/>	3/28/2017 11:35	5 days	Present	<input type="checkbox"/>	
1703G66-017A	NPORDMW-3	Water	SW8015B (TEPHs) <TPH-Jet Fuel (C9-C18)>	2	VOA w/ HCl	<input type="checkbox"/>	3/28/2017 13:00	5 days	Present	<input type="checkbox"/>	
1703G66-018A	NPORDMW-4	Water	SW8015B (TEPHs) <TPH-Jet Fuel (C9-C18)>	2	VOA w/ HCl	<input type="checkbox"/>	3/28/2017 11:35	5 days	Present	<input type="checkbox"/>	

NOTES: - STLC and TCLP extractions require 2 days to complete; therefore, all TATs begin after the extraction is completed (i.e., One-day TAT yields results in 3 days from sample submission).
 - MAI assumes that all material present in the provided sampling container is considered part of the sample - MAI does not exclude any material from the sample prior to sample preparation unless requested in writing by the client.

22

					Comments
Transfers	Released By	Date/Time	Received By	Date/Time	
1	S. Paul	3/30/16	Strac		
2	Strac			3/31/17	
3					
Cooler Temperature on Receipt 21°C		Custody Seal Y or N		Received on Ice (Y) or N	Samples Intact (Y) or N

