

ALAMEDA COUNTY
HEALTH CARE SERVICES

AGENCY
DAVID J. KEARS, Agency Director



SENT
10-2-06

ENVIRONMENTAL HEALTH SERVICES
ENVIRONMENTAL PROTECTION
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577
(510) 567-6700
FAX (510) 337-9335

September 29, 2006

Rebecca Grier Horton
SBC Environmental Management
Three SBC Plaza #900
Dallas, TX 75202

Louise Delano
AT&T Services
308 South Akard Street, Room 900
Dallas, TX 75202

Subject: Fuel Leak Case No. RO0002609, SBC PE171 Facility, 7240 Johnson Drive, Pleasanton, CA

Dear Ms. Horton and Delano:

The fuel leak case file for the above-referenced site is under review for case closure by Alameda County Environmental Health (ACEH). Please provide the certification requested below in the Landowner Notification Requirements that you have notified all responsible landowners of the request for case closure.

LANDOWNER NOTIFICATION REQUIREMENTS

Pursuant to California Health & Safety Code Section 25297.15, the active or primary responsible party for a fuel leak case must inform all current property owners of the site of cleanup actions or requests for closure. Furthermore, ACEH may not consider any cleanup proposals or requests for case closure without assurance that this notification requirement has been met. Additionally, the active or primary responsible party is required to forward to ACEH a complete mailing list of all record fee title holders to the site.

For you to meet these requirements when submitting cleanup proposals or requests for case closure, ACEH requires that you:

1. Notify all current record owners of fee title to the site of any cleanup proposals or requests for case closure;
2. Submit a letter to ACEH which certifies that the notification requirement in 25297.15(a) of the Health and Safety Code has been met;
3. Forward to ACEH a copy of your complete mailing list of all record fee title holders to the site; and
4. Update your mailing list of all record fee title holders, and repeat the process outlined above prior to submittal of any additional *Corrective Action Plan* or your *Request for Case Closure*.

Your written certification to ACEH (Item 2 above) must state, at a minimum, the following:

Rebecca Grier Horton
Louise Delano
September 29, 2006
Page 2

A. In accordance with Section 25297.15(a) of the Health & Safety Code, I, (name of primary responsible party), certify that I have notified all responsible landowners of the enclosed proposed action. (Check space for applicable proposed action(s)):

- cleanup proposal (Corrective Action Plan)
 request for case closure
 local agency intention to make a determination that no further action is required
 local agency intention to issue a closure letter


- OR -

B. In accordance with section 25297.15(a) of Chapter 6.7 of the Health & Safety Code, I, (name of primary responsible party), certify that I am the sole landowner for the above site.

(Note: Complete item A if there are multiple site landowners. If you are the sole site landowner, skip item A and complete item B.)

If you have any questions, please call me at (510) 567-6791.

Sincerely,



Jerry Wickham
Hazardous Materials Specialist

Enclosure: ACEH Electronic Report Upload (ftp) Instructions

cc: Colleen Winey, QIC 80201, Zone 7 Water Agency, 100 North Canyons Parkway
Livermore, CA 94551

Danielle Stefani, Livermore-Pleasanton Fire Department, 3560 Nevada Street
Pleasanton, CA 94566

Christopher d'Sa, Hydrologist, 2793 East foothill Boulevard, Pasadena, CA 91107

Donna Drogos, ACEH
Jerry Wickham, ACEH
File

ALAMEDA COUNTY
HEALTH CARE SERVICES

AGENCY
DAVID J. KEARS, Agency Director



SENT
9-14-05

ENVIRONMENTAL HEALTH SERVICES
ENVIRONMENTAL PROTECTION
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577
(510) 567-6700
FAX (510) 337-9335

September 14, 2005

James Stehr
SBC
2600 Camino Ramon, Room 3E000P
San Ramon, CA 94583

Subject: Fuel Leak Case No. RO0002609, SBC PE171 Facility, 7240 Johnson Drive, Pleasanton, CA

Dear Mr. Stehr:

I was recently assigned as the Alameda County Environmental Health (ACEH) case worker for the above referenced site. Please address future correspondence for this site to me. Hydrologue, Inc. submitted on your behalf a request dated August 31, 2005 to establish a new global ID on Geotracker for the above referenced case. I have established an open case on Geotracker with a Global ID of T0600184737 for the facility at 7240 Johnson Drive in Pleasanton, CA.

If you have any questions, please call me at (510) 567-6791.

Sincerely,

Jerry Wickham
Hazardous Materials Specialist

cc: Colleen Winey, QIC 80201
Zone 7 Water Agency
100 North Canyons Parkway
Livermore, CA 94551

Danielle Stefani
Livermore-Pleasanton Fire Department
3560 Nevada Street
Pleasanton, CA 94566

Donna Drogos, ACEH
Jerry Wickham, ACEH
File