

**IMPORTANT MESSAGE**

FOR LS  
DATE 6/30 TIME 4:20 A.M.  
M. Ron Mayo  
OF \_\_\_\_\_  
PHONE 376 7040  
AREA CODE NUMBER EXTENSION

TELEPHONED	<input checked="" type="checkbox"/>	PLEASE CALL	<input checked="" type="checkbox"/>
CAME TO SEE YOU	<input type="checkbox"/>	WILL CALL AGAIN	<input type="checkbox"/>
WANTS TO SEE YOU	<input type="checkbox"/>	RUSH	<input type="checkbox"/>
RETURNED YOUR CALL	<input type="checkbox"/>	SPECIAL ATTENTION	<input type="checkbox"/>

MESSAGE he needs to set up a mtg w/ Eddie So + you but it can wait till you get back @

SIGNED Sms  
LITHO IN U.S.A.

**IMPORTANT MESSAGE**

FOR Larry  
DATE 7-8-92 TIME 11:15 A.M.  
M. Ron Mayo  
OF Curoco Co. ST# 3759  
PHONE 415) 860-4212  
AREA CODE NUMBER EXTENSION

TELEPHONED	<input checked="" type="checkbox"/>	PLEASE CALL	<input checked="" type="checkbox"/>
CAME TO SEE YOU	<input type="checkbox"/>	WILL CALL AGAIN	<input type="checkbox"/>
WANTS TO SEE YOU	<input type="checkbox"/>	RUSH	<input type="checkbox"/>
RETURNED YOUR CALL	<input type="checkbox"/>	SPECIAL ATTENTION	<input type="checkbox"/>

MESSAGE Spoke to Mr. Hiatt RWC QB; can you help push for a meeting, to move case up.

Cleveland OH.

SIGNED MA  
LITHO IN U.S.A.

**IMPORTANT MESSAGE**

FOR Surry

DATE NOV 29 TIME 3:05 <sup>A.M.</sup>/<sub>P.M.</sub>

M. Shawn Sabharwal

OF Site Engokel / site

PHONE 348-5505

TELEPHONED		PLEASE CALL	<input checked="" type="checkbox"/>
CAME TO SEE YOU		WILL CALL AGAIN	
WANTS TO SEE YOU		RUSH	
RETURNED YOUR CALL		SPECIAL ATTENTION	

MESSAGE REG. WOOD PLANT  
DHS (All Tech)  
Dr. Tej Pahwn  
Ph- 322-9224  
skelation of Pb, Cr, Zn

SIGNED [Signature]  
 LITHO IN U.S.A.

**IMPORTANT MESSAGE**

FOR Lacey

DATE 12-7-90 TIME 403 <sup>A.M.</sup>/<sub>P.M.</sub>

M. FRED Choska

OF W.C.C. Landfill

PHONE 262-1667

TELEPHONED		PLEASE CALL	
CAME TO SEE YOU		WILL CALL AGAIN	
WANTS TO SEE YOU		RUSH	
RETURNED YOUR CALL		SPECIAL ATTENTION	

MESSAGE Re: Sol TTUCL level  
No cannot take at their site.

Forward, Inc. in Sweeny.  
12/11/90 Spoke to Fred, he said  
they will not accept metals in soil

SIGNED mna above this TTUCL  
 LITHO IN U.S.A.

**IMPORTANT MESSAGE**

FOR KS

DATE 12/20 TIME 3:10 <sup>A.M.</sup>/<sub>P.M.</sub>

M. Robert Elleggs

OF EXURON

PHONE 655-7400

TELEPHONED		PLEASE CALL	<input checked="" type="checkbox"/>
CAME TO SEE YOU		WILL CALL AGAIN	
WANTS TO SEE YOU		RUSH	
RETURNED YOUR CALL		SPECIAL ATTENTION	

MESSAGE REG CURROU  
Return call on 12/28

SIGNED \_\_\_\_\_  
 LITHO IN U.S.A.

**IMPORTANT MESSAGE**

FOR Larry  
DATE 4/15 TIME 10:00 A.M. P.M.  
M. RON MAYO  
OF CURACO Corp.  
PHONE 233-3221  
AREA CODE NUMBER EXTENSION

TELEPHONED	<input checked="" type="checkbox"/>	PLEASE CALL	<input checked="" type="checkbox"/>
CAME TO SEE YOU	<input type="checkbox"/>	WILL CALL AGAIN	<input type="checkbox"/>
WANTS TO SEE YOU	<input type="checkbox"/>	RUSH	<input type="checkbox"/>
RETURNED YOUR CALL	<input type="checkbox"/>	SPECIAL ATTENTION	<input type="checkbox"/>

MESSAGE Permits

SIGNED \_\_\_\_\_  
LITHO IN U.S.A.

**IMPORTANT MESSAGE**

FOR Larry  
DATE 5-17-90 TIME 2:10 A.M. P.M.  
M. RON MAYO  
OF CURACO  
PHONE 526-8560  
AREA CODE NUMBER EXTENSION

TELEPHONED	<input checked="" type="checkbox"/>	PLEASE CALL	<input checked="" type="checkbox"/>
CAME TO SEE YOU	<input type="checkbox"/>	WILL CALL AGAIN	<input type="checkbox"/>
WANTS TO SEE YOU	<input type="checkbox"/>	RUSH	<input type="checkbox"/>
RETURNED YOUR CALL	<input type="checkbox"/>	SPECIAL ATTENTION	<input type="checkbox"/>

MESSAGE 4568814 #  
project  
str  
Stan Waitman of Curaco said  
R.S. Egan has been contacted to  
remove the tank.

SIGNED TNEAF  
LITHO IN U.S.A.

**IMPORTANT MESSAGE**

FOR Larry  
DATE 5-17-90 TIME 9:30 A.M. P.M.  
M. Bob Cousin  
OF R.S. Egan  
PHONE 682-3636  
AREA CODE NUMBER EXTENSION

TELEPHONED	<input type="checkbox"/>	PLEASE CALL	<input checked="" type="checkbox"/>
CAME TO SEE YOU	<input type="checkbox"/>	WILL CALL AGAIN	<input type="checkbox"/>
WANTS TO SEE YOU	<input type="checkbox"/>	RUSH	<input type="checkbox"/>
RETURNED YOUR CALL	<input type="checkbox"/>	SPECIAL ATTENTION	<input type="checkbox"/>

MESSAGE \_\_\_\_\_

SIGNED \_\_\_\_\_  
LITHO IN U.S.A.

**IMPORTANT MESSAGE**

FOR LS  
DATE 5/18 TIME 3:00 A.M. P.M.  
M. Bob  
OF RS Egan  
PHONE 682-3636  
AREA CODE NUMBER EXTENSION

TELEPHONED	<input type="checkbox"/>	PLEASE CALL	<input checked="" type="checkbox"/>
CAME TO SEE YOU	<input type="checkbox"/>	WILL CALL AGAIN	<input checked="" type="checkbox"/>
WANTS TO SEE YOU	<input type="checkbox"/>	RUSH	<input type="checkbox"/>
RETURNED YOUR CALL	<input type="checkbox"/>	SPECIAL ATTENTION	<input checked="" type="checkbox"/>

MESSAGE RE: Tank Removal  
536 Cleveland Ave  
Albany

(Plan has already been  
approved. Owner changed  
contractor from UNIVERSE  
SIGNED \_\_\_\_\_  
LITHO IN U.S.A. ENGINEERING to R.S. EGAN

TOPS FORM 3002S Planning to do removal  
additional  
Any requirements? Please advise.



2775 Goodrick Avenue  
Richmond, CA 94801

(415) 233-3221  
(800) 242-2425

FAX (415) 233-3385

**Ron Mayo**  
President

Curoco Management Corp.



**CUROCO STEEL SYSTEMS**

**RON MAYO**

President

536 Cleveland Avenue  
Albany, CA 94710

(415) 526-8560  
In Calif.: (800) 242-2425



*Meeting on 12/9/90*

**Shawn Sabharwal**  
Vice-President

**SAB INTERNATIONAL TECHNOLOGY ENTERPRISES, INC.**

1240 Bayshore Highway, Suite 305  
Burlingame, California 94010  
(415) 348-5505 • FAX (415) 347-4571



**Earth Engineers**

**MARK ARMSTRONG**  
PRINCIPAL

**P.O. Box 490**  
Cedarville, CA 96104

tel (530) 279-2270 / (800) 692-0787  
fax (530) 279-2257

**San Francisco / Denver / Brownsville**

Counsel in Health and Environmental Science

**Robert A. Ellgas, Ph.D.**  
Project Manager

Marketplace Tower, 5820 Shellmound Street, Suite 700  
Emeryville, California 94608 • (415) 655-7400 • FAX (415) 655-9517



6-9-93 left message for James Finley to submit final soil results before this site can be closed out. He will be out of the office until 6/14

3-1-91

Spoke to Rich Heitt of RWQCB concerning have a meeting with Curoco, ~~an~~ SITE and Environ. I informed him the treated the soil contaminated with Cr, Zn and Pb to levels below the TTC and STCC values and would like to put it back into the excavation. Heitt said other units such as Land Disposal needs to be involved with this meeting since Curoco would need to obtain a permit. Heitt said the following persons at the Board need to attend the meeting:

Lester Feldman 464-1043 (Eng. Toxic)

Curtis Scott 464-0455 (Eng. Land Disp.)

Rich McMurtry 464-0432 (Chf of Land Disp.)

3-7-91

Asked Shawn of SITE to set up a meeting with RWQCB to discuss his treatment system and the possibility of returning the treated soil at Curoco back into the ground.

5/3/91

Dr. Ellgas said Ron Mayo of Curoco decided to have the treated soil disposed off off-site. After the backfilling, Ellgas will send me a closure report for the U.G.T and sites.

3-1-91

Had a meeting with the following persons present:

Bron Mayo - property owner

Robert Elgas - Environ Corp

Shawn Sabharwal - SITE

Patricia Carl - Southern Pacific Env. Systems.

The soil contaminated with Cr, Zn and Pb has been treated, and CAM test results are 0.1 of their STCC. Congruent samples of the wall and bottom excavation have been taken, and is below 10x the STCC. A meeting is tentatively set with RWQCB to discuss using the treated soil as back fill.

The pipeline containing oil on the S.P. right-of-way has been removed and the sludge underneath and around it removed and placed in a dumpster. It will be disposed of by Erickson. The soil from the over excavation of the former tank pit has also been placed in this dumpster for disposal.



12-11-90 Fred Choske of Richmond Cardgill said his site will not accept soil with heavy metals that exceed the TTC since it is classified as a hazardous waste by DHS.

12-12-90 Tej Pshwa, DHS, Alternative Tech. said he was involved only in the sampling portion of this study, and the lead person on this project was Ron Lewis - (415) 540-3839. Mr. Pshwa said the paper they put together would express his dept. opinion. He stated it was his understanding that the treatment was successful with the exception of one or two elements.

1-11-91 Site inspection and met with Shawn Subharwal of SITE, Robert Ellgas, Ph.D. of Environ and Ron Mayo of Curoco. I gave them the approval of their remedial action plan dated Dec. 26, 1990. Dr. Ellgas showed me a copy of ~~the~~ his sampling plan (using a grid). ~~He will also~~ He will send me a copy of the sampling plan, and the current status of the investigation/ remediation in the former tank area. (They are going to over-excavate and treat the soil)

12-5-90

Shawn of Site said the top 1'-2' of contamination of heavy metals will be scraped off and taken to a Class I for disposal. The soil below this area will be remediated. I told him to identify this in his workplan, and that samples are going to have to be taken after the scraping to verify all of the soil with metals > TTC have been removed.

12-7-90

Met with Shawn Sabharwal of SITE. He submitted a Draft remedial action plan that involved detection of Pb, Zn + Cr in soil. I told him I want ~~of~~ him to change the wording in the plan to read "all soil with metal conc. exceeding their TTC must be taken to a Class I site". He said ~~after~~ Richmond Landfill would accept soil with metals that exceed their TTC, as long as it is below the STC. He said to contact Fred Chorke @ 262-1667. I call him & left a message. I also informed him I had to see all the data and diagram that Environ had that he used to put together his plan. I also told him a proposal stamp is needed in the final remedial plan, and if any soil is put back into the excavation, samples must be taken every 20 cu yd and must be ND TPH and BTK+E

11-9-90

Site - Shawn Sabharwal

Informed him that if the soil is hazardous, DTH has to give them a permit or variance before they could start their treatment. He said TCC isn't used anymore, but TLP and STCC after the Land Ban

11-30-90

Shawn will send me the following

- 1) lab results of the investigation
- 2) site remediation plan for the chelation of Pb, Cr, Zn
- 3) Site Safety plan

He said Dr. Tej Pahwa, DTH, Atk. Tech can be contacted to verify this chelation proj. is successful. Work has been subcontracted to Ensoleek by Site.

12-7-90

Left message for Dr. Pahwa to call me

Meeting with RWQCB 8-14-92 Caroca

1) Need to confirm background and site sampling are representative. Site samples were averaged

80-90% confident level for sampling

2)