

FAX

from **Geomatrix Consultants, Inc.**
2101 Webster Street, 12th Floor, Oakland, CA 94612
www.geomatrix.com



RECEIVED
MAY 22 2004

The information in this teletype is intended for the named recipient(s) only. It may contain privileged and confidential matter. If you have received this teletype in error, please notify the sender immediately. Thank you.

Date: 8/2/99

Number of pages including cover sheet: 6

To:

Dan McNevin

Emery Lofts Development Co, LLC

From:

Jennifer Patterson

Fax Phone: 415-772-5913

Phone: 415-441-4400

cc:

Fax Phone: 510-663-4141

Phone: 510-663-4100

Direct dial: 510-663-4167

Email: Jpatterson@geomatrix.com

Project No.: 3085.006

Project Name: Emery Lofts

REMARKS:

Hard copy to follow Urgent For your review Reply ASAP Please comment

Dan-

Here are the waste profiles. Please fill in the Emergency Contact information and sign both documents. Call me if you have any questions. After you have signed them, you can fax them directly to Judy at BFI (fax no: 925-447-3086). Thanks.

Jennifer Patterson

Alameda County

JUL 13 2004

Environmental Health



BROWNING-FERRIS INDUSTRIES

Northern California East Bay Division

Waste Characterization For Treated Wood

Generator's Information

Generator Name: Emery Lofts Development Co. LLC
 Generating Location Address: 4226 Hallett Street
Emeryville California
 Generator's Representative: Dan McNevin
 Representative's Phone Number: (415) 441-4400

Waste Stream Information

Wood Treated/Preserved With: Creosote Copper/Chromium/Arsenic (CCA)
 Pentachlorophenol Other Not treated

Volume of Waste: 40 ties Cubic Yards Tons

Average Length: ~ 6 ft

Age: ~ 75-100
(in Years)

Has It Been Retreated Within 20 Years?: Yes No

Generator's Certification

(Must Be Completed By The Representative Identified Above)

I hereby certify that the above and attached description is complete and accurate to the best of my knowledge and ability to determine, that no deliberate or willful omissions or properties exist, that all known or suspected hazards have been disclosed, and that the waste is not a regulated hazardous waste by the USEPA, by an applicable State authority, or by any applicable local authority.

8/5/99 [Signature] D. McNevin Proj. Mgr.
 Date Print Name Signature Title



BROWNING-FERRIS INDUSTRIES

WCD NO. AZ

BFI WASTE CODE

WASTE APPROVAL REQUEST

BFI to complete this area.

BFI Initiator: _____
Location: _____
Company Number: _____
Telephone: () _____
Fax: () _____
Date: _____

Action Requested: [] New Waste Approval
[] Up-Date Approval - Previous Number: _____
Disposal Site Requested: _____
Company Number: _____
Management Method Requested: [] Landfill [] Hauling
[] Other: _____

WASTE CHARACTERIZATION DATA
SPECIAL WASTE

IMPORTANT: INFORMATION FOR PHYSICAL COMPLETION OF THIS FORM MUST BE OBTAINED FROM AN AUTHORIZED REPRESENTATIVE OF THE WASTE GENERATOR. PLEASE READ THE INSTRUCTIONS BEFORE COMPLETING THIS FORM. THIS FORM IS TO BE USED ONLY ONE TIME, AND MUST BE TYPEWRITTEN OR LEGIBLY PRINTED IN INK, AND SIGNED.

1. GENERATOR INFORMATION

a) Generator's Name: Emerij Lofts Development Co, LLC
b) Generating Facility's Address: 4226 Halleck St.
City: Emeryville State: CA Zip: _____
c) Generator's Representative: Dan McNevin
Title: Project Mgr.
Telephone: (415) 441-4400
Fax: (415) 772-5913
d) Emergency/Information Contact: DAN McNEVIN
Title: Project Mgr.
Telephone: (415) 551-3757

e) State/Provincial/Local Registration No.: _____
Generator's EPA Id. No.: _____
Industry Description/SIC Code: _____
Billing Information
f) Customer's Name: TRUMPP BRUS. INC
g) Customer's Mailing Address: 1540 INDUSTRIAL AVE
City: San Jose State: CA Zip: 95112-2714
h) Billing Contact: GARY TRUMPP
Telephone: (408) 292-0820
Fax: (408) 292-1121

2. GENERAL WASTE STREAM INFORMATION

a) Name/Description of the Waste: Untreated Wood (Weathered)
(such as telephone poles, railroad ties)
b) Process Generating the Waste: Removal of Treated Wood
c) Is this waste a characteristically hazardous waste as per 40 CFR 261.21-24? [] Yes [X] No [] ND
d) Is this waste an F,K,P, or U listed hazardous waste as per 40 CFR 261.32-33? [] Yes [X] No [] ND
e) Is this waste a treatment residue of a waste which was previously a characteristically hazardous waste? [] Yes [X] No [] ND
If yes, describe the waste, applicable code(s), and the process generating the waste prior to treatment.
f) Is this a "Hazardous Waste" as defined by State, Provincial, or Local Regulations? [] Yes [X] No [] ND
If yes, enter the Waste Identification Number if one has been assigned:
g) Recommended personal protection equipment and special handling procedures: Routine Personal Protective Equipment

BFI WASTE CODE

3. WASTE PROPERTIES AT 72°F

- a) Physical State: Solid Semi-solid Powder Free Liquid Combination
- b) Reactivity: Water Reactive Acid Reactive Alkaline Reactive Oxidizer Autopolymerizable
 Pyrophoric Explosive Thermally Sensitive Shock Sensitive None of the above
- c) Flash Point, °F:
 ≤ 72 73-100 101-140 141-200 ≥ 201 N/A N/D
- d) pH:
 ≤ 2 2.1 - 5.0 5.1 - 8.0 9.1 - 12.4 ≥ 12.5 N/A N/D
- e) Odor - describe _____
 None Mild Strong

4. WASTE COMPOSITION

Please provide a breakdown of the waste stream based upon generator knowledge of the waste and the process(es) generating the waste stream.

Does this waste contain any of the following:

- Free Cyanide
- Free Sulfide
- Organic Solvents
- OSHA Substances
- Radioactive Materials
- Virgin Oils
- Used Oils
- Etiological Agents
- PCB'S not regulated by TSCA 40 CFR 761
- None of the Above

Components/Contaminants

Range (%)

Weathered Wood

100%

(analytical attached)

If any of the above are marked, please specify in waste breakdown at right

5. TRANSPORTATION INFORMATION

If the waste is a DOT Hazardous Material, complete the following:

Proper USDOT Shipping Name: N/A


USDOT Hazard Class: 8/3 UN or NA Number: N/A CERCLA Reportable Quantity: N/A

6. GENERATOR'S CERTIFICATION

I hereby certify that the above and attached description is complete and accurate to the best of my knowledge and ability to determine, that no deliberate or willful omissions of composition or properties exist, that all known or suspected hazards have been disclosed, analytical results submitted are accurate and representative of the waste (per SWMS), and that the waste is not a regulated hazardous waste by the USEPA, by an applicable State or Provincial authority, or by any applicable local authority, and does not contain PCBs regulated by TSCA (i.e., 40 CFR 761) or any Provincial authority.

GENERATOR'S AUTHORIZED SIGNATORY:

DATE: 8/5/99

PRINT NAME: Dan McEwen SIGNATURE: 

TELEPHONE: (415) 772 5100 FAX:

TITLE: Project Mgr.
8-5-99

Phenols by GC/MS

 Client: Geomatrix Consultants
 Project#: 3095.06
 Location: 3095.06

 Analysis Method: EPA 8270B
 Prep Method: EPA 3550

 Field ID: RR-1
 Lab ID: 138939-001
 Matrix: Miscell.
 Batch#: 47592
 Units: ug/Kg
 Diln Fac: 50

 Sampled: 04/13/99
 Received: 04/16/99
 Extracted: 04/22/99
 Analyzed: 04/23/99

Analyte	Result	Reporting Limit
Phenol	ND	50000
2-Chlorophenol	ND	50000
2-Methylphenol	ND	50000
3-, 4-Methylphenol	ND	50000
2, 3, 4, 6-Tetrachlorophenol	ND	250000
2-Nitrophenol	ND	250000
2, 4-Dimethylphenol	ND	50000
2, 4-Dichlorophenol	ND	50000
2, 6-Dichlorophenol	ND	50000
4-Chloro-3-methylphenol	ND	50000
2, 4, 6-Trichlorophenol	ND	50000
2, 4, 5-Trichlorophenol	ND	50000
2, 4-Dinitrophenol	ND	250000
4-Nitrophenol	ND	250000
4, 6-Dinitro-2-methylphenol	ND	250000
Pentachlorophenol	ND	250000

Surrogate	Recovery	Recovery Limits
2-Fluorophenol	DO*	15-129
Phenol-d5	DO*	38-132
2, 4, 6-Tribromophenol	DO*	23-144

 * Values outside of QC limits
 DO: Surrogate diluted out

CHAIN-OF-CUSTODY RECORD

No 12070

Date: 15 April 1999

Page 1 of 1

Project No.: 3095.06

Samplers (Signatures): *[Signature]*

ANALYSES

REMARKS

Date	Time	Sample Number	EPA Method 8010	EPA Method 8020	EPA Method 8020 (BTEX only)	EPA Method 8240	EPA Method 8270	TPH as gasoline	TPH as diesel	Total Metals* (6010/7000)	WET, TCLP, +	TOTAL PCP, +	Gasol.	Cooled	Soil (S), Water (W), or Vapor (V)	Acidified	Number of containers
4/13/99	1615	RR-1									X	X	X	X	S	-	1
4/1/99	1615	S-13								X	X	X		X	S	-	1
4/1/99	1625	S-14								X	X	X		X	S	-	1
4/13/99	1615	S-15								X	X	X		X	S	-	1
4/15/99	1705	S-16								X	X	X		X	S	-	1
4/13/99	1600	S-14A								X	X	X		X	S	-	1

Additional Comments

* As, Ba, Cd, Cu, Pb, Zn

-6
COMPOSITE S-13, S-14, S-15, S-16
FOR ANALYSIS.

ANALYZE SEPARATELY.

Turnaround time: STD. TAT

Results to: BRAD SOB

Total No. of containers: 6

Relinquished by (signature): *[Signature]*

Printed Name: BRAD YAMAMOTO
Company: GEOMETRIX

Date: 4/15/99
Time: 1753

Relinquished by (signature): *[Signature]*
Printed Name: J. Goette
Company: C-T

Date: 4/15/99
Time: 1753

Relinquished by (signature):
Printed Name:
Company:

Received by (signature):

Printed Name:
Company:

Date:
Time:

Received by (signature):
Printed Name:
Company:

Date:
Time:

Received by (signature):
Printed Name:
Company:

Date:
Time:

Method of Shipment: DENVER TO LAB

Laboratory Comments and Log No.:
Cancelled TCLP: WET PCP due to limited sample

GEOMETRIX Consultants
100 Pine Street, 10th Floor
San Francisco, California 94111
415 434 9400

Subject EMERY LOFTS - 15 POINT COMPOSITE SOIL SAMPLING

Project No. 3095,006

By Brian Thomas UN

Checked By _____

Task No. _____



Date 7/22/99

Date _____

File No. _____

Sheet 1 of 1

Alameda County
JUL 13 2004
Environmental Health



SHERWIN AVENUE

⊕ SS-1-1.0 = HAND AUGER/DRIVE SAMPLER SOIL SAMPLE LOCATION