

ALAMEDA COUNTY  
HEALTH CARE SERVICES



AGENCY  
DAVID J. KEARS, Agency Director

ENVIRONMENTAL HEALTH SERVICES

1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577  
(510) 567-6700  
(510) 337-9335 (FAX)

StID 6418

October 12, 1999

Mr. Steven Michelson  
MECA  
42 California Avenue  
Orinda, CA 94563

**RE: Workplan Approval for Fallon and Croak Roads, Pleasanton, CA**

Dear Mr. Michelson:

I have completed review of MECA's September 1999 *Site Assessment Report* prepared for the above referenced site. Eight soil borings were advanced in the vicinity of the truck accident. Soil samples were collected at various depths ranging from 0.5 to 8.7' below grade surface (bgs). Boring B5 was advanced to 16'bgs where auger refusal was encountered. Groundwater was not encountered at 16'bgs.

Soil analytical results indicated that soil impacted with total petroleum hydrocarbons as diesel (TPHd) in excess of 100 parts per million (ppm) is limited to the upper 5-feet of shallow soil. The proposal to excavate soil containing TPHd above 100ppm (approximately 10 cubic yards) is acceptable. At least three confirmatory soil samples will be collected after excavation. The soil samples should be analyzed for TPHd, BTEX, and MTBE.

Please notify this office at least 72 hours prior to the start of field activities. If you have any questions, I can be reached at (510) 567-6762.

eva chu  
Hazardous Materials Specialist

c: Martin Inderbitzen  
5510 Sunol Blvd., Suite A  
Pleasanton, CA 94566

fallon&croak-1

ALAMEDA COUNTY  
HEALTH CARE SERVICES

AGENCY  
DAVID J. KEARS, Agency Director



ENVIRONMENTAL HEALTH SERVICES

1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577  
(510) 567-6700  
(510) 337-9335 (FAX)

July 12, 1999

Mr. Steven Michelson  
MECA  
42 California Avenue  
Orinda, CA 94563

**RE: Site Assessment at Fallon Road and Croak Road, Dublin, CA**

Dear Mr. Michelson:

I have completed review of MECA's May 1999 *Investigation of Truck Accident Near Fallon Road and Croak Road* work plan prepared for the above referenced site. The proposal to advance several hand-augered borings within and adjacent to the "disturbed" area to collect soil samples is acceptable with the following additions/changes:

- One of the borings within the disturbed area should be advanced to 15 to 20' below ground surface. If groundwater is encountered, a groundwater sample should also be collected and analyzed for TPHd and BTEX. Groundwater elevation in the vicinity is at approximately 320' to 330' MSL.
- The soil sample to be submitted for organic carbon content should be from outside the disturbed area, that is, it should be a "clean" sample.

Field work should commence within 60 days of the date of this letter, or by **September 13, 1999**. Please notify this office at least 72 hours prior to the start of field activities. If you have any questions, I can be reached at (510) 567-6762.

eva chu  
Hazardous Materials Specialist

OK to collect water sample from west boring (and not boring through disturbed area) - Don't want cross-contam.