



## Environmental Management & Engineering, Inc.

437 Industrial Lane Post Office Box 19866 Birmingham, AL 35219  
(205) 940-7700 Fax (205) 940-7701

97 JUN -2 11 3 43

May 30, 1997

### VIA AIRBORNE EXPRESS

Ms. Susan L. Hugo  
Senior Hazardous Materials Specialist  
Alameda County Health Care Services Agency  
Department of Environmental Health  
1131 Harbor Bay Parkway  
Alameda, CA 94502-6577

97 JUN -2 AM 9:13  
ENVIRONMENTAL  
PROTECTION

RE: Grove Valve and Regulator Company, Emeryville, CA  
DRS-95-E942

Dear Ms. Hugo:

As you are aware, Grove Valve and Regulator Company (Grove) has been conducting quarterly groundwater monitoring at their former facility located at 6529 Hollis Street, Emeryville, CA. As previously stated in EME's report dated January 14, 1997 entitled "Quarterly Report - 4th Quarter 1996" and in your meeting with Gene Gonsoulin and Frank Nowicki of EME on May 21st 1997, Grove has proposed reducing the monitoring frequency and subsequently eliminating the monitoring requirement based on the fact that the data indicates TCE impacts from an off-site source.

We just received the analytical data from the most recent sampling event (May 13, 1997) and are pleased to report that the data continues to document the decline of TCE concentrations in MW-3. The new data (Attachment 1) reflects a TCE concentration of 490 ppb, as compared to a concentration of 520 ppb obtained in the 1st quarter 1997 monitoring results. These results continue to indicate that the TCE concentrations in MW-3 represent the trailing edge of a migrating plume of TCE from an off-site source. Figure 1 is a graph depicting the declining TCE concentrations in MW-3 since quarterly monitoring was initiated.

As per your discussions with Gene Gonsoulin and Frank Nowicki we are preparing and will forward shortly a more indepth letter/request for groundwater monitoring reduction/elimination for your use in petitioning the Regional Water Quality Control Board. We very much appreciate all your help with this project.

Environmental Management & Engineering, Inc.

Ms. Susan L. Hugo  
Alameda County Health Care Services Agency  
May 30, 1997  
Page 2

Should you have any questions, feel free to call our office at (205) 940-7700. Thank you for your kind consideration.

Sincerely,


A handwritten signature in cursive script, appearing to read "Kevin Holloran".

Kevin Holloran  
Manager, Technical Services

KH/jjf

cc: Mr. Lee DeNooyer  
Mr. Bill Tallent

**FIGURE 1 - SUMMARY OF QUARTERLY GROUNDWATER MONITORING RESULTS  
GROVE VALVE AND REGULATOR COMPANY, EMERYVILLE, CA**



**MW-1 IS LOCATED ON THE UPGRADIENT PROPERTY BOUNDRY**

## GROVE VALVE &amp; REGULATOR CO.

SAMPLE ID: MW-1  
 AEN LAB NO: 9705142-05  
 AEN WORK ORDER: 9705142  
 CLIENT PROJ. ID: PB75254

DATE SAMPLED: 05/13/97  
 DATE RECEIVED: 05/13/97  
 REPORT DATE: 05/23/97

ANALYTE	METHOD/ CAS#	RESULT	REPORTING LIMIT	UNITS	DATE ANALYZED
#Water Extrn for O&G	IR	-		Extrn Date	05/15/97
Oil & Grease (IR)	SM 5520C	ND	0.5 mg/L		05/18/97
EPA 8010 - Water matrix	EPA 8010				
Bromodichloromethane	75-27-4	ND	0.5 ug/L		05/21/97
Bromoform	75-25-2	ND	0.5 ug/L		05/21/97
Bromomethane	74-83-9	ND	2 ug/L		05/21/97
Carbon Tetrachloride	56-23-5	ND	0.5 ug/L		05/21/97
Chlorobenzene	108-90-7	ND	0.5 ug/L		05/21/97
Chloroethane	75-00-3	ND	2 ug/L		05/21/97
2 Chloroethyl Vinyl Ether	110-75-8	ND	0.5 ug/L		05/21/97
Chloroform	67-66-3	ND	0.5 ug/L		05/21/97
Chloromethane	74-87-3	ND	2 ug/L		05/21/97
Dibromochloromethane	124-48-1	ND	0.5 ug/L		05/21/97
1,2-Dichlorobenzene	95-50-1	ND	0.5 ug/L		05/21/97
1,3-Dichlorobenzene	541-73-1	ND	0.5 ug/L		05/21/97
1,4-Dichlorobenzene	106-46-7	ND	0.5 ug/L		05/21/97
Dichlorodifluoromethane	75-71-8	ND	2 ug/L		05/21/97
1,1-Dichloroethane	75-34-3	ND	0.5 ug/L		05/21/97
1,2-Dichloroethane	107-06-2	ND	0.5 ug/L		05/21/97
1,1-Dichloroethene	75-35-4	ND	0.5 ug/L		05/21/97
cis-1,2-Dichloroethene	156-59-2	14 *	0.5 ug/L		05/21/97
trans-1,2-Dichloroethene	156-60-5	5.8 *	0.5 ug/L		05/21/97
1,2-Dichloropropane	78-87-5	ND	0.5 ug/L		05/21/97
cis-1,3-Dichloropropene	10061-01-5	ND	0.5 ug/L		05/21/97
trans-1,3-Dichloropropene	10061-02-6	ND	0.5 ug/L		05/21/97
Methylene Chloride	75-09-2	ND	2 ug/L		05/21/97
1,1,2,2-Tetrachloroethane	79-34-5	ND	0.5 ug/L		05/21/97
Tetrachloroethene	127-18-4	ND	0.5 ug/L		05/21/97
1,1,1-Trichloroethane	71-55-6	ND	0.5 ug/L		05/21/97
1,1,2-Trichloroethane	79-00-5	ND	0.5 ug/L		05/21/97
Trichloroethene	79-01-6	52 * ppb	0.5 ug/L		05/21/97
Trichlorofluoromethane	75-69-4	ND	2 ug/L		05/21/97
1,1,2-Trichlorotrifluoroethane	76-13-1	ND	0.5 ug/L		05/21/97
Vinyl Chloride	75-01-4	ND	2 ug/L		05/21/97
EPA 8020 - Water matrix	EPA 8020				
Benzene	71-43-2	ND	0.5 ug/L		05/21/97
Chlorobenzene	108-90-7	ND	0.5 ug/L		05/21/97
1,2-Dichlorobenzene	95-50-1	ND	0.5 ug/L		05/21/97
1,3-Dichlorobenzene	541-73-1	ND	0.5 ug/L		05/21/97

## GROVE VALVE &amp; REGULATOR CO.

SAMPLE ID: MW-1  
AEN LAB NO: 9705142-05  
AEN WORK ORDER: 9705142  
CLIENT PROJ. ID: PB75254

DATE SAMPLED: 05/13/97  
DATE RECEIVED: 05/13/97  
REPORT DATE: 05/23/97

ANALYTE	METHOD/ CAS#	RESULT	REPORTING LIMIT	UNITS	DATE ANALYZED
1,4-Dichlorobenzene	106-46-7	ND	0.5	ug/L	05/21/97
Ethylbenzene	100-41-4	ND	0.5	ug/L	05/21/97
Toluene	108-88-3	1.7 *	0.5	ug/L	05/21/97
Xylenes, Total	1330-20-7	ND	2	ug/L	05/21/97

ND = Not detected at or above the reporting limit

\* = Value at or above reporting limit

## GROVE VALVE &amp; REGULATOR CO.

SAMPLE ID: MW-2  
 AEN LAB NO: 9705142.02  
 AEN WORK ORDER: 9705142  
 CLIENT PROJ. ID: PB75254

DATE SAMPLED: 05/13/97  
 DATE RECEIVED: 05/13/97  
 REPORT DATE: 05/23/97

ANALYTE	METHOD/ CAS#	RESULT	REPORTING LIMIT	UNITS	DATE ANALYZED
#Water Extrn for O&G	IR	-		Extrn Date	05/15/97
Oil & Grease (IR)	SM 5520C	ND	0.5 mg/L		05/18/97
EPA 8010 - Water matrix	EPA 8010				
Bromodichloromethane	75-27-4	ND	0.5 ug/L		05/21/97
Bromoform	75-25-2	ND	0.5 ug/L		05/21/97
Bromomethane	74-83-9	ND	2 ug/L		05/21/97
Carbon Tetrachloride	56-23-5	ND	0.5 ug/L		05/21/97
Chlorobenzene	108-90-7	ND	0.5 ug/L		05/21/97
Chloroethane	75-00-3	ND	2 ug/L		05/21/97
2-Chloroethyl Vinyl Ether	110-75-8	ND	0.5 ug/L		05/21/97
Chloroform	67-66-3	ND	0.5 ug/L		05/21/97
Chloromethane	74-87-3	ND	2 ug/L		05/21/97
Dibromochloromethane	124-48-1	ND	0.5 ug/L		05/21/97
1,2-Dichlorobenzene	95-50-1	ND	0.5 ug/L		05/21/97
1,3-Dichlorobenzene	541-73-1	ND	0.5 ug/L		05/21/97
1,4-Dichlorobenzene	106-46-7	ND	0.5 ug/L		05/21/97
Dichlorodifluoromethane	75-71-8	ND	2 ug/L		05/21/97
1,1-Dichloroethane	75-34-3	4.5 *	0.5 ug/L		05/21/97
1,2-Dichloroethane	107-06-2	1.0 *	0.5 ug/L		05/21/97
1,1-Dichloroethene	75-35-4	0.9 *	0.5 ug/L		05/21/97
cis-1,2-Dichloroethene	156-59-2	2.9 *	0.5 ug/L		05/21/97
trans-1,2-Dichloroethene	156-60-5	ND	0.5 ug/L		05/21/97
1,2-Dichloropropane	78-87-5	ND	0.5 ug/L		05/21/97
cis-1,3-Dichloropropene	10061-01-5	ND	0.5 ug/L		05/21/97
trans-1,3-Dichloropropene	10061-02-6	ND	0.5 ug/L		05/21/97
Methylene Chloride	75-09-2	ND	2 ug/L		05/21/97
1,1,2,2-Tetrachloroethane	79-34-5	ND	0.5 ug/L		05/21/97
Tetrachloroethene	127-18-4	ND	0.5 ug/L		05/21/97
1,1,1-Trichloroethane	71-55-6	ND	0.5 ug/L		05/21/97
1,1,2-Trichloroethane	79-00-5	ND	0.5 ug/L		05/21/97
* Trichloroethene	79-01-6	ND	0.5 ug/L		05/21/97
Trichlorofluoromethane	75-69-4	30 * PPb	0.5 ug/L		05/21/97
1,1,2-Trichlorotrifluoroethane	76-13-1	ND	2 ug/L		05/21/97
Vinyl Chloride	75-01-4	ND	0.5 ug/L		05/21/97
EPA 8020 - Water matrix	EPA 8020				
Benzene	71-43-2	ND	0.5 ug/L		05/21/97
Chlorobenzene	108-90-7	ND	0.5 ug/L		05/21/97
1,2-Dichlorobenzene	95-50-1	ND	0.5 ug/L		05/21/97
1,3-Dichlorobenzene	541-73-1	ND	0.5 ug/L		05/21/97

PAGE 5

## GROVE VALVE &amp; REGULATOR CO.

SAMPLE ID: MW-2  
AEN LAB NO: 9705142-02  
AEN WORK ORDER: 9705142  
CLIENT PROJ. ID: PB75254

DATE SAMPLED: 05/13/97  
DATE RECEIVED: 05/13/97  
REPORT DATE: 05/23/97

ANALYTE	METHOD/ CAS#	RESULT	REPORTING LIMIT	UNITS	DATE ANALYZED
1,4-Dichlorobenzene	106-46-7	ND	0.5	ug/L	05/21/97
Ethylbenzene	100-41-4	ND	0.5	ug/L	05/21/97
Toluene	108-88-3	ND	0.5	ug/L	05/21/97
Xylenes, Total	1330-20-7	ND	2	ug/L	05/21/97

ND = Not detected at or above the reporting limit  
\* = Value at or above reporting limit

## GROVE VALVE &amp; REGULATOR CO.

SAMPLE ID: MW-3  
 AEN LAB NO: 9705142-03  
 AEN WORK ORDER: 9705142  
 CLIENT PROJ. ID: PB75254

DATE SAMPLED: 05/13/97  
 DATE RECEIVED: 05/13/97  
 REPORT DATE: 05/23/97

ANALYTE	METHOD/ CAS#	RESULT	REPORTING LIMIT	UNITS	DATE ANALYZED
#Water Extrn for O&G	IR	-		Extrn Date	05/15/97
Oil & Grease (IR)	SM 5520C	ND	0.5 mg/L		05/18/97
EPA 8010 - Water matrix	EPA 8010				
Bromodichloromethane	75-27-4	ND	3 ug/L		05/21/97
Bromoform	75-25-2	ND	3 ug/L		05/21/97
Bromomethane	74-83-9	ND	10 ug/L		05/21/97
Carbon Tetrachloride	56-23-5	ND	3 ug/L		05/21/97
Chlorobenzene	108-90-7	ND	3 ug/L		05/21/97
Chloroethane	75-00-3	ND	10 ug/L		05/21/97
2-Chloroethyl Vinyl Ether	110-75-8	ND	3 ug/L		05/21/97
Chloroform	67-66-3	ND	3 ug/L		05/21/97
Chloromethane	74-87-3	ND	10 ug/L		05/21/97
Dibromochloromethane	124-48-1	ND	3 ug/L		05/21/97
1,2-Dichlorobenzene	95-50-1	ND	3 ug/L		05/21/97
1,3-Dichlorobenzene	541-73-1	ND	3 ug/L		05/21/97
1,4-Dichlorobenzene	106-46-7	ND	3 ug/L		05/21/97
Dichlorodifluoromethane	75-71-8	ND	10 ug/L		05/21/97
1,1-Dichloroethane	75-34-3	ND	3 ug/L		05/21/97
1,2-Dichloroethane	107-06-2	ND	3 ug/L		05/21/97
1,1-Dichloroethene	75-35-4	ND	3 ug/L		05/21/97
cis-1,2-Dichloroethene	156-59-2	47 *	3 ug/L		05/21/97
trans-1,2-Dichloroethene	156-60-5	ND	3 ug/L		05/21/97
1,2-Dichloropropane	78-87-5	ND	3 ug/L		05/21/97
cis-1,3-Dichloropropene	10061-01-5	ND	3 ug/L		05/21/97
trans-1,3-Dichloropropene	10061-02-6	ND	3 ug/L		05/21/97
Methylene Chloride	75-09-2	ND	10 ug/L		05/21/97
1,1,2,2-Tetrachloroethane	79-34-5	ND	3 ug/L		05/21/97
Tetrachloroethene	127-18-4	17 *	3 ug/L		05/21/97
1,1,1-Trichloroethane	71-55-6	ND	3 ug/L		05/21/97
1,1,2-Trichloroethane	79-00-5	ND	3 ug/L		05/21/97
Trichloroethene	79-01-6	470 * ppb	3 ug/L		05/21/97
Trichlorofluoromethane	75-69-4	ND	10 ug/L		05/21/97
1,1,2-Trichlorotrifluoroethane	76-13-1	ND	3 ug/L		05/21/97
Vinyl Chloride	75-01-4	ND	10 ug/L		05/21/97
EPA 8020 - Water matrix	EPA 8020				
Benzene	71-43-2	ND	0.5 ug/L		05/21/97
Chlorobenzene	108-90-7	ND	0.5 ug/L		05/21/97
1,2-Dichlorobenzene	95-50-1	ND	0.5 ug/L		05/21/97
1,3-Dichlorobenzene	541-73-1	ND	0.5 ug/L		05/21/97



## GROVE VALVE &amp; REGULATOR CO.

SAMPLE ID: MW-3  
AEN LAB NO: 9705142-03  
AEN WORK ORDER: 9705142  
CLIENT PROJ. ID: PB75254

DATE SAMPLED: 05/13/97  
DATE RECEIVED: 05/13/97  
REPORT DATE: 05/23/97

ANALYTE	METHOD/ CAS#	RESULT	REPORTING LIMIT	UNITS	DATE ANALYZED
1,4-Dichlorobenzene	106-46-7	ND	0.5	ug/L	05/21/97
Ethylbenzene	100-41-4	ND	0.5	ug/L	05/21/97
Toluene	108-88-3	ND	0.5	ug/L	05/21/97
Xylenes, Total	1330-20-7	ND	2	ug/L	05/21/97

ND = Not detected at or above the reporting limit  
\* = Value at or above reporting limit

## GROVE VALVE &amp; REGULATOR CO.

SAMPLE ID: MW-3 DUP  
 AEN LAB NO: 9705142-04  
 AEN WORK ORDER: 9705142  
 CLIENT PROJ. ID: PB75254

DATE SAMPLED: 05/13/97  
 DATE RECEIVED: 05/13/97  
 REPORT DATE: 05/23/97

ANALYTE	METHOD/ CAS#	RESULT	REPORTING LIMIT	UNITS	DATE ANALYZED
#Water Extrn for O&G	IR	-		Fxtrn Date	05/15/97
Oil & Grease (IR)	SM 5520C	ND	0.5 mg/L		05/18/97
EPA 8010 - Water matrix	EPA 8010				
Bromodichloromethane	75-27-4	ND	3 ug/L		05/21/97
Bromoform	75-25-2	ND	3 ug/L		05/21/97
Bromomethane	74-83-9	ND	10 ug/L		05/21/97
Carbon Tetrachloride	56-23-5	ND	3 ug/L		05/21/97
Chlorobenzene	108-90-7	ND	3 ug/L		05/21/97
Chloroethane	75-00-3	ND	10 ug/L		05/21/97
2-Chloroethyl Vinyl Ether	110-75-8	ND	3 ug/L		05/21/97
Chloroform	67-66-3	ND	3 ug/L		05/21/97
Chloromethane	74-87-3	ND	10 ug/L		05/21/97
Dibromochloromethane	124-48-1	ND	3 ug/L		05/21/97
1,2-Dichlorobenzene	95-50-1	ND	3 ug/L		05/21/97
1,3-Dichlorobenzene	541-73-1	ND	3 ug/L		05/21/97
1,4-Dichlorobenzene	106-46-7	ND	3 ug/L		05/21/97
Dichlorodifluoromethane	75-71-8	ND	10 ug/L		05/21/97
1,1-Dichloroethane	75-34-3	ND	3 ug/L		05/21/97
1,2-Dichloroethane	107-06-2	ND	3 ug/L		05/21/97
1,1-Dichloroethene	75-35-4	ND	3 ug/L		05/21/97
cis-1,2-Dichloroethene	156-59-2	46 *	3 ug/L		05/21/97
trans-1,2-Dichloroethene	156-60-5	ND	3 ug/L		05/21/97
1,2-Dichloropropane	78-87-5	ND	3 ug/L		05/21/97
cis-1,3-Dichloropropene	10061-01-5	ND	3 ug/L		05/21/97
trans-1,3-Dichloropropene	10061-02-6	ND	3 ug/L		05/21/97
Methylene Chloride	75-09-2	ND	10 ug/L		05/21/97
1,1,2,2-Tetrachloroethane	79-34-5	ND	3 ug/L		05/21/97
Tetrachloroethene	127-18-4	18 *	3 ug/L		05/21/97
1,1,1-Trichloroethane	71-55-6	ND	3 ug/L		05/21/97
1,1,2-Trichloroethane	79-00-5	ND	3 ug/L		05/21/97
Trichloroethene	79-01-6	490 * ppb	3 ug/L		05/21/97
Trichlorofluoromethane	75-69-4	ND	10 ug/L		05/21/97
1,1,2-Trichlorotrifluoroethane	76-13-1	ND	3 ug/L		05/21/97
Vinyl Chloride	75-01-4	ND	10 ug/L		05/21/97
EPA 8020 - Water matrix	EPA 8020				
Benzene	71-43-2	ND	0.5 ug/L		05/21/97
Chlorobenzene	108-90-7	ND	0.5 ug/L		05/21/97
1,2-Dichlorobenzene	95-50-1	ND	0.5 ug/L		05/21/97
1,3-Dichlorobenzene	541-73-1	ND	0.5 ug/L		05/21/97

## GROVE VALVE &amp; REGULATOR CO.

SAMPLE ID: MW-3 DUP  
AEN LAB NO: 9705142-04  
AEN WORK ORDER: 9705142  
CLIENT PROJ. ID: PB75254

DATE SAMPLED: 05/13/97  
DATE RECEIVED: 05/13/97  
REPORT DATE: 05/23/97

ANALYTE	METHOD/ CAS#	RESULT	REPORTING LIMIT	UNITS	DATE ANALYZED
1,4-Dichlorobenzene	106-46-7	ND	0.5	ug/L	05/21/97
Ethylbenzene	100-41-4	ND	0.5	ug/L	05/21/97
Toluene	108-88-3	ND	0.5	ug/L	05/21/97
Xylenes, total	1330-20-7	ND	2	ug/L	05/21/97

ND = Not detected at or above the reporting limit  
\* = Value at or above reporting limit

## GROVE VALVE &amp; REGULATOR CO.

SAMPLE ID: TRIP BLANK  
 AEN LAB NO: 9705142-01  
 AEN WORK ORDER: 9705142  
 CLIENT PROJ. ID: PB75254

DATE SAMPLED: 05/13/97  
 DATE RECEIVED: 05/13/97  
 REPORT DATE: 05/23/97

ANALYTE	METHOD/ CAS#	RESULT	REPORTING LIMIT	UNITS	DATE ANALYZED
EPA 8010 - Water matrix	EPA 8010				
Bromodichloromethane	75-27-4	ND	0.5	ug/L	05/20/97
Bromoform	75-25-2	ND	0.5	ug/L	05/20/97
Bromomethane	74-83-9	ND	2	ug/L	05/20/97
Carbon Tetrachloride	56-23-5	ND	0.5	ug/L	05/20/97
Chlorobenzene	108-90-7	ND	0.5	ug/L	05/20/97
Chloroethane	75-00-3	ND	2	ug/L	05/20/97
2-Chloroethyl Vinyl Ether	110-75-8	ND	0.5	ug/L	05/20/97
Chloroform	67-66-3	ND	0.5	ug/L	05/20/97
Chloromethane	74-87-3	ND	2	ug/L	05/20/97
Dibromochloromethane	124-48-1	ND	0.5	ug/L	05/20/97
1,2-Dichlorobenzene	95-50-1	ND	0.5	ug/L	05/20/97
1,3-Dichlorobenzene	541-73-1	ND	0.5	ug/L	05/20/97
1,4-Dichlorobenzene	106-46-7	ND	0.5	ug/L	05/20/97
Dichlorodifluoromethane	75-71-8	ND	2	ug/L	05/20/97
1,1-Dichloroethane	75-34-3	ND	0.5	ug/L	05/20/97
1,2-Dichloroethane	107-06-2	ND	0.5	ug/L	05/20/97
1,1-Dichloroethene	75-35-4	ND	0.5	ug/L	05/20/97
cis-1,2-Dichloroethene	156-59-2	ND	0.5	ug/L	05/20/97
trans-1,2-Dichloroethene	156-60-5	ND	0.5	ug/L	05/20/97
1,2-Dichloropropane	78-87-5	ND	0.5	ug/L	05/20/97
cis-1,3-Dichloropropene	10061-01-5	ND	0.5	ug/L	05/20/97
trans-1,3-Dichloropropene	10061-02 6	ND	0.5	ug/L	05/20/97
Methylene Chloride	75-09-2	ND	2	ug/L	05/20/97
1,1,2,2-Tetrachloroethane	79-34-5	ND	0.5	ug/L	05/20/97
Tetrachloroethene	127-18-1	ND	0.5	ug/L	05/20/97
1,1,1-Trichloroethane	71-55-6	ND	0.5	ug/L	05/20/97
1,1,2-Trichloroethane	79-00-5	ND	0.5	ug/L	05/20/97
Trichloroethene	79-01-6	ND	0.5	ug/L	05/20/97
Trichlorofluoromethane	75-69-4	ND	2	ug/L	05/20/97
1,1,2-Trichlorotrifluoroethane	76-13-1	ND	0.5	ug/L	05/20/97
Vinyl Chloride	75-01-4	ND	2	ug/L	05/20/97
EPA 8020 - Water matrix	EPA 8020				
Benzene	71-43-2	ND	0.5	ug/L	05/21/97
Chlorobenzene	108-90-7	ND	0.5	ug/L	05/21/97
1,2-Dichlorobenzene	95-50-1	ND	0.5	ug/L	05/21/97
1,3-Dichlorobenzene	541-73-1	ND	0.5	ug/L	05/21/97
1,4-Dichlorobenzene	106-46-7	ND	0.5	ug/L	05/21/97
Ethylbenzene	100-41-4	ND	0.5	ug/L	05/21/97
Toluene	108-88-3	ND	0.5	ug/L	05/21/97
Xylenes, Total	1330-20-7	ND	2	ug/L	05/21/97

GROVE VALVE & REGULATOR CO.

SAMPLE ID: TRIP BLANK  
AEN LAB NO: 9705142-01  
AEN WORK ORDER: 9705142  
CLIENT PROJ. ID: PB75251

DATE SAMPLED: 05/13/97  
DATE RECEIVED: 05/13/97  
REPORT DATE: 05/23/97

ANALYTE	METHOD/ CAS#	RESULT	REPORTING LIMIT	UNITS	DATE ANALYZED
---------	-----------------	--------	--------------------	-------	------------------

ND = Not detected at or above the reporting limit  
\* = Value at or above reporting limit

