

Contact Log (Northwest Area / Marina Village)

- 11/02/98 - Met w/ Elizabeth Nixon, Geomatrix, and Steven Pietras, Extended Stay America (ESA). ESA is interested in purchasing the property and developing a 4-story hotel on property. Geomatrix submitted a proposal, along the lines of the Site Mgmt Plan, for construction activities at the site. Discussed my comments outlined on "Comments/Concerns" printout. Expect an addendum for proposal. Stated that I would talk to Steve Morse at RWQCB about allowing driving of pilings through contaminated zone, due to the fact that the Bay Mud will most likely restrict extensive smearing. A check will be mailed for oversight fees, per Mr. Pietras.
- 11/02/98 Left message for Steve Morse, and Derek Lee, RWQCB, inquiring as to whether they approved of driving pilings through contaminated zone & into Bay Mud.
- 11/02/98 Spoke to Derek Lee, RWQCB, about discharge of surface runoff, decon water, and dewatered g.w. (refers to my "Comments/Concerns" write-up). Also, spoke to him about transfer of soils from one area of site to another.

Contact Log (Northwest Area, Parcel C)

11/10/98

Spoke to Eliz. Nixon regarding ~~transmission~~ Submittal of Deposit Check. She stated check was accidentally sent to wrong organization, and will was resent to County for overnight costs. The check was sent on Fri. Also, she requested that the closure letter be misrouted ~~up~~ to ESA Magnet Inc instead of Extended Stay America.

Phone Log

- 4/16/96 Spoke to Elizabeth Nixon about proposal for permit enclosure for site
- 4/25/96 Spoke to Elz Nixon about possibly closing site if risk assessment ^{for anticipated future use} discussion, discussion regarding contents of crude oil, whether its weathered, Shunt pits wall construction, etc. is submitted. Will meet on May 2 '96 at this office to discuss.
- 5/3/96 Left message for Rahn Verhaeghe requesting an additional deposit for oversight costs
- 5/17/96 Mr. Verhaeghe stated that additional deposit for oversight work is in the mail
- 6/6/96 Spoke to Elizabeth Nixon, 415-434-9400 - Will check w/ Susan Gladstone about whether water samples should be filtered or not prior to lead analysis. Discussed creosote issue. Will ~~compare~~ w/ heavy oil contamination in future analysis for any soil disposal related to future construction
- 8/6/96 Left message for Elizabeth Nixon asking why workplan submitted if work was already implemented.
- 8/13/96 Elizabeth Nixon ⁴¹⁵⁻⁴³⁴⁻⁹⁴⁰⁰ called to say that work has been done.
- 8/14/96 Returned call + left message
- 9/18/96 mtg w/ Gromatrix + Rahn Verhaeghe.