



A RESNA Company

41674 Christy Street  
Fremont, CA 94538  
Phone: (510) 659-0404  
Fax: (510) 651-4677

91 SEP -1 PM 3:21

**RESNA**  
Environmental Solutions  
Through Applied Science,  
Engineering & Construction

September 4, 1991

CCB Bankcorp, Inc.  
2900 South Harbor Way  
Santa Ana, CA 92704

Attention: Mr. Robert Heasman

Subject: "French Drain" Contaminated Soil Remediation  
Exceltech Project No. 3-10058-13

Dear Mr. Heasman:

Exceltech, Inc., is pleased to present this report regarding the remediation of waste oil contaminated soil along the "french drain" located in front of the automotive maintenance and repair shop at Lew Doty Cadillac, 6301 Scarlett Court, Dublin, California. The drain ran parallel to the building's south footing as indicated by the accompanying site map (Attachment 1). Prior to excavating, all applicable permits were obtained (Attachment 2) and an underground alert was called in, USA No. 232733.

### **Field Methods, Procedures, and Sampling**

The samples were collected in accordance with the Regional Water Quality Control Board (RWQCB) Guidelines for Routine Tank Removals. Samples were collected in brass sample tubes, sealed with foil, capped with plastic lids, and place in a chilled ice chest for transport to a state-certified laboratory. Samples were accompanied by a chain-of-custody form. Samples were analyzed by Applied Analytical, a state-certified laboratory, in accordance with the RWQCB Guidelines for Verification Analysis of Underground Tanks.

On July 19, 1991, Exceltech mobilized on-site and pot-holed along the "french drain" then pulled five soil samples at a depth of approximately 20 inches. Sample numbers 719.1 through 719.5 were taken at approximate 20-foot intervals (Attachment 3). Each sample was analyzed for total petroleum hydrocarbons as gasoline (TPHG); total petroleum hydrocarbons as diesel (TPHD); benzene, toluene, ethyl benzene, and total xylenes (BTEX); total oil and grease (TOG); and chlorinated hydrocarbons (Cl Hc) (Attachment 4). Results of these tests are summarized in Table 1.

Based on the results of the July 19 tests, Exceltech recommended over excavation to remediate the known contamination and soil borings to determine the horizontal extent of contamination.

At your request, Exceltech returned on August 18 and 19, and began trench over excavation and core drilling. As the digging progressed, water with what appeared to be floating product, were encountered at a depth of 3 feet. The water encountered was not groundwater which is known to occur at 10 feet. Instead, it was water perched 3-1/2 feet from the surface in the sand backfill of a

sanitary sewer line. At 3-1/2 feet, the excavation dried out when a impermeable clay layer was reached. Exceltech proceeded to dig a 4-foot wide, 5-foot deep trench the 100-foot length of the drain, stopping at the electrical cabinets located outside of the building.

Based on these observations, your representative, Mr. Renee Brochier, authorized core sampling inside and out of the building. Cores inside of the building were parallel to the drain trench where floating product had been observed. These samples, 818.1A - 3A and 819.4A - 5A, were first attempted 3 feet inside the building line, but struck a thickened building footing. This required that cores be taken 6 to 7 feet inside the building. Exterior core samples were taken from 3 to 6 feet off the building line and along the building line to ascertain if contamination was present along the entire length of the building. All cores were drilled and samples taken at a depth of 10 feet.

In all, eight core samples, five trench samples, five stockpile samples (composite - test), and one sample from under the footing were taken (Attachment 5). One sample, 819.3, showed TPHG to be 310 parts per million (ppm).

Exceltech returned on August 22 and again on August 28 to do additional excavation. On August 22, Exceltech backfilled the gas tank excavation which had prevented excavation of approximately 10 feet of the "french drain" nearest the fence line. Once excavated, sample 822.1 was taken (Attachment 6). On August 28, additional excavation was conducted at sample 819.3 location and sample 828.1 was taken (Attachment 7). The results of all these tests are summarized in Table 2.

On August 28, the possible contamination pathways were discovered. Two ~~sanitary sewer branch lines running through the continuous building footing were observed to have staining and a strong hydrocarbon odor which may indicate that oil was dumped into sewer connections~~ (Attachment 8). Because of the limited access allowed by concrete footing, sampling was not possible.

## Discussion

Based on analytical test results, it is Exceltech's opinion that contaminated soil in the drain trench has been removed. Based on observations, the possible sources and pathways of contamination appear to be:

1. Direct dumping into the building's sanitary sewer connection.
2. Direct dumping into the building drain which migrated along the interface of the building footing and the sanitary sewer line backfill.

Other potential on-site sources were not observed.


Based on analytical test results, it would appear that further excavation is not warranted at this time. However, the observation of possible contamination pathways at the two sanitary sewer branch lines at locations where core drilling was not feasible due to slab and footing thickness, raises the possibility of contamination under the slab and behind the footing. If present, this contamination probably cannot be remediated by excavation without removing structurally sensitive portions of the slab and footing.

CCB Bankcorp, Inc.  
Project No. 3-10058-13  
Page 3

Based on the aforementioned observations and the known shallow groundwater occurrence, Exceltech recommends the installation of at least one monitoring well downgradient of the two sanitary sewer connections. One well already exists within 30 feet of one connection, it is recommended that this well be used to monitor the connection at the southeast corner of the building (Attachment 9).


If you have any questions, please call me at (415) 659-0404.

Sincerely,  
Exceltech, Inc.



Joseph Brosnan  
Field Supervisor

JB/CMP/da



Christopher M. Palmer

Christopher M. Palmer, C.E.G. 1262  
Senior Program Geologist




TABLE 1  
RESULTS OF JULY 19, 1991 SAMPLING  
Parts Per Million

Sample Number	Benzene	Toluene	Ethyl Benzene	Total Xylenes	TPHG	TPHD	TOG	Cl Hc
719.1	ND	ND	ND	0.14	ND	ND	50	0.011 0.090 1,4-dichlorobenzene 1,2-dichlorobenzene
719.2	ND	ND	ND	0.033	2.6	ND	130	0.006 0.013 0.110 tetrachloroethene 1,4-dichlorobenzene 1,2-dichlorobenzene
719.3	ND	ND	ND	0.091	6.7	ND	70	0.075 0.008 0.026 0.180 Tetrachloroethene 1,3-dichlorobenzene 1,4-dichlorobenzene 1,2-dichlorobenzene
719.4	ND	ND	ND	ND	ND	ND	ND	0.180 1,2-dichloroethene
719.5	ND	ND	ND	0.018	3.8	ND	130	0.006 0.007 0.018 0.061 Tetrachloroethene 1,3-dichlorobenzene 1,4-dichlorobenzene 1,2-dichlorobenzene

TPHG Total petroleum hydrocarbons as gasoline  
 TPHD Total petroleum hydrocarbons as diesel  
 TOG Total oil and grease  
 Cl Hc Chlorinated hydrocarbons  
 ND Not detected

*Bob Difley*

**TABLE 2**  
**RESULTS OF AUGUST 22, 1991 SAMPLING**  
**Parts Per Million**

Sample Number	Benzene	Toluene	Ethyl Benzene	Total Xylenes	TPHG	TPHD	TOG	Cl Hc	Description
818.1A	ND	ND	ND	ND	ND	ND	ND	ND	Core sample
818.2A	ND	ND	ND	ND	ND	ND	ND	ND	Core sample
818.3A	ND	ND	ND	ND	ND	ND	ND	ND	Core sample
818.4A	ND	ND	ND	ND	ND	ND	ND	ND	Core sample
818.5A	ND	ND	ND	ND	ND	ND	ND	ND	Core sample
818.6A	ND	ND	ND	ND	ND	ND	ND	ND	Core sample
818.7A	ND	ND	ND	ND	ND	ND	ND	ND	Core sample
818.8A	ND	ND	ND	ND	ND	ND	ND	ND	Core sample
819.1	ND	ND	ND	ND	ND	ND	ND	ND	French drain
819.2	ND	ND	ND	ND	ND	ND	ND	ND	French drain
819.3	ND	ND	ND	ND	310	ND	ND	ND	French drain
819.4	ND	ND	ND	ND	ND	ND	ND	ND	French drain
819.5	ND	ND	ND	ND	ND	ND	ND	ND	French drain
819.9	ND	ND	ND	ND	ND	ND	ND	ND	Under footing
819.10-.14	ND	ND	ND	ND	12	ND	ND	ND	Stockpile
822.1	ND	ND	ND	ND	ND	ND	ND	ND	French drain by fence
<i>at 7' bgs</i>	828.1	ND	ND	ND	ND	ND	ND	ND	Retest of 819.3

TPHG Total petroleum hydrocarbons as gasoline

TPHD Total petroleum hydrocarbons as diesel

TOG Total oil and grease


Cl Hc Chlorinated hydrocarbons

ND Not detected

---

**ATTACHMENT 1**

---



LEGEND



EXISTING MONITORING WELL GROUNDWATER • 10'±



DRAIN TRENCH

NOT TO SCALE



SITE PLAN

LEW DOTY CADILLAC  
6301 SCARLETT COURT  
DUBLIN, CALIFORNIA

REVIEWED BY:	APPROVED BY:
<i>[Signature]</i>	
JOB #: 3-10058	DRAWN BY: J.D.S.
DATE: 9/4/91	DRAWING #: ATTACH 1

---

**ATTACHMENT 2**

---



# BAY AREA AIR QUALITY MANAGEMENT DISTRICT

339 ELLIS STREET  
SAN FRANCISCO, CALIFORNIA 94109  
415/771-6000

REGULATION 8, RULE 40  
Aeration of Contaminated Soil and  
Removal of Underground Storage Tanks

## NOTIFICATION FORM

- Removal or Replacement of Tanks  
 Excavation of Contaminated Soil

## SITE INFORMATION

SITE ADDRESS 6301 Scarlett Ct.

CITY, STATE, ZIP Dublin, Ca 94568

OWNER NAME CCB Bancorp, Inc.

SPECIFIC LOCATION OF PROJECT Low Doty Castle

### TANK REMOVAL

SCHEDULED STARTUP DATE 7/1

VAPORS REMOVED BY:

- WATER WASH  
 VAPOR FREEING (CO<sub>2</sub>)  
 VENTILATION

### CONTAMINATED SOIL EXCAVATION

SCHEDULED STARTUP DATE NA

STOCKPILES WILL BE COVERED? YES NO

ALTERNATIVE METHOD OF AERATION (DESCRIBE BELOW):

(MAY REQUIRE PERMIT)

## CONTRACTOR INFORMATION

NAME Exceltech, Inc. CONTACT Joe Brosnan  
ADDRESS 41674 Chasty Dr PHONE 415 490-4376  
CITY, STATE, ZIP Lafayette, Ca 94538

## CONSULTANT INFORMATION (IF APPLICABLE)

NAME \_\_\_\_\_ CONTACT \_\_\_\_\_  
ADDRESS \_\_\_\_\_ PHONE ( ) \_\_\_\_\_  
CITY, STATE, ZIP \_\_\_\_\_

## FOR OFFICE USE ONLY

DATE RECEIVED \_\_\_\_\_ BY \_\_\_\_\_  
CC: INSPECTOR NO. \_\_\_\_\_ DATE \_\_\_\_\_ BY \_\_\_\_\_ (INIT.)

TELEPHONE UPDATE: CALLER \_\_\_\_\_ CHANGE MADE \_\_\_\_\_  
BAAQMD N # \_\_\_\_\_



# Permit Application and Job Notification Form

Construction Demolition Trenches Excavations Buildings Structures Falsework Scaffolding

State of California  
Department of Industrial Relations  
Division of Occupational Safety & Health

District (Name) OAKLAND  
Date 6-25-87  
No. 4

Sections 6500, 6501 and 6502 of the California Labor Code require that certain activities which by their nature involve substantial risk of injury may not be performed without a permit issued by DOSH. The Labor Code requires that the applicant

Supply, and that the Division review information necessary to evaluate the safety of the worksite subject to permit requirements. A permit will not be issued until evidence has been demonstrated that the place of employment will be safe and healthful.

Applicant refers to the employer applying for the Permit

Employer Exceltech Inc.  
Address: 41674 Christy St  
Phone: Fremont Ca 459-0404

Project Safety Contact: Joe Brusman  
Employer's Representative: "  
Title & Phone No: Supervisor 659-0404  
Employer's State Contractor's License No: \_\_\_\_\_

Check Applicable Items: "Applicant" refers to the employer applying for the Permit.

Applicant is:

- General Building Contractor  
 General Engineering Contractor  
 Specialty Contractor  
 Specialty Contractor Type \_\_\_\_\_  
 Other: \_\_\_\_\_

General Contractor Option

Initial this blank if applicant elects to assume responsibility for obtaining a single permit to cover one multi-employer project, e.g., a high-rise construction project. The duties of employers at the site to obey safety and health laws are not changed by this election. A list of employers on site will be attached by the Division to this application and the list will be updated as necessary

Type of Permit Sought:

- Annual  
 Single Project  
 Job Start Notification Only

Multiple Project. (If projects to be covered are similar in all important aspects; work is performed by the same employer; and information concerning each project covered is provided.)

- For  
 Construction at:  Building  Structure  
 Demolition at:  Building  Structure  
 Trench and/or Excavation  
 Tower Crane Erection Dismantling  
 Scaffolding and/or Falsework and/or Vertical Shoring

Any permit based on this application is issued with the understanding that the applicant has knowledge of occupational safety and health orders applicable to the project(s) described in this application and attachments, and that the applicant and supervising personnel will take special care to insure compliance with safety orders reviewed with the applicant by the Division in the application process.

Issuance of the permit is also conditioned upon the following.

- 1) Upon initiation of any new project not described in this application, the holder of an annual permit will provide the Division with a completed Project Description Form describing the new project prior to the start of work, preferably at least one week in advance of start-up date. A phone call may be used to meet the deadline but will not be considered valid notice unless followed in writing by mailing a completed Project Description Form.
- 2) The applicant has implemented a written accident prevention program and Code of Safe Practices which meet the requirements of California Administrative Code Section 1509.
- 3) The Division will be notified of significant changes in information provided with this application if such changes might affect the safety of the activity.

4) The applicant understands that under the permit program DOSH schedules routine inspections by authorized personnel for the purpose of verifying that holders of permits are meeting their obligation to provide a safe work place for their employees. The Division reserves the right to revoke a permit if it is unable to promptly verify compliance with the terms and conditions of the permit and its issuance.

5) The applicant understands that failure to comply with any of the above listed conditions for obtaining a permit could result in denial, suspension or revocation of the permit. Employers may appeal these actions to the Director of the Department of Industrial Relations (California Labor Code, Section 6500 et seq., and California Administrative Code, Section 341).

Is the applicant conducting any activities to be covered by this permit application in partnership or joint venture with any other persons or corporations conducting activities requiring permits? Yes  No  If "yes," give details \_\_\_\_\_

Have any permits for any project to be covered by this permit application previously been applied for or obtained? Yes  No  If "yes," when \_\_\_\_\_ from what district office \_\_\_\_\_ in whose name \_\_\_\_\_

## Permit Application and Job Notification Form (Continued)

Specific jobsite location <u>Low Doty Padillas</u> <u>6301 Scarlett Ct</u>	Field phone <u>804-7730</u>
	Office phone <u>659-0404</u>
Nearest major cross street	No. of employees <u>2</u>
City <u>Burbank</u>	Starting date <u>7/1/91</u>
County <u>Glendale</u>	Anticipated completion date <u>7/8/91</u>
Name and title of jobsite supervisor <u>Joe Broosman</u>	High Voltage Lines in Proximity No <input type="checkbox"/> Yes <input checked="" type="checkbox"/>

## TYPE OF JOB


INSTRUCTIONS: THE APPROPRIATE ITEM(S) must be completed and signed by a person knowledgeable about the project, for each jobsite to be covered by a permit. Please fill in or check off blanks where appropriate.

Construction of: <input type="checkbox"/> Building <input type="checkbox"/> Structure Type: _____ <input type="checkbox"/> Tilt-up <input type="checkbox"/> Wood frame <input type="checkbox"/> Liftslab <input type="checkbox"/> Precast <input type="checkbox"/> Steel Frame <input type="checkbox"/> Tiered <input type="checkbox"/> Concrete Description _____	
Scaffolding Height: _____ <input type="checkbox"/> Metal over 80 ft. (require design by California Registered Civil Engineer, plans at site.) [CSO 1643, 1644(c)(7)] Job description _____	<input type="checkbox"/> Metal <input type="checkbox"/> Wood <input type="checkbox"/> Metal over 125 ft.
Falsework/Vertical Shoring Maximum Height _____ Job description _____	Maximum Span _____ Material _____
Tower Crane Erection/Dismantling Maximum Radius _____ Capacity _____ Make and model of crane _____ Foundation and/or support(s) for crane on this site designed/constructed by (see Section 1584(a), CSO) Will crane be stepped or jumped as construction proceeds (see CSO Section 1584.1) Yes <input type="checkbox"/> No <input type="checkbox"/> Name of crane certifier _____	
Demolition of: <input type="checkbox"/> Building <input type="checkbox"/> Structure Type: _____ <input type="checkbox"/> Steel frame <input type="checkbox"/> Wood frame <input type="checkbox"/> Concrete <input type="checkbox"/> Demolition Ball <input type="checkbox"/> Height _____ <input type="checkbox"/> No. of Stories _____ <input type="checkbox"/> Loader/tractors <input type="checkbox"/> Other _____ CSO Article 31 - Demolition _____	<input type="checkbox"/> Clam <input type="checkbox"/> Explosives
Excavations/Trenches Depth range (min./max.) <u>10-11</u> Width range (min./max.) <u>8-9</u> Total Length <u>17</u> Ground Protection Method: Shoring <input type="checkbox"/> Sloping <input type="checkbox"/> Trench Shield <input type="checkbox"/> Alternate <input checked="" type="checkbox"/> Project description: <u>Tank removal</u>	
Division Use Only For _____ Paid _____ Approved _____ Conferences _____ Other _____	I hereby certify that, to the best of my knowledge, the above information and assertions are true and correct and that I/the applicant have knowledge of and will comply with the foregoing. Signature: <u>Joe Broosman</u> Title: <u>Supervisor</u> Date: <u>6/25/91</u>

---

**ATTACHMENT 3**

---



#### LEGEND



EXISTING MONITORING WELL GROUNDWATER • 10'±




DRAIN TRENCH

- SAMPLES TAKEN • DEPTH OF  
20" APPROXIMATELY 20 FT APART

NOT TO SCALE

4  
N



TRENCH & POT HOLE LOCATIONS 7/19/91

REVIEWED BY: APPROVED BY:

*JDS*

LEW DOTY CADILLAC

6301 SCARLETT COURT

DUBLIN, CALIFORNIA

JOB #: 3-10058

DRAWN BY: J.D.S.

DATE: 9/4/91

DRAWING #: 3  
ATTACH

---

**ATTACHMENT 4**

---

## CHAIN OF CUSTODY RECORD

1191783

PROJECT NO. PROJECT NAME 3-10058-12 PCB Backscarp - Low Betty			TEST REQUESTED				P.O. # 23684			
SAMPLERS (Signature) Ray T							LAB Applied Analytical			
							TURN AROUND TIME 2 wk			
NO.	DATE	TIME	SAMPLE DESCRIPTION				REMARKS			
719.1	7/19	12 NOON	Soil by french drain				<sup>PHO-TPH</sup> <del>TPH</del> BTEX			
719.2	7/19	12:15	"				TOC			
719.3	7/19	12:30	"				C/ HC			
719.4	7/19	12:30	"							
719.5	7/19	12:40	"							
RELINQUISHED BY: C Ray T			DATE: TIME:	RECEIVED BY:	RELINQUISHED BY: J. Brown			DATE: TIME:	RECEIVED BY:	
RELINQUISHED BY: 			7/19 1:15	J. Brown	RELINQUISHED BY: J. Brown			7/19 1645	RECEIVED BY:	
REMARKS: 3-10058-12										
REPORT TO:										



41674 Christy Street  
Fremont, C.A. 94538-3114

(415) 659-0404  
Fax (415) 651-4677  
Contr. Lic. No. 550205

# CHAIN-OF-CUSTODY RECORD

PROJ. NO.	PROJECT NAME			<b>ANALYSIS</b> No. of Containers  TP/Hg gasoline (80/15) BT/EX (80/2/10/20) TP/Hg diesel (80/15) U/H/C  Preserved?	<b>REMARKS</b>	<b>LABORATORY I.D. NUMBER</b>
P.O. NO.	SAMPLES (Signature)					
DATE MM/DD/YY	TIME					
7/19	719.1					
✓	719.2					
✓	719.3					
✓	719.4					
✓	719.5					
RElinquished BY (Signature): <u>Melvin Gentry</u> DATE / TIME: <u>7/21/11 3:55</u> RECEIVED BY (Signature): <u>Madeleine Macette</u> RElinquished BY (Signature): DATE / TIME: RECEIVED BY (Signature): RElinquished BY (Signature): DATE / TIME: RECEIVED FOR LABORATORY BY (Signature):  <b>Laboratory:</b> <i>Chromalabs</i> <b>BEND RESULTS TO:</b> <b>APPLIED ANALYTICAL</b> 42501 Albrae Street Fremont, CA 94538 <span style="float: right;">X</span>  <b>Turn Around:</b> <u>1 w/c</u> <b>Proj. Mgr.:</b> <u>Laura Fisch</u>						

# APPLIED ANALYTICAL

## *Environmental Laboratories*

42501 Albrae St., Suite 100  
Fremont, CA 94538  
Bus: (415) 623-0775  
Fax: (415) 651-8647

W

## ANALYSIS REPORT

1020lab.frm

Attention:	Mr. Joe Brosnan Exceltech 41674 Christy St. Fremont, CA 94536	Date Sampled:	07-19-91
Project:	19513-L, Project #3-10058-12 CCB Bankcorp	Date Received:	07-19-91
		BTEX Analyzed:	07-24-91
		TPHg Analyzed:	07-24-91
		TPHd Analyzed:	07-26-91
		Matrix:	Soil

	Benzene ppm	Toluene ppm	Ethyl- benzene ppm	Total Xylenes ppm	TPHg ppm	TPHd ppm
Detection Limit:	0.005	0.005	0.005	0.005	1.0	10

### SAMPLE

#### Laboratory Identification

719.1 S1107285	ND	ND	ND	0.014	ND	ND
719.2 S1107286	ND	ND	ND	0.033	2.6	ND
719.3 S1107287	ND	ND	ND	0.091	6.7	ND
719.4 S1107288	ND	ND	ND	ND	ND	ND
719.5 S1107289	ND	ND	ND	.018	3.8	ND

ppm = parts per million = mg/kg = milligrams per kilogram.

ND = Not detected. Compound(s) may be present at concentrations below the detection limit.


NR = Analysis not requested.

#### ANALYTICAL PROCEDURES

BTEX—Benzene, toluene, ethylbenzene, and total xylene isomers (BTEX) are measured by extraction using EPA Method 5030 followed by analysis using EPA Method 8020/602, which utilizes a gas chromatograph (GC) equipped with a photoionization detector (PID) and a flame-ionization detector (FID) in series.

TPHg—Total petroleum hydrocarbons as gasoline (low-to-medium boiling points) are measured by extraction using EPA Method 5030, followed by analysis using modified EPA Method 8015, which utilizes a GC equipped with an FID.

TPHd—Total petroleum hydrocarbons as diesel (high boiling points) are measured by extraction using EPA Method 3550 for soils and EPA Method 3510 for water, followed by modified EPA Method 8015 with direct sample injection into a GC equipped with an FID.

  
Laboratory Representative

July 30, 1991

Date Reported

# APPLIED ANALYTICAL

## *Environmental Laboratories*

42501 Albrae St., Suite 100  
Fremont, CA 94538  
Bus: (415) 623-0775  
Fax: (415) 651-8647

W

## ANALYSIS REPORT

Attention: Mr. Joe Brosnan                      Date Sampled: 07-19-91  
Exceltech    Date Received: 07-19-91  
41674 Christy Street                              TOG Analyzed: 07-24-91  
Fremont, CA 94538                                Matrix: Soil  
Project: AGS 19513-L                              Detection Limit: 50 mg/kg

1020lab.frm

### TOG (mg/kg)

---

#### SAMPLE

#### Laboratory Identification

719.1 S1107285	50
719.2 S1107286	130
719.3 S1107287	70
719.4 S1107288	ND
719.5 S1107289	130

---

mg/kg = milligrams per kilogram = ppm = parts per million

ND = Not detected. Compound(s) may be present at concentrations below the detection limit.

#### ANALYTICAL PROCEDURES

TPH as Oil and Grease – Total Oil and Grease (TOG) of mineral or petroleum origin are measured by extraction and gravimetric analysis according to Standard Method 5520 E/F.

---

  
Laboratory Representative

---

July 30, 1991  
Date Reported

# CHROMALAB, INC.

5 DAYS TURNAROUND

Analytical Laboratory (E894)

July 30, 1991

ChromaLab File # 0791172 A

Client: Applied Analytical  
Date Sampled: July 19, 1991  
Date of Analysis: July 29, 1991

Attn: Laura Kuck  
Date Submitted: July 22, 1991

Project Name: CCB Bank Corp  
Project Number: 3-10058  
Sample I.D.: 719.1  
Method of Analysis: EPA 8010

Detection Limit: 5.0 µg/kg

COMPOUND NAME	µg/kg	Spike Recovery
CHLOROMETHANE	N.D.	---
VINYL CHLORIDE	N.D.	---
BROMOMETHANE	N.D.	---
CHLOROETHANE	N.D.	---
TRICHLOROFLUOROMETHANE	N.D.	90.5% 89.2%
1,1-DICHLOROETHENE	N.D.	---
METHYLENE CHLORIDE	N.D.	---
1,2-DICHLOROETHENE (TOTAL)	N.D.	---
1,1-DICHLOROETHANE	N.D.	---
CHLOROFORM	N.D.	92.7% 86.4%
1,1,1-TRICHLOROETHANE	N.D.	---
CARBON TETRACHLORIDE	N.D.	---
1,2-DICHLOROETHANE	N.D.	---
TRICHLOROETHENE	N.D.	---
1,2-DICHLOROPROPANE	N.D.	---
BROMODICHLOROMETHANE	N.D.	---
2-CHLOROETHYLVINYL ETHER	N.D.	---
TRANS-1,3-DICHLOROPROPENE	N.D.	---
CIS-1,3-DICHLOROPROPENE	N.D.	---
1,1,2-TRICHLOROETHANE	N.D.	94.8% 90.2%
TETRACHLOROETHENE	N.D.	---
DIBROMOCHLOROMETHANE	N.D.	---
CHLOROBENZENE	N.D.	---
BROMOFORM	N.D.	---
1,1,2,2-TETRACHLOROETHANE	N.D.	---
1,3-DICHLOROBENZENE	N.D.	---
1,4-DICHLOROBENZENE	11	---
1,2-DICHLOROBENZENE	90	88.6% 85.7%

ChromaLab, Inc.

  
David Duong

Senior Chemist



Eric Tam  
Lab Director

# CHROMALAB, INC.

✓  
5 DAYS TURNAROUND

Analytical Laboratory (E694)

July 30, 1991

ChromaLab File # 0791172 B

Client: Applied Analytical  
Date Sampled: July 19, 1991  
Date of Analysis: July 29, 1991

Attn: Laura Kuck  
Date Submitted: July 22, 1991

Project Name: CCB Bank Corp  
Project Number: 3-10058  
Sample I.D.: 719.2  
Method of Analysis: EPA 8010

Detection Limit: 5.0 µg/kg

COMPOUND NAME	µg/kg	Spike Recovery
CHLOROMETHANE	N.D.	---
VINYL CHLORIDE	N.D.	---
BROMOMETHANE	N.D.	---
CHLOROETHANE	N.D.	---
TRICHLOROFLUOROMETHANE	N.D.	90.5% 89.2%
1,1-DICHLOROETHENE	N.D.	---
METHYLENE CHLORIDE	N.D.	---
1,2-DICHLOROETHENE (TOTAL)	N.D.	---
1,1-DICHLOROETHANE	N.D.	---
CHLOROFORM	N.D.	92.7% 86.4%
1,1,1-TRICHLOROETHANE	N.D.	---
CARBON TETRACHLORIDE	N.D.	---
1,2-DICHLOROETHANE	N.D.	---
TRICHLOROETHENE	N.D.	---
1,2-DICHLOROPROPANE	N.D.	---
BROMODICHLOROMETHANE	N.D.	---
2-CHLOROETHYL VINYL ETHER	N.D.	---
TRANS-1,3-DICHLOROPROPENE	N.D.	---
CIS-1,3-DICHLOROPROPENE	N.D.	---
1,1,2-TRICHLOROETHANE	N.D.	94.8% 90.2%
TETRACHLOROETHENE	6.0	---
DIBROMOCHLOROMETHANE	N.D.	---
CHLOROBENZENE	N.D.	---
BROMOFORM	N.D.	---
1,1,2,2-TETRACHLOROETHANE	N.D.	---
1,3-DICHLOROBENZENE	N.D.	---
1,4-DICHLOROBENZENE	13	---
1,2-DICHLOROBENZENE	110	88.6% 85.7%

ChromaLab, Inc.

  
David Duong  
Senior Chemist

  
Eric Tam  
Lab Director

WC

**CHROMALAB, INC.**

5 DAYS TURNAROUND

Analytical Laboratory (E684)

July 30, 1991

ChromaLab File # 0791172 C

Client: Applied Analytical  
 Date Sampled: July 19, 1991  
 Date of Analysis: July 29, 1991

Attn: Laura Kuck  
 Date Submitted: July 22, 1991


Project Name: CCB Bank Corp  
 Project Number: 3-10058  
 Sample I.D.: 719.3  
 Method of Analysis: EPA 8010

Detection Limit: 5.0 µg/kg

COMPOUND NAME	µg/kg	Spike Recovery
CHLOROMETHANE	N.D.	---
VINYL CHLORIDE	N.D.	---
BROMOMETHANE	N.D.	---
CHLOROETHANE	N.D.	---
TRICHLOROFLUOROMETHANE	N.D.	90.5% 89.2%
1,1-DICHLOROETHENE	N.D.	---
METHYLENE CHLORIDE	N.D.	---
1,2-DICHLOROETHENE (TOTAL)	N.D.	---
1,1-DICHLOROETHANE	N.D.	---
CHLOROFORM	N.D.	92.7% 86.4%
1,1,1-TRICHLOROETHANE	N.D.	---
CARBON TETRACHLORIDE	N.D.	---
1,2-DICHLOROETHANE	N.D.	---
TRICHLOROETHENE	N.D.	---
1,2-DICHLOROPROPANE	N.D.	---
BROMODICHLOROMETHANE	N.D.	---
2-CHLOROETHYL VINYL ETHER	N.D.	---
TRANS-1,3-DICHLOROPROPENE	N.D.	---
CIS-1,3-DICHLOROPROPENE	N.D.	94.8% 90.2%
1,1,2-TRICHLOROETHANE	N.D.	94.8% 90.2%
TETRACHLOROETHENE	75	---
DIBROMOCHLOROMETHANE	N.D.	---
CHLOROBENZENE	N.D.	---
BROMOFORM	N.D.	---
1,1,2,2-TETRACHLOROETHANE	N.D.	---
1,3-DICHLOROBENZENE	8.1	---
1,4-DICHLOROBENZENE	26	---
1,2-DICHLOROBENZENE	180	88.6% 85.7%

ChromaLab, Inc.


  
David Duong  
Senior Chemist


  
Eric Tam  
Lab Director


Sample I.D.: 719.4

Method of Analysis: EPA 8010

Detection Limit: 5.0 µg/kg

<u>COMPOUND NAME</u>	<u>µg/kg</u>	<u>Spike Recovery</u>
CHLOROMETHANE	N.D.	---
VINYL CHLORIDE	N.D.	---
BROMOMETHANE	N.D.	---
CHLOROETHANE	N.D.	---
TRICHLOROFLUOROMETHANE	N.D.	90.5% 89.2%
1,1-DICHLOROETHENE	N.D.	---
METHYLENE CHLORIDE	N.D.	---
1,2-DICHLOROETHENE (TOTAL)	N.D.	---
1,1-DICHLOROETHANE	N.D.	---
CHLOROFORM	N.D.	92.7% 86.4%
1,1,1-TRICHLOROETHANE	N.D.	---
CARBON TETRACHLORIDE	N.D.	---
1,2-DICHLOROETHANE	N.D.	---
TRICHLOROETHENE	N.D.	---
1,2-DICHLOROPROPANE	N.D.	---
BROMODICHLOROMETHANE	N.D.	---
2-CHLOROETHYL VINYL ETHER	N.D.	---
TRANS-1,3-DICHLOROPROPENE	N.D.	---
CIS-1,3-DICHLOROPROPENE	N.D.	94.8% 90.2%
1,1,2-TRICHLOROETHANE	N.D.	---
TETRACHLOROETHENE	N.D.	---
DIBROMOCHLOROMETHANE	N.D.	---
CHLOROBENZENE	N.D.	---
BROMOFORM	N.D.	---
1,1,2,2-TETRACHLOROETHANE	N.D.	---
1,3-DICHLOROBENZENE	N.D.	---
1,4-DICHLOROBENZENE	N.D.	---
1,2-DICHLOROBENZENE	180	88.6% 85.7%

ChromaLab, Inc.

David Duong  
Senior ChemistEric Tam  
Lab Director

---

2239 Omega Road, #1 • San Ramon, California 94583  
 415/831-1788 • Facsimile 415/831-8798  
 Federal ID #68-0140157

**CHROMALAB, INC.**W  
5 DAYS TURNAROUND

Analytical Laboratory (E694)

July 30, 1991

ChromaLab File # 0791172 E

Client: Applied Analytical  
Date Sampled: July 19, 1991  
Date of Analysis: July 29, 1991Attn: Laura Kuck  
Date Submitted: July 22, 1991Project Name: CCB Bank Corp  
Project Number: 3-10058  
Sample I.D.: 719.5  
Method of Analysis: EPA 8010


Detection Limit: 5.0 µg/kg

COMPOUND NAME	µg/kg	Spike Recovery
CHLOROMETHANE	N.D.	---
VINYL CHLORIDE	N.D.	---
BROMOMETHANE	N.D.	---
CHLOROETHANE	N.D.	---
TRICHLOROFLUOROMETHANE	N.D.	90.5% 89.2%
1,1-DICHLOROETHENE	N.D.	---
METHYLENE CHLORIDE	N.D.	---
1,2-DICHLOROETHENE (TOTAL)	N.D.	---
1,1-DICHLOROETHANE	N.D.	---
CHLOROFORM	N.D.	92.7% 86.4%
1,1,1-TRICHLOROETHANE	N.D.	---
CARBON TETRACHLORIDE	N.D.	---
1,2-DICHLOROETHANE	N.D.	---
TRICHLOROETHENE	N.D.	---
1,2-DICHLOROPROPANE	N.D.	---
BROMODICHLOROMETHANE	N.D.	---
2-CHLOROETHYL VINYL ETHER	N.D.	---
TRANS-1,3-DICHLOROPROPENE	N.D.	---
CIS-1,3-DICHLOROPROPENE	N.D.	---
1,1,2-TRICHLOROETHANE	N.D.	94.8% 90.2%
TETRACHLOROETHENE	5.7	---
DIBROMOCHLOROMETHANE	N.D.	---
CHLOROBENZENE	N.D.	---
BROMOFORM	N.D.	---
1,1,2,2-TETRACHLOROETHANE	N.D.	---
1,3-DICHLOROBENZENE	6.9	---
1,4-DICHLOROBENZENE	18	---
1,2-DICHLOROBENZENE	61	88.6% 85.7%

ChromaLab, Inc.



DAVID DUONG  
Senior Chemist



ERIC TAM  
Lab Director



# CHROMALAB, INC.

5 DAYS TURNAROUND

Analytical Laboratory (E694)

July 30, 1991

ChromaLab File # 0791172 A

Client: Applied Analytical  
Date Sampled: July 19, 1991  
Date of Analysis: July 29, 1991

Attn: Laura Kuck  
Date Submitted: July 22, 1991


Project Name: CCB Bank Corp  
Project Number: 3-10058  
Sample I.D.: 719.1  
Method of Analysis: EPA 8010

Detection Limit: 5.0 µg/kg

COMPOUND NAME	µg/kg	Spike Recovery
CHLOROMETHANE	N.D.	---
VINYL CHLORIDE	N.D.	---
BROMOMETHANE	N.D.	---
CHLOROETHANE	N.D.	---
TRICHLOROFLUOROMETHANE	N.D.	90.5% 89.2%
1,1-DICHLOROETHENE	N.D.	---
METHYLENE CHLORIDE	N.D.	---
1,2-DICHLOROETHENE (TOTAL)	N.D.	---
1,1-DICHLOROETHANE	N.D.	---
CHLOROFORM	N.D.	92.7% 86.4%
1,1,1-TRICHLOROETHANE	N.D.	---
CARBON TETRACHLORIDE	N.D.	---
1,2-DICHLOROETHANE	N.D.	---
TRICHLOROETHENE	N.D.	---
1,2-DICHLOROPROPANE	N.D.	---
BROMODICHLOROMETHANE	N.D.	---
2-CHLOROETHYL VINYL ETHER	N.D.	---
TRANS-1,3-DICHLOROPROPENE	N.D.	---
CIS-1,3-DICHLOROPROPENE	N.D.	---
1,1,2-TRICHLOROETHANE	N.D.	94.8% 90.2%
TETRACHLOROETHENE	N.D.	---
DIBROMOCHLOROMETHANE	N.D.	---
CHLOROBENZENE	N.D.	---
BROMOFORM	N.D.	---
1,1,2,2-TETRACHLOROETHANE	N.D.	---
1,3-DICHLOROBENZENE	N.D.	---
1,4-DICHLOROBENZENE	11	---
1,2-DICHLOROBENZENE	90	88.6% 85.7%

ChromaLab, Inc.

  
David Duong  
Senior Chemist

  
Eric Tam  
Lab Director

# CHROMALAB, INC.

5 DAYS TURNAROUND

Analytical Laboratory (E694)

July 30, 1991

ChromaLab File # 0791172 B

Client: Applied Analytical  
Date Sampled: July 19, 1991  
Date of Analysis: July 29, 1991

Attn: Laura Kuck  
Date Submitted: July 22, 1991

Project Name: CCB Bank Corp  
Project Number: 3-10058  
Sample I.D.: 719.2  
Method of Analysis: EPA 8010

Detection Limit: 5.0 µg/kg

COMPOUND NAME	µg/kg	Spike Recovery
CHLOROMETHANE	N.D.	---
VINYL CHLORIDE	N.D.	---
BROMOMETHANE	N.D.	---
CHLOROETHANE	N.D.	---
TRICHLOROFLUOROMETHANE	N.D.	90.5% 89.2%
1,1-DICHLOROETHENE	N.D.	---
METHYLENE CHLORIDE	N.D.	---
1,2-DICHLOROETHENE (TOTAL)	N.D.	---
1,1-DICHLOROETHANE	N.D.	---
CHLOROFORM	N.D.	92.7% 86.4%
1,1,1-TRICHLOROETHANE	N.D.	---
CARBON TETRACHLORIDE	N.D.	---
1,2-DICHLOROETHANE	N.D.	---
TRICHLOROETHENE	N.D.	---
1,2-DICHLOROPROPANE	N.D.	---
BROMODICHLOROMETHANE	N.D.	---
2-CHLOROETHYL VINYL ETHER	N.D.	---
TRANS-1,3-DICHLOROPROPENE	N.D.	---
CIS-1,3-DICHLOROPROPENE	N.D.	---
1,1,2-TRICHLOROETHANE	N.D.	94.8% 90.2%
TETRACHLOROETHENE	6.0	---
DIBROMOCHLOROMETHANE	N.D.	---
CHLOROBENZENE	N.D.	---
BROMOFORM	N.D.	---
1,1,2,2-TETRACHLOROETHANE	N.D.	---
1,3-DICHLOROBENZENE	N.D.	---
1,4-DICHLOROBENZENE	13	---
1,2-DICHLOROBENZENE	110	88.6% 85.7%

ChromaLab, Inc.

  
David Duong  
Senior Chemist

  
Eric Tam  
Lab Director

# CHROMALAB, INC.

5 DAYS TURNAROUND

Analytical Laboratory (E694)

July 30, 1991

ChromaLab File # 0791172 C

Client: Applied Analytical  
Date Sampled: July 19, 1991  
Date of Analysis: July 29, 1991

Attn: Laura Kuck  
Date Submitted: July 22, 1991

Project Name: CCB Bank Corp  
Project Number: 3-10058  
Sample I.D.: 719.3  
Method of Analysis: EPA 8010


Detection Limit: 5.0 µg/kg

COMPOUND NAME	µg/kg	Spike Recovery
CHLOROMETHANE	N.D.	---
VINYL CHLORIDE	N.D.	---
BROMOMETHANE	N.D.	---
CHLOROETHANE	N.D.	---
TRICHLOROFLUOROMETHANE	N.D.	90.5% 89.2%
1,1-DICHLOROETHENE	N.D.	---
METHYLENE CHLORIDE	N.D.	---
1,2-DICHLOROETHENE (TOTAL)	N.D.	---
1,1-DICHLOROETHANE	N.D.	---
CHLOROFORM	N.D.	92.7% 86.4%
1,1,1-TRICHLOROETHANE	N.D.	---
CARBON TETRACHLORIDE	N.D.	---
1,2-DICHLOROETHANE	N.D.	---
TRICHLOROETHENE	N.D.	---
1,2-DICHLOROPROPANE	N.D.	---
BROMODICHLOROMETHANE	N.D.	---
2-CHLOROETHYL VINYL ETHER	N.D.	---
TRANS-1,3-DICHLOROPROPENE	N.D.	---
CIS-1,3-DICHLOROPROPENE	N.D.	---
1,1,2-TRICHLOROETHANE	N.D.	94.8% 90.2%
TETRACHLOROETHENE	75	---
DIBROMOCHLOROMETHANE	N.D.	---
CHLOROBENZENE	N.D.	---
BROMOFORM	N.D.	---
1,1,2,2-TETRACHLOROETHANE	N.D.	---
1,3-DICHLOROBENZENE	8.1	---
1,4-DICHLOROBENZENE	26	---
1,2-DICHLOROBENZENE	180	88.6% 85.7%

ChromaLab, Inc.



David Duong  
Senior Chemist



Eric Tam  
Lab Director

# CHROMALAB, INC.

5 DAYS TURNAROUND

Analytical Laboratory (E694)

July 30, 1991

ChromaLab File # 0791172 D

Client: Applied Analytical  
Date Sampled: July 19, 1991  
Date of Analysis: July 29, 1991

Attn: Laura Kuck  
Date Submitted: July 22, 1991

Project Name: CCB Bank Corp  
Project Number: 3-10058  
Sample I.D.: 719.4  
Method of Analysis: EPA 8010

Detection Limit: 5.0 µg/kg

COMPOUND NAME	µg/kg	Spike Recovery
CHLOROMETHANE	N.D.	---
VINYL CHLORIDE	N.D.	---
BROMOMETHANE	N.D.	---
CHLOROETHANE	N.D.	---
TRICHLOROFLUOROMETHANE	N.D.	90.5% 89.2%
1,1-DICHLOROETHENE	N.D.	---
METHYLENE CHLORIDE	N.D.	---
1,2-DICHLOROETHENE (TOTAL)	N.D.	---
1,1-DICHLOROETHANE	N.D.	---
CHLOROFORM	N.D.	92.7% 86.4%
1,1,1-TRICHLOROETHANE	N.D.	---
CARBON TETRACHLORIDE	N.D.	---
1,2-DICHLOROETHANE	N.D.	---
TRICHLOROETHENE	N.D.	---
1,2-DICHLOROPROPANE	N.D.	---
BROMODICHLOROMETHANE	N.D.	---
2-CHLOROETHYL VINYL ETHER	N.D.	---
TRANS-1,3-DICHLOROPROPENE	N.D.	---
CIS-1,3-DICHLOROPROPENE	N.D.	---
1,1,2-TRICHLOROETHANE	N.D.	94.8% 90.2%
TETRACHLOROETHENE	N.D.	---
DIBROMOCHLOROMETHANE	N.D.	---
CHLOROBENZENE	N.D.	---
BROMOFORM	N.D.	---
1,1,2,2-TETRACHLOROETHANE	N.D.	---
1,3-DICHLOROBENZENE	N.D.	---
1,4-DICHLOROBENZENE	N.D.	---
1,2-DICHLOROBENZENE	180	88.6% 85.7%

ChromaLab, Inc.

  
David Duong  
Senior Chemist

  
Eric Tam  
Lab Director

# CHROMALAB, INC.

5 DAYS TURNAROUND

Analytical Laboratory (E694)

July 30, 1991

ChromaLab File # 0791172 E

Client: Applied Analytical  
Date Sampled: July 19, 1991  
Date of Analysis: July 29, 1991

Attn: Laura Kuck  
Date Submitted: July 22, 1991

Project Name: CCB Bank Corp  
Project Number: 3-10058  
Sample I.D.: 719.5  
Method of Analysis: EPA 8010

Detection Limit: 5.0 µg/kg

COMPOUND NAME	µg/kg	Spike Recovery
CHLOROMETHANE	N.D.	---
VINYL CHLORIDE	N.D.	---
BROMOMETHANE	N.D.	---
CHLOROETHANE	N.D.	---
TRICHLOROFLUOROMETHANE	N.D.	90.5% 89.2%
1,1-DICHLOROETHENE	N.D.	---
METHYLENE CHLORIDE	N.D.	---
1,2-DICHLOROETHENE (TOTAL)	N.D.	---
1,1-DICHLOROETHANE	N.D.	---
CHLOROFORM	N.D.	92.7% 86.4%
1,1,1-TRICHLOROETHANE	N.D.	---
CARBON TETRACHLORIDE	N.D.	---
1,2-DICHLOROETHANE	N.D.	---
TRICHLOROETHENE	N.D.	---
1,2-DICHLOROPROPANE	N.D.	---
BROMODICHLOROMETHANE	N.D.	---
2-CHLOROETHYL VINYL ETHER	N.D.	---
TRANS-1,3-DICHLOROPROPENE	N.D.	---
CIS-1,3-DICHLOROPROPENE	N.D.	---
1,1,2-TRICHLOROETHANE	N.D.	94.8% 90.2%
TETRACHLOROETHENE	5.7	---
DIBROMOCHLOROMETHANE	N.D.	---
CHLOROBENZENE	N.D.	---
BROMOFORM	N.D.	---
1,1,2,2-TETRACHLOROETHANE	N.D.	---
1,3-DICHLOROBENZENE	6.9	---
1,4-DICHLOROBENZENE	18	---
1,2-DICHLOROBENZENE	61	88.6% 85.7%

ChromaLab, Inc.


  
David Duong  
Senior Chemist

  
Eric Tam  
Lab Director

---

**ATTACHMENT 5**

---



L E G E N D

○ EXISTING MONITORING WELL GROUNDWATER ● 10'+


[ ] DRAIN TRENCH

• SAMPLES

818. & 819 (1A-5A) INTERIOR CORES, 6-7' IN & 10' DEEP  
 819. (6A-8A) EXTERIOR CORES, 3-6' OUT & 10' DEEP  
 819. (1-5) TRENCH BOTTOM, 3' OUT & 5' DEEP  
 819. 9 UNDER FOUNDATION 1.5' DEEP (BELOW DRAIN)

NOT TO SCALE

N



SAMPLING LOCATIONS 8/18-19/91

LEW DOTY CADILLAC  
 6301 SCARLETT COURT  
 DUBLIN, CALIFORNIA

REVIEWED BY: *J.D.S.*  
 JOB #: 34-10058  
 DRAWN BY: J.D.S.  
 DATE: 9/4/91

APPROVED BY:  
 DRAWING #: ATTACH 5

## CHAIN OF CUSTODY RECORD

191862

PROJECT NO.	PROJECT NAME 3-10058-B C.C.-B. Bank Corp / Lew Doty			TEST REQUESTED					P.O. #	
SAMPLERS (Signature)	Steve C. M.			TPHg	TPHd	BTEx	TG	CL HC	LAB Applied Analytical	
NO.	DATE	TIME	SAMPLE DESCRIPTION						TURN AROUND TIME <del>2-4 days</del>	
1A	8-16-91	1230	SOIL - core slab @ 10'	X	X	X	X	X	Run 8270 & 8447 ICAF	
2A	1	1430	" "	X	X	X	X	X	ditto	
3A		1630	" "	X	X	X	X	X	ditto	
										If sample shows any contamination
RELINQUISHED BY:	DATE:	TIME:	RECEIVED BY:	RELINQUISHED BY:	DATE:	TIME:	RECEIVED BY:			
G.C. Moulis	8/16	1600	B. Soman	B. Soman	8/19	10:10	Arthur Choi			
RELINQUISHED BY:	DATE:	TIME:	RECEIVED BY:	RELINQUISHED BY:	DATE:	TIME:	RECEIVED BY:			
REMARKS:	Results NLT 1700 8/20/91									
REPORT TO:	B. Soman									

FORM DATED 3-27-90



41674 Christy Street  
Fremont, C.A. 94538-3114

(415) 659-0404  
Fax (415) 651-4677  
Contr. Lic. No. 550205

**APPLIED ANALYTICAL**  
**Environmental Laboratories**

42501 Albrae St., Suite 100  
Fremont, CA 94538  
Bus: (415) 623-0775  
Fax: (415) 651-8647

**ANALYSIS REPORT**

1020lab.frm

Attention:	Mr. Joe Brosnan Exceltech 41674 Christy St. Fremont, CA 94536	Date Sampled:	08-16-91
Project:	19513-L, Project #3-10058-13 CCB Bankcorp/Lew Doty	Date Received:	08-19-91
		BTEX Analyzed:	08-19-91
		TPHg Analyzed:	08-19-91
		TPHd Analyzed:	08-19-91
		Matrix:	Soil

Detection Limit:	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPHg	TPHd
	ppm	ppm	ppm	ppm	ppm	ppm
0.005	0.005	0.005	0.005	0.005	1.0	10

**SAMPLE**

**Laboratory Identification**

1A S1108305	ND	ND	ND	ND	ND	ND
2A S1108306	ND	ND	ND	ND	ND	ND
3A S1108307	ND	ND	ND	ND	ND	ND

ppm = parts per million = mg/kg = milligrams per kilogram.

ND = Not detected. Compound(s) may be present at concentrations below the detection limit.


NR = Analysis not requested.

**ANALYTICAL PROCEDURES**

BTEX—Benzene, toluene, ethylbenzene, and total xylene isomers (BTEX) are measured by extraction using EPA Method 5030 followed by analysis using EPA Method 8020/602, which utilizes a gas chromatograph (GC) equipped with a photoionization detector (PID) and a flame-ionization detector (FID) in series.

TPHg—Total petroleum hydrocarbons as gasoline (low-to-medium boiling points) are measured by extraction using EPA Method 5030, followed by analysis using modified EPA Method 8015, which utilizes a GC equipped with an FID.

TPHd—Total petroleum hydrocarbons as diesel (high boiling points) are measured by extraction using EPA Method 3550 for soils and EPA Method 3510 for water, followed by modified EPA Method 8015 with direct sample injection into a GC equipped with an FID.

  
Laboratory Representative

August 20, 1991  
Date Reported

# APPLIED ANALYTICAL

## *Environmental Laboratories*

42501 Albrae St., Suite 100  
Fremont, CA 94538  
Bus: (415) 623-0775  
Fax: (415) 651-8647

### ANALYSIS REPORT

1020lab.frm

Attention: Mr. Joe Brosnan                      Date Sampled: 08-16-91  
Exceltech    Date Received: 08-19-91  
41674 Christy St.                                  TOG Analyzed: 08-19-91  
Fremont, CA 94538                                Matrix: Soil  
Project: AGS 19513-L, Proj. #310058-13              Detection Limit: 50 mg/kg  
CCB Bankcorp/Lew Doty

#### TOG (mg/kg)

---

**SAMPLE**  
Laboratory Identification

1A S1108305	ND
2A S1108306	ND
3A S1108307	ND

---

mg/kg = milligrams per kilogram = ppm = parts per million  
ND = Not detected. Compound(s) may be present at concentrations below the detection limit.

#### ANALYTICAL PROCEDURES

TPH as Oil and Grease – Total Oil and Grease (TOG) of mineral or petroleum origin are measured by extraction and gravimetric analysis according to Standard Method 5520 E/F.

---

  
Laboratory Representative

August 20, 1991  
Date Reported

# CHROMALAB, INC.

5 DAYS TURNAROUND

Analytical Laboratory (E694)

August 20, 1991

ChromaLab File # 0891161 A

Client: Applied Analytical  
Date Sampled: Aug. 10, 1991  
Date of Analysis: Aug. 19, 1991


Attn: Laura Kuck  
Date Submitted: Aug. 19, 1991

Project Number: 3-10058-13  
Project Name: CCB Bankcorp / Lew Doty  
Sample I.D.: 1 A  
Method of Analysis: EPA 8010 Detection Limit: 5.0 µg/kg

COMPOUND NAME	µg/kg	Spike Recovery
CHLOROMETHANE	N.D.	---
VINYL CHLORIDE	N.D.	---
BROMOMETHANE	N.D.	---
CHLOROETHANE	N.D.	---
TRICHLOROFLUOROMETHANE	N.D.	92.6% 91.0%
1,1-DICHLOROETHENE	N.D.	---
METHYLENE CHLORIDE	N.D.	---
1,2-DICHLOROETHENE (TOTAL)	N.D.	---
1,1-DICHLOROETHANE	N.D.	---
CHLOROFORM	N.D.	92.1% 87.5%
1,1,1-TRICHLOROETHANE	N.D.	---
CARBON TETRACHLORIDE	N.D.	---
1,2-DICHLOROETHANE	N.D.	---
TRICHLOROETHENE	N.D.	---
1,2-DICHLOROPROPANE	N.D.	---
BROMODICHLOROMETHANE	N.D.	---
2-CHLOROETHYL VINYL ETHER	N.D.	---
TRANS-1,3-DICHLOROPROPENE	N.D.	---
CIS-1,3-DICHLOROPROPENE	N.D.	91.7% 93.5%
1,1,2-TRICHLOROETHANE	N.D.	---
TETRACHLOROETHENE	N.D.	---
DIBROMOCHLOROMETHANE	N.D.	---
CHLOROBENZENE	N.D.	---
BROMOFORM	N.D.	---
1,1,2,2-TETRACHLOROETHANE	N.D.	---
1,3-DICHLOROBENZENE	N.D.	---
1,4-DICHLOROBENZENE	N.D.	---
1,2-DICHLOROBENZENE	N.D.	96.4% 92.1%

ChromaLab, Inc.

  
David Duong  
Senior Chemist

  
Eric Tam  
Lab Director

# CHROMALAB, INC.

5 DAYS TURNAROUND

Analytical Laboratory (E694)

August 20, 1991

ChromaLab File # 0891161 B

Client: Applied Analytical  
Date Sampled: Aug. 10, 1991  
Date of Analysis: Aug. 19, 1991

Attn: Laura Kuck  
Date Submitted: Aug. 19, 1991

Project Number: 3-10058-13  
Project Name: CCB Bankcorp / Lew Doty  
Sample I.D.: 2 A  
Method of Analysis: EPA 8010

Detection Limit: 5.0 µg/kg

COMPOUND NAME	µg/kg	Spike Recovery
CHLOROMETHANE	N.D.	---
VINYL CHLORIDE	N.D.	---
BROMOMETHANE	N.D.	---
CHLOROETHANE	N.D.	92.6% 91.0%
TRICHLOROFLUOROMETHANE	N.D.	---
1,1-DICHLOROETHENE	N.D.	---
METHYLENE CHLORIDE	N.D.	---
1,2-DICHLOROETHENE (TOTAL)	N.D.	---
1,1-DICHLOROETHANE	N.D.	92.1% 87.5%
CHLOROFORM	N.D.	---
1,1,1-TRICHLOROETHANE	N.D.	---
CARBON TETRACHLORIDE	N.D.	---
1,2-DICHLOROETHANE	N.D.	---
TRICHLOROETHENE	N.D.	---
1,2-DICHLOROPROPANE	N.D.	---
BROMODICHLOROMETHANE	N.D.	---
2-CHLOROETHYL VINYL ETHER	N.D.	---
TRANS-1,3-DICHLOROPROPENE	N.D.	---
CIS-1,3-DICHLOROPROPENE	N.D.	91.7% 93.5%
1,1,2-TRICHLOROETHANE	N.D.	---
TETRACHLOROETHENE	N.D.	---
DIBROMOCHLOROMETHANE	N.D.	---
CHLOROBENZENE	N.D.	---
BROMOFORM	N.D.	---
1,1,2,2-TETRACHLOROETHANE	N.D.	---
1,3-DICHLOROBENZENE	N.D.	---
1,4-DICHLOROBENZENE	N.D.	96.4% 92.1%
1,2-DICHLOROBENZENE	N.D.	

ChromaLab, Inc.

  
David Duong  
Senior Chemist

  
Eric Tam  
Lab Director

5 DAYS TURNAROUND

**CHROMALAB, INC.**

Analytical Laboratory (E694)

August 20, 1991

Client: Applied Analytical  
 Date Sampled: Aug. 10, 1991  
 Date of Analysis: Aug. 19, 1991

Project Number: 3-10058-13  
 Project Name: CCB Bankcorp / Lew Doty  
 Sample I.D.: 3 A  
 Method of Analysis: EPA 8010

ChromaLab File # 0891161 C

Attn: Laura Kuck  
 Date Submitted: Aug. 19, 1991

Detection Limit: 5.0 µg/kg

<u>COMPOUND NAME</u>	<u>ug/kg</u>	<u>Spike Recovery</u>
CHLOROMETHANE	N.D.	---
VINYL CHLORIDE	N.D.	---
BROMOMETHANE	N.D.	---
CHLOROETHANE	N.D.	92.6% 91.0%
TRICHLOROFLUOROMETHANE	N.D.	---
1,1-DICHLOROETHENE	N.D.	---
METHYLENE CHLORIDE	N.D.	---
1,2-DICHLOROETHENE (TOTAL)	N.D.	---
1,1-DICHLOROETHANE	N.D.	92.1% 87.5%
CHLOROFORM	N.D.	---
1,1,1-TRICHLOROETHANE	N.D.	---
CARBON TETRACHLORIDE	N.D.	---
1,2-DICHLOROETHANE	N.D.	---
TRICHLOROETHENE	N.D.	---
1,2-DICHLOROPROPANE	N.D.	---
BROMODICHLOROMETHANE	N.D.	---
2-CHLOROETHYL VINYL ETHER	N.D.	---
TRANS-1,3-DICHLOROPROPENE	N.D.	---
CIS-1,3-DICHLOROPROPENE	N.D.	91.7% 93.5%
1,1,2-TRICHLOROETHANE	N.D.	---
TETRACHLOROETHENE	N.D.	---
DIBROMOCHLOROMETHANE	N.D.	---
CHLOROBENZENE	N.D.	---
BROMOFORM	N.D.	---
1,1,2,2-TETRACHLOROETHANE	N.D.	---
1,3-DICHLOROBENZENE	N.D.	---
1,4-DICHLOROBENZENE	N.D.	96.4% 92.1%
1,2-DICHLOROBENZENE	N.D.	---

ChromaLab, Inc.

David Duong  
Senior Chemist

Eric Tam  
Lab Director

## CHAIN OF CUSTODY RECORD

091885

PROJECT NO.	PROJECT NAME	TEST REQUESTED							P.O. #	
		PA	TG	TOC	TPH	TPHg	CL	HC		
3-10058	C.C.B. Bankcorp, Inc. / Lew Doty	X							Cam 17	
SAMPLERS (Signature)		<i>Steve Moulis</i>							LAB Applied Analytical	
									TURN AROUND TIME	
									REMARKS	
819.4A	8-19-91 00100	soil - inside BLDG 10' deep	X	X	X	X	X		24hr	3 day water enc.
819.1	" 0445	soil - in trench 5' deep								
819.6A	" 1000	Soil - outside Roll up door 10' deep								3 DAY
819.7A	" 1100	Soil - outside Roll up door 10' deep								3 DAY
819.8A	"	Soil - outside Roll up door 10' deep								24hr
819.5A	" 1200	Soil - inside BLDG 10' Deep								24hr
819.2	" 1015	soil - in trench 5' Deep								24hr
819.9	" 1230	soil - underneath foundation 5' deep								24HR
819.3	" 1315	Soil - in trench 5' Deep								24HR
819.4	" 1330	Soil - in trench 5' Deep								24hr
819.5	" 1345	Soil - in trench 5' Deep								24hr
819.10	" 1400	Soil - stock pile					X	X		5 Day
819.11	"	Soil - "								5 DAY
819.12	"	Soil - "								5 DAY
819.13	"	Soil - "								5 DAY
819.14	"	Soil - "								5 DAY
RELINQUISHED BY:		DATE: TIME:	RECEIVED BY:	RELINQUISHED BY:		DATE: TIME:	RECEIVED BY:			
<i>Moulis</i>		8/19/1615	<i>Grosman</i>	<i>Grosman</i>		8/19/1820	<i>M. Doty</i>			
RELINQUISHED BY:		DATE: TIME:	RECEIVED BY:	RELINQUISHED BY:		DATE: TIME:	RECEIVED BY:			
REMARKS:		<i>use 8270 + Cam 17 if sample lot</i>								
REPORT TO:		<i>Grosman</i>								

FORM DATED 3-27-90



41674 Christy Street  
Fremont, C.A. 94538-3114

(415) 659-0404  
Fax (415) 651-4677  
Contr. Lic. No. 550205

**APPLIED ANALYTICAL**  
**Environmental Laboratories**

42501 Albrae St., Suite 100  
 Fremont, CA 94538  
 Bus: (415) 623-0775  
 Fax: (415) 651-8647

**ANALYSIS REPORT**

Attention:	Mr. Joe Brosnan Exceltech 41674 Christy St. Fremont, CA 94536	Date Sampled:	08-19-91
Project:	19513-L, Project #3-10058 CCB Bankcorp/Lew Doty	Date Received:	08-19-91
		BTEX Analyzed:	08-20/21-91
		TPHg Analyzed:	08-20/21-91
		TPHd Analyzed:	08-21-91
		Matrix:	Soil

1020lab.frm

Detection Limit:	Benzene ppm	Toluene ppm	Ethyl- benzene ppm	Total Xylenes ppm	TPHg ppm	TPHd ppm
	0.005	0.005	0.005	0.005	1.0	10

---

**SAMPLE**  
**Laboratory Identification**

819.4A S1108333	ND	ND	ND	ND	ND	ND
819.1 S1108334	ND	ND	ND	ND	ND	ND
819.6A S1108335	ND	ND	ND	ND	ND	ND
819.7A S1108336	ND	ND	ND	ND	ND	ND
819.8A S1108337	ND	ND	ND	ND	ND	ND

---

ppm = parts per million = mg/kg = milligrams per kilogram.

ND = Not detected. Compound(s) may be present at concentrations below the detection limit.


NR = Analysis not requested.

**ANALYTICAL PROCEDURES**

**BTEX**—Benzene, toluene, ethylbenzene, and total xylene isomers (BTEX) are measured by extraction using EPA Method 5030 followed by analysis using EPA Method 8020/602, which utilizes a gas chromatograph (GC) equipped with a photoionization detector (PID) and a flame-ionization detector (FID) in series.

**TPHg**—Total petroleum hydrocarbons as gasoline (low-to-medium boiling points) are measured by extraction using EPA Method 5030, followed by analysis using modified EPA Method 8015, which utilizes a GC equipped with an FID.

**TPHd**—Total petroleum hydrocarbons as diesel (high boiling points) are measured by extraction using EPA Method 3550 for soils and EPA Method 3510 for water, followed by modified EPA Method 8015 with direct sample injection into a GC equipped with an FID.

  
 Laboratory Representative

August 23, 1991  
Date Reported

# APPLIED ANALYTICAL

## Environmental Laboratories

42501 Albrae St., Suite 100  
Fremont, CA 94538  
Bus: (415) 623-0775  
Fax: (415) 651-8647

### ANALYSIS REPORT

1020lab.frm

Attention:	Mr. Joe Brosnan Exceltech 41674 Christy St. Fremont, CA 94536	Date Sampled:	08-19-91
Project:	19513-L, Project #3-10058 CCB Bankcorp/Lew Doty	Date Received:	08-19-91
		BTEX Analyzed:	08-20/21-91
		TPHg Analyzed:	08-20/21-91
		TPHd Analyzed:	08-21-91
		Matrix:	Soil

	Benzene ppm	Toluene ppm	Ethyl- benzene ppm	Total Xylenes ppm	TPHg ppm	TPHd ppm
Detection Limit:	0.005	0.005	0.005	0.005	1.0	10

#### SAMPLE

#### Laboratory Identification

819.5A S1108338	ND	ND	ND	ND	ND	ND
819.2 S1108339	ND	ND	ND	ND	ND	ND
819.9 S1108340	ND	ND	ND	ND	ND	ND
819.3 S1108341	ND	ND	ND	ND	ND	310
819.4 S1108342	ND	ND	ND	ND	ND	ND

ppm = parts per million = mg/kg = milligrams per kilogram.

ND = Not detected. Compound(s) may be present at concentrations below the detection limit.


NR = Analysis not requested.

#### ANALYTICAL PROCEDURES

BTEX—Benzene, toluene, ethylbenzene, and total xylene isomers (BTEX) are measured by extraction using EPA Method 5030 followed by analysis using EPA Method 8020/602, which utilizes a gas chromatograph (GC) equipped with a photoionization detector (PID) and a flame-ionization detector (FID) in series.

TPHg—Total petroleum hydrocarbons as gasoline (low-to-medium boiling points) are measured by extraction using EPA Method 5030, followed by analysis using modified EPA Method 8015, which utilizes a GC equipped with an FID.

TPHd—Total petroleum hydrocarbons as diesel (high boiling points) are measured by extraction using EPA Method 3550 for soils and EPA Method 3510 for water, followed by modified EPA Method 8015 with direct sample injection into a GC equipped with an FID.

  
\_\_\_\_\_  
Laboratory Representative

August 23, 1991  
Date Reported

# APPLIED ANALYTICAL

## *Environmental Laboratories*

42501 Albrae St., Suite 100  
Fremont, CA 94538  
Bus: (415) 623-0775  
Fax: (415) 651-8647

### ANALYSIS REPORT

1020lab.frm

Attention: Mr. Joe Brosnan  
Exceltech  
41674 Christy St.  
Fremont, CA 94536

Project: 19513-L, Project #3-10058  
CCB Bankcorp/Lew Doty

Date Sampled: 08-19-91  
Date Received: 08-19-91  
BTEX Analyzed: 08-20/21-91  
TPHg Analyzed: 08-20/21-91  
TPHd Analyzed: 08-21-91  
Matrix: Soil

	Benzene ppm	Toluene ppm	Ethyl- benzene ppm	Total Xylenes ppm	TPHg ppm	TPHd ppm
Detection Limit:	0.005	0.005	0.005	0.005	1.0	10

#### SAMPLE

#### Laboratory Identification

819.5 S1108343	ND	ND	ND	ND	ND	ND
819.(10-14) S1108344	ND	ND	ND	ND	ND	12

ppm = parts per million = mg/kg = milligrams per kilogram.

ND = Not detected. Compound(s) may be present at concentrations below the detection limit.


NR = Analysis not requested.

#### ANALYTICAL PROCEDURES

BTEX—Benzene, toluene, ethylbenzene, and total xylene isomers (BTEX) are measured by extraction using EPA Method 5030 followed by analysis using EPA Method 8020/602, which utilizes a gas chromatograph (GC) equipped with a photoionization detector (PID) and a flame-ionization detector (FID) in series.

TPHg—Total petroleum hydrocarbons as gasoline (low-to-medium boiling points) are measured by extraction using EPA Method 5030, followed by analysis using modified EPA Method 8015, which utilizes a GC equipped with an FID.

TPHd—Total petroleum hydrocarbons as diesel (high boiling points) are measured by extraction using EPA Method 3550 for soils and EPA Method 3510 for water, followed by modified EPA Method 8015 with direct sample injection into a GC equipped with an FID.

  
\_\_\_\_\_  
Laboratory Representative

August 23, 1991  
Date Reported

# APPLIED ANALYTICAL

## *Environmental Laboratories*

42501 Albrae St., Suite 100  
Fremont, CA 94538  
Bus: (415) 623-0775  
Fax: (415) 651-8647

### ANALYSIS REPORT

1020lab.frm

Attention: Mr. Joe Brosnan                      Date Sampled: 08-19-91  
Exceltech    Date Received: 08-19-91  
41674 Christy St.                                  TOG Analyzed: 08-20-91  
Fremont, CA 94538                                Matrix: Soil  
Project: AGS 19513-L, Proj. 3-10058              Detection Limit: 50 mg/kg  
CCB Bankcorp/Lew Doty

#### TOG (mg/kg)

---

##### SAMPLE

##### Laboratory Identification

819.4A	ND
S1108333	
819.1	ND
S1108334	
819.6A	ND
S1108335	
819.7A	ND
S1108336	
819.8A	ND
S1108337	

---

mg/kg = milligrams per kilogram = ppm = parts per million

ND = Not detected. Compound(s) may be present at concentrations below the detection limit.

#### ANALYTICAL PROCEDURES

TPH as Oil and Grease – Total Oil and Grease (TOG) of mineral or petroleum origin are measured by extraction and gravimetric analysis according to Standard Method 5520 E/F.



---

Laboratory Representative

August 23, 1991  
Date Reported

# APPLIED ANALYTICAL

## *Environmental Laboratories*

42501 Albrae St., Suite 100  
Fremont, CA 94538  
Bus: (415) 623-0775  
Fax: (415) 651-8647

### ANALYSIS REPORT

Attention: Mr. Joe Brosnan    Date Sampled: 08-19-91  
Exceltech    Date Received: 08-19-91  
41674 Christy St.    TOG Analyzed: 08-20-91  
Fremont, CA 94538    Matrix: Soil  
Project: AGS 19513-L, Proj. 3-10058    Detection Limit: 50 mg/kg  
CCB Bankcorp/Lew Doty

1020lab.frm

TOG  
(mg/kg)

---

**SAMPLE**

Laboratory Identification

819.5A S1108338	ND
819.2 S1108339	ND
819.9 S1108340	ND
819.3 S1108341	ND
819.4 S1108342	ND

---

mg/kg = milligrams per kilogram = ppm = parts per million

ND = Not detected. Compound(s) may be present at concentrations below the detection limit.

**ANALYTICAL PROCEDURES**

TPH as Oil and Grease – Total Oil and Grease (TOG) of mineral or petroleum origin are measured by extraction and gravimetric analysis according to Standard Method 5520 E/F.

---

  
Laboratory Representative

August 23, 1991  
Date Reported

# APPLIED ANALYTICAL

## *Environmental Laboratories*

42501 Albrae St., Suite 100  
Fremont, CA 94538  
Bus: (415) 623-0775  
Fax: (415) 651-8647

### **ANALYSIS REPORT**

1020lab.frm

Attention: Mr. Joe Brosnan                      Date Sampled: 08-19-91  
Exceltech    Date Received: 08-19-91  
41674 Christy St.                                  TOG Analyzed: 08-20-91  
Fremont, CA 94538                                Matrix: Soil  
Project: AGS 19513-L, Proj. 3-10058              Detection Limit: 50 mg/kg  
CCB Bankcorp/Lew Doty

**TOG**  
**(mg/kg)**

---

**SAMPLE****Laboratory Identification**

819.5    ND  
S1108343

819.10-14    57  
S1108344

---

mg/kg = milligrams per kilogram = ppm = parts per million  
ND = Not detected. Compound(s) may be present at concentrations below the detection limit.

**ANALYTICAL PROCEDURES**

TPH as Oil and Grease – Total Oil and Grease (TOG) of mineral or petroleum origin are measured by extraction and gravimetric analysis according to Standard Method 5520 E/F.

---

  
Laboratory Representative

August 23, 1991  
Date Reported

**CHROMALAB, INC.**

5 DAYS TURNAROUND

Analytical Laboratory (E694)

August 23, 1991

ChromaLab File # 0891181 A

Client: Applied Analytical

Attn: Laura Kuck

Date Sampled: Aug. 19, 1991

Date Submitted: Aug. 20, 1991

Date of Analysis: Aug. 23, 1991

Project Number: 3-10058

Project Name: CCB Bankcorp / Lew Doty

Sample I.D.: 819.4A

Method of Analysis: EPA 8010

Detection Limit: 5.0 µg/kg

COMPOUND NAME	µg/kg	Spike Recovery
CHLOROMETHANE	N.D.	---
VINYL CHLORIDE	N.D.	---
BROMOMETHANE	N.D.	---
CHLOROETHANE	N.D.	---
TRICHLOROFLUOROMETHANE	N.D.	91.7% 95.4%
1,1-DICHLOROETHENE	N.D.	---
METHYLENE CHLORIDE	N.D.	---
1,2-DICHLOROETHENE (TOTAL)	N.D.	---
1,1-DICHLOROETHANE	N.D.	---
CHLOROFORM	N.D.	93.6% 94.8%
1,1,1-TRICHLOROETHANE	N.D.	---
CARBON TETRACHLORIDE	N.D.	---
1,2-DICHLOROETHANE	N.D.	---
TRICHLOROETHENE	N.D.	---
1,2-DICHLOROPROPANE	N.D.	---
BROMODICHLOROMETHANE	N.D.	---
2-CHLOROETHYL VINYL ETHER	N.D.	---
TRANS-1,3-DICHLOROPROPENE	N.D.	---
CIS-1,3-DICHLOROPROPENE	N.D.	---
1,1,2-TRICHLOROETHANE	N.D.	87.9% 91.7%
TETRACHLOROETHENE	N.D.	---
DIBROMOCHLOROMETHANE	N.D.	---
CHLOROBENZENE	N.D.	---
BROMOFORM	N.D.	---
1,1,2,2-TETRACHLOROETHANE	N.D.	---
1,3-DICHLOROBENZENE	N.D.	---
1,4-DICHLOROBENZENE	N.D.	---
1,2-DICHLOROBENZENE	N.D.	90.5% 94.1%

ChromaLab, Inc.

David Duong  
Senior ChemistEric Tam  
Lab Director

**CHROMALAB, INC.**

5 DAYS TURNAROUND

Analytical Laboratory (E694)

August 23, 1991

ChromaLab File # 0891199 A

Client: Applied Analytical

Attn: Laura Kuck

Date Sampled: Aug. 19, 1991

Date Submitted: Aug. 22, 1991

Date of Analysis: Aug. 23, 1991

Project Number: 3-10058

Project Name: CCB Bankcrop / Lew Doty

Sample I.D.: 819.1

Method of Analysis: EPA 8010

Detection Limit: 5.0 µg/kg

COMPOUND NAME	µg/kg	Spike Recovery	
CHLOROMETHANE	N.D.	---	---
VINYL CHLORIDE	N.D.	---	---
BROMOMETHANE	N.D.	---	---
CHLOROETHANE	N.D.	---	---
TRICHLOROFLUOROMETHANE	N.D.	93.4%	92.0%
1,1-DICHLOROETHENE	N.D.	---	---
METHYLENE CHLORIDE	N.D.	---	---
1,2-DICHLOROETHENE (TOTAL)	N.D.	---	---
1,1-DICHLOROETHANE	N.D.	---	---
CHLOROFORM	N.D.	96.4%	93.1%
1,1,1-TRICHLOROETHANE	N.D.	---	---
CARBON TETRACHLORIDE	N.D.	---	---
1,2-DICHLOROETHANE	N.D.	---	---
TRICHLOROETHENE	N.D.	---	---
1,2-DICLOROPROPANE	N.D.	---	---
BROMODICHLOROMETHANE	N.D.	---	---
2-CHLOROETHYL VINYL ETHER	N.D.	---	---
TRANS-1,3-DICHLOROPROPENE	N.D.	---	---
CIS-1,3-DICHLOROPROPENE	N.D.	---	---
1,1,2-TRICHLOROETHANE	N.D.	90.1%	88.4%
TETRACHLOROETHENE	N.D.	---	---
DIBROMOCHLOROMETHANE	N.D.	---	---
CHLOROBENZENE	N.D.	---	---
BROMOFORM	N.D.	---	---
1,1,2,2-TETRACHLOROETHANE	N.D.	---	---
1,3-DICHLOROBENZENE	N.D.	---	---
1,4-DICHLOROBENZENE	N.D.	---	---
1,2-DICHLOROBENZENE	N.D.	93.7%	94.8%

ChromaLab, Inc.

David Duong  
Senior ChemistEric Tam  
Lab Director

**CHROMALAB, INC.**

5 DAYS TURNAROUND

Analytical Laboratory (E694)

August 23, 1991

ChromaLab File # 0891199 B

Client: Applied Analytical

Attn: Laura Kuck

Date Sampled: Aug. 19, 1991

Date Submitted: Aug. 22, 1991

Date of Analysis: Aug. 23, 1991

Project Number: 3-10058

Project Name: CCB Bankcrop / Lew Doty


Sample I.D.: 819.6A

Method of Analysis: EPA 8010

Detection Limit: 5.0 µg/kg

COMPOUND NAME	µg/kg	Spike Recovery
CHLOROMETHANE	N.D.	---
VINYL CHLORIDE	N.D.	---
BROMOMETHANE	N.D.	---
CHLOROETHANE	N.D.	---
TRICHLOROFLUOROMETHANE	N.D.	93.4% 92.0%
1,1-DICHLOROETHENE	N.D.	---
METHYLENE CHLORIDE	N.D.	---
1,2-DICHLOROETHENE (TOTAL)	N.D.	---
1,1-DICHLOROETHANE	N.D.	---
CHLOROFORM	N.D.	96.4% 93.1%
1,1,1-TRICHLOROETHANE	N.D.	---
CARBON TETRACHLORIDE	N.D.	---
1,2-DICHLOROETHANE	N.D.	---
TRICHLOROETHENE	N.D.	---
1,2-DICLOROPROPANE	N.D.	---
BROMODICHLOROMETHANE	N.D.	---
2-CHLOROETHYL VINYL ETHER	N.D.	---
TRANS-1,3-DICHLOROPROPENE	N.D.	---
CIS-1,3-DICHLOROPROPENE	N.D.	---
1,1,2-TRICHLOROETHANE	N.D.	90.1% 88.4%
TETRACHLOROETHENE	N.D.	---
DIBROMOCHLOROMETHANE	N.D.	---
CHLOROBENZENE	N.D.	---
BROMOFORM	N.D.	---
1,1,2,2-TETRACHLOROETHANE	N.D.	---
1,3-DICHLOROBENZENE	N.D.	---
1,4-DICHLOROBENZENE	N.D.	---
1,2-DICHLOROBENZENE	N.D.	93.7% 94.8%

ChromaLab, Inc.

  
 David Duong  
 Senior Chemist

  
 Eric Tam  
 Lab Director

**CHROMALAB, INC.**

5 DAYS TURNAROUND

Analytical Laboratory (E684)

August 23, 1991

ChromaLab File # 0891199 C

Client: Applied Analytical  
 Date Sampled: Aug. 19, 1991  
 Date of Analysis: Aug. 23, 1991

Attn: Laura Kuck  
 Date Submitted: Aug. 22, 1991

Project Number: 3-10058  
 Project Name: CCB Bankcrop / Lew Doty  
 Sample I.D.: 819.7A  
 Method of Analysis: EPA 8010      Detection Limit: 5.0 µg/kg

COMPOUND NAME	µg/kg	Spike Recovery
CHLOROMETHANE	N.D.	---
VINYL CHLORIDE	N.D.	---
BROMOMETHANE	N.D.	---
CHLOROETHANE	N.D.	---
TRICHLOROFLUOROMETHANE	N.D.	93.4% 92.0%
1,1-DICHLOROETHENE	N.D.	---
METHYLENE CHLORIDE	N.D.	---
1,2-DICHLOROETHENE (TOTAL)	N.D.	---
1,1-DICHLOROETHANE	N.D.	---
CHLOROFORM	N.D.	96.4% 93.1%
1,1,1-TRICHLOROETHANE	N.D.	----
CARBON TETRACHLORIDE	N.D.	---
1,2-DICHLOROETHANE	N.D.	---
TRICHLOROETHENE	N.D.	---
1,2-DICHLOROPROPANE	N.D.	---
BROMODICHLOROMETHANE	N.D.	---
2-CHLOROETHYL VINYLETHER	N.D.	---
TRANS-1,3-DICHLOROPROPENE	N.D.	---
CIS-1,3-DICHLOROPROPENE	N.D.	---
1,1,2-TRICHLOROETHANE	N.D.	90.1% 88.4%
TETRACHLOROETHENE	N.D.	---
DIBROMOCHLOROMETHANE	N.D.	---
CHLOROBENZENE	N.D.	---
BROMOFORM	N.D.	---
1,1,2,2-TETRACHLOROETHANE	N.D.	---
1,3-DICHLOROBENZENE	N.D.	---
1,4-DICHLOROBENZENE	N.D.	---
1,2-DICHLOROBENZENE	N.D.	93.7% 94.8%

ChromaLab, Inc.

David Duong  
Senior Chemist

Eric Tam  
Lab Director

**CHROMALAB, INC.**

5 DAYS TURNAROUND

Analytical Laboratory (E694)

August 23, 1991

ChromaLab File # 0891199 D

Client: Applied Analytical

Attn: Laura Kuck

Date Sampled: Aug. 19, 1991

Date Submitted: Aug. 22, 1991

Date of Analysis: Aug. 23, 1991

Project Number: 3-10058

Project Name: CCB Bankcrop / Lew Doty


Sample I.D.: 819.8A

Method of Analysis: EPA 8010

Detection Limit: 5.0 µg/kg

COMPOUND NAME	µg/kg	Spike Recovery
CHLOROMETHANE	N.D.	---
VINYL CHLORIDE	N.D.	---
BROMOMETHANE	N.D.	---
CHLOROETHANE	N.D.	---
TRICHLOROFLUOROMETHANE	N.D.	93.4% 92.0%
1,1-DICHLOROETHENE	N.D.	---
METHYLENE CHLORIDE	N.D.	---
1,2-DICHLOROETHENE (TOTAL)	N.D.	---
1,1-DICHLOROETHANE	N.D.	---
CHLOROFORM	N.D.	96.4% 93.1%
1,1,1-TRICHLOROETHANE	N.D.	---
CARBON TETRACHLORIDE	N.D.	---
1,2-DICHLOROETHANE	N.D.	---
TRICHLOROETHENE	N.D.	---
1,2-DICHLOROPROPANE	N.D.	---
BROMODICHLOROMETHANE	N.D.	---
2-CHLOROETHYL VINYL ETHER	N.D.	---
TRANS-1,3-DICHLOROPROPENE	N.D.	---
CIS-1,3-DICHLOROPROPENE	N.D.	---
1,1,2-TRICHLOROETHANE	N.D.	90.1% 88.4%
TETRACHLOROETHENE	N.D.	---
DIBROMOCHLOROMETHANE	N.D.	---
CHLOROBENZENE	N.D.	---
BROMOFORM	N.D.	---
1,1,2,2-TETRACHLOROETHANE	N.D.	---
1,3-DICHLOROBENZENE	N.D.	---
1,4-DICHLOROBENZENE	N.D.	---
1,2-DICHLOROBENZENE	N.D.	93.7% 94.8%

ChromaLab, Inc.



David Duong  
Senior Chemist



Eric Tam  
Lab Director

**CHROMALAB, INC.**

5 DAYS TURNAROUND

## Analytical Laboratory (E694)

August 23, 1991

ChromaLab File # 0891199 E

Client: Applied Analytical

Attn: Laura Kuck

Date Sampled: Aug. 19, 1991

Date Submitted: Aug. 22, 1991

Date of Analysis: Aug. 23, 1991

Project Number: 3-10058

Project Name: CCB Bankcrop / Lew Doty

Sample I.D.: 819.5A

Method of Analysis: EPA 8010

Detection Limit: 5.0 µg/kg

COMPOUND NAME	µg/kg	Spike Recovery
CHLOROMETHANE	N.D.	---
VINYL CHLORIDE	N.D.	---
BROMOMETHANE	N.D.	---
CHLOROETHANE	N.D.	---
TRICHLOROFLUOROMETHANE	N.D.	93.4% 92.0%
1,1-DICHLOROETHENE	N.D.	---
METHYLENE CHLORIDE	N.D.	---
1,2-DICHLOROETHENE (TOTAL)	N.D.	---
1,1-DICHLOROETHANE	N.D.	---
CHLOROFORM	N.D.	96.4% 93.1%
1,1,1-TRICHLOROETHANE	N.D.	---
CARBON TETRACHLORIDE	N.D.	---
1,2-DICHLOROETHANE	N.D.	---
TRICHLOROETHENE	N.D.	---
1,2-DICHLOROPROPANE	N.D.	---
BROMODICHLOROMETHANE	N.D.	---
2-CHLOROETHYL VINYL ETHER	N.D.	---
TRANS-1,3-DICHLOROPROPENE	N.D.	---
CIS-1,3-DICHLOROPROPENE	N.D.	---
1,1,2-TRICHLOROETHANE	N.D.	90.1% 88.4%
TETRACHLOROETHENE	N.D.	---
DIBROMOCHLOROMETHANE	N.D.	---
CHLOROBENZENE	N.D.	---
BROMOFORM	N.D.	---
1,1,2,2-TETRACHLOROETHANE	N.D.	---
1,3-DICHLOROBENZENE	N.D.	---
1,4-DICHLOROBENZENE	N.D.	---
1,2-DICHLOROBENZENE	N.D.	93.7% 94.8%

ChromaLab, Inc.



David Duong  
Senior Chemist



Eric Tam  
Lab Director

**CHROMALAB, INC.**

5 DAYS TURNAROUND

Analytical Laboratory (E694)

August 23, 1991

ChromaLab File # 0891199 F

Client: Applied Analytical

Attn: Laura Kuck

Date Sampled: Aug. 19, 1991

Date Submitted: Aug. 22, 1991

Date of Analysis: Aug. 23, 1991

Project Number: 3-10058

Project Name: CCB Bankcrop / Lew Doty

Sample I.D.: 819.2


Method of Analysis: EPA 8010

Detection Limit: 5.0 µg/kg

COMPOUND NAME	µg/kg	Spike Recovery
CHLOROMETHANE	N.D.	---
VINYL CHLORIDE	N.D.	---
BROMOMETHANE	N.D.	---
CHLOROETHANE	N.D.	---
TRICHLOROFLUOROMETHANE	N.D.	93.4% 92.0%
1,1-DICHLOROETHENE	N.D.	---
METHYLENE CHLORIDE	N.D.	---
1,2-DICHLOROETHENE (TOTAL)	N.D.	---
1,1-DICHLOROETHANE	N.D.	---
CHLOROFORM	N.D.	96.4% 93.1%
1,1,1-TRICHLOROETHANE	N.D.	---
CARBON TETRACHLORIDE	N.D.	---
1,2-DICHLOROETHANE	N.D.	---
TRICHLOROETHENE	N.D.	---
1,2-DICHLOROPROPANE	N.D.	---
BROMODICHLOROMETHANE	N.D.	---
2-CHLOROETHYL VINYLETHER	N.D.	---
TRANS-1,3-DICHLOROPROPENE	N.D.	---
CIS-1,3-DICHLOROPROPENE	N.D.	---
1,1,2-TRICHLOROETHANE	N.D.	90.1% 88.4%
TETRACHLOROETHENE	N.D.	---
DIBROMOCHLOROMETHANE	N.D.	---
CHLOROBENZENE	N.D.	---
BROMOFORM	N.D.	---
1,1,2,2-TETRACHLOROETHANE	N.D.	---
1,3-DICHLOROBENZENE	N.D.	---
1,4-DICHLOROBENZENE	N.D.	---
1,2-DICHLOROBENZENE	N.D.	93.7% 94.8%

ChromaLab, Inc.

  
 David Duong  
 Senior Chemist

  
 Eric Tam  
 Lab Director

**CHROMALAB, INC.**

5 DAYS TURNAROUND

Analytical Laboratory (E694)

August 23, 1991

ChromaLab File # 0891199 G

Client: Applied Analytical

Attn: Laura Kuck

Date Sampled: Aug. 19, 1991

Date Submitted: Aug. 22, 1991

Date of Analysis: Aug. 23, 1991

Project Number: 3-10058

Project Name: CCB Bankcrop / Lew Doty


Sample I.D.: 819.9

Method of Analysis: EPA 8010

Detection Limit: 5.0 µg/kg

COMPOUND NAME	µg/kg	Spike Recovery
CHLOROMETHANE	N.D.	---
VINYL CHLORIDE	N.D.	---
BROMOMETHANE	N.D.	---
CHLOROETHANE	N.D.	---
TRICHLOROFLUOROMETHANE	N.D.	93.4% 92.0%
1,1-DICHLOROETHENE	N.D.	---
METHYLENE CHLORIDE	N.D.	---
1,2-DICHLOROETHENE (TOTAL)	N.D.	---
1,1-DICHLOROETHANE	N.D.	---
CHLOROFORM	N.D.	96.4% 93.1%
1,1,1-TRICHLOROETHANE	N.D.	---
CARBON TETRACHLORIDE	N.D.	---
1,2-DICHLOROETHANE	N.D.	---
TRICHLOROETHENE	N.D.	---
1,2-DICHLOROPROPANE	N.D.	---
BROMODICHLOROMETHANE	N.D.	---
2-CHLOROETHYL VINYLETHER	N.D.	---
TRANS-1,3-DICHLOROPROPENE	N.D.	---
CIS-1,3-DICHLOROPROPENE	N.D.	---
1,1,2-TRICHLOROETHANE	N.D.	90.1% 88.4%
TETRACHLOROETHENE	N.D.	---
DIBROMOCHLOROMETHANE	N.D.	---
CHLOROBENZENE	N.D.	---
BROMOFORM	N.D.	---
1,1,2,2-TETRACHLOROETHANE	N.D.	---
1,3-DICHLOROBENZENE	N.D.	---
1,4-DICHLOROBENZENE	N.D.	---
1,2-DICHLOROBENZENE	N.D.	93.7% 94.8%

ChromaLab, Inc.



David Duong  
Senior Chemist



Eric Tam  
Lab Director

**CHROMALAB, INC.**

5 DAYS TURNAROUND

Analytical Laboratory (E694)

August 23, 1991

ChromaLab File # 0891199 H

Client: Applied Analytical

Attn: Laura Kuck

Date Sampled: Aug. 19, 1991

Date Submitted: Aug. 22, 1991

Date of Analysis: Aug. 23, 1991

Project Number: 3-10058

Project Name: CCB Bankcrop / Lew Doty

Sample I.D.: 819.3

Method of Analysis: EPA 8010

Detection Limit: 5.0 µg/kg

<u>COMPOUND NAME</u>	<u>µg/kg</u>	<u>Spike Recovery</u>
CHLOROMETHANE	N.D.	---
VINYL CHLORIDE	N.D.	---
BROMOMETHANE	N.D.	---
CHLOROETHANE	N.D.	---
TRICHLOROFLUOROMETHANE	N.D.	93.4% 92.0%
1,1-DICHLOROETHENE	N.D.	---
METHYLENE CHLORIDE	N.D.	---
1,2-DICHLOROETHENE (TOTAL)	N.D.	---
1,1-DICHLOROETHANE	N.D.	---
CHLOROFORM	N.D.	96.4% 93.1%
1,1,1-TRICHLOROETHANE	N.D.	---
CARBON TETRACHLORIDE	N.D.	---
1,2-DICHLOROETHANE	N.D.	---
TRICHLOROETHENE	N.D.	---
1,2-DICHLOROPROPANE	N.D.	---
BROMODICHLOROMETHANE	N.D.	---
2-CHLOROETHYL VINYL ETHER	N.D.	---
TRANS-1,3-DICHLOROPROPENE	N.D.	---
CIS-1,3-DICHLOROPROPENE	N.D.	---
1,1,2-TRICHLOROETHANE	N.D.	90.1% 88.4%
TETRACHLOROETHENE	N.D.	---
DIBROMOCHLOROMETHANE	N.D.	---
CHLOROBENZENE	N.D.	---
BROMOFORM	N.D.	---
1,1,2,2-TETRACHLOROETHANE	N.D.	---
1,3-DICHLOROBENZENE	N.D.	---
1,4-DICHLOROBENZENE	N.D.	---
1,2-DICHLOROBENZENE	N.D.	93.7% 94.8%

ChromaLab, Inc.

David Duong  
Senior ChemistEric Tam  
Lab Director

# CHROMALAB, INC.

5 DAYS TURNAROUND

Analytical Laboratory (E694)

August 23, 1991

ChromaLab File # 0891199 I

Client: Applied Analytical

Attn: Laura Kuck

Date Sampled: Aug. 19, 1991

Date Submitted: Aug. 22, 1991

Date of Analysis: Aug. 23, 1991

Project Number: 3-10058

Project Name: CCB Bankcrop / Lew Doty


Sample I.D.: 819.4

Method of Analysis: EPA 8010

Detection Limit: 5.0 µg/kg

COMPOUND NAME	µg/kg	Spike Recovery
CHLOROMETHANE	N.D.	---
VINYL CHLORIDE	N.D.	---
BROMOMETHANE	N.D.	---
CHLOROETHANE	N.D.	---
TRICHLOROFLUOROMETHANE	N.D.	93.4% 92.0%
1,1-DICHLOROETHENE	N.D.	---
METHYLENE CHLORIDE	N.D.	---
1,2-DICHLOROETHENE (TOTAL)	N.D.	---
1,1-DICHLOROETHANE	N.D.	---
CHLOROFORM	N.D.	96.4% 93.1%
1,1,1-TRICHLOROETHANE	N.D.	---
CARBON TETRACHLORIDE	N.D.	---
1,2-DICHLOROETHANE	N.D.	---
TRICHLOROETHENE	N.D.	---
1,2-DICLOROPROPANE	N.D.	---
BROMODICHLOROMETHANE	N.D.	---
2-CHLOROETHYL VINYL ETHER	N.D.	---
TRANS-1,3-DICHLOROPROPENE	N.D.	---
CIS-1,3-DICHLOROPROPENE	N.D.	---
1,1,2-TRICHLOROETHANE	N.D.	90.1% 88.4%
TETRACHLOROETHENE	N.D.	---
DIBROMOCHLOROMETHANE	N.D.	---
CHLOROBENZENE	N.D.	---
BROMOFORM	N.D.	---
1,1,2,2-TETRACHLOROETHANE	N.D.	---
1,3-DICHLOROBENZENE	N.D.	---
1,4-DICHLOROBENZENE	N.D.	---
1,2-DICHLOROBENZENE	N.D.	93.7% 94.8%

ChromaLab, Inc.

  
David Duong  
Senior Chemist  
Eric Tam  
Lab Director

**CHROMALAB, INC.**

5 DAYS TURNAROUND

Analytical Laboratory (E894)

August 23, 1991

ChromaLab File # 0891199 J

Client: Applied Analytical

Attn: Laura Kuck

Date Sampled: Aug. 19, 1991

Date Submitted: Aug. 22, 1991

Date of Analysis: Aug. 23, 1991

Project Number: 3-10058

Project Name: CCB Bankcrop / Lew Doty

Sample I.D.: 819.5

Method of Analysis: EPA 8010

Detection Limit: 5.0 µg/kg

COMPOUND NAME	µg/kg	Spike Recovery
CHLOROMETHANE	N.D.	---
VINYL CHLORIDE	N.D.	---
BROMOMETHANE	N.D.	---
CHLOROETHANE	N.D.	---
TRICHLOROFLUOROMETHANE	N.D.	93.4% 92.0%
1,1-DICHLOROETHENE	N.D.	---
METHYLENE CHLORIDE	N.D.	---
1,2-DICHLOROETHENE (TOTAL)	N.D.	---
1,1-DICHLOROETHANE	N.D.	---
CHLOROFORM	N.D.	96.4% 93.1%
1,1,1-TRICHLOROETHANE	N.D.	---
CARBON TETRACHLORIDE	N.O.	---
1,2-DICHLOROETHANE	N.D.	---
TRICHLOROETHENE	N.D.	---
1,2-DICLOROPROPANE	N.D.	---
BROMODICHLOROMETHANE	N.D.	---
2-CHLOROETHYL VINYLETHER	N.D.	---
TRANS-1,3-DICHLOROPROPENE	N.D.	---
CIS-1,3-DICHLOROPROPENE	N.D.	---
1,1,2-TRICHLOROETHANE	N.D.	90.1% 88.4%
TETRACHLOROETHENE	N.D.	---
DIBROMOCHLOROMETHANE	N.D.	---
CHLOROBENZENE	N.D.	---
BROMOFORM	N.D.	---
1,1,2,2-TETRACHLOROETHANE	N.D.	---
1,3-DICHLOROBENZENE	N.D.	---
1,4-DICHLOROBENZENE	N.D.	---
1,2-DICHLOROBENZENE	N.D.	93.7% 94.8%

ChromaLab, Inc.



David Duong  
Senior Chemist



Eric Tam  
Lab Director

**CHROMALAB, INC.**

5 DAYS TURNAROUND

Analytical Laboratory (E694)

August 23, 1991

ChromaLab File # 0891181 B

Client: Applied Analytical

Attn: Laura Kuck

Date Sampled: Aug. 19, 1991

Date Submitted: Aug. 20, 1991

Date of Analysis: Aug. 23, 1991

Project Number: 3-10058


Project Name: CCB Bankcorp / Lew Doty

Sample I.D.: 819.10,11,12,13,14 composite

Method of Analysis: EPA 8010 Detection Limit: 5.0 µg/kg

COMPOUND NAME	µg/kg	Spike Recovery
CHLOROMETHANE	N.D.	---
VINYL CHLORIDE	N.D.	---
BROMOMETHANE	N.D.	---
CHLOROETHANE	N.D.	---
TRICHLOROFLUOROMETHANE	N.D.	91.7% 95.4%
1,1-DICHLOROETHENE	N.D.	---
METHYLENE CHLORIDE	N.D.	---
1,2-DICHLOROETHENE (TOTAL)	N.D.	---
1,1-DICHLOROETHANE	N.D.	---
CHLOROFORM	N.D.	93.6% 94.8%
1,1,1-TRICHLOROETHANE	N.D.	---
CARBON TETRACHLORIDE	N.D.	---
1,2-DICHLOROETHANE	N.D.	---
TRICHLOROETHENE	N.D.	---
1,2-DICHLOROPROPANE	N.D.	---
BROMODICHLOROMETHANE	N.D.	---
2-CHLOROETHYL VINYL ETHER	N.D.	---
TRANS-1,3-DICHLOROPROPENE	N.D.	---
CIS-1,3-DICHLOROPROPENE	N.D.	---
1,1,2-TRICHLOROETHANE	N.D.	87.9% 91.7%
TETRACHLOROETHENE	N.D.	---
DIBROMOCHLOROMETHANE	N.D.	---
CHLOROBENZENE	N.D.	---
BROMOFORM	N.D.	---
1,1,2,2-TETRACHLOROETHANE	N.D.	---
1,3-DICHLOROBENZENE	N.D.	---
1,4-DICHLOROBENZENE	N.D.	---
1,2-DICHLOROBENZENE	N.D.	90.5% 94.1%

ChromaLab, Inc.



David Duong  
Senior Chemist




Eric Tam  
Lab Director

---

**ATTACHMENT 6**

---



NOT TO SCALE



**SAMPLING LOCATION 8/22/91**

LEW DOTY CADILLAC  
6301 SCARLETT COURT  
DUBLIN, CALIFORNIA

REVIEWED BY:	APPROVED BY:
<i>JDS</i>	
JOB #: 3-10058	DRAWN BY: J.D.S.
DATE: 9/4/91	DRAWING #: ATTACH 6

## CHAIN OF CUSTODY RECORD

1191881

PROJECT NO.	PROJECT NAME	TEST REQUESTED					P.O. #		
3-1608-13	CCB - Low Body	TPHd	TPHg	STEX	TG	CL	APPLIED ANALYTICAL		
SAMPLERS (Signature)	x 3 my J. A.						LAB		
NO.	DATE	TIME	SAMPLE DESCRIPTION				TURN AROUND TIME		
822.1	8/22		Soil trench X by fence			X	1 day		
						REMARKS			
RELINQUISHED BY:			DATE: TIME:	RECEIVED BY:	RELINQUISHED BY:			DATE: TIME:	RECEIVED BY:
<i>3 my</i>			<i>8/22</i>	<i>K. Johnson</i>	<i>3 my</i>			<i>8/22/91 11:50</i>	<i>John W. Now</i>
RELINQUISHED BY:			DATE: TIME:	RECEIVED BY:	RELINQUISHED BY:			DATE: TIME:	RECEIVED BY:
REMARKS:									
REPORT TO: <i>Gravette</i>									



41674 Christy Street  
Fremont, C.A. 94538-3114

(415) 659-0404  
Fax (415) 651-4677  
Contr. Lic. No. 550205

# APPLIED ANALYTICAL

## *Environmental Laboratories*

42501 Albrae St., Suite 100  
Fremont, CA 94538  
Bus: (415) 623-0775  
Fax: (415) 651-8647

### ANALYSIS REPORT

1020lab.frm

Attention:	Mr. Joe Brosnan Exceltech 41674 Christy St. Fremont, CA 94536	Date Sampled: 08-22-91 Date Received: 08-22-91 BTEX Analyzed: 08-22-91 TPHg Analyzed: 08-22-91 TPHd Analyzed: 08-21-91 Matrix: Soil
Project:	19513-L, Project #3-10058-13 CCB Bankcorp/Lew Doty	

	Benzene ppm	Toluene ppm	Ethyl- benzene ppm	Total Xylenes ppm	TPHg ppm	TPHd ppm
Detection Limit:	0.005	0.005	0.005	0.005	1.0	10

#### SAMPLE

##### Laboratory Identification

822.1	ND	ND	ND	ND	ND	ND
S1108415						

ppm = parts per million = mg/kg = milligrams per kilogram.

ND = Not detected. Compound(s) may be present at concentrations below the detection limit.


NR = Analysis not requested.

#### ANALYTICAL PROCEDURES

BTEX—Benzene, toluene, ethylbenzene, and total xylene isomers (BTEX) are measured by extraction using EPA Method 5030 followed by analysis using EPA Method 8020/602, which utilizes a gas chromatograph (GC) equipped with a photoionization detector (PID) and a flame-ionization detector (FID) in series.

TPHg—Total petroleum hydrocarbons as gasoline (low-to-medium boiling points) are measured by extraction using EPA Method 5030, followed by analysis using modified EPA Method 8015, which utilizes a GC equipped with an FID.

TPHd—Total petroleum hydrocarbons as diesel (high boiling points) are measured by extraction using EPA Method 3550 for soils and EPA Method 3510 for water, followed by modified EPA Method 8015 with direct sample injection into a GC equipped with an FID.

  
\_\_\_\_\_  
Laboratory Representative

August 23, 1991  
Date Reported

**APPLIED ANALYTICAL**  
*Environmental Laboratories*

42501 Albrae St., Suite 100  
Fremont, CA 94538  
Bus: (415) 623-0775  
Fax: (415) 651-8647

**ANALYSIS REPORT**

1020lab.frm

Attention: Mr. Joe Brosnan                      Date Sampled: 08-22-91  
Exceltech    Date Received: 08-22-91  
41674 Christy St.                                TOG Analyzed: 08-22-91  
Fremont, CA 94538                                Matrix: Soil  
Project: AGS 19513-L, Proj. #310058-13        Detection Limit: 50 mg/kg  
CCB Bankcorp/Lew Doty

**TOG  
(mg/kg)**

---

**SAMPLE**  
Laboratory Identification

822.1    ND  
S1108415

---

mg/kg = milligrams per kilogram = ppm = parts per million  
ND = Not detected. Compound(s) may be present at concentrations below the detection limit.

**ANALYTICAL PROCEDURES**

TPH as Oil and Grease – Total Oil and Grease (TOG) of mineral or petroleum origin are measured by extraction and gravimetric analysis according to Standard Method 5520 E/F.

---

  
Laboratory Representative

August 23, 1991  
Date Reported

**CHROMALAB, INC.**

5 DAYS TURNAROUND

Analytical Laboratory (E694)

August 23, 1991

ChromaLab File # 0891216

Client: Applied Analytical

Attn: Laura Kuck

Date Sampled: Aug. 22, 1991

Date Submitted: Aug. 22, 1991

Date of Analysis: Aug. 23, 1991

Project Number: 3-10058-13

Project Name: CCB Bankcorp / Lew Doty


Sample I.D.: 822.1


Method of Analysis: EPA 8010

Detection Limit: 5.0 µg/kg

COMPOUND NAME	µg/kg	Spike Recovery
CHLOROMETHANE	N.D.	---
VINYL CHLORIDE	N.D.	---
BROMOMETHANE	N.D.	---
CHLOROETHANE	N.D.	---
TRICHLOROFLUOROMETHANE	N.D.	91.7% 95.4%
1,1-DICHLOROETHENE	N.D.	---
METHYLENE CHLORIDE	N.D.	---
1,2-DICHLOROETHENE (TOTAL)	N.D.	---
1,1-DICHLOROETHANE	N.D.	---
CHLOROFORM	N.D.	93.6% 94.8%
1,1,1-TRICHLOROETHANE	N.D.	---
CARBON TETRACHLORIDE	N.D.	---
1,2-DICHLOROETHANE	N.D.	---
TRICHLOROETHENE	N.D.	---
1,2-DICHLOROPROPANE	N.D.	---
BROMODICHLOROMETHANE	N.D.	---
2-CHLOROETHYL VINYL ETHER	N.D.	---
TRANS-1,3-DICHLOROPROPENE	N.D.	---
CIS-1,3-DICHLOROPROPENE	N.D.	---
1,1,2-TRICHLOROETHANE	N.D.	87.9% 91.7%
TETRACHLOROETHENE	N.D.	---
DIBROMOCHLOROMETHANE	N.D.	---
CHLOROBENZENE	N.D.	---
BROMOFORM	N.D.	---
1,1,2,2-TETRACHLOROETHANE	N.D.	---
1,3-DICHLOROBENZENE	N.D.	---
1,4-DICHLOROBENZENE	N.D.	---
1,2-DICHLOROBENZENE	N.D.	90.5% 94.1%

ChromaLab, Inc.



  
David Duong  
Senior Chemist


  
Eric Tam  
Lab Director

---

**ATTACHMENT 7**

---



LEGEND

○ EXISTING MONITORING WELL GROUNDWATER ● 10'+

[empty rectangle] DRAIN TRENCH

[diagonal hatching] SAMPLE

828.1 2 SAMPLES COMPOSITED, 3' OUT & 7' DEEP  
(RE-TEST OF TEST 819.3)

NOT TO SCALE

N



SAMPLING LOCATION 8/28/91

LEW DOTY CADILLAC  
6301 SCARLETT COURT  
DUBLIN, CALIFORNIA

REVIEWED BY:	APPROVED BY:
JOB #: 3-10058	DRAWN BY: J.D.S.
DATE: 9/4/91	DRAWING #: ATTACH 7

## CHAIN OF CUSTODY RECORD

091910

PROJECT NO.	PROJECT NAME	TEST REQUESTED					P.O. #	
3-10058-13	CCB - Law Party	TPH	TPHd	BTEK	TG	CL/HC		
SAMPLERS (Signature)	<i>Bevin Clark</i>						LAB <i>Applied Analytical</i>	
NO.	DATE	TIME	SAMPLE DESCRIPTION				TURNAROUND TIME <i>24 hours</i>	
828.1	8/28	0800	Soil @ 7' - West of 819.3	X	X	X	REMARKS <i>4 composite</i>	
828.1	"	0800						
RELINQUISHED BY:	DATE:	TIME:	RECEIVED BY:	RELINQUISHED BY:	DATE:	TIME:	RECEIVED BY:	
<i>Bevin Clark</i>	8/28	0945	<i>Johnson</i>	<i>Brown</i>	09/01	0945	<i>Hillary Evans</i>	
RELINQUISHED BY:	DATE:	TIME:	RECEIVED BY:	RELINQUISHED BY:	DATE:	TIME:	RECEIVED BY:	
REMARKS:								
REPORT TO:	<i>Beckman ASAP</i>							

FORM DATED 3-27-90



41674 Christy Street  
Fremont, C.A. 94538-3114

(415) 659-0404  
Fax (415) 651-4677  
Contr. Lic. No. 550205

# APPLIED ANALYTICAL

## Environmental Laboratories

42501 Albrae St., Suite 100

Fremont, CA 94538

Bus: (415) 623-0775

Fax: (415) 651-8647

## ANALYSIS REPORT

1020lab.frm

Attention:	Mr. Joe Brosnan Exceltech 41674 Christy St. Fremont, CA 94536	Date Sampled:	08-28-91
Project:	19513-L, Project #3-10058-13 CCB Bankcorp/Lew Doty	Date Received:	08-28-91
		BTEX Analyzed:	08-28-91
		TPHg Analyzed:	08-28-91
		TPHd Analyzed:	08-28-91
		Matrix:	Soil

	Benzene ppm	Toluene ppm	Ethyl- benzene ppm	Total Xylenes ppm	TPHg ppm	TPHd ppm
Detection Limit:	0.005	0.005	0.005	0.005	1.0	10

### SAMPLE

#### Laboratory Identification

828.1  
S1108467

ND ND ND ND ND ND ND

ppm = parts per million = mg/kg = milligrams per kilogram.

ND = Not detected. Compound(s) may be present at concentrations below the detection limit.


NR = Analysis not requested.

#### ANALYTICAL PROCEDURES

BTEX—Benzene, toluene, ethylbenzene, and total xylene isomers (BTEX) are measured by extraction using EPA Method 5030 followed by analysis using EPA Method 8020/602, which utilizes a gas chromatograph (GC) equipped with a photoionization detector (PID) and a flame-ionization detector (FID) in series.

TPHg—Total petroleum hydrocarbons as gasoline (low-to-medium boiling points) are measured by extraction using EPA Method 5030, followed by analysis using modified EPA Method 8015, which utilizes a GC equipped with an FID.

TPHd—Total petroleum hydrocarbons as diesel (high boiling points) are measured by extraction using EPA Method 1550 for soils and EPA Method 3510 for water, followed by modified EPA Method 8015 with direct sample injection into a GC equipped with an FID.

  
Laboratory Representative

August 30, 1991

Date Reported

**APPLIED ANALYTICAL**  
*Environmental Laboratories*

42501 Albrae St., Suite 100  
Fremont, CA 94536  
Bus: (415) 623-0776  
Fax: (415) 651-8647

**ANALYSIS REPORT**

1020lab.frm

Attention: Mr. Joe Brosnan                      Date Sampled: 08-28-91  
Exceltech    Date Received: 08-28-91  
41674 Christy St.                                TOG Analyzed: 08-28-91  
Fremont, CA 94538                                Matrix: Soil  
Project: AGS 19513-L, Proj. #3-10058-13      Detection Limit: 50 mg/kg  
CCB Bankcorp

**TOG  
(mg/kg)**

---

**SAMPLE**

Laboratory Identification

828.1(Comp)  
S1108467

ND

---

mg/kg = milligrams per kilogram = ppm = parts per million  
ND = Not detected. Compound(s) may be present at concentrations below the detection limit.

**ANALYTICAL PROCEDURES**

TPH as Oil and Grease - Total Oil and Grease (TOG) of mineral or petroleum origin are measured by extraction and gravimetric analysis according to Standard Method 5520 E/F.

ZKirk  
Laboratory Representative

August 30, 1991  
Date Reported

APPLIED ANALYTICAL LABORATORY IS CERTIFIED BY THE STATE OF CALIFORNIA  
DEPARTMENT OF HEALTH SERVICES AS A HAZARDOUS WASTE TESTING LABORATORY  
(Certification No. 1211)

**CHROMALAB, INC.**

6 DAYS TURNAROUND

Analytical Laboratory (EPA)

August 29, 1991

ChromaLab File # 0891257


Client: Applied Analytical  
 Date Sampled: Aug. 28, 1991  
 Date of Analysis: Aug. 29, 1991

Attn: Laura Kuck  
 Date Submitted: Aug. 28, 1991


Project Number: 3-10088-13  
 Project Name: COB Bankcorp - Lew Doty  
 Sample I.D.: 82B.1 composite  
 Method of Analysis: EPA 6010      Detection Limit: 5.0 µg/kg

COMPOUND NAME	µg/kg	Spike Recovery
CHLOROMETHANE	N.D.	---
VINYL CHLORIDE	N.D.	---
BROMOMETHANE	N.D.	---
CHLOROETHANE	N.D.	---
TRICHLOROFLUOROMETHANE	N.D.	92.3% 90.5%
1,1-DICHLOROETHENE	N.D.	---
METHYLENE CHLORIDE	N.D.	---
1,2-DICHLOROETHENE (TOTAL)	N.D.	---
1,1-DICHLOROETHANE	N.D.	---
CHLOROFORM	N.D.	95.2% 96.4%
1,1,1-TRICHLOROETHANE	N.D.	---
CARBON TETRACHLORIDE	N.D.	---
1,2-DICHLOROETHANE	N.D.	---
TRICHLOROETHENE	N.D.	---
1,2-DICHLOROPROPANE	N.D.	---
BROMODICHLOROMETHANE	N.D.	---
2-CHLOROETHYL VINYL ETHER	N.D.	---
TRANS-1,3-DICHLOROPROPENE	N.D.	---
CIS-1,3-DICHLOROPROPENE	N.D.	---
1,1,2-TRICHLOROETHANE	N.D.	93.4% 92.1%
TETRACHLOROETHENE	N.D.	---
DIBROMOCHLOROMETHANE	N.D.	---
CHLOROBENZENE	N.D.	---
Bromoform	N.D.	---
1,1,2,2-TETRACHLOROETHANE	N.D.	---
1,3-DICHLOROBENZENE	N.D.	---
1,4-DICHLOROBENZENE	N.D.	---
1,2-DICHLOROBENZENE	N.D.	88.1% 80.4%

ChromaLab, Inc.


  
David Duong

Senior Chemist



  
Eric Tam

Lab Director

---

**ATTACHMENT 7**

---



L E G E N D

○ EXISTING MONITORING WELL GROUNDWATER ● 10'+


[empty box] DRAIN TRENCH

[diagonal hatching box] SAMPLE

828.1 2 SAMPLES COMPOSITED, 3' OUT & 7' DEEP  
(RE-TEST OF TEST 819.3)

NOT TO SCALE

4  
N



SAMPLING LOCATION 8/28/91

LEW DOTY CADILLAC

6301 SCARLETT COURT

DUBLIN, CALIFORNIA

REVIEWED BY [Signature] APPROVED BY [Signature]

J.D.S.  
DRAWN BY J.D.S.  
JOB # 3-10058  
DATE 9/4/91  
DRAWING # ATTACH 7

## CHAIN OF CUSTODY RECORD

091910

PROJECT NO. PROJECT NAME 3-10058-13 CCB - Low Party				TEST REQUESTED				P.O. #	
SAMPLERS (Signature) Benni Crum				TPH <sup>o</sup>	TPHd	BTEX	TDG	CL HK	LAB Applied Analytical
									TURNAROUND TIME 24 hours
NO.	DATE	TIME	SAMPLE DESCRIPTION						REMARKS 3 composite
828.1	8/28	0800	Site 01 - Rest of						
828.1	"	0800	819.3						
RELINQUISHED BY: <i>Benni Crum</i>	DATE: TIME: 8/28 0945	RECEIVED BY: <i>K. Brown</i>	RELINQUISHED BY: <i>K. Brown</i>	DATE: TIME: 8/28 1041	RECEIVED BY: <i>Melvin Ennis</i>				
RELINQUISHED BY: 	DATE: TIME: 	RECEIVED BY: 	RELINQUISHED BY: 	DATE: TIME: 	RECEIVED BY: 				
REMARKS: 									
REPORT TO: <i>Brown ASAP</i>									

FORM DATED 3-27-90


 41674 Christy Street  
 Fremont, CA 94538-3114

 (415) 659-0404  
 Fax (415) 651-4677  
 Contr. Lic. No. 550205

# APPLIED ANALYTICAL

## Environmental Laboratories

42501 Albrae St., Suite 100  
Fremont, CA 94538  
Bus: (415) 623-0775  
Fax: (415) 651-8647

## ANALYSIS REPORT

1020Lab.frm

Attention: Mr. Joe Brosnan    Date Sampled: 08-28-91  
Exceltech    Date Received: 08-28-91  
41674 Christy St.    BTEX Analyzed: 08-28-91  
Fremont, CA 94536    TPHg Analyzed: 08-28-91  
Project: 19513-L, Project #3-10058-13                              TPHd Analyzed: 08-28-91  
CCB Bankcorp/Lew Doty    Matrix: Soil

	Benzene ppm	Toluene ppm	Ethyl- benzene ppm	Total Xylenes ppm	TPHg ppm	TPHd ppm
Detection Limit:	0.005	0.005	0.005	0.005	1.0	10

### SAMPLE

#### Laboratory Identification

828.1	ND	ND	ND	ND	ND	ND
S1108467						

ppm = parts per million = mg/kg = milligrams per kilogram.

ND = Not detected. Compound(s) may be present at concentrations below the detection limit.


NR = Analysis not requested.

#### ANALYTICAL PROCEDURES

BTEX—Benzene, toluene, ethylbenzene, and total xylene isomers (BTEX) are measured by extraction using EPA Method 5030 followed by analysis using EPA Method 8020/602, which utilizes a gas chromatograph (GC) equipped with a photoionization detector (PID) and a flame-ionization detector (FID) in series.

TPHg—Total petroleum hydrocarbons as gasoline (low-to-medium boiling points) are measured by extraction using EPA Method 5030, followed by analysis using modified EPA Method 8015, which utilizes a GC equipped with an FID.

TPHd—Total petroleum hydrocarbons as diesel (high boiling points) are measured by extraction using EPA Method 3550 for soils and EPA Method 3510 for water, followed by modified EPA Method 8015 with direct sample injection into a GC equipped with an FID.

  
Laboratory Representative

August 30, 1991

Date Reported

**APPLIED ANALYTICAL**  
*Environmental Laboratories*

42501 Albrae St., Suite 100  
Fremont, CA 94536  
Bus: (415) 623-0776  
Fax: (415) 651-8647

**ANALYSIS REPORT**

Attention: Mr. Joe Brosnan                      Date Sampled: 08-28-91  
Exceltech    Date Received: 08-28-91  
41674 Christy St.                                TOG Analyzed: 08-28-91  
Fremont, CA 94538                                Matrix: Soil  
Project: AGS 19513-L, Proj. #3-10058-13      Detection Limit: 50 mg/kg  
CCB Bankcorp

1020Lab.frm

**TOG  
(mg/kg)**

---

**SAMPLE**  
Laboratory Identification

828.1(Comp)                                      ND  
S1108467

---

mg/kg = milligrams per kilogram = ppm = parts per million  
ND = Not detected. Compound(s) may be present at concentrations below the detection limit.

**ANALYTICAL PROCEDURES**

TPH as Oil and Grease - Total Oil and Grease (TOG) of mineral or petroleum origin are measured by extraction and gravimetric analysis according to Standard Method 5520 E/F.

---

  
\_\_\_\_\_  
Z. Kurt  
Laboratory Representative

---

August 30, 1991  
Date Reported

APPLIED ANALYTICAL LABORATORY IS CERTIFIED BY THE STATE OF CALIFORNIA  
DEPARTMENT OF HEALTH SERVICES AS A HAZARDOUS WASTE TESTING LABORATORY  
(Certification No. 1211)

**CHROMALAB, INC.**

6 DAYS TURNAROUND

Analytical Laboratory (E604)

August 28, 1991

ChromaLab File # 0891257


Client: Applied Analytical  
 Date Sampled: Aug. 28, 1991  
 Date of Analysis: Aug. 28, 1991

Attn: Laura Kuek  
 Date Submitted: Aug. 28, 1991


Project Number: 3-10088-13  
 Project Name: CCG Bankcorp - Low Doty  
 Sample I.D.: 828.1 composite  
 Method of Analysis: EPA 8010      Detection Limit: 5.0 µg/kg

COMPOUND NAME	µg/kg	Spike Recovery
CHLOROMETHANE	N.D.	---
VINYL CHLORIDE	N.D.	---
BROMOMETHANE	N.D.	---
CHLOROETHANE	N.D.	---
TRICHLOROFLUOROMETHANE	N.D.	92.3% 90.5%
1,1-DIOCHLOROETHENE	N.D.	---
METHYLENE CHLORIDE	N.D.	---
1,2-DICHLOROETHENE (TOTAL)	N.D.	---
1,1-DIOCHLOROETHANE	N.D.	---
CHLOROFORM	N.D.	95.2% 96.4%
1,1,1-TRICHLOROETHANE	N.D.	---
CARBON TETRACHLORIDE	N.D.	---
1,2-DICHLOROETHANE	N.D.	---
TRICHLOROETHENE	N.D.	---
1,2-DICHLOROPROPANE	N.D.	---
BROMODICHLOROMETHANE	N.D.	---
2-CHLOROETHYL VINYL ETHER	N.D.	---
TRANS-1,3-DICHLOROPROPENE	N.D.	---
CIS-1,3-DICHLOROPROPENE	N.D.	---
1,1,2-TRICHLOROETHANE	N.D.	93.4% 92.1%
TETRACHLOROETHENE	N.D.	---
DIBROMOCHLOROMETHANE	N.D.	---
CHLOROBENZENE	N.D.	---
BROMOFORM	N.D.	---
1,1,2,2-TETRACHLOROETHANE	N.D.	---
1,3-DICHLOROBENZENE	N.D.	---
1,4-DICHLOROBENZENE	N.D.	---
1,2-DICHLOROBENZENE	N.D.	89.1% 90.4%

ChromaLab, Inc.



DANG DUONG  
Senior Chemist




ERIC TAM  
Lab Director

---

**ATTACHMENT 8**

---



LEGEND

○ EXISTING MONITORING WELL GROUNDWATER ● 10'+



NOT TO SCALE



**SANITARY SEWER BRANCH LINES**


LEW DOTY CADILLAC  
6301 SCARLETT COURT  
DUBLIN, CALIFORNIA

REVIEWED BY	APPROVED BY
JOB #: 3-10058	DRAWN BY: J.D.S.
DATE: 9/4/91	DRAWING #: ATTACH 8

---

**ATTACHMENT 9**

---



L E G E N D

- EXISTING MONITORING WELL GROUNDWATER ● 10'+
- RECOMMENDED NEW WELL

N

NOT TO SCALE



RECOMMENDED WELL LOCATION

LEW DOTY CADILLAC  
6301 SCARLETT COURT  
DUBLIN, CALIFORNIA

REVIEWED BY:	APPROVED BY:
<i>JDS</i>	
JOB #: 3-10058	DRAWN BY: J.D.S.
DATE: 9/4/91	DRAWING #: ATTACH 9