

DIETZ ENGINEERING AND CONSTRUCTION, INC.

SERVING AGRICULTURE AND INDUSTRY

CA Lic. #638281

Groundwater Quality Monitoring Report **September 2010**

Oak Walk Site
Emeryville, California

RECEIVED

2:10 pm, Nov 12, 2010

Alameda County
Environmental Health



for

Bay Rock Oaks, LLC

November 2010

Project No.: 0707.1001

**BAY ROCK OAKS, LLC
1122-40th Street, Suite 211
Emeryville, CA 94608**

Alameda County Environmental Health Care Services
Local Oversight Program
1131 Harbor Way Parkway, Suite 250
Alameda, California 94502-6577

Date: November 11, 2010

Your Reference: RO2733

Attn. Mr. Mark Detterman

**SUBJECT: Groundwater Quality Monitoring Report - September 2010 - Oak Walk Site,
Emeryville California**


Dear Mr. Detterman:

A copy of the: *Groundwater Quality Monitoring Report - September 2010 - Oak Walk Site, Emeryville California*, prepared by our consultants, Dietz Engineering and Construction, Inc. (**DEC**), is herewith submitted electronically to the Alameda County Environmental Health Care Services (ACEH) website.

With respect to the report I state the following: *I declare, under penalty of perjury, that the information and recommendations contained in the attached report are true and correct to the best of my knowledge.*

If you have any technical questions about the report please call Dr. Watkins at (510) 336-9118. For administrative questions please call me at (510) 873-8880 Ext. 2#.

Sincerely,
BAYROCK OAKS, LLC


Stuart Gruendl
Managing Member

cc: Dr. Dai Watkins, Dietz Engineering and Construction, Inc..

Table of Contents

Professional Certification and Limitations.....	<i>iv</i>
1.0 INTRODUCTION	1
1.2 Site North	1
1.3 Topography	1
1.4 Site History.....	1
1.5 Sources of Contamination Affecting the Oak Walk Site.....	2
1.5.1 The Former Dunne and Boysen Paint Sites	3
1.5.2 The Former Celis Alliance Automobile Service Station.....	3
1.5.3 The Former San Francisco French Bread Site	4
1.5.4 Oak Walk Site	5
1.6 Site Characterization Program	5
1.6.1 Geology.....	5
1.6.2 Hydrology	6
1.6.3 Hydrogeology	6
1.6.3.1 Hydrostratigraphic Sections.....	6
1.6.3.2 Net Permeable Facies.....	7
1.7 Remediation	9
1.7.1 Remedial Excavations.....	9
1.7.2 Extraction of Contaminated Groundwater	9
1.7.3 Re-engineering of Site-wide Soils	10
1.7.4 Installation of Elastomeric Membrane	10
2.0. SEPTEMBER 2010 GROUNDWATER-QUALITY MONITORING ROUND.....	12
2.1 Groundwater Elevations and Flow Direction.....	12
2.2 Purging of Groundwater-quality Monitoring Wells	13
2.2.1 Disposal of Purge Water	13
2.3 Recovery of Groundwater Samples from Monitoring Wells	13
2.4 Analyses of Groundwater Samples	14
3.0 CHEMICALS OF CONCERN IN SOIL AND GROUNDWATER	15
3.1 Concentrations of Analytes in Excess of the ESLs	15
3.2 Comingling of Fuel Hydrocarbons and Paint Solvents	16
3.3 Middle Distillate-range Petroleum Hydrocarbons in Groundwater	17
3.4 Gasoline-range Petroleum Hydrocarbons in Groundwater	17
3.4.1 Distribution of BTEX Compounds	18
3.4.2 Distribution of MTBE.....	18
3.5 Distribution of Polynuclear Aromatic Compounds and Other Analytes.....	18
4.0 REFERENCES	19

TABLES

- Table 1: Results of Organic Chemical Analyses of Soil Samples Recovered from the Oak Walk Site
Table 2: Heavy Metals in Native and Imported Soil, Oak Walk Site
Table 3: Results of Analyses of Soil Samples Recovered from Off-site Locations
Table 4: Depths to Groundwater
Table 5: Results of Analyses of Groundwater Samples Recovered from Trenches, Pits and Wells on the Oak Walk Site
Table 6: Results of Analyses of Groundwater Recovered from Off-site Locations
Table 7: Results of Analyses of Soil Samples Recovered from Floors of Remedial Excavations
Table 8: RWQCB Tier 1 Concentration Limits (ESLs) for Chemicals of Concern in Shallow Soil, Groundwater and Soil Gas at Sites Where Groundwater is Not a Source of Drinking Water
Table 9: RWQCB Tier 1 Concentration Limits (ESLs) for Chemicals of Concern in Deep Soil, Groundwater and Soil Gas at Sites Where Groundwater is Not a Source of Drinking Water

FIGURES

- Figure 1: Site Location
Figure 2: Site Plan
Figure 3: Unauthorized Release Sites in Neighborhood of Subject Property
Figure 4: Boring, Well and Exploratory Trench Locations
Figure 5: Hydrostratigraphic Section A-A'
Figure 6: Hydrostratigraphic Section B-B'
Figure 7: Hydrostratigraphic Section C-C'
Figure 8: Hydrostratigraphic Section D-D'
Figure 9: Hydrostratigraphic Section E-E'
Figure 10: Hydrostratigraphic Section F-F'
Figure 11: Hydrostratigraphic Section G-G'
Figure 12: Hydrostratigraphic Section H-H'
Figure 13: Net Permeable Facies
Figure 14: Soil Sampling Locations in Remedial Excavation No. 1
Figure 15: Soil Sampling Locations in Remedial Excavation No. 2
Figure 16: Groundwater Contours at the Oak Walk Site (09/21/10)
Figure 17: Areas of the Oak Walk Site Affected by Middle Distillate-range Hydrocarbons in Soil and Groundwater (September 2010)
Figure 18: Areas of the Oak Walk Site Affected by Gasoline-range Hydrocarbons in Soil and Groundwater (September 2010)
Figure 19: Isocons of Middle Distillate-range Hydrocarbons in Groundwater on the Oak Walk Site (September 2010)
Figure 20: Isocons of Gasoline-range Hydrocarbons in Groundwater on the Oak Walk Site (September 2010)
Figure 21: Isocons of Benzene in Groundwater on the Oak Walk Site (September 2010)
Figure 22: Areas of the Oak Walk Site Affected by MTBE in Groundwater (September 2010)

APPENDICES

Appendix A: Field Notes

Appendix B: Certificates of Analysis

PROFESSIONAL CERTIFICATION AND LIMITATIONS

This report was prepared under the direction of the engineer whose seal and signature appear below. The work was performed in accordance with generally accepted standards of engineering practice based on information available to us at the time of its preparation and within the limits of the scope of work directed by the client. No other representation, express or implied, and no warranty or guarantee is included or intended as to professional opinions, recommendations, or field or laboratory data provided.



D. J. Watkins 11/11/10

D. J. Watkins, Ph.D., P.E.
Civil Engineer
Dietz Engineering and Construction, Inc.

DEC

1.0 INTRODUCTION

This groundwater-quality monitoring report was prepared by Dietz Engineering and Construction, Inc. (**DEC**) for the Oak Walk Site in the city of Emeryville, California. The site location is shown on Figure 1. The site occupies a major part of the city block that is bounded by 41st Street, Adeline Street, 40th Street and San Pablo Avenue. It has a total area of some 75,294 sq. ft. (1.73 acres). Figure 2 is a site plan. Figure 3 shows the neighborhood setting of the Oak Walk Site.

The property is owned by Bay Rock Oaks, LLC (**Bay Rock Oaks**) of Emeryville California, a California Limited Liability Company. DEC prepared this report for Bay Rock Oaks.

Soil and groundwater beneath the property has been affected by the release of fuel hydrocarbons and industrial solvents, the sources of which were underground storage tanks formerly located at several off- and on-site locations.

1.2 Site North

As is shown on Figure 3, true north at the Oak Walk Site is slightly to the west of the center line of Adeline Street, which runs along the eastern side of the city block on which the Oak Walk property is located. However, to simplify discussion, in this report we have established a “Site North” that parallels the alignment of San Pablo Avenue, which runs along the western side of the property. Unless otherwise stated, all compass directions used in this text should be interpreted in the context of that directional construct.

1.3 Topography

The site has a mean elevation close to 45.5 ft. above the National Vertical Datum (**NVD**). At the scale of the property as a whole, it has a downward slope from east to west (*i.e.*, from Adeline Street to San Pablo Avenue). Along the subject property's southern frontage, 40th Street slopes down toward San Pablo Avenue at a gradient of 1.35%, while along the northern frontage on 41st Street the corresponding slope is only 0.78%.

The whole of the Oak Walk Site is surrounded by public streets except along its eastern boundary, beyond which are residential sites that front onto Adeline and 41st Streets (see Figure 3).

1.4 Site History

The whole of the property was cleared for redevelopment in 2004 and the new construction shown on Figure 2 was completed in January 2009. Prior to its redevelopment, the site had been occupied by residences, some of which had been present since the late 1800s, and commercial structures that had been developed in the early years of the 20th Century through the 1970s (The San Joaquin Company Inc. 2009b).

The Oak Walk Site now includes three new structures that are designated Buildings 1, 2, and 3 on Figure 2. Building 1 is located at the intersection of 40th Street and San Pablo Avenue. Its ground floor is occupied by two large retail spaces. Above that are one one-bedroom and one two-bedroom condominium residence. The commercial spaces on the ground floor of Building 1 have the addresses 4000 and 4010 San Pablo Avenue. The residences on the upper floor have the addresses 4002 and 4008 San Pablo Avenue.

Building 2, which has three stories, is located at the northwestern corner of the site at the intersection of 41st Street and San Pablo Avenue. The ground floor of that structure includes a retail space, two two-bedroom town homes and one three-bedroom town home. The upper floors of that building feature two one-bedroom condominiums and two two-bedroom condominiums. The commercial space on the ground floor of Building 2 has the address 4098 San Pablo Avenue. The residences on the ground floor have the addresses 1087, 1089 and 1091 41st Street. The four units on the upper floors of that building have the addresses 1093, 1095, 1097 and 1099 41st Street.

Building 3 is a four-story residential building, which is comprised of a total of 44 one-, two- and three-bedroom condominium and townhome units with a 61 car garage that occupies a portion of the ground floor. The garage is accessible from 40th Street. A restroom facility for AC Transit is located, as shown on Figure 2, on the ground floor of Building 3. It is accessed by a door opening onto 40th Street. The residential units in Building 3 have the address 1122 40th Street, Unit Nos.1 through 44.

The redeveloped site also includes five single-family residences at 1077 - 1085 41st Street. Those structures had previously been situated at other locations on the property but were moved to their present sites where they were restored to preserve their historic architecture.

As is also shown on Figure 2, an outdoor parking lot is accessed from both San Pablo Avenue and 40th Street and there is a small public playground accessed from 41st Street in the northeastern corner of the site.

1.5 Sources of Contamination Affecting the Oak Walk Site

The program of environmental site characterization conducted at the Oak Walk Site showed that soil and groundwater beneath the property is affected by both fuel hydrocarbons and paint thinners (solvents) (The San Joaquin Company Inc. 2005). Those materials were released into the subsurface at four separate locations. Three of the sources, two where paint solvents were released and one where fuel hydrocarbons were released, are located off the Oak Walk Site, while the fourth, at which a release of fuel hydrocarbons occurred, is today partially outside and partially inside the Oak Walk site boundary. Each of those sources is discussed below.

1.5.1 The Former Dunne and Boysen Paint Sites

These sites are in close proximity to each other and are situated to the east of the Oak Walk Site beyond the adjacent Ennis property and Adeline Street. Their locations are shown on Figure 3. Paint was manufactured and paint solvents were stored in underground tanks at both of these facilities. In the case of the former Boysen Paint Site (also referred to in the regulatory records as Oakland National Engraving (**ONE Oakland**)), contamination is also known to have been released from a sump on that property. Both are cited in regulatory records as sources of releases of regulated materials to the subsurface. With the currently available information it is not possible to be certain whether or not the solvents released at Boysen Paint commingled with solvents released at the Dunne Paint Site. However, both contribute to the plume of paint solvents found to be affecting the subsurface beneath the Oak Walk Site. For the purpose of this report, those two release sites will be treated as if they are a single source.

Petroleum hydrocarbons in the gasoline and middle-distillate ranges, including compounds in the diesel and mineral spirits range, which can be ascribed to releases of solvents at the Dunne Paint Site and at the Boysen Paint/ONE Oakland Site, have been detected over essentially the whole area of the Oak Walk Site. There is also clear evidence that those materials are present at high concentrations in soil and groundwater under the Ennis property, which, as shown on Figure 3, is adjacent to the Oak Walk Site and lies between it and the former paint manufacturing sites.

The Alameda County Department of Environmental Health (**ACEH**) has assigned the case number RO72/RO73 to the Dunne Paint Site and the case number RO79 to the Boysen Paint/ONE Oakland Site.

1.5.2 The Former Celis Alliance Automobile Service Station

The location of the former Celis service station, which is today beneath the 40th Street right-of-way and adjacent to the Oak Walk Site, is also shown on Figure 3. Large quantities of fuel hydrocarbons were released from underground storage tanks on that site. The releases contaminated soil and groundwater over a wide area that is, today, occupied by the 40th Street right-of-way, a portion of the Andante condominium housing site to the south, a significant portion of the Oak Walk Site to the north, beneath San Pablo Avenue and property to the west of that thoroughfare. After the City of Emeryville Redevelopment Agency acquired the Celis Site by eminent domain for the purpose of extending 40th Street west from Adeline Street, a portion of the area of the subsurface affected by the release at that site was remediated by removal of contaminated soil down to some 9 ft. below the ground surface (**BGS**) and by a limited program of groundwater pumping. Some limited areas beneath the 40th Street right-of way to the east of, and up the hydrogeologic gradient from, the tanks were also partially remediated by excavation and off-site disposal of contaminated soil.

The Celis Site is recorded in California regulatory databases with the identifiers shown below:

The California State Water Resources Control Board (**SWRCB**) has established the following Global ID for the Celis Site: T0600101794

The California Regional Water Quality Control Board - San Francisco Bay Region (**RWQCB**) has been assigned the following case number to the Celis Site: 01-1938

The ACEH Local Oversight Program (**LOP**), which is the lead agency for the site, has assigned the following case number to the Celis Site: RO453/RO567

Releases of fuel hydrocarbons and, to limited extent, motor oil from the Celis Site commingled beneath the Oak Walk Site with the paint solvents released at the Boysen and Dunne Paint Sites to the east.

1.5.3 The Former San Francisco French Bread Site

The San Francisco French Bread Company (**SFFBC**) formerly occupied a part of the Oak Walk Site that today fronts onto 40th Street. SFFBC installed two ten thousand-gallon underground storage tanks on their property, which had the address 4070 San Pablo Avenue. One tank stored diesel and the other stored gasoline for use in the bread company's fleet of distribution vehicles. The former locations of the tanks are shown on Figure 3.

When the 1995 extension of 40th Street between Adeline Street and San Pablo Avenue was constructed by the City of Emeryville, the southern half of the tank sites became part of the street right-of-way and the northern half remained within the current boundaries of the Oak Walk site. At that time, soil was remediated by excavation to a depth of 10 ft. over an approximately 20 ft. by 18 ft. rectangular area at a location coincident with the southern half of the former SFFBC tank pit. No further remediation of the portion of SFFBC tank site that is beneath 40th Street has occurred since then. However, as is recorded in this report, the northern portion of the former SFFBC Site was included in the remediation work conducted recently at the Oak Walk Site.

The SFFBC tank site is recorded in California databases with the identifications shown below.

The SWRCB has established the following Global ID for the SFFBC Site: T0600101186

The RWQCB has been assigned the following case number to the SFFBC Site: 01-1289

The ACEH, which is the lead agency for the site, has assigned the following case number to the SFFBC Site: RO171

1.5.4 Oak Walk Site

With the exception of the small area of the former SFFBC property that is included in the Oak Walk Site, there are no known sources of contamination on the subject property. However, in order to provide oversight of the site characterization and remediation of the Oak Walk Site, the ACEH assigned the following case number to the Oak Walk Site: RO2733. At the request of the ACEH, the SWRCB established the following Geotracker Global ID for the Oak Walk Site: T06019705080.

1.6 Site Characterization Program

The San Joaquin Company Inc. (**SJC**) completed an extensive, multi-phased environmental and geotechnical engineering site characterization program for the Oak Walk Redevelopment Site in 2005 (The San Joaquin Company Inc. 2005, 2004a,b,c). The scope of that investigation included excavation of eight exploratory trenches (Nos. 1-8), drilling of two cone penetrometer test holes and a total of 30 exploratory borings, in 21 of which groundwater-quality monitoring wells were constructed (the locations of the trenches, wells and borings are shown on Figure 4). During the subsequent site remediation, which is described in Section 1.7 below, three additional exploratory trenches (Nos. 9 through 11) were excavated, Monitoring Wells MWT-1 through MWT-10 and MW-6 were closed and eleven new wells, numbered MW-6A, MW-9 through 15 and MW-16A, -16B and -16C were installed at the locations shown on Figure 4 (The San Joaquin Company Inc. 2009b).

In addition to the trenches, wells and borings drilled by SJC, geotechnical and geochemical data was available from wells and borings installed for the former Dunne and Boysen Paint Sites, the San Francisco French Bread Site, the Celis Site and the Andante Site (see Figure 3 for locations).

The results of analyses of soil samples recovered from borings, wells and trenches are compiled in Tables 1, 2, and 3. Depths to groundwater are recorded in Table 4. The results of analyses of groundwater samples are compiled in Tables 5 and 6.

SJC's principal findings derived from the site characterization work are summarized below.

1.6.1 Geology

The subject property is situated on the eastern side of San Francisco Bay in the California Coast Ranges section of the Pacific Border physiographic province.

As is typical of sites in the neighborhood, the subject property is underlain by fill that varies in thickness from approximately 3 to 10 feet. Beneath the fill are strata of alluvial fan deposits of the Quaternary-age Temescal Formation that is comprised of inter-fingering lenses of clayey gravel, sandy silty clay and sand-clay-silt mixtures (Radbruch 1957). At the site, this formation is some 20 ft. to 30 ft. thick and lies unconformably

over earlier Quaternary continental and marine sands, clays and gravels of the Alameda Formation, the maximum thickness of which has not been fully explored in the region around the subject property, but is known to exceed 1,050 ft.

1.6.2 Hydrology

Temescal Creek flows in underground culverts along a generally east to west course approximately 0.5 miles to the north of the subject property and discharges into San Francisco Bay, the shore of which is today some 0.85 miles to the west of the site. Prior to circa 1880, after which it was filled to become the site of a housing tract, there was a 30-acre tidal flat that formed an embayment in the shoreline of the Bay at a distance of some 0.6 miles southwest of the Oak Walk Site.

Temescal Creek and the tidal flats of San Francisco Bay dominated the regional hydrology of the area prior to its urbanization in the late 19th Century. However, there were no known streams that existed during the historical period in the vicinity of the Oak Walk Site closer than Temescal Creek.

The majority of precipitation running off the roofs of the structures and the parking lot on the redeveloped Oak Walk property is directed into filtration beds. Water discharged from the filter beds and small areas of paving that drain into street gutters is directed into the City of Emeryville's storm water management system. That system drains to San Francisco Bay. Approximately 95% of precipitation falling on the site is either diverted into the filter beds or percolates into the subsurface.

1.6.3 Hydrogeology

The depth to the groundwater table in the area of the subject property reflects long term weather cycles as well as seasonal variations in local precipitation in the San Francisco Bay Area. Depending upon those factors, the piezometric level of the regional groundwater may be at elevations that vary between approximately 4 and 12 ft. BGS (The San Joaquin Company Inc. 2005).

The regional direction of groundwater flow in the area of the site is essentially from east to west but, locally, it is greatly influenced by zones and channels of permeable sands and gravels that are present in the subsurface. Areas where channels and zones of high-permeability soils are present extend from east to west across the length of the site. However, such permeable facies are relatively less pronounced along the southern boundary of the site at 40th Street. In close proximity to the northern boundary of the site along 41st Street, they are essentially absent.

1.6.3.1 Hydrostratigraphic Sections

Information from the logs of the trenches, borings and wells drilled on the site and on the surrounding streets was synthesized to develop hydrostratigraphic sections along the lines

A-A', B-B', C-C', D-D', E-E', F-F', G-G' and H-H' that are located as shown on Figure 4. The sections are shown on Figures 5 through 12.

The cross sections show the fill material that covers the site and the underlying alluvial sediments, which are divided into six classes: very low-permeability fill that was used to restore the remedial excavations; very low-permeability soil that was created by excavating and re-compacting soils in other areas of the site; and the following undisturbed natural soils: the very low-permeability clays and silty clays; the slightly more permeable sandy clay and clays with some silt, sand or gravel (*i.e.*, soils that are dominantly clayey, but which have small lenses and inclusions of coarser facies); permeable silts, clayey gravels and sands; and highly permeable gravels that are free of silty or clayey fractions. That presentation makes it possible to reduce the details of the stratigraphy to a tractable degree of complexity by distinguishing between the different soil types based on the properties that are of importance to the understanding of the distribution and transport of chemicals of concern (COCs) in the subsurface. However, it is not intended to represent the detailed geologic stratigraphy of the complex of interbedded and lenticular strata and paleo streambed deposits that are present in the alluvial fan on which the Oak Walk Site is located.

Also shown on the cross sections are the locations from which soil samples were recovered on, or close to, the section lines. The concentrations of TPHg, TPHd (which includes diesel, mineral spirits and components of other middle-distillate petroleum hydrocarbons) and the critical analyte, benzene, that were detected in those samples, which were recovered before the site was remediated, are noted adjacent to the sampling locations.

The hydrostratigraphic cross sections reveal that beneath some areas of the Oak Walk Site there are relatively high-permeability facies that include in-filled paleo streambed channels.

1.6.3.2 Net Permeable Facies

To assist with understanding of the distribution of high-permeability channels in the subsurface beneath the Oak Walk Site, the net permeable facies diagram shown on Figure 13 was constructed.

The isochores shown on the Figure are for the 5-20 ft. BGS interval, which is the interval between the typical depth to groundwater and the typical maximum depth to which the subsurface is affected by petroleum hydrocarbons. The permeable intervals summed to compute the net permeable facies were the sandy clays, clays with some silt, sand or gravel, and highly-permeable gravels.

Areas shown on Figure 13, where the net permeable facies in the subsurface exceed 50% in the selected interval are highlighted, provide a good visual image of the areal distribution of permeable zones and channels beneath the site through which contaminants of concern have preferentially migrated across the Oak Walk Site following

their release at the paint factory sites to the east of Adeline Street, at the Celis Site beneath 40th Street, and at the former SFFBC site.

The areas and channels of permeable soil detected beneath the Oak Walk Site are not confined to that property alone. They extend westward beneath San Pablo Avenue and eastward beneath the adjoining Ennis property and across Adeline Street under the Frank Dunne and Boysen Paint Sites at least as far as the California Linen Site (**California Linen**), which is located to the east of Linden Street in Oakland. The locations of channels and areas of high-permeable soil in the neighborhood are shown on Figure 3. That Figure was prepared by SJC at the request of the ACEH (Alameda County Health Care Services 2006) and was developed from available data from the Andante Site (The San Joaquin Company Inc. 2003), the Oak Walk Site (The San Joaquin Company Inc. 2009b, 2005, 2004a,b,c), the Frank Dunne Site, the Boysen Paint Site and the California Linen Site.

Figure 3 presents SJC's best estimates of the courses of the paleo streambed channels that pass through the area and the continuity of the high permeability sand and gravel deposits that are characteristic of those channels. The interpretations are based on a preponderance of the available stratigraphic, hydrogeologic and geochemical data. With the exception of the paleo streambed that crosses from the northern to western boundaries of the Andante property and those that were exposed during the remediation of Oak Walk Site, the location and continuity of the streambed deposits on the other properties and streets as shown on the drawing have not been observed in open excavations.

As is shown on Figure 3, there are two principal channels of high-permeability deposits that cross the Oak Walk Site. One passes from the Ennis property westward towards San Pablo Avenue through the northern portion of the subject property. In addition, there is a second narrow, but well-defined channel of paleo streambed deposits that extends from the southwest portion of the Ennis property across the Oak Walk Site in a northeast to southwest direction and continues beneath 40th Street to cross the boundary of the Andante Property to the south and continues through that site to pass beneath San Pablo Avenue. That paleo channel was originally discovered in 2003 when SJC was remediating the Andante Site (The San Joaquin Company Inc. 2003) and was confirmed to cross 40th Street when its sandy and gravelly deposits were again encountered in Exploratory Trenches 3 and 11 (see Figure 4 for locations) on the Oak Walk Site (The San Joaquin Company Inc. 2009b, 2004c).

The streambed deposits on the Andante Site were excavated from the channel and clay plugs were installed across the channel where it crossed the boundaries of that site at 40th Street and at San Pablo Avenue.

As part of the site characterization program conducted at the Oak Walk Site, SJC recovered samples of silty clay recovered from boring BG-2 (see Figure 4 for location) at a depth of 6.5 ft. and a second sample of similar material from a depth of 6 ft. in Monitoring Well MW-7. Constant-head permeability tests conducted on those samples found that the soils had hydraulic conductivities of 2.51×10^{-9} cm/sec and 2.95×10^{-8}

cm/sec, respectively (The San Joaquin Company Inc. 2005). Those test results confirmed the extremely low permeability of the silty clays beneath the site and supported the interpretation that migration of contaminants in groundwater is controlled by the silts, sands and gravels that were deposited on the site in the paleo streambed channels and other alluvial fan deposits laid down during the Recent geological era.

The hydrogeologic features described above are compatible with the published geology of the region, which is covered by an alluvial fan that, in the neighborhood of the Oak Walk Site, includes bands of stream and levee deposits (California Regional Water Quality Control Board - San Francisco Bay Region 1999).

1.7 Remediation

The Oak Walk Site was remediated in compliance with a Corrective Action Plan (The San Joaquin Company Inc. 2006a,b) that was approved by the ACEH (Alameda County Environmental Health Care Services 2006) and included the following elements.

1.7.1 Remedial Excavations

To remove soil heavily affected by benzene and other petroleum hydrocarbons and to limit the potential health risk due to the presence of such soils beneath residential structures, two remedial excavations were opened at the locations shown on Figure 4. As shown on Figure 14, Remedial Excavation No. 1 (**RE-1**) had dimensions of 60 ft. x 110 ft. x 7 ft. deep, while Remedial Excavation No. 2 (**RE-2**), shown on Figure 15, measured 75 ft. x 215 ft. x 6 ft. deep. A total of 3,096.13 tons of affected soil from the remedial excavations and auxiliary pits required for extraction of contaminated groundwater and planting of trees was removed from the site and disposed at permitted landfills.

Confirmation soil samples were recovered from the floors of the remedial excavations at the locations shown on Figures 14 and 15. Those samples were analyzed for TPHd, TPHms, TPHg and the BTEX compounds.

The remedial excavations were backfilled with clean low-permeability engineered fill compacted to a minimum relative density of 90%. The hydraulic conductivity of the fill was in the range 1.52×10^{-8} to 7.82×10^{-8} cm/sec. The highest hydraulic conductivity in that range is less than the hydraulic conductivity of 1.0×10^{-7} cm/sec that was used for the design of the corrective action measures (The San Joaquin Company Inc. 2009b).

1.7.2 Extraction of Contaminated Groundwater

A groundwater extraction pit, designated Groundwater Extraction Pit No. 1 (**GEP-1**), was opened at the location shown on Figure 4. A total of 21,000 gallons of contaminated groundwater was extracted from this area of the site where 54,000 µg/L of TPHd, 81,000 µg/L of TPHms, 8,200 µg/L of TPHg, 1.4 µg/L of benzene, 3.6 µg/L of toluene and 2.2 µg/L of xylenes had been present. (See results of analysis of Sample No GEP-1A in Table 5). However the mixtures of compounds present in the sample in the diesel and

gasoline range did not have the characteristics of fuel hydrocarbons, which is consistent with the interpretation developed from the site characterization program that groundwater in that area of the Oak Walk Site is primarily affected by mineral spirits and other industrial solvents released at the up-gradient Boysen Paint and Frank Dunne Sites. Following the extraction, as measured in sample GEP-1B, the concentrations of those contaminants in groundwater were reduced to 530 µg/L of TPHd, 810 µg/L of TPHms, 1,100 µg/L of TPHg, and no detectable traces of benzene, toluene or xylenes.

1.7.3 Re-engineering of Site-wide Soils

Due to the soft native soils on the Oak Walk Site, construction of foundations for buildings required improvement of the soil in the upper 3 ft. to 6 ft. BGS. To accomplish this, the geotechnical engineering plan (The San Joaquin Company Inc. 2004b) for the site called for soil beneath the whole of Building 3 (see Figure 2 for location) to be excavated to a minimum depth of 6 ft. After conditioning, this soil was returned to the excavation as engineered fill compacted to a relative density of 90%. The re-engineered soil beneath Building 1 has a depth of 7 ft., which was required by the environmental corrective action plan, which in this area exceeded the 6 ft. geotechnical engineering depth requirement. The depth of re-engineered soil beneath Building 2 and the single family residential structures fronting onto 41st Street is a minimum of 4 ft. Soil beneath the paved outdoor parking was re-engineered to a minimum depth of 3 ft.

The effect of the geotechnical engineering soil improvement work described above was to create a stratum of very low permeability soil beneath both the residential and commercial ground floor units in the new building complex that has hydraulic conductivity within the range 1.52×10^{-8} to 7.82×10^{-8} cm/sec. That range is less than the 5.65×10^{-7} cm/sec hydraulic conductivity that was used for the design of the corrective action measures (The San Joaquin Company Inc. 2009b).

1.7.4 Installation of Elastomeric Membrane

A Liquid Boot® elastomeric membrane was placed beneath the floor slabs of all first floor residential and commercial space in the buildings on the Oak Walk Site. Liquid Boot® has a hydraulic conductivity of less than 1.0×10^{-11} cm/sec (Tofani 2009) as measured by ASTM Standard Test D4491 (American Society for Testing and Materials 2004). It does not break down in the presence of petroleum hydrocarbons when subjected to the ASTM Standard D543-06 test (American Society for Testing and Materials International 2006) and it has been shown to gain less than 1% in weight when exposed to benzene vapor at a concentration of 136,000 µg/L. At that concentration, a 60 mil thickness of the material has a mean benzene diffusion coefficient of 2.1×10^{-13} m²/day (GeoKinetics, Inc. 2008, Tofani 2009).

The Liquid Boot® membrane was sprayed over a geotextile substrate laid over a 4-in. thick gravel base until it reached a minimum thickness of 60 mils. The membrane was also installed vertically along the interior sides of the buildings' strip footings and column bases, as well as around each utility pipe or other penetration passing through the

floor slabs. That technique ensures that there are no gaps anywhere in the completed membrane over the entire area of the occupied space. In addition to the areas beneath ground floor occupied space, a Liquid Boot® membrane was installed so as to fully seal the floor and walls of the elevator pits in Building 3 of the new development.

Following installation and curing, 105 mil thick Liquid Boot® Ultra Shield-1000 geotextile fabric was laid over the membrane to protect it during installation of the concrete floor slabs.

2.0. SEPTEMBER 2010 GROUNDWATER-QUALITY MONITORING ROUND

On September 21-24 2009, SJC conducted the first post-remediation round of groundwater-quality monitoring at the Oak Walk property. On September 21, 2009, URS, Inc. (**URS**), the City of Emeryville's consultants, conducted a parallel groundwater-quality monitoring round in wells URS MW-1 through URS MW-5 and LFMW-LF-4, which were installed as part of the site characterization program for the Celis' Site (see Figure 3 for locations) (The San Joaquin Company Inc. 2009a). A second round of post-remediation groundwater-quality monitoring was conducted on the site by DEC from March 12 through 14, 2010 and URS, on behalf of the City of Emeryville, also coordinated a sampling of the Celis Site wells in conjunction with that event. (Dietz Engineering and Construction, Inc. 2010) DEC conducted the third round of post-remediation groundwater-quality monitoring at the Oak Walk Site between September 21 and 23, 2010. The results of that round are reported herein. The City of Emeryville elected not to conduct groundwater-quality monitoring on the Celis Site at the time of the September 2010 Oak Walk monitoring round.

2.1 Groundwater Elevations and Flow Direction

On September 21, 2010, prior to recovery of samples, the depth to groundwater in each of the monitoring wells installed for the Oak Walk Site was measured using a conductivity probe. The depths to groundwater are recorded in Table 4, together with the water table elevations computed relative to the National Vertical Datum (**NAVD**) based on the previously-surveyed top of casing elevations of the wells.

The groundwater elevations presented in Table 4 were used to generate the groundwater contours shown on Figure 16. The depth to groundwater used to construct the contours were those measured in all of the extant monitoring wells, except for Monitoring Wells MW-16B and MW-16C which are screened over deeper intervals than the rest of the wells. Although the interpretation of the geometry of the groundwater contours shown on Figure 16 is in strict compliance with the depths to groundwater measured on September 21, 2010, the interpretation of the contour geometries between well locations reflect the known distributions of paleo streambed deposits in the subsurface and hydrostratigraphy of the site and the general geometry of groundwater contours that were derived from the round of groundwater sampling conducted on November 8, 2004, when data from temporary wells MWT-1 through MWT-14 were available (The San Joaquin Company, Inc. 2005).

Compared to conditions on March 12, 2009, by September 21, 2010, the water table at the Oak Walk site had fallen in the majority of the monitoring wells by amounts ranging upward to -3.62 ft. (in MW-4). The elevation of the groundwater in Monitoring Well MW-16A, which is screened from 5 ft. to 15 ft. BGS, on September 21, 2010 was 37.86 NAVD. This represents a recovery of 6.22 ft. from the elevation of 31.64 NAVD on March 12, 2010 and the groundwater elevation in the well was 0.62 ft. higher than it was on September 21, 2009. The reason for this excursion in the depth to groundwater in this well is not understood.

Due to the complex hydrostratigraphy of the subsurface, the direction and gradient of groundwater flow varies from location to location over the Oak Walk Site and surrounding area, but the general direction of groundwater flow in the near surface aquifer is to the southwest. The site-wide groundwater gradient on September 21, 2010 was a gradient of 0.01 ft./ft.

2.2 Purging of Groundwater-quality Monitoring Wells

A small-diameter, submersible pump was used to purge Monitoring Wells WCEW-1 through MW-16C of stagnant water. The pumped water was discharged into 5-gallon pails, each of which was, in turn, discharged into a 55-gallon drum. The water in the drum was periodically discharged into a 500-gallon holding tank stored in the garage area of Building 3.

In general, during the purging procedure, the temperature, pH and electrical conductivity of the stream of purge water were monitored by checking those parameters periodically using a multi-function electronic meter. Purging continued until all three parameters stabilized (*i.e.*, variations between measurements were less than 10%) or, as in the case of Monitoring Well MW-16C, the casing was completely emptied and the well was dry. However on September 22, 2010 after the work was initiated, the temperature measuring element of the detector probe failed and shortly thereafter the electrical conductivity element of the probe also failed, but the pH element of the probe continued to function (see Appendix A). To ensure that wells were adequately purged when the probe was partially dysfunctional, a minimum of 15 gallons of purge water was pumped from each well. On September 23, a replacement probe was obtained and all three parameters were recorded for the wells purged on that day. The array of parametric results for each well is recorded in DEC's field notes (see Appendix A).

2.2.1 Disposal of Purge Water

As noted above, purge water extracted from the monitoring wells was discharged periodically into a 500-gallon storage tank held on the property. A total of 145 gallons of water was held in storage. It will be held there until arrangements can be made to ship it off site for disposal.

2.3 Recovery of Groundwater Samples from Monitoring Wells

After purging, samples were recovered from all wells using disposable bailers. Water brought to the surface in the bailers was decanted via discharge spigot valves placed in the bottom of each bailer so as to completely fill clean glassware containing pre-dispensed hydrochloric acid preservative supplied by the laboratory. The sample vials were then tightly closed, labeled for identification, entered into chain-of-custody control and packed on chemical ice for transport to the sample refrigerator at DEC's Oakland office. They were later transported on ice to TestAmerica Laboratories, Inc. in Pleasanton, California (**TestAmerica**) for analysis.

2.4 Analyses of Groundwater Samples

Each groundwater sample recovered was analyzed at the laboratory for the following suite of analytes.

<u>Analyte</u>	<u>Method of Analysis</u>
Total Petroleum Hydrocarbons (quantified as diesel)	EPA Method 8015B with pre-treatment by EPA Method 3630.
Total Petroleum Hydrocarbons (quantified as mineral spirits)	EPA Method 8015B with pre-treatment by EPA Method 3630.
Total Petroleum Hydrocarbons (quantified as gasoline)	EPA Method 8260B
Benzene	EPA Method 8260B
Toluene	EPA Method 8260B
Ethylbenzene	EPA Method 8260B
Total Xylene Isomers	EPA Method 8260B
tertiary-Butyl alcohol	EPA Method 8260B
Methyl-tertiary butyl ether	EPA Method 8260B
Di-isopropyl ether	EPA Method 8260B
Ethyl tertiary-butyl ether	EPA Method 8260B
Tertiary-amyl methyl ether	EPA Method 8260B

TestAmerica's laboratory is certified by the California Department of Health Services (**DHS**) to perform the groundwater analyses listed above.

The results of the analyses of samples of groundwater from the Oak Walk Site are presented in Table 5, which includes the results of analyses of groundwater samples recovered from all previous sampling rounds. Copies of the laboratory's Certificates of Analysis generated from the September 2010 monitoring round are included in Appendix B of this report.

3.0 CHEMICALS OF CONCERN IN SOIL AND GROUNDWATER

The investigations of the geochemistry of the subsurface at the Oak Walk Site have shown that soil and groundwater over essentially the whole of the property is affected by petroleum hydrocarbons. As was discussed in Section 1.5 above, mineral spirits and paint thinners were released from the Frank Dunne and Boysen Paint sites located to the east of Adeline Street and diesel and gasoline were released at the Celis Site, located beneath what is now 40th Street. Over large areas of the site the solvents and fuels became intermingled. In addition, a limited area of the site on its southern frontage on 40th Street was affected by a release of gasoline from a tank installed by the SFFBC that was formerly located partially within and partially outside the Oak Walk property boundary. Those release sites are shown on Figure 3.

The concentrations of COCs in soil recovered from the subsurface at the Oak Walk Site are presented in Tables 1, 2 and 7 and the concentrations of COCs in groundwater are presented in Table 5. **Note:** As is described in Section 1.7, in some areas of the Site, soil was remediated by excavation and off-site disposal. In Table 1, COCs detected in samples from locations where soil was shipped off-site and replaced with clean, imported fill are shown in *italic font*. At locations where remediation involved excavation and re-compaction of native soil, the concentrations are shown in smaller font.

3.1. Concentrations of Analytes in Excess of the ESLs

To provide a standard process for determining whether COCs detected at a contaminated site will require additional evaluation, the RWQCB has established Environmental Screening Levels (**ESLs**) for many chemicals and for mixtures of chemicals such as gasoline and diesel (California Regional Water Quality Control Board San Francisco Bay Region 2008).

If the concentrations of COCs in soil or groundwater exceed the applicable ESLs it does not necessarily mean that active remediation of soil or groundwater is necessary or that additional corrective action measures beyond the scope of those already taken are required. It simply means that in the case of an un-remediated site, additional evaluation is required to determine whether or not remediation measures must be implemented. In the case of the Oak Walk property, at which the remediation program is complete, comparison of the COCs remaining in situ with the applicable ESLs simply identify soil and groundwater in which the COCs remain elevated but, due to the implementation of the corrective action program, no longer pose unacceptable risk.

The RWQCB has found that shallow groundwater in the region of the Oak Walk Site is not a source of drinking water (California Regional Water Quality Control Board - San Francisco Bay Region 1999). Given that finding and because there are both residential and commercial structures on the Oak Walk Site, the applicable ESLs are those developed for residential sites where the groundwater is not a current or potential source of drinking water. In the case of contaminants in soils, there are separate ESLs for shallow soils (*i.e.*, soil at depth less than 3 meters (9.84 ft. BGS) and for deep soils (*i.e.*,

at depths greater than 9.84 ft). The applicable ESLs for the COCs at the Oak Walk Site for soil and groundwater are compiled in Tables 8 (shallow soils) and 9 (deep soils).

The results of analyses of soil and groundwater that indicated the presence of contaminants of concern at concentrations in excess of the applicable ESLs are shown in **bold font** in Tables 1, 2, 3, 5, 6 and 7. (**Note:** Although they are located slightly deeper than 9.84 ft., DEC conservatively considered soil at depths up to 10 ft. to be "shallow" when preparing the Tables.)

3.2 Comingling of Fuel Hydrocarbons and Paint Solvents

Comingling of different petroleum products from the different sources that migrated across the Oak Walk Site complicate an interpretation of which areas of the site were affected by discharges from those different sources. However, it has been possible to reach an understanding of the distribution of petroleum compounds that fall within different ranges of carbon-chain length and to delineate areas affected by chemicals of particular concern, such as benzene. Figures 18 through 23 provide visual representations of those distributions. To construct those visualizations, DEC considered petroleum hydrocarbons that fall into the middle-distillate range separately from hydrocarbons that fall into the gasoline range.

The middle-distillate range hydrocarbons include diesel, mineral spirits and the heavier fraction of paint solvents. The gasoline range hydrocarbons include gasoline fuel, including its components that are of specific concern such as benzene, toluene, ethyl benzene and xylene isomers, as well as lighter fractions of paint solvents. However, paint solvents do not generate chromatographic patterns that are characteristic of fuel hydrocarbons. This makes it possible to distinguish samples of soil and groundwater affected by fuel hydrocarbons from those affected solely by paint solvents.

As part of the site characterization program for the Oak Walk Site, SJC made a study of site-specific hydrogeologic and chemical parameters that could be used to differentiate between areas of the property that had been affected solely by paint solvents as opposed to areas where a comingling of paint solvents and fuel hydrocarbons are present. That study showed that components of mineral spirits and other paint solvents, including the gasoline-range components of those products, emanating from the Frank Dunne and Boysen Paint Sites were present over essentially the whole area of the Oak Walk Site. However, study of chromatograms from analyses of the gasoline-range compounds in groundwater samples recovered from wells located in the approximate northern half of the site were not consistent with the fuel gasoline (The San Joaquin Company Inc. 2005).

However, groundwater samples recovered from wells located in a substantial portion of the southern half of the Site contained significant concentrations of the BTEX compounds. This indicates that the source of at least a portion of the gasoline-range hydrocarbons in that area were released from either the Celis or SFFBC fuel tanks. This finding was supported by the presence of MTBE in groundwater in that area. For example, the sample of groundwater recovered on March 14, 2010 from Monitoring Well

MW-2, which, as is shown on Figure 4, is located a few feet to the south of the 40th Street frontage of the Oak Walk Site, contained diesel, mineral spirits and gasoline at concentrations of 780 µg/L, 870 µg/L and 8,300 µg/L, respectively. That information alone does not permit a conclusion that the groundwater at Monitoring Well MW-2 contains fuel hydrocarbons. However, the fact that the sample recovered from that well contained benzene at a concentration of 1,500 µg/L together with toluene at 47 µg/L, ethylbenzene at 740 µg/L, total xylene isomers at 740 µg/L and MTBE at 74 µg/L is evidence that the fuel gasoline is present at that location and is comingled with the paint solvents that include mineral spirits.

Figure 18 shows the area of the Oak Walk Site where soil or groundwater is affected by middle distillate-range hydrocarbons regardless of whether the source of those compounds is from tanks containing fuel hydrocarbons or paint solvents.

Figure 19 shows the area of the Oak Walk Site where gasoline-range petroleum hydrocarbons affect the soil and groundwater. That area extends over almost the whole of the Site. This is reflective of the commingling of gasoline fuel released at the Celis and SFFBC Sites with the high concentrations of gasoline-range compounds in the paint solvents that migrated down the groundwater gradient from the Dunne and/or Boysen Paint Sites to the east of Adeline Street.

3.3 Middle Distillate-range Petroleum Hydrocarbons in Groundwater

Isocons of middle distillate range hydrocarbons on the Oak Walk Site are shown on Figure 20. A substantial portion of those COCs were released at the Frank Dunne and Boysen Paint Sites and carried onto the Oak Walk property from the east in two streams that correspond with the paleo streambeds shown on Figure 3. There they comingled with the diesel that leaked from the underground storage tanks formerly located on the Celis site which was situated beneath 40th Street where it joins the eastern side of San Pablo Avenue.

The highest concentrations detected in September 2010 were present in the sample recovered from Monitoring Well MW-16A that contained TPHms at 3,400 µg/L and TPHd at 1,800 µg/L. An area where groundwater was affected by middle distillate petroleum hydrocarbons at concentrations in excess of 1,000 µg/L is distributed over an elliptical area around Monitoring Well 16A, the long axis of which extends as far as Well MCEW-1

3.4 Gasoline-range Petroleum Hydrocarbons in Groundwater

Isocons of gasoline-range hydrocarbons on the Oak Walk Site are shown on Figure 21. As is the case for middle distillate hydrocarbons, a significant portion of those COCs were released in the form of solvent products at the Frank Dunne and Boysen Paint Sites and carried onto the Oak Walk property from the east where they comingled with gasoline fuel that leaked from the underground storage tanks formerly located on the Celis Site.

The highest concentration of gasoline-range hydrocarbons detected in the September 2010 monitoring round was 49,000 µg/L in groundwater in Monitoring Well MW-16A. High concentrations of those compounds were also present in Monitoring Well MW-2 at 8,000 µg/L.

3.4.1 Distribution of BTEX Compounds

No BTEX compounds in excess of their ESLs were detected in groundwater recovered from any of the wells on the Oak Walk Site during the September 2010 monitoring round except for the case of Monitoring Wells MW-2, MW-16A and MW-16B. However, the concentration of benzene in Monitoring Well MW-16A was at the unusually high level of 14,000 µg/L and it was also present at a concentration of 1,800 µg/L in both Monitoring Well MW-16B and Monitoring Well MW-2.

The isocons for benzene on the Oak Walk Site are shown on Figure 22. They have the form of a confined elliptical plume centered around Monitoring Well MW-16A.

3.4.2 Distribution of MTBE

The only fuel oxygenates detected in groundwater recovered from the Oak Walk Site during the September 2010 monitoring round were MTBE and TBA. None were present at a concentration in excess of the applicable ESL. TBA was present only at low concentrations in Monitoring Wells MW-16B and 16C. The area of the Oak Walk Site that is affected by MTBE in groundwater is shown on Figure 23. The boundaries of that area provide a good indication of the extent to which gasoline fuel leaking from the Celis tanks affected the site. (**Note:** The SFFBC tanks were removed from the underground prior to the 1992 mandated use of MTBE in gasoline fuel.)

3.5 Distribution of Polynuclear Aromatic Compounds and Other Analytes

Tables 1 and 5 also show that there are a few instances where the polynuclear aromatic compounds (PNAs), naphthalene and 2-methyl-naphthalene, were present in soil and groundwater beneath the Oak Walk Site. Those PNAs may be components of diesel fuel or of industrial solvents. At the Oak Walk Site, they were at their highest concentrations in groundwater in samples recovered on May 19, 2004 and from Monitoring Wells MW-2 and MWT-2 (see Figure 4 for locations), which suggests that they are principally associated with diesel released from the former Celis service station site. Some very low concentrations of PNAs were detected in some soil samples from more widely-dispersed locations, but the preponderance of those additional detections was also in areas that were affected by fuel hydrocarbons.

4.0 REFERENCES

Alameda County Environmental Health Care Services (2006), Letter: *TOXICS Case RO0002733, Oak Walk Redevelopment Site, Emeryville, CA 94608*. From Barney M. Chan, Hazardous Materials Specialist to Mr. Peter Schellinger, Bay Rock Residential and Mr. John Tibbits. Dated December 1, 2006.

American Society for Testing and Materials International (2006), *D543-06 Standard Practices for Evaluating the Resistance of Plastics to Chemical Reagents*. American Society for Testing and Materials, West Conshohocken, Pennsylvania. 2006.

American Society for Testing and Materials International (2004), *ASTM D4491 - 99a(2004)e1 Standard Test Methods for Water Permeability of Geotextiles by Permittivity*. American Society for Testing and Materials, West Conshohocken, Pennsylvania. 2004.

American Society for Testing and Materials (2002), *Standard Guide for Risk-Based Corrective Action Applied at Petroleum Release Sites*. American Society for Testing and Materials, West Conshohocken, Pennsylvania. 2002.

Aqua Science Engineers, Inc. (2005a), *Report of Additional Soil and Groundwater Assessment, ASE Job No. 3976, at Kozel Property, 1001 42nd Street, Oakland, California*. October 28, 2005.

Aqua Science Engineers, Inc. (2005b), *Report of Soil and Groundwater Assessment, ASE Job No. 3976, at Kozel Property, 1001 42nd Street, Oakland, California*. January 19, 2005.

Block Environmental Services (1999), *Evaluation of Site Contamination and Recent Groundwater Sampling, ONE, Dunne Paints, California Linen, Oakland/Emeryville, California*. Prepared for O.N.E. Color Communications. February 25, 1999.

California Regional Water Quality Control Board San Francisco Bay Region (2008), *Screening for Environmental Concerns at Sites with Contaminated Soil and Groundwater*. California Regional Water Quality Control Board San Francisco Bay Region INTERIM FINAL. November 2007 (Revised May 2008).

California Regional Water Quality Control Board - San Francisco Bay Region (1999), *East Bay Plane Groundwater Basin Beneficial Use Evaluation Report - Alameda and Contra Costa Counties, CA.*, California Regional Water Quality Control Board - San Francisco Bay Region Groundwater Committee. June 1999.

California State Water Resources Control Board (2009), *Resolution No. 2009-0042: Actions to Improve Administration of the Underground Storage Tank (UST) Cleanup Fund and UST Cleanup Program*. May 18, 2009.

Clayton Group Services (2007), *Workplan for Off-site Groundwater Investigation, Former Dunne Quality Paints, 1007 41st Street, Oakland, CA 94608*. Prepared for Green City Lofts and McGrath Properties. January 17, 2007.

Clayton Group Services (2005), *Green City Offsite Investigation*. Prepared for Green City Lofts. 2005.

Clayton Group Services (2004a), *Green City Offsite Investigation*. Prepared for Green City Lofts. 2004.

Clayton Group Services (2003), *Supplemental Investigation of the Former Dunne Paint Facility, 1007 41st Street in Oakland/Emeryville and 4050 Adeline Street in Emeryville, California*. Prepared for City of Emeryville. Dated June 10, 2003.

Clayton Group Services (2002), *Pre-development Investigation, Former Dunne Paints, 1007 41st Street in Oakland/Emeryville and 4050 Adeline Street in Emeryville, California*. Dated December 23, 2002.

Dietz Engineering and Construction, Inc. (2010), *Groundwater Quality Monitoring Report -March 2009, Oak Walk Site, Emeryville, California*. May 2010

Environmental Resource Management (2006), *Aegis, Limited Soil and Groundwater Investigation Report, Kozel Property, 1001 42nd Street, Oakland, California*. June 29, 2006.

GeoKinetics, Inc. (2008), *Common Questions and Answers Regarding the Use of Sub-Slab Membranes for VOC Mitigation*. Vapor Barrier Technology Memorandum. December 2008.

GeoKinetics, Inc. (2005), Letter Report: *Results of Benzene Diffusion Tests for Liquid Boot Membranes*. October 1, 2005.

Hageman-Aquiar, Inc. (1992), Report of Limited Soil Investigation, Frank W. Dunne Company, 1007 41st Street, Oakland, CA. June 22, 1992.

Lawrence Berkeley National Laboratory (1995), *Protocol for Determining Background Concentrations of Metals in Soil at Lawrence Berkeley National Laboratory (LBNL)*. Berkeley, California. August 1995.

Levine-Fricke (1994), *Further Soil and Groundwater Investigation, Fuel Station, 40th Street Right-of-Way, Emeryville, California*. Prepared for Catellus Development Corporation. Dated March 1994.

Levine-Fricke (1993), *Phase II Investigation Results, Proposed 40th Street Right-of-Way, Emeryville, California*. Prepared for Catellus Development Corporation. Dated September 8, 1993.

Radbruch, Dorothy H. (1957), *Areal and Engineering Geology of the Oakland West Quadrangle, California, Miscellaneous Geological Investigations Map I-239*, United States Geological Survey, Washington, D.C.

SEACOR Science and Engineering Analysis Corporation (1992), *Results of Monitoring Well Installation and Sampling, 4070 San Pablo Avenue, Emeryville, California*. September 30, 1992.

The San Joaquin Company Inc. (2009a), *Groundwater Quality Monitoring Report - September 2009, Oak Walk Site, Emeryville, California*. December 2009

The San Joaquin Company Inc. (2009b), *Remediation Report, Oak Walk Redevelopment Site, Emeryville, California*. August 2009

The San Joaquin Company Inc. (2009c), *Geotechnical Engineering Inspection Report, Oak Walk Redevelopment Site, Emeryville, California*. February 2009.

The San Joaquin Company Inc. (2006a), *Addendum to Corrective Action Plan Oak Walk Redevelopment Site Emeryville, California*. November 2006.

The San Joaquin Company Inc. (2006b), *Corrective Action Plan, Oak Walk Redevelopment Site, Emeryville, California*. (Vols. I and II.) July 2006.

The San Joaquin Company Inc. (2005), *Environmental Site Characterization, Oak Walk Redevelopment Site, Emeryville, California*. April 2005.

The San Joaquin Company Inc. (2004a) Letter: *Subject: Subsurface Contamination Found at Oak Walk Redevelopment Site, Emeryville, Adjacent to Former Celis Service Station at 400 San Pablo Avenue, Case No.:567 RWQCB Case RO453/RO56*, from D. J. Watkins, Ph.D., P.E. to Mr. Barney Chan Alameda Environmental Health Care Services, Local Oversight Program. Dated August 12, 2004.

The San Joaquin Company Inc. (2004b), *Geotechnical Engineering Report: Oak Walk Project Site, Emeryville, California*. Letter Report prepared for Bay Rock Residential LLC. August 2004.

The San Joaquin Company Inc. (2004c), *Results of Preliminary Subsurface Investigation: The Oak Walk Site, Emeryville, California*. Letter Report prepared for Bay Rock Residential LLC. April 2004.

The San Joaquin Company Inc. (2003), *Corrective Action Report, SNK Andante Project, 3992 San Pablo Avenue, Emeryville, California*. Prepared for SNK Captec Andante LLC. August 2003.

URS Corporation (2009), *First Quarter 2008 Groundwater Monitoring at Former Celis' Alliance Service Station, 4000 San Pablo Avenue, Emeryville, California*. Prepared for the City of Emeryville Redevelopment Agency. Dated July 22, 2009.

URS Corporation (2007a), *Fourth Quarter 2007 Groundwater Monitoring at Former Celis' Alliance Service Station, 4000 San Pablo Avenue, Emeryville, California*. Prepared for the City of Emeryville Redevelopment Agency. Dated December 26, 2007.

URS Corporation (2007b), *Monitoring Well Installation at Former Celis' Alliance Service Station, 4000 San Pablo Avenue Emeryville, California*. Prepared for the City of Emeryville Redevelopment Agency. Dated August 29, 2007.

URS Corporation (2006), *Additional Investigation at Former Celis' Alliance Service Station, 4000 San Pablo Avenue Emeryville, California*. Prepared for the City of Emeryville Redevelopment Agency. Dated May 31, 2006.

Woodward-Clyde International-Americas (1998), Letter: Subject - Request for Site Closure Former Celis Alliance Fuel Station at 4000 San Pablo Avenue, Emeryville California. Emeryville, California, Xinggang Tong, PE to Ms Susan Hugo, Division of Environmental Health Services, Department of Environmental Health, Alameda County Health Agency. Dated October 15, 1998.

Woodward-Clyde Consultants (1997), *Third Quarter 1997 Groundwater Monitoring Results, Former Celis Alliance Fueling Station, 4000 San Pablo Avenue, Emeryville, California*. Prepared for City of Emeryville Redevelopment Agency. Dated November 13, 1997.

Woodward-Clyde Consultants (1995), *Report on Soil Remediation at the Former Celis Alliance Fueling Station, 4000 San Pablo Avenue, Emeryville, California*. Prepared for City of Emeryville Redevelopment Agency. Dated January 6, 1995.

TABLE 1
DEC

TABLE 1

RESULTS OF ORGANIC CHEMICAL ANALYSES OF SOIL SAMPLES RECOVERED FROM THE OAK WALK SITE

Sample ID	Petroleum Hydrocarbons						Other Volatile Organic Compounds															PNAs			
	Date Sampled	Depth BGS ft.	Mineral Spirits mg/Kg	TPHd (Diesel) mg/Kg	TPHg (Gasoline) mg/Kg	Benzene mg/Kg	Toluene mg/Kg	Ethylbenzene mg/Kg	Total Xylenes mg/Kg	MTBE mg/Kg	Aacetone mg/Kg	2-Butanone mg/Kg	n-Butylnbenzene mg/Kg	sec-Butylnbenzene mg/Kg	tert-Butylnbenzene mg/Kg	Isopropylbenzene mg/Kg	p-Isopropylbenzene mg/Kg	p-Isopropyltoluene mg/Kg	n-Propylbenzene mg/Kg	1,2,4-Trimethylbenzene mg/Kg	1,3,5-Tri-methylbenzene mg/Kg	52 Other VOCs by 8260B GC/MS	Naphthalene mg/Kg	2-Methyl-naphthalene mg/Kg	15 Other PNAs by 8270C mg/Kg
Trenches																									
T1 - 7.0	12/03/03	7.0	na ²	70 ¹⁶	530 ⁵	ND	ND	8.3	4.7	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T1 - 8.5	12/03/03	8.5	na	90	1,400 ⁵	ND	ND	10	1.9	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T2 - 6.5	12/03/03	6.5	na	ND	3.8 ⁵	0.026	ND	0.024	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T2 - 8.5	12/03/03	8.5	na	1.5	300 ⁵	1.1	3.1	6.4	27	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T3 - 8.0	12/03/03	8.0	na	4.3	6.4	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	ND	na	na
T3 - 9.5	12/03/03	9.5	na	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T4 - 10.5	12/03/03	10.5	na	ND	ND	ND	ND	ND	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
T5 - 9.0	12/03/03	9	ND	70 ⁴	400	ND	2.6	6.1	36	ND	na	na	ND	0.6	ND	0.88	ND	ND	3.9	25	7.6	ND	4.1	1.8	ND
T6 - 8.5	12/02/03	8.5	na	70	3,000 ⁵	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T7 - 9.0	12/02/03	9.0	na	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T8 - 8.5	12/02/03	8.5	na	150	820 ⁵	ND	ND	ND	ND	na	na	0.51	0.81	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
T9-S10-D 5.0	10/04/07	5.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T9-S10-D 10.0	10/04/07	10.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T9-S10-D 14.25	10/04/07	14.3	100	67	19,000	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T9-S30-D 5.0	10/05/07	5.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T9-S30-D 10.0	10/05/07	10.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T9-S30-D 14.0	10/05/07	14.0	14	8.9	3,900	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T9-S50-D 5.0	10/05/07	5.0	ND	12	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T9-S50-D 10.0	10/05/07	10.0	99	75	530	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T9-S50-D 13.0	10/05/07	13.0	900	600	7,600	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T9-S50-D 15.0	10/05/07	15.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T10-OS-5.0	09/21/07	5.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T10-OS-10.0	09/21/07	10.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T10-OS-15.0	09/21/07	15.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T10-S21.5-17.0	09/21/07	17.0	300	210	560	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T10-S21.5-20.5	09/21/07	20.5	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T10-S50-D 5.0	09/24/07	5.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T10-S50-D 10.0	09/24/07	10.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T10-S50-D 15.0	09/24/07	15.0	48	30	350	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T10-S55-D 17.0	09/24/07	17.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T10-S75-D 5.0	09/24/07	5.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T10-S75-D 10.0	09/24/07	10.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T10-S75-D 15.0	09/24/07	15.0	580	360	2,100	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T10-S75-D 17.0	09/24/07	17.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T10-S100-D 5.0	09/26/07	5.0	ND	2.3	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T10-S100-D 10.0	09/26/07	10.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T10-S100-D 15.0	09/26/07	15.0	1,300	820	4,200	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T10-S125-D 5.0	09/26/07	5.0	ND	2.9	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
T10-S125-D 10.0	09/26/07	10.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Sample ID	Petroleum Hydrocarbons							Other Volatile Organic Compounds														PNAs				
	Date Sampled	Depth BGS ft.	Mineral Spirits mg/Kg	TPHd (Diesel) mg/Kg	TPHg (Gasoline) mg/Kg	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE	Aacetone	2-Butanone	n-Butylnbenzene	sec-Butylnbenzene	tert-Butylnbenzene	Isopropylbenzene	p-Isopropylbenzene	n-Propylbenzene	1,2,4-Tri-methylbenzene	1,3,5-Tri-methylbenzene	52 Other VOCs by 8260B GC/MS	Naphthalene mg/Kg	2-Methyl-naphthalene mg/Kg	15 Other PNAs by 8270C mg/Kg		
T10-S125-D 15.0	09/26/07	15.0	ND	ND	2.1	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
T10-S150-D 5.0	09/26/07	5.0	2.2	6.2	2.6	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
T10-S150-D 10.0	09/26/07	10.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
T10-S150-D 15.0	09/26/07	15.0	550	420	1,700	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
T10-S150-D 19.0	09/26/07	19.0	ND	ND	6.9	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
T11-5	08/08/07	5.0	ND	9.2	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
T11-10	08/08/07	10.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
T11-15	08/08/07	15.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
Borings and Wells																										
BE-1-5.0	04/02/04	5.0	62 ³	ND	540	ND	ND	5.1	1.6	ND	ND	ND	8.4	3.1	ND	2.7	ND	0.29	13	12	3.8	ND ⁶	18	3.2	ND ⁹	
BE-1-10.0	04/02/04	10.0	130 ³	ND	3,600	13	140	80	430	ND	ND	ND	3.7	ND	ND	1.4	ND	ND	6.2	32	12	ND	7.5	ND	ND	
BE-1-13.5	04/02/04	13.5	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
BE-1-15.0	04/02/04	15.0	ND	ND	7.9	0.096	0.029	0.12	0.6	0.011	ND	ND	0.014	ND	ND	ND	ND	ND	0.027	0.054	0.013	ND	0.12	ND	ND	
BE-1-20.0	04/02/04	20.0	ND	ND	2.5	0.027	0.011	0.016	0.033	ND	0.031	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BE-1-25.0	04/02/04	25.0	ND	ND	ND	ND	0.0053	ND	0.011	0.012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BE-2-5.0	04/02/04	5.0	27 ³	ND	340	1.3	ND	5.7	26	ND	ND	ND	9.1	2.4	ND	2.5	ND	ND	12	37	14	ND	18	1.4	ND	
BE-2-10.0	04/02/04	10.0	24 ³	ND	820	7.4	33	16	87	ND	ND	ND	3.3	ND	ND	1.3	ND	ND	5.7	29	10	ND	6.8	0.31	ND	
BE-2-15.0	04/02/04	15.0	ND	ND	2.5 ⁸	5.0	0.052	ND	0.027	ND	0.075	0.14	ND	0.046	0.019	ND	0.0097	ND	ND	0.046	ND	ND	ND	ND	ND	ND
BE-2-20.0	04/02/04	20.0	ND	ND	2.4 ⁷	ND	ND	ND	0.0086	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BE-2-25.0	04/02/04	25.0	ND	ND	ND	0.053	0.051	0.038	0.15	0.018	ND	ND	ND	ND	ND	ND	ND	ND	0.0069	ND	ND	ND	ND	ND	ND	
BE-3-5.0	04/02/04	5.0	ND	1.1 ⁸	ND	ND	ND	ND	ND	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BE-3-10.0	04/02/04	10.0	ND	ND	ND	ND	ND	ND	ND	0.025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BE-3-15.0	04/02/04	15.0	ND	1.3 ⁷	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BE-3-20.0	04/02/04	20.0	190	ND	1,600 ⁵	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BE-4-5.0	04/01/04	5.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BE-4-9.5	04/01/04	9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BE-4-14.5	04/01/04	14.5	ND	1.3 ⁸	2.8	0.006	ND	0.047	0.024	ND	0.04	ND	0.081	0.027	ND	0.017	0.0099	ND	0.081	0.12	0.005	ND	0.086	ND	ND	
BE-4-19.5	04/01/04	19.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BE-5-5.0	04/01/04	5.0	ND	4.5 ⁷	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BE-5-10.0	04/01/04	10.0	14	ND	340 ⁵	ND	ND	ND	ND	ND	ND	ND	0.092	0.046	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BE-5-14.5	04/01/04	14.5	ND	2.5 ⁷	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BE-5-19.5	04/01/04	19.5	ND	12 ⁷	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
BE-6-4.0	04/01/04	4.0	ND	22 ⁷	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BE-6-9.5	04/01/04	9.5	ND	1,200 ⁷	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0066	ND	ND	
BE-6-15.0	04/01/04	15.0	ND	11 ⁸	130 ⁵	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BE-6-20.0	04/01/04	20.0	ND	4.9 ⁸	2.6 ⁵	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
BG-1-5	04/06/04	5.0	ND	ND	1.3	ND	ND	ND	ND	0.046	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1	ND	
BG-1-10	04/06/04	10.0	35 ³	ND	870	ND	9.0	13	75	ND	ND	ND	2.6	ND	ND	1.1	ND	ND	4.4	23	8.1	ND	4.2	3.5	ND	
BG-1-15	04/06/04	15.0	ND	3.7 ⁸	270	1.1	0.99	4.9	24	ND	0.065	ND	0.028	ND	ND	ND	ND	ND	0.025	0.160	0.056	ND	0.055	ND	ND	
BG-1-20	04/06/04	20.0	ND	ND	ND	0.0062	ND	ND	ND	0.005	0.044	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BG-1-25	04/06/04	25.0	ND	ND	ND	ND	ND	ND	ND	0.0051	0.023	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
BG-1-30	04/06/04	30.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	
BG-1-35	04/06/04	35.0	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	

Sample ID	Petroleum Hydrocarbons						Other Volatile Organic Compounds														PNAs			
	Date Sampled	Depth BGS ft.	Mineral Spirits mg/Kg	TPHd (Diesel) mg/Kg	TPHg (Gasoline) mg/Kg	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE	Aacetone	2-Butynone	n-Butylenbenzene	sec-Butylenbenzene	tert-Butylenbenzene	Isopropylbenzene	p-Isopropylbenzene	n-Propylbenzene	1,2,4-Tri-methylbenzene	1,3,5-Tri-methylbenzene	52 Other VOCs by 8260B GC/MS	Naphthalene	2-Methyl-naphthalene	15 Other PNAs by 8270C mg/Kg
BG-2-5.0	04/06/04	5.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
BG-2-10.5	04/06/04	10.5	47 ³	ND	1,200	ND	ND	16	80	ND	ND	ND	6.0	ND	ND	2.4	ND	ND	10	50	17	ND	8.5	3.0
BG-2-15.0	04/06/04	15.0	ND	ND	ND	ND	ND	ND	ND	0.028	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
BG-2-18.0	04/06/04	18.0	ND	ND	ND	ND	ND	ND	ND	0.020	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
BG-2-21.0	04/06/04	21.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
BG-2-25.0	04/06/04	25.0	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
BG-2-30.0	04/06/04	30.0	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
BG-2-35.0	04/06/04	35.0	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MWT-1-4.0	04/02/04	4.0	ND	ND	ND	ND	ND	ND	0.0063	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MWT-1-11.5	04/02/04	11.5	74	ND	2,400 ⁵	ND	ND	ND	ND	ND	ND	ND	ND	0.023	0.022	ND	ND	ND	ND	ND	ND	ND	ND	1.7
MWT-1-15.0	04/02/04	15.0	ND	2.8 ⁸	ND	ND	ND	ND	ND	ND	ND	ND	0.0051	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MWT-1-20 ¹¹	04/02/04	20.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MWT-2-5.5	04/02/04	5.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MWT-2-10.0	04/02/04	10.0	12 ³	ND	440	ND	ND	2.3	6.8	ND	ND	ND	1.8	0.44	ND	0.500	ND	ND	2.4	10	3.8	ND	1.2	0.93
MWT-2-15.0	04/02/04	15.0	ND	8.0 ⁸	120	ND	ND	0.67	1.2	ND	0.099	0.027	0.035	0.0079	ND	0.0055	ND	ND	0.032	0.18	0.047	ND	0.08	0.14
MWT-2-20.0	04/02/04	20.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MWT-3-5.0	04/02/04	5.0	ND	1.2 ⁷	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MWT-3-10.0	04/02/04	10.0	ND	7.5 ⁸	7.0 ⁵	ND	ND	ND	ND	ND	ND	ND	ND	0.026	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MWT-3-15.0	04/02/04	15.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MWT-3-20.0	04/02/04	20.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MWT-4-4.0	04/01/04	4.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MWT-4-10.0	04/01/04	10.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MWT-4-15.0	04/01/04	15.0	150	ND	120 ⁵	ND	ND	ND	ND	ND	ND	ND	0.026	0.015	0.0094	ND	ND	ND	ND	ND	ND	ND	ND	
MWT-4-20.0	04/01/04	20.0	ND	2.4 ⁸	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MWT-5-5.0	04/02/04	5.0	ND	1.3 ⁴	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MWT-5-10.0	04/02/04	10.0	ND	1.1 ⁴	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MWT-5-15.0	04/02/04	15.0	ND	7.0 ⁷	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MWT-5-20.0	04/02/04	20.0	ND	7.6 ⁷	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
MWT-6-5.0	04/01/04	5.0	ND	2.1 ⁴	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MWT-6-10.5	04/01/04	10.5	51	ND	860 ⁵	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MWT-6-14.5	04/01/04	14.5	ND	1.4 ⁸	9.0 ⁵	ND	ND	ND	ND	0.064	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MWT-6-19.5	04/01/04	19.5	ND	8.5 ⁸	13 ⁵	ND	ND	ND	0.09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MWT-7-5.0	04/01/04	5.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MWT-7-10.0	04/01/04	10.0	ND	3.5 ⁸	440 ⁵	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MWT-7-15.0	04/01/04	15.0	ND	3.4 ⁸	7.20 ⁵	ND	ND	ND	ND	ND	0.088	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MWT-8-5.5	04/02/04	5.5	ND	1.5 ⁴	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MWT-8-10.5	04/02/04	10.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MWT-8-15.0	04/02/04	15.0	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
MWT-8-18.0	04/02/04	18.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MWT-9-4.0	04/01/04	4.0	ND	3.3 ⁷	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MWT-9-9.5	04/01/04	9.5	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
MWT-9-14.5	04/01/04	14.5	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	

Sample ID	Petroleum Hydrocarbons						Other Volatile Organic Compounds														PNAs			
	Date Sampled	Depth BGS ft.	Mineral Spirits mg/Kg	TPHd (Diesel) mg/Kg	TPHg (Gasoline) mg/Kg	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE	Aacetone	2-Butanone	n-Butylenbenzene	sec-Butylenbenzene	tert-Butylenbenzene	Isopropylbenzene	p-Isopropylbenzene	n-Propylbenzene	1,2,4-Tri-methylbenzene	1,3,5-Tri-methylbenzene	52 Other VOCs by 8260B GC/MS	Naphthalene	2-Methyl-naphthalene	15 Other PNAs by 8270C mg/Kg
MWT-9-19.5	04/01/04	19.5	ND	14 ⁴	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MWT-10-5.0	04/01/04	5.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MWT-10-10.0	04/01/04	10.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MWT-10-15.0	04/01/04	15.0	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MWT-10-20	04/01/04	20.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MWT-11-5	11/05/04	5.0	ND	1.1 ¹²	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MWT-11-10	11/05/04	10.0	33 ¹³	ND	170 ¹⁴	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MWT-11-15	11/05/04	15.0	ND	1.4 ¹²	27 ¹⁴	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MWT-11-19.5	11/05/04	19.5	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MWT-12-5	11/05/04	5.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MWT-12-10	11/05/04	10.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MWT-12-15	11/05/04	15.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MWT-12-19.5	11/05/04	19.5	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MWT-13-5	11/05/04	5.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MWT-13-10	11/05/04	10.0	40 ¹³	ND	520 ¹⁴	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MWT-13-15	11/05/04	15.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MWT-13-19	11/05/04	19.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MWT-14-5	11/05/04	5.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MWT-14-10	11/05/04	10.0	110 ¹³	ND	360 ¹⁴	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MWT-14-15	11/05/04	15.0	12 ¹³	ND	1.2 ¹⁴	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MWT-14-19.5	11/05/04	19.5	15 ¹³	ND	82 ¹⁴	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-2-5.0	04/07/04	5.0	29 ³	ND	860	ND	ND	19	87	ND	ND	ND	2.9	ND	0.098	ND	ND	4.4	27	9.8	ND	7.2	1.1	ND
MW-2-10.0	04/07/04	10.0	16 ³	ND	530	ND	2.4	9.2	47	ND	ND	ND	2.1	ND	0.77	ND	ND	3.4	21	7.4	ND	5.0	0.23	ND
MW-2-15.0	04/07/04	15.0	ND	ND	ND	0.03	ND	0.021	0.029	ND	0.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0085	ND
MW-2-20.0	04/07/04	20.0	ND	ND	ND	ND	0.0062	ND	0.037	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-3-5.0	04/07/04	5.0	Lost	Core																				
MW-3-10.0	04/07/04	10.0	Lost	Core																				
MW-3-14.0	04/07/04	14.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-3-20.0	04/07/04	20.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-4-5.5	04/30/04	5.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-4-10.5	04/30/04	10.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-4-15.5	04/30/04	15.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-4-19.5	04/30/04	19.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-5-6.0	04/30/04	6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-5-10.0	04/30/04	10.0	27	ND	1,000 ⁵	ND	0.55	3.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-5-15.5	04/30/04	15.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-5-19.5	04/30/04	19.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-6-5.0	04/07/04	5.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-6-10.0	04/07/04	10.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-6-15.0	04/07/04	15.0	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-6-20.0	04/07/04	20.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-6A-5.0 ¹⁵	09/27/08	5.0	ND ²	11	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-6A-10.0	09/27/08	10.0	ND	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Sample ID	Petroleum Hydrocarbons						Other Volatile Organic Compounds													PNAs			
	Date Sampled	Depth BGS ft.	Mineral Spirits mg/Kg	TPHd (Diesel) mg/Kg	TPHg (Gasoline) mg/Kg	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE	Aacetone	2-Butantone	n-Butylenbenzene	sec-Butylenbenzene	tert-Butylenbenzene	Isopropylbenzene	p-Isopropylbenzene	n-Propylbenzene	1,2,4-Tri-methylbenzene	1,3,5-Tri-methylbenzene	52 Other VOCs by 8260B GC/MS	Naphthalene	2-Methyl-naphthalene
MW-6A-15.0	09/27/08	15.0	ND	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-6A-20.0	09/27/08	20.0	ND	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-7-5.0	04/06/04	5.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-7-10.0	04/06/04	10.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-7-15.0	04/06/04	15.0	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-7-20.0	04/06/04	20.0	ND	7.9 ⁴	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-8-5.0	04/07/04	5.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-8-10.0	04/07/04	10.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-8-15.0	04/06/04	15.0	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-8-20.0	04/06/04	20.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-9-5.0	09/27/08	5.0	ND	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-9-10.0	09/27/08	10.0	ND	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-9-15.0	09/27/08	15.0	ND	ND	6.5	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-9-20.0	09/27/08	20.0	ND	ND	2.7	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-10-5.0	09/27/08	5.0	ND	ND	0.92	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-10-10.0	09/27/08	10.0	ND	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-10-15.0	09/27/08	15.0	ND	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-10-20.0	09/27/08	20.0	ND	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-11-5.0	09/27/08	5.0	ND	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-11-10.0	09/27/08	10.0	79	47	540 ³	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-11-15.0	09/27/08	15.0	ND	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-11-20.0	09/27/08	20.0	ND	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-12-5.0	02/09/09	5.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-12-10.0	02/09/09	10.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-12-15.0	02/09/09	15.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-12-20.0	02/09/09	20.0	ND	ND	1.0	0.086	0.0075	0.036	0.046	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-13-5.0	02/09/09	5.0	ND	3.9	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-13-10.0	02/09/09	10.0	93	110	3.3	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-13-15.0	02/09/09	15.0	ND	1.3	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-13-20.0	02/09/09	20.0	2.7	2.8	2.3	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-14-5.0	02/09/09	5.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-14-10.0	02/09/09	10.0	2,400	1,700	5,600	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-14-15.0	02/09/09	15.0	ND	ND	2.5	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-14-20.0	02/09/09	20.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-15-5.0	02/09/09	5.0	1.2	15	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-15-10.0	02/09/09	10.0	2.3	1.6	1.6	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-15-15.0	02/09/09	15.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-15-20.0	02/09/09	20.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-16A-5.0	02/09/09	5.0	9.4	8.8	8.5	0.22	ND	0.21	0.17	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-16A-10.0	02/09/09	10.0	13	11	860	6.0	13	12	56	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-16A-15.0	02/09/09	15.0	ND	ND	2.0	0.10	0.019	0.027	0.055	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-16A-20.0	02/09/09	20.0	Lost	Core																			
MW-16B-5.0	02/10/09	5.0	Lost	Core	49	43	590	2.9	8.6	8.4	44	na	na	na	na	na	na	na	na	na	na	na	na
MW-16B-10.0	02/10/09	10.0	49	43	590	2.9	8.6	8.4	44	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Sample ID	Petroleum Hydrocarbons						Other Volatile Organic Compounds														PNAs		
	Date Sampled	Depth BGS ft.	Mineral Spirits mg/Kg	TPHd (Diesel) mg/Kg	TPHg (Gasoline) mg/Kg	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE	Aacetone	2-Butantone	n-Butylenbenzene	sec-Butylenbenzene	tert-Butylenbenzene	Isopropylbenzene	p-Isopropylbenzene	n-Propylbenzene	1,2,4-Tri-methylbenzene	1,3,5-Tri-methylbenzene	52 Other VOCs by 8260B GC/MS	Naphthalene	2-Methyl-naphthalene
MW-16B-15.0	02/10/09	15.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-16B-20.0	02/10/09	20.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-16B-25.0	02/10/09	25.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-16C-5.0	02/10/09	5.0	ND	1.9	1.7	0.12	ND	0.15	0.060	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-16C-10.0	02/10/09	10.0	42	29	2,300	9.6	17	30	160	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-16C-15.0	02/10/09	15.0	ND	ND	6.1	0.13	0.12	0.11	0.54	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-16C-20.0	02/10/09	20.0	ND	ND	ND	ND	ND	ND	0.014	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-16C-25.0	02/10/09	25.0	ND	ND	0.39	0.0075	0.012	0.0090	0.038	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-16C-30.0	02/10/09	30.0	ND	ND	0.40	0.0076	0.011	0.0091	0.038	na	na	na	na	na	na	na	na	na	na	na	na	na	na
Groundwater Extraction Pit																							
GEP-1-5.0	09/26/07	5.0	ND	6.7	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na
GEP-1-10.0	09/26/07	10.0	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na
GEP-1-15.0	09/26/07	15.0	310	220	3,900	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Concentrations in bold script exceed the 2008 San Francisco Bay Area RWQCB's Residential Environmental Screening Levels in shallow or deep soils, as appropriate, where groundwater is not a source of drinking water.

Notes:

- (1) ND = Not Detected above the Method Detection Limit (MDL).
- (2) na = Not analyzed
- (3) The laboratory reports that the detected hydrocarbon does not match its mineral spirits standard.
- (4) The laboratory reports that the detected hydrocarbon does not match its Diesel standard.
- (5) The laboratory reports that the detected hydrocarbon does not match its standard for gasoline.
- (6) Laboratory Method EPA 8260B analyzes for 108 Volatile Organic Compounds. Only those found are listed separately in this table.
- (7) The laboratory reports that the compound reported reflects individual or discrete unidentified peaks detected in the diesel range; the pattern does not match a typical fuel standard.
- (8) The laboratory reports that the hydrocarbon reported is in the early Diesel range and does not match the laboratory's Diesel standard.
- (9) Laboratory Method EPA 8270C analyzes for 17 Polynuclear Aromatics. Only those found are listed separately in this table.
- (10) Concentrations in bold script exceed the 2008 San Francisco Bay Area RWQCB's Environmental Screening Levels in shallow or deep soils, as appropriate, where groundwater is not a source of drinking water.
- (11) MWT-1-20.0 was also analyzed for 65 Semi-volatile chemicals by GC/MD - EPA8270C. None were detected in the sample.
- (12) Quantity of unknown hydrocarbon(s) in sample based on Diesel
- (13) Quantity of unknown hydrocarbon(s) in sample based on Mineral Spirits
- (14) Quantity of unknown hydrocarbon(s) in sample based on Gasoline
- (15) When first drilled, MW-6A was designated MW-17.
- (16) Concentrations of chemicals of concern that were detected in samples recovered from locations where soil has since been shipped off site are shown in italic font. At locations where the undisturbed in situ soil was excavated and the areas were restored with engineered fill derived from on-site soil, the concentrations are shown in smaller font.

TABLE 2
DEC

Oak Walk, Emeryville, CA

TABLE 2
HEAVY METALS IN NATIVE AND IMPORTED SOIL
OAK WALK SITE

Sample No.	Date Sampled	Depth BGS ft.	Anti-mony mg/Kg	Ar-senic mg/Kg	Bar-ium mg/Kg	Beryl-lium mg/Kg	Cad-mium mg/Kg	Chro-mium III mg/Kg	Chro-mium VI mg/Kg	Cobalt mg/Kg	Copper mg/Kg	Lead mg/Kg	Molyb-denum mg/Kg	Nickel mg/Kg	Selen-iun mg/Kg	Silver mg/Kg	Thal-lium mg/Kg	Vana-dium mg/Kg	Zinc mg/Kg	Mer-cury mg/Kg
BE-4-5.5	04/01/04	5.5	ND ¹	2.6³	110	ND	ND	27	na	2.6	17	4.3	ND	24	ND	ND	ND	22³	31	ND
BE-1-13.5	04/02/04	13.5	ND	1.3	110	ND	ND	35	ND	4.9	12	4.1	ND	46	ND	ND	ND	24	28	0.053
BE-3-19.5	04/02/04	19.5	ND	2.1	150	ND	ND	30	na	6.9	19	5.4	ND	26	ND	ND	ND	25	32	ND
Los Altos	08/21/07	19.5	na	na	na	na	ND	88	na	na	na	ND	na	63	na	na	na	28	na	

Concentrations in bold script exceed the 2008 San Francisco Bay Area RWQCB's Residential Environmental Screening Levels in shallow or deep soils, as appropriate, where groundwater is not a source of drinking water.

Notes:

- (1) ND = Not Detected above the Method Detection Limit (MDL). na = not analyzed
- (2) Concentrations of chemicals of concern that were detected in samples recovered from locations where soil has since been shipped off site are shown in *italic font*. At locations where the undisturbed in situ soil was excavated and the areas were restored with engineered fill derived from on-site soil, the concentrations are shown in *smaller font*.
- (3) No heavy metals were detected at concentrations greater than those that are typical of their natural presence in the alluvial materials that originated in the Oakland Hills to the east of the subject site (Lawrence Berkeley National Laboratory 1995, Bradford, et al 1996).

TABLE 3
DEC

TABLE 3
RESULTS OF ANALYSES OF SOIL SAMPLES RECOVERED FROM OFF-SITE LOCATIONS

Sample ID	Date Sampled	Sample Depth ft. BGS	TRPH mg/Kg	Motor Oil mg/Kg	Mineral Spirits mg/Kg	TPHd mg/Kg	Kerosene mg/Kg	TPHg mg/Kg	Benzene mg/Kg	Toluene mg/Kg	Ethyl Benzene mg/Kg	Total Xylenes mg/Kg	p-isopro-pyltoluene mg/Kg	Ace-tones mg/Kg	tert-Butyl-benzene mg/Kg	sec-Butyl-benzene mg/Kg	Naphthalene mg/Kg	Other VOCs mg/Kg	PCBs mg/Kg	Lead mg/Kg
Borings for Dunne Paint Site^{3,4,5}																				
HAB-1-4	06/10/92	4.0	na ¹¹	ND ¹⁰	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	
HAB-1-7	06/10/92	7.0	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	
HAB-2-4	06/10/92	4.0	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	
HAB-2-7	06/10/92	7.0	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	
HAB-3-4	06/10/92	4.0	na	ND	4.9	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	
HAB-3-7	06/10/92	7.0	na	ND	1.5	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	
HAB-4-4	06/10/92	4.0	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	
HAB-4-7	06/10/92	7.0	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	
HAB-5-4	06/10/92	4.0	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	
HAB-5-7	06/10/92	7.0	na	ND	17	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	
HAB-6-4	06/10/92	4.0	na	ND	3.4	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	
HAB-6-7	06/10/92	7.0	na	ND	620	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	
CDB-1@11	11/04/02	11.0	na	ND	na	ND	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
CDB-2@6	11/04/02	6.0	na	ND	na	160 ¹²	na	94 ¹²	ND	ND	ND	ND	ND	ND	ND	ND	0.025	ND	na	
CDB-2@16	11/04/02	16.0	na	ND	na	13 ¹²	na	210 ¹²	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
CDB-3@3	11/04/02	3.0	na	ND	na	ND	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	15	
CDB-3@13	11/04/02	13.0	na	ND	na	37 ¹²	na	250 ¹²	ND	ND	ND	ND	ND	ND	ND	ND	0.115	0.048	1,2,4 trimethylbenzene 0.740	
CDB-4@10	11/04/02	10.0	na	ND	na	52 ¹²	na	74 ¹²	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	hexachlorobutadiene 0.092	
CDB-5@3	11/04/02	3.0	na	ND	na	ND	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	24	
CDB-5@13	11/04/02	13.0	na	ND	na	21 ¹²	na	180 ¹²	ND	ND	ND	ND	ND	ND	ND	ND	0.413	ND	na	
CDB-6@9	11/04/02	9.0	na	ND	na	38 ¹²	na	440 ¹²	ND	ND	ND	ND	ND	ND	0.0063	ND	0.081	ND	ND	
CDB-7@4	11/04/02	4.0	na	5.5	na	120 ¹²	na	250 ¹²	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	na	
CDB-7@12	11/04/02	12.0	na	ND	na	76 ¹²	na	130 ¹²	ND	ND	ND	ND	ND	ND	ND	ND	0.060	ND	na	
CDB-7@23	11/04/02	23.0	na	ND	na	7.0 ¹²	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
CDB-8@5	11/04/02	5.0	na	ND	na	130 ¹²	na	230 ¹²	ND	ND	ND	ND	ND	ND	0.027	ND	ND	ND	3.0	
CDB-8@17	11/04/02	17.0	na	ND	na	40 ¹²	na	130 ¹²	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
CDB-9@6	11/05/02	6.0	na	ND	na	4.8 ¹²	na	6.2 ¹²	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.7	
CDB-9@14	11/05/02	14.0	na	ND	na	100 ¹²	na	513 ¹²	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	

Sample ID	Date Sampled	Sample Depth ft. BGS	TRPH mg/Kg	Motor Oil mg/Kg	Mineral Spirits mg/Kg	TPHd mg/Kg	Kerosene mg/Kg	TPHg mg/Kg	Benzene mg/Kg	Toluene mg/Kg	Ethyl Benzene mg/Kg	Total Xylenes mg/Kg	p-isopropyltoluene mg/Kg	Aacetone mg/Kg	tert-Butylbenzene mg/Kg	sec-Butylbenzene mg/Kg	Naphthalene mg/Kg	Other VOCs mg/Kg	PCBs mg/Kg	Lead mg/Kg
CDB-10@6	11/05/02	6.0	na	ND	na	3,500 ¹²	na	3,600 ¹²	ND	ND	1.0	ND	ND	ND	ND	0.550	14	Isopropylbenzene 710 n-Propylbenzene 1,200 1,2,4-Trimethylbenzene 1,400	na	6.1
CDB-10@9	11/05/02	9.0	na	ND	na	220 ¹²	na	380 ¹²	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CDB-10@25	11/05/02	25.0	na	ND	na	1.1 ¹²	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CDB-11@3	11/05/02	3.0	na	ND	na	4,300 ¹²	na	2,500 ¹²	ND	ND	3,500	ND	ND	ND	ND	ND	4,600	n-Propylbenzene 2,000 1,2,4-Trimethylbenzene 8,600 1,2,5-Trimethylbenzene 4,200	na	100
CDB-11@10	11/05/02	10.0	na	ND	na	720 ¹²	na	1,800 ¹²	ND	ND	ND	ND	ND	ND	ND	ND	1.6	ND	na	ND
CDB-11@16	11/05/02	16.0	na	51	na	510 ¹²	na	2,100 ¹²	ND	ND	ND	ND	ND	ND	ND	ND	3.2	ND	na	ND
CDB-12@3	11/05/02	3.0	na	ND	na	1.6	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	280
CDB-13@14	11/05/02	14.0	na	ND	na	160 ¹²	na	400 ¹²	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	ND
CDB-14@3	11/05/02	3.0	na	24	na	9.4	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.012	ND	na	130
CDB-16@3	11/05/02	3.0	na	28	na	6.0	na	7.4 ¹²	ND	ND	ND	ND	ND	ND	ND	ND	0.012	ND	na	5.0
OB-2	06/30/03	10.5	na	na	160	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
OB-10	06/30/03	10.0	na	na	430	na	na	na	na	na	na	na	na	na	na	ND	ND	na	na	na
B-1-3.5	02/10/05	3.5	na	na	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
B-1-7.5	02/10/05	7.5	na	na	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
B-1-11.5	02/10/05	11.5	na	na	180	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na
B-2-3.5	02/10/05	3.5	na	na	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
B-2-7.5	02/10/05	7.5	na	na	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
B-2-12.5	02/10/05	12.5	na	na	9.6	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na
B-3-3.5	02/10/05	3.5	na	na	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
B-3-7.5	02/10/05	7.5	na	na	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
B-3-11.5	02/10/05	11.5	na	na	330	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na
B-4-3.5	02/10/05	3.5	na	na	ND	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na
B-4-7.5	02/10/05	7.5	na	na	ND	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na
B-4-11.5	02/10/05	11.5	na	na	1,600	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
B-4-13.5	02/10/05	13.5	na	na	1,400	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na
B-5-3.5	02/10/05	3.5	na	na	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
B-5-7.5	02/10/05	7.5	na	na	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
B-5-11.5	02/10/05	11.5	na	na	4,900	na	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na
B-5-13.5	02/10/05	13.5	na	na	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
B-6-3.5	02/10/05	3.5	na	na	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
B-6-7.5	02/10/05	7.5	na	na	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
B-6-11.5	02/10/05	11.5	na	na	380	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na
B-6-13.5	02/10/05	13.5	na	na	260	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Table 3

Sample ID	Date Sampled	Sample Depth ft. BGS	TRPH mg/Kg	Motor Oil mg/Kg	Mineral Spirits mg/Kg	TPHd mg/Kg	Kerosene mg/Kg	TPHg mg/Kg	Benzene mg/Kg	Toluene mg/Kg	Ethyl Benzene mg/Kg	Total Xylenes mg/Kg	p-isoproxytoluene mg/Kg	Aacetone mg/Kg	tert-Butylbenzene mg/Kg	sec-Butylbenzene mg/Kg	Naphthalene mg/Kg	Other VOCs mg/Kg	PCBs mg/Kg	Lead mg/Kg
Borings for Boysen Paint Site ^{3,5,9}																				
BH-A	2004	11.5	na	na	8.3	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-B	2004	11.5	na	na	130	na	na	na	ND	ND	ND	ND	ND	0.086	ND	ND	ND	ND	na	na
BH-C	2004	14.5	na	na	13	na	na	na	ND	ND	ND	ND	ND	0.052	ND	ND	ND	ND	na	na
BH-D	2004	15.5	na	na	5.4	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-E	2004	15.5	na	na	2.0	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-F	2004	19.5	na	na	ND	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-G	2004	19.5	na	na	ND	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-H	2004	7.5	na	na	14	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-I	2004	1.0	na	na	6.6	na	na	na	ND	ND	ND	ND	0.040	ND	0.015	0.040	0.040	ND	na	na
BH-J	2004	11.5	na	na	2.3	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-K	2004	15.5	na	na	ND	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-L	2004	19.5	na	na	1.2	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-M	2004	11.5	na	na	ND	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-N	2004	11.5	na	na	ND	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-O	2004	20.5	na	na	ND	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-P	2004	7.5	na	na	140	na	na	na	ND	ND	ND	ND	ND	0.085	0.0074	ND	ND	ND	na	na
BH-Q	2004	19.5	na	na	27	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-R	2004	11.5	na	na	14	na	na	na	ND	ND	ND	ND	ND	0.130	0.010	ND	ND	ND	na	na
BH-S	2004	11.5	na	na	ND	na	na	na	ND	ND	ND	ND	ND	0.0056	ND	ND	ND	ND	na	na
BH-T	2004	11.5	na	na	6.6	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-U	2004	7.5	na	na	ND	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-V	2004	11.5	na	na	12	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-W	2004	25.5	na	na	3.3	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-W	2004	7.5	na	na	24	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na

Table 3

Sample ID	Date Sampled	Sample Depth ft. BGS	TRPH mg/Kg	Motor Oil mg/Kg	Mineral Spirits mg/Kg	TPHd mg/Kg	Kerosene mg/Kg	TPHg mg/Kg	Benzene mg/Kg	Toluene mg/Kg	Ethyl Benzene mg/Kg	Total Xylenes mg/Kg	p-isopropytoluene mg/Kg	Aacetone mg/Kg	tert-Butylbenzene mg/Kg	sec-Butylbenzene mg/Kg	Naphthalene mg/Kg	Other VOCs mg/Kg	PCBs mg/Kg	Lead mg/Kg
BH-X	2004	11.5	na	na	5.8	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-Y	2004	8.5	na	na	44	na	na	na	ND	ND	ND	ND	0.036	0.067	ND	ND	ND	ND	na	na
BH-Z	2004	11.5	na	na	51	na	na	na	ND	ND	ND	ND	0.026	0.100	ND	ND	0.028	ND	na	na
BH-AA	2004	11.5	na	na	1,100	na	na	na	ND	ND	ND	ND	0.058	ND	ND	ND	ND	ND	na	na
BH-BB	2004	11.5	na	na	320	na	na	na	ND	ND	ND	ND	0.017	ND	ND	ND	ND	ND	na	na
BH-CC	2004	11.5	na	na	31	na	na	na	ND	ND	ND	ND	0.032	ND	ND	ND	ND	ND	na	na
BH-CC	2004	19.5	na	na	ND	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-DD	Aug. 2005	11.5	na	na	ND	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-EE	Aug. 2005	3.5	na	na	ND	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-EE	Aug. 2005	23.5	na	na	ND	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-FF	Aug. 2005	3.5	na	na	ND	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-FF	Aug. 2005	23.5	na	na	ND	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-GG	Aug. 2005	5.5	na	na	ND	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-GG	Aug. 2005	19.5	na	na	ND	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-HH	Aug. 2005	5.5	na	na	ND	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-HH	Aug. 2005	11.5	na	na	7.1	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-II	Aug. 2005	14.5	na	na	19	na	na	na	ND	ND	ND	ND	ND	0.056	ND	ND	ND	ND	na	na
BH-II	Aug. 2005	24.5	na	na	7.1	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-II	Aug. 2005	34.5	na	na	7.1	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-JJ	Aug. 2005	11.5	na	na	ND	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-JJ	Aug. 2005	15.5	na	na	ND	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-KK	Aug. 2005	11.5	na	na	ND	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-KK	Aug. 2005	23.5	na	na	ND	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-LL	Aug. 2005	11.5	na	na	ND	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-LL	Aug. 2005	23.5	na	na	ND	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-MM	Aug. 2005	11.5	na	na	56	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-MM	Aug. 2005	15.5	na	na	ND	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-NN	Aug. 2005	11.5	na	na	15	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
BH-NN	Aug. 2005	15.5	na	na	ND	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
B-1-11.5 B-1-14	05/30/06 05/30/06	11.5 14	ND ND	ND ND	55 110	na na	na na	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	na na	na na
B-2-7 B-2-15	05/30/06 05/30/06	7.0 15.0	ND ND	ND ND	ND ND	ND ND	ND ND	ND 0.12	ND ND	ND 0.00052	ND ND	ND ND	ND ND	ND 0.020	ND ND	ND ND	ND ND	ND ND	na na	na na

Table 3

Sample ID	Date Sampled	Sample Depth ft. BGS	TRPH mg/Kg	Motor Oil mg/Kg	Mineral Spirits mg/Kg	TPHd mg/Kg	Kerosene mg/Kg	TPHg mg/Kg	Benzene mg/Kg	Toluene mg/Kg	Ethyl Benzene mg/Kg	Total Xylenes mg/Kg	p-isopropyltoluene mg/Kg	Aacetone mg/Kg	tert-Butylbenzene mg/Kg	sec-Butylbenzene mg/Kg	Naphthalene mg/Kg	Other VOCs mg/Kg	PCBs mg/Kg	Lead mg/Kg
B-3-7	05/30/06	7.0	ND	ND	ND	ND	ND	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
B-4-7	05/30/06	7.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
B-5-7	05/30/06	7.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na
Borings and Confirmation Sampling for Celis Site ^{1,2,6}																				
LF-LFMW-1	07/08/93	4.5	77	16	na	220	na	550	0.84	1.2	5.6	2.7	na	na	na	na	na	na	na	na
	07/08/93	9.5	ND	ND	na	18	na	470	0.97	ND	6.6	8.9	na	na	na	na	na	na	na	na
	07/08/93	14.5	60	ND	na	16	na	8.4	0.14	0.17	0.081	0.37	na	na	na	na	na	na	na	na
LF-LFMW-2	07/08/93	9.5	30	ND	na	na	14	na	ND	4.7	35	13	68	na	na	na	na	na	na	na
	07/08/93	14.5	ND	ND	na	ND	na	75	0.009	0.012	ND	0.015	na	na	na	na	na	na	na	na
LF-LFMW-3	07/08/93	9.5	37	ND	na	na	ND	na	ND	0.062	0.28	1.1	1.1	na	na	na	na	na	na	na
	07/08/93	14.5	ND	ND	na	ND	na	850	0.014	ND	0.01	0.007	na	na	na	na	na	na	na	na
LF-LFMW-4	01/28/94	5	na	ND	na	na	ND	na	0.8	0.083	ND	ND	0.034	na	na	na	na	na	na	na
	01/28/94	10	na	ND	na	na	19	na	220	1.7	6.7	4.5	24	na	na	na	na	na	na	na
WC N-1	8/14/1994	8.0	ND	na	na	21	na	920	2.6	21	11	57	na	na	na	na	na	na	na	na
WC N-2	8/14/1994	8.0	ND	na	na	10	na	250	0.097	0.83	2.5	11	na	na	na	na	na	na	na	na
WC N-3	8/14/1994	8.0	ND	na	na	96	na	390	0.38	3	3.6	17	na	na	na	na	na	na	na	na
WC N-4	Late 1994	8.0	160	na	na	310	na	85	0.16	ND	1	1.3	na	na	na	na	na	na	na	na
WC W-1	8/14/1994	8.0	ND	na	na	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na
WC W-2	8/14/1994	8.0	ND	na	na	34	na	230	0.34	0.61	2.3	6.9	na	na	na	na	na	na	na	na
WC W-3	8/14/1994	8.0	ND	na	na	180	na	20	0.012	0.01	0.029	0.043	na	na	na	na	na	na	na	na
WC W-4	8/14/1994	8.0	150	na	na	500	na	80	ND	0.073	0.26	0.99	na	na	na	na	na	na	na	na
WC S-1	8/14/1994	8.0	na	na	na	na	na	800	1.7	6	9.9	41	na	na	na	na	na	na	na	na
WC S-2	8/14/1994	8.0	ND	na	na	60	na	430	0.4	0.2	4	12	na	na	na	na	na	na	na	na
WC S-3	8/14/1994	8.0	na	na	na	na	na	730	1.4	ND	11	1.7	na	na	na	na	na	na	na	na
WC S-4	8/14/1994	8.0	ND	na	na	25	na	560	ND	ND	5.6	13	na	na	na	na	na	na	na	na
WC E-1	8/14/1994	8.0	na	na	na	na	na	240	0.33	3.5	3.4	16	na	na	na	na	na	na	na	na
WC E-2	8/14/1994	8.0	ND	na	na	2	na	170	0.81	3.4	1.8	8.9	na	na	na	na	na	na	na	na
WC E-3	8/14/1994	8.0	na	na	na	na	na	660	2.9	18	9.2	46	na	na	na	na	na	na	na	na
WC E-4	8/14/1994	8.0	ND	na	na	5.2	na	380	2.6	12	4.9	24	na	na	na	na	na	na	na	na
WC B-C-1	8/14/1994	9.5	ND	na	na	68	na	260	0.081	0.11	2	8.4	na	na	na	na	na	na	na	na
WC B-O&G-1	8/14/1994	9.5	ND	na	na	160	na	490	2.4	9.9	6.3	27	na	na	na	na	na	na	na	na
WC B-D-1	8/14/1994	9.5	15,000	na	na	18,000	na	650	3.8	1.7	8.1	17	na	na	na	na	na	na	na	na
WC B-G-1	8/14/1994	9.5	120	na	na	ND	na	540	0.64	ND	6.5	12	na	na	na	na	na	na	na	na
WC B-C-2	8/14/1994	9.5	ND	na	na	75	na	1,000	2.4	10	11	49	na	na	na	na	na	na	na	na
WC B-C-3	8/14/1994	9.5	ND	na	na	29	na	690	2.2	15	7.3	39	na	na	na	na	na	na	na	na
URS-SB-1-6-6.5	02/06/06	6.0	na	na	ND	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na
URS-SB-1-10-10.	02/06/06	10.0	na	na	6.2	5.1	na	ND	6.2	5.1	ND	ND	na	na	na	na	na	na	na	na
URS-SB-1-15.5-1	02/06/06	15.5	na	na	ND	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na

Table 3

Sample ID	Date Sampled	Sample Depth ft. BGS	TRPH mg/Kg	Motor Oil mg/Kg	Mineral Spirits mg/Kg	TPHd mg/Kg	Kerosene mg/Kg	TPHg mg/Kg	Benzene mg/Kg	Toluene mg/Kg	Ethyl Benzene mg/Kg	Total Xylenes mg/Kg	p-isopropyltoluene mg/Kg	Aacetone mg/Kg	tert-Butylbenzene mg/Kg	sec-Butylbenzene mg/Kg	Naphthalene mg/Kg	Other VOCs mg/Kg	PCBs mg/Kg	Lead mg/Kg
URS-SB-1-18.5-1	02/06/06	18.5	na	na	ND	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	
URS-SB-3-6-6.5	02/07/06	6.0	na	na	ND	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	
URS-SB-3-11-11.	02/07/06	11.0	na	na	ND	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	MTBE: 10, TBA: 10	na	
URS-SB-3-15.5-1	02/07/06	15.5	na	na	ND	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	DIPE: 10	na	
URS-SB-6-5.5-6	02/07/06	5.5	na	na	ND	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	
URS-SB-6-11.5-1	02/07/06	11.5	na	na	ND	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	
URS-SB-6-15.5-1	02/07/06	15.5	na	na	ND	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	
URS-SB-6-19.5-2	02/07/06	19.5	na	na	ND	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	
URS-MW-1-6.5	07/02/07	6.0	na	na	ND	1.9	na	ND	ND	1.9	ND	ND	na	na	na	na	na	na	na	
URS-MW-1-11.0	07/02/07	10.5	na	na	ND	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	
URS-MW-1-16.0	07/02/07	15.5	na	na	ND	11	na	ND	ND	11	ND	ND	na	na	na	na	na	na	na	
URS-MW-2-5.5	07/02/07	5.0	na	na	ND	1.3	na	ND	ND	1.3	ND	ND	na	na	na	na	na	na	na	
URS-MW-2-11.0	07/02/07	10.5	na	na	ND	1.4	na	ND	ND	1.4	ND	ND	na	na	na	na	na	na	na	
URS-MW-2-16.0	07/02/07	15.5	na	na	ND	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	
URS-MW-3-10.0	06/29/07	9.5	na	na	ND	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	
URS-MW-3-15.0	06/29/07	14.5	na	na	ND	1.8	na	ND	ND	1.8	ND	ND	na	na	na	na	na	na	na	
URS-MW-3-20.0	06/29/07	19.5	na	na	ND	1.3	na	ND	ND	1.3	ND	ND	na	na	na	na	na	na	na	
URS-MW-4-9.0	06/29/07	8.5	na	na	ND	8.0	na	ND	ND	8.0	ND	ND	na	na	na	na	na	na	na	
URS-MW-4-14.5	06/29/07	14.0	na	na	ND	6.7	na	ND	ND	6.7	ND	ND	na	na	na	na	na	na	na	
URS-MW-4-20.0	06/29/07	19.5	na	na	ND	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	
URS-MW-5-6.5	06/29/07	6.0	na	na	2.2	5.1	na	3.8	2.2	5.1	3.8	ND	na	na	na	na	na	na	na	
URS-MW-5-10.0	06/29/07	9.5	na	na	68	13	na	120	68	13	120	ND	na	na	na	na	na	na	na	
URS-MW-5-15.0	06/29/07	14.5	na	na	ND	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	

Borings and Confirmation Sampling for San Francisco Bread Site ^{1,6,7,8}

SMW-1-6	09/04/92	18.5	na	na	na	ND	na	ND	0.0078	0.0061	ND	ND	na	na	na	na	na	na	4.9
LFSB17-4.5	08/09/93	4.5	70	ND	na	40	na	260	ND	22	12	69	na						
LFSB17-6.0	08/09/93	7	50	ND	na	70	na	440	ND	27	8	43	na						
LFSB17-12.0	08/09/93	12	47	190	na	130	na	500	190	9	4	23	na						
MW-3-5.0	04/07/04	5.0	Lost Core		na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-3-10.0	04/07/04	10.0	Lost Core		na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-3-15.0	04/07/04	15.0	ND	ND	ND	ND	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na
MW-3-20.0	04/07/04	120.0	ND	ND	ND	ND	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na
URS-MW-5-6.5	06/29/07	6.0	na	na	2.2	5.1	na	3.8	ND	ND	ND	ND	na						
URS-MW-5-10.0	06/29/07	9.5	na	na	68	13	na	120	ND	ND	ND	2.3	ND	na	na	na	na	na	na
URS-MW-5-15.0	06/29/07	14.5	na	na	ND	ND	na	ND	ND	ND	ND	ND	na						

Borings and Confirmation Sampling in 40th Street ¹

Table 3

Sample ID	Date Sampled	Sample Depth ft. BGS	TRPH mg/Kg	Motor Oil mg/Kg	Mineral Spirits mg/Kg	TPHd mg/Kg	Kerosene mg/Kg	TPHg mg/Kg	Benzene mg/Kg	Toluene mg/Kg	Ethyl Benzene mg/Kg	Total Xylenes mg/Kg	p-isopropytoluene mg/Kg	Ace-tone mg/Kg	tert-Butylbenzene mg/Kg	sec-Butylbenzene mg/Kg	Naphthalene mg/Kg	Other VOCs mg/Kg	PCBs mg/Kg	Lead mg/Kg
LFSB1-7.0	08/08/93	7	290	27	na	240	na	850	5.4	ND	25	42	na	na	na	na	na	na	na	na
LFSB1-9.5	08/08/93	9.5	130	ND	na	220	na	180	0.89	1.1	4.3	18	na	na	na	na	na	na	na	na
LFSB1-14.5	08/08/93	14.5	60	ND	na	ND	na	7.4	0.44	0.44	0.14	0.61	na	na	na	na	na	na	na	na
LFSB2-7.0	08/08/93	7	160	57	na	790	na	780	8	ND	31	140	na	na	na	na	na	na	na	ND
LFSB2-9.5	08/08/93	9.5	210	ND	na	200	na	720	2.4	5.2	15	59	na	na	na	na	na	na	na	na
LFSB2-14.5	08/08/93	14.5	43	12	na	ND	na	1.0	0.2	0.21	0.021	0.12	na	na	na	na	na	na	ND	na
LFSB3-9.5	08/07/93	9.5	37	ND	na	11	na	580	9.7	50	15	90	na	na	na	na	na	na	ND	na
LFSB3-14.5	08/07/93	14.5	37	ND	na	ND	na	0.9	0.092	0.16	0.031	0.17	na	na	na	na	na	na	ND	na
LFSB4-7.0	08/08/93	7	70	ND	na	13	na	380	3	5.2	8.2	18	na	na	na	na	na	na	na	na
LFSB4-14.5	08/08/93	14.5	210	ND	na	ND	na	ND	0.026	0.005	0.019	0.023	na	na	na	na	na	na	na	na
LFSB5-7.0	08/08/93	7	37	ND	na	15	na	410	2.4	0.6	16	6.3	na	na	na	na	na	na	na	na
LFSB5-14.5	08/08/93	14.5	93	ND	na	ND	na	ND	0.011	ND	0.008	0.008	na	na	na	na	na	na	na	na
LFSB6-9.5	08/08/93	9.5	67	ND	na	51	na	490	2.7	ND	15	15	na	na	na	na	na	na	na	na
LFSB6-14.5	08/08/93	14.5	ND	ND	na	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na
LFSB7-9.5	08/07/93	9.5	170	66	na	52	na	750	2.5	8.5	22	93	na	na	na	na	na	na	na	na
LFSB7-14.5	08/07/93	14.5	ND	ND	na	ND	na	2.8	ND	ND	0.029	0.03	na	na	na	na	na	na	na	na
LFSB8-9.5	08/08/93	9.5	130	ND	na	110	na	2,800	22	9.5	82	290	na	na	na	na	na	na	na	na
LFSB8-14.5	08/08/93	14.5	37	11	na	ND	na	ND	0.009	ND	ND	ND	na	na	na	na	na	na	na	na
LFSB9-7.0	08/07/93	7	ND	ND	na	14	na	210	2.8	13	5.1	29	na	na	na	na	na	na	na	na
LFSB9-9.5	08/07/93	9.5	na	na	na	1,200	na	14	81	26	140	na	na	na	na	na	na	na	na	na
LFSB9-14.5	08/07/93	14.5	77	ND	na	ND	na	ND	0.079	0.059	0.011	0.041	na	na	na	na	na	na	na	na
LFSB10-7.0	08/07/93	7	na	na	na	na	na	73	2.6	4.7	1.6	7.7	na	na	na	na	na	na	na	na
LFSB10-9.5	08/07/93	9.5	40	ND	na	ND	na	1,100	ND	7.8	ND	22	na	na	na	na	na	na	na	na
LFSB10-14.5	08/07/93	14.5	ND	ND	na	ND	na	8.6	0.48	0.29	0.1	0.48	na	na	na	na	na	na	na	na
LFSB11-14.5	08/09/93	14.5	40	11	na	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na
LFSB12-1.0	08/09/93	1	4,600	400	na	ND	na	ND	na	na	na	na	na	na	na	na	na	na	ND	na
LFSB12-3.0	08/09/93	3	420	64	na	560	na	6,500	na	na	na	na	na	na	na	na	na	na	ND	na
LFSB13-5.0	08/09/93	5	63	ND	na	ND	na	23	na	na	na	na	na	na	na	na	na	na	ND	na
LFSB13-6.5	08/09/93	6.5	37	ND	na	ND	na	13	na	na	na	na	na	na	na	na	na	na	ND	na
LFSB14-2.0	08/09/93	2	2,200	480	na	ND	na	ND	na	na	na	na	na	na	na	na	na	na	0.22	na
LFSB14-4.5	08/09/93	4.5	47	ND	na	ND	na	ND	na	na	na	na	na	na	na	na	na	na	ND	na
LFSB15-4.5	08/09/93	4.5	480	12	na	140	na	4,700	na	na	na	na	na	na	na	na	na	na	ND	na
LFSB15-6.0	08/09/93	6	120	14	na	59	na	3,700	na	na	na	na	na	na	na	na	na	na	ND	na
LFSB16-4.5	08/09/93	4.5	60	ND	na	ND	na	9	na	na	na	na	na	na	na	na	na	na	ND	na
LFSB16-6.0	08/09/93	6	53	ND	na	ND	na	8	na	na	na	na	na	na	na	na	na	na	ND	na
LFSB18-1.0	08/09/93	1	2,200	320	na	ND	na	1	na	na	na	na	na	na	na	na	na	na	ND	na
LFSB18-3.0	08/09/93	3	1,100	390	na	ND	na	ND	na	na	na	na	na	na	na	na	na	na	ND	na
LFSB19-1.5	08/09/93	1.5	2,200	530	na	ND	na	ND	na	na	na	na	na	na	na	na	na	na	ND	na

Table 3

Sample ID	Date Sampled	Sample Depth ft. BGS	TRPH mg/Kg	Motor Oil mg/Kg	Mineral Spirits mg/Kg	TPHd mg/Kg	Kerosene mg/Kg	TPHg mg/Kg	Benzene mg/Kg	Toluene mg/Kg	Ethyl Benzene mg/Kg	Total Xylenes mg/Kg	p-isopropyltoluene mg/Kg	Aacetone mg/Kg	tert-Butylbenzene mg/Kg	sec-Butylbenzene mg/Kg	Naphthalene mg/Kg	Other VOCs mg/Kg	PCBs mg/Kg	Lead mg/Kg
LFSB19-3.0	08/09/93	3	3,600	740	na	ND	na	1	na	na	na	na	na	na	na	na	na	na	ND	na
LF-1-4.5	08/07/93	4.5	77	16	na	220	na	550	0.84	1.2	5.6	2.7	na	na	na	na	na	na	na	na
LF-1-9.5	08/07/93	9.5	ND	ND	na	18	na	470	0.97	ND	6.6	8.9	na	na	na	na	na	na	na	na
LF-1-14.5	08/07/93	14.5	60	ND	na	16	na	8.4	0.14	0.17	0.081	0.37	na	na	na	na	na	na	na	na
LF-2-9.5	08/07/93	9.5	30	ND	na	14	na	740	4.70	35	13	68	na	na	na	na	na	na	na	na
LF-2-14.5	08/07/93	14.5	ND	ND	na	ND	na	ND	0.009	0.012	ND	0.015	na	na	na	na	na	na	na	na
LF-3-9.5	08/07/93	9.5	37	ND	na	ND	na	75	0.062	0.28	1.1	1.1	na	na	na	na	na	na	na	na
LF-3-14.5	08/07/93	14.5	ND	ND	na	ND	na	ND	0.014	ND	0.01	0.007	na	na	na	na	na	na	na	na
LF-B1-2	08/30/94	2	ND	na	na	ND	na	0.8	0.008	ND	0.016	0.085	na	na	na	na	na	na	na	na
LF-B1-5	08/30/94	5	30	na	na	ND	na	110	0.840	0.520	3.2	12	na	na	na	na	na	na	na	na
LF-B1-10	08/30/94	10	30	na	na	ND	na	690	12	50	18	99	na	na	na	na	na	na	na	na
LF-B2-2	08/30/94	2	10	na	na	ND	na	110	0.6	2.9	3.3	16	na	na	na	na	na	na	na	na
LF-B2-5	08/30/94	5	10	na	na	1.0	na	66	0.37	0.8	0.79	3.5	na	na	na	na	na	na	na	na
LF-B2-10	08/30/94	10	30	na	na	ND	na	830	13	52	21	110	na	na	na	na	na	na	na	na
LF-B3-2	08/30/94	2	80	na	na	ND	na	440	8.5	36	12	58	na	na	na	na	na	na	na	na
LF-B3-5	08/30/94	5	200	na	na	8.0	na	810	14	62	22	100	na	na	na	na	na	na	na	na
LF-B3-10	08/30/94	10	50	na	na	ND	na	390	7.1	22	7.2	38	na	na	na	na	na	na	na	na
LF-B4-2	08/30/94	2	40	na	na	ND	na	49	0.14	0.12	2.3	11	na	na	na	na	na	na	na	na
LF-B4-5	08/30/94	5	1,300	na	na	28	na	8,800	6.8	7.3	190	870	na	na	na	na	na	na	na	na
LF-B4-10	08/30/94	10	110	na	na	3.0	na	510	1.1	0.96	3.4	13	na	na	na	na	na	na	na	na
LF-B5-2	08/30/94	2	10	na	na	ND	na	0.4	ND	ND	ND	ND	na	na	na	na	na	na	na	na
LF-B5-5	08/30/94	5	2,400	na	na	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na
LF-B5-10	08/30/94	10	ND	na	na	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na
LF-B6-2	08/30/94	2	20	na	na	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na
LF-B6-5	08/30/94	5	10	na	na	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na
LF-B6-10	08/30/94	10	ND	na	na	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na
LF-B7-2	08/30/94	2	10	na	na	ND	na	27	0.42	ND	0.75	0.05	na	na	na	na	na	na	na	na
LF-B7-5	08/30/94	5	ND	na	na	ND	na	16	0.67	ND	ND	0.025	na	na	na	na	na	na	na	na
LF-B7-10	08/30/94	10	20	na	na	ND	na	520	7.4	30	14	78	na	na	na	na	na	na	na	na
LF-B8-2	08/30/94	2	50	na	na	5.0	na	3.4	0.2	ND	0.56	0.02	na	na	na	na	na	na	na	na
LF-B8-5	08/30/94	5	ND	na	na	ND	na	14	0.3	0.01	0.26	ND	na	na	na	na	na	na	na	na
LF-B8-10	08/30/94	10	20	na	na	ND	na	140	2.1	5.8	4	21	na	na	na	na	na	na	na	na
LF-B9-2	08/30/94	2	20	na	na	ND	na	2.8	0.33	0.005	0.41	0.07	na	na	na	na	na	na	na	na
LF-B9-5	08/30/94	5	ND	na	na	ND	na	40	1.2	0.013	2.6	0.15	na	na	na	na	na	na	na	na
LF-B9-10	08/30/94	10	20	na	na	ND	na	190	4.3	11	5.5	28	na	na	na	na	na	na	na	na
LF-B10-2	08/30/94	2	150	na	na	ND	na	29	0.038	0.048	0.18	1.2	na	na	na	na	na	na	na	na
LF-B10-5	08/30/94	5	30	na	na	ND	na	13	ND	0.02	0.05	ND	na	na	na	na	na	na	na	na
LF-B10-10	08/30/94	10	ND	na	na	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na
LF-B11-2	08/30/94	2	20	na	na	ND	na	ND	1	ND	ND	ND	na	na	na	na	na	na	na	na
LF-B11-5	08/30/94	5	ND	na	na	ND	na	ND	1	ND	ND	ND	na	na	na	na	na	na	na	na

Table 3

Sample ID	Date Sampled	Sample Depth ft. BGS	TRPH mg/Kg	Motor Oil mg/Kg	Mineral Spirits mg/Kg	TPHd mg/Kg	Kerosene mg/Kg	TPHg mg/Kg	Benzene mg/Kg	Toluene mg/Kg	Ethyl Benzene mg/Kg	Total Xylenes mg/Kg	p-isopropyltoluene mg/Kg	Aacetone mg/Kg	tert-Butylbenzene mg/Kg	sec-Butylbenzene mg/Kg	Naphthalene mg/Kg	Other VOCs mg/Kg	PCBs mg/Kg	Lead mg/Kg
LF-B11-10	08/30/94	10	40	na	na	ND	na	250	1.1	0.35	4.4	21	na	na	na	na	na	na	na	
LF-B12-2	08/30/94	2	30	na	na	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	
LF-B12-5	08/30/94	5	ND	na	na	ND	na	0.9	ND	ND	ND	ND	na	na	na	na	na	na	na	
LF-B12-10	08/30/94	10	30	na	na	ND	na	160	0.97	0.19	4.1	20	na	na	na	na	na	na	na	
LF-B13-2	08/30/94	2	600	na	na	220	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	
LF-B13-5	08/30/94	5	40	na	na	10	na	4.2	ND	ND	0.02	ND	na	na	na	na	na	na	na	
LF-B13-10	08/30/94	10	20	na	na	3.0	na	6.9	0.36	ND	0.45	0.13	na	na	na	na	na	na	na	
LF-B14-2	08/30/94	2	410	na	na	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	
LF-B14-5	08/30/94	5	ND	na	na	ND	na	1.6	0.01	ND	ND	ND	na	na	na	na	na	na	na	
LF-B14-10	08/30/94	10	ND	na	na	ND	na	2.9	0.006	ND	0.01	ND	na	na	na	na	na	na	na	
LF-B15-2	08/30/94	2	420	na	na	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	
LF-B15-5	08/30/94	5	ND	na	na	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	
LF-B15-10	08/30/94	10	20	na	na	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	
LF-B16-2	08/30/94	2	50	na	na	10	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	
LF-B16-5	08/30/94	5	ND	na	na	ND	na	28	0.16	ND	0.96	0.037	na	na	na	na	na	na	na	
LF-B16-10	08/30/94	10	20	na	na	ND	na	130	2.5	5.4	2.6	15	na	na	na	na	na	na	na	

Concentrations in bold script exceed the 2008 San Francisco Bay Area RWQCB's Residential Environmental Screening Levels in shallow or deep soils, as appropriate, where groundwater is not a source of drinking water.

NOTES:

- (1) Data Source: Levine-Fricke 1994, 1993
- (2) Data Source: Woodward-Clyde International-Americas 1997, 1998
- (3) Data Source: Aqua Science Engineers, Inc. 2005a,b
- (4) Data Source: Clayton Group Services 2007, 2004a,b, 2003, 2002
- (5) Data Source: Hageman-Aquiar, Inc. 1992
- (6) Data Source: URS 2006, 2007a
- (7) Data Source: The San Joaquin Company 2005
- (8) Data Source: SEACOR Science and Engineering Analysis Corporation 1992
- (9) Data Source: Environmental Resource Management 2006
- (10) ND = Not Detected above the Method Detection Limit (MDL).
- (11) na = not analyzed
- (12) Laboratory reports pattern is closer to mineral spirits or Stoddard solvent.

Table 3

TABLE 4
DEC

TABLE 4
DEPTHS TO GROUNDWATER

Well No.	Date Measured	Casing Elevation ft. MSL	Groundwater Depth ft.	Groundwater Elevation ft. MSL
WCEW-1		41.73		
	05/19/04		7.88	33.85
	11/08/04		7.13	34.60
	04/15/07		7.39	34.34
	06/21/07		7.74	33.99
	08/09/07		8.00	33.73
	09/21/09		7.64	34.09
	03/12/10		5.40	36.33
	09/21/10		7.10	34.63
MW-2		44.40		
	05/19/04		5.98	38.42
	11/08/04		4.94	39.46
	04/15/07		4.86	39.54
	06/21/07		5.62	38.78
	08/09/07		5.42	38.98
	09/21/09		6.35	38.05
	03/12/10		5.40	39.00
	09/21/10		6.72	37.68
MW-3		45.49		
	05/19/04		5.66	39.83
	11/08/04		5.89	39.60
	04/15/07		5.25	40.24
	06/21/07		5.95	39.54
	08/09/07		6.57	38.92
	09/21/09		5.42	40.07
	03/12/10		2.96	42.53
	09/21/10		6.31	39.18
MW-4		47.31		
	05/19/04		6.19	41.12
	11/08/04		5.81	41.50
	09/21/09		7.42	39.89
	03/12/10		4.23	43.08
	09/21/10		7.85	39.46
MW-5		42.51		
	05/19/04		7.39	35.12
	11/08/04		7.09	35.42
	04/15/07		6.92	35.59

Well No.	Date Measured	Casing Elevation ft. MSL	Groundwater Depth ft.	Groundwater Elevation ft. MSL
MW-5 <i>cont.</i>	06/21/07		7.50	35.01
	08/09/07		7.42	35.09
	09/21/09		6.01	36.50
	03/12/10		5.70	36.81
	09/21/10		6.65	35.86
MW-6 ²		43.35		
	05/19/04		7.16	36.19
	11/08/04		6.93	36.42
MW-6A		43.18		
	09/21/09		6.16	37.02
	03/12/10		6.08	37.10
	09/21/10		6.66	36.52
MW-7		44.75		
	05/19/04		8.40	36.35
	11/08/04		8.10	36.65
	09/21/09		6.01	38.74
	03/12/10		6.26	38.49
	09/21/10		7.00	37.75
MW-8		48.38		
	05/19/04		9.65	38.73
	11/08/04		9.05	39.33
	09/21/09		7.58	40.80
	03/12/10		6.70	41.68
	09/21/10		8.12	40.26
MW-9		47.85		
	09/21/09		7.91	39.94
	03/12/10		7.07	40.78
	09/21/10		9.28	38.57
MW-10		45.66		
	09/21/09		5.72	39.94
	03/12/10		5.84	39.82
	09/21/10		7.17	38.49
MW-11		45.10		
	09/21/09		7.43	37.67
	03/12/10		6.78	38.32
	09/21/10		7.98	37.12
MW-12		42.93		
	09/21/09		5.72	37.21
	03/12/10		5.60	37.33
	09/21/10		6.42	36.51

Well No.	Date Measured	Casing Elevation ft. MSL	Groundwater Depth ft.	Groundwater Elevation ft. MSL
MW-13		45.56		
	09/21/09		7.61	37.95
	03/12/10		7.27	38.29
	09/21/10		8.52	37.04
MW-14		45.19		
	09/21/09		7.38	37.81
	03/12/10		6.56	38.63
	09/21/10		8.12	37.07
MW-15		43.55		
	09/21/09		6.55	37.00
	03/12/10		6.88	36.67
	09/21/10		7.24	36.31
MW-16A		44.50		
	09/21/09		7.00	37.50
	03/12/10		5.22	39.28
	09/21/10		7.14	37.36
MW-16B		44.59		
	09/21/09		7.24	37.35
	03/12/10		5.42	39.17
	09/21/10		7.26	37.33
MW-16C		44.48		
	09/21/09		7.24	37.24
	03/12/10		12.84	31.64
	09/21/10		6.62	37.86

URS Off-site Wells

URS MW-1		42.21		
	09/21/09		8.15	34.06
	03/12/10		7.51	34.70
URS MW-2		40.83		
	09/21/09		8.63	32.20
	03/12/10		7.41	33.42
URS MW-3		40.54		
	09/21/09		9.89	30.65
	03/12/10		8.47	32.07
URS MW-4		41.41		
	09/21/09		9.81	31.60
	03/12/10		8.55	32.86

Well No.	Date Measured	Casing Elevation ft. MSL	Groundwater Depth ft.	Groundwater Elevation ft. MSL
URS MW-5		43.93		
	09/21/09		5.84	38.09
	03/12/10		4.31	39.62
LFMW-LF-4		40.76		
	09/21/09		7.71	33.05
	03/12/10		6.98	33.78

Temporary Wells 2004

MWT-1	05/19/04 11/08/04	42.98	8.43 6.82	34.55 36.16
MWT-2	05/19/04 11/08/04	45.28	7.69 7.17	37.59 38.11
MWT-3	05/19/04 11/08/04	47.64	7.64 7.66	40.00 39.98
MWT-4	05/19/04 11/08/04	44.74	8.43 7.99	36.31 36.75
MWT-5	05/19/04 11/08/04	47.10	9.07 8.84	38.03 38.26
MWT-6	05/19/04 11/08/04	45.21	9.05 8.73	36.16 36.48
MWT-7 ¹	05/19/04 11/08/04	46.61 45.69	9.90 8.60	36.71 37.09
MWT-8	05/19/04 11/08/04	47.23	9.65 9.31	37.58 37.92
MWT-9	05/19/04 11/08/04	45.78	8.70 8.23	37.08 37.55

Well No.	Date Measured	Casing Elevation ft. MSL	Groundwater Depth ft.	Groundwater Elevation ft. MSL
MWT-10	05/19/04	47.22	9.53	37.69
	11/08/04		9.03	38.19
MWT-11	11/08/04	46.63	9.71	36.92
MWT-12	11/08/04	47.97	10.79	37.18
MWT-13	11/08/04	48.16	10.65	37.51
MWT-14	11/08/04	47.85	9.63	38.22

Notes:

- 1) MWT-7 casing truncated by vandals. Elevation resurveyed on 11/10/04
- 2) MW-6 damaged during construction. Replaced by MW-6A on 09/27/08

TABLE 5

DEC

TABLE 5
RESULTS OF ANALYSES OF GROUNDWATER SAMPLES RECOVERED FROM TRENCHES, PITS AND WELLS
ON THE OAK WALK SITE

Sample ID	Date Sampled	Petroleum Hydrocarbons			BTEX Compounds			Fuel Oxygenates			Other Volatile Organic Compounds										PNAs					
		TPHd (diesel) µg/L	Mineral Spirits µg/L	TPHg (gasoline) µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Total Xylenes µg/L	MTBE µg/L	TAME µg/L	ETBE µg/L	DIPE µg/L	TBA µg/L	n-Bu-tylbenzene µg/L	sec-Bu-tylbenzene µg/L	tert-Bu-tylbenzene µg/L	isopro-pylbenzene µg/L	p-Isopro-pylbenzene µg/L	n-pro-pylbenzene µg/L	1,2,4-tri-methylbenzene µg/L	1,3,5-tri-methylbenzene µg/L	52 Other VOCs by 8260B µg/L	Naphthalene µg/L	15 Other PNAs by 8270C µg/L		
Trenches																										
T3-W	12/03/03	2,300³	na	6,300⁵	ND	ND	31	30	ND	na	na	na	na	100	47	ND	ND	23	ND	230	320	110	ND	12	ND	
T7-W	12/02/03	ND	na	ND	ND	ND	ND	ND	ND	na	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
T-10W	09/24/07	6,100	9,100	70,000	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na		
W11	08/08/07	4,500	5,800	1,800	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na		
Groundwater Extraction Pit																										
GEP-1A	09/26/07	54,000	81,000	8,200	1.4	3.6	ND	2.2	1.9	na	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
GEP-1B	10/04/07	530	810	1,100						na	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Monitoring Wells																										
WCEW-1	05/19/04	ND	600⁶	3,700	90	0.66	48	56	170	na	na	na	na	ND	8.7	ND	12	1.8	ND	31	14	5.6	ND	8.3	ND	
	09/24/09	1,600	390	1,400	1.5	ND	1.2	ND	150	ND	ND	ND	21	na	na	na	na	na	na	na	na	na	na	na		
	03/14/10	1,600	460	1,200	3.5	ND	4.3	1.3	31	ND	ND	ND	5.4	na	na	na	na	na	na	na	na	na	na	na		
	09/23/10	1,000	220	990	ND	ND	ND	ND	1.3	ND	ND	ND	nd	na	na	na	na	na	na	na	na	na	na	na		
MW-2	05/19/04	ND	2,100⁶	49,000	7,900	2,100	980	8,300	770	na	na	na	na	100	ND	ND	ND	ND	ND	ND	ND	1,600	460	ND	490	ND
	09/18/07	1,400	1,500	8,300	1,500	ND	340	21	84	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
	09/24/09	400	350	4,000	1,500	ND	520	ND	47	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	
	03/14/10	780	870	8,300	1,500	47	790	740	74	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	
	09/23/10	570	460	8,800	1,800	12	710	90	61	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	
MW-3	05/19/04	ND	420⁶	1,300	ND	ND	ND	1.1	5.8	na	na	na	na	14	ND	ND	ND	ND	ND	ND	ND	12	ND	ND	ND	
	09/24/09	110	ND	ND	ND	ND	ND	ND	2.4	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	
	03/14/10	130	ND	58	4.6	ND	7.2	5.6	1.9	ND	ND	ND	4.1	na	na	na	na	na	na	na	na	na	na	na	na	
	09/22/10	67	ND	ND	ND	ND	ND	ND	3.0	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	
MW-4	05/19/04	ND	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	09/22/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	
	03/13/10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	
	09/22/10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	
MW-5	05/19/04	ND	330⁶	2,600⁵	ND	ND	ND	ND	17	na	na	na	na	ND	ND	2.5	ND	na	ND	ND	ND	ND	ND	ND	ND	
	09/24/09	220	250	430	ND	ND	ND	ND	0.77	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	
	03/14/10	190	230	300	ND	ND	ND	ND	0.51	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	
	09/23/10	250	120	380	ND	ND	ND	ND	0.56	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	
MW-6*	05/19/04	ND	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-6A	09/22/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	

Sample ID	Date Sampled	TPHd (diesel)	Mineral Spirits	TPHg (gasoline)	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE	TAME	ETBE	DIPE	TBA	n-Bu-tylbenzene	sec-Bu-tylbenzene	tert-Bu-tylbenzene	isopro-pylbenzene	p-Isopro-pylbenzene	p-Isopro-pyltoluene	n-pro-pylbenzene	1,2,4-tri-methylbenzene	1,3,5-tri-methylbenzene	52 Other VOCs by 8260B	Naph-tha-lene	15 Other PNAs by 8270C
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
	03/13/10 09/22/10	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	na na	na na	na na	na na								
MW-7	05/19/04 09/22/09 03/13/10 09/22/10	ND ND ND ND	ND ND ND ND	ND ND ND ND	ND ND ND ND	ND ND ND ND	ND ND ND ND	ND ND ND ND	na ND ND ND	na ND ND ND	na ND ND ND	na ND ND ND	na ND ND ND	ND na na na	ND na na na										
MW-8	05/19/04 09/22/09 03/13/10 09/22/10	ND ND ND ND	ND ND ND ND	ND ND ND ND	ND ND ND ND	ND ND ND ND	ND ND ND ND	ND ND ND ND	na ND ND ND	na ND ND ND	na ND ND ND	na ND ND ND	na ND ND ND	ND na na na	ND na na na										
MW-9	09/24/09 03/14/10 09/23/10	78 150 200	ND 89 99	190 140 350	ND ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	na na na	na na na	na na na									
MW-10	09/22/09 03/13/10 09/22/10	ND ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	na na na	na na na										
MW-11	09/24/09 03/13/10 09/22/10	ND ND ND	ND ND ND	70 81 63	ND ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	na na na	na na na										
MW-12	09/22/09 03/13/10 09/22/10	ND ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	na na na	na na na										
MW-13	09/22/09 03/13/10 09/22/10	66 130 120	ND 100 130	130 140 400	ND 0.67 ND	ND ND ND	ND 0.76 ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	na na na	na na na										
MW-14	09/22/09 03/13/10 09/22/10	72 ND ND	ND ND 87	68 ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	13 11 11	ND ND ND	ND ND ND	ND ND ND	ND ND ND	na na na	na na na										
MW-15	09/22/09 03/13/10 09/22/10	ND ND ND	ND ND ND	51 ND ND	ND ND ND	ND ND ND	ND ND ND	ND ND ND	2.6 6.0 7.1	ND ND ND	ND ND ND	ND ND ND	ND ND ND	na na na	na na na										
MW-16A	09/22/09 03/14/10 09/23/10	2,400 2,000 1,800	4,100 4,000 3,400	64,000 38,000 49,000	18,000 11,000 14,000	2,500 780 570	3,000 2,400 3,200	11,000 7,500 9,800	830 840 800	ND ND ND	ND ND ND	ND ND ND	ND ND ND	na na na	na na na										
MW-16B	09/22/09 03/14/10 09/23/10	410 930 250	480 1,600 280	4,000 9,800 3,600	1,600 5,200 1,800	18 220 61	150 650 190	170 1,800 310	500 520 560	ND ND ND	ND ND ND	ND ND ND	ND ND ND	na na na	na na na										
MW-16C	09/22/09 03/14/10 09/23/10	ND ND ND	ND ND ND	270 270 4.9	ND ND ND	ND ND ND	ND ND ND	ND ND ND	230 370 400	ND ND ND	ND ND ND	ND ND ND	ND ND ND	na na na	na na na										
URS Wells¹⁰																									
URS-MW-1	09/21/09 03/13/10	90 110	83 53	120 53	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	na na	na na	na na	na na								
URS-MW-2	09/21/09 03/13/10	210 320	ND ND	ND ND	270 270	4.9	1.6	1.3	370	ND ND	ND ND	ND ND	ND ND	40 37	na na	na na	na na	na na							

Sample ID	Date Sampled	TPHd (diesel)	Mineral Spirits	TPHg (gasoline)	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE	TAME	ETBE	DIPE	TBA	n-Bu-tylbenzene	sec-Bu-tylbenzene	tert-Bu-tylbenzene	isopro-pylbenzene	p-Isopro-pylbenzene	p-Isopro-pyltoluene	n-pro-pylbenzene	1,2,4-tri-methylbenzene	1,3,5-tri-methylbenzene	52 Other VOCs by 8260B	Naphthalene	15 Other PNAs by 8270C
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
URS-MW-3	09/21/09 03/13/10	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	1.9 1.7	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	

Sample ID	Date Sampled	TPHd	Mineral Spirits	TPHg	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE	TAME	ETBE	DIPE	TBA	n-Bu-tylbenzene	sec-Bu-tylbenzene	tert-Bu-tylbenzene	isopro-pylbenzene	p-Isopro-pylbenzene	p-Isopro-pyltoluene	n-pro-pylbenzene	1,2,4-tri-methylbenzene	1,3,5-tri-methylbenzene	52 Other VOCs by 8260B	Naphthalene	15 Other PNAs by 8270C
		(diesel)	(gasoline)	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
URS-MW-4	09/21/09 03/13/10	110 210	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	56 20	ND ND	ND ND	ND ND	ND ND	na na	na na	na na	na na	na na	na na	na na	na na	na na	na na	na na	
URS-MW-5	09/21/09 03/13/10	1,100 1,100	99 160	150 170	ND ND	ND ND	ND 1.0	ND ND	63 49	ND ND	ND ND	ND ND	ND ND	na na	na na	na na	na na	na na	na na	na na	na na	na na	na na	na na	
LF-MW-LF-4	09/21/09 03/13/10	1,600 820	320 1,100	490 1,200	ND 0.5	ND ND	7.9 7.2	ND ND	2.0 1.1	ND ND	ND ND	ND ND	ND ND	na na	na na	na na	na na	na na	na na	na na	na na	na na	na na	na na	
Temporary Wells																									
MWT-1	5/19/04	ND	74 ⁶	350	ND	ND	ND	ND	ND	na	na	na	na	8.0	ND	ND	1.0	ND	ND	1.0	ND	ND	ND	ND	ND
MWT-2	5/19/04	ND	3,200 ⁶	28,000	460	ND	1,200	2,700	66	na	na	na	na	100	ND	ND	ND	ND	ND	310	1,600	490	ND	340	ND
MWT-3	5/19/04	ND	450	1,000 ⁵	ND	ND	ND	ND	ND	na	na	na	na	ND	ND	1.1	ND	ND	ND	ND	ND	ND	ND	ND	ND
MWT-4	5/19/04	ND	88 ⁶	540 ⁵	ND	ND	ND	ND	ND	na	na	na	na	1.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MWT-5	5/19/04	ND	ND	ND	ND	ND	ND	ND	ND	na	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MWT-6 ⁹	5/19/04	ND	980	4,200 ⁵	ND	ND	ND	ND	ND	na	na	na	na	ND	ND	1.4	ND	ND	ND	ND	ND	ND	ND	ND	ND
MWT-7	5/19/04	ND	3,200	56,000 ⁵	0.78	ND	ND	ND	ND	na	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MWT-8	5/19/04	ND	370	800 ⁵	ND	ND	ND	ND	ND	na	na	na	na	ND	ND	1.6	ND	ND	ND	ND	ND	0.70	ND	ND	ND
MWT-9	5/19/04	ND	ND	ND	ND	ND	ND	ND	0.79	na	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MWT-10	5/19/04	ND	ND	59 ⁵	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
MWT-11	11/6/04	ND	3,500 ⁷	930 ⁸	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
MWT-12	11/6/04	ND	830 ⁷	1,400 ⁸	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
MWT-13	11/6/04	ND	440 ⁷	1,100 ⁵	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
MWT-14	11/6/04	ND	1,200 ⁷	4,600 ⁵	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	

Concentrations in bold script exceed the 2008 San Francisco Bay Area RWQCB's Residential Environmental Screening Levels in shallow soils where groundwater is not a source of drinking water.

Notes:

- (1) ND = Not Detected above the Method Detection Limit (MDL).
- (2) na = Not Analyzed.
- (3) The laboratory reports that the detected hydrocarbon does not match its diesel standard.
- (4) Laboratory Method 8260B tests for 66 Volatile Organic Compounds. Only those detected are presented on this table.
- (5) The laboratory reports that the detected hydrocarbon does not match its gasoline standard.
- (6) The laboratory reports that the detected hydrocarbon does not match its mineral spirits standard.
- (7) Quantity of unknown hydrocarbons in sample based on Mineral Spirits
- (8) Quantity of unknown hydrocarbons in sample based on gasoline
- (9) Monitoring Well MW-6 was destroyed on November 11, 2007 and replaced with Monitoring Well MW-6A on September 27, 2008
- (10) Data from URS

TABLE 6
DEC

TABLE 6

RESULTS OF ANALYSES OF GROUNDWATER SAMPLES RECOVERED FROM OFF-SITE LOCATIONS

Sample ID	Date Sampled	Petroleum Hydrocarbons							Volatile Organic Compounds															
		TRPH µg/L	Motor Oil µg/L	TEPH µg/L	TPHd µg/L	Mineral Spirits µg/L	TPPH µg/L	TPHg µg/L	Benzene µg/L	Toluene µg/L	Ethyl Benzene µg/L	Total Xylenes µg/L	MTBE µg/L	Naphthalene µg/L	tert-Butyl Benzene µg/L	sec-Butyl Benzene µg/L	n-Butyl Benzene µg/L	1,2,4-Trimethyl benzene µg/L	Isopropyl benzene µg/L	Vinyl Chloride µg/L	1,1-Dichloroethene µg/L	cis-1,2-Dichloroethene µg/L	Other VOCs µg/L	
Dunne Paint Site^{3,4,5}																								
B-12	11/04/02	na ¹¹	260¹²	na	17,000	na	na	9,200	63	13	ND ¹⁰	26	ND	38	ND	52	47	6.5	120	ND	ND	ND	ND	n-Propylbenzene 47
B-14	11/04/02	na	ND	na	220,000	na	na	170,000	ND	2.0	ND	ND	ND	30	ND	ND	ND	ND	ND	ND	ND	ND	ND	DIPE 2.4
B-15	11/04/02	na	ND	na	16,000	na	na	4,000	ND	ND	ND	ND	ND	ND	ND	5.3	ND	ND	ND	ND	ND	ND	ND	Carbon Disulfide 2.4
B-16	11/04/02	na	ND	na	1,200,000	na	na	150,000	ND	ND	ND	ND	ND	ND	ND	6.4	ND	ND	ND	ND	ND	ND	ND	ND
OB-1	06/27/03	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
OB-2	06/30/03	na	na	na	na	12,000	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
OB-3	06/27/03	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
OB-4	06/27/03	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
OB-5	06/27/03	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
OB-6	06/27/03	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Trichloroethene 15;
OB-7	06/27/03	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Tetrachloroethene 11
OB-8	06/27/03	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
OB-9	06/27/03	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
OB-10	06/30/03	na	na	na	na	5,800	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CW-1	11/12/03	na	na	na	na	85	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/12/04	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	06/15/04	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/14/04	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CW-2	11/12/03	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/12/04	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	06/15/04	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/14/04	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CW-3	11/12/03	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	TCE 5.1
	03/12/04	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	06/15/04	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/14/04	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-D1	08/26/88	na	na	na	na	1,000	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
	01/18/89	na	na	na	na	ND	na	na	2.0	ND	1.1	na	na	na	na	na	na	na	na	na	na	na	na	na
	04/24/89	na	na	na	na	ND	na	na	ND	ND	1.8	na	na	na	na	na	na	na	na	na	na	na	na	na
	02/21/90	na	na	na	na	ND	ND	na	ND	0.4	1.3	na	na	na	na	na	na	na	na	na	na	na	na	na
	06/10/92	na	na	na	na	ND	na	na	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na
	06/10/93	na	na	na	na	220	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/24/93	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/29/93	na	na	na	na	110	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/14/99	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/12/03	na	na	na	na	85	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/12/04	na	na	na	na	260	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	06/15/04	na	na	na	na	100	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/14/04	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-D2	08/26/88	na	na	na	na	1,600	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
	01/18/89	na	na	na	na	ND	na	na	6.3	ND	12	na	na	na	na	na	na	na	na	na	na	na	na	na
	04/24/89	na	na	na	na	ND	na	na	ND	ND	7.7	na	na	na	na	na	na	na	na	na	na	na	na	na
	02/21/90	na	na	na	na	300	na	na	ND	0.3	1.5	na	na	na	na	na	na	na	na	na	na	na	na	na
	06/10/92	na	na	na	na	76	ND	na	na	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na	na
	06/10/93	na	na	na	na	9,100	ND	na	6,200	na	na	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na
	09/24/93	na	na	na	na	ND	ND	na	ND	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na
	09/29/93	na	na	na	na	220	na	na	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	na

Sample ID	Date Sampled	TRPH	Motor Oil	TEPH	TPHd	Mineral Spirits	TPPH	TPHg	Benzene	Toluene	Ethyl Benzene	Total Xylenes	MTBE	Naphthalene	tert-Butyl Benzene	sec-Butyl Benzene	n-Butyl Benzene	1,2,4-Trimethyl benzene	Isopropyl benzene	Vinyl Chloride	1,1-Dichloroethene	cis-1,2 Dichloroethene	Other VOCs
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
	12/10/98	na	na	na	ND	180	95	ND	ND	ND	ND	na	na	na	na	na	na	na	na	na	na	na	
	12/14/99	na	na	na	na	100	na	na	na	ND	ND	na	na	na	na	na	na	na	na	na	na	na	
	11/12/03	na	na	na	na	1,400	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	03/12/04	na	na	na	na	330	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	06/15/04	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	09/14/04	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
B-1-W	02/10/05	na	na	na	na	330	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
B-2-W	02/10/05	na	na	na	na	220	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
B-4-W	02/10/05	na	na	na	na	1,600	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
B-5-W	02/10/05	na	na	na	na	7,200	na	na	ND	ND	ND	ND	ND	ND	5.3	ND	ND	ND	ND	ND	ND	ND	
B-6-W	02/10/05	na	na	na	na	47,000	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Boysen Paint Site^{3,5,9}																							
MW-B1	09/30/91	na	na	18,000	ND	na	29,000	na	5	6	250	980	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	06/10/93	na	na	27,000	na	na	57,000	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	09/29/93	na	na	na	na	43,000	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	05/28/03	na	na	1,100,000	LNAPL	LNAPL	26,000	37,000	ND	ND	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
	06/15/04	na	na	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	ND	ND	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
	09/14/04	na	na	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	ND	ND	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
	12/16/04	na	na	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	ND	ND	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
	03/30/04	na	na	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	ND	ND	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-B2	06/10/93	na	na	3,800	na	na	510	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	09/29/93	na	na	na	na	290,000	na	510	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	12/10/98	na	na	ND	ND	150,000	2,400	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	12/14/99	na	na	na	na	630	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
	05/28/03	na	na	22,000	na	26,000	1,600	na	na	ND	ND	ND	ND	ND	ND	3.2	3.2	ND	ND	ND	ND	ND	
	06/15/04	na	na	na	na	3,000	na	na	ND	ND	ND	ND	ND	ND	ND	ND	33	ND	ND	ND	ND	ND	
	09/14/05	na	na	na	na	410	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	12/16/04	na	na	na	na	480	na	na	ND	ND	ND	ND	ND	ND	ND	1.8	1.4	ND	ND	ND	ND	ND	
	03/30/05	na	na	na	na	14,000	na	na	ND	ND	ND	ND	ND	ND	ND	5.8	4.1	ND	ND	2.2	0.57	ND	
	06/27/05	na	na	na	na	4,300	na	na	ND	ND	ND	ND	ND	ND	ND	5.9	4.7	ND	ND	2.2	ND	ND	
MW-B3	06/10/93	na	na	1,700	na	na	1,400	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	09/29/93	na	na	na	na	2,400	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	12/10/98	na	na	ND	ND	120	830	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	12/14/99	na	na	na	na	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
	05/28/03	na	na	ND	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	06/15/04	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	09/14/05	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	12/16/04	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	03/30/05	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	06/27/05	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-B4	06/10/93	na	na	36,000	na	na	36,000	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	09/29/93	na	na	1,400	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	12/10/98	na	na	1,000	7,500	2,700	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	12/14/99	na	na	5,100	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
	05/28/03	na	na	7,000	na	990	14,000	na	ND	ND	ND	ND	ND	ND	2.8	ND	ND	na	1.8	ND	ND	ND	
	06/15/04	na	na	na	na	1,300	na	na	ND	ND	ND	ND	ND	ND	na	ND	ND	na	na	ND	ND	ND	
	09/14/05	na	na	na	na	400	na	na	ND	ND	ND	ND	ND	ND	na	ND	ND	na	na	ND	ND	ND	
	12/16/04	na	na	na	na	450	na	na	ND	ND	ND	ND	ND	ND	4.6	ND	ND	na	na	ND	ND	ND	
	03/30/05	na	na	na	na	3,000	na	na	ND	ND	ND	ND	ND	ND	6.5	2.0	ND	na	1.3	ND	ND	ND	
	06/27/05	na	na	na	na	2,800	na	na	ND	ND	ND	ND	ND	ND	7.1	3.0	ND	na	1.9	ND	ND	ND	
BES-1	04/21/94	na	na	18,000	na	12,000	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	12/10/98	na	na	ND	na	78,000	ND	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	12/14/99	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
	05/28/03	na	na	19,000	na	na	84,000	na	ND	ND	ND	ND	ND	ND	ND	4	ND	ND	ND	20	1.5	17	trans-1,2 Dichloroethene 2.1
	06/15/04	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
	09/14/05	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
	12/16/04	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
	03/30/05	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
	06/27/05	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	

Table 6

Sample ID	Date Sampled	TRPH	Motor Oil	TEPH	TPHd	Mineral Spirits	TPPH	TPHg	Benzene	Toluene	Ethyl Benzene	Total Xylenes	MTBE	Naphthalene	tert-Butyl Benzene	sec-Butyl Benzene	n-Butyl Benzene	1,2,4-Trimethyl benzene	Isopropyl benzene	Vinyl Chloride	1,1-Dichloroethene	cis-1,2 Dichloroethene	Other VOCs
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-LD4	09/30/91 04/06/93 09/29/93 12/10/98 12/14/99 01/13/00	na na na na na na	na 21,000 na 700 170 440,000 630,000	na na na na na na	na 1,100 na 83 na na	na na na na na na	2.0 ND ND ND ND ND	3.1 ND ND ND ND ND	9.0 ND ND ND ND ND	2.4 na na na na na	na na na na na na												
BH-A	2004	na	na	na	na	54	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BH-B	2004	na	na	na	na	1,700,000	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.0	ND	ND	ND	ND	
BH-C	2004	na	na	na	na	230	na	na	ND	ND	ND	ND	ND	ND	ND	ND	2.2	ND	ND	ND	0.51	ND	
BH-E	2004	na	na	na	na	3,600	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BH-F	2004	na	na	na	na	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BH-G	2004	na	na	na	na	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	TCE 0.57	
BH-H	2004	na	na	na	na	1,200,000	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BH-I	2004	na	na	na	na	57,000	na	na	ND	ND	ND	ND	ND	ND	ND	ND	35	ND	ND	ND	ND	ND	
BH-J	2004	na	na	na	na	1,600,000	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BH-K	2004	na	na	na	na	1,300	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BH-L	2004	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BH-M	2004	na	na	na	na	72	na	na	ND	0.64	ND	ND	ND										
BH-N	2004	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BH-O	2004	na	na	na	na	ND	na	na	1.6	26	2.4	13	ND	ND	ND								
BH-P	2004	na	na	na	na	680	na	na	ND	0.57	ND	ND	ND										
BH-Q	2004	na	na	na	na	110,000	na	na	ND	ND	ND	ND	ND	ND	ND	6.1	ND	ND	ND	ND	ND	ND	
BH-R	2004	na	na	na	na	880,000	na	na	ND	ND	ND	ND	ND	ND	ND	4.9	ND	ND	ND	ND	ND	ND	
BH-S	2004	na	na	na	na	520	na	na	ND	0.64	ND	ND	ND										
BH-T	2004	na	na	na	na	11,000	na	na	0.7	12	1.2	6.8	ND	ND	2.0	ND	0.93	ND	ND	ND	ND	ND	
BH-U	2004	na	na	na	na	1,600	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BH-W	2004	na	na	na	na	870,000	na	na	ND	ND	ND	ND	ND	ND	2.6	1.0	ND	ND	4.0	ND	ND	ND	
BH-X	2004	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BH-Y	2004	na	na	na	na	1,400,000	na	na	ND	12	ND	12	ND	41	46	ND	ND	ND	ND	ND	ND	ND	
BH-Z	2004	na	na	na	na	59,000	na	na	ND	11	ND	7.3	ND	ND	ND								
BH-AA	2004	na	na	na	na	2,000,000	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BH-BB	2004	na	na	na	na	1,100,000	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BH-DD	Aug. 2005	na	na	na	na	970	na	na	ND	2.9	0.58	3.8	ND	ND	ND	ND	ND	0.78	ND	ND	ND	ND	
BH-EE	Aug. 2005	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BH-FF	Aug. 2005	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BH-II-16-20'	Aug. 2005	na	na	na	na	160	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BH-II-23-27'	Aug. 2005	na	na	na	na	56	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BH-II-45-50'	Aug. 2005	na	na	na	na	68	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BH-JJ	Aug. 2005	na	na	na	na	520	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	

Sample ID	Date Sampled	TRPH	Motor Oil	TEPH	TPHd	Mineral Spirits	TPPH	TPHg	Benzene	Toluene	Ethyl Benzene	Total Xylenes	MTBE	Naphthalene	tert-Butyl Benzene	sec-Butyl Benzene	n-Butyl Benzene	1,2,4-Trimethyl benzene	Isopropyl benzene	Vinyl Chloride	1,1-Dichloroethene	cis-1,2-Dichloroethene	Other VOCs	
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L		
BH-KK	Aug. 2005	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BH-LL	Aug. 2005	na	na	na	na	ND	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BH-MM	Aug. 2005	na	na	na	na	3,500	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BH-NN	Aug. 2005	na	na	na	na	ND	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
B-1	05/31/06	na	na	na	ND	ND	na	460	ND	0.65	ND	2.7	ND	ND	ND	Acetone 47								
B-2	05/30/06	na	na	na	ND	ND	na	120	ND	0.52	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Acetone 20
B-4	06/07/06	na	na	na	na	na	na	na	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Celis Site 1,2,6																								
LF-LFMW-1	08/07/93	11	ND	na	41,000	na	na	100,000	13,000	9,400	3,100	14,000	na	na	na									
LF-LFMW-2	08/07/93	ND	ND	na	95	na	na	13,000	2,400	2,900	500	2,000	na	na	na									
LF-LFMW-3	08/07/93	ND	ND	na	780	na	na	11,000	1,500	5,100	2,900	5,000	na	na	na									
LF-LFMW-4	01/28/94 09/26/97 07/10/07 10/31/07 01/18/08 09/21/09 03/12/10	na ND na na na na na	160 480 620 3,400 1,000 1,600 1,200	na na na na na na na	1,400 3,200 450 780 450 490 1,200	na 3,200 450 780 1.3 4.1 0.5	18,000 4,66 11,000 3,400 1,000 90 1,200	1,000 49 500 1,900 1,100 490 1,200	1,900 180 170 15 17 7.2 1,200	880 180 170 1.8 5.7 7.2 1,200	4,700.0 340 421 1,000 8.0 56 1.1	na na na na na na na	na na na na na na na	na na na na na na na	na na na na na na na	na na na na na na na	na na na na na na na	na na na na na na na	na na na na na na na	na na na na na na na	na na na na na na na			
WCEW-1	09/26/97 12/05/97 03/13/98 06/02/98 5/19/2004 ⁵ 09/24/09 03/14/10	na ND na na na na na	ND 95 780 550 600 1,600 1,600	na na na na na na na	180,000 4,700 7,700 3,400 3,700 90 460	na 2,100 2,500 2,100 90 1.5 3.5	2,800 1,800 1,300 460 910 1.2 1,200	4,900 2,500 1,000 460 910 1.2 1,200	3,100 3,400 3,400 48 56 1.2 1.3	12,000 10,000 2,990 1,000 170 150 131	ND 340 570 421 170 150 131	120 170 421 1,000 8.3 170 na	na na na na na na na	ND ND ND ND ND TBA 21 TBA 5.4										
SB-1-15-20	02/06/06	na	na	na	310	110	na	220	ND	ND	ND	ND	5.2	ND	ND	8.7	ND	ND	ND	ND	ND	ND	ND	
URS-MW-1	07/10/07 10/31/07 01/18/08 09/21/09 03/21/10	na na na na na	na 670 220 90 110	na 150 79 83 63	580 670 220 90 110	na na na na na	960 270 150 120 53	ND ND ND ND ND	ND ND ND ND ND	ND ND ND ND ND	ND ND ND ND ND	1.7 1.3 1.1 ND 1.3	na na na na na											
URS-MW-2	07/10/07 10/31/07 01/18/08 09/21/09 03/21/10	na na na na na	na 180 170 210 320	nd nd nd nd nd	240 180 170 210 320	nd nd nd nd nd	nd nd nd nd nd	nd nd nd nd nd	nd nd nd nd nd	nd nd nd nd nd	nd nd nd nd nd	140 5.1 160 49 18	ND 160 160 na na	ND na na na na	TBA 18 TBA 40 TBA 37									
URS-MW-3	07/10/07 10/31/07 01/18/08 09/21/09 03/21/10	na na na na na	na 50 nd nd nd	nd nd nd nd nd	nd 50 nd nd nd	nd nd nd nd nd	nd nd nd nd nd	nd nd nd nd nd	nd nd nd nd nd	nd nd nd nd nd	nd nd nd nd nd	1.3 ND ND ND 1.7	na na na na na											
URS-MW-4	07/10/07 10/31/07 01/18/08 09/21/09 03/21/10	na na na na na	na 110 170 110 110 210	nd nd nd nd nd	nd nd nd nd nd	nd nd nd nd nd	nd nd nd nd nd	nd nd nd nd nd	nd nd nd nd nd	nd nd nd nd nd	nd nd nd nd nd	82 7.2 3.9 56 20	na na na na na											
URS-MW-5	07/10/07 10/31/07 01/18/09 09/21/09 03/12/10	na na na na na	na 1,400 2,000 1,100 1,100	820 1,400 540 99 160	160 2,500 1,000 150 170	na nd nd nd nd	270 270 110 63 1.0	nd nd nd nd nd	nd nd nd nd nd	nd nd nd nd nd	nd nd nd nd nd	99 47 49 49 49	na na na na na	TBA 11										

Sample ID	Date Sampled	TRPH	Motor Oil	TEPH	TPHd	Mineral Spirits	TPPH	TPHg	Benzene	Toluene	Ethyl Benzene	Total Xylenes	MTBE	Naphthalene	tert-Butyl Benzene	sec-Butyl Benzene	n-Butyl Benzene	1,2,4-Trimethyl benzene	Isopropyl benzene	Vinyl Chloride	1,1-Dichloroethene	cis-1,2 Dichloroethene	Other VOCs
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
San Francisco Bread Site^{1,6,7,8}																							
SMW-1	09/11/92	na	na	na	200	na	na	1,400	470	45	43	100	na	na	na	na	na	na	na	na	na	na	
	12/03/92	na	na	na	na	na	na	ND	ND	1.6	ND	na	na	na	na	na	na	na	na	na	na	na	
	03/04/93	na	na	na	na	na	na	700	1.1	ND	ND	1.1	na	na	na	na	na	na	na	na	na	na	
	06/04/93	na	na	na	na	na	na	2,900	340	58	50	140	na	na	na	na	na	na	na	na	na	na	
	09/02/93	na	na	na	na	na	na	1,500	340	ND	ND	140	na	na	na	na	na	na	na	na	na	na	
	12/01/93	na	na	na	na	na	na	810	170	23	22	39	na	na	na	na	na	na	na	na	na	na	
	03/08/94	na	na	na	na	na	na	5,800	1,700	430	230	490	na	na	na	na	na	na	na	na	na	na	
MW-3	05/19/04	na	na	na	ND	420	na	1,300	ND	ND	ND	1.1	5.8	ND	ND	ND	14	ND	ND	ND	ND	ND	1,3,5 Trimethylbenzene 12 na
	09/24/09	na	na	na	110	ND	ND	ND	ND	ND	ND	2.4	na	na	na	na	na	na	na	na	na	TBA 4.1	
	03/14/10	na	na	na	130	ND	7.2	58	4.6	ND	7.2	5.6	1.9	na	na	na	na	na	na	na	na	na	
URS-MW-5	07/10/07	na	na	na	820	160	na	270	0.6	ND	22	ND	99	na	na	na	na	na	na	na	na	na	
	10/31/07	na	na	na	1,400	1,400	na	2,500	3.9	ND	270	ND	47	na	na	na	na	na	na	na	na	na	
	01/18/08	na	na	na	2,000	540	na	1,000	3.3	ND	110	ND	49	na	na	na	na	na	na	na	na	na	
	09/21/09	na	na	na	1,100	99	na	150	ND	ND	ND	ND	63	na	na	na	na	na	na	na	na	na	
	03/12/10	na	na	na	1,100	160	na	170	ND	ND	1.0	ND	49	na	na	na	na	na	na	na	na	na	

Concentrations in bold script exceed the 2008 San Francisco Bay Area RWQCB's Residential Environmental Screening Levels in shallow soils where groundwater is not a source of drinking water.

Notes:

- (1) Data Source: Levine-Fricke 1994, 1993
- (2) Data Source: Woodward-Clyde International-Americas 1997, 1998
- (3) Data Source: Aqua Science Engineers, Inc. 2005a,b
- (4) Data Source: Clayton Group Services 2007, 2004a,b, 2003, 2002
- (5) Data Source: Hageman-Aquair, Inc. 1992
- (6) Data Source: URS 2006, 2007a, 2009
- (7) Data Source: The San Joaquin Company 2005
- (8) Data Source: SEACOR Science and Engineering Analysis Corporation 1992
- (9) Data Source: Environmental Resource Management 2006
- (10) ND = Not Detected above the Method Detection Limit (MDL).
- (11) na = Not Analyzed.

TABLE 7

DEC

Table 7

RESULTS OF ANALYSES OF SOIL SAMPLES RECOVERED FROM
FLOORS OF REMEDIAL EXCAVATIONS
August 10 - 30, 2007

Sample ID	Date Sampled	Elevation NAVD ft.	TPHd (diesel) mg/Kg	Mineral Spirits mg/Kg	TPHg (gasoline) mg/Kg	Benzene mg/Kg	Toluene mg/Kg	Ethylbenzene mg/Kg	Total Xylenes mg/Kg
<i>Remedial Excavation No. 1</i>									
W275N08	08/28/07	36.62	3.0	1.7	9.7	ND	ND	ND	ND
W275N30	08/28/07	36.73	29	40	510	0.97	2.8	8.5	51
W275N55	08/30/07	36.06	32	26	140	ND	ND	ND	ND
W275N80	08/30/07	36.73	18	19	85	ND	ND	ND	ND
W275N105	08/28/07	36.74	54	ND	1.7	0.014	0.048	0.087	0.57
W305N08	08/28/07	36.13	ND	ND	1.9	ND	ND	ND	ND
W305N30	08/28/07	36.04	3.1	4.1	130	ND	2.0	1.8	9.3
W305N55	08/28/07	36.10	4.1	5.7	59	ND	ND	ND	2.6
W305N80	08/28/07	35.29	8.2	10	0.32	ND	ND	ND	ND
W305N115	08/28/07	36.47	ND	ND	ND	ND	ND	ND	ND
W335N08	08/28/07	35.69	ND	ND	ND	ND	ND	ND	ND
W335N30	08/28/07	35.66	42	57	140	ND	ND	ND	4.1
W335N55	08/28/07	34.96	6.5	8.4	7.7	ND	ND	ND	ND
W335N80	08/28/07	35.50	ND	ND	ND	ND	ND	ND	ND
W335N105	08/28/07	35.40	100	140	120	ND	ND	ND	ND
<i>Remedial Excavation No. 2</i>									
W0N0	08/14/07	40.81	28	6.3	3.2	ND	ND	ND	ND
W0N25	08/14/07	40.54	ND	ND	ND	ND	ND	ND	ND
W0N35	08/14/07	40.42	ND	ND	ND	ND	ND	ND	ND
W0N50	08/14/07	40.25	ND	ND	ND	ND	ND	ND	ND
W0N65	08/14/07	40.81	ND	ND	ND	ND	ND	ND	ND
W15N61	08/10/07	40.57	ND	ND	ND	ND	ND	ND	ND
W25N0	08/14/07	39.47	ND	ND	ND	ND	ND	ND	ND
W25N25	08/14/07	39.94	ND	ND	ND	ND	ND	ND	ND
W25N50	08/17/07	40.71	ND	ND	ND	ND	ND	ND	ND
W25N75	08/17/07	41.05	ND	ND	ND	ND	ND	ND	ND
W50N0	08/22/07	39.95	3.0	ND	ND	ND	ND	ND	ND
W50N50	08/17/07	40.41	ND	ND	ND	ND	ND	ND	ND
W50N75	08/17/07	40.44	ND	ND	ND	ND	ND	ND	ND
W75N0	08/22/07	40.61	19	24	350	ND	3.9	8.1	21
W75N25	08/22/07	40.22	26	29	280	ND	3.9	2.9	9.2
W75N50	08/17/07	40.19	ND	ND	0.90	0.0077	ND	ND	ND
W75N75	08/17/07	40.92	ND	ND	ND	ND	ND	ND	ND
W100N0	08/23/07	40.38	13	14	180	ND	1.6	2.9	16
W100N25	08/23/07	40.72	18	15	150	ND	ND	2.3	ND
W100N50	08/17/07	40.23	ND	ND	0.70	0.0094	ND	0.0051	ND

Oak Walk, Emeryville, CA

Sample ID	Date Sampled	Elevation NAVD ft.	TPHd (diesel) mg/Kg	Mineral Spirits mg/Kg	TPHg (gasoline) mg/Kg	Benzene mg/Kg	Toluene mg/Kg	Ethylbenzene mg/Kg	Total Xylenes mg/Kg
W100N75	08/17/07	40.21	ND	ND	ND	ND	ND	ND	ND
W125N0	08/23/07	40.54	7.1	9.2	72	ND	ND	1.2	3.9
W125N25	08/27/07	40.36	32	31	100	ND	ND	ND	ND
W125N50	08/27/07	39.72	9.3	7.6	150	ND	ND	ND	ND
W125N75	08/17/07	40.53	ND	ND	ND	ND	ND	ND	ND
W150N0	08/23/07	39.65	10	9.9	96	ND	ND	1.1	3.2
W150N25	08/23/07	40.09	18	21	290	ND	ND	6.0	8.2
W150N50	08/17/07	39.32	ND	ND	ND	ND	ND	ND	ND
W175N0	08/23/07	39.93	2.6	1.6	2.9	ND	ND	ND	ND
W175N25	08/23/07	40.39	2.8	2.4	9.0	0.020	ND	0.11	0.0099
W175N50	08/27/07	39.89	ND	ND	ND	ND	ND	ND	2.4
W175N75	08/27/07	39.13	ND	ND	ND	ND	ND	ND	ND
W200N0	08/27/07	40.30	ND	ND	0.47	ND	ND	ND	ND
W200N50	08/27/07	40.06	5.6	5.2	93	ND	ND	1.6	ND
W200N75	08/27/07	39.92	940	1300	5100	ND	ND	50	270
W213N25	08/27/07	40.76	6.8	5.4	6.5	ND	ND	0.055	ND

Notes:

- (1) Concentrations in **bold** script exceed the 2008 San Francisco Bay Area RWQCB's Environmental Screening Levels for residential property in shallow soils where groundwater is not a source of drinking water.
- (2) ND = Not Detected above the Method Detection Limit (MDL).

TABLE 8

DEC

TABLE 8
 RWQCB TIER 1 CONCENTRATION LIMITS (ESLs)
 FOR CHEMICALS OF CONCERN IN SHALLOW SOIL, GROUNDWATER AND SOIL GAS
 AT SITES WHERE SGROUNDWATER IS NOT A SOURCE OF DRINKING WATER
Shallow = <3m BGS for soil; <1.5m BGS for soil gas.

Chemical of Concern	Limiting Concentrations to Protect Human Health				
	<i>Soil</i> Residential mg/Kg	<i>Groundwater</i> Commercial mg/Kg	Resid. or Comm. µg/L	<i>Soil Gas for Vapor Intrusion</i> Residential µg/m ³	Commercial µg/m ³
Acetone	0.50	0.50	1,500	666,000	1,800,000
Aroclor® 1260 (PCBs)	0.22	0.74	0.014	n/a	n/a
Antimony	6.3	40	30	n/a	n/a
Arsenic	0.39	1.6	36	n/a	n/a
Barium	750	1,500	1,000	n/a	n/a
Benzene	0.12	0.27	46	84	280
Beryllium	4.0	8.0	0.53	n/a	n/a
2-Butanone (Methyl Ethyl Ketone)	13	13	14,000	1,000,000	2,900,000
n-Butylbenzene (1-Phenylbutane)	ne	ne	ne	ne	ne
sec-Butylbenzene (Butyl Benzene)	ne	ne	ne	ne	ne
tert-Butylbenzene	ne	ne	ne	ne	ne
Cadmium	1.7	7.4	0.25	n/a	n/a
Chromium III	750	750	180	n/a	n/a
Chromium VI	8.0	8.0	11	n/a	n/a
Cobalt	40	80	3.0	n/a	n/a
Copper	230	230	3.1	n/a	n/a
Dibromoethane (EDB)	ne	ne	ne	ne	ne
Ethyl benzene	2.3	4.7	43	980	3,300
Lead	200	750	2.5	n/a	n/a
Mercury	1.3	10	0.025	n/a	n/a
2-Methylnaphthalene	0.25	0.25	2.1	ne	ne
4-Methylphenol	ne	ne	ne	ne	ne
Methyl Teritary Butyl Ether	8.4	8.4	1,800	9,400	31,000
Methylene Chloride	7.2	17	2,200	5,200	17,000

Chemical of Concern	Limiting Concentrations to Protect Human Health				
	<i>Soil</i> Residential mg/Kg	<i>Groundwater</i> Commercial mg/Kg	Resid. or Comm. μg/L	<i>Soil Gas for Vapor Intrusion</i> Residential μg/m ³	Commercial μg/m ³
Molybdenum	40	40	240	n/a	n/a
Naphthalene	1.3	2.8	24	72	240
Nickel	150	150	8.2	n/a	n/a
Isopropylbenzene (Cumene)	ne	ne	ne	ne	ne
p-Isopropylbenzene	ne	ne	ne	ne	ne
p-Isopropyltoluene (p-Cymene)	ne	ne	ne	ne	ne
n-Propylbenzene (Isocumene)	ne	ne	ne	ne	ne
Selenium	10	10	5.0	n/a	n/a
Silver	20	40	0.19	n/a	n/a
Tetrachlorethene	0.47	0.90	120	410	4100
Thallium	1.3	16	4.0	n/a	n/a
Toluene	9.3	9.3	130	63,000	180,000
TPHd, TPHms (Diesel and Mineral Spirits)	100	180	210	10,000	29,000
TPHg (Gasoline)	100	180	210	10,000	29,000
Trichloroethene	1.9	4.1	360	1,200	4,100
1,2,4 Trimethylbenzene	ne	ne	ne	ne	ne
1,3,5 Trimethylbenzene	ne	ne	ne	ne	ne
Vanadium	16	200	19	n/a	n/a
Xylene Isomers (Total)	11.0	11.0	100	21,000	58,000
Zinc	600	600	81	n/a	n/a

Notes:

n/a = not applicable to soil gas

ne = not established in the RWQCB ESL guidance document (California Regional Water Quality Control Board San Francisco Bay Region (2008), *Screening for Environmental Concerns at Sites with Contaminated Soil and Groundwater*. California Regional Water Quality Control Board San Francisco Bay Region INTERIM FINAL. November 2007 (Revised May 2008).

TABLE 9

DEC

TABLE 9

RWQCB TIER 1 CONCENTRATION LIMITS (ESLs)
FOR CHEMICALS OF CONCERN IN DEEP SOIL, GROUNDWATER AND SOIL GAS
AT SITES WHERE SGROUNDWATER IS NOT A SOURCE OF DRINKING WATER

Deep = >3m BGS for soil; >1.5m BGS for soil gas.

Chemical of Concern	Limiting Concentrations to Protect Human Health				
	<i>Soil</i> Residential mg/Kg	<i>Groundwater</i> Commercial mg/Kg	<i>Resid. or Comm.</i> μg/L	<i>Soil Gas for Vapor Intrusion</i> Residential μg/m ³	Commercial μg/m ³
Acetone	0.50	0.50	1,500	666,000	1,800,000
Aroclor® 1260 (PCBs)	6.3	6.3	0.014	n/a	n/a
Antimony	310	310	30	n/a	n/a
Arsenic	15	15	36	n/a	n/a
Barium	2,500	2,600	1,000	n/a	n/a
Benzene	2.0	2.0	46	84	280
Beryllium	98	98	0.53	n/a	n/a
2-Butanone (Methyl Ethyl Ketone)	13	13	14,000	1,000,000	2,900,000
n-Butylbenzene (1-Phenylbutane)	ne	ne	ne	ne	ne
sec-Butylbenzene (Butyl Benzene)	ne	ne	ne	ne	ne
tert-Butylbenzene	ne	ne	ne	ne	ne
Cadmium	39	39	0.25	n/a	n/a
Chromium III	2,500	5,000	180	n/a	n/a
Chromium VI	0.53	0.53	11	n/a	n/a
Cobalt	94	94	3.0	n/a	n/a
Copper	2,500	5,000	3.1	n/a	n/a
Dibromoethane (EDB)	ne	ne	ne	ne	ne
Ethyl benzene	4.7	4.7	43	980	3,300
Lead	750	750	2.5	n/a	n/a
Mercury	58	58	0.025	n/a	n/a
2-Methylnaphthalene	0.25	0.25	2.1	ne	ne
4-Methylphenol	ne	ne	ne	ne	ne
Methyl Teritary Butyl Ether	8.4	8.4	1,800	9,400	31,000
Methylene Chloride	34	34	2,200	5,200	17,000

Chemical of Concern	Limiting Concentrations to Protect Human Health				
	<i>Soil</i> Residential mg/Kg	<i>Soil</i> Commercial mg/Kg	<i>Groundwater</i> Resid. or Comm. µg/L	<i>Soil Gas for Vapor Intrusion</i> Residential µg/m ³	<i>Soil Gas for Vapor Intrusion</i> Commercial µg/m ³
Molybdenum	2,500	3,900	240	n/a	n/a
Naphthalene	4.8	4.8	24	72	240
Nickel	260	260	8.2	n/a	n/a
Isopropylbenzene (Cumene)	ne	ne	ne	ne	ne
p-Isopropylbenzene	ne	ne	ne	ne	ne
p-Isopropyltoluene (p-Cymene)	ne	ne	ne	ne	ne
n-Propylbenzene (Isocumene)	ne	ne	ne	ne	ne
Selenium	2,500	3,900	5.0	n/a	n/a
Silver	2,500	3,900	0.19	n/a	n/a
Tetrachlorethene	17	17	120	410	4100
Thallium	62	62	4.0	n/a	n/a
Toluene	9.3	9.3	130	63,000	180,000
TPHd, TPHms (Diesel and Mineral Spirits)	180	180	210	10,000	29,000
TPHg (Gasoline)	180	180	210	10,000	29,000
Trichloroethene	33	33	360	1,200	4,100
1,2,4 Trimethylbenzene	ne	ne	ne	ne	ne
1,3,5 Trimethylbenzene	ne	ne	ne	ne	ne
Vanadium	770	770	19	n/a	n/a
Xylene Isomers (Total)	11	11	100	21,000	58,000
Zinc	2,500	5,000	81	n/a	n/a


Notes:

n/a = not applicable to soil gas

ne = not established in the RWQCB ESL guidance document (California Regional Water Quality Control Board San Francisco Bay Region (2008), *Screening for Environmental Concerns at Sites with Contaminated Soil and Groundwater*. California Regional Water Quality Control Board San Francisco Bay Region INTERIM FINAL. November 2007 (Revised May 2008).

FIGURES

DEC



SCALE IN FEET

Basemap: AAA; Oakland-Berkeley-Alameda (12/02)

SITE LOCATION

Oak Walk Site
Emeryville, California

FIG 1

DIEZ ENGINEERING AND CONSTRUCTION, INC.

Project Number: 0707.1001


Drawn by: GNM Date: 10/11/10



0 20 40

SCALE IN FEET

Base Map:
This base map was prepared from various resources, including information provided by Hunt Hale Jones Architects, (Project # 429001.00, Revision Date 12.03.08,) aerial photography and ground measurement.




Base Map:
This base map was prepared from various resources, including information provided by:
• Hunt Hale Jones Architects
(Project # 429001.00, Revision Date 12.03.08.)
• Bay Area Land Surveying - ALTA / ACGM Land Title Survey;
Portion of Lots 3, 4, 5 & 6 of the H.C. Dohr's Homestead
(Nov. 2003)
• Sandis Humber Jones - ALTA / ACGM Land Title Survey;
San Pablo Ave. & 40th Street Extension
Drawing No. 600104.ALTA (7/25/01)
• Clayton Group Services - Monitoring Well Locations
Former Durrer Paints 1007 41st St., Oakland,
Figure 2, Project No. 70-03366.04 (12/05/03)
• Clayton Group Services - Historical Subject Property Plan
1007 41st St & 4050 Adeline St., Oakland,
Figure 3, Project No. 70-03366.00 (09/06/02)
• Aerial Photography and Ground Measurement



0 40 80 120
SCALE IN FEET
(approximate)


Note:
Except on Andante and Frank Dunn sites, location and continuity of paleo streambed deposits are tentative. Continuity of paleo streambed channels as shown on Boyson Paint Site, 41st Street, Ennis Property, 40th Street, California Linen Rental, and Adeline Street are assumed based on a preponderance of available boring log, hydrostratigraphic and geochemical data.




EXPLANATION	
MW-1	SJC Monitoring Well (Oak Walk)
MWT-1	SJC Temporary Monitoring Well (Oak Walk)
BE-1	SJC Environmental Boring (Oak Walk)
BE-1	SJC Geotech Boring (Oak Walk)
CPT-1	Cone Penetrometer Test Location (Oak Walk)
WCEW-1	Exploratory Trench
LFB-1	Underground Storage Tank (removed)
LFB-1	Woodward-Clyde Soil Sample
LFB-1	Fricke Soil Boring
LFB-1	Levine • Fricke Monitoring Well
HEB-2	Levine • Fricke Soil Boring
HEB-2	Harza Exploratory Boring
SMW-1	SECOR Monitoring Well
AEGP-6	APEX Envirotech, Inc. Boring
SJC MW-T1	SJC Temporary Monitoring Well (SNK Andante)
WCEW-1	Paleo Streambed, Gravely Areas
OB-6	Trench Soil Sample Location
OB-6	Dunne Paints Monitoring Well
OB-6	Clayton Boring (Dunn)
OB-6	ASE Boring
OB-6	ASE Temporary Well
MW-1	Clayton Monitoring Well (GW) & Temporary Monitoring Well (OB)
MW-1	Clayton Boring (Ennis)
B-2	Clayton Boring (Dunn)
B-2	ERM Boring (G/O6)
BH-5	Askevold Monitoring Well
URS-58-1	Kozel Property Monitoring Well
URS-58-1	URS Geoprobe Soil Boring
URS-58-3	URS Monitoring Well
URS-58-3	Environmental Strategies Corp Monitoring Well
URS-58-3	Hageman-Angular, Inc. Soil Boring
CPT-4	Cone Penetrometer Test (SCI)
BB-2	Extraction Well

UNAUTHORIZED RELEASE SITES IN NEIGHBORHOOD OF SUBJECT PROPERTY
Oak Walk Site
Emeryville, California

Base Map:
This base map was prepared from various resources, including information provided by Hunt Hale Jones Architects (Project # 429001.00, Revision Date 12.03.08.) aerial photography and ground measurement.






HYDROSTRATIGRAPHIC SECTION A-A'
Oak Walk Site
Emeryville, California

FIG 5


DIETZ ENGINEERING AND CONSTRUCTION, INC.

Project Number: 0707.1001

Drawn by: GNM Date: 10/28/10



EXPLANATION



HYDROSTRATIGRAPHIC SECTION B-B'

Oak Walk Site


Emeryville, California

FIG

Dietz Engineering and Construction, Inc.

Project Number: 0707.1001

Drawn by: GNM



EXPLANATION

	Clays and Silty Clays		Gravel		Engineered Fill
	Sandy Clay and Clays with some Silt, Sand or Gravel		Gravelly Fill		A/B/ Gravel Fill
	Silts, Clayey Gravel and Sands		Water Table (09/21/10)		
Gasoline-340 Mineral Spirits/TPH(d)-27 Benzene-ND	Soil Sample Analysis Results (mg/kg)	0 40 80	HORIZONTAL SCALE IN FEET		


HYDROSTRATIGRAPHIC SECTION C-C'


Oak Walk Site
Emeryville, California

FIG 7

DIETZ ENGINEERING AND CONSTRUCTION, INC.

Project Number: 0707.1001
Drawn by: GNM Date: 10/31/10





EXPLANATION

	Clays and Silty Clays		Gravel		Engineered Fill
	Sandy Clay and Clays with some Silt, Sand or Gravel		Gravelly Fill		A/B/ Gravel Fill
	Silts, Clayey Gravel and Sands		Water Table (09/21/10)	0	80
				HORIZONTAL SCALE IN FEET	

Gasoline-340
Mineral Spirits/TPH(d)-27
Benzene-ND

Soil Sample Analysis Results (mg/kg)


HYDROSTRATIGRAPHIC SECTION E-E'

Oak Walk Site
Emeryville, California


FIG 9

DIETZ ENGINEERING AND CONSTRUCTION, INC.

Project Number: 0707.1001
Drawn by: GNM Date: 10/31/10



Oak Walk Site
 41st Street 1077 41st Street 1122 40th Street 40th Street




HYDROSTRATIGRAPHIC SECTION G-G'

Oak Walk Site
Emeryville, California

FIG 11

DIETZ ENGINEERING AND CONSTRUCTION, INC.

Project Number: 0707.1001	
Drawn by: GNM	Date: 10/28/10



EXPLANATION

	Clays and Silty Clays		Gravel		Engineered Fill
	Sandy Clay and Clays with some Silt, Sand or Gravel		Gravelly Fill		A/B/ Gravel Fill
	Silts, Clayey Gravel and Sands		Water Table (09/21/10)	0	40
Gasoline-340 Mineral Spirits/TPH(d)-27 Benzene-ND	Soil Sample Analysis Results (mg/kg)	80			

HYDROSTRATIGRAPHIC SECTION H-H'

Oak Walk Site
Emeryville, California

FIG 12

DIETZ ENGINEERING AND CONSTRUCTION, INC.

Project Number: 0707.1001	Drawn by: GNM	Date: 10/28/10
---------------------------	---------------	----------------

**Base Map:**

This base map was prepared from various resources, including information provided by Hunt Hale Jones Architects (Project # 429001.00, Revision Date 12.03.08), aerial photography and ground measurement.

0 20 40
SCALE IN FEET






FIG 13

DIETZ ENGINEERING AND CONSTRUCTION, INC.

Project Number: 0707.1001
Drawn by: GNM Date: 10/27/10








0 20 40
SCALE IN FEET

Base Map:
This base map was prepared from various resources, including information provided by Hunt Hale Jones Architects (Project # 429001.00, Revision Date 12.03.08), aerial photography and ground measurement.

EXPLANATION

- MW-1 SJC Monitoring Well
- MW-1 SJC Temporary Monitoring Well
- BE-1 SJC Environmental Boring
- BG-1 SJC Geotech Boring
- CPT-1 Cone Penetrometer Test Location
- Exploratory Trench
- Former Underground Storage Tank (removed)
- WCEW-1 Woodward-Clyde Extraction Well
- (37.5) Groundwater Elevation Contours (09/21/10)

NOTE:
All SJC Monitoring Wells (MW), Temporary Wells (MWT) and Borings (B) are TD 20' unless noted otherwise.



Former USTs
A = 4000gal. Unleaded Gas UST
B = 3500gal. Super Unleaded Gas UST
C = 2000gal. Unleaded Gas UST
D = 6000gal. Regular Gas UST
E = 7500gal. Diesel UST
F = 550gal. Waste Oil UST

GROUNDWATER CONTOURS AT OAK WALK SITE (09/21/10)

Oak Walk Site
Emeryville, California

FIG 16

DIETZ ENGINEERING AND CONSTRUCTION, INC.

Project Number: 0707.1001
Drawn by: GNM Date: 10/19/10



Base Map:
This base map was prepared from various resources, including information provided by Hunt Hale Jones Architects (Project # 429001.00, Revision Date 12.03.08), aerial photography and ground measurement.



EXPLANATION

- | | | |
|-------|--------|---|
| | MW-1 | SJC Monitoring Well |
| | MWT-1 | SJC Temporary Monitoring Well |
| | BE-1 | SJC Environmental Boring |
| | BG-1 | SJC Geotech Boring |
| | CPT-1 | Cone Penetrometer Test Location |
| | | Exploratory Trench |
| | | Former Underground Storage Tank (removed) |
| | WCEW-1 | Woodward-Clyde Extraction Well |
| (250) | | Result of analysis of middle distillate-range hydrocarbons in groundwater (September, 2010) |
| | | Area affected by middle distillate-range hydrocarbons at concentrations above the applicable ESLs for soil or groundwater |
| | | Area affected by middle distillate-range hydrocarbons at concentrations below the applicable ESLs for soil or groundwater |

**AREAS OF THE OAK WALK SITE AFFECTED BY MIDDLE DISTILLATE-RANGE HYDROCARBONS
IN SOIL & GROUNDWATER (September 2010)**
Oak Walk Site, Emeryville, California

Former USTs
A = 4000gal. Unleaded Gas UST
B = 3500gal. Super Unleaded Gas UST
C = 2000gal. Unleaded Gas UST
D = 6000gal. Regular Gas UST
E = 7500gal. Diesel UST
F = 550gal. Waste Oil UST

FIG 17


Dietz Engineering and Construction, Inc.

Project Number: 0707.1001
Drawn by: GNM Date: 10/28/10



0 20 40
SCALE IN FEET

Base Map:
This base map was prepared from various resources, including information provided by Hunt Hale Jones Architects (Project # 429001.00, Revision Date 12.03.08,) aerial photography and ground measurement.



Former USTs
A = 4000gal. Unleaded Gas UST
B = 3500gal. Super Unleaded Gas UST
C = 2000gal. Unleaded Gas UST
D = 6000gal. Regular Gas UST
E = 7500gal. Diesel UST
F = 550gal. Waste Oil UST

AREAS OF THE OAK WALK SITE AFFECTED BY GASOLINE-RANGE HYDROCARBONS IN SOIL & GROUNDWATER (September 2010)

Oak Walk Site, Emeryville, California

FIG 18


DIETZ ENGINEERING AND CONSTRUCTION, INC.


Project Number: 0707.1001
Drawn by: GNM | Date: 10/28/10

**Base Map:**

This base map was prepared from various resources, including information provided by Hunt Hale Jones Architects (Project # 429001.00, Revision Date 12.03.08), aerial photography and ground measurement.

0 20 40
SCALE IN FEET





**ISOCONS OF GASOLINE-RANGE HYDROCARBONS IN GROUNDWATER
AT THE OAK WALK SITE (September 2010)**
Oak Walk Site, Emeryville, California


Former USTS
A = 4000gal. Unleaded Gas UST
B = 3500gal. Super Unleaded Gas UST
C = 2000gal. Unleaded Gas UST
D = 6000gal. Regular Gas UST
E = 7500gal. Diesel UST
F = 550gal. Waste Oil UST

FIG 20

DIETZ ENGINEERING AND CONSTRUCTION, INC.

Project Number: 0707.1001
Drawn by: GNM | Date: 10/28/

Base Map:
This base map was prepared from various resources, including information provided by Hunt Hale Jones Architects (Project # 429001.00, Revision Date 12.03.08,) aerial photography and ground measurement.



Former USTs
A = 4000gal. Unleaded Gas UST
B = 3500gal. Super Unleaded Gas UST
C = 2000gal. Unleaded Gas UST
D = 6000gal. Regular Gas UST
E = 7500gal. Diesel UST
F = 550gal. Waste Oil UST

ISOCONS OF BENZENE IN GROUNDWATER ON THE OAK WALK SITE (September 2010)

Oak Walk Site
Emeryville, California

FIG 21


DIETZ ENGINEERING AND CONSTRUCTION, INC.

Project Number: 0707.1001
Drawn by: GNM Date: 10/28/10



0 20 40
SCALE IN FEET

Base Map:
This base map was prepared from various resources, including information provided by Hunt Hale Jones Architects (Project # 429001.00, Revision Date 12.03.08,) aerial photography and ground measurement.



APPENDIX A

Field Notes

DEC

Field Notes September 22-23, 2010¹

Oak Walk Site, Emeryville, California

Global ID: T06019705080

Well No.	Date	pH	Temperature	Conductivity	Notes
			Degrees Centigrade	µmhos/cm	
WCEW-1	09/23/10	6.66	21.0	9040	odor of TPHg
		6.70	21.2	8660	
		6.87	22.1	7450	
		6.85	22.2	7470	
MW-2	09/23/10	6.84	22.2	1086	
		6.67	22.1	1074	
MW-3	09/22/10	6.69	meter failure	meter failure	
		6.68			
		6.68			
MW-4	09/22/10	6.72	meter failure	meter failure	
		6.73			
MW-5	09/23/10	8.72	19.5	9030	
		8.10	19.9	7840	
		7.04	20.0	6600	
		6.93	20.0	6500	
MW-6A	09/22/10	7.28	meter failure	meter failure	
		7.07			
		6.98			
		6.94			
		6.91			
MW-7	09/22/10	8.41	23.8	4260	
		7.55	22.3	3170	
		7.21	21.9	3280	
		7.15	21.9	3280	
MW-8	09/22/10	7.86	23.1	4180	
		7.31	21.7	4210	
		7.19	21.7	4230	
MW-9	09/23/10	6.90	18.0	7030	
		6.92	18.0	7030	
		6.93	17.8	6620	
		6.92	18.0	6560	
MW-10	09/22/10	6.78	meter failure	meter failure	
		6.77			
		6.89			

Well No.	Date	pH	Temperature	Conductivity	Notes
			Degrees Centigrade	µmhos/cm	
MW-11	09/22/10	6.90 6.90 6.82	meter failure	meter failure	
MW-12	09/22/10	6.80 6.80 6.90	meter failure	meter failure	
MW-13	09/22/10	6.82 6.79 6.81	meter failure	meter failure	
MW-14	09/22/10	6.71 6.71 6.70	meter failure	meter failure	
MW-15	09/22/10	6.69 6.68	meter failure	meter failure	
MW-16A	09/23/10	6.84 6.78 6.76	22.4 21.4 21.4	1018 1401 1390	strong odor of TPHg
MW-16B	09/23/10	9.71 8.82 8.58	20.4 20.4 20.3	1690 1636 1566	odor of TPHg
MW-16C ²	09/23/10	7.67 7.81	20.0 20.0	1243 1257	Casing emptied

Notes:

1. Except as noted, all sampled wells purged a minimum of 15 gallons
2. Casing pumped dry before 15 gallons extracted.

APPENDIX B

Certificates of Analysis

DEC

ANALYTICAL REPORT

Job Number: 720-30774-1

Job Description: Bay Rock Oak Walk Emeryville

For:

Deitz Engineering and Construction, Inc.

1120 Hollywood Ave Suite 3
Oakland, CA 94602-1459

Attention: Mr. Dai Watkins



Approved for release.
Surinder Sidhu
Customer Service Manager
10/6/2010 5:10 PM

Surinder Sidhu
Customer Service Manager
surinder.sidhu@testamericainc.com
10/06/2010

CA ELAP Certification # 2496

The Chain(s) of Custody are included and are an integral part of this report.

The report shall not be reproduced except in full, without the written approval of the laboratory. The client, by accepting this report, also agrees not to alter any reports whether in the hard copy or electronic format and to use reasonable efforts to preserve the reports in the form and substance originally provided by TestAmerica.

A trip blank is required to be provided for volatile analyses. If trip blank results are not included in the report, either the trip blank was not submitted or requested to be analyzed.

Job Narrative
720-30774-1

Comments

No additional comments.

Receipt

All samples were received in good condition within temperature requirements.

GC/MS VOA

No analytical or quality issues were noted.

GC Semi VOA

Method(s) 8015B: The continuing calibration verification (CCV) for C10-C28 recovered above the upper control limit. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

No other analytical or quality issues were noted.

Organic Prep

No analytical or quality issues were noted.

EXECUTIVE SUMMARY - Detections

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
720-30774-1 WCEW-1					
Methyl tert-butyl ether	1.3		0.50	ug/L	8260B/CA_LUFTMS
Gasoline Range Organics (GRO)-C5-C12	990		50	ug/L	8260B/CA_LUFTMS
<i>Silica Gel Cleanup</i>					
Diesel Range Organics [C10-C28]	1000		52	ug/L	8015B
Mineral Spirit Range Organics [C9-C13]	220		52	ug/L	8015B
720-30774-2 MW-2					
Methyl tert-butyl ether	61		10	ug/L	8260B/CA_LUFTMS
Benzene	1800		10	ug/L	8260B/CA_LUFTMS
Ethylbenzene	710		10	ug/L	8260B/CA_LUFTMS
Toluene	12		10	ug/L	8260B/CA_LUFTMS
Xylenes, Total	90		20	ug/L	8260B/CA_LUFTMS
Gasoline Range Organics (GRO)-C5-C12	8800		1000	ug/L	8260B/CA_LUFTMS
<i>Silica Gel Cleanup</i>					
Diesel Range Organics [C10-C28]	570		58	ug/L	8015B
Mineral Spirit Range Organics [C9-C13]	460		58	ug/L	8015B
720-30774-3 MW-3					
Methyl tert-butyl ether	3.0		0.50	ug/L	8260B/CA_LUFTMS
<i>Silica Gel Cleanup</i>					
Diesel Range Organics [C10-C28]	67		51	ug/L	8015B
720-30774-5 MW-5					
Methyl tert-butyl ether	0.56		0.50	ug/L	8260B/CA_LUFTMS
Gasoline Range Organics (GRO)-C5-C12	380		50	ug/L	8260B/CA_LUFTMS
<i>Silica Gel Cleanup</i>					
Diesel Range Organics [C10-C28]	250		51	ug/L	8015B
Mineral Spirit Range Organics [C9-C13]	120		51	ug/L	8015B
720-30774-9 MW-9					
Gasoline Range Organics (GRO)-C5-C12	350		50	ug/L	8260B/CA_LUFTMS
<i>Silica Gel Cleanup</i>					
Diesel Range Organics [C10-C28]	200		51	ug/L	8015B
Mineral Spirit Range Organics [C9-C13]	99		51	ug/L	8015B

EXECUTIVE SUMMARY - Detections

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
720-30774-11	MW-11				
Gasoline Range Organics (GRO)-C5-C12	63		50	ug/L	8260B/CA_LUFTMS
720-30774-13	MW-13				
Gasoline Range Organics (GRO)-C5-C12	400		50	ug/L	8260B/CA_LUFTMS
<i>Silica Gel Cleanup</i>					
Diesel Range Organics [C10-C28]	120		51	ug/L	8015B
Mineral Spirit Range Organics [C9-C13]	130		51	ug/L	8015B
720-30774-14	MW-14				
Methyl tert-butyl ether	11		0.50	ug/L	8260B/CA_LUFTMS
Gasoline Range Organics (GRO)-C5-C12	87		50	ug/L	8260B/CA_LUFTMS
720-30774-15	MW-15				
Methyl tert-butyl ether	7.1		0.50	ug/L	8260B/CA_LUFTMS
720-30774-16	MW-16A				
Methyl tert-butyl ether	800		50	ug/L	8260B/CA_LUFTMS
Benzene	14000		100	ug/L	8260B/CA_LUFTMS
Ethylbenzene	3200		50	ug/L	8260B/CA_LUFTMS
Toluene	570		50	ug/L	8260B/CA_LUFTMS
Xylenes, Total	9800		100	ug/L	8260B/CA_LUFTMS
Gasoline Range Organics (GRO)-C5-C12	49000		10000	ug/L	8260B/CA_LUFTMS
<i>Silica Gel Cleanup</i>					
Diesel Range Organics [C10-C28]	1800		52	ug/L	8015B
Mineral Spirit Range Organics [C9-C13]	3400		52	ug/L	8015B
720-30774-17	MW-16B				
Methyl tert-butyl ether	560		10	ug/L	8260B/CA_LUFTMS
Benzene	1800		10	ug/L	8260B/CA_LUFTMS
Ethylbenzene	190		10	ug/L	8260B/CA_LUFTMS
Toluene	61		10	ug/L	8260B/CA_LUFTMS
Xylenes, Total	310		20	ug/L	8260B/CA_LUFTMS
Gasoline Range Organics (GRO)-C5-C12	3600		1000	ug/L	8260B/CA_LUFTMS
TBA	87		80	ug/L	8260B/CA_LUFTMS
<i>Silica Gel Cleanup</i>					
Diesel Range Organics [C10-C28]	250		50	ug/L	8015B
Mineral Spirit Range Organics [C9-C13]	280		50	ug/L	8015B

EXECUTIVE SUMMARY - Detections

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Lab Sample ID Analyte	Client Sample ID MW-16C	Result / Qualifier	Reporting Limit	Units	Method
720-30774-18					
Methyl tert-butyl ether		400	5.0	ug/L	8260B/CA_LUFTMS
TBA		40	40	ug/L	8260B/CA_LUFTMS

METHOD SUMMARY

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Description	Lab Location	Method	Preparation Method
Matrix Water			
8260B / CA LUFT MS	TAL SF	SW846 8260B/CA_LUFTMS	
Purge and Trap	TAL SF	SW846 5030B	
Diesel Range Organics (DRO) (GC)	TAL SF	SW846 8015B	
Liquid-Liquid Extraction (Separatory Funnel)	TAL SF		SW846 3510C SGC

Lab References:

TAL SF = TestAmerica San Francisco

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

SAMPLE SUMMARY

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
720-30774-1	WCEW-1	Water	09/23/2010 1035	09/24/2010 1322
720-30774-2	MW-2	Water	09/23/2010 1100	09/24/2010 1322
720-30774-3	MW-3	Water	09/22/2010 1420	09/24/2010 1322
720-30774-4	MW-4	Water	09/22/2010 1310	09/24/2010 1322
720-30774-5	MW-5	Water	09/23/2010 1015	09/24/2010 1322
720-30774-6	MW-6A	Water	09/22/2010 1200	09/24/2010 1322
720-30774-7	MW-7	Water	09/22/2010 1050	09/24/2010 1322
720-30774-8	MW-8	Water	09/22/2010 1105	09/24/2010 1322
720-30774-9	MW-9	Water	09/23/2010 0835	09/24/2010 1322
720-30774-10	MW-10	Water	09/22/2010 1125	09/24/2010 1322
720-30774-11	MW-11	Water	09/22/2010 1250	09/24/2010 1322
720-30774-12	MW-12	Water	09/22/2010 1215	09/24/2010 1322
720-30774-13	MW-13	Water	09/22/2010 1300	09/24/2010 1322
720-30774-14	MW-14	Water	09/22/2010 1310	09/24/2010 1322
720-30774-15	MW-15	Water	09/22/2010 1345	09/24/2010 1322
720-30774-16	MW-16A	Water	09/23/2010 1200	09/24/2010 1322
720-30774-17	MW-16B	Water	09/23/2010 1148	09/24/2010 1322
720-30774-18	MW-16C	Water	09/23/2010 0950	09/24/2010 1322

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: **WCEW-1**

Lab Sample ID: 720-30774-1

Date Sampled: 09/23/2010 1035

Client Matrix: Water

Date Received: 09/24/2010 1322

8260B/CA_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-78987	Instrument ID:	HP9
Preparation:	5030B		Lab File ID:	09291029.D
Dilution:	1.0		Initial Weight/Volume:	10 mL
Date Analyzed:	09/29/2010 2346		Final Weight/Volume:	10 mL
Date Prepared:	09/29/2010 2346			

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	1.3		0.50
Benzene	ND		0.50
Ethylbenzene	ND		0.50
Toluene	ND		0.50
Xylenes, Total	ND		1.0
Gasoline Range Organics (GRO)-C5-C12	990		50
TBA	ND		4.0
DIPE	ND		0.50
TAME	ND		0.50
Ethyl t-butyl ether	ND		0.50

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	98		67 - 130
1,2-Dichloroethane-d4 (Surr)	100		67 - 130
Toluene-d8 (Surr)	95		70 - 130

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: **MW-2**Lab Sample ID: 720-30774-2
Client Matrix: WaterDate Sampled: 09/23/2010 1100
Date Received: 09/24/2010 1322**8260B/CA_LUFTMS 8260B / CA LUFT MS**

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-78987	Instrument ID:	HP9
Preparation:	5030B		Lab File ID:	09291032.D
Dilution:	20		Initial Weight/Volume:	10 mL
Date Analyzed:	09/30/2010 0122		Final Weight/Volume:	10 mL
Date Prepared:	09/30/2010 0122			

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	61		10
Benzene	1800		10
Ethylbenzene	710		10
Toluene	12		10
Xylenes, Total	90		20
TBA	ND		80
DIPE	ND		10
TAME	ND		10
Ethyl t-butyl ether	ND		10

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	124		67 - 130
1,2-Dichloroethane-d4 (Surr)	96		67 - 130
Toluene-d8 (Surr)	98		70 - 130

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: **MW-2**

Lab Sample ID: 720-30774-2

Date Sampled: 09/23/2010 1100

Client Matrix: Water

Date Received: 09/24/2010 1322

8260B/CA_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-79107	Instrument ID:	HP9
Preparation:	5030B		Lab File ID:	10011009.D
Dilution:	20		Initial Weight/Volume:	10 mL
Date Analyzed:	10/01/2010 1303		Final Weight/Volume:	10 mL
Date Prepared:	10/01/2010 1303			

Analyte	Result (ug/L)	Qualifier	RL
Gasoline Range Organics (GRO)-C5-C12	8800		1000
<hr/>			
Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	99		67 - 130
1,2-Dichloroethane-d4 (Surr)	99		67 - 130
Toluene-d8 (Surr)	93		70 - 130

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: MW-3Lab Sample ID: 720-30774-3
Client Matrix: WaterDate Sampled: 09/22/2010 1420
Date Received: 09/24/2010 1322**8260B/CA_LUFTMS 8260B / CA LUFT MS**

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-78987	Instrument ID:	HP9
Preparation:	5030B		Lab File ID:	09291033.D
Dilution:	1.0		Initial Weight/Volume:	10 mL
Date Analyzed:	09/30/2010 0154		Final Weight/Volume:	10 mL
Date Prepared:	09/30/2010 0154			

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	3.0		0.50
Benzene	ND		0.50
Ethylbenzene	ND		0.50
Toluene	ND		0.50
Xylenes, Total	ND		1.0
Gasoline Range Organics (GRO)-C5-C12	ND		50
TBA	ND		4.0
DIPE	ND		0.50
TAME	ND		0.50
Ethyl t-butyl ether	ND		0.50

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	96		67 - 130
1,2-Dichloroethane-d4 (Surr)	98		67 - 130
Toluene-d8 (Surr)	94		70 - 130

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: MW-4Lab Sample ID: 720-30774-4
Client Matrix: WaterDate Sampled: 09/22/2010 1310
Date Received: 09/24/2010 1322**8260B/CA_LUFTMS 8260B / CA LUFT MS**

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-78987	Instrument ID:	HP9
Preparation:	5030B		Lab File ID:	09291034.D
Dilution:	1.0		Initial Weight/Volume:	10 mL
Date Analyzed:	09/30/2010 0227		Final Weight/Volume:	10 mL
Date Prepared:	09/30/2010 0227			

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	ND		0.50
Benzene	ND		0.50
Ethylbenzene	ND		0.50
Toluene	ND		0.50
Xylenes, Total	ND		1.0
Gasoline Range Organics (GRO)-C5-C12	ND		50
TBA	ND		4.0
DIPE	ND		0.50
TAME	ND		0.50
Ethyl t-butyl ether	ND		0.50

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	96		67 - 130
1,2-Dichloroethane-d4 (Surr)	97		67 - 130
Toluene-d8 (Surr)	93		70 - 130

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: MW-5

Lab Sample ID: 720-30774-5

Date Sampled: 09/23/2010 1015

Client Matrix: Water

Date Received: 09/24/2010 1322

8260B/CA_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-78987	Instrument ID:	HP9
Preparation:	5030B		Lab File ID:	09291035.D
Dilution:	1.0		Initial Weight/Volume:	10 mL
Date Analyzed:	09/30/2010 0259		Final Weight/Volume:	10 mL
Date Prepared:	09/30/2010 0259			

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	0.56		0.50
Benzene	ND		0.50
Ethylbenzene	ND		0.50
Toluene	ND		0.50
Xylenes, Total	ND		1.0
Gasoline Range Organics (GRO)-C5-C12	380		50
TBA	ND		4.0
DIPE	ND		0.50
TAME	ND		0.50
Ethyl t-butyl ether	ND		0.50

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	102		67 - 130
1,2-Dichloroethane-d4 (Surr)	97		67 - 130
Toluene-d8 (Surr)	93		70 - 130

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: MW-6A

Lab Sample ID: 720-30774-6

Date Sampled: 09/22/2010 1200

Client Matrix: Water

Date Received: 09/24/2010 1322

8260B/CA_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-78987	Instrument ID:	HP9
Preparation:	5030B		Lab File ID:	09291036.D
Dilution:	1.0		Initial Weight/Volume:	10 mL
Date Analyzed:	09/30/2010 0332		Final Weight/Volume:	10 mL
Date Prepared:	09/30/2010 0332			

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	ND		0.50
Benzene	ND		0.50
Ethylbenzene	ND		0.50
Toluene	ND		0.50
Xylenes, Total	ND		1.0
Gasoline Range Organics (GRO)-C5-C12	ND		50
TBA	ND		4.0
DIPE	ND		0.50
TAME	ND		0.50
Ethyl t-butyl ether	ND		0.50

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	93		67 - 130
1,2-Dichloroethane-d4 (Surr)	100		67 - 130
Toluene-d8 (Surr)	92		70 - 130

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: MW-7

Lab Sample ID: 720-30774-7

Date Sampled: 09/22/2010 1050

Client Matrix: Water

Date Received: 09/24/2010 1322

8260B/CA_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-78987	Instrument ID:	HP9
Preparation:	5030B		Lab File ID:	09291037.D
Dilution:	1.0		Initial Weight/Volume:	10 mL
Date Analyzed:	09/30/2010 0404		Final Weight/Volume:	10 mL
Date Prepared:	09/30/2010 0404			

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	ND		0.50
Benzene	ND		0.50
Ethylbenzene	ND		0.50
Toluene	ND		0.50
Xylenes, Total	ND		1.0
Gasoline Range Organics (GRO)-C5-C12	ND		50
TBA	ND		4.0
DIPE	ND		0.50
TAME	ND		0.50
Ethyl t-butyl ether	ND		0.50

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	92		67 - 130
1,2-Dichloroethane-d4 (Surr)	98		67 - 130
Toluene-d8 (Surr)	92		70 - 130

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: MW-8Lab Sample ID: 720-30774-8
Client Matrix: WaterDate Sampled: 09/22/2010 1105
Date Received: 09/24/2010 1322**8260B/CA_LUFTMS 8260B / CA LUFT MS**

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-78987	Instrument ID:	HP9
Preparation:	5030B		Lab File ID:	09291038.D
Dilution:	1.0		Initial Weight/Volume:	10 mL
Date Analyzed:	09/30/2010 0436		Final Weight/Volume:	10 mL
Date Prepared:	09/30/2010 0436			

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	ND		0.50
Benzene	ND		0.50
Ethylbenzene	ND		0.50
Toluene	ND		0.50
Xylenes, Total	ND		1.0
Gasoline Range Organics (GRO)-C5-C12	ND		50
TBA	ND		4.0
DIPE	ND		0.50
TAME	ND		0.50
Ethyl t-butyl ether	ND		0.50

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	91		67 - 130
1,2-Dichloroethane-d4 (Surr)	97		67 - 130
Toluene-d8 (Surr)	91		70 - 130

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: MW-9

Lab Sample ID: 720-30774-9

Date Sampled: 09/23/2010 0835

Client Matrix: Water

Date Received: 09/24/2010 1322

8260B/CA_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-78987	Instrument ID:	HP9
Preparation:	5030B		Lab File ID:	09291039.D
Dilution:	1.0		Initial Weight/Volume:	10 mL
Date Analyzed:	09/30/2010 0508		Final Weight/Volume:	10 mL
Date Prepared:	09/30/2010 0508			

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	ND		0.50
Benzene	ND		0.50
Ethylbenzene	ND		0.50
Toluene	ND		0.50
Xylenes, Total	ND		1.0
Gasoline Range Organics (GRO)-C5-C12	350		50
TBA	ND		4.0
DIPE	ND		0.50
TAME	ND		0.50
Ethyl t-butyl ether	ND		0.50

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	104		67 - 130
1,2-Dichloroethane-d4 (Surr)	98		67 - 130
Toluene-d8 (Surr)	92		70 - 130

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: MW-10

Lab Sample ID: 720-30774-10

Date Sampled: 09/22/2010 1125

Client Matrix: Water

Date Received: 09/24/2010 1322

8260B/CA_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-78987	Instrument ID:	HP9
Preparation:	5030B		Lab File ID:	09291040.D
Dilution:	1.0		Initial Weight/Volume:	10 mL
Date Analyzed:	09/30/2010 0540		Final Weight/Volume:	10 mL
Date Prepared:	09/30/2010 0540			

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	ND		0.50
Benzene	ND		0.50
Ethylbenzene	ND		0.50
Toluene	ND		0.50
Xylenes, Total	ND		1.0
Gasoline Range Organics (GRO)-C5-C12	ND		50
TBA	ND		4.0
DIPE	ND		0.50
TAME	ND		0.50
Ethyl t-butyl ether	ND		0.50

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	92		67 - 130
1,2-Dichloroethane-d4 (Surr)	99		67 - 130
Toluene-d8 (Surr)	92		70 - 130

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: MW-11

Lab Sample ID: 720-30774-11

Date Sampled: 09/22/2010 1250

Client Matrix: Water

Date Received: 09/24/2010 1322

8260B/CA_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-78987	Instrument ID:	HP9
Preparation:	5030B		Lab File ID:	09291041.D
Dilution:	1.0		Initial Weight/Volume:	10 mL
Date Analyzed:	09/30/2010 0613		Final Weight/Volume:	10 mL
Date Prepared:	09/30/2010 0613			

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	ND		0.50
Benzene	ND		0.50
Ethylbenzene	ND		0.50
Toluene	ND		0.50
Xylenes, Total	ND		1.0
Gasoline Range Organics (GRO)-C5-C12	63		50
TBA	ND		4.0
DIPE	ND		0.50
TAME	ND		0.50
Ethyl t-butyl ether	ND		0.50

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	96		67 - 130
1,2-Dichloroethane-d4 (Surr)	101		67 - 130
Toluene-d8 (Surr)	91		70 - 130

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: MW-12

Lab Sample ID: 720-30774-12

Date Sampled: 09/22/2010 1215

Client Matrix: Water

Date Received: 09/24/2010 1322

8260B/CA_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-78987	Instrument ID:	HP9
Preparation:	5030B		Lab File ID:	09291042.D
Dilution:	1.0		Initial Weight/Volume:	10 mL
Date Analyzed:	09/30/2010 0645		Final Weight/Volume:	10 mL
Date Prepared:	09/30/2010 0645			

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	ND		0.50
Benzene	ND		0.50
Ethylbenzene	ND		0.50
Toluene	ND		0.50
Xylenes, Total	ND		1.0
Gasoline Range Organics (GRO)-C5-C12	ND		50
TBA	ND		4.0
DIPE	ND		0.50
TAME	ND		0.50
Ethyl t-butyl ether	ND		0.50

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	92		67 - 130
1,2-Dichloroethane-d4 (Surr)	100		67 - 130
Toluene-d8 (Surr)	90		70 - 130

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: MW-13

Lab Sample ID: 720-30774-13

Date Sampled: 09/22/2010 1300

Client Matrix: Water

Date Received: 09/24/2010 1322

8260B/CA_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-78987	Instrument ID:	HP9
Preparation:	5030B		Lab File ID:	09291043.D
Dilution:	1.0		Initial Weight/Volume:	10 mL
Date Analyzed:	09/30/2010 0717		Final Weight/Volume:	10 mL
Date Prepared:	09/30/2010 0717			

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	ND		0.50
Benzene	ND		0.50
Ethylbenzene	ND		0.50
Toluene	ND		0.50
Xylenes, Total	ND		1.0
Gasoline Range Organics (GRO)-C5-C12	400		50
TBA	ND		4.0
DIPE	ND		0.50
TAME	ND		0.50
Ethyl t-butyl ether	ND		0.50

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	105		67 - 130
1,2-Dichloroethane-d4 (Surr)	102		67 - 130
Toluene-d8 (Surr)	93		70 - 130

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: MW-14

Lab Sample ID: 720-30774-14

Date Sampled: 09/22/2010 1310

Client Matrix: Water

Date Received: 09/24/2010 1322

8260B/CA_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-79093	Instrument ID:	HP9
Preparation:	5030B		Lab File ID:	09301038.D
Dilution:	1.0		Initial Weight/Volume:	10 mL
Date Analyzed:	10/01/2010 0500		Final Weight/Volume:	10 mL
Date Prepared:	10/01/2010 0500			

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	11		0.50
Benzene	ND		0.50
Ethylbenzene	ND		0.50
Toluene	ND		0.50
Xylenes, Total	ND		1.0
Gasoline Range Organics (GRO)-C5-C12	87		50
TBA	ND		4.0
DIPE	ND		0.50
TAME	ND		0.50
Ethyl t-butyl ether	ND		0.50

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	99		67 - 130
1,2-Dichloroethane-d4 (Surr)	102		67 - 130
Toluene-d8 (Surr)	91		70 - 130

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: MW-15

Lab Sample ID: 720-30774-15

Date Sampled: 09/22/2010 1345

Client Matrix: Water

Date Received: 09/24/2010 1322

8260B/CA_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-79093	Instrument ID:	HP9
Preparation:	5030B		Lab File ID:	09301039.D
Dilution:	1.0		Initial Weight/Volume:	10 mL
Date Analyzed:	10/01/2010 0533		Final Weight/Volume:	10 mL
Date Prepared:	10/01/2010 0533			

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	7.1		0.50
Benzene	ND		0.50
Ethylbenzene	ND		0.50
Toluene	ND		0.50
Xylenes, Total	ND		1.0
Gasoline Range Organics (GRO)-C5-C12	ND		50
TBA	ND		4.0
DIPE	ND		0.50
TAME	ND		0.50
Ethyl t-butyl ether	ND		0.50

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	93		67 - 130
1,2-Dichloroethane-d4 (Surr)	106		67 - 130
Toluene-d8 (Surr)	90		70 - 130

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: MW-16A

Lab Sample ID: 720-30774-16

Date Sampled: 09/23/2010 1200

Client Matrix: Water

Date Received: 09/24/2010 1322

8260B/CA_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-79093	Instrument ID:	HP9
Preparation:	5030B		Lab File ID:	09301040.D
Dilution:	100		Initial Weight/Volume:	10 mL
Date Analyzed:	10/01/2010 0606		Final Weight/Volume:	10 mL
Date Prepared:	10/01/2010 0606			

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	800		50
Ethylbenzene	3200		50
Toluene	570		50
Xylenes, Total	9800		100
TBA	ND		400
DIPE	ND		50
TAME	ND		50
Ethyl t-butyl ether	ND		50

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	97		67 - 130
1,2-Dichloroethane-d4 (Surr)	104		67 - 130
Toluene-d8 (Surr)	93		70 - 130

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: MW-16A

Lab Sample ID: 720-30774-16

Date Sampled: 09/23/2010 1200

Client Matrix: Water

Date Received: 09/24/2010 1322

8260B/CA_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-79172	Instrument ID:	HP5
Preparation:	5030B		Lab File ID:	100110026.D
Dilution:	200		Initial Weight/Volume:	10 mL
Date Analyzed:	10/02/2010 0042		Final Weight/Volume:	10 mL
Date Prepared:	10/02/2010 0042			

Analyte	Result (ug/L)	Qualifier	RL
Benzene	14000		100
Gasoline Range Organics (GRO)-C5-C12	49000		10000

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	93		67 - 130
1,2-Dichloroethane-d4 (Surr)	91		67 - 130
Toluene-d8 (Surr)	90		70 - 130

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: MW-16B

Lab Sample ID: 720-30774-17

Date Sampled: 09/23/2010 1148

Client Matrix: Water

Date Received: 09/24/2010 1322

8260B/CA_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-79093	Instrument ID:	HP9
Preparation:	5030B		Lab File ID:	09301041.D
Dilution:	20		Initial Weight/Volume:	10 mL
Date Analyzed:	10/01/2010 0638		Final Weight/Volume:	10 mL
Date Prepared:	10/01/2010 0638			

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	560		10
Benzene	1800		10
Ethylbenzene	190		10
Toluene	61		10
Xylenes, Total	310		20
Gasoline Range Organics (GRO)-C5-C12	3600		1000
TBA	87		80
DIPE	ND		10
TAME	ND		10
Ethyl t-butyl ether	ND		10

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	95		67 - 130
1,2-Dichloroethane-d4 (Surr)	100		67 - 130
Toluene-d8 (Surr)	89		70 - 130

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: **MW-16C**

Lab Sample ID: 720-30774-18

Date Sampled: 09/23/2010 0950

Client Matrix: Water

Date Received: 09/24/2010 1322

8260B/CA_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-79093	Instrument ID:	HP9
Preparation:	5030B		Lab File ID:	09301042.D
Dilution:	10		Initial Weight/Volume:	10 mL
Date Analyzed:	10/01/2010 0711		Final Weight/Volume:	10 mL
Date Prepared:	10/01/2010 0711			

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	400		5.0
Benzene	ND		5.0
Ethylbenzene	ND		5.0
Toluene	ND		5.0
Xylenes, Total	ND		10
Gasoline Range Organics (GRO)-C5-C12	ND		500
TBA	40		40
DIPE	ND		5.0
TAME	ND		5.0
Ethyl t-butyl ether	ND		5.0

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	90		67 - 130
1,2-Dichloroethane-d4 (Surr)	100		67 - 130
Toluene-d8 (Surr)	90		70 - 130

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: **WCEW-1**

Lab Sample ID: 720-30774-1

Date Sampled: 09/23/2010 1035

Client Matrix: Water

Date Received: 09/24/2010 1322

8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch: 720-79277	Instrument ID:	CHDRO6
Preparation:	3510C SGC	Prep Batch: 720-79227	Initial Weight/Volume:	950 mL
Dilution:	1.0		Final Weight/Volume:	2 mL
Date Analyzed:	10/05/2010 1103		Injection Volume:	1 uL
Date Prepared:	10/04/2010 1206		Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	RL
Diesel Range Organics [C10-C28]	1000		52
Mineral Spirit Range Organics [C9-C13]	220		52

Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0.1		0 - 5
p-Terphenyl	88		31 - 150

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: **MW-2**Lab Sample ID: 720-30774-2
Client Matrix: WaterDate Sampled: 09/23/2010 1100
Date Received: 09/24/2010 1322**8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup**

Method:	8015B	Analysis Batch: 720-79277	Instrument ID:	CHDRO6
Preparation:	3510C SGC	Prep Batch: 720-79227	Initial Weight/Volume:	850 mL
Dilution:	1.0		Final Weight/Volume:	2 mL
Date Analyzed:	10/05/2010 1125		Injection Volume:	1 uL
Date Prepared:	10/04/2010 1206		Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	RL
Diesel Range Organics [C10-C28]	570		58
Mineral Spirit Range Organics [C9-C13]	460		58

Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	2		0 - 5
p-Terphenyl	76		31 - 150

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: **MW-3**Lab Sample ID: 720-30774-3
Client Matrix: WaterDate Sampled: 09/22/2010 1420
Date Received: 09/24/2010 1322**8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup**

Method:	8015B	Analysis Batch: 720-79277	Instrument ID:	CHDRO6
Preparation:	3510C SGC	Prep Batch: 720-79227	Initial Weight/Volume:	970 mL
Dilution:	1.0		Final Weight/Volume:	2 mL
Date Analyzed:	10/05/2010 1147		Injection Volume:	1 uL
Date Prepared:	10/04/2010 1206		Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	RL
Diesel Range Organics [C10-C28]	67		51
Mineral Spirit Range Organics [C9-C13]	ND		51
Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0.7		0 - 5
p-Terphenyl	87		31 - 150

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: **MW-4**Lab Sample ID: 720-30774-4
Client Matrix: WaterDate Sampled: 09/22/2010 1310
Date Received: 09/24/2010 1322**8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup**

Method:	8015B	Analysis Batch: 720-79277	Instrument ID:	CHDRO6
Preparation:	3510C SGC	Prep Batch: 720-79227	Initial Weight/Volume:	930 mL
Dilution:	1.0		Final Weight/Volume:	2 mL
Date Analyzed:	10/05/2010 1209		Injection Volume:	1 uL
Date Prepared:	10/04/2010 1206		Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	RL
Diesel Range Organics [C10-C28]	ND		53
Mineral Spirit Range Organics [C9-C13]	ND		53
Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0		0 - 5
p-Terphenyl	85		31 - 150

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: **MW-5**Lab Sample ID: 720-30774-5
Client Matrix: WaterDate Sampled: 09/23/2010 1015
Date Received: 09/24/2010 1322**8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup**

Method:	8015B	Analysis Batch: 720-79277	Instrument ID:	CHDRO6
Preparation:	3510C SGC	Prep Batch: 720-79227	Initial Weight/Volume:	970 mL
Dilution:	1.0		Final Weight/Volume:	2 mL
Date Analyzed:	10/05/2010 1513		Injection Volume:	1 uL
Date Prepared:	10/04/2010 1206		Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	RL
Diesel Range Organics [C10-C28]	250		51
Mineral Spirit Range Organics [C9-C13]	120		51
Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	3		0 - 5
p-Terphenyl	78		31 - 150

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: **MW-6A**Lab Sample ID: 720-30774-6
Client Matrix: WaterDate Sampled: 09/22/2010 1200
Date Received: 09/24/2010 1322**8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup**

Method:	8015B	Analysis Batch: 720-79277	Instrument ID:	CHDRO6
Preparation:	3510C SGC	Prep Batch: 720-79227	Initial Weight/Volume:	990 mL
Dilution:	1.0		Final Weight/Volume:	2 mL
Date Analyzed:	10/05/2010 1535		Injection Volume:	1 uL
Date Prepared:	10/04/2010 1206		Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	RL
Diesel Range Organics [C10-C28]	ND		50
Mineral Spirit Range Organics [C9-C13]	ND		50
Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0		0 - 5
p-Terphenyl	86		31 - 150

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: **MW-7**Lab Sample ID: 720-30774-7
Client Matrix: WaterDate Sampled: 09/22/2010 1050
Date Received: 09/24/2010 1322**8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup**

Method:	8015B	Analysis Batch: 720-79277	Instrument ID:	CHDRO6
Preparation:	3510C SGC	Prep Batch: 720-79227	Initial Weight/Volume:	940 mL
Dilution:	1.0		Final Weight/Volume:	2 mL
Date Analyzed:	10/05/2010 1556		Injection Volume:	1 uL
Date Prepared:	10/04/2010 1206		Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	RL
Diesel Range Organics [C10-C28]	ND		53
Mineral Spirit Range Organics [C9-C13]	ND		53
Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0		0 - 5
p-Terphenyl	88		31 - 150

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: **MW-8**Lab Sample ID: 720-30774-8
Client Matrix: WaterDate Sampled: 09/22/2010 1105
Date Received: 09/24/2010 1322**8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup**

Method:	8015B	Analysis Batch: 720-79277	Instrument ID:	CHDRO6
Preparation:	3510C SGC	Prep Batch: 720-79227	Initial Weight/Volume:	810 mL
Dilution:	1.0		Final Weight/Volume:	2 mL
Date Analyzed:	10/05/2010 1618		Injection Volume:	1 uL
Date Prepared:	10/04/2010 1206		Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	RL
Diesel Range Organics [C10-C28]	ND		61
Mineral Spirit Range Organics [C9-C13]	ND		61
Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0		0 - 5
p-Terphenyl	83		31 - 150

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: MW-9Lab Sample ID: 720-30774-9
Client Matrix: WaterDate Sampled: 09/23/2010 0835
Date Received: 09/24/2010 1322**8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup**

Method:	8015B	Analysis Batch: 720-79277	Instrument ID:	CHDRO6
Preparation:	3510C SGC	Prep Batch: 720-79227	Initial Weight/Volume:	970 mL
Dilution:	1.0		Final Weight/Volume:	2 mL
Date Analyzed:	10/05/2010 1640		Injection Volume:	1 uL
Date Prepared:	10/04/2010 1206		Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	RL
Diesel Range Organics [C10-C28]	200		51
Mineral Spirit Range Organics [C9-C13]	99		51
Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	2		0 - 5
p-Terphenyl	90		31 - 150

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: **MW-10**

Lab Sample ID: 720-30774-10

Date Sampled: 09/22/2010 1125

Client Matrix: Water

Date Received: 09/24/2010 1322

8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch: 720-79277	Instrument ID:	CHDRO6
Preparation:	3510C SGC	Prep Batch: 720-79227	Initial Weight/Volume:	830 mL
Dilution:	1.0		Final Weight/Volume:	2 mL
Date Analyzed:	10/05/2010 1702		Injection Volume:	1 uL
Date Prepared:	10/04/2010 1206		Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	RL
Diesel Range Organics [C10-C28]	ND		60
Mineral Spirit Range Organics [C9-C13]	ND		60

Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0		0 - 5
p-Terphenyl	96		31 - 150

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: **MW-11**

Lab Sample ID: 720-30774-11

Date Sampled: 09/22/2010 1250

Client Matrix: Water

Date Received: 09/24/2010 1322

8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch: 720-79277	Instrument ID:	CHDRO6
Preparation:	3510C SGC	Prep Batch: 720-79227	Initial Weight/Volume:	990 mL
Dilution:	1.0		Final Weight/Volume:	2 mL
Date Analyzed:	10/05/2010 1724		Injection Volume:	1 uL
Date Prepared:	10/04/2010 1206		Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	RL
Diesel Range Organics [C10-C28]	ND		50
Mineral Spirit Range Organics [C9-C13]	ND		50

Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0.6		0 - 5
p-Terphenyl	83		31 - 150

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: **MW-12**Lab Sample ID: 720-30774-12
Client Matrix: WaterDate Sampled: 09/22/2010 1215
Date Received: 09/24/2010 1322**8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup**

Method:	8015B	Analysis Batch: 720-79277	Instrument ID:	CHDRO6
Preparation:	3510C SGC	Prep Batch: 720-79227	Initial Weight/Volume:	990 mL
Dilution:	1.0		Final Weight/Volume:	2 mL
Date Analyzed:	10/05/2010 1746		Injection Volume:	1 uL
Date Prepared:	10/04/2010 1206		Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	RL
Diesel Range Organics [C10-C28]	ND		50
Mineral Spirit Range Organics [C9-C13]	ND		50
Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0		0 - 5
p-Terphenyl	91		31 - 150

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: **MW-13**

Lab Sample ID: 720-30774-13

Date Sampled: 09/22/2010 1300

Client Matrix: Water

Date Received: 09/24/2010 1322

8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch:	720-79353	Instrument ID:	CHDRO6
Preparation:	3510C SGC	Prep Batch:	720-79293	Initial Weight/Volume:	970 mL
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/06/2010 1020			Injection Volume:	1 uL
Date Prepared:	10/05/2010 0934			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	RL
Diesel Range Organics [C10-C28]	120		51
Mineral Spirit Range Organics [C9-C13]	130		51

Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0.4		0 - 5
p-Terphenyl	91		31 - 150

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: **MW-14**

Lab Sample ID: 720-30774-14

Date Sampled: 09/22/2010 1310

Client Matrix: Water

Date Received: 09/24/2010 1322

8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch:	720-79289	Instrument ID:	CHDRO5
Preparation:	3510C SGC	Prep Batch:	720-79293	Initial Weight/Volume:	970 mL
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/06/2010 0014			Injection Volume:	1 uL
Date Prepared:	10/05/2010 0934			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	RL
Diesel Range Organics [C10-C28]	ND		51
Mineral Spirit Range Organics [C9-C13]	ND		51
Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	1		0 - 5
p-Terphenyl	103		31 - 150

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: **MW-15**

Lab Sample ID: 720-30774-15

Date Sampled: 09/22/2010 1345

Client Matrix: Water

Date Received: 09/24/2010 1322

8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch:	720-79289	Instrument ID:	CHDRO5
Preparation:	3510C SGC	Prep Batch:	720-79293	Initial Weight/Volume:	900 mL
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/06/2010 0037			Injection Volume:	1 uL
Date Prepared:	10/05/2010 0934			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	RL
Diesel Range Organics [C10-C28]	ND		55
Mineral Spirit Range Organics [C9-C13]	ND		55

Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0.1		0 - 5
p-Terphenyl	97		31 - 150

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: **MW-16A**Lab Sample ID: 720-30774-16
Client Matrix: WaterDate Sampled: 09/23/2010 1200
Date Received: 09/24/2010 1322**8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup**

Method:	8015B	Analysis Batch:	720-79353	Instrument ID:	CHDRO6
Preparation:	3510C SGC	Prep Batch:	720-79293	Initial Weight/Volume:	950 mL
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/06/2010 1042			Injection Volume:	1 uL
Date Prepared:	10/05/2010 0934			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	RL
Diesel Range Organics [C10-C28]	1800		52
Mineral Spirit Range Organics [C9-C13]	3400		52
Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	3		0 - 5
p-Terphenyl	89		31 - 150

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: **MW-16B**

Lab Sample ID: 720-30774-17

Date Sampled: 09/23/2010 1148

Client Matrix: Water

Date Received: 09/24/2010 1322

8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch:	720-79353	Instrument ID:	CHDRO6
Preparation:	3510C SGC	Prep Batch:	720-79293	Initial Weight/Volume:	990 mL
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/06/2010 1104			Injection Volume:	1 uL
Date Prepared:	10/05/2010 0934			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	RL
Diesel Range Organics [C10-C28]	250		50
Mineral Spirit Range Organics [C9-C13]	280		50

Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0.9		0 - 5
p-Terphenyl	90		31 - 150

Analytical Data

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Client Sample ID: **MW-16C**Lab Sample ID: 720-30774-18
Client Matrix: WaterDate Sampled: 09/23/2010 0950
Date Received: 09/24/2010 1322**8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup**

Method:	8015B	Analysis Batch:	720-79289	Instrument ID:	CHDRO5
Preparation:	3510C SGC	Prep Batch:	720-79293	Initial Weight/Volume:	960 mL
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/06/2010 0147			Injection Volume:	1 uL
Date Prepared:	10/05/2010 0934			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	RL
Diesel Range Organics [C10-C28]	ND		52
Mineral Spirit Range Organics [C9-C13]	ND		52
Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0.05		0 - 5
p-Terphenyl	101		31 - 150

DATA REPORTING QUALIFIERS

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Lab Section	Qualifier	Description
GC/MS VOA	X	Surrogate is outside control limits

Quality Control Results

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS VOA					
Analysis Batch:720-78987					
LCS 720-78987/6	Lab Control Sample	T	Water	8260B/CA_LUFT	
LCS 720-78987/8	Lab Control Sample	T	Water	8260B/CA_LUFT	
LCSD 720-78987/7	Lab Control Sample Duplicate	T	Water	8260B/CA_LUFT	
LCSD 720-78987/9	Lab Control Sample Duplicate	T	Water	8260B/CA_LUFT	
MB 720-78987/5	Method Blank	T	Water	8260B/CA_LUFT	
720-30774-1	WCEW-1	T	Water	8260B/CA_LUFT	
720-30774-1MS	Matrix Spike	T	Water	8260B/CA_LUFT	
720-30774-1MSD	Matrix Spike Duplicate	T	Water	8260B/CA_LUFT	
720-30774-2	MW-2	T	Water	8260B/CA_LUFT	
720-30774-3	MW-3	T	Water	8260B/CA_LUFT	
720-30774-4	MW-4	T	Water	8260B/CA_LUFT	
720-30774-5	MW-5	T	Water	8260B/CA_LUFT	
720-30774-6	MW-6A	T	Water	8260B/CA_LUFT	
720-30774-7	MW-7	T	Water	8260B/CA_LUFT	
720-30774-8	MW-8	T	Water	8260B/CA_LUFT	
720-30774-9	MW-9	T	Water	8260B/CA_LUFT	
720-30774-10	MW-10	T	Water	8260B/CA_LUFT	
720-30774-11	MW-11	T	Water	8260B/CA_LUFT	
720-30774-12	MW-12	T	Water	8260B/CA_LUFT	
720-30774-13	MW-13	T	Water	8260B/CA_LUFT	
Analysis Batch:720-79093					
LCS 720-79093/6	Lab Control Sample	T	Water	8260B/CA_LUFT	
LCS 720-79093/8	Lab Control Sample	T	Water	8260B/CA_LUFT	
LCSD 720-79093/7	Lab Control Sample Duplicate	T	Water	8260B/CA_LUFT	
LCSD 720-79093/9	Lab Control Sample Duplicate	T	Water	8260B/CA_LUFT	
MB 720-79093/10	Method Blank	T	Water	8260B/CA_LUFT	
720-30774-14	MW-14	T	Water	8260B/CA_LUFT	
720-30774-15	MW-15	T	Water	8260B/CA_LUFT	
720-30774-16	MW-16A	T	Water	8260B/CA_LUFT	
720-30774-17	MW-16B	T	Water	8260B/CA_LUFT	
720-30774-18	MW-16C	T	Water	8260B/CA_LUFT	
Analysis Batch:720-79107					
LCS 720-79107/7	Lab Control Sample	T	Water	8260B/CA_LUFT	
LCSD 720-79107/8	Lab Control Sample Duplicate	T	Water	8260B/CA_LUFT	
MB 720-79107/4	Method Blank	T	Water	8260B/CA_LUFT	
720-30774-2	MW-2	T	Water	8260B/CA_LUFT	

Quality Control Results

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS VOA					
Analysis Batch:720-79172					
LCS 720-79172/5	Lab Control Sample	T	Water	8260B/CA_LUFT	
LCS 720-79172/7	Lab Control Sample	T	Water	8260B/CA_LUFT	
LCSD 720-79172/6	Lab Control Sample Duplicate	T	Water	8260B/CA_LUFT	
LCSD 720-79172/8	Lab Control Sample Duplicate	T	Water	8260B/CA_LUFT	
MB 720-79172/4	Method Blank	T	Water	8260B/CA_LUFT	
720-30774-16	MW-16A	T	Water	8260B/CA_LUFT	

Report Basis

T = Total

Quality Control Results

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC Semi VOA					
Prep Batch: 720-79227					
LCS 720-79227/2-A	Lab Control Sample	A	Water	3510C SGC	
LCSD 720-79227/3-A	Lab Control Sample Duplicate	A	Water	3510C SGC	
MB 720-79227/1-A	Method Blank	A	Water	3510C SGC	
720-30774-1	WCEW-1	A	Water	3510C SGC	
720-30774-2	MW-2	A	Water	3510C SGC	
720-30774-3	MW-3	A	Water	3510C SGC	
720-30774-4	MW-4	A	Water	3510C SGC	
720-30774-5	MW-5	A	Water	3510C SGC	
720-30774-6	MW-6A	A	Water	3510C SGC	
720-30774-7	MW-7	A	Water	3510C SGC	
720-30774-8	MW-8	A	Water	3510C SGC	
720-30774-9	MW-9	A	Water	3510C SGC	
720-30774-10	MW-10	A	Water	3510C SGC	
720-30774-11	MW-11	A	Water	3510C SGC	
720-30774-12	MW-12	A	Water	3510C SGC	
Analysis Batch:720-79277					
720-30774-1	WCEW-1	A	Water	8015B	720-79227
720-30774-2	MW-2	A	Water	8015B	720-79227
720-30774-3	MW-3	A	Water	8015B	720-79227
720-30774-4	MW-4	A	Water	8015B	720-79227
720-30774-5	MW-5	A	Water	8015B	720-79227
720-30774-6	MW-6A	A	Water	8015B	720-79227
720-30774-7	MW-7	A	Water	8015B	720-79227
720-30774-8	MW-8	A	Water	8015B	720-79227
720-30774-9	MW-9	A	Water	8015B	720-79227
720-30774-10	MW-10	A	Water	8015B	720-79227
720-30774-11	MW-11	A	Water	8015B	720-79227
720-30774-12	MW-12	A	Water	8015B	720-79227
Analysis Batch:720-79289					
720-30774-14	MW-14	A	Water	8015B	720-79293
720-30774-15	MW-15	A	Water	8015B	720-79293
720-30774-18	MW-16C	A	Water	8015B	720-79293
Analysis Batch:720-79290					
LCS 720-79227/2-A	Lab Control Sample	A	Water	8015B	720-79227
LCSD 720-79227/3-A	Lab Control Sample Duplicate	A	Water	8015B	720-79227
MB 720-79227/1-A	Method Blank	A	Water	8015B	720-79227
LCS 720-79293/2-A	Lab Control Sample	A	Water	8015B	720-79293
LCSD 720-79293/3-A	Lab Control Sample Duplicate	A	Water	8015B	720-79293

Quality Control Results

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC Semi VOA					
Prep Batch: 720-79293					
LCS 720-79293/2-A	Lab Control Sample	A	Water	3510C SGC	
LCSD 720-79293/3-A	Lab Control Sample Duplicate	A	Water	3510C SGC	
MB 720-79293/1-A	Method Blank	A	Water	3510C SGC	
720-30774-13	MW-13	A	Water	3510C SGC	
720-30774-14	MW-14	A	Water	3510C SGC	
720-30774-15	MW-15	A	Water	3510C SGC	
720-30774-16	MW-16A	A	Water	3510C SGC	
720-30774-17	MW-16B	A	Water	3510C SGC	
720-30774-18	MW-16C	A	Water	3510C SGC	
Analysis Batch: 720-79353					
MB 720-79293/1-A	Method Blank	A	Water	8015B	720-79293
720-30774-13	MW-13	A	Water	8015B	720-79293
720-30774-16	MW-16A	A	Water	8015B	720-79293
720-30774-17	MW-16B	A	Water	8015B	720-79293

Report Basis

A = Silica Gel Cleanup

Quality Control Results

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Method Blank - Batch: 720-78987**Method: 8260B/CA_LUFTMS****Preparation: 5030B**

Lab Sample ID: MB 720-78987/5
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/29/2010 2313
Date Prepared: 09/29/2010 2313

Analysis Batch: 720-78987
Prep Batch: N/A
Units: ug/L

Instrument ID: HP9
Lab File ID: 09291028.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	RL
Methyl tert-butyl ether	ND		0.50
Benzene	ND		0.50
Ethylbenzene	ND		0.50
Toluene	ND		0.50
Xylenes, Total	ND		1.0
Gasoline Range Organics (GRO)-C5-C12	ND		50
TBA	ND		4.0
DIPE	ND		0.50
TAME	ND		0.50
Ethyl t-butyl ether	ND		0.50
Surrogate	% Rec	Acceptance Limits	
4-Bromofluorobenzene	91	67 - 130	
1,2-Dichloroethane-d4 (Surr)	98	67 - 130	
Toluene-d8 (Surr)	92	70 - 130	

Quality Control Results

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Lab Control Sample/

Lab Control Sample Duplicate Recovery Report - Batch: 720-78987

Method: 8260B/CA_LUFTMS

Preparation: 5030B

LCS Lab Sample ID:	LCS 720-78987/6	Analysis Batch:	720-78987	Instrument ID:	HP9
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	09291024.D
Dilution:	1.0	Units:	ug/L	Initial Weight/Volume:	10 mL
Date Analyzed:	09/29/2010 2104			Final Weight/Volume:	10 mL
Date Prepared:	09/29/2010 2104				

LCSD Lab Sample ID:	LCSD 720-78987/7	Analysis Batch:	720-78987	Instrument ID:	HP9
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	09291025.D
Dilution:	1.0	Units:	ug/L	Initial Weight/Volume:	10 mL
Date Analyzed:	09/29/2010 2136			Final Weight/Volume:	10 mL
Date Prepared:	09/29/2010 2136				

Analyte	% Rec.					LCSD Qual	LCS Qual
	LCS	LCSD	Limit	RPD	RPD Limit		
Methyl tert-butyl ether	97	98	62 - 130	1	20		
Benzene	93	93	82 - 127	0.07	20		
Ethylbenzene	94	95	86 - 135	0.6	20		
Toluene	96	96	83 - 129	0.7	20		
TBA	92	90	82 - 116	2	20		
DIPE	98	98	74 - 155	0.006	20		
TAME	105	105	79 - 129	0.4	20		
Ethyl t-butyl ether	93	93	70 - 130	0.09	20		
Surrogate	LCS % Rec		LCSD % Rec		Acceptance Limits		
4-Bromofluorobenzene	97		96		67 - 130		
1,2-Dichloroethane-d4 (Surr)	97		97		67 - 130		
Toluene-d8 (Surr)	94		94		70 - 130		

Quality Control Results

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

**Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 720-78987**

**Method: 8260B/CA_LUFTMS
Preparation: 5030B**

LCS Lab Sample ID:	LCS 720-78987/8	Analysis Batch:	720-78987	Instrument ID:	HP9
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	09291026.D
Dilution:	1.0	Units:	ug/L	Initial Weight/Volume:	10 mL
Date Analyzed:	09/29/2010 2209			Final Weight/Volume:	10 mL
Date Prepared:	09/29/2010 2209				

LCSD Lab Sample ID:	LCSD 720-78987/9	Analysis Batch:	720-78987	Instrument ID:	HP9
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	09291027.D
Dilution:	1.0	Units:	ug/L	Initial Weight/Volume:	10 mL
Date Analyzed:	09/29/2010 2240			Final Weight/Volume:	10 mL
Date Prepared:	09/29/2010 2240				

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Gasoline Range Organics (GRO)-C5-C12	85	87	62 - 117	2	20		
Surrogate		LCS % Rec	LCSD % Rec		Acceptance Limits		
4-Bromofluorobenzene	97		97			67 - 130	
1,2-Dichloroethane-d4 (Surr)	95		98			67 - 130	
Toluene-d8 (Surr)	94		95			70 - 130	

Quality Control Results

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Matrix Spike/ Matrix Spike Duplicate Recovery Report - Batch: 720-78987

Method: 8260B/CA_LUFTMS

Preparation: 5030B

MS Lab Sample ID: 720-30774-1 Analysis Batch: 720-78987
Client Matrix: Water Prep Batch: N/A
Dilution: 1.0
Date Analyzed: 09/30/2010 0018
Date Prepared: 09/30/2010 0018

Instrument ID: HP9
Lab File ID: 09291030.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

MSD Lab Sample ID: 720-30774-1 Analysis Batch: 720-78987
Client Matrix: Water Prep Batch: N/A
Dilution: 1.0
Date Analyzed: 09/30/2010 0050
Date Prepared: 09/30/2010 0050

Instrument ID: HP9
Lab File ID: 09291031.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Methyl tert-butyl ether	92	95	60 - 138	3	20		
Benzene	92	94	60 - 140	2	20		
Ethylbenzene	91	95	60 - 140	4	20		
Toluene	94	96	60 - 140	3	20		
TBA	93	94	60 - 140	1	20		
DIPE	95	97	60 - 140	2	20		
TAME	98	100	60 - 140	3	20		
Ethyl t-butyl ether	87	90	60 - 140	3	20		
Surrogate	MS % Rec		MSD % Rec		Acceptance Limits		
4-Bromofluorobenzene	151	X	99		67 - 130		
1,2-Dichloroethane-d4 (Surr)	90		93		67 - 130		
Toluene-d8 (Surr)	98		97		70 - 130		

Quality Control Results

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Method Blank - Batch: 720-79093**Method: 8260B/CA_LUFTMS****Preparation: 5030B**

Lab Sample ID: MB 720-79093/10
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/30/2010 2338
Date Prepared: 09/30/2010 2338

Analysis Batch: 720-79093
Prep Batch: N/A
Units: ug/L

Instrument ID: HP9
Lab File ID: 09301028.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	RL
Methyl tert-butyl ether	ND		0.50
Benzene	ND		0.50
Ethylbenzene	ND		0.50
Toluene	ND		0.50
Xylenes, Total	ND		1.0
Gasoline Range Organics (GRO)-C5-C12	ND		50
TBA	ND		4.0
DIPE	ND		0.50
TAME	ND		0.50
Ethyl t-butyl ether	ND		0.50
Surrogate	% Rec	Acceptance Limits	
4-Bromofluorobenzene	89	67 - 130	
1,2-Dichloroethane-d4 (Surr)	97	67 - 130	
Toluene-d8 (Surr)	90	70 - 130	

Quality Control Results

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

**Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 720-79093**

**Method: 8260B/CA_LUFTMS
Preparation: 5030B**

LCS Lab Sample ID:	LCS 720-79093/8	Analysis Batch:	720-79093	Instrument ID:	HP9
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	09301024.D
Dilution:	1.0	Units:	ug/L	Initial Weight/Volume:	10 mL
Date Analyzed:	09/30/2010 2129			Final Weight/Volume:	10 mL
Date Prepared:	09/30/2010 2129				

LCSD Lab Sample ID:	LCSD 720-79093/9	Analysis Batch:	720-79093	Instrument ID:	HP9
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	09301025.D
Dilution:	1.0	Units:	ug/L	Initial Weight/Volume:	10 mL
Date Analyzed:	09/30/2010 2201			Final Weight/Volume:	10 mL
Date Prepared:	09/30/2010 2201				

Analyte	% Rec.		RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD				
Methyl tert-butyl ether	101	96	62 - 130	4	20	
Benzene	105	105	82 - 127	0	20	
Ethylbenzene	105	105	86 - 135	0	20	
Toluene	106	106	83 - 129	0	20	
TBA	95	95	82 - 116	0	20	
DIPE	101	100	74 - 155	1	20	
TAME	107	104	79 - 129	3	20	
Ethyl t-butyl ether	96	94	70 - 130	2	20	
Surrogate	LCS % Rec		LCSD % Rec		Acceptance Limits	
4-Bromofluorobenzene	96		95		67 - 130	
1,2-Dichloroethane-d4 (Surr)	97		94		67 - 130	
Toluene-d8 (Surr)	94		94		70 - 130	

Quality Control Results

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

**Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 720-79093**

**Method: 8260B/CA_LUFTMS
Preparation: 5030B**

LCS Lab Sample ID:	LCS 720-79093/6	Analysis Batch:	720-79093	Instrument ID:	HP9
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	09301026.D
Dilution:	1.0	Units:	ug/L	Initial Weight/Volume:	10 mL
Date Analyzed:	09/30/2010 2233			Final Weight/Volume:	10 mL
Date Prepared:	09/30/2010 2233				

LCSD Lab Sample ID:	LCSD 720-79093/7	Analysis Batch:	720-79093	Instrument ID:	HP9
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	09301027.D
Dilution:	1.0	Units:	ug/L	Initial Weight/Volume:	10 mL
Date Analyzed:	09/30/2010 2306			Final Weight/Volume:	10 mL
Date Prepared:	09/30/2010 2306				

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Gasoline Range Organics (GRO)-C5-C12	85	86	62 - 117	2	20		
Surrogate		LCS % Rec	LCSD % Rec		Acceptance Limits		
4-Bromofluorobenzene	98		97			67 - 130	
1,2-Dichloroethane-d4 (Surr)	97		98			67 - 130	
Toluene-d8 (Surr)	94		95			70 - 130	

Quality Control Results

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Method Blank - Batch: 720-79107

Method: 8260B/CA_LUFTMS

Preparation: 5030B

Lab Sample ID: MB 720-79107/4
 Client Matrix: Water
 Dilution: 1.0
 Date Analyzed: 10/01/2010 0953
 Date Prepared: 10/01/2010 0953

Analysis Batch: 720-79107
 Prep Batch: N/A
 Units: ug/L

Instrument ID: HP9
 Lab File ID: 10011004.D
 Initial Weight/Volume: 10 mL
 Final Weight/Volume: 10 mL

Analyte	Result	Qual	RL
Gasoline Range Organics (GRO)-C5-C12	ND		50
Surrogate	% Rec		Acceptance Limits
4-Bromofluorobenzene	91		67 - 130
1,2-Dichloroethane-d4 (Surr)	101		67 - 130
Toluene-d8 (Surr)	91		70 - 130
Lab Control Sample/ Lab Control Sample Duplicate Recovery Report - Batch: 720-79107		Method: 8260B/CA_LUFTMS	
		Preparation: 5030B	
LCS Lab Sample ID: LCS 720-79107/7	Analysis Batch: 720-79107	Instrument ID: HP9	
Client Matrix: Water	Prep Batch: N/A	Lab File ID: 10011007.D	
Dilution: 1.0	Units: ug/L	Initial Weight/Volume: 10 mL	
Date Analyzed: 10/01/2010 1130		Final Weight/Volume: 10 mL	
Date Prepared: 10/01/2010 1130			
LCSD Lab Sample ID: LCSD 720-79107/8	Analysis Batch: 720-79107	Instrument ID: HP9	
Client Matrix: Water	Prep Batch: N/A	Lab File ID: 10011008.D	
Dilution: 1.0	Units: ug/L	Initial Weight/Volume: 10 mL	
Date Analyzed: 10/01/2010 1202		Final Weight/Volume: 10 mL	
Date Prepared: 10/01/2010 1202			

Analyte	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Gasoline Range Organics (GRO)-C5-C12	87	87	62 - 117	0	20		
Surrogate	LCS % Rec		LCSD % Rec		Acceptance Limits		
4-Bromofluorobenzene	98		96		67 - 130		
1,2-Dichloroethane-d4 (Surr)	95		96		67 - 130		
Toluene-d8 (Surr)	95		94		70 - 130		

Quality Control Results

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Method Blank - Batch: 720-79172

Method: 8260B/CA_LUFTMS

Preparation: 5030B

Lab Sample ID: MB 720-79172/4
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 10/01/2010 2200
Date Prepared: 10/01/2010 2200

Analysis Batch: 720-79172
Prep Batch: N/A
Units: ug/L

Instrument ID: HP5
Lab File ID: 100110021.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	RL
Benzene	ND		0.50
Gasoline Range Organics (GRO)-C5-C12	ND		50
Surrogate	% Rec	Acceptance Limits	
4-Bromofluorobenzene	87	67 - 130	
1,2-Dichloroethane-d4 (Surr)	93	67 - 130	
Toluene-d8 (Surr)	92	70 - 130	

Quality Control Results

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

**Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 720-79172**

**Method: 8260B/CA_LUFTMS
Preparation: 5030B**

LCS Lab Sample ID:	LCS 720-79172/5	Analysis Batch:	720-79172	Instrument ID:	HP5
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	100110017.D
Dilution:	1.0	Units:	ug/L	Initial Weight/Volume:	10 mL
Date Analyzed:	10/01/2010 1948			Final Weight/Volume:	10 mL
Date Prepared:	10/01/2010 1948				

LCSD Lab Sample ID:	LCSD 720-79172/6	Analysis Batch:	720-79172	Instrument ID:	HP5
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	100110018.D
Dilution:	1.0	Units:	ug/L	Initial Weight/Volume:	10 mL
Date Analyzed:	10/01/2010 2021			Final Weight/Volume:	10 mL
Date Prepared:	10/01/2010 2021				

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Benzene	102	100	82 - 127	2	20		
Surrogate		LCS % Rec	LCSD % Rec		Acceptance Limits		
4-Bromofluorobenzene	100		99			67 - 130	
1,2-Dichloroethane-d4 (Surr)	90		89			67 - 130	
Toluene-d8 (Surr)	97		98			70 - 130	

Quality Control Results

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Lab Control Sample/

Lab Control Sample Duplicate Recovery Report - Batch: 720-79172

Method: 8260B/CA_LUFTMS

Preparation: 5030B

LCS Lab Sample ID:	LCS 720-79172/7	Analysis Batch:	720-79172	Instrument ID:	HP5
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	100110019.D
Dilution:	1.0	Units:	ug/L	Initial Weight/Volume:	10 mL
Date Analyzed:	10/01/2010 2054			Final Weight/Volume:	10 mL
Date Prepared:	10/01/2010 2054				

LCSD Lab Sample ID:	LCSD 720-79172/8	Analysis Batch:	720-79172	Instrument ID:	HP5
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	100110020.D
Dilution:	1.0	Units:	ug/L	Initial Weight/Volume:	10 mL
Date Analyzed:	10/01/2010 2127			Final Weight/Volume:	10 mL
Date Prepared:	10/01/2010 2127				

Analyte	% Rec.		RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD				
Gasoline Range Organics (GRO)-C5-C12	92	92	62 - 117	0	20	
<hr/>						
Surrogate	LCS % Rec		LCSD % Rec		Acceptance Limits	
4-Bromofluorobenzene	99		100		67 - 130	
1,2-Dichloroethane-d4 (Surr)	92		94		67 - 130	
Toluene-d8 (Surr)	97		97		70 - 130	

Quality Control Results

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Method Blank - Batch: 720-79227

Lab Sample ID: MB 720-79227/1-A
 Client Matrix: Water
 Dilution: 1.0
 Date Analyzed: 10/05/2010 1244
 Date Prepared: 10/04/2010 1206

Analysis Batch: 720-79290
 Prep Batch: 720-79227
 Units: ug/L

Method: 8015B

Preparation: 3510C SGC
Silica Gel Cleanup

Instrument ID: CHDRO5
 Lab File ID: 1005105b_010.d
 Initial Weight/Volume: 1000 mL
 Final Weight/Volume: 2 mL
 Injection Volume: 1 uL
 Column ID: PRIMARY

Analyte	Result	Qual	RL
Diesel Range Organics [C10-C28]	ND		50
Mineral Spirit Range Organics [C9-C13]	ND		50
Surrogate	% Rec		Acceptance Limits
Capric Acid (Surr)	0.2		0 - 5
p-Terphenyl	102		31 - 150

Lab Control Sample/ Lab Control Sample Duplicate Recovery Report - Batch: 720-79227

Method: 8015B
Preparation: 3510C SGC
Silica Gel Cleanup

LCS Lab Sample ID: LCS 720-79227/2-A
 Client Matrix: Water
 Dilution: 1.0
 Date Analyzed: 10/05/2010 1157
 Date Prepared: 10/04/2010 1206

Analysis Batch: 720-79290
 Prep Batch: 720-79227
 Units: ug/L

Instrument ID: CHDRO5
 Lab File ID: 1005105b_008.d
 Initial Weight/Volume: 1000 mL
 Final Weight/Volume: 2 mL
 Injection Volume: 1 uL
 Column ID: PRIMARY

LCSD Lab Sample ID: LCSD 720-79227/3-A
 Client Matrix: Water
 Dilution: 1.0
 Date Analyzed: 10/05/2010 1221
 Date Prepared: 10/04/2010 1206

Analysis Batch: 720-79290
 Prep Batch: 720-79227
 Units: ug/L

Instrument ID: CHDRO5
 Lab File ID: 1005105b_009.d
 Initial Weight/Volume: 1000 mL
 Final Weight/Volume: 2 mL
 Injection Volume: 1 uL
 Column ID: PRIMARY

Analyte	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Diesel Range Organics [C10-C28]	81	77	32 - 119	5	35		
Surrogate	LCS % Rec		LCSD % Rec		Acceptance Limits		
p-Terphenyl	112		115		31 - 150		

Quality Control Results

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Method Blank - Batch: 720-79293

Lab Sample ID: MB 720-79293/1-A
 Client Matrix: Water
 Dilution: 1.0
 Date Analyzed: 10/06/2010 0958
 Date Prepared: 10/05/2010 0934

Analysis Batch: 720-79353
 Prep Batch: 720-79293
 Units: ug/L

Method: 8015B

Preparation: 3510C SGC
Silica Gel Cleanup

Instrument ID: CHDRO6
 Lab File ID: FID1000009.D
 Initial Weight/Volume: 1000 mL
 Final Weight/Volume: 2 mL
 Injection Volume: 1 uL
 Column ID: PRIMARY

Analyte	Result	Qual	RL
Diesel Range Organics [C10-C28]	ND		50
Mineral Spirit Range Organics [C9-C13]	ND		50
Surrogate	% Rec	Acceptance Limits	
Capric Acid (Surr)	0.3	0 - 5	
p-Terphenyl	91	31 - 150	
Lab Control Sample/ Lab Control Sample Duplicate Recovery Report - Batch: 720-79293		Method: 8015B Preparation: 3510C SGC Silica Gel Cleanup	
LCS Lab Sample ID: LCS 720-79293/2-A	Analysis Batch: 720-79290	Instrument ID: CHDRO5	
Client Matrix: Water	Prep Batch: 720-79293	Lab File ID: 1005105b_043.d	
Dilution: 1.0	Units: ug/L	Initial Weight/Volume: 1000 mL	
Date Analyzed: 10/06/2010 0211		Final Weight/Volume: 2 mL	
Date Prepared: 10/05/2010 0934		Injection Volume: 1 uL	
		Column ID: PRIMARY	
LCSD Lab Sample ID: LCSD 720-79293/3-A	Analysis Batch: 720-79290	Instrument ID: CHDRO5	
Client Matrix: Water	Prep Batch: 720-79293	Lab File ID: 1005105b_044.d	
Dilution: 1.0	Units: ug/L	Initial Weight/Volume: 1000 mL	
Date Analyzed: 10/06/2010 0234		Final Weight/Volume: 2 mL	
Date Prepared: 10/05/2010 0934		Injection Volume: 1 uL	
		Column ID: PRIMARY	

Analyte	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Diesel Range Organics [C10-C28]	45	43	32 - 119	5	35		
Surrogate	LCS % Rec		LCSD % Rec		Acceptance Limits		
p-Terphenyl	102		98		31 - 150		

Transmit results to office checked below:

- 33233 South Koster Road, Tracy, CA 95304
Voice: (209) 832-2910 Fax: (209) 833-1288
- 1120 Hollywood Ave. No. 3, Oakland, CA 94602
Voice (510) 336-9118 Fax: (510) 336-9119

Project: Bay Rock - Oak Walk Emeryville

Project No.: 0004.087 Project Mgr.: DJW

Sampling Team: DJW/AO/HBD

SITE GLOBAL I.D. No.: T06019705080

Sample Number	Type	Field Point	Depth to GW in ft.	Casing Elev. in ft.	Date Sampled	Time Sampled	Analyses Requested	Lab. No.
WCEW-1	water	WCEW-1	7.10	41.73	09/23/10	10:35		
MW-2		MW-2	6.72	44.40	09/23/10	11:00		
MW-3		MW-3	6.31	45.49	09/22/10	14:20		
MW-4		MW-4	7.85	47.31	09/22/10	13:10		
MW-5		MW-5	6.65	42.51	09/23/10	10:15	Analyze all samples for:	
MW-6A		MW-6A	6.66	43.18	09/22/10	12:00	TPH(g)+BTEX+ TBA, MTBE, DIPE, ETBE & TAME;	
MW-7		MW-7	7.00	44.75	09/22/10	10:50		
MW-8		MW-8	8.12	48.38	09/22/10	11:05	TPH(d) + Mineral Spirits using silica gel cleanup	
MW-9		MW-9	9.28	47.85	09/23/10	08:35		
MW-10		MW-10	7.17	45.66	09/22/10	11:25		
MW-11		MW-11	7.98	45.10	09/22/10	12:50		
MW-12		MW-12	6.42	42.93	09/22/10	12:15		
MW-13	▼	MW-13	8.52	45.56	09/22/10	13:00		

Sample Hazards: Low to high concentrations of fuel hydrocarbons and solvents

Notes: Pricing per Bay Rock Emeryville Agreement

GEOTRACKER ZIP FILE REQUIREDPriority: Routine Expedited Special

CUSTODY RECORD

Print Name

Company

Date Received

Time Received

Date Relinquished

Time Relinquished

Signature

Originator:	D. Watkins	Dietz Eng. & Const.	—	—	9/24/10	13:22	D. Watkins
Received/ Relinquished by:							
Received/ Relinquished by:							
Received/ Relinquished by:							
Received at Laboratory by:	Mullen	Haffman	9-24-10	1322	—	—	Joan Mullen

720-30774

LABORATORY: TestAmerica

CARRIER: DIETZ ENGINEERING AND CONSTRUCTION, INC.

WAYBILL NO.: N/A

58°

Login Sample Receipt Check List

Client: Deitz Engineering and Construction, Inc.

Job Number: 720-30774-1

Login Number: 30774

List Source: TestAmerica San Francisco

Creator: Mullen, Joan

List Number: 1

Question	T / F / NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	
The cooler's custody seal, if present, is intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	