



**CONESTOGA-ROVERS
& ASSOCIATES**

5900 Hollis Street, Suite A
Emeryville, California 94608
Telephone: (510) 420-0700 Fax: (510) 420-9170
www.CRAworld.com

TRANSMITTAL

DATE: April 23, 2009 REFERENCE NO.: 240467
PROJECT NAME: 1601 Webster Street, Alameda
TO: Jerry Wickham
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

RECEIVED
2:24 pm, Apr 23, 2009
Alameda County
Environmental Health

Please find enclosed: Draft Final
 Originals Other
 Prints
Sent via: Mail Same Day Courier
 Overnight Courier Other GeoTracker and Alameda County FTP

QUANTITY	DESCRIPTION
1	Groundwater Monitoring Report - First Quarter 2009

As Requested For Review and Comment
 For Your Use _____

COMMENTS:
If you have any questions regarding the contents of this document, please call Peter Schaefer at (510) 420-3319.

Copy to: Denis Brown, Shell Oil Products US, 20945 S.Wilmington Avenue Carson, CA 90810
Thomas H. Kosel, ConocoPhillips Risk Management & Remediation, 76 Broadway, Sacramento, CA 95818
James C. Kirschner, ATC Associates, Inc., 6602 Owens Drive, Suite 100, Pleasanton, CA 94588
SF Data Room (electronic copy)

Completed by: Peter Schaefer Signed: Thomas Sparrow for

Filing: Correspondence File



Jerry Wickham
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Denis L. Brown
Shell Oil Products US
HSE - Environmental Services
20945 S. Wilmington Ave.
Carson, CA 90810-1039
Tel (707) 865 0251
Fax (707) 865 2542
Email denis.l.brown@shell.com

Re: Shell-branded Service Station
1601 Webster Street
Alameda, California
SAP Code 135032
Incident No. 97564701
ACHCSA Case No. RO0002745

Dear Mr. Wickham:

The attached document is provided for your review and comment. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

If you have any questions or concerns, please call me at (707) 865-0251.

Sincerely,

A handwritten signature in black ink, appearing to read "Denis Brown", is written over a horizontal line.

Denis L. Brown
Project Manager



GROUNDWATER MONITORING REPORT - FIRST QUARTER 2009

**SHELL-BRANDED SERVICE STATION
1601 WEBSTER STREET
ALAMEDA, CALIFORNIA**

**SAP CODE 135032
INCIDENT NO. 97564701
AGENCY NO. RO0002745**

APRIL 23, 2009

REF. NO. 240467 (3)

This report is printed on recycled paper.

**Prepared by:
Conestoga-Rovers
& Associates**

5900 Hollis Street, Suite A
Emeryville, California
U.S.A. 94608

Office: (510) 420-0700
Fax: (510) 420-9170

web: <http://www.CRAworld.com>

TABLE OF CONTENTS

	<u>Page</u>
1.0 INTRODUCTION	1
1.1 SITE INFORMATION.....	1
2.0 SITE ACTIVITIES, FINDINGS, AND DISCUSSION	2
2.1 CURRENT QUARTER'S ACTIVITIES	2
2.2 CURRENT QUARTER'S FINDINGS.....	2
2.3 PROPOSED ACTIVITIES FOR NEXT QUARTER.....	2

LIST OF FIGURES
(Following Text)

- FIGURE 1 VICINITY MAP
- FIGURE 2 GROUNDWATER CONTOUR AND CHEMICAL CONCENTRATION MAP

LIST OF APPENDICES

- APPENDIX A BLAINE TECH SERVICES, INC. - GROUNDWATER MONITORING REPORT
- APPENDIX B TRC - DATA TABLES FOR FORMER 76 STATION 0843

1.0 INTRODUCTION

Conestoga-Rovers & Associates (CRA) prepared this report on behalf of Equilon Enterprises LLC dba Shell Oil Products US (Shell) in accordance with the quarterly reporting requirements of 23 CCR 2652d.

1.1 SITE INFORMATION

Site Address	1601 Webster Street, Alameda
Site Use	Shell-branded Service Station
Shell Project Manager	Denis Brown
CRA Project Manager	Peter Schaefer
Lead Agency and Contact	ACHCSA, Jerry Wickham
Agency Case No.	RO0002745
Shell SAP Code	135032
Shell Incident No.	97564701

Date of most recent agency correspondence was May 30, 2006.

2.0 SITE ACTIVITIES, FINDINGS, AND DISCUSSION

2.1 CURRENT QUARTER'S ACTIVITIES

Blaine Tech Services, Inc. (Blaine) gauged and sampled the wells according to the established monitoring program for this site.

Blaine coordinated groundwater sampling with the adjacent former 76 station 0834 located at 1629 Webster Street.

CRA prepared a vicinity map (Figure 1) and a groundwater contour and chemical concentration map (Figure 2) including data from both sites. Blaine's report, presenting the analytical data for the Shell site, is included in Appendix A.

The data tables for the former 76 station are included in Appendix B.

2.2 CURRENT QUARTER'S FINDINGS

Groundwater Flow Direction	Northerly
Hydraulic Gradient	Variable, averages 0.01 on site
Depth to Water	5.35 to 7.05 feet below top of well casing

2.3 PROPOSED ACTIVITIES FOR NEXT QUARTER

Blaine will gauge and sample wells according to the established monitoring program for this site.


All of Which is Respectfully Submitted,
CONESTOGA-ROVERS & ASSOCIATES

Thomas Sparrow for


Peter Schaefer, CHG, CEG

Aubrey K. Cool

Aubrey K. Cool, PG



FIGURES



I:\Shell\6-chars\2404--\240467-Alameda-1601 Webster St\240467-FIGURES\240467 VICINITY.AI

Shell-branded Service Station

1601 Webster Street
Alameda, California



**CONESTOGA-ROVERS
& ASSOCIATES**


Vicinity Map

I:\Shell\6-chars\240467-1\240467-Alameda 1601 Webster St\240467-REPORTS\240467-RPT3-1009\240467-10M09-GW.DWG

LINCOLN AVENUE

PACIFIC AVENUE

WEBSTER STREET



EXPLANATION

- S-2** ● Monitoring well location (Shell)
- S-4B**** ○ Deeper monitoring well location (Shell) (not used for contouring)
- TBW-N** ▲ Tank backfill well location (Shell)
- MW-1** ■ Monitoring well location (former Tosco)
- MW-1** ☒ Destroyed monitoring well location (Shell)
- ☐ → x.xx Groundwater flow direction and gradient
- xx.xx Groundwater elevation contour, in feet above mean sea level (msl)

Well

- ELEV — Groundwater elevation, in feet above msl
- TPHg — TPHg, benzene, and MTBE concentrations are in micrograms per liter
- Benzene
- MTBE

Notes:
 NA = Not available
 ND = Not detected
 NDa = Elevated reporting limit, see laboratory report for details
 * = Former 76 station wells appear to be surveyed to a different datum and are contoured separately
 ** = Former 76 station wells were gauged and sampled on February 24, 2009 and are not used in contouring
 ^ = Data anomalous, not used in contouring




FIGURE 2

Groundwater Contour and Chemical Concentration Map

Shell-branded Service Station
1601 Webster Avenue
Alameda, California



February 27, 2009

APPENDIX A

BLAINE TECH SERVICES, INC. -
GROUNDWATER MONITORING REPORT

BLAINE

TECH SERVICES INC.

GROUNDWATER SAMPLING SPECIALISTS
SINCE 1985

March 20, 2009

Denis Brown
Shell Oil Products US
20945 South Wilmington Avenue
Carson, CA 90810

First Quarter 2009 Groundwater Monitoring at
Shell-branded Service Station
1601 Webster Street
Alameda, CA

Monitoring performed on February 27, 2009

Groundwater Monitoring Report **090227-AK-1**

This report covers the routine monitoring of groundwater wells at this Shell-branded facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purge water (if applicable) is, likewise, collected and transported to the Martinez Refining Company.


Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight-hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. Our activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrological conditions or formulation of recommendations was performed.

Please call if you have any questions.

Yours truly,

A handwritten signature in black ink, appearing to read "Mike Ninokata", with a long horizontal flourish extending to the right.

Mike Ninokata
Project Manager

MN/tm

attachments: Cumulative Table of WELL CONCENTRATIONS
Certified Analytical Report
Field Data Sheets

cc: Anni Kreml
Conestoga-Rovers & Associates
5900 Hollis Street, Suite A
Emeryville, CA 94608

WELL CONCENTRATIONS
Shell Service Station
1601 Webster Street
Alameda, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	Depth to SPH (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
---------	------	----------------	-------------	-------------	-------------	-------------	----------------	----------------	----------------	----------------	---------------	-----------------------	---------------	-------------------	--------------	----------------------------	--------------------------	--------------------------	---------------------------

S-2	11/14/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.73	7.60	NA	12.13	NA
S-2	11/22/2005	996	0.630	0.500	0.500	3.10	406	<0.500	<0.500	0.570	18.0	NA	NA	NA	19.73	7.70	NA	12.03	NA
S-2	2/24/2006	<50 b	<0.50	<0.50	<0.50	<0.50	2.0	<0.50	<0.50	<0.50	<5.0	NA	NA	NA	19.73	6.29	NA	13.44	NA
S-2	5/30/2006	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	19.73	6.14	NA	13.59	NA
S-2	8/30/2006	420	<0.500	<0.500	<0.500	<0.500	4.42	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	19.73	7.18	NA	12.55	NA
S-2	11/22/2006	110	<0.50	<0.50	<0.50	<1.0	62	<2.0	<2.0	<2.0	<5.0	NA	NA	NA	19.73	7.55	NA	12.18	NA
S-2	2/23/2007	140	<0.50	<0.50	<0.50	<1.0	110	<2.0	<2.0	<2.0	<5.0	NA	NA	NA	19.73	6.77	NA	12.96	NA
S-2	5/18/2007	<50 h	<0.50	<1.0	<1.0	<1.0	18	<2.0	<2.0	<2.0	<10	NA	NA	NA	19.73	7.02	NA	12.71	NA
S-2	8/10/2007	<50 h	<0.50	<1.0	<1.0	<1.0	40	<2.0	<2.0	<2.0	<10	NA	NA	NA	19.73	7.65	NA	12.08	NA
S-2	11/9/2007	130 h,i	<0.50	<1.0	<1.0	<1.0	190	<2.0	<2.0	<2.0	<10	NA	NA	NA	19.73	7.87	NA	11.86	NA
S-2	2/8/2008	83 h,i	<1.0	<2.0	<2.0	<2.0	180	<4.0	<4.0	<4.0	<20	NA	NA	NA	19.73	6.52	NA	13.21	NA
S-2	5/16/2008	<50	<0.50	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	19.73	7.30	NA	12.43	NA
S-2	8/15/2008	<50	<0.50	<1.0	<1.0	<1.0	7.1	<2.0	<2.0	<2.0	<10	NA	NA	NA	19.73	8.38	NA	11.35	NA
S-2	11/26/2008	<50	<0.50	<1.0	<1.0	<1.0	32	<2.0	<2.0	<2.0	<10	NA	NA	NA	19.73	9.13	NA	10.60	NA
S-2	2/27/2009	90	<0.50	<1.0	<1.0	<1.0	85	<2.0	<2.0	<2.0	<10	NA	NA	NA	19.73	7.05	NA	12.68	NA

S-3	11/14/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.14	7.01	NA	12.13	NA
S-3	11/22/2005	3,900	<0.500	<0.500	<0.500	0.900	3,730	<0.500	<0.500	3.44	26.0	NA	NA	NA	19.14	7.15	NA	11.99	NA
S-3	2/24/2006	580 b	<0.50	<0.50	<0.50	<0.50	360	<0.50	<0.50	<0.50	<5.0	NA	NA	NA	19.14	5.95	NA	13.19	NA
S-3	5/30/2006	<50.0	<0.500	<0.500	<0.500	0.510	52.2	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	19.14	5.85	NA	13.29	NA
S-3	8/30/2006	2,910	<0.500	<0.500	<0.500	<0.500	882	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	19.14	6.71	NA	12.43	NA
S-3	11/22/2006	240	<0.50	<0.50	<0.50	<1.0	150	<2.0	<2.0	<2.0	30	NA	NA	NA	19.14	7.05	NA	12.09	NA
S-3	2/23/2007	78	<0.50	<0.50	<0.50	<1.0	78	<2.0	<2.0	<2.0	5.4	NA	NA	NA	19.14	6.30	NA	12.84	NA
S-3	5/18/2007	120 h,i	<0.50	<1.0	<1.0	<1.0	150	<2.0	<2.0	<2.0	73	NA	NA	NA	19.14	6.58	NA	12.56	NA
S-3	8/10/2007	<50 h	<1.0	<2.0	<2.0	<2.0	200	<4.0	<4.0	<4.0	21	NA	NA	NA	19.14	7.09	NA	12.05	NA
S-3	11/9/2007	69 h,i	<0.50	<1.0	<1.0	<1.0	100	<2.0	<2.0	<2.0	<10	NA	NA	NA	19.14	7.28	NA	11.86	NA
S-3	2/8/2008	<50 h	<0.50	<1.0	<1.0	<1.0	8.5	<2.0	<2.0	<2.0	<10	NA	NA	NA	19.14	6.06	NA	13.08	NA
S-3	5/16/2008	71	<0.50	<1.0	<1.0	<1.0	100	<2.0	<2.0	<2.0	<10	NA	NA	NA	19.14	6.84	NA	12.30	NA
S-3	8/15/2008	<50	<0.50	<1.0	<1.0	<1.0	9.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	19.14	7.83	NA	11.31	NA
S-3	11/26/2008	<50	0.53	<1.0	<1.0	1.5	12	<2.0	<2.0	<2.0	<10	NA	NA	NA	19.14	8.70	NA	10.44	NA
S-3	2/27/2009	<50	<0.50	<1.0	<1.0	<1.0	3.2	<2.0	<2.0	<2.0	<10	NA	NA	NA	19.14	6.97	NA	12.17	NA

S-4	11/14/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.16	6.00	NA	12.16	NA
-----	------------	----	----	----	----	----	----	----	----	----	----	----	----	----	-------	------	----	-------	----

WELL CONCENTRATIONS
Shell Service Station
1601 Webster Street
Alameda, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	Depth to SPH (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
S-4	11/22/2005	4,570	<0.500	<0.500	<0.500	0.660	3,450	<0.500	<0.500	3.57	26.0	NA	NA	NA	18.16	6.10	NA	12.06	NA
S-4	2/24/2006	2,200 b	<0.50	<0.50	<0.50	<0.50	1,400	<0.50	<0.50	1.4	13 c	NA	NA	NA	18.16	5.09	NA	13.07	NA
S-4	5/30/2006	1,100	<0.500	<0.500	<0.500	<0.500	1,060	<0.500	<0.500	1.04	87.5	NA	NA	NA	18.16	5.00	NA	13.16	NA
S-4	8/30/2006	3,170	<0.500	<0.500	<0.500	<0.500	1,000	<0.500	<0.500	0.850	120	NA	NA	NA	18.16	5.81	NA	12.35	NA
S-4	11/22/2006	520	<0.50	<0.50	<0.50	<1.0	480	<2.0	<2.0	<2.0	5.2	NA	NA	NA	18.16	5.93	NA	12.23	NA
S-4	2/23/2007	180	<0.50	<0.50	<0.50	<1.0	130	<2.0	<2.0	<2.0	9.6	NA	NA	NA	18.16	5.40	NA	12.76	NA
S-4	5/18/2007	220 h,i	<2.5	<5.0	<5.0	2.5 j	420	<10	<10	<10	<50	NA	NA	NA	18.16	5.62	NA	12.54	NA
S-4	8/10/2007	98 h,i	<2.5	<5.0	<5.0	<5.0	540	<10	<10	<10	29 j	NA	NA	NA	18.16	6.00	NA	12.16	NA
S-4	11/9/2007	190 h,i	<2.5	<5.0	<5.0	<5.0	350	<10	<10	<10	<50	NA	NA	NA	18.16	6.20	NA	11.96	NA
S-4	2/8/2008	<50 h	<0.50	<1.0	<1.0	<1.0	13	<2.0	<2.0	<2.0	<10	NA	NA	NA	18.16	5.47	NA	12.69	NA
S-4	5/16/2008	87	<0.50	<1.0	<1.0	<1.0	120	<2.0	<2.0	<2.0	<10	NA	NA	NA	18.16	6.00	NA	12.16	NA
S-4	8/15/2008	<50	<0.50	<1.0	<1.0	<1.0	42	<2.0	<2.0	<2.0	<10	NA	NA	NA	18.16	6.85	NA	11.31	NA
S-4	11/26/2008	140	<0.50	<1.0	<1.0	<1.0	140	<2.0	<2.0	<2.0	<10	NA	NA	NA	18.16	7.62	NA	10.54	NA
S-4	2/27/2009	56	<0.50	<1.0	<1.0	<1.0	43	<2.0	<2.0	<2.0	<10	NA	NA	NA	18.16	5.35	NA	12.81	NA
S-4B	8/21/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.78	6.14	NA	12.64	NA
S-4B	8/30/2006	3,630	<0.500	<0.500	5.32	<0.500	1,130	<0.500	<0.500	1.47	643	NA	NA	NA	18.78	6.32	NA	12.46	NA
S-4B	11/22/2006	620	<0.50	<0.50	0.66	<1.0	580	<2.0	<2.0	<2.0	680	NA	NA	NA	18.78	6.46	NA	12.32	NA
S-4B	2/23/2007	230	<1.0	<1.0	<1.0	<2.0	190	<4.0	<4.0	<4.0	450	NA	NA	NA	18.78	6.64	NA	12.14	NA
S-4B	5/18/2007	200 h	<0.50	<1.0	<1.0	<1.0	130	<2.0	<2.0	<2.0	360	NA	NA	NA	18.78	6.19	NA	12.59	NA
S-4B	8/10/2007	150 h	0.47 j	<1.0	<1.0	<1.0	67	<2.0	<2.0	<2.0	230	NA	NA	NA	18.78	6.48	NA	12.30	NA
S-4B	11/9/2007	<50 h	<0.50	<1.0	<1.0	<1.0	32	<2.0	<2.0	<2.0	67	NA	NA	NA	18.78	6.59	NA	12.19	NA
S-4B	2/8/2008	<50 h	<0.50	<1.0	<1.0	<1.0	5.3	<2.0	<2.0	<2.0	<10	NA	NA	NA	18.78	6.12	NA	12.66	NA
S-4B	5/16/2008	<50	<0.50	<1.0	<1.0	<1.0	2.2	<2.0	<2.0	<2.0	15	NA	NA	NA	18.78	6.45	NA	12.33	NA
S-4B	8/15/2008	<50	<0.50	<1.0	<1.0	<1.0	1.4	<2.0	<2.0	<2.0	<10	NA	NA	NA	18.78	6.90	NA	11.88	NA
S-4B	11/26/2008	<50	<0.50	<1.0	<1.0	<1.0	2.5	<2.0	<2.0	<2.0	<10	NA	NA	NA	18.78	8.19	NA	10.59	NA
S-4B	2/27/2009	<50	<0.50	<1.0	<1.0	<1.0	1.4	<2.0	<2.0	<2.0	<10	NA	NA	NA	18.78	6.03	NA	12.75	NA
S-5	11/14/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.68	6.33	NA	12.35	NA
S-5	11/22/2005	1,010	0.900	<0.500	1.79	4.91	302	<0.500	<0.500	<0.500	397	NA	NA	NA	18.68	6.44	NA	12.24	NA
S-5	2/24/2006	<50 b	<0.50	<0.50	<0.50	<0.50	19	<0.50	<0.50	<0.50	<5.0	NA	NA	NA	18.68	5.44	NA	13.24	NA
S-5	5/30/2006	2,000	4.13	0.670	<0.500	3.28	143	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	18.68	5.33	NA	13.35	NA
S-5	8/30/2006	1,380	<0.500	<0.500	1.43	<0.500	211	<0.500	<0.500	<0.500	106	NA	NA	NA	18.68	6.16	NA	12.52	NA

WELL CONCENTRATIONS
Shell Service Station
1601 Webster Street
Alameda, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	Depth to SPH (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
S-5	11/22/2006	82	<0.50	<0.50	<0.50	<1.0	28	<2.0	<2.0	<2.0	13	NA	NA	NA	18.68	6.28	NA	12.40	NA
S-5	2/23/2007	<50	<0.50	<0.50	<0.50	<1.0	1.2	<2.0	<2.0	<2.0	<5.0	NA	NA	NA	18.68	5.68	NA	13.00	NA
S-5	5/18/2007	<50 h,i	<0.50	<1.0	<1.0	<1.0	2.6	<2.0	<2.0	<2.0	<10	NA	NA	NA	18.68	5.91	NA	12.77	NA
S-5	8/10/2007	<50 h	<0.50	<1.0	<1.0	<1.0	1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	18.68	6.36	NA	12.32	NA
S-5	11/9/2007	<50 h	<0.50	<1.0	<1.0	<1.0	<10	<2.0	<2.0	<2.0	<10	NA	NA	NA	18.68	6.47	NA	12.21	NA
S-5	2/8/2008	<50 h	<0.50	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	18.68	5.52	NA	13.16	NA
S-5	5/16/2008	<50	<0.50	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	18.68	6.22	NA	12.46	NA
S-5	8/15/2008	<50	<0.50	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	18.68	7.26	NA	11.42	NA
S-5	11/26/2008	<50	<0.50	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	18.68	8.03	NA	10.65	NA
S-5	2/27/2009	<50	<0.50	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	18.68	5.83	NA	12.85	NA
S-6	11/14/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.32	6.36	NA	12.96	NA
S-6	11/22/2005	15,800	5.14	0.690	32.1	934	<0.500	<0.500	<0.500	<0.500	14.2	NA	NA	NA	19.32	6.53	NA	12.79	NA
S-6	1/19/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.32	5.50	NA	13.82	NA
S-6	2/24/2006	7,900 b	4.4	<1.5	260	380	<1.5	<1.5	<1.5	<1.5	<7.0	NA	NA	NA	19.32	5.76	NA	13.56	NA
S-6	5/30/2006	4,170	4.98	<0.500	76.6	44.2	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	19.32	5.68	NA	13.64	NA
S-6	8/30/2006	16,400	10.7	<0.500	353	292	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	19.32	6.38	NA	12.94	NA
S-6	11/22/2006	6,900	7.7	<2.5	250	450	<2.5	<10	<10	<10	<25	NA	NA	NA	19.32	6.62	NA	12.70	NA
S-6	2/23/2007	7,900	4.4	<2.5	400	940	<2.5	<10	<10	<10	<25	NA	NA	NA	19.32	6.06	NA	13.26	NA
S-6	5/18/2007	2,600 h	3.1	<1.0	85	147.3	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	19.32	6.12	NA	13.20	NA
S-6	8/10/2007	3,100 h	3.5	0.28 j	110	202	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	19.32	6.60	NA	12.72	NA
S-6	11/9/2007	3,700 h	2.1	0.34 j	160	335	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	19.32	6.80	NA	12.52	NA
S-6	2/8/2008	2,600 h	2.7	<1.0	72	156.0	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	19.32	6.11	NA	13.21	NA
S-6	5/16/2008	350	<0.50	<1.0	8.4	5.3	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	19.32	6.60	NA	12.72	NA
S-6	8/15/2008	3,600	0.99	<1.0	100	164.9	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	19.32	7.70	NA	11.62	NA
S-6	11/26/2008	1,500	2.9	<1.0	13	3.1	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	19.32	8.41	NA	10.91	NA
S-6	2/27/2009	2,800	4.3	<1.0	17	23	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	19.32	6.22	NA	13.10	NA
S-7	11/14/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.44	6.76	NA	12.68	NA
S-7	11/22/2005	51,100	2,680	2,980	969	6,360	1.49	<0.500	<0.500	<0.500	53.3	NA	NA	NA	19.44	6.88	NA	12.56	NA
S-7	2/24/2006	22,000 b/25,000 d	1,700	1,200	1,200	2,800	<2.5	<2.5	<2.5	<2.5	58	NA	NA	NA	19.44	5.73	NA	13.71	NA
S-7	5/30/2006	35,600	1,720	641	1,600	3,630	2.83	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	19.44	5.61	NA	13.83	NA
S-7	8/30/2006	83,900	5,060	62.5	1,640	4,010	2.38	<0.500	<0.500	<0.500	43.4	NA	NA	NA	19.44	6.43	NA	13.01	NA

WELL CONCENTRATIONS
Shell Service Station
1601 Webster Street
Alameda, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	Depth to SPH (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
S-7	11/22/2006	13,000	4,300	27	710	1,900	<2.5	<10	<10	<10	54	NA	NA	NA	19.44	6.68	NA	12.76	NA
S-7	2/23/2007	15,000	2,000	43	1,100	3,300	<12	<50	<50	<50	<120	NA	NA	NA	19.44	5.82	NA	13.62	NA
S-7	5/18/2007	6,100 h	3,900	22 j	520	2,010	<50	<100	<100	<100	<500	NA	NA	NA	19.44	6.20	NA	13.24	NA
S-7	8/10/2007	14,000 h	4,900	19 j	670	2,046 j	<50	<100	<100	<100	<500	NA	NA	NA	19.44	6.74	NA	12.70	NA
S-7	11/9/2007	16,000 h	4,400	21 j	550	2,052	<50	<100	<100	<100	<500	NA	NA	NA	19.44	6.93	NA	12.51	NA
S-7	2/8/2008	2,400 h	160	<2.0	70	160	<2.0	<4.0	<4.0	<4.0	<20	NA	NA	NA	19.44	6.23	NA	13.21	NA
S-7	5/16/2008	6,200	1,200	21	320	736.9	<2.0	<4.0	<4.0	<4.0	<20	NA	NA	NA	19.44	6.62	NA	12.82	NA
S-7	8/15/2008	15,000	4,500	19	450	1,300	<10	<20	<20	<20	<100	NA	NA	NA	19.44	7.81	NA	11.63	NA
S-7	11/26/2008	9,300	3,200	<25	77	250	<25	<50	<50	<50	<250	NA	NA	NA	19.44	8.53	NA	10.91	NA
S-7	2/27/2009	3,900	900	<25	49	160	<25	<50	<50	<50	<250	NA	NA	NA	19.44	6.27	NA	13.17	NA

S-8	8/21/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	20.11	7.02	NA	13.09	NA
S-8	8/30/2006	90,600	5,150	28.2	3,230	4,450	4.30	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	20.11	7.19	NA	12.92	NA
S-8	11/22/2006	41,000	4,900	58	3,300	7,200	2.6	<10	<10	<10	<25	NA	NA	NA	20.11	7.48	NA	12.63	NA
S-8	2/23/2007	28,000	2,900	28	2,900	4,900	<25	<100	<100	<100	<250	NA	NA	NA	20.11	6.73	NA	13.38	NA
S-8	5/18/2007	24,000 h	4,400	33 j	3,800	4,470	<50	<100	<100	<100	<500	NA	NA	NA	20.11	6.98	NA	13.13	NA
S-8	8/10/2007	22,000 h	5,000	30 j	3,100	3,660	<50	<100	<100	<100	<500	NA	NA	NA	20.11	7.57	NA	12.54	NA
S-8	11/9/2007	22,000 h	4,600	24 j	3,000	2,770	<50	<100	<100	<100	<500	NA	NA	NA	20.11	7.80	NA	12.31	NA
S-8	2/8/2008	11,000 h	5,900	<50	410	310	<50	<100	<100	<100	<500	NA	NA	NA	20.11	6.55	NA	13.56	NA
S-8	5/16/2008	20,000	1,600	32	2,300	2,136	<20	<40	<40	<40	<200	NA	NA	NA	20.11	7.30	NA	12.81	NA
S-8	8/15/2008	26,000	2,400	20	4,900	2,432	<20	<40	<40	<40	<200	NA	NA	NA	20.11	8.60	NA	11.51	NA
S-8	11/26/2008	10,000	890	6.6	790	302	<5.0	<10	<10	<10	<50	NA	NA	NA	20.11	9.20	NA	10.91	NA
S-8	2/27/2009	770	30	<1.0	9.9	6.0	<1.0	<2.0	<2.0	<2.0	12	NA	NA	NA	20.11	7.04	NA	13.07	NA

S-9	8/21/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.60	6.93	NA	12.67	NA
S-9	8/30/2006	162,000	3,620	5,040	3,810	22,500	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	19.60	6.52	NA	13.08	NA
S-9	11/22/2006	47,000	2,100	840	3,000	12,000	<2.5	<10	<10	<10	<25	NA	NA	NA	19.60	6.78	NA	12.82	NA
S-9	2/23/2007	18,000	890	120	1,800	3,600	<12	<50	<50	<50	<120	NA	NA	NA	19.60	6.13	NA	13.47	NA
S-9	5/18/2007	22,000 h	1,300	630	2,400	7,300	<50	<100	<100	<100	<500	NA	NA	NA	19.60	6.35	NA	13.25	NA
S-9	8/10/2007	36,000 h	2,600	920	4,200	14,900	<50	<100	<100	<100	<500	NA	NA	NA	19.60	6.86	NA	12.74	NA
S-9	11/9/2007	34,000 h	2,100	320	3,700	12,000	<50	<100	<100	<100	<500	NA	NA	NA	19.60	7.09	NA	12.51	NA
S-9	2/8/2008	7,400 h	410	51	1,100	1,620	<10	<20	<20	<20	<100	NA	NA	NA	19.60	6.00	NA	13.60	NA
S-9	5/16/2008	19,000	910	230	1,600	4,200	<10	<20	<20	<20	<100	NA	NA	NA	19.60	6.67	NA	12.93	NA

WELL CONCENTRATIONS
Shell Service Station
1601 Webster Street
Alameda, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	Depth to SPH (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
S-9	8/15/2008	65,000	2,600	540	5,200	19,000	<10	<20	<20	<20	<100	NA	NA	NA	19.60	7.93	NA	11.67	NA
S-9	11/26/2008	18,000	910	<100	2,000	3,340	<100	<200	<200	<200	<1,000	NA	NA	NA	19.60	8.60	NA	11.00	NA
S-9	2/27/2009	1,000	55	2.3	100	61	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	19.60	6.35	NA	13.25	NA
TBW-E	11/23/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.31	NA	NA	NA
TBW-E	12/1/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	7.01	NA	NA	NA
TBW-E	12/7/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.32	NA	NA	NA
TBW-E	12/15/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.55	NA	NA	NA
TBW-E	12/23/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.95	NA	NA	NA
TBW-E	12/27/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	8.47	NA	NA	NA
TBW-N	11/23/2004	83,000	640	27,000	1,700	20,000	2,300	<400	<400	<400	1,300	<100	<100	<10,000	NA	5.64	NA	NA	NA
TBW-N	12/1/2004	160,000	700	31,000	2,300	24,000	2,900	<400	<400	<400	1,200	<100	<100	<10,000	NA	6.35	NA	NA	NA
TBW-N	12/7/2004	130,000	590	29,000	2,300	24,000	2,700	<400	<400	<400	1,300	<100	<100	<10,000	NA	5.65	NA	NA	NA
TBW-N	12/15/2004	120,000	420	26,000	2,000	22,000	3,300	<400	<400	<400	<1,000	<100	<100	<10,000	NA	5.85	NA	NA	NA
TBW-N	12/23/2004	100,000	220	23,000	1,900	20,000	1,900	<400	<400	<400	<1,000	<100	<100	<10,000	NA	5.30	NA	NA	NA
TBW-N	12/27/2004	110,000	470	26,000	2,300	22,000	1,800	<400	<400	<400	<1,000	<100	<100	<10,000	NA	7.80	NA	NA	NA
TBW-N	1/17/2005	86,000	330	22,000	2,200	21,000	1,600	<400	<400	<400	1,600	<100	<100	<10,000	NA	6.59	NA	NA	NA
TBW-N	2/4/2005	97,000	290	23,000	1,800	20,000	1,900	<400	<400	<400	<1,000	<100	<100	<10,000	NA	4.50	NA	NA	NA
TBW-N	3/2/2005	94,000	360	24,000	2,000	19,000	1,200	<400	<400	<400	<1,000	<100	<100	<10,000	NA	4.11	NA	NA	NA
TBW-N	4/12/2005	27,000	130	9,300	1,100	8,700	1,400	<100	<100	<20	390	<25	<25	<2,500	NA	4.08	NA	NA	NA
TBW-N	5/13/2005	42,000	130	8,700	1,500	12,000	1,400	<100	<100	<100	440	<25	<25	<2,500	NA	4.45	NA	NA	NA
TBW-N	6/10/2005	46,000	63	5,500	1,300	11,000	500	<100	<100	<100	<250	<25	<25	<2,500	NA	4.97	NA	NA	NA
TBW-N	7/15/2005	48,000	88	8,400	1,300	9,500	660	<100	<100	<100	310	<25	<25	<2,500	NA	5.18	NA	NA	NA
TBW-N	08/17/2005 a	36,000	85	8,500	1,200	11,000	510	<200	<200	<200	<500	<50	<50	<5,000	18.08	5.28	NA	12.80	NA
TBW-N	9/15/2005	20,000	59	2,400	730	9,300	600	<40	<40	<40	500	NA	NA	<1,000	18.08	5.92	NA	12.16	NA
TBW-N	10/17/2005	59,000	58	4,900	1,200	16,000	490	<100	<100	<100	<250	<25	<25	<2,500	18.08	5.96	NA	12.12	NA
TBW-N	11/22/2005	105,000	41.3	8,750	1,550	18,300	443	<0.500	<0.500	<0.500	248	<0.500	<0.500	<50.0	18.08	5.82	NA	12.26	NA
TBW-N	12/9/2005	65,900	43.4	5,110	1,110	13,500	493	<0.500	<0.500	<0.500	259	<0.500	<0.500	<50.0	18.08	5.60	NA	12.48	NA
TBW-N	1/5/2006	80,100	33.8	4,910	1,620	19,400	410	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	18.08	4.44	NA	13.64	NA
TBW-N	2/24/2006	56,000 b/60,000 d	15	2,700	1,000	12,000	270	<15	<15	<15	180	<15	<15	<150	18.08	4.67	NA	13.41	NA
TBW-N	3/8/2006	60,200	23.4	3,820	1,370	16,500	293	<0.500	<0.500	<0.500	93.8	<0.500	<0.500	<50.0	18.08	4.18	NA	13.90	NA
TBW-N	4/13/2006	73,000	21.8	2,900	1,220	14,600	277	<0.500	<0.500	<0.500	68.5	<0.500	<0.500	<50.0	18.08	3.49	NA	14.59	NA

WELL CONCENTRATIONS
Shell Service Station
1601 Webster Street
Alameda, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	Depth to SPH (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
TBW-N	5/30/2006	59,300	18.7	1,170	1,800	10,200	119 e	<0.500	<0.500	<0.500	<10.0	0.860	<0.500	<50.0	18.08	4.52	NA	13.56	NA
TBW-N	6/5/2006	83,700	16.0	1,510	2,090	11,400	146 e	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	18.08	4.55	NA	13.53	NA
TBW-N	7/19/2006	80,100	16.4	632	1,550	13,900	85.7	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	18.08	4.99	NA	13.09	NA
TBW-N	8/30/2006	52,700	18.2	747	1,900	13,400	82.9	<5.00	<5.00	<5.00	<100	<5.00	<5.00	<500	18.08	5.47	NA	12.61	NA
TBW-N	9/6/2006	77,500	21.3	1,100	1,650	11,800	116	<0.500	<0.500	<0.500	12.4	<0.500	<0.500	<50.0	18.08	5.39	NA	12.69	NA
TBW-N	10/13/2006	33,000	22	1,300	1,700	27,000	160	<20	<20	<20	<50	<5.0	<5.0	<500	18.08	5.57	NA	12.51	NA
TBW-N	11/22/2006	36,000	18	680	1,200	14,000	110	<20	<20	<20	<50	<5.0	<5.0	<500	18.08	5.65	NA	12.43	NA
TBW-N	12/12/2006	34,000	<25	330	1,400	11,000	89	<25	<25	<25	<1,000	<25	<25	<5,000	18.08	5.34	NA	12.74	NA
TBW-N	1/5/2007	26,000 g	16	450	1,400	13,000 f	96	<20	<20	<20	<50	<5.0	<5.0	<500	18.08	5.23	NA	12.85	NA
TBW-N	2/23/2007	41,000	<25	400	1,500	15,000	120	<100	<100	<100	<250	<25	<25	<2,500	18.08	4.96	NA	13.12	NA
TBW-N	3/8/2007	15,000	<25	320	1,300	15,000	110	<100	<100	<100	<250	<25	<25	<2,500	18.08	4.93	NA	13.15	NA
TBW-N	4/6/2007	24,000 h	15	360	1,100	12,300	130	<10	<10	<10	<50	<2.5	NA	<500	18.08	5.07	NA	13.01	NA
TBW-N	5/18/2007	30,000 h	15 j	140	1,100	9,960	100	<100	<100	<100	<50	<25	<50	<5,000	18.08	5.25	NA	12.83	NA
TBW-N	6/11/2007	26,000 h	15 j	160	1,300	9,150	120	<100	<100	<100	<500	<25	<50	<5,000	18.08	5.33	NA	12.75	NA
TBW-N	7/3/2007	36,000 h	9.3 j	150	990	8,400	130	<100	<100	<100	<500	<25	<50	<5,000	18.08	5.46	NA	12.62	NA
TBW-N	8/10/2007	24,000 h	14	200	1,200	5,240	120	<40	<40	<40	<200	<10	<20	<2,000	18.08	5.78	NA	12.30	NA
TBW-N	9/25/2007	28,000 h	15	560	1,400	7,600	<20	<40	<40	<40	160 j	<10	<20	<2,000	18.08	6.02	NA	12.06	NA
TBW-N	11/9/2007	42,000 h	18	610	1,700	14,500	140	<50	<50	<50	<250	<12	<25	<2,500	18.08	5.91	5.90	12.18	0.01
TBW-N	2/8/2008	36,000 h	<25	450	1,400	15,100	97	<100	<100	<100	<500	<25	<50	<5,000	18.08	4.79	NA	13.29	NA
TBW-N	5/16/2008	26,000	80	99	970	5,130	130	<100	<100	<100	<500	NA	NA	NA	18.08	5.50	NA	12.58	NA
TBW-N	8/15/2008	24,000	<25	1,300	1,300	2,400	90	<100	<100	<100	<500	<25	<50	<5,000	18.08	6.59	NA	11.49	NA
TBW-N	11/26/2008	24,000	<25	140	810	5,580	52	<100	<100	<100	<500	<25	<50	<5,000	18.08	7.40	NA	10.68	NA
TBW-N	2/27/2009	22,000	<25	110	520	5,000	<50	<100	<100	<100	<500	<25	<50	<5,000	18.08	5.86	NA	12.22	NA
TBW-S	11/23/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.18	NA	NA	NA
TBW-S	12/1/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.87	NA	NA	NA
TBW-S	12/7/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.15	NA	NA	NA
TBW-S	12/15/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.38	NA	NA	NA
TBW-S	12/23/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.81	NA	NA	NA
TBW-S	12/27/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	8.35	NA	NA	NA
TBW-W	11/23/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.14	NA	NA	NA
TBW-W	12/1/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.86	NA	NA	NA

WELL CONCENTRATIONS
Shell Service Station
1601 Webster Street
Alameda, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	Depth to SPH (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
TBW-W	12/7/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.13	NA	NA	NA
TBW-W	12/15/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.37	NA	NA	NA
TBW-W	12/23/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.79	NA	NA	NA
TBW-W	12/27/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	8.32	NA	NA	NA

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by modified EPA Method 8260B.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B.

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether, analyzed by EPA Method 8260B

ETBE = Ethyl tertiary butyl ether, analyzed by EPA Method 8260B

TAME = Tertiary amyl methyl ether, analyzed by EPA Method 8260B

TBA = Tertiary butyl alcohol or tertiary butanol, analyzed by EPA Method 8260B

1,2-DCA = 1,2-Dichloroethane, analyzed by EPA Method 8260B

EDB = Ethylene Dibromide, analyzed by EPA Method 8260B

TOC = Top of Casing Elevation

SPH = Separate-phase hydrocarbon

GW = Groundwater

ug/L = Parts per billion

MSL = Mean sea level

ft. = Feet

<n = Below detection limit

NA = Not applicable

WELL CONCENTRATIONS
Shell Service Station
1601 Webster Street
Alameda, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	Depth to SPH (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	----------------	----------------	----------------	---------------	-----------------------	---------------	-------------------	--------------	----------------------------	--------------------------	--------------------------	---------------------------

Notes:

a = Extracted out of holding time.

b = Result with a carbon range of C4-C12.

c = Result may be biased slightly high. See lab report case narrative.

d = Result with a carbon range of C6-C12.

e = Secondary ion abundances were outside method requirements. Identification based on analytical judgement.

f = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

g = Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was below the acceptance limits. A low bias to sample results is indicated.

h = Analyzed by EPA Method 8015B (M).

i = The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.


j = Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.

Ethanol analyzed by EPA Method 8260B.

Well TBW-N surveyed September 1, 2005 by Virgil Chavez Land Surveying of Vallejo, CA.

Wells S-2 through S-7 surveyed on November 30, 2005 by Virgil Chavez Land Surveying of Vallejo, CA.

Wells S-4B and S-7 through S-9 surveyed on August 17, 2006 by Virgil Chavez Land Surveying of Vallejo, CA.



March 16, 2009

Michael Ninokata
Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Subject: **Calscience Work Order No.: 09-03-0061**
Client Reference: 1601 Webster St., Alameda, CA

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 3/3/2009 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink that reads "Philip Samelle for".

Calscience Environmental
Laboratories, Inc.
Jessie Kim
Project Manager

Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 03/03/09
Work Order No: 09-03-0061
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B
Units: ug/L

Project: 1601 Webster St., Alameda, CA

Page 1 of 1


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
TBW-N	09-03-0061-10-A	02/27/09 11:45	Aqueous	GC/MS R	03/12/09	03/12/09 19:01	090312L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	25	50		Tert-Butyl Alcohol (TBA)	ND	500	50	
1,2-Dibromoethane	ND	50	50		Diisopropyl Ether (DIPE)	ND	100	50	
1,2-Dichloroethane	ND	25	50		Ethyl-t-Butyl Ether (ETBE)	ND	100	50	
Ethylbenzene	520	50	50		Tert-Amyl-Methyl Ether (TAME)	ND	100	50	
Toluene	110	50	50		Ethanol	ND	5000	50	
Xylenes (total)	5000	50	50		TPPH	22000	2500	50	
Methyl-t-Butyl Ether (MTBE)	ND	50	50						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	106	74-140			1,2-Dichloroethane-d4	108	74-146		
Toluene-d8	99	88-112			Toluene-d8-TPPH	102	88-112		
1,4-Bromofluorobenzene	94	74-110							

Method Blank	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
	099-12-767-1,300	N/A	Aqueous	GC/MS R	03/12/09	03/12/09 13:40	090312L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dibromoethane	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
Ethylbenzene	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
Toluene	ND	1.0	1		Ethanol	ND	100	1	
Xylenes (total)	ND	1.0	1		TPPH	ND	50	1	
Methyl-t-Butyl Ether (MTBE)	ND	1.0	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	103	74-140			1,2-Dichloroethane-d4	105	74-146		
Toluene-d8	98	88-112			Toluene-d8-TPPH	101	88-112		
1,4-Bromofluorobenzene	87	74-110							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 03/03/09
Work Order No: 09-03-0061
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B
Units: ug/L

Project: 1601 Webster St., Alameda, CA

Page 1 of 4

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
S-2	09-03-0061-1-A	02/27/09 13:15	Aqueous	GC/MS LL	03/11/09	03/12/09 05:58	090311L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Ethylbenzene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
Toluene	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
Xylenes (total)	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
Methyl-t-Butyl Ether (MTBE)	85	1.0	1		TPPH	90	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	102	74-140			1,2-Dichloroethane-d4	106	74-146		
Toluene-d8	96	88-112			Toluene-d8-TPPH	96	88-112		
1,4-Bromofluorobenzene	95	74-110							


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
S-3	09-03-0061-2-A	02/27/09 13:05	Aqueous	GC/MS LL	03/11/09	03/12/09 06:25	090311L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Ethylbenzene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
Toluene	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
Xylenes (total)	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
Methyl-t-Butyl Ether (MTBE)	3.2	1.0	1		TPPH	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	106	74-140			1,2-Dichloroethane-d4	110	74-146		
Toluene-d8	97	88-112			Toluene-d8-TPPH	97	88-112		
1,4-Bromofluorobenzene	95	74-110							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
S-4	09-03-0061-3-A	02/27/09 12:55	Aqueous	GC/MS LL	03/11/09	03/12/09 06:52	090311L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Ethylbenzene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
Toluene	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
Xylenes (total)	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
Methyl-t-Butyl Ether (MTBE)	43	1.0	1		TPPH	56	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	107	74-140			1,2-Dichloroethane-d4	111	74-146		
Toluene-d8	97	88-112			Toluene-d8-TPPH	96	88-112		
1,4-Bromofluorobenzene	92	74-110							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 03/03/09
Work Order No: 09-03-0061
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B
Units: ug/L

Project: 1601 Webster St., Alameda, CA

Page 2 of 4

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
S-4B	09-03-0061-4-A	02/27/09 12:45	Aqueous	GC/MS LL	03/11/09	03/12/09 07:19	090311L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Ethylbenzene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
Toluene	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
Xylenes (total)	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
Methyl-t-Butyl Ether (MTBE)	1.4	1.0	1		TPPH	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	105	74-140			1,2-Dichloroethane-d4	111	74-146		
Toluene-d8	98	88-112			Toluene-d8-TPPH	98	88-112		
1,4-Bromofluorobenzene	93	74-110							


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
S-5	09-03-0061-5-A	02/27/09 12:35	Aqueous	GC/MS LL	03/11/09	03/12/09 07:46	090311L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Ethylbenzene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
Toluene	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
Xylenes (total)	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
Methyl-t-Butyl Ether (MTBE)	ND	1.0	1		TPPH	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	108	74-140			1,2-Dichloroethane-d4	112	74-146		
Toluene-d8	97	88-112			Toluene-d8-TPPH	97	88-112		
1,4-Bromofluorobenzene	93	74-110							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
S-6	09-03-0061-6-A	02/27/09 13:25	Aqueous	GC/MS LL	03/11/09	03/12/09 08:14	090311L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	4.3	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Ethylbenzene	17	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
Toluene	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
Xylenes (total)	23	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
Methyl-t-Butyl Ether (MTBE)	ND	1.0	1		TPPH	2800	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	101	74-140			1,2-Dichloroethane-d4	105	74-146		
Toluene-d8	101	88-112			Toluene-d8-TPPH	101	88-112		
1,4-Bromofluorobenzene	101	74-110							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 03/03/09
Work Order No: 09-03-0061
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B
Units: ug/L

Project: 1601 Webster St., Alameda, CA

Page 3 of 4

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
S-7	09-03-0061-7-A	02/27/09 13:30	Aqueous	GC/MS LL	03/11/09	03/12/09 08:41	090311L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	900	12	25		Tert-Butyl Alcohol (TBA)	ND	250	25	
Ethylbenzene	49	25	25		Diisopropyl Ether (DIPE)	ND	50	25	
Toluene	ND	25	25		Ethyl-t-Butyl Ether (ETBE)	ND	50	25	
Xylenes (total)	160	25	25		Tert-Amyl-Methyl Ether (TAME)	ND	50	25	
Methyl-t-Butyl Ether (MTBE)	ND	25	25		TPPH	3900	1200	25	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	102	74-140			1,2-Dichloroethane-d4	108	74-146		
Toluene-d8	96	88-112			Toluene-d8-TPPH	95	88-112		
1,4-Bromofluorobenzene	98	74-110							


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
S-8	09-03-0061-8-B	02/27/09 13:40	Aqueous	GC/MS R	03/12/09	03/13/09 04:40	090312L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	30	0.50	1		Tert-Butyl Alcohol (TBA)	12	10	1	
Ethylbenzene	9.9	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
Toluene	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
Xylenes (total)	6.0	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
Methyl-t-Butyl Ether (MTBE)	ND	1.0	1		TPPH	770	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	102	74-140			1,2-Dichloroethane-d4	104	74-146		
Toluene-d8	100	88-112			Toluene-d8-TPPH	103	88-112		
1,4-Bromofluorobenzene	95	74-110							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
S-9	09-03-0061-9-B	02/27/09 13:45	Aqueous	GC/MS R	03/12/09	03/12/09 18:32	090312L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	55	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Ethylbenzene	100	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
Toluene	2.3	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
Xylenes (total)	61	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
Methyl-t-Butyl Ether (MTBE)	ND	1.0	1		TPPH	1000	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	112	74-140			1,2-Dichloroethane-d4	120	74-146		
Toluene-d8	104	88-112			Toluene-d8-TPPH	107	88-112		
1,4-Bromofluorobenzene	97	74-110							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 03/03/09
Work Order No: 09-03-0061
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B
Units: ug/L

Project: 1601 Webster St., Alameda, CA

Page 4 of 4

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-767-1,296	N/A	Aqueous	GC/MS LL	03/11/09	03/12/09 01:53	090311L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Ethylbenzene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
Toluene	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
Xylenes (total)	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
Methyl-t-Butyl Ether (MTBE)	ND	1.0	1		TPPH	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	101	74-140			1,2-Dichloroethane-d4	104	74-146		
Toluene-d8	96	88-112			Toluene-d8-TPPH	96	88-112		
1,4-Bromofluorobenzene	92	74-110							


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-767-1,300	N/A	Aqueous	GC/MS R	03/12/09	03/12/09 13:40	090312L01


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Ethylbenzene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
Toluene	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
Xylenes (total)	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
Methyl-t-Butyl Ether (MTBE)	ND	1.0	1		TPPH	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	103	74-140			1,2-Dichloroethane-d4	105	74-146		
Toluene-d8	98	88-112			Toluene-d8-TPPH	101	88-112		
1,4-Bromofluorobenzene	87	74-110							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-767-1,306	N/A	Aqueous	GC/MS R	03/12/09	03/13/09 01:47	090312L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Ethylbenzene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
Toluene	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
Xylenes (total)	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
Methyl-t-Butyl Ether (MTBE)	ND	1.0	1		TPPH	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	98	74-140			1,2-Dichloroethane-d4	98	74-146		
Toluene-d8	97	88-112			Toluene-d8-TPPH	99	88-112		
1,4-Bromofluorobenzene	84	74-110							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: 03/03/09
Work Order No: 09-03-0061
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA
8260B


Project 1601 Webster St., Alameda, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
09-03-0062-2	Aqueous	GC/MS R	03/12/09	03/12/09	090312S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	98	102	88-118	4	0-7	
Carbon Tetrachloride	103	101	67-145	2	0-11	
Chlorobenzene	98	98	88-118	0	0-7	
1,2-Dibromoethane	101	103	70-130	1	0-30	
1,2-Dichlorobenzene	99	105	86-116	6	0-8	
1,1-Dichloroethene	112	115	70-130	2	0-25	
Ethylbenzene	103	103	70-130	0	0-30	
Toluene	103	105	87-123	2	0-8	
Trichloroethene	96	97	79-127	1	0-10	
Vinyl Chloride	120	128	69-129	6	0-13	
Methyl-t-Butyl Ether (MTBE)	116	116	71-131	1	0-13	
Tert-Butyl Alcohol (TBA)	98	95	36-168	3	0-45	
Diisopropyl Ether (DIPE)	122	111	81-123	10	0-9	4
Ethyl-t-Butyl Ether (ETBE)	110	113	72-126	3	0-12	
Tert-Amyl-Methyl Ether (TAME)	106	108	72-126	2	0-12	
Ethanol	118	113	53-149	4	0-31	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: 03/03/09
Work Order No: 09-03-0061
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA
8260B

Project 1601 Webster St., Alameda, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
09-03-0078-4	Aqueous	GC/MS LL	03/11/09	03/12/09	090311S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	85	86	88-118	2	0-7	3
Carbon Tetrachloride	95	97	67-145	2	0-11	
Chlorobenzene	88	88	88-118	0	0-7	
1,2-Dibromoethane	96	99	70-130	3	0-30	
1,2-Dichlorobenzene	85	87	86-116	3	0-8	3
1,1-Dichloroethene	77	79	70-130	3	0-25	
Ethylbenzene	86	87	70-130	0	0-30	
Toluene	88	90	87-123	2	0-8	
Trichloroethene	81	83	79-127	3	0-10	
Vinyl Chloride	71	76	69-129	6	0-13	
Methyl-t-Butyl Ether (MTBE)	90	94	71-131	4	0-13	
Tert-Butyl Alcohol (TBA)	109	111	36-168	1	0-45	
Diisopropyl Ether (DIPE)	89	92	81-123	4	0-9	
Ethyl-t-Butyl Ether (ETBE)	87	92	72-126	5	0-12	
Tert-Amyl-Methyl Ether (TAME)	91	93	72-126	2	0-12	
Ethanol	111	94	53-149	17	0-31	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: 03/03/09
Work Order No: 09-03-0061
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA
8260B


Project 1601 Webster St., Alameda, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
09-03-0290-3	Aqueous	GC/MS R	03/12/09	03/13/09	090312S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	92	91	88-118	2	0-7	
Carbon Tetrachloride	95	99	67-145	4	0-11	
Chlorobenzene	89	93	88-118	5	0-7	
1,2-Dibromoethane	95	101	70-130	6	0-30	
1,2-Dichlorobenzene	90	97	86-116	7	0-8	
1,1-Dichloroethene	98	100	70-130	2	0-25	
Ethylbenzene	95	98	70-130	4	0-30	
Toluene	98	97	87-123	1	0-8	
Trichloroethene	88	87	79-127	1	0-10	
Vinyl Chloride	102	110	69-129	8	0-13	
Methyl-t-Butyl Ether (MTBE)	107	115	71-131	7	0-13	
Tert-Butyl Alcohol (TBA)	99	93	36-168	7	0-45	
Diisopropyl Ether (DIPE)	104	107	81-123	3	0-9	
Ethyl-t-Butyl Ether (ETBE)	103	109	72-126	6	0-12	
Tert-Amyl-Methyl Ether (TAME)	103	104	72-126	1	0-12	
Ethanol	109	112	53-149	3	0-31	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: N/A
Work Order No: 09-03-0061
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B

Project: 1601 Webster St., Alameda, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-767-1,300	Aqueous	GC/MS R	03/12/09	03/12/09	090312L01		
<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>ME CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Benzene	101	97	84-120	78-126	4	0-8	
Carbon Tetrachloride	103	101	63-147	49-161	1	0-10	
Chlorobenzene	100	97	89-119	84-124	3	0-7	
1,2-Dibromoethane	105	98	80-120	73-127	7	0-20	
1,2-Dichlorobenzene	104	101	89-119	84-124	3	0-9	
1,1-Dichloroethene	114	111	77-125	69-133	3	0-16	
Ethylbenzene	103	101	80-120	73-127	2	0-20	
Toluene	104	101	83-125	76-132	3	0-9	
Trichloroethene	102	96	89-119	84-124	6	0-8	
Vinyl Chloride	133	127	63-135	51-147	4	0-13	
Methyl-t-Butyl Ether (MTBE)	119	114	82-118	76-124	5	0-13	ME
Tert-Butyl Alcohol (TBA)	102	97	46-154	28-172	4	0-32	
Diisopropyl Ether (DIPE)	123	123	81-123	74-130	0	0-11	
Ethyl-t-Butyl Ether (ETBE)	112	112	74-122	66-130	0	0-12	
Tert-Amyl-Methyl Ether (TAME)	110	105	76-124	68-132	5	0-10	
Ethanol	112	122	60-138	47-151	8	0-32	
TPPH	93	91	65-135	53-147	2	0-30	


Total number of LCS compounds : 17


Total number of ME compounds : 1

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: N/A
Work Order No: 09-03-0061
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B

Project: 1601 Webster St., Alameda, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-767-1,296	Aqueous	GC/MS LL	03/11/09	03/12/09	090311L02		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	95	97	84-120	78-126	3	0-8	
Carbon Tetrachloride	111	114	63-147	49-161	3	0-10	
Chlorobenzene	94	96	89-119	84-124	2	0-7	
1,2-Dibromoethane	98	103	80-120	73-127	5	0-20	
1,2-Dichlorobenzene	88	91	89-119	84-124	4	0-9	ME
1,1-Dichloroethene	92	94	77-125	69-133	3	0-16	
Ethylbenzene	98	100	80-120	73-127	1	0-20	
Toluene	100	101	83-125	76-132	1	0-9	
Trichloroethene	100	102	89-119	84-124	2	0-8	
Vinyl Chloride	88	93	63-135	51-147	5	0-13	
Methyl-t-Butyl Ether (MTBE)	88	93	82-118	76-124	6	0-13	
Tert-Butyl Alcohol (TBA)	102	105	46-154	28-172	3	0-32	
Diisopropyl Ether (DIPE)	90	94	81-123	74-130	4	0-11	
Ethyl-t-Butyl Ether (ETBE)	86	91	74-122	66-130	5	0-12	
Tert-Amyl-Methyl Ether (TAME)	89	93	76-124	68-132	4	0-10	
Ethanol	87	90	60-138	47-151	3	0-32	
TPPH	97	95	65-135	53-147	2	0-30	


Total number of LCS compounds : 17


Total number of ME compounds : 1

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: N/A
Work Order No: 09-03-0061
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B

Project: 1601 Webster St., Alameda, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-767-1,306	Aqueous	GC/MS R	03/12/09	03/13/09	090312L02		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	92	92	84-120	78-126	0	0-8	
Carbon Tetrachloride	98	101	63-147	49-161	3	0-10	
Chlorobenzene	89	93	89-119	84-124	4	0-7	
1,2-Dibromoethane	91	93	80-120	73-127	2	0-20	
1,2-Dichlorobenzene	92	95	89-119	84-124	3	0-9	
1,1-Dichloroethene	98	103	77-125	69-133	5	0-16	
Ethylbenzene	95	99	80-120	73-127	5	0-20	
Toluene	96	96	83-125	76-132	0	0-9	
Trichloroethene	93	96	89-119	84-124	3	0-8	
Vinyl Chloride	104	117	63-135	51-147	12	0-13	
Methyl-t-Butyl Ether (MTBE)	103	104	82-118	76-124	0	0-13	
Tert-Butyl Alcohol (TBA)	94	94	46-154	28-172	0	0-32	
Diisopropyl Ether (DIPE)	110	112	81-123	74-130	1	0-11	
Ethyl-t-Butyl Ether (ETBE)	99	99	74-122	66-130	0	0-12	
Tert-Amyl-Methyl Ether (TAME)	99	95	76-124	68-132	4	0-10	
Ethanol	112	112	60-138	47-151	0	0-32	
TPPH	92	98	65-135	53-147	6	0-30	


Total number of LCS compounds : 17

Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit



Work Order Number: 09-03-0061

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
H	Sample received and/or analyzed past the recommended holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ME	LCS Recovery Percentage is within LCS ME Control Limit range.
N	Nontarget Analyte.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at the laboratory method detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.



LAB (LOCATION)

- CALSCIENCE (_____)
- SPL (_____)
- XENCO (_____)
- TEST AMERICA (_____)
- OTHER (_____)



Shell Oil Products Chain Of Custody Record

Please Check Appropriate Box:

<input checked="" type="checkbox"/> ENV. SERVICES	<input type="checkbox"/> MOTIVA RETAIL	<input type="checkbox"/> SHELL RETAIL
<input type="checkbox"/> MOTIVA SD&CM	<input type="checkbox"/> CONSULTANT	<input type="checkbox"/> LUBES
<input type="checkbox"/> SHELL PIPELINE	<input type="checkbox"/> OTHER _____	

Print Bill To Contact Name: Denis Brown

INCIDENT # (ENV SERVICES): 9 7 5 6 4 7 0 1

PO #: _____ **SAP #:** _____

CHECK IF NO INCIDENT # APPLIES:

DATE: 2/27/09

PAGE: 1 of 1

SAMPLING COMPANY: Blaine Tech Services

LOG CODE: BTSS

ADDRESS: 1680 Rogers Ave, San Jose, CA 95112

PROJECT CONTACT (Hardcopy or PDF Report to): Michael Ninokata

TELEPHONE: (408)573-0555 **FAX:** (408)573-7771 **E-MAIL:** mninokata@blainetech.com

SITE ADDRESS: Street and City: 1601 Webster St, Alameda **State:** CA **GLOBAL ID NO:** T0600137103

EDF DELIVERABLE TO (Name, Company, Office Location): Annl Kremi, CRA, Emeryville **PHONE NO:** (510) 420-3335 **E-MAIL:** Shelledf@craworld.com **CONSULTANT PROJECT NO:** 090227AK

SAMPLER NAME(S) (Print): J KRESS **LAB USE ONLY:** 03-0061

TURNAROUND TIME (CALENDAR DAYS):

STANDARD (14 DAY) 5 DAYS 3 DAYS 2 DAYS 24 HOURS

RESULTS NEEDED ON WEEKEND

LA - RWQCB REPORT FORMAT UST AGENCY:

REQUESTED ANALYSIS

SPECIAL INSTRUCTIONS OR NOTES :

Run TPH-d w/Silica Gel Clean Up

SHELL CONTRACT RATE APPLIES

STATE REIMBURSEMENT RATE APPLIES


EDD NOT NEEDED

RECEIPT VERIFICATION REQUESTED

LAB USE ONLY	Field Sample Identification	SAMPLING		MATRIX	PRESERVATIVE					NO. OF CONT.	TPH - Purgeable (8260B)	TPH - Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8015M)	TEMPERATURE ON RECEIPT °C	Container PID Readings or Laboratory Notes	
		DATE	TIME		HCL	HNO3	H2SO4	NONE	OTHER																	
1	S-2	2/27	1315	W	X					3	X	X	X													
2	S-3		1305		X					3	X	X	X													
3	S-4		1295		X					3	X	X	X													
4	S-4B		1245		X					3	X	X	X													
5	S-5		1235		X					3	X	X	X													
6	S-6		1325		X					3	X	X	X													
7	S-7		1330		X					3	X	X	X													
8	S-8		1340		X					3	X	X	X													
9	S-9		1345		X					3	X	X	X													
10	TBW-N		1145		X					3	X	X	X							X	X	X				

Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>[Signature]</i>	Date: 2/27/09	Time: 1510
Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>[Signature]</i>	Date: 3/2/09	Time: 1400
Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>[Signature]</i>	Date: 3/3/09	Time: 1030

5113 76329



WORK ORDER #: 09-03-0061

SAMPLE RECEIPT FORM

Cooler 1 of 1

CLIENT: Blaine Tech

DATE: 03/03/09

TEMPERATURE: (Criteria: 0.0 °C – 6.0 °C, not frozen)

Temperature 2.3 °C - 0.2 °C (CF) = 2.1 °C Blank Sample

Sample(s) outside temperature criteria (PM/APM contacted by: _____).

Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.

Received at ambient temperature, placed on ice for transport by Courier.

Ambient Temperature: Air Filter Metals Only PCBs Only

Initial: [Signature]

CUSTODY SEALS INTACT:

Cooler _____ No (Not Intact) Not Present N/A

Initial: [Signature]

Sample _____ No (Not Intact) Not Present

Initial: TN

SAMPLE CONDITION:

	Yes	No	N/A
Chain-Of-Custody (COC) document(s) received with samples.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
COC document(s) received complete.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sampler's name indicated on COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container label(s) consistent with COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container(s) intact and good condition.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Correct containers and volume for analyses requested.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Analyses received within holding time.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper preservation noted on COC or sample container.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Volatile analysis container(s) free of headspace.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tedlar bag(s) free of condensation.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

CONTAINER TYPE:

Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve EnCores® TerraCores® _____

Water: VOA VOAh VOAna₂ 125AGB 125AGBh 125AGBpo₄ 1AGB 1AGBna₂
 1AGBs 500AGB 500AGBs 250CGB 250CGBs 1PB 500PB 500PBna 250PB
 250PBn 125PB 125PBznnna 100PBsterile 100PBna₂ _____ _____ _____

Air: Tedlar® Summa® _____

Checked/Labeled by: [Signature]

Container: C:Clear A:Amber P:Poly/Plastic G:Glass J:Jar B:Bottle

Reviewed by: TN

Preservative: h:HCL n:HNO₃ na₂:Na₂S₂O₃ na:NaOH po₄:H₃PO₄ s:H₂SO₄ znnna:ZnAc₂+NaOH

Scanned by: TN

WELL GAUGING DATA

Project # 090227AK1 Date 2/27/09 Client SHELL

Site 1601 WEBSTER ST, ALAMEDA

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or <u>TOC</u>	Notes
TBW-N	952	4					5.86	9.60		NO SPH
S-2	937	4				7.05	11.74			
S-3	934	4				6.97	11.75			
S-4	931	4				5.35	11.45			
S-4B	927	4				6.03	19.90			
S-5	922	4				5.83	11.38			
S-6	917	4				6.22	11.52			
S-7	904	4				6.27	11.00			
S-8	943	4				7.04	11.80			
S-9	909	4				6.35	11.96			

SHEET WELL MONITORING DATA SHEET

BTS #: 090227AKI	Site: 97564701
Sampler: J KRESS	Date: 2/27/09
Well I.D.: S-2	Well Diameter: 2 3 4 6 8 _____
Total Well Depth (TD): 11.74	Depth to Water (DTW): 7.05
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.98	

Purge Method: Bailer Waterria Sampling Method: **Bailer**
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
Electric Submersible Other _____ Dedicated Tubing

Other: _____

4.69

3.0 (Gals.) X	3	=	9.0 Gals.
1 Case Volume	Specified Volumes		Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
1109	63.4	7.0	812	15	3.0	
DEWATERED		@	5.0	GALLONS		DTW: 9.44
1315	63.1	6.9	806	23	—	

Did well dewater? **Yes** No Gallons actually evacuated: **5.0**

Sampling Date: **2/27** Sampling Time: **1315** Depth to Water: **7.10**

Sample I.D.: **S-2** Laboratory: **CalScience** Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: **SEE COC**

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd):	Pre-purge:	$\frac{mg}{L}$	Post-purge:	$\frac{mg}{L}$
	O.R.P. (if req'd):	Pre-purge:	Post-purge:	mV

SHEIL WELL MONITORING DATA SHEET

BTS #: 090227AKI	Site: 97564701
Sampler: J KRESS	Date: 2/27/09
Well I.D.: S-3	Well Diameter: 2 3 4 6 8 _____
Total Well Depth (TD): 11.75	Depth to Water (DTW): 6.97
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.92	

Purge Method: <input type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Positive Air Displacement <input checked="" type="checkbox"/> Electric Submersible	<input type="checkbox"/> Waterra <input type="checkbox"/> Peristaltic <input type="checkbox"/> Extraction Pump <input type="checkbox"/> Other _____	Sampling Method: <input checked="" type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Extraction Port <input type="checkbox"/> Dedicated Tubing Other: _____
---	--	--

4.78

3.1 (Gals.) X 3	= 9.3 Gals.	
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
1047	64.3	7.4	658	25	3.5	
DEWATERED @			6.5 GALLONS			DTW: 9.14
1305	64.1	7.2	642	25	—	

Did well dewater? Yes No Gallons actually evacuated: **6.5**

Sampling Date: **2/27** Sampling Time: **1305** Depth to Water: **6.99**

Sample I.D.: **S-3** Laboratory: **CalScience** Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: **SEE COC**

EB I.D. (if applicable): @ _____ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: <u>090227AKI</u>	Site: <u>97564701</u>
Sampler: <u>J KRESS</u>	Date: <u>2/27/09</u>
Well I.D.: <u>S-4</u>	Well Diameter: 2 3 <u>4</u> 6 8 _____
Total Well Depth (TD): <u>11.45</u>	Depth to Water (DTW): <u>5.35</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>6.57</u>	

Purge Method: Bailer Water Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
Electric Submersible Other _____ Dedicated Tubing

6.1
3.9 (Gals.) X 3 = 11.8 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1120</u>	<u>64.0</u>	<u>7.3</u>	<u>427</u>	<u>7</u>	<u>4.0</u>	
<u>DEWATERED</u>		<u>@</u>	<u>7.0</u>	<u>GALLONS</u>		<u>DTW: 8.80</u>
<u>1255</u>	<u>63.2</u>	<u>7.1</u>	<u>431</u>	<u>12</u>	<u>—</u>	
<u>SAMPLED OUT OF ORDER</u>						

Did well dewater? Yes No Gallons actually evacuated: 7.0

Sampling Date: 2/27 Sampling Time: 1255 Depth to Water: 5.40

Sample I.D.: S-4 Laboratory: CalScience Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: SEE COC

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 090227AK1	Site: 97564701
Sampler: J KRESS	Date: 2/27/09
Well I.D.: S-4B	Well Diameter: 2 3 4 6 8
Total Well Depth (TD): 19.96	Depth to Water (DTW): 6.03
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 8.81	

Purge Method: Bailer Disposable Bailer Positive Air Displacement **Electric Submersible** Other _____

Waterra Peristaltic Extraction Pump Other _____

Sampling Method: **Bailer** Disposable Bailer Extraction Port Dedicated Tubing Other: _____

13.93

9.0 (Gals.) X **3** = **27.1** Gals.

1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
1032	66.5	6.9	719.4	12	9.0	
1034	67.1	6.8	717.1	119	18.0	
1036	67.8	6.8	691.9	41	27.0	
NOT	@ 90	90				

Did well dewater? Yes **No** Gallons actually evacuated: **27.0**

Sampling Date: **2/27** Sampling Time: **1245** Depth to Water: **6.03**

Sample I.D.: **S-4B** Laboratory: **CalScience** Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: **SEE COC**

EB I.D. (if applicable): @ _____ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd):	Pre-purge:		mg/L	Post-purge:		mg/L
O.R.P. (if req'd):	Pre-purge:		mV	Post-purge:		mV

SHELL WELL MONITORING DATA SHEET

BTS #: 090227AKI	Site: 97564701
Sampler: J KRESS	Date: 2/27/09
Well I.D.: S-5	Well Diameter: 2 3 4 6 8
Total Well Depth (TD): 11.38	Depth to Water (DTW): 5.83
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: RVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.94	

Purge Method: Bailer Waterra Sampling Method: **Bailer**
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

Other: _____

5.55

3.6 (Gals.) X **3** = **10.8** Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1017	61.8	7.3	452	213	4.0	
DEWATERED		@	7.0 GALLONS			DTW: 8.89
1235	62.0	7.3	441	19	—	

Did well dewater? **Yes** No Gallons actually evacuated: **7.0**

Sampling Date: **2/27** Sampling Time: **1235** Depth to Water: **5.85**

Sample I.D.: **S-5** Laboratory: **CalScience** Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: **SEE COC**

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 090227AKI	Site: 97564701
Sampler: J KRESS	Date: 2/27/09
Well I.D.: S-6	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 11.52	Depth to Water (DTW): 6.22
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.28	

Purge Method: Bailer Water Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

Other: _____

5.3

3.4 (Gals.) X	3	= 10.3 Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1129	64.3	7.0	1223	22	3.5	
1130	65.0	7.0	1237	177	7.0	
DEWATERED		@	7.5 GALLONS			DTW: 9.55
1325	64.5	7.0	1175	34	—	

Did well dewater? Yes No Gallons actually evacuated: 7.5

Sampling Date: 2/27 Sampling Time: 1325 Depth to Water: 6.43

Sample I.D.: S-6 Laboratory: CalScience Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: SEE COC

EB I.D. (if applicable): @ _____ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd): Pre-purge:	mg/L	Post-purge:	mg/L
-----------------------------	------	-------------	------

O.R.P. (if req'd): Pre-purge:	mV	Post-purge:	mV
-------------------------------	----	-------------	----

SHELL WELL MONITORING DATA SHEET

BTS #: 090227AKI	Site: 97564701
Sampler: J KRESS	Date: 2/27/09
Well I.D.: S-7	Well Diameter: 2 3 4 6 8
Total Well Depth (TD): 11.00	Depth to Water (DTW): 6.27
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.21	

Purge Method: Bailer Waterra Sampling Method: **Bailer**
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

4.73
3.0 (Gals.) X **3** = **9.0** Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
1201	64.8	6.9	928	17	3.0	
DEWATERED		@	5.0 GALLONS			DTW: 8.49
1330	65.6	6.8	997	23	—	

Did well dewater? **Yes** No Gallons actually evacuated: **5.0**

Sampling Date: **2/27** Sampling Time: **1330** Depth to Water: **6.87**

Sample I.D.: **S-7** Laboratory: **CalScience** Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: **SEE COC**

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 090227AKI	Site: 97564701
Sampler: J KRESS	Date: 2/27/09
Well I.D.: S-8	Well Diameter: 2 3 4 6 8 _____
Total Well Depth (TD): 11.80	Depth to Water (DTW): 7.04
Depth to Free Product: _____	Thickness of Free Product (feet): _____
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.99	

Purge Method: Bailer	Waterra	Sampling Method: Bailer
Disposable Bailer	Peristaltic	Disposable Bailer
Positive Air Displacement	Extraction Pump	Extraction Port
<u>Electric Submersible</u>	Other _____	Dedicated Tubing

4.76

3.1 (Gals.) X 3 = 9.2 Gals.
I Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1211	66.0	6.9	278	11	3.5	
DEWATERED @		5.5	5.5 Gallons			DTW: 9.64
1340	66.2	6.9	342	32	—	

Did well dewater? Yes No Gallons actually evacuated: **5.5**

Sampling Date: **2/27** Sampling Time: **1340** Depth to Water: **7.30**

Sample I.D.: **S-8** Laboratory: CalScience Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: **SEE COC**

EB I.D. (if applicable): @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

D.O. (if req'd): Pre-purge:	mg/L	Post-purge:	mg/L
-----------------------------	------	-------------	------

O.R.P. (if req'd): Pre-purge:	mV	Post-purge:	mV
-------------------------------	----	-------------	----

SHEET WELL MONITORING DATA SHEET

BTS #: 090227AKI	Site: 97564701
Sampler: J KRESS	Date: 2/27/09
Well I.D.: S-9	Well Diameter: 2 3 4 6 8 _____
Total Well Depth (TD): 11.96	Depth to Water (DTW): 6.35
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.47	

Purge Method: Bailer Disposable Bailer Positive Air Displacement Electric Submersible	Watterra Peristaltic Extraction Pump Other _____	Sampling Method: Bailer Disposable Bailer Extraction Port Dedicated Tubing Other: _____
---	---	--

5.61

<u>3.6</u> (Gals.) X <u>3</u> = <u>10.9</u> Gals.
I Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μS)	Turbidity (NTUs)	Gals. Removed	Observations
1221	65.8	6.9	1235	12	4.0	
DEWATERED		@	7.0	GALLONS		DTW: 9.38
1345	65.5	7.0	1209	47	—	

Did well dewater? Yes No Gallons actually evacuated: **7.0**

Sampling Date: **2/27** Sampling Time: **1345** Depth to Water: **6.6**

Sample I.D.: **S-9** Laboratory: **CalScience** Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: **SEE COC**

EB I.D. (if applicable): @ _____ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHEET WELL MONITORING DATA SHEET

BTS #: 090227AKI	Site: 97564701
Sampler: J KRESS	Date: 2/27/09
Well I.D.: TBW-N	Well Diameter: 2 3 4 6 8 _____
Total Well Depth (TD): 10.70	Depth to Water (DTW): 5.21
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.30	

Purge Method: Bailer Watererra Sampling Method: Bailer
Disposable Bailer Peristaltic Disposable Bailer
Positive Air Displacement Extraction Pump Extraction Port
Electric Submersible Other _____ Dedicated Tubing
Other: _____

5.49

3.5 (Gals.) X 3 = 10.7 Gals.

1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1143	62.7	7.2	581	238	4.0	
1143	62.8	7.0	578	71	8.0	
1144	62.8	6.9	571	32	12.0	
NO	SPH					

Did well dewater? Yes No Gallons actually evacuated: 12.0

Sampling Date: 2/27 Sampling Time: 1145 Depth to Water: 5.33

Sample I.D.: TBW-N Laboratory: CalScience Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: SEE COC

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
	O.R.P. (if req'd):	mV	Post-purge:	mV

SHELL SITE INSPECTION CHECKLIST

Client Shell Date 1-14-09
 Site Address 1601 Webster
 Job Number 090114-ECL Technician EC
 Site Status Shell Branded Station Vacant Lot Other _____

- Inspected / Labeled / Cleaned - all wells on Scope Of Work
- Inspected / Cleaned Components - all other identifiable wells N/A
- Inspected site for site investigation & site remediation related trip hazards
- Completed all outstanding *BLAINE Wellhead Repair Order(s)* N/A
- Completed *Shell Wellhead Repair Form(s)* N/A
- Inspected treatment / remediation system compound for security, cleanliness and appearance N/A
- Inspected vacant lot for signs of habitation, hazardous materials or terrain, overgrown vegetation and security N/A
- Visually inspected site drums for condition and proper labeling N/A
- Unresolved deficiencies identified - "*Notice of Deficient Condition*" form(s) completed N/A

Notes _____

PROJECT MANAGER ONLY

Checklist Reviewed m 1/15 Notes _____
Initial/Date

SHELL WELLHEAD REPAIR FORM

(FOR REPAIR TECHNICIAN)

Site Address 1601 Webster Date 1-14-09
 Job Number 090114-ECF Technician EC Page 1 of 2

Inspection Point (Well ID or description of location)	Well Inspected, Cleaned, Labeled - No Further Corrective Action Required	Replaced Cap	Replaced Lock	Replaced Lid Seal	Check Indicates deficiency										All Repairs Completed	Remaining Deficiencies Logged onto BLAINE Repair Order	Remaining Deficiencies Logged onto Notice of Deficient Condition - BLAINE Unable to Repair		
					Casing	Annular Seal	Tabs / Bolts	Box Structure	Apron	Trip Hazard	Below Grade	Not Securable by Design (12" diameter or less)	Lid not marked with words "MONITORING WELL"	Other Deficiency				Not Securable by Design (greater than 12" diameter)	Well Not Inspected (explain in notes)
TBW-N							X										X		
	Notes:																		
	Well box type / size: <u>36" circular steel vault</u> Materials used: <u>4rt, 4b</u>																		
S-2																	X		
	Notes:																		
	Well box type / size: <u>12" EMCO</u> Materials used: <u>RS, 2rt, 2b</u>																		
S-3			X			X											X		
	Notes:																		
	Well box type / size: <u>12" EMCO</u> Materials used: <u>RS, 2rt, 2b</u>																		
S-4			X			X											X		
	Notes:																		
	Well box type / size: <u>12" EMCO</u> Materials used: <u>RS, 2rt, 2b</u>																		
S-4B			X			X											X		
	Notes: <u>no tag</u>																		
	Well box type / size: <u>12" EMCO</u> Materials used: <u>RS, 2rt, 2b</u>																		
S-5			X			X											X		
	Notes:																		
	Well box type / size: <u>12" EMCO</u> Materials used: <u>RS, 2rt, 2b</u>																		
S-6			X			X											X		
	Notes:																		
	Well box type / size: <u>12" EMCO</u> Materials used: <u>RS, 2rt, 2b</u>																		

SHELL WELLHEAD REPAIR FORM

(FOR REPAIR TECHNICIAN)

Job Number 090114-ECL

Page 2 of 2

Inspection Point (Well ID or description of location)	Well Inspected, Cleaned, Labeled - No Further Corrective Action Required	Replaced Cap	Replaced Lock	Replaced Lid Seal	Check Indicates deficiency										Well Not Inspected (explain in notes)	All Repairs Completed	Remaining Deficiencies Logged onto BLAINE Repair Order	Remaining Deficiencies Logged onto Notice of Deficient Condition - BLAINE Unable to Repair
					Casing	Annular Seal	Tabs / Bolts	Box Structure	Apron	Trip Hazard	Below Grade	Not Secure by Design (12" diameter or less)	Lid not marked with words "MONITORING WELL"	Other Deficiency				
5-7	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Notes:																	
	Well box type / size: <u>12" emco</u> Materials used: <u>RS, Zrt, Zb</u>																	
5-8	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Notes:																	
	Well box type / size: <u>12" EMCO</u> Materials used: <u>RS, Zrt, Zb</u>																	
5-9	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Notes:																	
	Well box type / size: <u>12" no tag emco</u> Materials used: <u>RS, Zrt, Zb</u>																	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Notes:																	
	Well box type / size: Materials used:																	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Notes:																	
	Well box type / size: Materials used:																	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Notes:																	
	Well box type / size: Materials used:																	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Notes:																	
	Well box type / size: Materials used:																	

SHELL WELLHEAD INSPECTION FORM

(FOR SAMPLE TECHNICIAN)

Site Address 1601 WEBSTER ST, ALAMEDA Date 2/27/09

Job Number 090227 AKI Technician J KRESS Page 1 of 1

Well ID	Well Inspected - No Corrective Action Required	Well Box Meets Compliance Requirements *See Below	Water Bailed From Wellbox	Cap Replaced	Lock Replaced	Well Not Inspected (explain in notes)	New Deficiency Identified	Previously Identified Deficiency Persists	Notes
TBW-N									2 1/4 VAULT BOLT BROKEN, NO "MONITORING WELL SIGN"
S-2	✓	✓							
S-3	✓	✓							
S-4	✓	✓							
S-4B	✓	✓							
S-5	✓	✓							
S-6	✓	✓							
S-7	✓	✓							
S-8	✓	✓							
S-9	✓	✓							

*Well box must meet all three criteria to be compliant: 1) WELL IS SECURABLE BY DESIGN (12" or less) 2) WELL IS MARKED WITH THE WORDS "MONITORING WELL" (12" or less) 3) WELL TAG IS PRESENT, SECURE, AND CORRECT

Notes: _____

APPENDIX B

TRC - DATA TABLES FOR FORMER 76 STATION 0843

Table 1
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 24, 2009
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl- benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-1			(Screen Interval in feet: 4.5-20.5)											
02/24/09	19.13	6.73	0.00	12.40	4.87	--	630	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2300	
MW-2A			(Screen Interval in feet: 5-11.5)											
02/24/09	18.51	6.19	0.00	12.32	4.88	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-3			(Screen Interval in feet: 5.0-20.0)											
02/24/09	18.05	5.98	0.00	12.07	4.69	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.9	
MW-4			(Screen Interval in feet: 5.0-20.5)											
02/24/09	18.14	5.96	0.00	12.18	4.72	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.8	
MW-5			(Screen Interval in feet: 5-20)											
02/24/09	16.45	5.10	0.00	11.35	4.83	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-6			(Screen Interval in feet: 5-20)											
02/24/09	16.97	5.20	0.00	11.77	4.70	--	250	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	450	

Table 1 a
ADDITIONAL CURRENT ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled	TBA (µg/l)	Ethanol (8260B) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Carbon (organic, total) (mg/l)	Iron Ferrous (µg/l)	Manganese (dissolved) (µg/l)	Manganese (total) (µg/l)	Sulfate (mg/l)	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)
MW-1 02/24/09	ND<10	ND<250	ND<0.50	ND<0.50	2.5	1.3	ND<100	ND<1.0	500	18	4.63	3.22
MW-2A 02/24/09	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	17	110	ND<1.0	130	87	3.38	4.44
MW-3 02/24/09	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	3.2	ND<100	ND<1.0	1100	130	5.01	2.30
MW-4 02/24/09	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	1.7	ND<100	3.1	250	130	6.15	4.27
MW-5 02/24/09	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	4.5	ND<100	ND<1.0	720	64	5.65	2.58
MW-6 02/24/09	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	2.7	ND<100	1.2	2300	85	3.40	1.29

Table 1 b
ADDITIONAL CURRENT ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled	Pre-purge ORP (mV)	Post-purge ORP (mV)
MW-1 02/24/09	57	59
MW-2A 02/24/09	50	34
MW-3 02/24/09	46	49
MW-4 02/24/09	61	64
MW-5 02/24/09	27	34
MW-6 02/24/09	68	67

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2009
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-1 (Screen Interval in feet: 4.5-20.5)														
03/05/99	16.18	--	--	--	--	86.6	--	ND	2.04	ND	4.06	--	23.9	
06/03/99	16.18	6.24	0.00	9.94	--	ND	--	ND	ND	ND	ND	ND	ND	
09/02/99	16.18	7.19	0.00	8.99	-0.95	ND	--	ND	ND	ND	ND	ND	ND	
12/14/99	16.18	8.07	0.00	8.11	-0.88	ND	--	ND	ND	ND	ND	ND	--	
03/14/00	16.18	5.47	0.00	10.71	2.60	ND	--	ND	ND	ND	ND	ND	--	
05/31/00	16.18	6.22	0.00	9.96	-0.75	ND	--	ND	ND	ND	ND	ND	--	
08/29/00	16.18	6.82	0.00	9.36	-0.60	ND	--	ND	ND	ND	ND	ND	--	
12/01/00	16.18	7.54	0.00	8.64	-0.72	ND	--	ND	ND	ND	ND	ND	--	
03/17/01	16.18	5.73	0.00	10.45	1.81	ND	--	ND	ND	ND	ND	ND	--	
05/23/01	16.18	6.43	0.00	9.75	-0.70	ND	--	ND	ND	ND	ND	ND	--	
09/24/01	16.18	7.12	0.00	9.06	-0.69	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
12/10/01	16.18	6.89	0.00	9.29	0.23	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
03/11/02	16.18	5.61	0.00	10.57	1.28	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
06/07/02	16.18	5.71	0.00	10.47	-0.10	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
09/03/02	16.18	--	--	--	--	--	--	--	--	--	--	--	--	Not monitored/sampled
12/12/02	16.18	7.80	0.00	8.38	--	--	--	--	--	--	--	--	--	No longer sampled
03/13/03	16.18	5.94	0.00	10.24	1.86	--	--	--	--	--	--	--	--	
06/12/03	16.18	6.10	0.00	10.08	-0.16	--	--	--	--	--	--	--	--	
09/12/03	16.18	6.65	0.00	9.53	-0.55	--	--	--	--	--	--	--	--	
12/31/03	16.18	5.74	0.00	10.44	0.91	--	--	--	--	--	--	--	--	Monitored Only
02/12/04	16.18	6.02	0.00	10.16	-0.28	--	--	--	--	--	--	--	--	Monitored Only
06/07/04	16.18	6.61	0.00	9.57	-0.59	--	--	--	--	--	--	--	--	Monitored Only

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2009
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-1 continued														
09/17/04	16.18	7.58	0.00	8.60	-0.97	--	--	--	--	--	--	--	--	Sampled Q1 only
12/11/04	16.18	6.49	0.00	9.69	1.09	--	--	--	--	--	--	--	--	Sampled Q1 only
03/15/05	16.18	5.28	0.00	10.90	1.21	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	27	
05/17/05	16.18	5.83	0.00	10.35	-0.55	--	--	--	--	--	--	--	--	Sampled Q1 only
07/27/05	16.18	6.52	0.00	9.66	-0.69	--	--	--	--	--	--	--	--	Sampled Q1 only
11/23/05	16.18	7.28	0.00	8.90	-0.76	--	--	--	--	--	--	--	--	Sampled Q1 only
02/24/06	16.18	6.60	0.00	9.58	0.68	--	910	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	5100	
05/30/06	16.18	6.48	0.00	9.70	0.12	--	--	--	--	--	--	--	--	Sampled Q1 only
08/30/06	16.18	9.51	0.00	6.67	-3.03	--	--	--	--	--	--	--	--	Sampled Q1 only
11/22/06	16.18	7.05	0.00	9.13	2.46	--	220	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	420	
02/23/07	16.18	6.40	0.00	9.78	0.65	--	1300	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	1700	
05/18/07	16.18	6.65	0.00	9.53	-0.25	--	2300	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	3300	
08/10/07	16.18	7.26	0.00	8.92	-0.61	--	4100	ND<25	ND<25	ND<25	ND<25	--	4300	
11/09/07	16.18	7.40	0.00	8.78	-0.14	--	5700	ND<25	ND<25	ND<25	ND<25	--	5400	
02/08/08	16.18	6.09	0.00	10.09	1.31	--	2600	ND<5.0	ND<5.0	ND<5.0	ND<10	--	4100	
05/16/08	16.18	6.87	0.00	9.31	-0.78	--	1800	ND<12	ND<12	ND<12	42	--	3500	
08/15/08	16.18	7.78	0.00	8.40	-0.91	--	1200	ND<5.0	ND<5.0	ND<5.0	ND<10	--	1900	
11/26/08	16.18	8.65	0.00	7.53	-0.87	--	720	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2400	
02/24/09	19.13	6.73	0.00	12.40	4.87	--	630	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2300	
MW-2 (Screen Interval in feet: 4.5-20.5)														
03/05/99	15.57	--	0.00	--	--	34400	--	2070	7710	2340	8240	--	8460	
06/03/99	15.57	5.96	0.00	9.61	--	51200	--	1820	7570	2510	7320	6460	8800	
09/02/99	15.57	6.85	0.00	8.72	-0.89	17000	--	1000	3100	1400	3700	4000	3720	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2009
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-2 continued														
12/14/99	15.57	7.65	0.00	7.92	-0.80	83000	--	3000	22000	4500	17000	9100	11000	
03/14/00	15.57	5.26	0.00	10.31	2.39	31000	--	1600	4600	2300	7300	5700	8700	
05/31/00	15.57	5.60	0.00	9.97	-0.34	9970	--	598	1030	487	2060	2500	1670	
08/29/00	15.57	6.35	0.00	9.22	-0.75	7900	--	390	1500	280	1900	1800	1300	
12/01/00	15.57	7.06	0.00	8.51	-0.71	87500	--	1860	17400	5590	19400	6220	3790	
03/17/01	15.57	5.98	0.00	9.59	1.08	4310	--	371	59.0	280	682	321	433	
05/23/01	15.57	6.97	0.00	8.60	-0.99	45400	--	374	4490	2790	10900	ND	406	
09/24/01	15.57	7.56	0.00	8.01	-0.59	76000	--	430	13000	4700	18000	ND<2000	480	
12/10/01	15.57	6.52	0.00	9.05	1.04	82000	--	320	9100	4400	16000	ND<2500	270	
03/11/02	15.57	5.51	0.00	10.06	1.01	14000	--	75	1400	1100	3600	ND<250	150	
06/07/02	15.57	5.73	0.00	9.84	-0.22	14000	--	120	1200	1400	4700	540	200	
09/03/02	15.57	6.81	0.00	8.76	-1.08	10000	--	150	1200	610	2800	510	460	
12/12/02	15.57	--	--	--	--	--	--	--	--	--	--	--	--	Destroyed, replaced with MW-2A
MW-2a (Screen Interval in feet: 5-11.5)														
12/12/02	15.56	7.45	0.00	8.11	--	3400	--	80	260	210	1000	380	400	
03/13/03	--	5.85	0.00	--	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	1.8	2.4	2.4	
06/12/03	--	6.08	0.00	--	--	ND<50	--	0.59	0.69	ND<0.50	1.2	6.0	4.7	
09/12/03	15.56	6.54	0.00	9.02	--	--	120	1.8	4.2	6.1	20	--	6.6	
12/31/03	15.56	5.63	0.00	9.93	0.91	88	--	0.79	1.8	3.6	14	ND<5.0	2.9	
02/12/04	15.56	5.68	0.00	9.88	-0.05	160	--	2.6	4.8	13	48	7.2	7.9	
06/07/04	15.56	6.21	0.00	9.35	-0.53	94	--	0.80	1.2	2.1	9.1	4.5	3.7	
09/17/04	15.56	7.16	0.00	8.40	-0.95	--	230	3.5	6.1	13	41	--	83	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2009
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-2A continued														
12/11/04	15.56	5.84	0.00	9.72	1.32	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.2	
03/15/05	15.56	5.52	0.00	10.04	0.32	--	92	0.84	1.7	2.4	9.8	--	ND<10	
05/17/05	15.56	5.55	0.00	10.01	-0.03	--	54	2.1	1.7	1.9	7.0	--	2.9	
07/27/05	15.56	6.16	0.00	9.40	-0.61	--	ND<50	0.66	1.1	1.3	4.2	--	3.7	
11/23/05	15.56	6.88	0.00	8.68	-0.72	--	120	1.3	2.8	7.8	30	--	10	
02/24/06	15.56	5.79	0.00	9.77	1.09	--	84	0.51	1.2	4.2	16	--	7.2	
05/30/06	15.56	5.62	0.00	9.94	0.17	--	69	0.90	2.2	3.7	14	--	4.1	
08/30/06	15.56	6.38	0.00	9.18	-0.76	--	77	ND<0.50	0.50	1.0	3.3	--	2.5	
11/22/06	15.56	6.60	0.00	8.96	-0.22	--	ND<50	ND<0.50	ND<0.50	ND<0.50	2.2	--	0.59	
02/23/07	15.56	6.05	0.00	9.51	0.55	--	ND<50	ND<0.50	0.66	ND<0.50	1.1	--	0.72	
05/18/07	15.56	6.29	0.00	9.27	-0.24	--	ND<50	ND<0.50	ND<0.50	0.68	1.6	--	0.81	
08/10/07	15.56	6.90	0.00	8.66	-0.61	--	ND<50	ND<0.50	ND<0.50	1.6	3.9	--	ND<0.50	
11/09/07	15.56	6.96	0.00	8.60	-0.06	--	ND<50	ND<0.50	ND<0.50	2.4	4.4	--	ND<0.50	
02/08/08	15.56	5.76	0.00	9.80	1.20	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
05/16/08	15.56	6.50	0.00	9.06	-0.74	--	ND<50	ND<0.50	ND<0.50	0.56	1.2	--	ND<0.50	
08/15/08	15.56	7.35	0.00	8.21	-0.85	--	78	ND<0.50	0.79	2.9	6.5	--	ND<0.50	
11/26/08	15.56	8.12	0.00	7.44	-0.77	--	120	0.56	0.66	4.6	6.0	--	1.8	
02/24/09	18.51	6.19	0.00	12.32	4.88	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-3 (Screen Interval in feet: 5.0-20.0)														
03/05/99	15.11	--	0.00	--	--	135	--	ND	ND	ND	4.84	--	2.46	
06/03/99	15.11	5.57	0.00	9.54	--	ND	--	ND	ND	ND	ND	5.23	12.7	
09/02/99	15.11	6.50	0.00	8.61	-0.93	ND	--	ND	ND	ND	ND	13	11	
12/14/99	15.11	7.28	0.00	7.83	-0.78	ND	--	ND	ND	ND	ND	ND	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2009
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-3 continued														
03/14/00	15.11	4.87	0.00	10.24	2.41	ND	--	ND	ND	ND	ND	7.2	6.3	
05/31/00	15.11	5.58	0.00	9.53	-0.71	ND	--	ND	ND	ND	ND	ND	--	
08/29/00	15.11	6.06	0.00	9.05	-0.48	ND	--	ND	ND	ND	ND	ND	ND	
12/01/00	15.11	6.76	0.00	8.35	-0.70	ND	--	ND	ND	ND	ND	ND	--	
03/17/01	15.11	5.09	0.00	10.02	1.67	ND	--	ND	ND	ND	ND	ND	--	
05/23/01	15.11	5.72	0.00	9.39	-0.63	ND	--	ND	ND	ND	ND	ND	--	
09/24/01	15.11	6.34	0.00	8.77	-0.62	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
12/10/01	15.11	6.31	0.00	8.80	0.03	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
03/11/02	15.11	5.15	0.00	9.96	1.16	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
06/07/02	15.11	5.45	0.00	9.66	-0.30	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
12/12/02	15.11	7.15	0.00	7.96	-1.70	--	--	--	--	--	--	--	--	No longer sampled
03/13/03	15.11	5.37	0.00	9.74	1.78	--	--	--	--	--	--	--	--	
06/12/03	15.11	5.51	0.00	9.60	-0.14	--	--	--	--	--	--	--	--	
09/12/03	15.11	6.03	0.00	9.08	-0.52	--	--	--	--	--	--	--	--	
12/31/03	15.11	5.62	0.00	9.49	0.41	--	--	--	--	--	--	--	--	Monitored Only
02/12/04	15.11	5.51	0.00	9.60	0.11	--	--	--	--	--	--	--	--	Monitored Only
06/07/04	15.11	5.92	0.00	9.19	-0.41	--	--	--	--	--	--	--	--	Monitored Only
09/17/04	15.11	--	--	--	--	--	--	--	--	--	--	--	--	Unable to locate
12/11/04	15.11	5.94	0.00	9.17	--	--	--	--	--	--	--	--	--	Sampled annually
03/11/05	15.11	4.76	0.00	10.35	1.18	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
05/17/05	15.11	5.23	0.00	9.88	-0.47	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
07/27/05	15.11	5.81	0.00	9.30	-0.58	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
11/23/05	15.11	6.60	0.00	8.51	-0.79	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2009
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-3 continued														
02/24/06	15.11	5.37	0.00	9.74	1.23	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.2	
05/30/06	15.11	5.08	0.00	10.03	0.29	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.92	
08/30/06	15.11	5.52	0.00	9.59	-0.44	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	0.51	
11/22/06	15.11	6.38	0.00	8.73	-0.86	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	0.94	
02/23/07	15.11	5.72	0.00	9.39	0.66	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	0.61	
05/18/07	15.11	5.94	0.00	9.17	-0.22	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	1.1	
08/10/07	15.11	7.64	0.00	7.47	-1.70	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
11/09/07	15.11	6.75	0.00	8.36	0.89	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	1.1	
02/08/08	15.11	5.39	0.00	9.72	1.36	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
05/16/08	15.11	6.17	0.00	8.94	-0.78	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.2	
08/15/08	15.11	7.01	0.00	8.10	-0.84	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.3	
11/26/08	15.11	7.73	0.00	7.38	-0.72	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.8	
02/24/09	18.05	5.98	0.00	12.07	4.69	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.9	
MW-4 (Screen Interval in feet: 5.0-20.5)														
03/05/99	15.17	--	0.00	--	--	ND	--	ND	ND	ND	2.44	--	25.2	
06/03/99	15.17	5.45	0.00	9.72	--	ND	--	ND	ND	ND	ND	ND	3.96	
09/02/99	15.17	6.48	0.00	8.69	-1.03	ND	--	ND	ND	ND	ND	23	27	
12/14/99	15.17	7.27	0.00	7.90	-0.79	ND	--	ND	ND	ND	ND	200	270	
03/14/00	15.17	4.67	0.00	10.50	2.60	ND	--	ND	ND	ND	ND	46	49	
05/31/00	15.17	5.48	0.00	9.69	-0.81	ND	--	ND	ND	ND	ND	ND	--	
08/29/00	15.17	6.10	0.00	9.07	-0.62	ND	--	ND	ND	ND	ND	6.1	3.2	
12/01/00	15.17	6.79	0.00	8.38	-0.69	ND	--	ND	ND	ND	ND	152	101	
03/17/01	15.17	5.01	0.00	10.16	1.78	ND	--	ND	ND	ND	ND	ND	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2009
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-4 continued														
05/23/01	15.17	5.78	0.00	9.39	-0.77	ND	--	ND	ND	ND	ND	ND	--	
09/24/01	15.17	6.42	0.00	8.75	-0.64	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
12/10/01	15.17	6.41	0.00	8.76	0.01	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	1700	1300	
03/11/02	15.17	5.05	0.00	10.12	1.36	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
06/07/02	15.17	5.42	0.00	9.75	-0.37	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
09/03/02	15.17	6.50	0.00	8.67	-1.08	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
12/12/02	15.17	7.18	0.00	7.99	-0.68	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.9	3.3	
03/13/03	15.17	5.42	0.00	9.75	1.76	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.0	--	
06/12/03	15.17	5.60	0.00	9.57	-0.18	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.0	--	
09/12/03	15.17	6.07	0.00	9.10	-0.47	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
12/31/03	15.17	5.63	0.00	9.54	0.44	750	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0	790	--	
02/12/04	15.17	5.26	0.00	9.91	0.37	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
06/07/04	15.17	5.82	0.00	9.35	-0.56	ND<50	--	ND<0.3	ND<0.3	ND<0.3	ND<0.6	ND<i	--	
09/17/04	15.17	6.86	0.00	8.31	-1.04	--	56	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	10	
12/11/04	15.17	6.01	0.00	9.16	0.85	--	350	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	380	
03/11/05	15.17	4.61	0.00	10.56	1.40	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
05/17/05	15.17	4.93	0.00	10.24	-0.32	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
07/27/05	15.17	5.74	0.00	9.43	-0.81	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
11/23/05	15.17	6.59	0.00	8.58	-0.85	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	23	
02/24/06	15.17	5.19	0.00	9.98	1.40	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	4.7	
05/30/06	15.17	5.07	0.00	10.10	0.12	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
08/30/06	15.17	6.02	0.00	9.15	-0.95	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
11/22/06	15.17	6.37	0.00	8.80	-0.35	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	16	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2009
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-4 continued														
02/23/07	15.17	5.61	0.00	9.56	0.76	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
05/18/07	15.17	5.87	0.00	9.30	-0.26	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
08/10/07	15.17	7.49	0.00	7.68	-1.62	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
11/09/07	15.17	6.77	0.00	8.40	0.72	--	50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	39	
02/08/08	15.17	5.10	0.00	10.07	1.67	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
05/16/08	15.17	6.06	0.00	9.11	-0.96	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
08/15/08	15.17	6.91	0.00	8.26	-0.85	--	ND<50	ND<0.50	ND<0.50	ND<0.50	1.1	--	ND<0.50	
11/26/08	15.17	7.71	0.00	7.46	-0.80	--	55	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	11	
02/24/09	18.14	5.96	0.00	12.18	4.72	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.8	
MW-5 (Screen Interval in feet: 5-20)														
12/14/99	13.34	6.45	0.00	6.89	--	ND	--	ND	ND	ND	ND	3.5	3.8	
03/14/00	13.34	4.46	0.00	8.88	1.99	ND	--	ND	ND	ND	ND	ND	--	
05/31/00	13.34	5.18	0.00	8.16	-0.72	ND	--	ND	ND	ND	ND	ND	--	
08/29/00	13.34	5.46	0.00	7.88	-0.28	ND	--	ND	ND	ND	ND	ND	--	
12/01/00	13.34	5.95	0.00	7.39	-0.49	ND	--	ND	ND	ND	ND	ND	--	
03/17/01	13.34	5.36	0.00	7.98	0.59	ND	--	ND	ND	ND	ND	ND	--	
05/23/01	13.34	5.09	0.00	8.25	0.27	ND	--	ND	ND	ND	ND	ND	--	
09/24/01	13.34	5.58	0.00	7.76	-0.49	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
12/10/01	13.34	5.51	0.00	7.83	0.07	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
03/11/02	13.34	4.70	0.00	8.64	0.81	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
06/07/02	13.34	--	--	--	--	--	--	--	--	--	--	--	--	Paved over
09/03/02	13.34	--	--	--	--	--	--	--	--	--	--	--	--	Paved over
12/12/02	13.34	6.42	0.00	6.92	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.0	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2009
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-5 continued														
03/13/03	13.34	5.12	0.00	8.22	1.30	ND<50	--	ND<0.50	0.54	ND<0.50	ND<0.50	ND<2.0	--	
06/12/03	13.34	5.24	0.00	8.10	-0.12	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.0	--	
09/12/03	13.34	5.53	0.00	7.81	-0.29	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
12/31/03	13.34	5.11	0.00	8.23	0.42	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
02/12/04	13.34	5.02	0.00	8.32	0.09	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
06/07/04	13.34	5.35	0.00	7.99	-0.33	ND<50	--	ND<0.3	ND<0.3	ND<0.3	ND<0.6	ND<1	--	
09/17/04	13.34	6.10	0.00	7.24	-0.75	--	--	--	--	--	--	--	--	Sampled annually
12/11/04	13.34	5.53	0.00	7.81	0.57	--	--	--	--	--	--	--	--	Sampled annually
03/11/05	13.34	4.96	0.00	8.38	0.57	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
05/17/05	13.34	5.04	0.00	8.30	-0.08	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
07/27/05	13.34	5.31	0.00	8.03	-0.27	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
11/23/05	13.34	5.86	0.00	7.48	-0.55	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
02/24/06	13.34	5.08	0.00	8.26	0.78	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
05/30/06	13.34	5.01	0.00	8.33	0.07	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
08/30/06	13.34	5.65	0.00	7.69	-0.64	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
11/22/06	13.34	5.82	0.00	7.52	-0.17	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
02/23/07	13.34	4.47	0.00	8.87	1.35	--	ND<50	ND<0.50	ND<0.50	ND<0.50	0.53	--	ND<0.50	
05/18/07	13.34	5.51	0.00	7.83	-1.04	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
08/10/07	13.34	6.05	0.00	7.29	-0.54	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
11/09/07	13.34	6.10	0.00	7.24	-0.05	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
02/08/08	13.34	5.06	0.00	8.28	1.04	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
05/16/08	13.34	5.69	0.00	7.65	-0.63	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
08/15/08	13.34	6.35	0.00	6.99	-0.66	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2009
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-5 continued														
11/26/08	13.34	6.82	0.00	6.52	-0.47	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
02/24/09	16.45	5.10	0.00	11.35	4.83	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-6 (Screen Interval in feet: 5-20)														
12/14/99	14.08	6.64	0.00	7.44	--	ND	--	ND	ND	ND	ND	11000	18000	
03/14/00	14.08	4.72	0.00	9.36	1.92	ND	--	ND	ND	ND	ND	19000	21000	
05/31/00	14.08	5.28	0.00	8.80	-0.56	ND	--	ND	ND	ND	ND	13200	--	
08/29/00	14.08	5.39	0.00	8.69	-0.11	ND	--	ND	ND	ND	ND	270	400	
12/01/00	14.08	6.11	0.00	7.97	-0.72	ND	--	ND	ND	ND	ND	6330	3640	
03/17/01	14.08	6.02	0.00	8.06	0.09	18700	--	2950	989	1040	3000	10200	11500	
05/23/01	14.08	5.82	0.00	8.26	0.20	ND	--	ND	ND	ND	ND	4660	--	
09/24/01	14.08	6.59	0.00	7.49	-0.77	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	160	190	
12/10/01	14.08	6.50	0.00	7.58	0.09	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	3200	2400	
03/11/02	14.08	4.81	0.00	9.27	1.69	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	92	120	
06/07/02	14.08	--	--	--	--	--	--	--	--	--	--	--	--	Paved over
09/03/02	14.08	--	--	--	--	--	--	--	--	--	--	--	--	Paved over
12/12/02	14.08	6.51	0.00	7.57	--	590	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	1500	6200	
03/13/03	14.08	5.20	0.00	8.88	1.31	1600	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0	4900	4100	
D 03/13/03	14.08	5.20	0.00	8.88	1.31	--	--	--	--	--	--	--	5100	
06/12/03	14.08	5.38	0.00	8.70	-0.18	1600	--	ND<10	ND<10	ND<10	ND<10	5200	3700	
09/12/03	14.08	6.29	0.00	7.79	-0.91	--	ND<250	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	310	
12/31/03	14.08	5.38	0.00	8.70	0.91	3300	--	ND<25	ND<25	ND<25	ND<25	3800	--	
02/12/04	14.08	5.06	0.00	9.02	0.32	1100	--	ND<10	ND<10	ND<10	ND<10	1900	2800	
06/07/04	14.08	5.45	0.00	8.63	-0.39	2500	--	ND<3	ND<3	ND<3	ND<6	3200	2900	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2009
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-6 continued														
09/17/04	14.08	6.20	0.00	7.88	-0.75	--	1300	ND<10	ND<10	ND<10	ND<20	--	2000	
12/11/04	14.08	5.60	0.00	8.48	0.60	--	1800	ND<10	ND<10	ND<10	ND<20	--	2700	
03/11/05	14.08	4.71	0.00	9.37	0.89	--	ND<1000	ND<10	ND<10	ND<10	ND<20	--	2500	
05/17/05	14.08	4.98	0.00	9.10	-0.27	--	ND<1000	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2200	
07/27/05	14.08	5.48	0.00	8.60	-0.50	--	ND<1000	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1100	
11/23/05	14.08	6.01	0.00	8.07	-0.53	--	590	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1700	
02/24/06	14.08	5.12	0.00	8.96	0.89	--	400	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	990	
05/30/06	14.08	5.04	0.00	9.04	0.08	--	ND<1200	ND<12	ND<12	ND<12	ND<25	--	560	
08/30/06	14.08	7.01	0.00	7.07	-1.97	--	930	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	820	
11/22/06	14.08	6.16	0.00	7.92	0.85	--	690	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	620	
02/23/07	14.08	5.44	0.00	8.64	0.72	--	190	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	410	
05/18/07	14.08	5.63	0.00	8.45	-0.19	--	390	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	620	
08/10/07	14.08	6.71	0.00	7.37	-1.08	--	390	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	660	
11/09/07	14.08	6.17	0.00	7.91	0.54	--	580	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	820	
02/08/08	14.08	5.20	0.00	8.88	0.97	--	360	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	570	
05/16/08	14.08	5.70	0.00	8.38	-0.50	--	200	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	480	
08/15/08	14.08	6.46	0.00	7.62	-0.76	--	160	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	450	
11/26/08	14.08	7.01	0.00	7.07	-0.55	--	300	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	400	
02/24/09	16.97	5.20	0.00	11.77	4.70	--	250	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	450	

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled	Ethanol		Ethylene-dibromide	1,2-DCA				Carbon	Iron	Manganese	Manganese	Sulfate
	TBA	(8260B)	(EDB)	(EDC)	DIPE	ETBE	TAME	(organic, total)	Ferrous	(dissolved)	(total)	
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)
MW-1												
09/02/99	ND	ND	--	--	ND	ND	ND	--	--	--	--	--
03/15/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
02/24/06	62	ND<250	--	--	ND<0.50	ND<0.50	5.5	--	--	--	--	--
11/22/06	74	ND<250	--	--	ND<0.50	ND<0.50	0.51	--	--	--	--	--
02/23/07	ND<100	ND<2500	--	--	ND<5.0	ND<5.0	ND<5.0	--	--	--	--	--
05/18/07	ND<100	ND<2500	--	--	ND<5.0	ND<5.0	ND<5.0	--	--	--	--	--
08/10/07	ND<500	ND<12000	--	--	ND<25	ND<25	ND<25	--	--	--	--	--
11/09/07	ND<500	ND<12000	--	--	ND<25	ND<25	ND<25	--	--	--	--	--
02/08/08	ND<100	ND<2500	--	--	ND<5.0	ND<5.0	ND<5.0	--	--	--	--	--
05/16/08	ND<250	ND<6200	--	--	ND<12	ND<12	ND<12	--	--	--	--	--
08/15/08	ND<100	ND<2500	--	--	ND<5.0	ND<5.0	ND<5.0	--	--	--	--	--
11/26/08	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
02/24/09	ND<10	ND<250	--	--	ND<0.50	ND<0.50	2.5	1.3	ND<100	ND<1.0	500	18
MW-2												
09/02/99	ND	ND	--	--	ND	ND	ND	--	--	--	--	--
12/14/99	ND	ND	ND	ND	ND	ND	ND	--	--	--	--	--
03/14/00	1300	ND	ND	ND	ND	ND	ND	--	--	--	--	--
05/31/00	ND	ND	ND	ND	ND	ND	ND	--	--	--	--	--
08/29/00	250	ND	ND	ND	ND	ND	ND	--	--	--	--	--
12/01/00	ND	ND	ND	ND	ND	ND	ND	--	--	--	--	--
03/17/01	ND	ND	ND	ND	14.8	ND	ND	--	--	--	--	--
05/23/01	ND	ND	ND	ND	ND	ND	ND	--	--	--	--	--
09/24/01	ND<5000	ND<50000000	ND<100	ND<100	ND<100	ND<100	ND<100	--	--	--	--	--
12/10/01	ND<500	ND<12000000	ND<25	ND<25	ND<25	ND<25	ND<25	--	--	--	--	--
03/11/02	ND<1000	ND<5000000	ND<20	ND<20	ND<20	ND<20	ND<20	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Carbon (organic, total) (mg/l)	Iron Ferrous (µg/l)	Manganese (dissolved) (µg/l)	Manganese (total) (µg/l)	Sulfate (mg/l)
MW-2 continued												
06/07/02	ND<1000	ND<2000000	ND<25	ND<25	ND<25	ND<25	ND<25	--	--	--	--	--
09/03/02	ND<1000	ND<5000000	ND<20	ND<20	ND<20	ND<20	ND<20	--	--	--	--	--
MW-2a												
12/12/02	ND<100	ND<500000	ND<2.0	2.3	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	--
03/13/03	ND<100	ND<500000	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	--
06/12/03	ND<100	ND<500000	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	--
09/12/03	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	--
12/31/03	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	--
02/12/04	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	--
06/07/04	ND<12	ND<800	ND<0.5	ND<0.5	ND<1	ND<1	ND<1	--	--	--	--	--
09/17/04	6.7	ND<50	--	--	ND<1.0	ND<0.50	ND<0.50	--	--	--	--	--
12/11/04	ND<5.0	ND<50	--	--	ND<1.0	ND<0.50	ND<0.50	--	--	--	--	--
03/15/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
05/17/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
07/27/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
11/23/05	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
02/24/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
05/30/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
08/30/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
11/22/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
02/23/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
05/18/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
08/10/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
11/09/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
02/08/08	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Carbon (organic, total) (mg/l)	Iron Ferrous (µg/l)	Manganese (dissolved) (µg/l)	Manganese (total) (µg/l)	Sulfate (mg/l)
MW-2A continued												
05/16/08	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
08/15/08	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
11/26/08	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
02/24/09	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	17	110	ND<1.0	130	87
MW-3												
09/02/99	ND	ND	--	--	ND	ND	ND	--	--	--	--	--
03/11/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
05/17/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
07/27/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
11/23/05	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
02/24/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
05/30/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
08/30/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
11/22/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
02/23/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
05/18/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
08/10/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
11/09/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
02/08/08	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
05/16/08	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
08/15/08	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
11/26/08	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
02/24/09	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	3.2	ND<100	ND<1.0	1100	130
MW-4												
09/02/99	ND	ND	--	--	ND	ND	ND	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Carbon (organic, total) (mg/l)	Iron Ferrous (µg/l)	Manganese (dissolved) (µg/l)	Manganese (total) (µg/l)	Sulfate (mg/l)
MW-4 continued												
12/10/01	ND<290	ND<7100000	ND<14	ND<14	ND<14	ND<14	ND<14	--	--	--	--	--
12/12/02	ND<100	ND<500000	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	--
09/12/03	--	ND<500	--	--	--	--	--	--	--	--	--	--
09/17/04	ND<5.0	ND<50	--	--	ND<1.0	ND<0.50	ND<0.50	--	--	--	--	--
12/11/04	ND<25	ND<250	--	--	ND<5.0	ND<2.5	ND<2.5	--	--	--	--	--
03/11/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
05/17/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
07/27/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
11/23/05	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
02/24/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
05/30/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
08/30/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
11/22/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
02/23/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
05/18/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
08/10/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
11/09/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
02/08/08	ND<10	290	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
05/16/08	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
08/15/08	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
11/26/08	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
02/24/09	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	1.7	ND<100	3.1	250	130
MW-5												
09/12/03	--	ND<500	--	--	--	--	--	--	--	--	--	--
03/11/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Carbon (organic, total) (mg/l)	Iron Ferrous (µg/l)	Manganese (dissolved) (µg/l)	Manganese (total) (µg/l)	Sulfate (mg/l)
MW-5 continued												
05/17/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
07/27/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
11/23/05	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
02/24/06	59	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
05/30/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
08/30/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
11/22/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
02/23/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
05/18/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
08/10/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
11/09/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
02/08/08	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
05/16/08	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
08/15/08	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
11/26/08	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
02/24/09	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	4.5	ND<100	ND<1.0	720	64
MW-6												
03/17/01	ND	ND	ND	219	ND	ND	ND	--	--	--	--	--
09/24/01	ND<100	ND<1000000	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	--
12/10/01	ND<500	ND<12000000	ND<25	ND<25	ND<25	ND<25	ND<25	--	--	--	--	--
03/11/02	ND<100	ND<500000	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	--
12/12/02	ND<10000	ND<50000000	ND<200	ND<200	ND<200	ND<200	ND<200	--	--	--	--	--
03/13/03	ND<5000	ND<25000000	ND<100	ND<100	ND<100	ND<100	ND<100	--	--	--	--	--
06/12/03	ND<2000	ND<10000000	ND<40	ND<40	ND<40	ND<40	ND<40	--	--	--	--	--
09/12/03	--	ND<2500	--	--	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Carbon (organic, total) (mg/l)	Iron Ferrous (µg/l)	Manganese (dissolved) (µg/l)	Manganese (total) (µg/l)	Sulfate (mg/l)
MW-6 continued												
02/12/04	ND<2000	ND<10000	ND<40	ND<40	ND<40	ND<40	ND<40	--	--	--	--	--
06/07/04	ND<200	ND<8000	ND<5	ND<5	ND<10	ND<10	ND<10	--	--	--	--	--
09/17/04	ND<100	ND<1000	--	--	ND<20	ND<10	ND<10	--	--	--	--	--
12/11/04	ND<100	ND<1000	--	--	ND<20	ND<10	ND<10	--	--	--	--	--
03/11/05	ND<100	ND<1000	--	--	ND<10	ND<10	ND<10	--	--	--	--	--
05/17/05	ND<100	ND<1000	--	--	ND<10	ND<10	ND<10	--	--	--	--	--
07/27/05	ND<100	ND<1000	--	--	ND<10	ND<10	ND<10	--	--	--	--	--
11/23/05	ND<10	ND<250	--	--	ND<0.50	ND<0.50	1.0	--	--	--	--	--
02/24/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	0.68	--	--	--	--	--
05/30/06	ND<250	ND<6200	--	--	ND<12	ND<12	ND<12	--	--	--	--	--
08/30/06	ND<100	ND<2500	--	--	ND<5.0	ND<5.0	ND<5.0	--	--	--	--	--
11/22/06	ND<100	ND<2500	--	--	ND<5.0	ND<5.0	ND<5.0	--	--	--	--	--
02/23/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
05/18/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
08/10/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
11/09/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	0.52	--	--	--	--	--
02/08/08	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
05/16/08	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
08/15/08	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
11/26/08	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
02/24/09	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	2.7	ND<100	1.2	2300	85

Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)	Pre-purge ORP (mV)	Post-purge ORP (mV)
MW-1 02/24/09	4.63	3.22	57	59
MW-2A 02/24/09	3.38	4.44	50	34
MW-3 02/24/09	5.01	2.30	46	49
MW-4 02/24/09	6.15	4.27	61	64
MW-5 02/24/09	5.65	2.58	27	34
MW-6 02/24/09	3.40	1.29	68	67