

ALCO
HAZMAT

94 MAR -2 AM 10:15

A-1a
714-469-3363

QUARTERLY GROUNDWATER MONITORING REPORT
LAGUNA OAKS SITE
FOOTHILL BOULEVARD
PLEASANTON, CALIFORNIA
FOR HOME SAVINGS OF AMERICA

DAMES & MOORE JOB NO. 14943-077-015
March 1, 1994



DAMES & MOORE



911 WILSHIRE BOULEVARD, SUITE 700, LOS ANGELES, CALIFORNIA 90017
(213) 683-1560 TELEX: 315528 FAX: (213) 628-0015 TWX: 910-321-4299

March 1, 1994

Home Savings of America
4900 Rivergrade Road
Irwindale, California 91706 (714)

Attention: Mr. Gilbert Swe
Senior Vice President

Gentlemen:

Quarterly Groundwater Monitoring Report
Laguna Oaks Site
Foothill Boulevard
Pleasanton, California
For Home Savings of America
Dames & Moore Job No. 14943-077-015

1.0 INTRODUCTION

Presented in this report are the results of January 1994 quarterly groundwater monitoring at the Laguna Oaks site located on Foothill Boulevard, Pleasanton, California (Plate 1). The groundwater monitoring was performed to comply with the requirements set forth by the Alameda County Health Care Services Agency (ACHCSA) for obtaining a regulatory site closure by Home Savings of America (HSA).

The groundwater monitoring reported herein was conducted to evaluate current groundwater conditions and to assess if groundwater conditions at the site have changed since the previous groundwater monitoring performed in May, June and October of 1993 by Dames & Moore (Dames & Moore Report dated December 9, 1993).

Home Savings of America
March 1, 1994
Page 2

2.0 GROUNDWATER MONITORING

On January 24, 1994, groundwater elevations were measured in the four monitoring wells (MW-4, MW-7, MW-8 and MW-9) (see Plate 2) present on the site. Subsequent to gauging, the wells were purged and groundwater samples were collected for analysis. During the purging of the wells, field parameters including pH, temperature and electrical conductivity were periodically measured and recorded. Measurements of field parameters and groundwater elevations are summarized in Tables 1 and 2, respectively. Purging and sampling was performed in accordance with the standard procedures employed by Dames & Moore during the earlier monitoring events at the site. A duplicate sample (labeled MW-D) was collected from monitoring well MW-7 for quality control analysis, and a trip blank was included with the groundwater samples to detect the introduction of contaminants to the samples during transportation from the field to the laboratory. The samples and complete chain-of-custody records were shipped to Dames & Moore Laboratories, (a Cal-EPA certified analytical laboratory) for analysis. A copy of the completed chain-of-custody record is attached with the laboratory report in Appendix A.

The four groundwater samples, one duplicate sample and a trip blank submitted to the laboratory were analyzed for Halogenated Volatile Organic Compounds (HVOCs) by EPA Method 8010 and Aromatic Hydrocarbons which included benzene, toluene, ethylbenzene, and xylenes (BTEX) by EPA Method 8020. Previous and current groundwater analytical results are summarized in Table 2, and copies of the current laboratory report are provided in Appendix A.

3.0 SUMMARY OF ANALYTICAL RESULTS

The groundwater samples including one duplicate sample were collected and analyzed from the four on-site existing monitoring wells in accordance with the quarterly monitoring program established for the site. Groundwater samples were analyzed for BTEX compounds and HVOCs. The results of the analytical testing as summarized in Table 2

Home Savings of America
March 1, 1994
Page 3

indicate that BTEX compounds and HVOCS were not detected in any of the groundwater samples above the laboratory reporting limits of 0.5 to 1.0 micrograms per liter ($\mu\text{g}/\text{L}$). Similarly, no BTEX compounds or HVOCS were detected in the analyzed trip blank. The current results remain unchanged from the previous analytical results from December, 1993 (see Table 2). The complete results of current analyses as received from the laboratory are contained in Appendix A which includes method detection limits, QA/QC information and sample chain-of-custody record.

4.0 CONCLUSIONS

Petroleum hydrocarbons (in terms of BTEX compounds) and halogenated volatile organic compounds (HVOCS) were not detected in the analyzed groundwater samples from any of the four existing monitoring wells. In summary, current analytical data indicate that no BTEX or HVOOC contamination was detected in the upgradient well MW-4 or intermediate well MW-7. Further, such contamination was also not detected in the downgradient wells MW-8 and MW-9. This report completes our second of the three additional rounds of the quarterly groundwater monitoring at the site in accordance with the requirements of the ACHCHA. Groundwater conditions will continue to be monitored for one more round and reported quarterly.

-00o-


 **DAMES & MOORE**

Home Savings of America
March 1, 1994
Page 4

We trust this monitoring report satisfies your current requirements. If you have any questions or require additional information, please do not hesitate to contact us.

Respectfully Submitted,

DAMES & MOORE



Arshud Mahmood, Ph.D., P.E.
Managing Principal



Tanweer Shah
Project Manager

Attachments: Table 1 - Summary of Field Measurements
 Table 2 - Summary of Analytical Results

Plate 1 - Site Vicinity Map
Plate 2 - Site Plot Plan

Appendix A - Laboratory Results & Chain-of-Custody

TABLE 1
SUMMARY OF FIELD MEASUREMENTS
QUARTERLY GROUNDWATER MONITORING
LAGUNA OAKS SITE
PLEASANTON, CALIFORNIA
JANUARY 1994

Well No.	Temperature (°F)	pH	Specific Conductivity (μmhos/cm)
MW-4	59.8	7.10	3720
MW-7	60.7	8.00	3680
MW-8	60.3	8.00	4060
MW-9	60.9	7.38	3280

NOTE: Measurements indicate stabilized groundwater conditions following well purging and prior to sample collection.

TABLE 2
ANALYTICAL RESULTS
SUMMARY OF QUARTERLY GROUNDWATER MONITORING
LAGUNA OAKS SITE
PLEASANTON, CALIFORNIA
JANUARY 1994

Well No.	Date Sampled	EPA Method 8020	EPA Method 8010	Groundwater Elevation (feet above MSL)
		BTEX ($\mu\text{g}/\text{L}$)	HVOC ($\mu\text{g}/\text{L}$)	
MW-4	7/92	ND	ND	372.50
	11/92	ND	ND	369.29
	5/93	ND	ND	380.90
	10/93	ND	ND	372.86
	01/94	ND	ND	372.16
MW-7	5/93	ND	ND	370.00
	10/93	ND	ND	366.76
	01/94	ND	ND	367.25
MW-8	5/93	ND	ND	365.37
	10/93	ND	ND	364.05
	01/94	ND	ND	364.72
MW-9	5/93	ND	ND	367.30
	10/93	ND	ND	365.68
	01/94	ND	ND	366.30
Duplicate	5/93(MW-7) 10/93(MW-7) 01/94(MW-7)	ND ND ND	ND ND ND	- - -
Trip Blank	7/92 5/93 10/93 01/94	ND ND ND ND	ND ND ND ND	- - - -
Field Blank	7/92 10/92 01/94	ND ND ND	ND ND ND	- - -
Detection Limit	-	0.5	0.5 - 1.0	-

NOTES:

ND	-	Implies Constituent not detected
BTEX	-	Benzene, Toluene, Ethylbenzene and Xylenes
$\mu\text{g}/\text{L}$	-	Micrograms per liter
HVOC	-	Halogenated Volatile Organic Compounds
MSL	-	Mean Sea Level




NOTE: "Reproduced with permission granted by
THOMAS BROS. MAPS. This map is copyrighted by
THOMAS BROS. MAPS. It is unlawful to copy or
reproduce all or any part thereof, whether for personal
use or resale, without permission."

0 0.5 1
Scale (miles)

N

SITE VICINITY MAP



KEY	
MW-4	Abandoned Monitoring Well
MW-2	Dames & Moore Monitoring Well

SITE PLOT PLAN
LAGUNA OAKS SITE
Foothill Boulevard
Pleasanton, California
DAMES & MOORE PLATE 2

APPENDIX A

LABORATORY RESULTS & CHAIN-OF-CUSTODY



3700 Lakeville Highway, Petaluma, CA 94954
P.O. Box 808024, Petaluma, CA 94975-8024
Telephone: (707) 763-8245
FAX (707) 763-4065

Tanweer Shah
Dames & Moore-Los Angeles
911 Wilshire Blvd - Suite 700
Los Angeles, CA 90017

January 31, 1994

Customer Project: 8131.01 Home Savings-Pleasanton
Laboratory Job: L9401206

On January 26, 1994 we received 6 sample(s) for analysis.
Samples were analyzed by the following method(s):

Halog. & Aromatic Volatiles (EPA 8010A/8020A)

Claudia Ken.
Project Manager

Robert Peak
Laboratory Director
Robert Peak

D&M Laboratories

ANALYTICAL DATA REPORT

Prepared for: Dames & Moore-Los Angeles
 Project Id: 8131.01 Home Savings-Pleasanton
 Sample Id: MW-4
 Lab Id: L9401206-1

Collected: 24-JAN-94
 Received: 26-JAN-94
 Reported: 28-JAN-94

Parameter	Value	Limit	Units	Extracted	Analyzed
8010/8020W					
Benzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Bromodichloromethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Bromoform	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Bromomethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Carbon Tetrachloride	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Chlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Chloroethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Chloroform	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Chloromethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
DiBromochloromethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,4-Dichlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,3-Dichlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,2-Dichlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1-Dichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,2-Dichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1-Dichloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trans-1,2-Dichloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,2-Dichloropropane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Cis-1,3-Dichloropropene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trans-1,3-Dichloropropene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Ethyl Benzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Methylene Chloride	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
1,1,2,2-Tetrachloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Tetrachloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Toluene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1,1-Trichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1,2-Trichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trichloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trichlorofluoromethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Vinyl Chloride	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Xylene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94

Comments: None

D&M Laboratories

ANALYTICAL DATA REPORT

Prepared for: Dames & Moore-Los Angeles
 Project Id: 8131.01 Home Savings-Pleasanton
 Sample Id: MW-7
 Lab Id: L9401206-2

Collected: 24-JAN-94
 Received: 26-JAN-94
 Reported: 28-JAN-94

Parameter	Value	Limit	Units	Extracted	Analyzed
8010/8020W					
Benzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Bromodichloromethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Bromoform	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Bromomethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Carbon Tetrachloride	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Chlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Chloroethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Chloroform	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Chloromethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
DiBromochloromethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,4-Dichlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,3-Dichlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,2-Dichlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1-Dichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,2-Dichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1-Dichloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trans-1,2-Dichloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,2-Dichloropropane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Cis-1,3-Dichloropropene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trans-1,3-Dichloropropene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Ethyl Benzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Methylene Chloride	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
1,1,2,2-Tetrachloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Tetrachloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Toluene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1,1-Trichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1,2-Trichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trichloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trichlorofluoromethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Vinyl Chloride	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Xylene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94

Comments: None

D&H Laboratories

ANALYTICAL DATA REPORT

Prepared for: Dames & Moore-Los Angeles
 Project Id: 8131.01 Home Savings-Pleasanton
 Sample Id: MW-8
 Lab Id: L9401206-3

Collected: 24-JAN-94
 Received: 26-JAN-94
 Reported: 28-JAN-94

Parameter	Value	Limit	Units	Extracted	Analyzed
8010/8020W					
Benzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Bromodichloromethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Bromoform	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Bromomethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Carbon Tetrachloride	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Chlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Chloroethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Chloroform	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Chloromethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
DiBromochloromethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,4-Dichlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,3-Dichlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,2-Dichlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1-Dichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,2-Dichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1-Dichloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trans-1,2-Dichloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,2-Dichloropropane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Cis-1,3-Dichloropropene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trans-1,3-Dichloropropene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Ethyl Benzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Methylene Chloride	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
1,1,2,2-Tetrachloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Tetrachloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Toluene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1,1-Trichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1,2-Trichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trichloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trichlorofluoromethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Vinyl Chloride	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Xylene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Comments:	None				

D&M Laboratories

ANALYTICAL DATA REPORT

Prepared for: Dames & Moore-Los Angeles
 Project Id: 8131.01 Home Savings-Pleasanton
 Sample Id: MW-9
 Lab Id: L9401206-4

Collected: 24-JAN-94
 Received: 26-JAN-94
 Reported: 28-JAN-94

Parameter	Value	Limit	Units	Extracted	Analyzed
8010/8020W					
Benzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Bromodichloromethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Bromoform	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Bromomethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Carbon Tetrachloride	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Chlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Chloroethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Chloroform	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Chloromethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
DIBromochloromethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,4-Dichlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,3-Dichlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,2-Dichlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1-Dichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,2-Dichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1-Dichloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trans-1,2-Dichloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,2-Dichloropropane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Cis-1,3-Dichloropropene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trans-1,3-Dichloropropene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Ethyl Benzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Methylene Chloride	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
1,1,2,2-Tetrachloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Tetrachloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Toluene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1,1-Trichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1,2-Trichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trichloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trichlorofluoromethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Vinyl Chloride	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Xylene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94

Comments: None

D&M Laboratories

ANALYTICAL DATA REPORT

Prepared for: Dames & Moore-Los Angeles
 Project Id: 8131.01 Home Savings-Pleasanton
 Sample Id: MW-D
 Lab Id: L9401206-5

Collected: 24-JAN-94
 Received: 26-JAN-94
 Reported: 28-JAN-94

Parameter	Value	Limit	Units	Extracted	Analyzed
8010/8020W					
Benzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Bromodichloromethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Bromoform	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Bromomethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Carbon Tetrachloride	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Chlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Chloroethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Chloroform	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Chloromethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
DiBromochloromethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,4-Dichlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,3-Dichlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,2-Dichlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1-Dichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,2-Dichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1-Dichloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trans-1,2-Dichloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,2-Dichloropropane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Cis-1,3-Dichloropropene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trans-1,3-Dichloropropene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Ethyl Benzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Methylene Chloride	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
1,1,2,2-Tetrachloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Tetrachloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Toluene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1,1-Trichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1,2-Trichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trichloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trichlorofluoromethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Vinyl Chloride	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Xylene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Comments:	None				

D&M Laboratories

ANALYTICAL DATA REPORT

Prepared for: Dames & Moore-Los Angeles
 Project Id: 8131.01 Home Savings-Pleasanton
 Sample Id: TRIP BLANK
 Lab Id: L9401206-6

Collected: 24-JAN-94
 Received: 26-JAN-94
 Reported: 28-JAN-94

Parameter	Value	Limit	Units	Extracted	Analyzed
8010/8020W					
Benzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Bromodichloromethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Bromoform	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Bromomethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Carbon Tetrachloride	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Chlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Chloroethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Chloroform	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Chloromethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
DiBromochloromethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,4-Dichlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,3-Dichlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,2-Dichlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1-Dichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,2-Dichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1-Dichloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trans-1,2-Dichloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,2-Dichloropropane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Cis-1,3-Dichloropropene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trans-1,3-Dichloropropene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Ethyl Benzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Methylene Chloride	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
1,1,2,2-Tetrachloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Tetrachloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Toluene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1,1-Trichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1,2-Trichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trichloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trichlorofluoromethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Vinyl Chloride	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Xylene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94

Comments: None

D&M Laboratories

ANALYTICAL DATA REPORT

Prepared for:
 Project Id:
 Sample Id: Method Blank
 Lab Id: WG3827-4

Reported: 28-JAN-94

Parameter	Value	Limit	Units	Extracted	Analyzed
8010/8020W					
Benzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Bromodichloromethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Bromoform	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Bromomethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Carbon Tetrachloride	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Chlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Chloroethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Chloroform	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Chloromethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Dibromochloromethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,4-Dichlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,3-Dichlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,2-Dichlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1-Dichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,2-Dichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1-Dichloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trans-1,2-Dichloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,2-Dichloropropane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Cis-1,3-Dichloropropene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trans-1,3-Dichloropropene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Ethyl Benzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Methylene Chloride	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
1,1,2,2-Tetrachloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Tetrachloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Toluene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1,1-Trichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1,2-Trichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trichloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trichlorofluoromethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Vinyl Chloride	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Xylene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94

Comments: None

D&M Laboratories

QUALITY CONTROL REPORT

Prepared for:
Project Id:
Sample Id: Method Blank Spike
Lab Id: WG3B27-5

Reported: 28-JAN-94

Parameter	Value	Units	Spike	Units	% Rec	Extracted	Analyzed
8010/8020W-QC							
1,1-Dichloroethene	20.2	ug/L	20	ug/L	101	27-JAN-94	27-JAN-94
Trichloroethene	19.0	ug/L	20	ug/L	95	27-JAN-94	27-JAN-94
Chlorobenzene-601	20.1	ug/L	20	ug/L	101	27-JAN-94	27-JAN-94
Benzene	20.3	ug/L	20	ug/L	102	27-JAN-94	27-JAN-94
Toluene	20.3	ug/L	20	ug/L	102	27-JAN-94	27-JAN-94
Chlorobenzene-602	20.4	ug/L	20	ug/L	102	27-JAN-94	27-JAN-94
Comments:	None						

D&M Laboratories

ANALYTICAL DATA REPORT

Prepared for:
 Project Id: MX
 Sample Id: WG3827-1

Reported: 28-JAN-94

Parameter	Value	Limit	Unit	Extracted	Analyzed
8010/8020W					
Benzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Bromodichloromethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Bromoform	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Bromomethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Carbon Tetrachloride	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Chlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Chloroethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Chloroform	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Chloromethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
DiBromochloromethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,4-Dichlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,3-Dichlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,2-Dichlorobenzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1-Dichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,2-Dichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1-Dichloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trans-1,2-Dichloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,2-Dichloropropane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Cis-1,3-Dichloropropene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trans-1,3-Dichloropropene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Ethyl Benzene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Methylene Chloride	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
1,1,2,2-Tetrachloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Tetrachloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Toluene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1,1-Trichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
1,1,2-Trichloroethane	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trichloroethene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94
Trichlorofluoromethane	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Vinyl Chloride	ND <	1.0	ug/L	27-JAN-94	27-JAN-94
Xylene	ND <	0.50	ug/L	27-JAN-94	27-JAN-94

Comments: MX=L9401206-5, MW-D

D&M Laboratories

QUALITY CONTROL REPORT

Prepared for:

Project Id:

Sample Id: Matrix Spike
Lab Id: WG3827-2

Reported: 28-JAN-94

Parameter	Value	Units	Spike	Units	% Rec	Extracted	Analyzed
8010/8020W-QC							
1,1-Dichloroethene	20.1	ug/L	20	ug/L	101	27-JAN-94	27-JAN-94
Trichloroethene	19.4	ug/L	20	ug/L	97	27-JAN-94	27-JAN-94
Chlorobenzene-601	19.4	ug/L	20	ug/L	97	27-JAN-94	27-JAN-94
Benzene	20.2	ug/L	20	ug/L	101	27-JAN-94	27-JAN-94
Toluene	20.1	ug/L	20	ug/L	101	27-JAN-94	27-JAN-94
Chlorobenzene-602	19.9	ug/L	20	ug/L	100	27-JAN-94	27-JAN-94
Comments:	None						

D&M Laboratories

QUALITY CONTROL REPORT

Prepared for:
Project Id:
Sample Id: Matrix Spike Dup
Lab Id: WG3827-3

Reported: 28-JAN-94

Parameter	Value	Units	% Rec.	RPD	Extracted	Analyzed
BB10/8020W-QC						
1,1-Dichloroethene	20.3	ug/L	102	0.99	27-JAN-94	27-JAN-94
Trichloroethene	18.9	ug/L	94	2.6	27-JAN-94	27-JAN-94
Chlorobenzene-601	18.5	ug/L	92	4.7	27-JAN-94	27-JAN-94
Benzene	20.3	ug/L	102	0.49	27-JAN-94	27-JAN-94
Toluene	20.2	ug/L	101	0.50	27-JAN-94	27-JAN-94
Chlorobenzene-602	20.0	ug/L	100	0.50	27-JAN-94	27-JAN-94
Comments:	None					

QUALITY CONTROL REPORT

In order to provide you with the means of assessing the quality of the data in our report, D&M Laboratories reports the results of Quality Control samples analyzed with your samples.

The Quality Control samples provide the following QC information:

The Method Blank (MB) monitors the level of contamination introduced by reagents or glassware. A minimum of one MB is run per batch of 20 samples or less.

The Method Blank Spike (MBS) measures the accuracy of analytical techniques and is not subject to matrix effects. A minimum of one MBS is run per batch of 20 samples or less.

The Matrix Spike (MS) measures the accuracy of the method for a matrix type. Due to the high variability within matrix types and the necessity of batching samples from varied sources, matrix spike information from one sample is not necessarily relevant to other samples on the batch. A minimum of two matrix spikes, MS and MSD, are run per batch of 20 samples or less. The sample selected for the matrix spike is designated MX, and may or may not have been submitted by the recipient of this report.

The Matrix Spike Duplicate (MSD), along with the MS, is used to monitor the precision (RPD) of the method and to indicate possible non homogeneity of the sample matrix.

Equations used for determining percent recovery and relative percent difference (RPD) are as follows:

$$\text{MBS \% Recovery} = (\text{MBS result} / \text{MBS spike level}) \times 100$$

$$\text{MS \% Recovery} = [(\text{MS result} - \text{MX result}) / \text{MS spike level}] \times 100$$

$$\text{RPD} = \{ | \text{MS result} - \text{MSD result} | / [(\text{MS result} + \text{MSD result}) / 2] \} \times 100$$

We continue to strive to improve the quality of service to our clients. We welcome any questions or comments you may have about this information, or about D&M Laboratories in general. Please contact a Project Manager for further information.



3700 Lakesville Highway, Petaluma, CA 94954
P.O. Box 808024, Petaluma, CA 94975-8024
Telephone: (707) 763-8245 Fax: (707) 763-4065

SAMPLE CHAIN OF CUSTODY / WORK ORDER

Client's Name Home Savings of America Phone
Address Old Foothill Rd. Ahmanson Development Laguna Oaks Site
City State Zip Pleasanton CA

Client's or Representative's Signature _____ D+ m 706 No. 14943-077-015

(signature authorizes the work and terms listed below)

All samples remain the property of the client who is responsible for disposal. A disposal fee may be imposed if client fails to pick up samples.

Relinquished by: *(Signature)*

DATE

E Received by: (Signature)

General Remarks:

28 UCAS - FEU xp.

✓ ✓ ✓ ✓ ✓

DATE

Received by /Signature

**SAMPLES RECEIVED IN GOOD CONDITION
NO BROKEN OR LEAKING CONTAINERS**

D. L. M. S.

DATE

RE Received by: (Signature)

Received by: (Signature)