

Environmental Engineering & Construction

August 25, 1994

Mr. Dale W. Sobek  
6000 S Corporation  
42080 Osgood Road  
Fremont, CA 94539

Dear Mr. Sobek:

Re: Groundwater Sampling - 6000 Stevenson Blvd., Fremont

We are enclosing the following regarding the groundwater sampling completed by All Environmental, Inc. on July 27 & 28, 1994:

One table for each of five wells summarizing the analytical results since April 1993 at the referenced site.

Figure 1 - Location of Groundwater Monitoring Wells with groundwater elevations as measured on 4/11/94 and July 27, 1994.

Sampling logs for each of the five groundwater wells sampled.

The analytical laboratory test results along with the chain of custody.


Our invoice covering the sampling activity.

We understand that you will incorporate the enclosed results into a report for presentation to the regulatory agencies involved.

The recent results show ND for all contaminants for which analyses were completed, except for well LF-3 which showed gasoline and BTEX contamination similar to levels experienced in January 1994 and April 1993.

All wells were opened and allowed to equilibrate for 30 minutes before depth to groundwater measurements were taken. Again well LF-2 appeared to release pressure when the cap was removed. Recharge for both LF-2 and LF-4 was extremely slow following purging, necessitating returning on July 28 to sample these two wells. This of course did not affect the analyses of contaminant levels, but indicates that caution is required in determining groundwater flow direction, analyzing movement of contaminant plumes, etc.

Sincerely,

  
G. W. Roy

Corporate Headquarters:

2641 Crow Canyon Rd., #5  
San Ramon, CA 94583  
(510) 820-3224

Los Angeles Office:

5031 Pacific Coast Hwy., #178  
Torrance, CA 90505  
(310) 328-8878

TABLE 1 - Quarterly Monitoring Test Results, Well MW-1

Analysis (ug/L or ppb)	Results			
	April '93*	Jan. '94	April '94	July '94
TPH Gasoline	ND	ND	ND	ND
TPH Diesel		ND	ND	ND
Benzene		ND	ND	ND
Toluene		ND	ND	ND
Ethyl Benzene		ND	ND	ND
Total Xylenes	ND	ND	ND	ND
PCB's		ND	ND	ND
Chloromethane	ND	ND	ND	ND
Vinyl Chloride	ND	ND	ND	ND
Bromomethane	ND	ND	ND	ND
Chloroethane	ND	ND	ND	ND
Trichlorofluoromethane	ND	2.9	ND	ND
1,1-Dichloroethene	ND	ND	ND	ND
Methylene Chloride	ND	ND	ND	ND
1,2-Dichloroethene (total)	ND	ND	ND	ND
1,1-Dichloroethane	ND	ND	ND	ND
Chloroform	ND	ND	ND	ND
1,1,1-Trichloroethane	ND	0.5	ND	ND
Carbon Tetrachloride	ND	ND	ND	ND
1,2-Dichloroethane	ND	ND	ND	ND
Trichloroethene	ND	ND	ND	ND
1,2-Dichloropropane	ND	ND	ND	ND
Bromodichloromethane	ND	ND	ND	ND
2-Chloroethylvinylether	ND	ND	ND	ND
Trans-1,3-Dichloropropene	ND	ND	ND	ND
Cis-1,3-Dichloropropene	ND	ND	ND	ND
1,1,2-Trichloroethane	ND	ND	ND	ND
Tetrachloroethane	ND	ND	ND	ND
Dibromochloromethane	ND	ND	ND	ND
Chlorobenzene	ND	ND	ND	ND
Bromoform	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND
1,3-Dichlorobenzene	ND	ND	ND	ND
1,4-Dichlorobenzene	ND	ND	ND	ND
1,2-Dichlorobenzene	ND	ND	ND	ND

\* Tests by Clark and Witham, Inc.

TABLE 2 - Quarterly Monitoring Test Results, Well LF-2

Analysis (ug/L or ppb)	Results			
	April '93*	Jan. '94	April '94	July '94
TPH Gasoline	ND	ND	ND	ND
TPH Diesel	ND	ND	ND	ND
Benzene		ND	ND	ND
Toluene		ND	ND	ND
Ethyl Benzene		ND	ND	ND
Total Xylenes	ND	ND	ND	ND
PCB's		ND	ND	ND
Chloromethane	ND	ND	ND	ND
Vinyl Chloride	ND	ND	ND	ND
Bromomethane	ND	ND	ND	ND
Chloroethane	ND	ND	ND	ND
Trichlorofluoromethane	27	3.5	ND	ND
1,1-Dichloroethene	ND	ND	ND	ND
Methylene Chloride	ND	ND	ND	ND
1,2-Dichloroethene (total)	ND	ND	ND	ND
1,1-Dichloroethane	ND	0.6	ND	ND
Chloroform	ND	ND	ND	ND
1,1,1-Trichloroethane	ND	1.2	ND	ND
Carbon Tetrachloride	ND	ND	ND	ND
1,2-Dichloroethane	ND	ND	ND	ND
Trichloroethene	ND	ND	ND	ND
1,2-Dichloropropane	ND	ND	ND	ND
Bromodichloromethane	ND	ND	ND	ND
2-Chloroethylvinylether	ND	ND	ND	ND
Trans-1,3-Dichloropropene	ND	ND	ND	ND
Cis-1,3-Dichloropropene	ND	ND	ND	ND
1,1,2-Trichloroethane	ND	ND	ND	ND
Tetrachloroethane	ND	ND	ND	ND
Dibromochloromethane	ND	ND	ND	ND
Chlorobenzene	ND	ND	ND	ND
Bromoform	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND
1,3-Dichlorobenzene	ND	ND	ND	ND
1,4-Dichlorobenzene	ND	ND	ND	ND
1,2-Dichlorobenzene	ND	ND	ND	ND

\* Tests by Clark and Witham, Inc.

**TABLE 3 - Quarterly Monitoring Test Results, Well LF-3**

Analysis (ug/L or ppb)	Results			
	April '93*	Jan. '94	April '94	July '94
TPH Gasoline	350	510	ND	350
TPH Diesel	780	ND	ND	ND
Benzene		0.5	ND	1.3
Toluene		2.8	ND	1.2
Ethyl Benzene		7.4	ND	4.6
Total Xylenes	41	11	ND	13
PCB's		ND	ND	ND
Chloromethane	ND	ND	ND	ND
Vinyl Chloride	ND	ND	ND	ND
Bromomethane	ND	ND	ND	ND
Chloroethane	ND	ND	ND	ND
Trichlorofluoromethane	27	ND	ND	ND
1,1-Dichloroethene	ND	ND	ND	ND
Methylene Chloride	ND	ND	ND	ND
1,2-Dichloroethene (total)	7.6	ND	ND	ND
1,1-Dichloroethane	ND	ND	ND	ND
Chloroform	ND	ND	ND	ND
1,1,1-Trichloroethane	ND	ND	ND	ND
Carbon Tetrachloride	ND	ND	ND	ND
1,2-Dichloroethane	ND	ND	ND	ND
Trichloroethene	9.9	2	ND	ND
1,2-Dichloropropane	ND	ND	ND	ND
Bromodichloromethane	ND	ND	ND	ND
2-Chloroethylvinylether	ND	ND	ND	ND
Trans-1,3-Dichloropropene	ND	ND	ND	ND
Cis-1,3-Dichloropropene	ND	ND	ND	ND
1,1,2-Trichloroethane	ND	ND	ND	ND
Tetrachloroethane	ND	ND	ND	ND
Dibromochloromethane	ND	ND	ND	ND
Chlorobenzene	ND	ND	ND	ND
Bromoform	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND
1,3-Dichlorobenzene	ND	ND	ND	ND
1,4-Dichlorobenzene	ND	ND	ND	ND
1,2-Dichlorobenzene	ND	ND	ND	ND

\* Tests by Clark and Witham, Inc.

TABLE 4 - Quarterly Monitoring Test Results, Well LF-4

Analysis (ug/L or ppb)	Results			
	April '93*	Jan. '94	April '94	July '94
TPH Gasoline	ND	ND	ND	ND
TPH Diesel	ND	ND	ND	ND
Benzene		ND	ND	ND
Toluene		ND	ND	ND
Ethyl Benzene		ND	ND	ND
Total Xylenes	ND	ND	ND	ND
PCB's		ND	ND	ND
Chloromethane	ND	ND	ND	ND
Vinyl Chloride	ND	ND	ND	ND
Bromomethane	ND	ND	ND	ND
Chloroethane	ND	ND	ND	ND
Trichlorofluoromethane	36	26	ND	ND
1,1-Dichloroethene	ND	ND	ND	ND
Methylene Chloride	ND	ND	ND	ND
1,2-Dichloroethene (total)	ND	ND	ND	ND
1,1-Dichloroethane	ND	ND	ND	ND
Chloroform	ND	ND	ND	ND
1,1,1-Trichloroethane	ND	ND	ND	ND
Carbon Tetrachloride	ND	ND	ND	ND
1,2-Dichloroethane	ND	ND	ND	ND
Trichloroethene	ND	ND	ND	ND
1,2-Dichloropropane	ND	ND	ND	ND
Bromodichloromethane	ND	ND	ND	ND
2-Chloroethylvinylether	ND	ND	ND	ND
Trans-1,3-Dichloropropene	ND	ND	ND	ND
Cis-1,3-Dichloropropene	ND	ND	ND	ND
1,1,2-Trichloroethane	ND	ND	ND	ND
Tetrachloroethane	ND	ND	ND	ND
Dibromochloromethane	ND	ND	ND	ND
Chlorobenzene	ND	ND	ND	ND
Bromoform	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND
1,3-Dichlorobenzene	ND	ND	ND	ND
1,4-Dichlorobenzene	ND	ND	ND	ND
1,2-Dichlorobenzene	ND	ND	ND	ND


\* Tests by Clark and Witham, Inc.

TABLE 5 - Quarterly Monitoring Test Results, Well MW-5

Analysis (ug/L or ppb)	Results			
	April '93*	Jan. '94	April '94	July '94
TPH Gasoline	ND	ND	ND	ND
TPH Diesel	ND	ND	ND	ND
Benzene		ND	ND	ND
Toluene		ND	ND	ND
Ethyl Benzene		ND	ND	ND
Total Xylenes	ND	ND	ND	ND
PCB's		ND	ND	ND
Chloromethane	ND	ND	ND	ND
Vinyl Chloride	ND	ND	ND	ND
Bromomethane	ND	ND	ND	ND
Chloroethane	ND	ND	ND	ND
Trichlorofluoromethane	9	6.3	ND	ND
1,1-Dichloroethene	ND	ND	ND	ND
Methylene Chloride	ND	ND	ND	ND
1,2-Dichloroethene (total)	ND	ND	ND	ND
1,1-Dichloroethane	ND	ND	ND	ND
Chloroform	ND	ND	ND	ND
1,1,1-Trichloroethane	ND	ND	ND	ND
Carbon Tetrachloride	ND	ND	ND	ND
1,2-Dichloroethane	ND	ND	ND	ND
Trichloroethene	ND	1.9	ND	ND
1,2-Dichloropropane	ND	ND	ND	ND
Bromodichloromethane	ND	ND	ND	ND
2-Chloroethylvinylether	ND	ND	ND	ND
Trans-1,3-Dichloropropene	ND	ND	ND	ND
Cis-1,3-Dichloropropene	ND	ND	ND	ND
1,1,2-Trichloroethane	ND	ND	ND	ND
Tetrachloroethane	ND	ND	ND	ND
Dibromochloromethane	ND	ND	ND	ND
Chlorobenzene	ND	ND	ND	ND
Bromoform	ND	ND	ND	ND
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND
1,3-Dichlorobenzene	ND	ND	ND	ND
1,4-Dichlorobenzene	ND	ND	ND	ND
1,2-Dichlorobenzene	ND	ND	ND	ND


\* Tests by Clark and Witham, Inc.

Albrae Street



Explanation

	14.86 Groundwater Elevation, feet, on 7/28/94.
	13.44 Groundwater Elevation, feet, on 4/11/94.



ALL ENVIRONMENTAL, INC.  
2641 CROW CANYON ROAD, SAN RAMON, CA

DRAWN BY:		REVISED BY:	
DATE:		APPROVED BY:	

Groundwater Flow Direction

6000 Stevenson Blvd.

FIGURE 3



**ALL ENVIRONMENTAL, INC., GW WELL SAMPLING FIELD LOG**

<b>PROJECT</b>	
Project Name and Job Number	6000 S Corp. #1052
Project Address	6000 Stevenson Blvd. Fremont CA
Date of Sampling and Name of Sampler	7/27/94 CMK
<b>GW MONITORING WELLS</b>	
Well Number and Diameter	MW-1 2"
Seal at Grade - Type and Condition	cement grout - good condition
Well Cap - Type and Condition	expanding w/ lock, good condition
Top of Casing Elev - Ft. Above Sea Level	28.39
Depth of Well - feet	24.42
Depth to Water - feet	13.07
Floating product - inches	0
Required GW Purge Before Sampling - gal.	10
Actual GW Purge Before Sampling - gal.	10
Appearance of Purge Water	almost clear, then clear
<b>GW MONITORING SAMPLES</b>	
No. of Samples and Type of Containers	three 1-liter bottles, four 40-ml vials
GW Temp. and pH	not measured
GW Conductivity	not measured
Appearance of GW Samples	clear
Samples Iced and Chain of Custody?	yes
Sampling Equipment	submersible pump for purge, bailer for sample
Equipment Cleaned Between Samples?	yes - TSP
<b>COMMENTS</b>	
ie., sample odor, well recharge, etc.	no odor, moderate recharge



**ALL ENVIRONMENTAL, INC., GW WELL SAMPLING FIELD LOG**

<b>PROJECT</b>	
Project Name and Job Number	6000 S Corp. #1052
Project Address	6000 Stevenson Blvd. Fremont CA
Date of Sampling and Name of Sampler	7/28/94 CMK
<b>GW MONITORING WELLS</b>	
Well Number and Diameter	LF-2 2"
Seal at Grade - Type and Condition	cement grout - good condition
Well Cap - Type and Condition	expanding w/ lock, good condition
Top of Casing Elev - Ft. Above Sea Level	25.04
Depth of Well - feet	24.75
Depth to Water - feet	12.38
Floating product - inches	0
Required GW Purge Before Sampling - gal.	10
Actual GW Purge Before Sampling - gal.	10
Appearance of Purge Water	turbid at first, then clear
<b>GW MONITORING SAMPLES</b>	
No. of Samples and Type of Containers	three 1-liter bottles, four 40-ml vials
GW Temp. and pH	not measured
GW Conductivity	not measured
Appearance of GW Samples	clear
Samples Iced and Chain of Custody?	yes
Sampling Equipment	submersible pump for purge, bailer for sample
Equipment Cleaned Between Samples?	yes - TSP
<b>COMMENTS</b>	
ie., sample odor, well recharge, etc.	no odor, very slow recharge

ALL ENVIRONMENTAL, INC., GW WELL SAMPLING FIELD LOG	
<b>PROJECT</b>	
Project Name and Job Number	6000 S Corp. #1052
Project Address	6000 Stevenson Blvd. Fremont CA
Date of Sampling and Name of Sampler	7/27/94 CMK
<b>GW MONITORING WELLS</b>	
Well Number and Diameter	LF-3 2"
Seal at Grade - Type and Condition	cement grout - good condition
Well Cap - Type and Condition	expanding w/ lock, good condition
Top of Casing Elev - Ft. Above Sea Level	27.74
Depth of Well - feet	25.05
Depth to Water - feet	12.88
Floating product - inches	0
Required GW Purge Before Sampling - gal.	10
Actual GW Purge Before Sampling - gal.	10
Appearance of Purge Water	clear
<b>GW MONITORING SAMPLES</b>	
No. of Samples and Type of Containers	three 1-liter bottles, four 40-ml vials
GW Temp. and pH	not measured
GW Conductivity	not measured
Appearance of GW Samples	clear
Samples Iced and Chain of Custody?	yes
Sampling Equipment	submersible pump for purge, bailer for sample
Equipment Cleaned Between Samples?	yes - TSP
<b>COMMENTS</b>	
ie., sample odor, well recharge, etc.	no odor, moderate to slow recharge

<b>ALL ENVIRONMENTAL, INC., GW WELL SAMPLING FIELD LOG</b>	
<b>PROJECT</b>	
Project Name and Job Number	6000 S Corp. #1052
Project Address	6000 Stevenson Blvd. Fremont CA
Date of Sampling and Name of Sampler	7/28/94 CMK
<b>GW MONITORING WELLS</b>	
Well Number and Diameter	LF-4, 2"
Seal at Grade - Type and Condition	cement grout - good condition
Well Cap - Type and Condition	expanding w/ lock, good condition
Top of Casing Elev - Ft. Above Sea Level	25.64
Depth of Well - feet	24.70
Depth to Water - feet	12.56
Floating product - inches	0
Required GW Purge Before Sampling - gal.	10
Actual GW Purge Before Sampling - gal.	10
Appearance of Purge Water	slightly turbid at first, then clear
<b>GW MONITORING SAMPLES</b>	
No. of Samples and Type of Containers	three 1-liter bottles, four 40-ml vials
GW Temp. and pH	not measured
GW Conductivity	not measured
Appearance of GW Samples	clear
Samples Iced and Chain of Custody?	yes
Sampling Equipment	submersible pump for purge, bailer for sample
Equipment Cleaned Between Samples?	yes - TSP
<b>COMMENTS</b>	
ie., sample odor, well recharge, etc.	no odor, very slow recharge

ALL ENVIRONMENTAL, INC., GW WELL SAMPLING FIELD LOG	
<b>PROJECT</b>	
Project Name and Job Number	6000 S Corp. #1052
Project Address	6000 Stevenson Blvd. Fremont CA
Date of Sampling and Name of Sampler	7/27/94 CMK
<b>GW MONITORING WELLS</b>	
Well Number and Diameter	MW-5 2"
Seal at Grade - Type and Condition	cement grout - good condition
Well Cap - Type and Condition	expanding w/ lock, good condition
Top of Casing Elev - Ft. Above Sea Level	24.23
Depth of Well - feet	19.78
Depth to Water - feet	11.05
Floating product - inches	0
Required GW Purge Before Sampling - gal.	10
Actual GW Purge Before Sampling - gal.	10
Appearance of Purge Water	slightly turbid 1st few seconds, then clear
<b>GW MONITORING SAMPLES</b>	
No. of Samples and Type of Containers	three 1-liter bottles, four 40-ml vials
GW Temp. and pH	not measured
GW Conductivity	not measured
Appearance of GW Samples	clear
Samples Iced and Chain of Custody?	yes
Sampling Equipment	submersible pump for purge, bailer for sample
Equipment Cleaned Between Samples?	yes - TSP
<b>COMMENTS</b>	
ie., sample odor, well recharge, etc.	no odor, immediate recharge



# PRIORITY ENVIRONMENTAL LABS

Precision Environmental Analytical Laboratory

July 30, 1994

PEL # 9407081

ALL ENVIRONMENTAL, INC.

Attn: Charles Kissick

Re: Five water samples for Gasoline/BTEX and Diesel analyses.

Project name: 6000 S

Project number: 1052

Date sampled: Jul 27-28, 1994


Date submitted: Jul 28, 1994

Date extracted: Jul 28-30, 1994

Date analyzed: Jul 28-30, 1994

## RESULTS:

SAMPLE I.D.	Gasoline (ug/L)	Diesel (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethyl Benzene (ug/L)	Total Xylenes (ug/L)
LF-2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
LF-3	350	N.D.	1.3	1.2	4.6	13
LF-4	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
MW-1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
MW-5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Blank	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Spiked Recovery	103.7%	100.7%	105.0%	97.2%	94.5%	102.7%
Detection limit	50	50	0.5	0.5	0.5	0.5
Method of Analysis	5030 / 8015	3510 / 8015	602	602	602	602

  
David Duong  
Laboratory Director



# PRIORITY ENVIRONMENTAL LABS

Precision Environmental Analytical Laboratory

August 01, 1994

PEL # 9407081

ALL ENVIRONMENTAL, INC.

Attn: Charles Kissick

Project name: 6000 S

Project number: 1052

Sample I.D.: MW-1

Date Sampled: Jul 27, 1994  
Date Analyzed: Jul 28-31, 1994

Date Submitted: Jul 28, 1994

Method of Analysis: EPA 608

COMPOUND NAME	CONCENTRATION ( ug/L )	DETECTION LIMIT ( ug/L )	SPIKED RECOVERY (%)
ALDRIN	N.D	0.1	----
$\alpha$ -BHC	N.D	0.1	----
$\beta$ -BHC	N.D	0.1	----
$\gamma$ -BHC	N.D	0.1	----
$\delta$ -BHC	N.D	0.1	----
CHLORDANE	N.D	5.0	----
4,4'-DDD	N.D	1.0	----
4,4'-DDE	N.D	0.1	----
4,4'-DDT	N.D	1.0	----
DIELDRIN	N.D	0.1	----
ENDOSULFAN I	N.D	0.5	----
ENDOSULFAN II	N.D	0.5	----
ENDOSULFAN SULFATE	N.D	1.0	----
ENDRIN	N.D	0.1	----
ENDRIN ALDEHYDE	N.D	0.5	----
HEPTACHLOR	N.D	0.5	----
HEPTACHLOR EPOXIDE	N.D	1.0	----
METHOXYCHLOR	N.D	1.0	----
PCB'S	N.D	5.0	----
TOXAPHENE	N.D	5.0	----

  
David Duong  
Laboratory Director



# PRIORITY ENVIRONMENTAL LABS

Precision Environmental Analytical Laboratory

August 01, 1994

PEL # 9407081

ALL ENVIRONMENTAL, INC.

Attn: Charles Kissick

Project name: 6000 S

Project number: 1052


Sample I.D.: LF-2

Date Sampled: Jul 27, 1994  
Date Analyzed: Jul 28-31, 1994

Date Submitted: Jul 28, 1994

Method of Analysis: EPA 608

COMPOUND NAME	CONCENTRATION ( ug/L )	DETECTION LIMIT ( ug/L )	SPIKED RECOVERY ( % )
ALDRIN	N.D	0.1	----
$\alpha$ -BHC	N.D	0.1	----
$\beta$ -BHC	N.D	0.1	----
$\gamma$ -BHC	N.D	0.1	----
$\delta$ -BHC	N.D	0.1	----
CHLORDANE	N.D	5.0	----
4,4'-DDD	N.D	1.0	----
4,4'-DDE	N.D	0.1	----
4,4'-DDT	N.D	1.0	----
DIELDRIN	N.D	0.1	----
ENDOSULFAN I	N.D	0.5	----
ENDOSULFAN II	N.D	0.5	----
ENDOSULFAN SULFATE	N.D	1.0	----
ENDRIN	N.D	0.1	----
ENDRIN ALDEHYDE	N.D	0.5	----
HEPTACHLOR	N.D	0.5	----
HEPTACHLOR EPOXIDE	N.D	1.0	----
METHOXYCHLOR	N.D	1.0	----
PCB'S	N.D	5.0	----
TOXAPHENE	N.D	5.0	----

  
David Duong  
Laboratory Director





# PRIORITY ENVIRONMENTAL LABS

Precision Environmental Analytical Laboratory

August 01, 1994

PEL # 9407081

ALL ENVIRONMENTAL, INC.

Attn: Charles Kissick

Project name: 6000 S

Project number: 1052


Sample I.D.: LF-3

Date Sampled: Jul 27, 1994  
Date Analyzed: Jul 28-31, 1994

Date Submitted: Jul 28, 1994

Method of Analysis: EPA 608

COMPOUND NAME	CONCENTRATION ( ug/L )	DETECTION LIMIT ( ug/L )	SPIKED RECOVERY ( % )
ALDRIN	N.D	0.1	----
$\alpha$ -BHC	N.D	0.1	----
$\beta$ -BHC	N.D	0.1	----
$\gamma$ -BHC	N.D	0.1	----
$\delta$ -BHC	N.D	0.1	----
CHLORDANE	N.D	5.0	----
4,4'-DDD	N.D	1.0	----
4,4'-DDE	N.D	0.1	----
4,4'-DDT	N.D	1.0	----
DIELDRIN	N.D	0.1	----
ENDOSULFAN I	N.D	0.5	----
ENDOSULFAN II	N.D	0.5	----
ENDOSULFAN SULFATE	N.D	1.0	----
ENDRIN	N.D	0.1	----
ENDRIN ALDEHYDE	N.D	0.5	----
HEPTACHLOR	N.D	0.5	----
HEPTACHLOR EPOXIDE	N.D	1.0	----
METHOXYCHLOR	N.D	1.0	----
PCB'S	N.D	5.0	----
TOXAPHENE	N.D	5.0	----

  
David Duong  
Laboratory Director



# PRIORITY ENVIRONMENTAL LABS

Precision Environmental Analytical Laboratory

August 01, 1994

PEL # 9407081

ALL ENVIRONMENTAL, INC.

Attn: Charles Kissick

Project name: 6000 S

Project number: 1052


Sample I.D.: LF-4

Date Sampled: Jul 27, 1994  
Date Analyzed: Jul 28-31, 1994

Date Submitted: Jul 28, 1994

Method of Analysis: EPA 608

COMPOUND NAME	CONCENTRATION ( ug/L )	DETECTION LIMIT ( ug/L )	SPIKED RECOVERY (%)
ALDRIN	N.D	0.1	----
$\alpha$ -BHC	N.D	0.1	----
$\beta$ -BHC	N.D	0.1	----
$\gamma$ -BHC	N.D	0.1	----
$\delta$ -BHC	N.D	0.1	----
CHLORDANE	N.D	5.0	----
4,4'-DDD	N.D	1.0	----
4,4'-DDE	N.D	0.1	----
4,4'-DDT	N.D	1.0	----
DIELDRIIN	N.D	0.1	----
ENDOSULFAN I	N.D	0.5	----
ENDOSULFAN II	N.D	0.5	----
ENDOSULFAN SULFATE	N.D	1.0	----
ENDRIN	N.D	0.1	----
ENDRIN ALDEHYDE	N.D	0.5	----
HEPTACHLOR	N.D	0.5	----
HEPTACHLOR EPOXIDE	N.D	1.0	----
METHOXYCHLOR	N.D	1.0	----
PCB'S	N.D	5.0	----
TOXAPHENE	N.D	5.0	----

  
David Duong  
Laboratory Director



# PRIORITY ENVIRONMENTAL LABS

Precision Environmental Analytical Laboratory

August 01, 1994

PEL # 9407081

ALL ENVIRONMENTAL, INC.

Attn: Charles Kissick

Project name: 6000 S

Project number: 1052


Sample I.D.: MW-5

Date Sampled: Jul 27, 1994  
Date Analyzed: Jul 28-31, 1994

Date Submitted: Jul 28, 1994

Method of Analysis: EPA 608

COMPOUND NAME	CONCENTRATION ( ug/L )	DETECTION LIMIT ( ug/L )	SPIKED RECOVERY (%)
ALDRIN	N.D	0.1	----
$\alpha$ -BHC	N.D	0.1	----
$\beta$ -BHC	N.D	0.1	----
$\gamma$ -BHC	N.D	0.1	----
$\delta$ -BHC	N.D	0.1	----
CHLORDANE	N.D	5.0	----
4,4'-DDD	N.D	1.0	----
4,4'-DDE	N.D	0.1	----
4,4'-DDT	N.D	1.0	----
DIELDRIN	N.D	0.1	----
ENDOSULFAN I	N.D	0.5	----
ENDOSULFAN II	N.D	0.5	----
ENDOSULFAN SULFATE	N.D	1.0	----
ENDRIN	N.D	0.1	----
ENDRIN ALDEHYDE	N.D	0.5	----
HEPTACHLOR	N.D	0.5	----
HEPTACHLOR EPOXIDE	N.D	1.0	----
METHOXYCHLOR	N.D	1.0	----
PCB'S	N.D	5.0	----
TOXAPHENE	N.D	5.0	----

  
David Duong  
Laboratory Director



# PRIORITY ENVIRONMENTAL LABS

Precision Environmental Analytical Laboratory

August 01, 1994

PEL #: 9407081

ALL ENVIRONMENTAL, INC.

Attn: Charles Kissick

Project name: 6000 S

Project number: 1052

Sample I.D.: MW-1

Date Sampled: Jul 27, 1994

Date Submitted: Jul 28, 1994

Date Analyzed: Jul 28-31, 1994

Method of Analysis: EPA 601

Detection limit: 0.5 ug/L

COMPOUND NAME	CONCENTRATION ( ug/L )	SPIKE RECOVERY (%)
Chloromethane	N.D.	-----
Vinyl Chloride	N.D.	-----
Bromomethane	N.D.	-----
Chloroethane	N.D.	-----
Trichlorofluoromethane	N.D.	-----
1,1-Dichloroethene	N.D.	-----
Methylene Chloride	N.D.	-----
1,2-Dichloroethene (TOTAL)	N.D.	-----
1,1-Dichloroethane	N.D.	-----
Chloroform	N.D.	-----
1,1,1-Trichloroethane	N.D.	-----
Carbon Tetrachloride	N.D.	-----
1,2-Dichloroethane	N.D.	-----
Trichloroethene	N.D.	-----
1,2-Dichloropropane	N.D.	-----
Bromodichloromethane	N.D.	-----
2-Chloroethylvinylether	N.D.	-----
Trans-1,3-Dichloropropene	N.D.	-----
Cis-1,3-Dichloropropene	N.D.	-----
1,1,2-Trichloroethane	N.D.	-----
Tetrachloroethene	N.D.	-----
Dibromochloromethane	N.D.	-----
Chlorobenzene	N.D.	-----
Bromoform	N.D.	-----
1,1,2,2-Tetrachloroethane	N.D.	-----
1,3-Dichlorobenzene	N.D.	-----
1,4-Dichlorobenzene	N.D.	-----
1,2-Dichlorobenzene	N.D.	-----

David Duong  
Laboratory Director



# PRIORITY ENVIRONMENTAL LABS

Precision Environmental Analytical Laboratory

August 01, 1994

PEL #: 9407081

ALL ENVIRONMENTAL, INC.

Attn: Charles Kissick

Project name: 6000 S

Project number: 1052

Sample I.D.: LF-2

Date Sampled: Jul 27, 1994

Date Submitted: Jul 28, 1994

Date Analyzed: Jul 28-31, 1994

Method of Analysis: EPA 601

Detection limit: 0.5 ug/L

COMPOUND NAME	CONCENTRATION ( ug/L )	SPIKE RECOVERY ( % )
Chloromethane	N.D.	-----
Vinyl Chloride	N.D.	-----
Bromomethane	N.D.	-----
Chloroethane	N.D.	-----
Trichlorofluoromethane	N.D.	-----
1,1-Dichloroethene	N.D.	-----
Methylene Chloride	N.D.	-----
1,2-Dichloroethene (TOTAL)	N.D.	-----
1,1-Dichloroethane	N.D.	-----
Chloroform	N.D.	-----
1,1,1-Trichloroethane	N.D.	-----
Carbon Tetrachloride	N.D.	-----
1,2-Dichloroethane	N.D.	-----
Trichloroethene	N.D.	-----
1,2-Dichloropropane	N.D.	-----
Bromodichloromethane	N.D.	-----
2-Chloroethylvinylether	N.D.	-----
Trans-1,3-Dichloropropene	N.D.	-----
Cis-1,3-Dichloropropene	N.D.	-----
1,1,2-Trichloroethane	N.D.	-----
Tetrachloroethene	N.D.	-----
Dibromochloromethane	N.D.	-----
Chlorobenzene	N.D.	-----
Bromoform	N.D.	-----
1,1,2,2-Tetrachloroethane	N.D.	-----
1,3-Dichlorobenzene	N.D.	-----
1,4-Dichlorobenzene	N.D.	-----
1,2-Dichlorobenzene	N.D.	-----

David Duong  
Laboratory Director



# PRIORITY ENVIRONMENTAL LABS

Precision Environmental Analytical Laboratory

August 01, 1994

PEL #: 9407081

ALL ENVIRONMENTAL, INC.

Attn: Charles Kissick

Project name: 6000 S

Project number: 1052

Sample I.D.: LF-3

Date Sampled: Jul 27, 1994

Date Submitted: Jul 28, 1994

Date Analyzed: Jul 28-31, 1994

Method of Analysis: EPA 601

Detection limit: 0.5 ug/L

COMPOUND NAME	CONCENTRATION ( ug/L )	SPIKE RECOVERY ( % )
Chloromethane	N.D.	-----
Vinyl Chloride	N.D.	-----
Bromomethane	N.D.	-----
Chloroethane	N.D.	-----
Trichlorofluoromethane	N.D.	-----
1,1-Dichloroethene	N.D.	-----
Methylene Chloride	N.D.	-----
1,2-Dichloroethene (TOTAL)	N.D.	-----
1,1-Dichloroethane	N.D.	-----
Chloroform	N.D.	-----
1,1,1-Trichloroethane	N.D.	-----
Carbon Tetrachloride	N.D.	-----
1,2-Dichloroethane	N.D.	-----
Trichloroethene	N.D.	-----
1,2-Dichloropropane	N.D.	-----
Bromodichloromethane	N.D.	-----
2-Chloroethylvinylether	N.D.	-----
Trans-1,3-Dichloropropene	N.D.	-----
Cis-1,3-Dichloropropene	N.D.	-----
1,1,2-Trichloroethane	N.D.	-----
Tetrachloroethene	N.D.	-----
Dibromochloromethane	N.D.	-----
Chlorobenzene	N.D.	-----
Bromoform	N.D.	-----
1,1,2,2-Tetrachloroethane	N.D.	-----
1,3-Dichlorobenzene	N.D.	-----
1,4-Dichlorobenzene	N.D.	-----
1,2-Dichlorobenzene	N.D.	-----

David Duong  
Laboratory Director



# PRIORITY ENVIRONMENTAL LABS

Precision Environmental Analytical Laboratory

August 01, 1994

PEL #: 9407081

ALL ENVIRONMENTAL, INC.

Attn: Charles Kissick

Project name: 6000 S

Project number: 1052

Sample I.D.: LF-4

Date Sampled: Jul 27, 1994

Date Submitted: Jul 28, 1994

Date Analyzed: Jul 28-31, 1994

Method of Analysis: EPA 601

Detection limit: 0.5 ug/L

COMPOUND NAME	CONCENTRATION ( ug/L )	SPIKE RECOVERY ( % )
Chloromethane	N.D.	-----
Vinyl Chloride	N.D.	-----
Bromomethane	N.D.	-----
Chloroethane	N.D.	-----
Trichlorofluoromethane	N.D.	-----
1,1-Dichloroethene	N.D.	-----
Methylene Chloride	N.D.	-----
1,2-Dichloroethene (TOTAL)	N.D.	-----
1,1-Dichloroethane	N.D.	-----
Chloroform	N.D.	-----
1,1,1-Trichloroethane	N.D.	-----
Carbon Tetrachloride	N.D.	-----
1,2-Dichloroethane	N.D.	-----
Trichloroethene	N.D.	-----
1,2-Dichloropropane	N.D.	-----
Bromodichloromethane	N.D.	-----
2-Chloroethylvinylether	N.D.	-----
Trans-1,3-Dichloropropene	N.D.	-----
Cis-1,3-Dichloropropene	N.D.	-----
1,1,2-Trichloroethane	N.D.	-----
Tetrachloroethene	N.D.	-----
Dibromochloromethane	N.D.	-----
Chlorobenzene	N.D.	-----
Bromoform	N.D.	-----
1,1,2,2-Tetrachloroethane	N.D.	-----
1,3-Dichlorobenzene	N.D.	-----
1,4-Dichlorobenzene	N.D.	-----
1,2-Dichlorobenzene	N.D.	-----

David Duong  
Laboratory Director





# PRIORITY ENVIRONMENTAL LABS

Precision Environmental Analytical Laboratory

August 01, 1994

PEL #: 9407081

ALL ENVIRONMENTAL, INC.

Attn: Charles Kissick

Project name: 6000 S

Project number: 1052

Sample I.D.: MW-5

Date Sampled: Jul 27, 1994

Date Submitted: Jul 28, 1994

Date Analyzed: Jul 28-31, 1994

Method of Analysis: EPA 601

Detection limit: 0.5 ug/L

COMPOUND NAME	CONCENTRATION ( ug/L )	SPIKE RECOVERY (%)
Chloromethane	N.D.	-----
Vinyl Chloride	N.D.	-----
Bromomethane	N.D.	-----
Chloroethane	N.D.	-----
Trichlorofluoromethane	N.D.	-----
1,1-Dichloroethene	N.D.	-----
Methylene Chloride	N.D.	-----
1,2-Dichloroethene (TOTAL)	N.D.	-----
1,1-Dichloroethane	N.D.	-----
Chloroform	N.D.	-----
1,1,1-Trichloroethane	N.D.	-----
Carbon Tetrachloride	N.D.	-----
1,2-Dichloroethane	N.D.	-----
Trichloroethene	N.D.	-----
1,2-Dichloropropane	N.D.	-----
Bromodichloromethane	N.D.	-----
2-Chloroethylvinylether	N.D.	-----
Trans-1,3-Dichloropropene	N.D.	-----
Cis-1,3-Dichloropropene	N.D.	-----
1,1,2-Trichloroethane	N.D.	-----
Tetrachloroethene	N.D.	-----
Dibromochloromethane	N.D.	-----
Chlorobenzene	N.D.	-----
Bromoform	N.D.	-----
1,1,2,2-Tetrachloroethane	N.D.	-----
1,3-Dichlorobenzene	N.D.	-----
1,4-Dichlorobenzene	N.D.	-----
1,2-Dichlorobenzene	N.D.	-----

David Duong  
Laboratory Director

