CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD SAN FRANCISCO BAY REGION

1800 HARRISON STREET, SUITE 700 OAKLAND, CA 94612 Phone: Aiea Code 415 464-1255



MAY 2 2 1990

File No.: 1216.00 (RAD)

Paul Ekstrom
District Manager
California Water Service Company
195 South "N" Street
Livermore, CA 94550

SUBJECT:

Request for Water Well Information

The following Cal water wells are located on properties adjacent to the Livermore Arcade Shopping Center site and should be studied for chlorinated and non-chlorinated hydrocarbons:

3S/2E, 8P1 3S/2E, 8P2 3S/2E, 8H1


Permission is hereby requested to allow Hygienetics Inc. to review monitoring data for these wells and to have access to their boring logs. Please contact Rico Duazo at (415) 464-0837 if you have any questions.

Sincerely,

The filling

Lester Feldman Section Leader

Gil Wistar, Alameda County Health Services Karl Novak, Hygienetics Inc. John Hyjer, Grub & Ellis




PROPOSED INVERTIGATION LIVERMORE ARCADE LIVERMORE, CALIFORNIA



Industrial Hygienists Architects / Engineers Environmental Consultants

48001		P 8/8/90
REV. DATE	DESCRIPTION	



LOCATION MAP Arcade Shopping Center Industrial Hygienists Livermore, California **Environmental Consultants**

Hygienetics Inc. Architects / Engineers

0.201 #0 48001-33 *			FIGURE 1	3/90
-	<u> </u>			
	-	-		\dashv
REV.	DATE	OESCRIP1	Ю×	-

TABLE 1

LEAKING UNDERGROUND STORAGE TANKS

Chevron, 1334 West First Street

Mill Springo Park Apartments, Railroad Avenue/S.L & S.P Streets

Mobil, 2008 First Street

Pacific Bell, 2324 Second Street

Shell, 318 South Livermore Avenue

J & W Development, 2929 Fourth Street

Unocal, 900 South Livermore Avenue

Arrow Rentals, 187 West L Street

Shell, 1155 Portola Avenue

Arco, 899 Rincon Avenue

TABLE 1
SUMMARY OF ANALYTICAL RESULTS 3/24/90

	MW1	MW2	EWM
TPH	84,000	100	<50
BENZENE	11,000 (1)	<	<
TOLUENE	22,000 (100)	<	<
TOTAL XYLENES	20,000 (1750)	<	<
ETHYL BENZENE	3,400 (680)	<	<
TETRACHLOROETHYLENE*	<	330 (5)	<

SUMMARY OF ANALYTICAL RESULTS 4/10/90

	MW1	MW2	EWM.
ТРН	69,000	60	<50
BENZENE	14,000 (1)	<	<
TOLUENE	25,000 (100)	<	<
TOTAL XYLENES	20,000 (1750)	<	<
ETHYL BENZENE	3,500 (680)	<	<
TETRACHLOROETHYLENE*	<	360 (5)	<

Results in parts per billion

TPH(g) = Total Petroleum Hydrocarbons as gasoline

- < = Below laboratory detection limit</pre>
- * = Also known as Perchloroethylene (PCE)
- (1) = Maximum Contaminant Level (MCL)

RCRA List

J's Cleaners	2093 RR Avenue
Mike's 1 Hour Cleaners	1430 1st Street
Orchard Supply Hardware	1450 1st Street
Pac Bell	3597 1st Street
Pac Bell	2324 2nd Street
Pac Bell	2388 2nd Street
Paul's Sparkle Cleaners	1332 RR Avenue
PG & E	3797 1st Street
Purity Cleaners	183 N. Livermore
Quality Cleaners	2048 1st Street
Shell Gas Station	318 S. Livermore
Shell Gas Station	809 E. Stanley/Murrietta
Shell Gas Station	1155 Portola/Murrietta
Tri Valley Auto	3561 1st Street
Unocal #4	1771 1st Street
Unocal	4700 1st Street
Valley Memorial Hospital	1111 E. Stanley

Suspect Businesses

BP

2000 1st Street

Groth Bros. Oldsmobile 1st/L Street

Firestone

1st Street

Union 76

1771 1st Street

Tri Valley Tune-up

1st/South O Street

Goodyear Auto

1682 1st Street

Livermore Muffler

1679 1st Street

Beacon Gas

1st/South P Street

Grand Auto

West 1st/South Q Street

Goodyear Tire

West 1st/South Q Street

Chevron

1334 West 1st Street

Flying J (Gas)

1st/South S Street



Hygienetics Inc.

2200 Powell Street Suite 880 Emeryville, CA 94608 (415) 547-3886 Telecopy: (415) 547-3631

May 15, 1990

Paul Ekstrom District Manager California Water Service Company 195 South "N" Street Livermore, California 94550

The following Cal water wells are located on properties adjacent to the Livermore Arcade Shopping Center site and should be tested for chlorinated and non-chlorinated hydrocarbons:

3S/2E, 8P1 3S/2E, 8P2 3S/2E, 8H1

Cal water will test only upon request from the Regional Water Quality Control Board.

