

FAX BEING SENT BY:

Aqua Science Engineers, Inc  
2411 Old Crow Canyon Road, #4  
San Ramon, CA 94583  
Phone (925) 820-9391  
Fax (925) 837-4853


DATE: 7-23-98  
TO: Eva Chen  
FROM: Robert King  
NUMBER OF PAGES TO FOLLOW: 4

\*\*\*\*\*Please Phone If This Fax Is Received Incomplete\*\*\*\*\*

MESSAGE:

Here is the data on Linford that you requested.

Sample wells MW-3 and MW-4 at Linford property for HVOCs  
" " MW-6 and MW-4 at Custom Alley 2730 Percaltan



sewer line

28TH STREET

POPLAR STREET

NORTH

SCALE  
1" = 40'

MANUFACTURING

MW-4  
(9.12)

OFFICES

GATE  
MW-5  
(10.38')

MW-2  
(9.95')

9.5'

10.5'

10.0'

MANUFACTURING

MW-1  
(10.62')

FENCE

**EXPLANATION**

- MW-2 (9.95') MONITORING WELL WITH GROUNDWATER ELEVATION IN FEET
- GROUNDWATER ELEVATION CONTOUR
- GROUNDWATER FLOW DIRECTION

FORMER USTs  
AND PUMP  
ISLAND

10.5'

MW-3  
(10.40')

FENCE

SIDEWALK

UNION STREET

**TABLE TWO**  
**Summary of Analytical Results of WATER Samples**  
 All results are in parts per billion

Well ID & Dates Sampled	TPH-G	TPH-D	Benzene	Toluene	Ethyl Benzene	Total Xylenes	MTBE	Total Lead
<u>MW-1</u>								
05-05-93	24,000	<50	46	50	52	270	---	< 0.0005
08-20-93	2,400	<50	3.3	4.2	5.7	29	---	< 0.0005
11-18-93	8,200	<50	201.3	129.3	22.42	65.27	---	---
02-11-94	1,500	1,100*	220	220	75	170	---	---
05-25-94	2,900	300	500	270	270	250	---	---
08-18-94	1,100	930	240	35	130	28	---	---
11-14-94	520	380	76	87	24	96	---	---
02-03-95	21,000	850	4,100	4,500	790	3,300	---	---
04-28-95	15,000	940	5,700	890	630	1,700	---	---
08-08-95	5,500	1,900	1,300	720	300	690	---	---
11-10-95	1,300	500	170	20	78	100	---	---
02-16-96	4,500	710*	1,200	90	400	700	< 10	---
05-17-96	17,000	120*	7,900	770	1,100	3,000	< 120	---
08-16-96	4,400	410	990	180	280	760	< 50	---
11-12-96	3,400	1,100*	680	56	210	710	28	---
02-06-97	20,000	3,300*	4,500	2,800	840	2,800	< 1,000	---
05-28-97	11,000	2,900*	2,700	320	620	1,800	110	---
12-10-97	9,600	920	1,600	1,900	310	1,200	35	---
<b>06-12-98*</b>	<b>13,000</b>	<b>3,900</b>	<b>2,800</b>	<b>57</b>	<b>1,300</b>	<b>2,800</b>	<b>&lt; 50</b>	<b>---</b>
<u>MW-2</u>								
05-05-93	5,100	<50	9.5	17	22	51	---	< 0.0005
08-20-93	1,400	<50	1.2	1.7	2.3	7.9	---	< 0.0005
11-18-93	16,000	<50	4,093	5,647	798.2	3,078	---	---
02-11-94	20,000	3,500*	2,000	2,800	470	3,200	---	---
05-25-94	7,000	<50	1,400	1,100	220	1,200	---	---
08-18-94	60,000	<50	8,000	18,000	2,100	13,000	---	---
11-14-94	36,000	<50	3,700	7,700	1,400	8,400	---	---
02-03-95	18,000	100	2,100	2,700	480	3,000	---	---
04-28-95	17,000	<50	2,300	2,500	580	3,700	---	---
08-08-95	17,000	<50	2,500	3,200	550	1,900	---	---
11-10-95	7,400	<50	1,200	370	260	1,400	---	---
02-16-96	6,600	750*	1,500	760	150	1,370	< 40	---
05-17-96	8,000	340	1,200	600	320	1,600	< 120	---
08-16-96	5,600	<50	740	280	240	740	< 50	---
11-12-96	7,400	2,700*	1,200	760	300	1,400	< 50	---
02-06-97	17,000	<50	2,300	2,800	530	2,800	< 1,000	---
05-28-97	6,700	2,500*	960	440	300	1,100	< 100	---
12-10-97	12,000	<50	1,600	1,800	370	1,800	< 25	---
<b>06-12-98</b>	<b>1,400</b>	<b>1,600</b>	<b>300</b>	<b>99</b>	<b>49</b>	<b>240</b>	<b>&lt; 5</b>	<b>---</b>

**TABLE TWO (Continued)**  
**Summary of Analytical Results of WATER Samples**  
 All results are in parts per billion

Well ID & Dates Sampled	TPH-G	TPH-D	Benzene	Toluene	Ethyl Benzene	Total Xylenes	MTBE	Total Lead
<u>MW-3</u>								
05-05-93	<50	<50	<0.5	<0.5	<0.5	<0.5	---	< 0.0005
08-20-93	70	<50	<0.5	0.9	1.1	4.6	---	< 0.0005
11-18-93	<50	<50	<0.5	<0.5	<0.5	<0.5	---	---
02-11-94	<50	<50	<0.5	<0.5	<0.5	<0.5	---	---
05-25-94	<50	<50	<0.5	<0.5	<0.5	<2	---	---
08-18-94	Sampled second quarter only							
11-14-94	Sampled second quarter only							
02-03-95	Sampled second quarter only							
04-28-95	<50	<50	<0.5	<0.5	<0.5	<2	---	---
08-09-95	Sampled second quarter only							
11-10-95	Sampled second quarter only							
02-16-96	Sampled second quarter only							
05-17-96	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	---
08-16-96	Sampled second quarter only							
11-12-96	Sampled second quarter only							
02-06-97	Sampled second quarter only							
05-28-97	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	---
12-10-97	Sampled second quarter only							
06-12-98	Sampled second quarter only							
<u>MW-4</u>								
06-13-94	<50	<50	<0.5	<0.5	<0.5	<0.5	---	---
08-18-94	<50	<50	<0.5	0.6	<0.5	<2	---	---
11-14-94	<50	<50	<0.5	<0.5	<0.5	<2	---	---
02-03-95	<50	<50	<0.5	<0.5	<0.5	<2	---	---
04-28-95	<50	<50	<0.5	0.6	<0.5	<2	---	---
08-08-95	<50	<50	<0.5	0.8	<0.5	<2	---	---
11-10-95	<50	<50	0.5	0.8	<0.5	<2	---	---
02-16-96	<50	<50	<0.5	<0.5	<0.5	<1	<2	---
05-17-96	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	---
08-16-96	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	---
11-12-96	Not Sampled - Inaccessible Well							
02-06-97	Not Sampled - Inaccessible Well							
05-28-97	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	---
12-10-97	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	---
06-12-98	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	---

**TABLE TWO (Continued)**  
**Summary of Analytical Results of WATER Samples**  
**All results are in parts per billion**

Well ID & Dates Sampled	TPH-G	TPH-D	Benzene	Toluene	Ethyl Benzene	Total Xylenes	MTBE	Total Lead
<u>MW-5</u>								
06-13-94	<50	<50	<0.5	<0.5	<0.5	<0.5	---	---
08-18-94	<50	<50	<0.5	<0.5	<0.5	<2	---	---
11-14-94	<50	<50	<0.5	0.9	<0.5	<2	---	---
02-03-95	<50	<50	<0.5	<0.5	<0.5	<2	---	---
04-28-95	<50	<50	<0.5	<0.5	<0.5	<2	---	---
08-08-95	<50	<50	<0.5	<0.5	<0.5	<2	---	---
11-10-95	<50	<50	<0.5	<0.5	<0.5	<2	---	---
02-16-96	Sampled second quarter only							
05-17-96	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	---
08-16-96	Sampled second quarter only							
11-12-96	Sampled second quarter only							
02-06-97	Sampled second quarter only							
05-28-97	<50	<62	<0.5	<0.5	<0.5	<0.5	<5.0	---
12-10-97	Sampled second quarter only							
06-12-98	Sampled second quarter only							
DTSC MCLs	NA	NA	1	100***	680	1,750	NA	50
EPA METHOD	5030/ 8015M	3510/ 8015M	602 or 8020	602 or 8020	602 or 8020	602 or 8020	602 or 8020	7420

\* = non-typical diesel pattern

\*\* = Sample analyzed outside of holding time.

\*\*\* = DTSC recommended action level for drinking water. Maximum contaminant level not established.