

ALAMEDA COUNTY  
HEALTH CARE SERVICES

AGENCY

DAVID J. KEARS, Agency Director



F

ENVIRONMENTAL HEALTH SERVICES  
ENVIRONMENTAL PROTECTION  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577  
(510) 567-6700  
FAX (510) 337-9335

January 31, 2007

Richard Rinck  
GE Healthcare  
389 Oyster Point Blvd.  
South San Francisco, CA 94080

August Blasquez and Paul Dresnick TRS  
P.O. Box 66571  
Scotts Valley, CA 95067

August Blasquez and Celia Villar  
7026 Santa Teresa Blvd.  
San Jose, CA 95139

Subject: SLIC Case No. RO0002874, GE Imatron/Caral Manufacturing, 578 Cleveland Avenue, Albany, CA

Dear Richard Rinck, August Blasquez and Paul Dresnick TRS, and Celia Villar:

This letter confirms the completion of site investigation and remedial actions for the soil and groundwater investigation at the above referenced site. We are also transmitting the enclosed case closure summary. These documents confirm the completion of the investigation and cleanup of the reported releases at the subject site with the provision that the information provided to this agency was accurate and representative of existing conditions. The subject Spill, Leaks, Investigation, and Cleanup (SLIC) case is closed.

**SITE INVESTIGATION AND CLEANUP SUMMARY**

Please be advised that the following conditions exist at the site:


- Due to the presence of elevated concentrations of petroleum hydrocarbons, soil was excavated in the area of a Hydrotel sump. Soil contamination originating from the sump was removed by excavation over an area inside and extending outside the building. Confirmation soil samples collected following the excavation indicate that the concentrations of petroleum hydrocarbons in residual soil do not exceed San Francisco Bay Regional Water Quality Control Board Environmental Screening Levels following excavation.
- Soils were excavated and removed in several areas of the North Yard due to elevated concentrations of petroleum hydrocarbons, volatile organic compounds, and metals. Soils were also excavated and removed from the area west of the building due to elevated concentrations of metals.
- Trichloroethene was detected in groundwater upgradient and downgradient of the site at concentrations up to 8.9 parts per billion (ppb).

Richard Rinck  
August Blasquez and Paul Dresnick TRS  
August Blasquez and Celia Villar  
January 31, 2007  
Page 2

- Total petroleum hydrocarbons as diesel were detected in groundwater at concentrations up to 92 ppb.

If you have any questions, please call Jerry Wickham at (510) 567-6791. Thank you.

Sincerely,



Donna L. Drogos, P.E.  
LOP and SLIC Program Manager

Enclosures: SLIC Case Closure Summary

cc: Cherie McCaulou (w/enc.)  
San Francisco Bay Regional Water Quality Control Board  
1515 Clay Street, Suite 1400  
Oakland, CA 94612

City of Albany Planning and Zoning Department (w/enc.)  
1000 San Pablo Avenue  
Albany, CA 94706

Michael Zimmerman (w/enc.)  
Clayton Group Services, Inc.  
6920 Kolt Center Parkway  
Pleasanton, CA 94566

Donna Drogos, ACEH (w/enc.)  
Jerry Wickham, ACEH (w/ original enc)  
File

**Wickham, Jerry, Env. Health**

---

**To:** mike.zimmerman@us.bureauveritas.com  
**Cc:** Giordano, Vincent (GE Healthcare); Efirestone@aol.com; Hackett, Liz (GE Healthcare); jon.rosso@us.bureauveritas.com; Rinck, Richard (GE Healthcare)  
**Subject:** RE: RO0002874 Report Upload

Mike,

Thank you for uploading the files. I found and accepted a map and several reports that appeared as pending on Geotracker.

The case closure summary was approved by Alameda County and I have forwarded it to Cherie McCaulou at the San Francisco Bay Water Board for concurrence.

Regards,

*Jerry Wickham*

Alameda County Environmental Health  
1131 Harbor Bay Parkway  
Alameda, CA 94502-6577  
510-567-6791 phone  
510-337-9335 fax  
[jerry.wickham@acgov.org](mailto:jerry.wickham@acgov.org)

---

**From:** mike.zimmerman@us.bureauveritas.com [mailto:mike.zimmerman@us.bureauveritas.com]  
**Sent:** Thursday, January 18, 2007 7:56 PM  
**To:** Wickham, Jerry, Env. Health  
**Cc:** Giordano, Vincent (GE Healthcare); Efirestone@aol.com; Hackett, Liz (GE Healthcare); jon.rosso@us.bureauveritas.com; Rinck, Richard (GE Healthcare)  
**Subject:** RE: RO0002874 Report Upload

Jerry, thanks for your update and assistance on the GE Caral site closure.

As required, we uploaded the reports for the GE Caral site to the GeoTracker website with site investigation data completed after July 15, 2005: (1) Revised Site Investigation Report and the (2) Remedial Excavation Report. In addition, we uploaded the site map and the analytical EDF documents for the reports.

The files are shown as pending on the GeoTracker website until the SWRCB approves/accepts them.

Michael J. Zimmerman, P.E., R.E.A.  
Senior Project Manager  
Clayton Group Services  
A Bureau Veritas Company  
6920 Koll Center Parkway, Suite 216  
Pleasanton, CA 94566  
Direct: 925.426.2681  
Mobile: 925.580.5516  
Fax: 925.426.0106  
[mike.zimmerman@us.bureauveritas.com](mailto:mike.zimmerman@us.bureauveritas.com)  
[www.us.bureauveritas.com](http://www.us.bureauveritas.com)

**PLEASE NOTE:** Effective immediately, my new email address is [mike.zimmerman@us.bureauveritas.com](mailto:mike.zimmerman@us.bureauveritas.com).

1/19/2007

Please update your address book. Information about Clayton's acquisition by Bureau Veritas can be found at <http://www.claytongrp.com/media.html>.

"Wickham, Jerry, Env. Health"  
<jerry.wickham@acgov.org>

To Mike Zimmerman/USA/VERITAS@VERITAS

cc

Subject RE: RO0002874 Report Upload

01/09/2007 04:13 PM

Mike,

I have completed a case closure summary for RO2874 and submitted it for approval within Alameda County Environmental Health. Following ACEH concurrence, the summary will go to RWQCB for concurrence. One item that will come up during RWQCB review will be Geotracker requirements. For a SLIC site, you will need to upload all reports to Geotracker dated later than July 1, 2005. The Geotracker Global ID for this case is SL0600178282. Contact me with any questions.

Regards,

*Jerry Wickham*

Alameda County Environmental Health

1131 Harbor Bay Parkway

Alameda, CA 94502-6577

510-567-6791 phone

510-337-9335 fax

[jerry.wickham@acgov.org](mailto:jerry.wickham@acgov.org)

---

**From:** mike.zimmerman@us.bureauveritas.com [mailto:mike.zimmerman@us.bureauveritas.com]

**Sent:** Thursday, December 21, 2006 9:01 AM

**To:** dehloptoxic, Env. Health

**Cc:** Wickham, Jerry, Env. Health; Richard.Rinck@med.ge.com

**Subject:** RE: RO0002874 Report Upload

Thank you for the feedback.

Today, we reloaded the report file with the signature and stamp of my boss, a registered civil engineer as allowed by State regulations/laws.

Michael J. Zimmerman, P.E., R.E.A.

Senior Project Manager

Clayton Group Services

A Bureau Veritas Company

6920 Koll Center Parkway, Suite 216

Pleasanton, CA 94566

Direct: 925.426.2681

Mobile: 925.580.5516

Fax: 925.426.0106

[mike.zimmerman@us.bureauveritas.com](mailto:mike.zimmerman@us.bureauveritas.com)

[www.us.bureauveritas.com](http://www.us.bureauveritas.com)

1/19/2007

**PLEASE NOTE:** Effective immediately, my new email address is [mike.zimmerman@us.bureauveritas.com](mailto:mike.zimmerman@us.bureauveritas.com). Please update your address book. Information about Clayton's acquisition by Bureau Veritas can be found at <http://www.claytongrp.com/media.html>.

"dehloptoxic, Env. Health" <[dehloptoxic@acgov.org](mailto:dehloptoxic@acgov.org)>

Sent by: "Seng, John, Env. Health" <[john.seng@acgov.org](mailto:john.seng@acgov.org)>

To: Mike Zimmerman/USA/VERITAS@VERITAS

cc

Subject RE: RO0002874 Report Upload

12/20/2006 03:19 PM

Good Afternoon Mike,

Thank you for the upload. Unfortunately, we ask that all reports be submitted with the Professional Certification Stamp. We understand that legally a professional Geologist can substitute their stamp with signature, registration number and expiration date. Due to the volume of documents being uploaded to the FTP Site and the lack of a technical staff, we ask that the stamp be used instead. This allows for a more efficient and expedient process for everyone. Please resubmit the document with the proper stamp and it will be processed as soon as possible.

Thank you.

---

**From:** [mike.zimmerman@us.bureauveritas.com](mailto:mike.zimmerman@us.bureauveritas.com) [<mailto:mike.zimmerman@us.bureauveritas.com>]

**Sent:** Tuesday, December 19, 2006 10:56 AM

**To:** dehloptoxic, Env. Health; Wickham, Jerry, Env. Health; [Richard.Rinck@med.ge.com](mailto:Richard.Rinck@med.ge.com)

**Cc:** [jon.rosso@us.bureauveritas.com](mailto:jon.rosso@us.bureauveritas.com)

**Subject:** RO0002874 Report Upload

As required, we are sending this email to notify the County that we have uploaded the Remedial Excavation Report for the SLIC case# RO0002874 as required to the Alameda County upload site.

Mr. Wickham, attached are the tables in Excel format as required in the County's upload instructions.

Michael J. Zimmerman, P.E., R.E.A.

Senior Project Manager

Clayton Group Services

A Bureau Veritas Company

6920 Koll Center Parkway, Suite 216

Pleasanton, CA 94566

Direct: 925.426.2681

Mobile: 925.580.5516

Fax: 925.426.0106

[mike.zimmerman@us.bureauveritas.com](mailto:mike.zimmerman@us.bureauveritas.com)

[www.us.bureauveritas.com](http://www.us.bureauveritas.com)

**PLEASE NOTE:** Effective immediately, my new email address is [mike.zimmerman@us.bureauveritas.com](mailto:mike.zimmerman@us.bureauveritas.com). Please update your address book. Information about Clayton's acquisition by Bureau Veritas can be found at <http://www.claytongrp.com/media.html>.

1/19/2007

**Wickham, Jerry, Env. Health**

---

**To:** mike.zimmerman@us.bureauveritas.com**Subject:** RE: RO0002874 Report Upload

Mike,

I have completed a case closure summary for RO2874 and submitted it for approval within Alameda County Environmental Health. Following ACEH concurrence, the summary will go to RWQCB for concurrence. One item that will come up during RWQCB review will be Geotracker requirements. For a SLIC site, you will need to upload all reports to Geotracker dated later than July 1, 2005. The Geotracker Global ID for this case is SL0600178282. Contact me with any questions.

Regards,

*Jerry Wickham*

Alameda County Environmental Health

1131 Harbor Bay Parkway

Alameda, CA 94502-6577

510-567-6791 phone

510-337-9335 fax

[jerry.wickham@acgov.org](mailto:jerry.wickham@acgov.org)

---

**From:** mike.zimmerman@us.bureauveritas.com [mailto:mike.zimmerman@us.bureauveritas.com]**Sent:** Thursday, December 21, 2006 9:01 AM**To:** dehloptoxic, Env. Health**Cc:** Wickham, Jerry, Env. Health; Richard.Rinck@med.ge.com**Subject:** RE: RO0002874 Report Upload

Thank you for the feedback.

Today, we reloaded the report file with the signature and stamp of my boss, a registered civil engineer as allowed by State regulations/laws.

Michael J. Zimmerman, P.E., R.E.A.

Senior Project Manager

Clayton Group Services

*A Bureau Veritas Company*

6920 Koll Center Parkway, Suite 216

Pleasanton, CA 94566

Direct: 925.426.2681

Mobile: 925.580.5516

Fax: 925.426.0106

[mike.zimmerman@us.bureauveritas.com](mailto:mike.zimmerman@us.bureauveritas.com)[www.us.bureauveritas.com](http://www.us.bureauveritas.com)

**PLEASE NOTE:** Effective immediately, my new email address is [mike.zimmerman@us.bureauveritas.com](mailto:mike.zimmerman@us.bureauveritas.com). Please update your address book. Information about Clayton's acquisition by Bureau Veritas can be found at <http://www.claytongrp.com/media.html>.

"dehloptoxic, Env. Health" <[dehloptoxic@acgov.org](mailto:dehloptoxic@acgov.org)>  
Sent by: "Seng, John, Env. Health"

To: Mike Zimmerman/USA/VERITAS@VERITAS

cc

1/9/2007

RO2874



## GE Healthcare

389 Oyster Point Boulevard  
South San Francisco, CA 94080  
USA

T 650 583 9964  
F 650 827 7788

August 31, 2006

Jerry Wickham  
Environmental Health Services  
Environmental Protection  
1131 Harbor Bay Parkway  
Suite 250  
Alameda, CA. 94502

Subject: SLIC Case No. RO0002874, GE Imatron/Caral Manufacturing, 578 Cleveland Avenue, Albany, CA.

Dear Jerry,

We have received your letter dated August 18, 2006 and have reviewed the contents. We would like to take this opportunity to inform you that we will be performing the work set out in our work plan and will make the best effort possible to get the soil next to the compressor tanks, building and electrical lines as requested in the Technical Comments section of your letter. At this time we do not have a contractor schedule, but we will inform you of the schedule and work commencement date at least 72 hours in advance as requested.

Once the work is completed we will prepare and submit a Redmedial Excavation Report as requested. This report will also be placed on your electronic web site.

We look forward to completing this work and the review of our work at this site.

Sincerely,

A handwritten signature in black ink, appearing to read 'Richard Rinck'.

Richard Rinck  
GE Healthcare  
EBT Manufacturing Manager

RECEIVED

SEP 01 2006

ENVIRONMENTAL HEALTH SERVICES





Richard Rinck  
August Blasquez and Paul Dresnick TRS  
August Blasquez and Celia Villar  
August 18, 2006  
Page 2

### TECHNICAL REPORT REQUEST

Please submit technical reports to Alameda County Environmental Health (Attention: Jerry Wickham), according to the following schedule:

- **December 19, 2006** – Remedial Excavation Report

These reports are being requested pursuant to California Health and Safety Code Section 25296.10. 23 CCR Sections 2652 through 2654, and 2721 through 2728 outline the responsibilities of a responsible party in response to an unauthorized release from a petroleum UST system, and require your compliance with this request.

### ELECTRONIC SUBMITTAL OF REPORTS

Effective **January 31, 2006**, the Alameda County Environmental Cleanup Oversight Programs (LOP and SLIC) require submission of all reports in electronic form to the county's ftp site. Paper copies of reports will no longer be accepted. The electronic copy replaces the paper copy and will be used for all public information requests, regulatory review, and compliance/enforcement activities. Instructions for submission of electronic documents to the Alameda County Environmental Cleanup Oversight Program ftp site are provided on the attached "Electronic Report Upload (ftp) Instructions." Please do not submit reports as attachments to electronic mail.

Submission of reports to the Alameda County ftp site is an addition to existing requirements for electronic submittal of information to the State Water Resources Control Board (SWRCB) Geotracker website. Submission of reports to the Geotracker website does not fulfill the requirement to submit documents to the Alameda County ftp site. In September 2004, the SWRCB adopted regulations that require electronic submittal of information for groundwater cleanup programs. For several years, responsible parties for cleanup of leaks from underground storage tanks (USTs) have been required to submit groundwater analytical data, surveyed locations of monitor wells, and other data to the Geotracker database over the Internet. Beginning July 1, 2005, electronic submittal of a complete copy of all necessary reports was required in Geotracker (in PDF format). Please visit the SWRCB website for more information on these requirements ([http://www.swrcb.ca.gov/ust/cleanup/electronic\\_reporting](http://www.swrcb.ca.gov/ust/cleanup/electronic_reporting)).

### PERJURY STATEMENT

All work plans, technical reports, or technical documents submitted to ACEH must be accompanied by a cover letter from the responsible party that states, at a minimum, the following: "I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge." This letter must be signed by an officer or legally authorized representative of your company. Please include a cover letter satisfying these requirements with all future reports and technical documents submitted for this fuel leak case.

Richard Rinck  
August Blasquez and Paul Dresnick TRS  
August Blasquez and Celia Villar  
August 18, 2006  
Page 3

**PROFESSIONAL CERTIFICATION & CONCLUSIONS/RECOMMENDATIONS**

The California Business and Professions Code (Sections 6735, 6835, and 7835.1) requires that work plans and technical or implementation reports containing geologic or engineering evaluations and/or judgments be performed under the direction of an appropriately registered or certified professional. For your submittal to be considered a valid technical report, you are to present site specific data, data interpretations, and recommendations prepared by an appropriately licensed professional and include the professional registration stamp, signature, and statement of professional certification. Please ensure all that all technical reports submitted for this fuel leak case meet this requirement.

**UNDERGROUND STORAGE TANK CLEANUP FUND**


Please note that delays in investigation, later reports, or enforcement actions may result in your becoming ineligible to receive grant money from the state's Underground Storage Tank Cleanup Fund (Senate Bill 2004) to reimburse you for the cost of cleanup.

**AGENCY OVERSIGHT**

If it appears as though significant delays are occurring or reports are not submitted as requested, we will consider referring your case to the Regional Board or other appropriate agency, including the County District Attorney, for possible enforcement actions. California Health and Safety Code, Section 25299.76 authorizes enforcement including administrative action or monetary penalties of up to \$10,000 per day for each day of violation.

If you have any questions, please call me at (510) 567-6791.

Sincerely,



Jerry Wickham  
Hazardous Materials Specialist

Enclosure: ACEH Electronic Report Upload (ftp) Instructions

cc: Michael Zimmerman  
Clayton Group Services, Inc.  
6920 Koll Center Parkway  
Pleasanton, CA 94566

Donna Drogos, ACEH  
Jerry Wickham, ACEH  
File

R02874

**PHILLIP J. GRIEGO AND ASSOCIATES**

ATTORNEYS AT LAW

SUITE 500

95 SOUTH MARKET STREET

SAN JOSE, CALIFORNIA 95113

PHILLIP J. GRIEGO  
ROBERT E. NUDDLEMAN  
JEFFREY C. PARK

(408) 293-6341  
FACSIMILE  
(408) 293-1959

Alameda County  
JUL 18 2006  
Environmental Health

July 13, 2006

**VIA FIRST CLASS AND MAIL FACSIMILE (510-337-9335)**

Mr. Jerry Wickham  
Alameda County Health Care Services  
Environmental Health Services  
Environmental Protection  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577


**ATT: Rosanna Garcia-Lagrille**

**Subject: SLIC Case No. R00002874, GE Imatron/Caral Manufacturing,  
578 Cleveland Avenue, Albany, California**

Dear Ms. Garcia-Lagrille and Mr. Wickham:

I represent the owner of the above-described property, Ms. Celia Villar. I would like to inspect the case file in this matter. Mr. Wickham informs me that I may inspect the file at your office on Thursdays and Fridays. Please advise when I may be able to inspect the file as soon as possible.

Yours truly,



PHILLIP J. GRIEGO

cc. Celia Villar

PJG:bd

ALAMEDA COUNTY  
HEALTH CARE SERVICES

AGENCY  
DAVID J. KEARS, Agency Director



ENVIRONMENTAL HEALTH SERVICES  
ENVIRONMENTAL PROTECTION  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577  
(510) 567-6700  
FAX (510) 337-9335

July 7, 2006

Richard Rinck  
GE Healthcare  
389 Oyster Point Blvd.  
South San Francisco, CA 94080

August Blasquez and Paul Dresnick TRS  
P.O. Box 66571  
Scotts Valley, CA 95067

August Blasquez and Celia Villar  
7026 Santa Teresa Blvd.  
San Jose, CA 95139

Subject: SLIC Case No. RO0002874, GE Imatron/Caral Manufacturing, 578 Cleveland Avenue,  
Albany, CA

Dear Richard Rinck, August Blasquez and Paul Dresnick TRS, and Celia Villar:

Alameda County Environmental Health (ACEH) staff has reviewed the Spills, Leaks, Investigations, and Cleanups (SLIC) case file for the above-referenced site and the report entitled, "Revised Site Investigation Report for SLIC Case No. RO0002874," dated June 20, 2006, prepared on your behalf by Clayton Group Services, Inc. This report presents the results from a site investigation conducted in February 2006 that included 17 soil borings and a site investigation conducted in May 2006 that included the collection of shallow soil samples from 11 of the 17 previous soil boring locations.

Based on our review of the "Revised Site Investigation Report for SLIC Case No. RO0002874," dated June 20, 2006, and previous results, we concur with the conclusions and recommendations in the June 20, 2004 report that no further investigation or remedial action is required in the North Yard and the sumps inside the building. As discussed in the technical comments below, we do not concur with the conclusions for the area west of the warehouse. Elevated concentrations of metals were consistently detected in shallow soils within the area west of the warehouse. Remedial action followed by confirmation sampling is required for shallow soils in the area west of the warehouse. We request that you submit a Remedial Work Plan to address the elevated concentrations of metals in surface soils in the area west of the warehouse **by September 21, 2006.**

We request that you address the following technical comments, perform the proposed work, and send us the technical reports requested below.

## TECHNICAL COMMENTS

- 1. Elevated Concentrations of Metals in Shallow Soil West of Warehouse.** The purpose of the February and May 2006 soil sampling in the area west of the warehouse was to confirm the previous arsenic concentration in area of boring B-5 and define the lateral and vertical extent of elevated concentrations of metals in the area of previous boring B-5 and surface soil sample SS-1. Soil samples were initially collected in February 2006 uniformly at depths of 3 and 6 feet below ground surface (bgs). These depths were different than those proposed in the December 27, 2005 Work Plan and below the depths where most of the contamination was detected during previous investigations. At the request of ACEH, shallow soil samples were collected in May 2006, at 1 to 2 feet bgs at 5 previous (February 2006) sampling locations west of the warehouse. Arsenic was not detected at concentrations exceeding the residential or commercial ESL (Water Board February 2005) at any of the 2006 sampling locations. Therefore, the detection of 2,200 milligrams per kilogram (mg/kg) of arsenic in surface soil sample SS-1 appears to be isolated. However, the concentrations of other metals including cobalt, copper, lead, mercury, and zinc detected in the shallow soil samples west of the warehouse were generally significantly higher than the concentrations of metals detected in samples collected at 3 and 6 feet bgs. As an example, the concentration of lead detected in the 1-foot sample exceeded the lead concentrations detected in the 3 and 6-foot bgs samples collected at the five soil sampling locations west of the warehouse by factors ranging from 4 to 133. The concentration of one or more metals exceeded the commercial ESL at 5 of the 7 soil sampling locations west of the warehouse. The concentration of one or more metals exceeded the residential ESL at 6 of the 7 soil sampling locations west of the warehouse. Based on these results, cleanup of shallow soil in the area west of the warehouse is required.
- 2. Conclusions Regarding Regional Background Values.** We do not agree with the statement in the Conclusions and Recommendations section of the "Revised Site Investigation Report for SLIC Case No. RO0002874," dated June 20, 2006 (page 5, section 5.0) that the concentrations of metals in soil "appear to be isolated and within the range of regional background values." As discussed in technical comment 1, the detections of elevated metals concentrations in shallow soil west of the warehouse are not isolated nor are they within regional background values.
- 3. Discussion of PCBs.** The detection of 210 µg/kg of Aroclor 1260 and 240 µg/kg of Aroclor 1268 at sampling location SS-1, previously reported in the Phase I report, was omitted from Table 5. As we previously requested (November 23, 2005 correspondence), please include these results in future data tables. Section 2.3 reports that PCBs were detected at a concentration of 240 mg/kg in soil from SS-1, exceeding the ESL of 0.74 mg/kg. Please note that PCBs were detected at concentrations up to 240 µg/kg rather than 240 mg/kg and the concentrations do not exceed ESLs.
- 4. Boring B-9.** Figure 2 shows boring B-9 outside the area of excavation near the chemical storage shed. However, the text of the report indicates that the soil around boring B-9 was excavated. Please confirm that the area of excavation included boring B-9 and correct the location of boring B-9 or the area of excavation in future figures of the North Yard.

Richard Rinck  
August Blasquez and Paul Dresnick TRS  
August Blasquez and Celia Villar  
July 7, 2006  
Page 3

### TECHNICAL REPORT REQUEST

Please submit technical reports to Alameda County Environmental Health (Attention: Jerry Wickham), according to the following schedule:

- **September 28, 2006** – Remedial Action Work Plan

These reports are being requested pursuant to California Health and Safety Code Section 25296.10. 23 CCR Sections 2652 through 2654, and 2721 through 2728 outline the responsibilities of a responsible party in response to an unauthorized release from a petroleum UST system, and require your compliance with this request.

### ELECTRONIC SUBMITTAL OF REPORTS

Effective **January 31, 2006**, the Alameda County Environmental Cleanup Oversight Programs (LOP and SLIC) require submission of all reports in electronic form to the county's ftp site. Paper copies of reports will no longer be accepted. The electronic copy replaces the paper copy and will be used for all public information requests, regulatory review, and compliance/enforcement activities. Instructions for submission of electronic documents to the Alameda County Environmental Cleanup Oversight Program ftp site are provided on the attached "Electronic Report Upload (ftp) Instructions." Please do not submit reports as attachments to electronic mail.

Submission of reports to the Alameda County ftp site is an addition to existing requirements for electronic submittal of information to the State Water Resources Control Board (SWRCB) Geotracker website. Submission of reports to the Geotracker website does not fulfill the requirement to submit documents to the Alameda County ftp site. In September 2004, the SWRCB adopted regulations that require electronic submittal of information for groundwater cleanup programs. For several years, responsible parties for cleanup of leaks from underground storage tanks (USTs) have been required to submit groundwater analytical data, surveyed locations of monitor wells, and other data to the Geotracker database over the Internet. Beginning July 1, 2005, electronic submittal of a complete copy of all necessary reports was required in Geotracker (in PDF format). Please visit the SWRCB website for more information on these requirements ([http://www.swrcb.ca.gov/ust/cleanup/electronic\\_reporting](http://www.swrcb.ca.gov/ust/cleanup/electronic_reporting)).

### PERJURY STATEMENT

All work plans, technical reports, or technical documents submitted to ACEH must be accompanied by a cover letter from the responsible party that states, at a minimum, the following: "I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge." This letter must be signed by an officer or legally authorized representative of your company. Please include a cover letter satisfying these requirements with all future reports and technical documents submitted for this fuel leak case.

Richard Rinck  
August Blasquez and Paul Dresnick TRS  
August Blasquez and Celia Villar  
July 7, 2006  
Page 4

**PROFESSIONAL CERTIFICATION & CONCLUSIONS/RECOMMENDATIONS**

The California Business and Professions Code (Sections 6735, 6835, and 7835.1) requires that work plans and technical or implementation reports containing geologic or engineering evaluations and/or judgments be performed under the direction of an appropriately registered or certified professional. For your submittal to be considered a valid technical report, you are to present site specific data, data interpretations, and recommendations prepared by an appropriately licensed professional and include the professional registration stamp, signature, and statement of professional certification. Please ensure all that all technical reports submitted for this fuel leak case meet this requirement.

**UNDERGROUND STORAGE TANK CLEANUP FUND**


Please note that delays in investigation, later reports, or enforcement actions may result in your becoming ineligible to receive grant money from the state's Underground Storage Tank Cleanup Fund (Senate Bill 2004) to reimburse you for the cost of cleanup.

**AGENCY OVERSIGHT**

If it appears as though significant delays are occurring or reports are not submitted as requested, we will consider referring your case to the Regional Board or other appropriate agency, including the County District Attorney, for possible enforcement actions. California Health and Safety Code, Section 25299.76 authorizes enforcement including administrative action or monetary penalties of up to \$10,000 per day for each day of violation.

If you have any questions, please call me at (510) 567-6791.

Sincerely,



Jerry Wickham  
Hazardous Materials Specialist

Enclosure: ACEH Electronic Report Upload (ftp) Instructions

cc: Michael Zimmerman  
Clayton Group Services, Inc.  
6920 Koll Center Parkway  
Pleasanton, CA 94566

Donna Drogos, ACEH  
Jerry Wickham, ACEH

File

<b>Alameda County Environmental Cleanup Oversight Programs (LOP and SLIC)</b>	<b>ISSUE DATE:</b> July 5, 2005
	<b>REVISION DATE:</b> May 31, 2006
	<b>PREVIOUS REVISIONS:</b> October 31, 2005, December 16, 2005
<b>SECTION:</b> Miscellaneous Administrative Topics & Procedures	<b>SUBJECT:</b> Electronic Report Upload (ftp) Instructions

Effective **January 31, 2006**, the Alameda County Environmental Cleanup Oversight Programs (LOP and SLIC) require submission of all reports in electronic form to the county's ftp site. Paper copies of reports will no longer be accepted. The electronic copy replaces the paper copy and will be used for all public information requests, regulatory review, and compliance/enforcement activities.

#### REQUIREMENTS

- Entire report including cover letter must be submitted to the ftp site as a **single portable document format (PDF) with no password protection**. (Please do not submit reports as attachments to electronic mail.)
- It is **preferable** that reports be converted to PDF format from their original format, (e.g., Microsoft Word) rather than scanned.
- Signature pages and perjury statements **must** be included and have either original or electronic signature.
- **Do not password protect the document**. Once indexed and inserted into the correct electronic case file, the document will be secured in compliance with the County's current security standards and a password. **Documents with password protection will not be accepted.**
- Each page in the PDF document should be rotated in the direction that will make it easiest to read on a computer monitor.
- Reports must be named and saved using the following naming convention:  
RO#\_Report Name\_Year-Month-Date (e.g., RO#5555\_WorkPlan\_2005-06-14)

#### Additional Recommendations

- A separate copy of the tables in the document should be submitted by e-mail to your Caseworker in **Excel** format. These are for use by assigned Caseworker only.

#### Submission Instructions

- 1) Obtain User Name and Password:
  - a) Contact the Alameda County Environmental Health Department to obtain a User Name and Password to upload files to the ftp site.
    - i) Send an e-mail to [dehloptoxic@acgov.org](mailto:dehloptoxic@acgov.org)  
or
    - ii) Send a fax on company letterhead to (510) 337-9335, to the attention of: **ftp Site Coordinator**.
  - b) In the subject line of your request, be sure to include "**ftp PASSWORD REQUEST**" and in the body of your request, include the **Contact Information, Site Addresses, and the Case Numbers (RO# available in Geotracker) you will be posting for.**
- 2) Upload Files to the ftp Site
  - a) Using Internet Explorer (IE4+), go to <ftp://alcoftp1.acgov.org>
    - (i) Note: Netscape and Firefox browsers will not open the FTP site.
  - b) Click on File, then on Login As.
  - c) Enter your User Name and Password. (Note: Both are Case Sensitive.)
  - d) Open "My Computer" on your computer and navigate to the file(s) you wish to upload to the ftp site.
  - e) With both "My Computer" and the ftp site open in separate windows, drag and drop the file(s) from "My Computer" to the ftp window.
- 3) Send E-mail Notifications to the Environmental Cleanup Oversight Programs
  - a) Send email to [dehloptoxic@acgov.org](mailto:dehloptoxic@acgov.org) notify us that you have placed a report on our ftp site.
  - b) Copy your Caseworker on the e-mail. Your Caseworker's e-mail address is the entire first name then a period and entire last name at acgov.org. (e.g., firstname.lastname@acgov.org)
  - c) The subject line of the e-mail must start with the RO# followed by **Report Upload**. (e.g., Subject: RO1234 Report Upload)



ALAMEDA COUNTY  
HEALTH CARE SERVICES

AGENCY

DAVID J. KEARS, Agency Director



ENVIRONMENTAL HEALTH SERVICES

ENVIRONMENTAL PROTECTION  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577  
(510) 567-6700  
FAX (510) 337-9335

June 29, 2006

Richard Rinck  
GE Healthcare  
389 Oyster Point Blvd.  
South San Francisco, CA 94080

August Blasquez and Paul Dresnick TRS  
P.O. Box 66571  
Scotts Valley, CA 95067

August Blasquez and Celia Villar  
7026 Santa Teresa Blvd.  
San Jose, CA 95139

Subject: SLIC Case No. ~~RO0002874~~ GE Imatron/Caral Manufacturing, 578 Cleveland Avenue, Albany, CA

Dear Richard Rinck, August Blasquez and Paul Dresnick TRS, and Celia Villar:

Alameda County Environmental Health (ACEH) staff has received a hard copy of a report entitled, "Revised Site Investigation Report for SLIC Case No. RO0002874," dated June 20, 2006, prepared on your behalf by Clayton Group Services, Inc. This report was received by ACEH on June 23, 2006. Please note that effective January 31, 2006, the Alameda County Environmental Cleanup Oversight Programs (LOP and SLIC) require submission of all reports in electronic form to the county's ftp site. Hard copies of reports are no longer accepted. **Therefore, please upload the "Revised Site Investigation Report for SLIC Case No. RO0002874," dated June 20, 2006, and all future reports to the Alameda County FTP site as outlined in the following discussion of "Electronic Submittal of Reports," and the enclosed, "Electronic Report Upload (ftp) Instructions."**

A review of the case file and the State Water Resources Control Board's (SWRCB) Geotracker website indicate that electronic copies of analytical data have not been submitted for your site. Beginning July 1, 2005, electronic submittal of a complete copy of all reports (LUFT or SLIC) is required in Geotracker (in PDF format). In order to remain in regulatory compliance, please upload all SLIC analytical data and copies of reports post July 1, 2005, to the SWRCB's Geotracker database website in accordance with the above-cited regulation. Please perform the electronic submittals for applicable data and submit verification to this Agency by **July 31, 2006**.

ELECTRONIC SUBMITTAL OF REPORTS

Effective **January 31, 2006**, the Alameda County Environmental Cleanup Oversight Programs (LOP and SLIC) require submission of all reports in electronic form to the county's ftp site. Paper copies of reports will no longer be accepted. The electronic copy replaces the paper copy and will be used for all public information requests, regulatory review, and compliance/enforcement activities. Instructions for submission of electronic documents to the Alameda County

Richard Rinck  
August Blasquez  
Paul Dresnick  
June 29, 2006  
Page 2

Environmental Cleanup Oversight Program ftp site are provided on the attached "Electronic Report Upload (ftp) Instructions." Please do not submit reports as attachments to electronic mail.

Submission of reports to the Alameda County ftp site is an addition to existing requirements for electronic submittal of information to the State Water Resources Control Board (SWRCB) Geotracker website. Submission of reports to the Geotracker website does not fulfill the requirement to submit documents to the Alameda County ftp site. In September 2004, the SWRCB adopted regulations that require electronic submittal of information for groundwater cleanup programs. For several years, responsible parties for cleanup of leaks from underground storage tanks (USTs) have been required to submit groundwater analytical data, surveyed locations of monitor wells, and other data to the Geotracker database over the Internet. Beginning July 1, 2005, electronic submittal of a complete copy of all necessary reports was required in Geotracker (in PDF format). Please visit the SWRCB website for more information on these requirements ([http://www.swrcb.ca.gov/ust/cleanup/electronic\\_reporting](http://www.swrcb.ca.gov/ust/cleanup/electronic_reporting)).

#### PERJURY STATEMENT

All work plans, technical reports, or technical documents submitted to ACEH must be accompanied by a cover letter from the responsible party that states, at a minimum, the following: "I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge." This letter must be signed by an officer or legally authorized representative of your company. Please include a cover letter satisfying these requirements with all future reports and technical documents submitted for this fuel leak case.

#### PROFESSIONAL CERTIFICATION & CONCLUSIONS/RECOMMENDATIONS

The California Business and Professions Code (Sections 6735, 6835, and 7835.1) requires that work plans and technical or implementation reports containing geologic or engineering evaluations and/or judgments be performed under the direction of an appropriately registered or certified professional. For your submittal to be considered a valid technical report, you are to present site specific data, data interpretations, and recommendations prepared by an appropriately licensed professional and include the professional registration stamp, signature, and statement of professional certification. Please ensure all that all technical reports submitted for this fuel leak case meet this requirement.

#### UNDERGROUND STORAGE TANK CLEANUP FUND

Please note that delays in investigation, later reports, or enforcement actions may result in your becoming ineligible to receive grant money from the state's Underground Storage Tank Cleanup Fund (Senate Bill 2004) to reimburse you for the cost of cleanup.

#### AGENCY OVERSIGHT


If it appears as though significant delays are occurring or reports are not submitted as requested, we will consider referring your case to the Regional Board or other appropriate agency, including

Richard Rinck  
August Blasquez  
Paul Dresnick  
June 29, 2006  
Page 3

the County District Attorney, for possible enforcement actions. California Health and Safety Code, Section 25299.76 authorizes enforcement including administrative action or monetary penalties of up to \$10,000 per day for each day of violation.

If you have any questions, please call me at (510) 567-6791.

Sincerely,



Jerry Wickham  
Hazardous Materials Specialist

Enclosure: ACEH Electronic Report Upload (ftp) Instructions

cc: Michael Zimmerman  
Clayton Group Services, Inc.  
6920 Koll Center Parkway, Suite 216  
Pleasanton, CA 94566

Donna Drogos, ACEH  
Jerry Wickham, ACEH  
File

**Wickham, Jerry, Env. Health**

---

**From:** Wickham, Jerry, Env. Health  
**Sent:** Wednesday, June 21, 2006 12:21 PM  
**To:** 'mike.zimmerman@us.bureauveritas.com'  
**Subject:** RE: Summary of phone conversations on May 5 and May 11

The revised report with all of the data in the tables and text is acceptable.

Regards,  
*Jerry Wickham*  
Hazardous Materials Specialist  
Alameda County Environmental Health  
1131 Harbor Bay Parkway  
Suite 250  
Alameda, CA 94502-6577  
510-567-6791 phone  
510-337-9335 Fax  
[jerry.wickham@acgov.org](mailto:jerry.wickham@acgov.org)

---

**From:** mike.zimmerman@us.bureauveritas.com [mailto:mike.zimmerman@us.bureauveritas.com]  
**Sent:** Friday, June 16, 2006 3:43 PM  
**To:** Wickham, Jerry, Env. Health  
**Subject:** Re: Summary of phone conversations on May 5 and May 11

Jerry, regarding the GE Caral site investigation report and additional sampling, we collected the shallower samples in 11 locations at the end of May 2006; we received the data which looks good.

I believe we discussed that Clayton should send an addendum with the new data for the shallower samples, but after looking at the newer data, it seems to make sense to combine it with the Feb 2006 sample data tables since this more clearly shows that the detections are very isolated and decrease with depth.

We are therefore intending to send a revised report with all of the data in the tables and text. Please let me know if that will be acceptable. We could also provide you with a redline/strikeout version to show the changes and make your review more focused on the new text.

Michael J. Zimmerman, P.E., R.E.A.  
Senior Project Manager  
Clayton Group Services  
A Bureau Veritas Company  
6920 Koll Center Parkway, Suite 216  
Pleasanton, CA 94566  
Direct: 925.426.2681  
Fax: 925.426.1057  
[mike.zimmerman@us.bureauveritas.com](mailto:mike.zimmerman@us.bureauveritas.com)  
[www.us.bureauveritas.com](http://www.us.bureauveritas.com)

**PLEASE NOTE:** Effective immediately, my new email address is [mike.zimmerman@us.bureauveritas.com](mailto:mike.zimmerman@us.bureauveritas.com). Please update your address book. Information about Clayton's acquisition by Bureau Veritas can be found at <http://www.claytongrp.com/media.html>.

6/21/2006

"Wickham, Jerry, Env. Health"  
<jerry.wickham@acgov.org>

To Mike Zimmerman/USA/VERITAS@VERITAS

cc

Subject Summary of phone conversations on May 5 and May 11

05/11/2006 04:29 PM

Michael,

In our recent correspondence dated May 2, 2006, we requested that shallow soil samples be collected at a depth of 1 to 2 feet bgs from soil boring locations SB-1 through SB-10 and SB-13 through SB-17. Based upon our discussion on May 5, 2006 in which you requested that the number of required shallow samples be reduced and our further discussion on May 11, 2006, we have reviewed our request and make the following changes:

- 1) Shallow soil samples are to be collected at soil boring locations SB-1 through SB-6 and SB-13 through SB-17. Collection of shallow soil samples at soil boring locations SB-7 through SB-12 is not required.
- 2) The shallow soil samples are to be collected over a 6-inch interval between depths of 1 to 2 feet bgs (1 to 1.5 or 1.5 to 2 feet bgs) unless the thickness of asphalt and road base is more than one foot thick.
- 3) At locations where the asphalt and road base is more than one foot thick, the soil samples are to be collected 6 inches below the top of native soil.
- 4) At any locations where the asphalt and road base are more than 2 feet thick (the boring logs showed no locations with greater than 1.5 feet of asphalt and road base), then no additional soil sampling is required since soil samples were previously collected at 3 to 3.5 feet bgs.

Regards,

*Jerry Wickham*  
Hazardous Materials Specialist  
Alameda County Environmental Health  
1131 Harbor Bay Parkway  
Suite 250  
Alameda, CA 94502-6577  
510-567-6791 phone  
510-337-9335 Fax  
[jerry.wickham@acgov.org](mailto:jerry.wickham@acgov.org)

6/21/2006

**Wickham, Jerry, Env. Health**

---

**From:** mike.zimmerman@us.bureauveritas.com  
**Sent:** Thursday, May 11, 2006 5:00 PM  
**To:** Wickham, Jerry, Env. Health  
**Subject:** Re: Summary of phone conversations on May 5 and May 11

Thanks, Jerry, I received the email.  
 We will move very quickly on this and get you and addendum.

Michael J. Zimmerman, P.E., R.E.A.  
 Senior Project Manager  
 Clayton Group Services  
 A Bureau Veritas Company  
 6920 Koll Center Parkway, Suite 216  
 Pleasanton, CA 94566  
 Direct: 925.426.2681  
 Fax: 925.426.1057  
[mike.zimmerman@us.bureauveritas.com](mailto:mike.zimmerman@us.bureauveritas.com)  
[www.us.bureauveritas.com](http://www.us.bureauveritas.com)

**PLEASE NOTE:** Effective immediately, my new email address is [mike.zimmerman@us.bureauveritas.com](mailto:mike.zimmerman@us.bureauveritas.com).  
 Please update your address book. Information about Clayton's acquisition by Bureau Veritas can be found at <http://www.claytongrp.com/media.html>.

"Wickham, Jerry, Env. Health"  
 <jerry.wickham@acgov.org>

To: Mike Zimmerman/USA/VERITAS@VERITAS

cc

Subject: Summary of phone conversations on May 5 and May 11

05/11/2006 04:29 PM

Michael,

In our recent correspondence dated May 2, 2006, we requested that shallow soil samples be collected at a depth of 1 to 2 feet bgs from soil boring locations SB-1 through SB-10 and SB-13 through SB-17. Based upon our discussion on May 5, 2006 in which you requested that the number of required shallow samples be reduced and our further discussion on May 11, 2006, we have reviewed our request and make the following changes:

- 1) Shallow soil samples are to be collected at soil boring locations SB-1 through SB-6 and SB-13 through SB-17. Collection of shallow soil samples at soil boring locations SB-7 through SB-12 is not required.
- 2) The shallow soil samples are to be collected over a 6-inch interval between depths of 1 to 2 feet bgs (1 to 1.5 or 1.5 to 2 feet bgs) unless the thickness of asphalt and road base is more than one foot thick.
- 3) At locations where the asphalt and road base is more than one foot thick, the soil samples are to be collected 6 inches below the top of native soil.
- 4) At any locations where the asphalt and road base are more than 2 feet thick (the boring logs showed no locations with greater than 1.5 feet of asphalt and road base), then no additional soil sampling is required since soil samples were previously collected at 3 to 3.5 feet bgs.

5/11/2006

Regards,

*Jerry Wickham*  
Hazardous Materials Specialist  
Alameda County Environmental Health  
1131 Harbor Bay Parkway  
Suite 250  
Alameda, CA 94502-6577  
510-567-6791 phone  
510-337-9335 Fax  
[jerry.wickham@acgov.org](mailto:jerry.wickham@acgov.org)

5/11/2006

ALAMEDA COUNTY  
HEALTH CARE SERVICES

AGENCY  
DAVID J. KEARS, Agency Director



7

ENVIRONMENTAL HEALTH SERVICES  
ENVIRONMENTAL PROTECTION  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577  
(510) 567-6700  
FAX (510) 337-9335

May 2, 2006

Mr. Richard Rinck  
GE Healthcare  
389 Oyster Point Blvd.  
South San Francisco, CA 94080

Subject: SLIC Case No. [REDACTED] E Imatron/Caral Manufacturing, 578 Cleveland Avenue,  
Albany, CA

Dear Mr. Rinck:

Alameda County Environmental Health (ACEH) staff has reviewed the Spills, Leaks, Investigations, and Cleanups (SLIC) case file for the above-referenced site and the report entitled, "Site Investigation Report, Former GE Caral Manufacturing Facility, 578 Cleveland Avenue, Albany, CA," dated April 13, 2006, prepared on your behalf by Clayton Group Services, Inc. The report presents the results of a site investigation conducted in February 2006. The site investigation included soil and groundwater sampling from a total of 17 borings. The Site Investigation was based on a Work Plan submitted to ACEH on December 27, 2005. Based on our review, we request that you conduct the additional soil sampling requested below in technical comment 1 and prepare a **revised Site Investigation Report by August 10, 2006.**

We request that you address the following technical comments, perform the proposed work, and send us the technical reports requested below.

**TECHNICAL COMMENTS**

1. **Depth of Shallow Soil Samples.** Soil samples appear to have been collected uniformly at depths of 3 and 6 feet below ground surface (bgs) in each of the February 2006 soil borings. These depths are different than those proposed in the December 27, 2005 Work Plan. Section 3.2 of the December 27, 290905 Work Plan states that two soil samples will be collected from each soil boring at the following depths: "one at near surface or a depth of 1 to 2 feet bgs and one at a depth of 3 to 6 feet bgs." The proposed depths in the Work Plan are appropriate based on the depth at which contamination was encountered during previous investigations of the North Yard Area, Oil Water Separator Area, and Areas West of the Main Building. As shown on Table 1 of the report, 10 of the 14 soil samples collected during the May 2004 Phase I investigation that have concentrations exceeding ESLs were collected at depths less than 2 feet bgs. As noted in the summary of previous investigations, contaminant concentrations generally decrease significantly with depth. Therefore, the collection of the shallowest sample at 3 feet bgs is not sufficient to assess the extent of shallow contamination. We request that you remobilize and collect shallow soil samples from soil boring locations SB-1 through SB-10 and SB-13 through SB-17 at a depth of 1 to 2 feet bgs. The soil samples are to be analyzed as proposed in the December 27, 2005 Work Plan. Soil borings may be advanced using a hand auger to a depth of 1 foot



adjacent to the February 2006 boring locations. A slide hammer or similar device is to be used for collection of soil samples from a depth of 1 to 2 feet bgs. Please incorporate the results from the shallow soil sampling into a revised Site Investigation Report as requested below.

2. **Soil Boring Logs.** Appendix B included soil boring logs for borings SB-1 through SB-10 only. Please include boring logs for soil borings SB-11 through SB-17 in the revised Site Investigation Report requested below. No soil boring logs are required for the shallow soil sampling requested in technical comment 1.
3. **Groundwater Results.** We concur with the recommendation in the Site Investigation Report that further investigation or remediation of groundwater is not required at this time.

#### **TECHNICAL REPORT REQUEST**

Please submit technical reports to Alameda County Environmental Health (Attention: Jerry Wickham), according to the following schedule:

- **August 10, 2006** – Revised Site Investigation Report

These reports are being requested pursuant to California Health and Safety Code Section 25296.10. 23 CCR Sections 2652 through 2654, and 2721 through 2728 outline the responsibilities of a responsible party in response to an unauthorized release from a petroleum UST system, and require your compliance with this request.

#### **ELECTRONIC SUBMITTAL OF REPORTS**

Effective **January 31, 2006**, the Alameda County Environmental Cleanup Oversight Programs (LOP and SLIC) require submission of all reports in electronic form to the county's ftp site. Paper copies of reports will no longer be accepted. The electronic copy replaces the paper copy and will be used for all public information requests, regulatory review, and compliance/enforcement activities. Instructions for submission of electronic documents to the Alameda County Environmental Cleanup Oversight Program ftp site are provided on the attached "Electronic Report Upload (ftp) Instructions." Please do not submit reports as attachments to electronic mail.

Submission of reports to the Alameda County ftp site is an addition to existing requirements for electronic submittal of information to the State Water Resources Control Board (SWRCB) Geotracker website. Submission of reports to the Geotracker website does not fulfill the requirement to submit documents to the Alameda County ftp site. In September 2004, the SWRCB adopted regulations that require electronic submittal of information for groundwater cleanup programs. For several years, responsible parties for cleanup of leaks from underground storage tanks (USTs) have been required to submit groundwater analytical data, surveyed locations of monitor wells, and other data to the Geotracker database over the Internet. Beginning July 1, 2005, electronic submittal of a complete copy of all necessary reports was required in Geotracker (in PDF format). Please visit the SWRCB website for more information on these requirements ([http://www.swrcb.ca.gov/ust/cleanup/electronic\\_reporting](http://www.swrcb.ca.gov/ust/cleanup/electronic_reporting)).

In order to facilitate electronic correspondence, we request that you provide up to date electronic mail addresses for all responsible and interested parties. Please provide current electronic mail

Mr. Richard Rinck  
May 2, 2006  
Page 3

addresses and notify us of future changes to electronic mail addresses by sending an electronic mail message to me at [jerry.wickham@acgov.org](mailto:jerry.wickham@acgov.org).

#### PERJURY STATEMENT

All work plans, technical reports, or technical documents submitted to ACEH must be accompanied by a cover letter from the responsible party that states, at a minimum, the following: "I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge." This letter must be signed by an officer or legally authorized representative of your company. Please include a cover letter satisfying these requirements with all future reports and technical documents submitted for this fuel leak case.

#### PROFESSIONAL CERTIFICATION & CONCLUSIONS/RECOMMENDATIONS

The California Business and Professions Code (Sections 6735, 6835, and 7835.1) requires that work plans and technical or implementation reports containing geologic or engineering evaluations and/or judgments be performed under the direction of an appropriately registered or certified professional. For your submittal to be considered a valid technical report, you are to present site specific data, data interpretations, and recommendations prepared by an appropriately licensed professional and include the professional registration stamp, signature, and statement of professional certification. Please ensure all that all technical reports submitted for this fuel leak case meet this requirement.

#### UNDERGROUND STORAGE TANK CLEANUP FUND

Please note that delays in investigation, later reports, or enforcement actions may result in your becoming ineligible to receive grant money from the state's Underground Storage Tank Cleanup Fund (Senate Bill 2004) to reimburse you for the cost of cleanup.

#### AGENCY OVERSIGHT

If it appears as though significant delays are occurring or reports are not submitted as requested, we will consider referring your case to the Regional Board or other appropriate agency, including the County District Attorney, for possible enforcement actions. California Health and Safety Code, Section 25299.76 authorizes enforcement including administrative action or monetary penalties of up to \$10,000 per day for each day of violation.

If you have any questions, please call me at (510) 567-6791.

Sincerely,



Jerry Wickham  
Hazardous Materials Specialist

Enclosure: ACEH Electronic Report Upload (ftp) Instructions

Mr. Richard Rinck  
May 2, 2006  
Page 4

cc: Michael Zimmerman  
Clayton Group Services, Inc.  
6920 Koll Center Parkway  
Pleasanton, CA 94566

Donna Drogos, ACEH  
Jerry Wickham, ACEH  
File

ALAMEDA COUNTY  
HEALTH CARE SERVICES

AGENCY  
DAVID J. KEARS, Agency Director



7

February 14, 2006

Mr. Richard Rinck  
GE Healthcare  
389 Oyster Point Blvd.  
South San Francisco, CA 9408

ENVIRONMENTAL HEALTH SERVICES  
ENVIRONMENTAL PROTECTION  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577  
(510) 567-6700  
FAX (510) 337-9335

Subject: SLIC Case No. [REDACTED] GE Imatron/Caral Manufacturing, 578 Cleveland Avenue,  
Albany, CA

Dear Mr. Rinck

Our records indicate that the current balance on the above-referenced SLIC oversight account is a negative \$37.60. In order to continue to provide regulatory oversight, we are requesting the submittal of a check made payable to Alameda County Environmental Health in the amount of \$3,000.00. Please send your check to the attention of our Finance Department.

This initial deposit may or may not be sufficient to provide all necessary regulatory oversight. ACEH will deduct actual costs incurred based upon the hourly rate specified below. If these funds are insufficient, additional deposit will be requested. Otherwise, any unused monies will be refunded to you or your designee.

The deposit is authorized in Section 6.92.040L of the Alameda County Ordinance Code. Work on this project is being debited at the Ordinance specified rate, currently \$166.00 per hour.

Please write "SLIC" (the type of project), the site address, and the AR# 0314827 on your check.

If you have any questions, please contact Jerry Wickham at (510) 567-6791.

Sincerely,

  
Ariu Lev  
Division Chief

cc: D. Drogos, J. Jacobs, Jerry Wickham

ALAMEDA COUNTY  
HEALTH CARE SERVICES

AGENCY  
DAVID J. KEARS, Agency Director



7

ENVIRONMENTAL HEALTH SERVICES  
ENVIRONMENTAL PROTECTION  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577  
(510) 567-6700  
FAX (510) 337-9335

January 5, 2006

Mr. Richard Rinck  
GE Healthcare  
389 Oyster Point Blvd.  
South San Francisco, CA 94080

Subject: SLIC Case No. [REDACTED] Amatron/Caral Manufacturing, 578 Cleveland Avenue,  
Albany, CA – Work Plan Approval

Dear Mr. Rinck:

Alameda County Environmental Health (ACEH) staff has reviewed the Spills, Leaks, Investigations, and Cleanups (SLIC) case file for the above-referenced site and the document entitled, "Site Investigation Workplan," dated December 27, 2005, prepared on your behalf by Clayton Group Services, Inc. The "Site Investigation Workplan" was previously submitted on November 18, 2005 but was revised to address ACEH's technical comments presented in correspondence dated November 23, 2005. The revised December 27, 2005 "Site Investigation Workplan" adequately addresses ACEH's technical comments. Please perform the proposed work and send us the technical reports requested below.

**TECHNICAL REPORT REQUEST**

Please submit technical reports to Alameda County Environmental Health (Attention: Jerry Wickham), according to the following schedule:

- **May 5, 2006** - Soil and Groundwater Investigation Report

These reports are being requested pursuant to California Health and Safety Code Section 25296.10. 23 CCR Sections 2652 through 2654, and 2721 through 2728 outline the responsibilities of a responsible party in response to an unauthorized release from a petroleum UST system, and require your compliance with this request.

**ELECTRONIC SUBMITTAL OF REPORTS**

Effective **January 31, 2006**, the Alameda County Environmental Cleanup Oversight Programs (LOP and SLIC) require submission of all reports in electronic form to the county's ftp site. Paper copies of reports will no longer be accepted. The electronic copy replaces the paper copy and will be used for all public information requests, regulatory review, and compliance/enforcement activities. Instructions for submission of electronic documents to the Alameda County Environmental Cleanup Oversight Program ftp site are provided on the attached "Electronic Report Upload (ftp) Instructions." Please do not submit reports as attachments to electronic mail.

Submission of reports to the Alameda County ftp site is an addition to existing requirements for electronic submittal of information to the State Water Resources Control Board (SWRCB) Geotracker website. Submission of reports to the Geotracker website does not fulfill the requirement to submit documents to the Alameda County ftp site. In September 2004, the SWRCB adopted regulations that require electronic submittal of information for groundwater cleanup programs. For several years, responsible parties for cleanup of leaks from underground storage tanks (USTs) have been required to submit groundwater analytical data, surveyed locations of monitor wells, and other data to the Geotracker database over the Internet. Beginning July 1, 2005, electronic submittal of a complete copy of all necessary reports was required in Geotracker (in PDF format). Please visit the SWRCB website for more information on these requirements ([http://www.swrcb.ca.gov/ust/cleanup/electronic\\_reporting](http://www.swrcb.ca.gov/ust/cleanup/electronic_reporting)).

In order to facilitate electronic correspondence, we request that you provide up to date electronic mail addresses for all responsible and interested parties. Please provide current electronic mail addresses and notify us of future changes to electronic mail addresses by sending an electronic mail message to me at [jerry.wickham@acgov.org](mailto:jerry.wickham@acgov.org).

#### PERJURY STATEMENT

All work plans, technical reports, or technical documents submitted to ACEH must be accompanied by a cover letter from the responsible party that states, at a minimum, the following: "I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge." This letter must be signed by an officer or legally authorized representative of your company. Please include a cover letter satisfying these requirements with all future reports and technical documents submitted for this fuel leak case.

#### PROFESSIONAL CERTIFICATION & CONCLUSIONS/RECOMMENDATIONS


The California Business and Professions Code (Sections 6735, 6835, and 7835.1) requires that work plans and technical or implementation reports containing geologic or engineering evaluations and/or judgments be performed under the direction of an appropriately registered or certified professional. For your submittal to be considered a valid technical report, you are to present site specific data, data interpretations, and recommendations prepared by an appropriately licensed professional and include the professional registration stamp, signature, and statement of professional certification. Please ensure all that all technical reports submitted for this fuel leak case meet this requirement.

**AGENCY OVERSIGHT**

If it appears as though significant delays are occurring or reports are not submitted as requested, we will consider referring your case to the Regional Board or other appropriate agency, including the County District Attorney, for possible enforcement actions. California Health and Safety Code, Section 25299.76 authorizes enforcement including administrative action or monetary penalties of up to \$10,000 per day for each day of violation.

If you have any questions, please call me at (510) 567-6791.

Sincerely,



Jerry Wickham  
Hazardous Materials Specialist

Enclosure: ACEH Electronic Report Upload (ftp) Instructions

cc: Michael Zimmerman  
Clayton Group Services, Inc.  
6920 Koll Center Parkway, Suite 216  
Pleasanton, CA 94566

Donna Drogos, ACEH  
Jerry Wickham, ACEH  
File

ALAMEDA COUNTY  
HEALTH CARE SERVICES

AGENCY  
DAVID J. KEARS, Agency Director



ENVIRONMENTAL HEALTH SERVICES  
ENVIRONMENTAL PROTECTION  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577  
(510) 567-6700  
FAX (510) 337-9335

November 23, 2005

Mr. Richard Rinck  
GE Healthcare  
389 Oyster Point Blvd.  
South San Francisco, CA 94080

Subject: SLIC Case No. RO0002874, GE Imatron/Caral Manufacturing, 578 Cleveland Avenue, Albany, CA

Dear Mr. Rinck:

Alameda County Environmental Health (ACEH) staff has reviewed the Spills, Leaks, Investigations, and Cleanups (SLIC) case file for the above-referenced site and the document entitled, "Site Investigation Workplan," dated November 18, 2005, prepared on your behalf by Clayton Group Services, Inc. Please review the technical comments below and submit a Response to Comments or Work Plan Addendum by December 30, 2005, prior to initiating field activities. Upon ACEH approval of the Response to Comments or Work Plan Addendum, we request that you perform the proposed work and send us the technical reports requested below.

**TECHNICAL COMMENTS**

- 1. Table 1.** In future analytical data tables, please show in the headers or footnotes, the units for the concentrations shown on the table. The data in Table 1 appear to be in milligrams per kilogram with the exception of PCBs. Based on the Phase I report, the PCB concentrations shown on Table 1 are in micrograms per kilogram ( $\mu\text{g}/\text{kg}$ ) but the ESL for commercial/industrial land use shown at the bottom of the page is in milligrams per kilogram. Therefore, the PCB concentrations shown in bold on Table 1 do not exceed ESLs for commercial/industrial ( $740 \mu\text{g}/\text{kg}$ ) or residential ( $220 \mu\text{g}/\text{kg}$ ) land use. The detection of  $240 \mu\text{g}/\text{kg}$  of PCBs previously reported in the Phase I report was omitted from Table 1. Table 1 also omits detections of thallium at concentrations exceeding ESLs in several soil samples. Please correct these items in future analytical data tables.
- 2. Soil Sampling.** ACEH concurs with the proposed depths for collection of soil samples for laboratory analysis provided that soil samples are also collected from zones where staining, odor, or elevated PID readings are observed. In order to screen the soil samples, ACEH requests that soils be continuously sampled and logged in the direct push borings. If staining, odor, or elevated PID readings are observed over an interval of several feet, a sufficient number of soil samples from this interval should be submitted for laboratory analyses to characterize the contamination within this interval.
- 3. Proposed Boring Locations in North Yard Area.** ACEH requests that three additional borings be included in the site investigation of the North Yard Area as shown on the



attached figure of requested boring locations. ACEH also requests that two of the proposed borings in the area of B-2 be moved as shown on the attached figure.

4. **Proposed Laboratory Analysis for Borings in North Yard Area.** The Work Plan indicates that two samples will be collected from each boring for laboratory analysis, one at a depth of 1 to 2 feet bgs and one at a depth of 3 to 6 feet bgs. The Work Plan proposes that the lower sample will not be analyzed for metals unless the shallow soil sample contains metals at concentrations exceeding ESLs. This assumes that metals contamination will not be present in deep samples if elevated concentrations of metals are not present in shallow samples. In samples collected from similar depths in boring B-5, the concentrations of most metals were higher in the deeper sample. Because the shallow soil sample may not provide reliable indications of contamination in the lower interval, ACEH requests that both the shallow and deep soil samples be analyzed for metals. ACEH requests that soil samples be analyzed for the 17 Appendix IX metals rather than only total chromium and nickel.
5. **Proposed Boring Locations in Area West of Main Building.** ACEH concurs with the proposed boring locations but requests that an additional boring be located adjacent to surface sample SS-1. Only one surface soil sample has been collected at location SS-1. Therefore, the depth of contamination at this location has not been determined. Please include one boring in the vicinity of SS-1 to assess the vertical extent of contamination in this area.
6. **Proposed Laboratory Analysis for Borings Area West of Main Building.** ACEH requests that all soil samples collected in the Area West of Main Building be analyzed for the 17 Appendix IX metals rather than only arsenic, chromium, and lead.
7. **Proposed Groundwater Sampling.** The Work plan does not describe the method for collection of grab groundwater samples. Please provide a description of the direct push sampling device or temporary sampling point that will be used to collect the grab groundwater samples. ACEH concurs with the proposed grab groundwater sampling locations and laboratory analyses but requests that one groundwater sample be collected adjacent to B-2 as shown on the attached figure showing requested boring locations. ACEH also requests that the proposed groundwater sampling location in the Area West of the Main Building be moved south as shown on the attached figure.
8. **Geotracker EDF Submittals.** Pursuant to CCR Sections 2729 and 2729.1, beginning July 1, 2005, all analytical data submitted in a report to a regulatory agency as part of the SLIC program, must be transmitted electronically to the SWRCB Geotracker website via the internet. Additionally, electronic submittal of a complete copy of all reports is required in Geotracker (in PDF format). Please upload all required data collected after July 1, 2005 to the SWRCB's Geotracker database website in accordance with the above-cited regulation.

### TECHNICAL REPORT REQUEST

Please submit technical reports to Alameda County Environmental Health (Attention: Jerry Wickham), according to the following schedule:

- **December 30, 2005** – Response to Agency Comments or Work Plan Addendum
- **April 7, 2006** - Soil and Groundwater Investigation Report

These reports are being requested pursuant to California Health and Safety Code Section 25296.10. 23 CCR Sections 2652 through 2654, and 2721 through 2728 outline the responsibilities of a responsible party in response to an unauthorized release from a petroleum UST system, and require your compliance with this request.

### ELECTRONIC SUBMITTAL OF REPORTS

ACEH's Environmental Cleanup Oversight Programs (LOP and SLIC) now request submission of reports in electronic form. The electronic copy is intended to replace the need for a paper copy and is expected to be used for all public information requests, regulatory review, and compliance/enforcement activities. Instructions for submission of electronic documents to the Alameda County Environmental Cleanup Oversight Program FTP site are provided on the attached "Electronic Report Upload Instructions." Submission of reports to the Alameda County FTP site is an addition to existing requirements for electronic submittal of information to the State Water Resources Control Board (SWRCB) Geotracker website. In September 2004, the SWRCB adopted regulations that require electronic submittal of information for groundwater cleanup programs. For several years, responsible parties for cleanup of leaks from underground storage tanks (USTs) have been required to submit groundwater analytical data, surveyed locations of monitoring wells, and other data to the Geotracker database over the Internet. Beginning July 1, 2005, electronic submittal of a complete copy of all reports is required in Geotracker (in PDF format). Please visit the State Water Resources Control Board for more information on these requirements ([http://www.swrcb.ca.gov/ust/cleanup/electronic\\_reporting](http://www.swrcb.ca.gov/ust/cleanup/electronic_reporting)).

### PERJURY STATEMENT

All work plans, technical reports, or technical documents submitted to ACEH must be accompanied by a cover letter from the responsible party that states, at a minimum, the following: "I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge." This letter must be signed by an officer or legally authorized representative of your company. Please include a cover letter satisfying these requirements with all future reports and technical documents submitted for this fuel leak case.

### PROFESSIONAL CERTIFICATION & CONCLUSIONS/RECOMMENDATIONS

The California Business and Professions Code (Sections 6735, 6835, and 7835.1) requires that work plans and technical or implementation reports containing geologic or engineering evaluations and/or judgments be performed under the direction of an appropriately registered or certified professional. For your submittal to be considered a valid technical report, you are to present site specific data, data interpretations, and recommendations prepared by an

Mr. Richard Rinck  
November 23, 2005  
Page 4


appropriately licensed professional and include the professional registration stamp, signature, and statement of professional certification. Please ensure all that all technical reports submitted for this fuel leak case meet this requirement.

**AGENCY OVERSIGHT**

If it appears as though significant delays are occurring or reports are not submitted as requested, we will consider referring your case to the Regional Board or other appropriate agency, including the County District Attorney, for possible enforcement actions. California Health and Safety Code, Section 25299.76 authorizes enforcement including administrative action or monetary penalties of up to \$10,000 per day for each day of violation.

If you have any questions, please call me at (510) 567-6791.

Sincerely,



Jerry Wickham  
Hazardous Materials Specialist


Attachment A: Requested Boring Locations


Enclosure: ACEH Electronic Report Upload (ftp) Instructions

cc: Michael Zimmerman  
Clayton Group Services, Inc.  
6920 Koll Center Parkway, Suite 216  
Pleasanton, CA 94566

Donna Drogos, ACEH  
Jerry Wickham, ACEH  
File

# Attachment A: Requested Boring Locations



<p><b>LEGEND</b></p> <ul style="list-style-type: none"> <li>--- Approximate Property Line</li> <li>● Boring Completed by ERM prior to May 2004</li> <li>⊙ Proposed Soil Boring Location</li> <li>□ Proposed Grab Groundwater Sample Location</li> <li>▭ North Yard Excavation Completed in 2004</li> </ul>	<p><b>FACILITY SITE PLAN</b></p> <p>GE Healthcare          Caral Division          578 Cleveland Avenue          Albany, California          Clayton Project No. 70-04583.02.000</p>	<p><b>FIGURE</b></p> <p style="font-size: 2em; text-align: center;">2</p>	 <p><b>BUREAU VERITAS</b></p>
--	--	---	--

ALAMEDA COUNTY  
HEALTH CARE SERVICES

AGENCY

DAVID J. KEARS, Agency Director



7

ENVIRONMENTAL HEALTH SERVICES  
ENVIRONMENTAL PROTECTION  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577  
(510) 567-6700  
FAX (510) 337-9335

October 13, 2005

Mr. Richard Rinck  
GE Healthcare  
389 Oyster Point Blvd.  
South San Francisco, CA 94080

Subject: SLIC Case No. [REDACTED] GE Imatron/Caral Manufacturing, 578 Cleveland Avenue, Albany, CA

Dear Mr. Rinck:

Alameda County Environmental Health (ACEH) staff has reviewed the Spills, Leaks, Investigations, and Cleanups (SLIC) case file for the above-referenced site and the reports entitled, "Closure Report," dated May 24, 2005, prepared on your behalf by Clayton Group Services, Inc. and "Phase I Update, Caral Manufacturing Facility," dated May 2004, prepared on your behalf by Environmental Resources Management. ACEH reviewed the reports to assess whether site investigation and remedial action for soil and groundwater contamination was complete or whether further actions were needed. The scope of this review was limited to soil and groundwater contamination and did not include review of other environmental conditions such as asbestos within buildings, lead-based paint, or decontamination of building surfaces.

The "Closure Report" documents the results of hazardous waste closure activities, waste removal, cleanup, and sampling activities conducted in 2004. The "Phase I Update" presents the results of soil, sediment, and groundwater sampling conducted at the site in 2001 and 2002. Soil sampling has indicated the presence of elevated concentrations of petroleum hydrocarbons in several areas of the site. Trichloroethene was detected in soil at concentrations up to 29 milligrams per kilogram (mg/kg) in the area north of the main building. Elevated concentrations of metals have been detected in soils along the western side of the building and in soils in the area north of the building. The soils have been excavated to remove petroleum hydrocarbons in the area of one sump and at four isolated locations north of the main building. Only one groundwater sample has been collected to date at the site. Pentachlorophenol was detected at a concentration of 210 micrograms per liter ( $\mu\text{g/L}$ ), which significantly exceeds water quality criteria for the site. The lateral and vertical extent of contamination at the site does not appear to have been fully defined. **Therefore, we request that you submit a work plan to fully define the extent of contamination in soil and groundwater for the site by December 16, 2005.**

We request that you address the following technical comments, perform the proposed work, and send us the technical reports requested below.

**TECHNICAL COMMENTS**

1. **Assessment of Betts Sump.** Soil samples were collected from four soil borings located around the perimeter of the Betts sump. No VOCs, SVOCs, or PCBs were detected in the

soil samples. Total oil and grease was detected at concentrations of 43 to 61 mg/kg in the four soil samples. Based on these results for the borings around the perimeter of the Betts Sump, no further investigation or cleanup is required in the area of the Betts Sump.

2. **Cleanup and Assessment of Hydrotel Sump.** Elevated concentrations of petroleum hydrocarbons were detected in soil samples collected around the perimeter of the Hydrotel sump. Several VOCs, SVOCs, and metals were also detected in the soil samples. PCBs were not detected. Total oil and grease was detected in soil at concentrations of 3,100 to 38,000 mg/kg. GE Healthcare excavated contaminated soil around the Hydrotel sump in the warehouse and office areas. Based on confirmation sampling results, no further excavation is required to remove contaminated soil in the area of the Hydrotel sump.
3. **Boring Locations B-2, B-9, and B-10 in North Yard Area.** Elevated concentrations of petroleum hydrocarbons were detected in soil samples from borings B-2, B-9, and B-10, which are located outside the north end of the building. Trichloroethene was detected in two soil samples from boring B-2 at concentrations of 14 and 29 mg/kg, respectively. Elevated concentrations of chromium and nickel were also detected in shallow soil samples from borings B-9 and B-10. A lens of odorous soil was observed in borings B-2 and B-10. GE Healthcare excavated and removed soils from each of boring locations B-2, B-9, and B-10. However, the dimensions of the excavations were limited to the areas of approximately 35 to 50 square feet surrounding the borings. Further investigation is required in the area north of the main building in the area of borings B-2, B-9, and B-10 to confirm that contaminated soils in this area have been removed.
4. **Boring B-4 and Oil/Water Separator.** The excavation in the area of the former oil/water separator was limited to an approximately 9.3 feet long by 8.5 feet wide, and 3.3 feet deep near the former oil/water separator. No samples appear to have been collected in the area of the former tray used for steam cleaning. Further investigation is required in this area to confirm that contaminated soils in the area of the former oil/water separator have been removed and to investigate the area of the former steam cleaning tray including the area where drainage from the steam cleaning tray may have flowed at the surface.
5. **Area West of Main Building.** Arsenic was detected at a concentration of 2,200 mg/kg in a soil sample collected at a depth of 1.5 feet bgs in boring B5. This concentration greatly exceeds the ESL for shallow soil of 5.5 mg/kg and the California-Modified Preliminary Remediation Goal (PRG) of 0.25 mg/kg for industrial sites. Elevated concentrations of lead and chromium were detected in soil sample SS-1. PCBs were also detected in soil and sediment samples collected west of the building near the air compressor system. Further investigation is required in the area of borings B-5 and SS-1 west of the building to define the lateral and vertical extent of elevated concentrations of soil contamination.
6. **Groundwater.** Only one groundwater sample has been collected at the site (B-4W). Pentachlorophenol was detected in the groundwater sample at a concentration of 210 µg/L. In addition, TPH as diesel was also detected in the groundwater sample at a concentration of 150 µg/L. Based on the detection of elevated concentrations of TPH, VOCs, and metals in soils and the elevated concentration of pentachlorophenol detected in groundwater, additional groundwater sampling is required to define the extent of groundwater contamination at the site. Please present plans to collect groundwater samples in the work plan requested below.

### TECHNICAL REPORT REQUEST

Please submit technical reports to Alameda County Environmental Health (Attention: Jerry Wickham), according to the following schedule:

- **December 16, 2005** - Work Plan for Soil and Groundwater Investigation
- **120 days after ACEH approval of Work Plan** – Subsurface Investigation Report

These reports are being requested pursuant to California Health and Safety Code Section 25296.10. 23 CCR Sections 2652 through 2654, and 2721 through 2728 outline the responsibilities of a responsible party in response to an unauthorized release from a petroleum UST system, and require your compliance with this request.

### ELECTRONIC SUBMITTAL OF REPORTS

ACEH's Environmental Cleanup Oversight Programs (LOP and SLIC) now request submission of reports in electronic form. The electronic copy is intended to replace the need for a paper copy and is expected to be used for all public information requests, regulatory review, and compliance/enforcement activities. Instructions for submission of electronic documents to the Alameda County Environmental Cleanup Oversight Program FTP site are provided on the attached "Electronic Report Upload Instructions." Submission of reports to the Alameda County FTP site is an addition to existing requirements for electronic submittal of information to the State Water Resources Control Board (SWRCB) Geotracker website. In September 2004, the SWRCB adopted regulations that require electronic submittal of information for groundwater cleanup programs. For several years, responsible parties for cleanup of leaks from underground storage tanks (USTs) have been required to submit groundwater analytical data, surveyed locations of monitoring wells, and other data to the Geotracker database over the Internet. Beginning July 1, 2005, electronic submittal of a complete copy of all reports is required in Geotracker (in PDF format). Please visit the State Water Resources Control Board for more information on these requirements ([http://www.swrcb.ca.gov/ust/cleanup/electronic reporting](http://www.swrcb.ca.gov/ust/cleanup/electronic_reporting)).

### PERJURY STATEMENT

All work plans, technical reports, or technical documents submitted to ACEH must be accompanied by a cover letter from the responsible party that states, at a minimum, the following: "I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge." This letter must be signed by an officer or legally authorized representative of your company. Please include a cover letter satisfying these requirements with all future reports and technical documents submitted for this fuel leak case.

**PROFESSIONAL CERTIFICATION & CONCLUSIONS/RECOMMENDATIONS**

The California Business and Professions Code (Sections 6735, 6835, and 7835.1) requires that work plans and technical or implementation reports containing geologic or engineering evaluations and/or judgments be performed under the direction of an appropriately registered or certified professional. For your submittal to be considered a valid technical report, you are to present site specific data, data interpretations, and recommendations prepared by an appropriately licensed professional and include the professional registration stamp, signature, and statement of professional certification. Please ensure all that all technical reports submitted for this fuel leak case meet this requirement.

**UNDERGROUND STORAGE TANK CLEANUP FUND**


Please note that delays in investigation, later reports, or enforcement actions may result in your becoming ineligible to receive grant money from the state's Underground Storage Tank Cleanup Fund (Senate Bill 2004) to reimburse you for the cost of cleanup.

**AGENCY OVERSIGHT**

If it appears as though significant delays are occurring or reports are not submitted as requested, we will consider referring your case to the Regional Board or other appropriate agency, including the County District Attorney, for possible enforcement actions. California Health and Safety Code, Section 25299.76 authorizes enforcement including administrative action or monetary penalties of up to \$10,000 per day for each day of violation.

If you have any questions, please call me at (510) 567-6791.

Sincerely,



Jerry Wickham  
Hazardous Materials Specialist

Enclosure: ACEH Electronic Report Upload (ftp) Instructions

cc: Donna Drogos, ACEH  
Jerry Wickham, ACEH  
File



R0 2874

Alameda County  
OCT 11 2005  
Environmental Health

October 7, 2005

Jerry Wickham  
Alameda County Health Care Services Agency  
Environmental Health Services Administration  
1131 Harbor Bay Parkway, Suite 250  
Alameda, Ca. 94502-6577

Dear Jerry,

Per your request, I have enclosed a copy of the Phase I report that was prepared by ERM for the Caral Machining site in Albany, Ca. The internal case number for this site is R02874. If you need any other information, please let me know.

Sincerely,



Richard Rinck  
GE Healthcare  
Manufacturing Manager

ALAMEDA COUNTY  
HEALTH CARE SERVICES

AGENCY  
DAVID J. KEARS, Agency Director



7

ENVIRONMENTAL HEALTH SERVICES  
ENVIRONMENTAL PROTECTION  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577  
(510) 567-6700  
FAX (510) 337-9335

August 17, 2005

Mr. Richard Rinck  
GE Healthcare  
389 Oyster Point Blvd.  
South San Francisco, CA 94080

Dear Mr. Richard Rinck:

Subject: TOXICS Case # [REDACTED] E Imatron/Caral Manufacturing, 578 Cleveland Ave.,  
Albany, CA 94710

In order for ACEH to review reports for your site, we would require an oversight account for the above-referenced site. To set up your account, please send a check in the amount of \$6000.00 payable to Alameda County Environmental Health. Please send your check to the attention of our Finance Department.


This initial deposit may or may not be sufficient to provide all necessary regulatory oversight. ACEH will deduct actual costs incurred based upon the hourly rate specified below. If these funds are insufficient, additional deposit will be requested. Otherwise, any unused monies will be refunded to you or your designee.

The deposit is authorized in Section 6.92.040L of the Alameda County Ordinance Code. Work on this project is being debited at the Ordinance specified rate, currently \$166.00 per hour.

Please write "TOXICS" (the type of project) the site address and the AR# 0314827 on your check.

If you have any questions, please contact Jerry Wickham at (510) 567-6791.

Sincerely,

  
Ariu Levi  
Division Chief

cc: D. Drogos, J. Jacobs, J. Wickham

## UNAUTHORIZED RELEASE FORM WIZARD

**YOUR UNAUTHORIZED RELEASE FORM HAS BEEN SUBMITTED**  
**URF CONFIRMATION NUMBER: 9876783072**

**[CLICK HERE TO EDIT THIS CASE IN MANAGE CASES 2.0](#)**  
**[CLICK HERE TO CREATE ANOTHER UNAUTHORIZED RELEASE](#)**

LOGGED IN AS ROSEANNA

**UNAUTHORIZED RELEASE FORM WIZARD**

-=**YOUR URF HAS NOT YET BEEN SUBMITTED TO GEOTRACKER**=-  
**CLICK ON "SUBMIT UNAUTHORIZED RELEASE FORM" TO SUBMIT THE URF.**

**THIS WILL BE YOUR URF TRACKING NUMBER: 9876783072**

SLIC RELEASE/CONTAMINATION SITE REPORT

<u>REPORT DATE</u>	<u>HAZARDOUS MATERIAL INCIDENT REPORT FILED WITH OES?</u>
05-24-05	N

**I. REPORTED BY -****II. RESPONSIBLE PARTY -**RESPONSIBLE PARTY CONTACT

<u>CONTACT NAME</u>	<u>INITIALS</u>	<u>ORGANIZATION NAME</u>	<u>EMAIL ADDRESS</u>
RICHARD RINCK	RR	GE HEALTHCARE	
<u>ADDRESS</u>		<u>CONTACT DESCRIPTION</u>	
389 OYSTER POINT BOULEVARD			
SOUTH SAN FRANCISCO, CA 94080			

**III. SITE LOCATION**

<u>FACILITY NAME</u>	<u>FACILITY ID</u>
GE IMATRON / CARAL MANUFACTURING	
<u>FACILITY ADDRESS</u>	<u>ORIENTATION OF SITE TO STREET</u>
578 CLEVELAND AVENUE	
ALBANY, CA 94710	
<u>ALAMEDA COUNTY</u>	<u>CROSS STREET</u>

**V. SUBSTANCES RELEASED**

<u>SUBSTANCE RELEASED</u>	<u>DESCRIPTION</u>	<u>QUANTITY LOST</u>
OIL & GREASE WASTE		UNKNOWN

**VI. DISCOVERY/ABATEMENT**

<u>DATE DISCHARGE BEGAN</u>		
UNKNOWN		
<u>DATE DISCOVERED</u>	<u>HOW DISCOVERED</u>	<u>DESCRIPTION</u>
06-17-04	OTHER MEANS	
<u>DATE STOPPED</u>	<u>STOP METHOD</u>	<u>DESCRIPTION</u>

**VII. SOURCE/CAUSE**

<u>SOURCE OF DISCHARGE</u>	<u>CAUSE OF DISCHARGE</u>
<u>DISCHARGE DESCRIPTION</u>	

**VIII. CASE TYPE**

<u>CASE TYPE</u>
UNDETERMINED

**IX. REMEDIAL ACTION**

<u>REMEDIAL ACTION</u>	<u>BEGIN DATE</u>	<u>END DATE</u>	<u>DESCRIPTION</u>

**X. GENERAL COMMENTS****XI. CERTIFICATION**

I HEREBY CERTIFY THAT THE INFORMATION REPORTED HEREIN  
IS TRUE AND ACCURATE TO THE BEST OF MY KNOWLEDGE.

**XII. REGULATORY USE ONLY**

<u>LOCAL AGENCY CASE NUMBER</u>	<u>REGIONAL BOARD CASE NUMBER</u>
RO0002874	

**LOCAL AGENCY**

<u>CONTACT NAME</u>	<u>INITIALS</u>	<u>ORGANIZATION NAME</u>	<u>EMAIL ADDRESS</u>

JERRY WICKHAM

JTW

ALAMEDA COUNTY LOP

jerry.wickham@acgov.org

ADDRESS1131 HARBOR BAY PARKWAY  
ALAMEDA, CA 94502-6577

USA

CONTACT DESCRIPTIONPHONE TYPE

work

PHONE NUMBER

(510)-567-6791

EXTENSIONREGIONAL BOARD - LEAD AGENCYCONTACT NAME

BETTY GRAHAM

INITIALS

BG

ORGANIZATION NAME

SAN FRANCISCO BAY RWQCB (REGION 2)

EMAIL ADDRESSADDRESS1515 CLAY ST, STE 1400  
OAKLAND, CA 94612

USA

CONTACT DESCRIPTIONPHONE TYPE

BUSINESS

PHONE NUMBER

(510)-622-2358

EXTENSION

LOGGED IN AS ROSEANNA

# Alameda County CUPA Program

## Contaminated Site Case Transfer Form

Referral To: LOP/SLICK

Date	<u>6/15/05</u>
Agency	Alameda County Environmental Health, 1131 Harbor Bay Parkway, Alameda, CA 94502
Attention	Donna L. Drogos, LOP/SLIC Program Manager

**Site Information:**

Site Responsible Party(s)	<u>GE Health Care</u>
Site Name	<u>Caral Manufacturing</u>
Site Address	<u>578 Cleveland Ave, Albany</u>
Site Phone	<u>1-650-827-7729</u>
Site Contractor/Consultant (if available)	<u>Richard Kinck</u>
Site DBA	<u>Currently vacant</u>

**Site Conditions:**

<b>UST</b>			
USTs removed? # removed: _____ Date removed: _____	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
Contents (circle): gasoline diesel waste oil heating oil solvents kerosene stoddard solvent other (specify) _____	Yes <input type="checkbox"/>	No <input type="checkbox"/>	
Observations of system (holes, leaks)?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	
Observed contamination (free product, smell, soil/water discoloration)?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	
Detectable concentrations of soil and/or groundwater contamination?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	
<input type="checkbox"/> Highest Concentration Detected in Soil Contaminant (specify) _____ Concentration _____			
<input type="checkbox"/> Highest Concentration Detected in Water Contaminant (specify) <u>NA</u> Concentration _____ ppb			
Unauthorized Release Form filed?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	
Future intended use if known? Specify _____	Yes <input type="checkbox"/>	No <input type="checkbox"/>	
<b>NON-UST</b>			
Former industrial use?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Detectable concentrations of soil and/or groundwater contamination?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	
<input checked="" type="checkbox"/> Highest Concentration Detected in Soil Contaminant (specify) <u>Oil &amp; Grease</u> Concentration <u>38,000</u> ppm			
<input type="checkbox"/> Highest Concentration Detected in Water Contaminant (specify) _____ Concentration _____ ppb			
Future intended use if known? Specify _____	Yes <input type="checkbox"/>	No <input type="checkbox"/>	
<i>If available, attach pertinent reports</i>			

Transferred as:      LOP                       SLIC

Level of Update requested:    distribution list    all meetings    all site visits    closure sign off    all the above

Transfer requested by Inspector: Larry Seto                      Date: 6/15/05

Transfer accepted by (ACEH): Paul A. Payne                      Date: 07/22/05