
TB BUILDING
UST
8
Transformer
INDEPENDENT TSD
patch
6
5
patches
patch
water system
4
3
2
1
COLISEUM AVE

Environmental Soil Sampling/Boring Log

Hole No. B-1

Date: 8/17/04
Logged By: Leung

Rig Type: MARC TECH 2.5 DP
Drilling Co.: Gregg Drilling

Borehole Dia.: 2"
Borehole Depth: 16'

Sheet 1 of 1

Elev.	Depth (feet)	Geologic Description (soil type, color, grain, moisture, density, odor, etc.)	USCS Symbol	OVA/PID (ppm)	Analytical Sample Number	Comments
		0-3" Asphalt				
		Silty sand w/ gravel; light brown; medium dense; dry; no odor	SM	0.0		
	5	Silty clay; olive gray; medium stiff; moist; no odor	ML/CL	0.0	B1-1-5	Static water level at 4.45'
		Silty clay; olive gray; medium stiff; wet; no odor		0.0		1st water at 6.5'
		concrete debris w/ sand; wet; no odor		0.0		
		Silty clay; olive gray; medium stiff; moist; no odor		0.0		
	10					
		Silty clay w/ sand; gray; medium stiff; wet; no odor		0.0		
		Silty clay; light brown; stiff; moist; no odor		0.0	B1-2-15	
	15					
	20					
	25					
	30					

Project name: 700 Independent Road, Oakland, CA
Project Number: 07000.2013

MECA Consulting, Inc.
620 Contra Costa Blvd., Ste. 102
Pleasant Hill, CA 94523

Environmental Soil Sampling/Boring Log

Hole No. B-2

Date: 8/17/04
Logged By: Leung
Rig Type: MARC TECH 2.5 DP
Drilling Co.: Gregg Drilling
Borehole Dia.: 2"
Borehole Depth: 12'
Sheet 1 of 1

Elev.	Depth (feet)	Geologic Description (soil type, color, grain, moisture, density, odor, etc.)	USCS Symbol	OVA/PID (ppm)	Analytical Sample Number	Comments
		0-3" Asphalt				
		Clayey silt; brown; soft; dry; no odor	ML/CL	0.0		
		Sand w/ gravels; yellowish orange; medium dense; dry, no odor		0.0		
		Silty clay; dark gray; stiff; moist; no odor		0.0		
	5	Silty clay; greenish gray; medium stiff; moist; no odor		0.0	B2-1-5	Static water level at 5.30'
		Silty clay; olive gray; medium stiff; wet; no odor		0.0		1st water at 8'
	10	Silty clay; black; medium stiff; wet; no odor		0.0	B2-2-10	
		Silty clay; gray; medium stiff; wet; no odor		0.0		
	15					
	20					
	25					
	30					

Project name: 700 Independent Road, Oakland, CA
Project Number: 07000.2013

MECA Consulting, Inc.
820 Contra Costa Blvd., Ste. 102
Pleasant Hill, CA 94523

Environmental Soil Sampling/Boring Log

Hole No. B-3

Date: 8/17/04
Logged By: Leung

Rig Type: MARC TECH 2.5 DP
Drilling Co.: Gregg Drilling

Borehole Dia.: 2"
Borehole Depth: 20'

Sheet 1 of 1

Elev.	Depth (feet)	Geologic Description (soil type, color, grain, moisture, density, odor, etc.)	USCS Symbol	OVA/PID (ppm)	Analytical Sample Number	Comments
		0-3" Asphalt				
		Silty sand w/ gravels; light brown; medium dense; dry; no odor	SM	0.0		
		Silty clay; brown; medium stiff; dry; no odor	ML/CL	0.0		
		Silty clay; olive gray; medium stiff; dry; no odor		0.0		
	5	Silty clay; gray; stiff; Dry; no odor		0.0	B3-1-5	
		Sand w/ gravels; light gray; soft; moist; no odor	SM	0.0		
		Silty clay; dark gray; stiff; moist; no odor	ML/CL	0.0		
	10				B3-2-10	
		Clay; olive gray; stiff; moist; no odor		0.0		
		Silty clay; dark gray; stiff; moist; no odor		0.0		
		Clay; greenish gray; stiff; moist; no odor	CH/OH	0.0		
	15					
		Clay; yellowish orange; stiff; moist; no odor		0.0		
	20					
	25					
	30					

Project name: 700 Independent Road, Oakland, CA
Project Number: 07000.2013

MECA Consulting, Inc.
620 Contra Costa Blvd., Ste. 102
Pleasant Hill, CA 94523

Environmental Soil Sampling/Boring Log

Hole No. B-4

Date: 8/17/04
Logged By: Leung
Rig Type: MARC TECH 2.5 DP
Drilling Co.: Gregg Drilling
Borehole Dia.: 2"
Borehole Depth: 20'
Sheet 1 of 1

Elev.	Depth (feet)	Geologic Description (soil type, color, grain, moisture, density, odor, etc.)	USCS Symbol	OVA/PID (ppm)	Analytical Sample Number	Comments
		0-3" Asphalt				
		Silty sand w/ gravels; light brown; medium dense; dry; no odor	SM	0.0		
		Silty clay; brown; medium stiff; dry; no odor	ML/CL	0.0		
				0.0		
	5	Silty clay;olive gray; stiff; dry; no odor		0.0	B4-1-5	
		Silty clay; greenish gray; medium stiff; moist; no odor		0.0		
		Silty clay; greenish gray; medium stiff; wet; no odor		0.0		Static water level at 8.54'
	10	Silty clay; dark gray; medium stiff; moist; no odor		0.0	B4-2-10	
				0.0		
		Clay; black; stiff; moist; no odor	CH/OH	0.0		
		Clay; dark gray; stiff; moist; no odor		0.0		
		Clay; greenish gray; stiff; moist; no odor		0.0		
	15					
		Clay; gray; medium stiff; wet; no odor		0.0		1st water at 16'
	20					
	25					
	30					

Project name: 700 Independent Road, Oakland, CA
Project Number: 07000.2013

MECA Consulting, Inc.
620 Contra Costa Blvd., Ste. 102
Pleasant Hill, CA 94523

Environmental Soil Sampling/Boring Log

Hole No. B-5

Date: 8/17/04
Logged By: Leung
Rig Type: MARC TECH 2.5 DP
Drilling Co.: Gregg Drilling
Borehole Dia.: 2"
Borehole Depth: 20'
Sheet 1 of 1

Elev.	Depth (feet)	Geologic Description (soil type, color, grain, moisture, density, odor, etc.)	USCS Symbol	OVA/PID (ppm)	Analytical Sample Number	Comments
		0-3" Asphalt				
		Silty sand w/ gravels; light gray; soft; dry; no odor	SM	0.0		
		Silty sand w/gravel; brown; soft; dry; no odor		0.0		
		Silty clay; olive gray; medium stiff; dry; no odor		0.0		
	5	Silty clay; light brown; medium stiff; moist; no odor	ML/CL	0.0	B5-1-5	
		Silty clay; brown; medium stiff; moist; no odor		0.0		
	10				B5-2-10	
		Clay; dark gray; medium stiff; moist; no odor	CH/OH	0.0		Static water level at 11.2'
		Clay; olive green; stiff; moist; no odor		0.0		
	15					
		Clay; black; stiff; moist; no odor		0.0		
		Clay; brown; stiff; moist; no odor		0.0		
		Silty Clay w/ gravels; yellowish orange; stiff; moist; no odor		0.0		
	20					
	25					
	30					

Project name: 700 Independent Road, Oakland, CA
Project Number: 07000.2013

MECA Consulting, Inc.
620 Contra Costa Blvd., Ste. 102
Pleasant Hill, CA 94523

Environmental Soil Sampling/Boring Log

Hole No. B-6

Date: 8/17/04
Logged By: Leung

Rig Type: MARC TECH 2.5 DP
Drilling Co.: Gregg Drilling

Borehole Dia.: 2"
Borehole Depth: 12'

Sheet 1 of 1

Elev.	Depth (feet)	Geologic Description (soil type, color, grain, moisture, density, odor, etc.)	USCS Symbol	OVA/PID (ppm)	Analytical Sample Number	Comments
		0-3" Asphalt				
		Silty sand w/ gravels; light gray; soft; dry; no odor	SM	0.0		
		Clayey silt; brown; medium stiff; moist; no odor	ML/CL	0.0		
	5	Silty clay; gray; medium stiff; moist; no odor		0.0	B6-1-5	Static water level at 5.5'
		Silty clay; gray; medium stiff; wet; no odor		0.0		1st water at 7'
		No Recovery				
	10					
	15					
	20					
	25					
	30					

Project name: 700 Independent Road, Oakland, CA
Project Number: 07000.2013

MECA Consulting, Inc.
620 Contra Costa Blvd., Ste. 102
Pleasant Hill, CA 94523

Environmental Soil Sampling/Boring Log

Hole No. B-7

Date: 8/17/04
Logged By: Leung
Rig Type: MARC TECH 2.5 DP
Drilling Co.: Gregg Drilling
Borehole Dia.: 2"
Borehole Depth: 12'
Sheet 1 of 1

Elev.	Depth (feet)	Geologic Description (soil type, color, grain, moisture, density, odor, etc.)	USCS Symbol	OVA/PID (ppm)	Analytical Sample Number	Comments
		0-3" Asphalt				
		Silty sand w/ gravels; light gray; soft; dry; no odor	SM	0.0		
		Sandy silt; brown; medium stiff; dry; no odor		0.0		
		Silty clay; greenish gray; stiff; moist; no odor	ML/CL	0.0		
	5	Silty clay; olive gray; stiff; moist; no odor		0.0	B7-1-5	
		Clay; greenish gray; stiff; moist; no odor	CH/OH	0.0		
		Clay w/ humus; dark gray; medium stiff; wet; no odor		0.0		1st water at 8.5'
		Silty sand w/ gravels; brown; medium dense; dry; no odor		0.0		Static water level at 8.6'
	10	Clay; black; stiff; moist; no odor		0.0	B7-2-10	
		Clay; gray; stiff; moist; no odor		0.0		
		Clay; greenish gray; stiff; moist; no odor		0.0		
		Silty clay; brown; medium stiff; moist; no odor		0.0		
		Clay; greenish gray; stiff; moist; no odor		0.0		
		Clay; black; stiff; moist; no odor		0.0		
		Clay; greenish gray; stiff; moist; no odor		0.0		
	15	Silty clay; gray; medium stiff; moist; no odor		0.0		
	20					
	25					
	30					

Project name: 700 Independent Road, Oakland, CA
Project Number: 07000.2013

MECA Consulting, Inc.
620 Contra Costa Blvd., Ste. 102
Pleasant Hill, CA 94523

Environmental Soil Sampling/Boring Log

Hole No. B-8

Date: 8/17/04
Logged By: Leung
Rig Type: MARC TECH 2.5 DP
Drilling Co.: Gregg Drilling
Borehole Dia.: 2"
Borehole Depth: 20'
Sheet 1 of 1

Elev.	Depth (feet)	Geologic Description (soil type, color, grain, moisture, density, odor, etc.)	USCS Symbol	OVA/PID (ppm)	Analytical Sample Number	Comments
		0-3" Asphalt				
		Silty sand w/ gravels; light brown; soft; dry; no odor	SM	0.0		
		Silty clay; olive gray; stiff; moist; no odor	ML/CL	0.0		
		Silty clay w/ gravels; olive gray; medium stiff; moist; no odor		0.0		
		Silty clay w/ gravels; gray; medium stiff; moist; no odor		0.0		
	5	Clay; dark gray; stiff; moist; petroleum odor	CH/OH	10.0	B8-1-5	
		Clay; greenish gray; stiff; moist; petroleum odor		55.0		
		Clay; dark gray; stiff; moist; petroleum odor		45.0		
	10	Clay; Light gray; stiff; moist; petroleum odor		30.0	B8-2-10	
		Clay; light brown; stiff; moist; petroleum odor		25.0		
	15	Clay; greeish gray; stiff; moist; petroleum odor		20.0	B8-3-15	
		Clay; dark gray; medium stiff; wet; petroleum odor		45.0		
		Clay; olive gray; medium stiff; moist; petroleum odor		20.0		
		Clay; greenish gray; medium stiff; moist; petroleum odor		15.0		
		Silty sand; brown; soft; wet; petroleum odor	ML/CL	10.0		
		Silty clay; olive gray; stiff; moist; petroleum odor		10.0		
	20					
	25					
	30					

Project name: 700 Independent Road, Oakland, CA
Project Number: 07000.2013

MECA Consulting, Inc.
620 Contra Costa Blvd., Ste. 102
Pleasant Hill, CA 94523

Field Report / Sampling Data Sheet

MECA CONSULTING,

Site: Independent Road Warehouse
Address: 700 Independent Rd.

Date: 8/17/04
Day: M T W TH F

Project No.: 7600.2013

Well ID	DTW	Diameter	Total Depth	Cap / Lock
B-1	4.45		16'	

TD-WL = __ X well vol.factor =___ X # vol. to purge = Purge Vol.

Purge Method: ___ Pump/ ___ Disp. Bailer(s)___ / ___ Perl

Comments:

Gal.	Time	Temp F or C	pH	E.C. umhos/cm	D.O. mg/l	Eh Millivolts	Turbidity NTU
1		21.5	7.57	0.686	2.01		960
2		21.4	7.55	0.686	2.11		924

Laboratory Analyses Requested

TIME/SAMPLE ID

Well ID	DTW	Diameter	Total Depth	Cap / Lock
B-2	5.30		12'	

TD-WL = __ X well vol.factor =___ X # vol. to purge = Purge Vol.

Purge Method: ___ Pump/ ___ Disp. Bailer(s)___ / ___ Perl

Comments:

Gal.	Time	Temp F or C	pH	E.C. umhos/cm	D.O. mg/l	Eh Millivolts	Turbidity NTU
1		21.9	8.17	0.566	2.70		423
2		21.9	8.10	0.562	2.54		431

Laboratory Analyses Requested

TIME/SAMPLE ID

Well ID	DTW	Diameter	Total Depth	Cap / Lock
B-4			20'	

TD-WL = __ X well vol.factor =___ X # vol. to purge = Purge Vol.

Purge Method: ___ Pump/ ___ Disp. Bailer(s)___ / ___ Perl

Comments:

Gal.	Time	Temp F or C	pH	E.C. umhos/cm	D.O. mg/l	Eh Millivolts	Turbidity NTU
1		22.7	7.49	4.83	1.22		999

Laboratory Analyses Requested

TIME/SAMPLE ID

Field Report / Sampling Data Sheet

MECA CONSULTING,

Site: Independence Road Warehouse
Address: 700 Independence Rd.

Date: 8/17/04
Day: M T W TH F

Project No.: 7000.2013

Well ID	DTW	Diameter	Total Depth	Cap / Lock
B-5	11.2			

TD-WL = __ X well vol.factor = ___ X # vol. to purge = Purge Vol.

Purge Method: ___ Pump/ ___ Disp. Bailer(s) ___/ ___ Pail

Comments:

Gal.	Time	Temp F or C	pH	E.C. umhos/cm	D.O. mg/l	Eh Millivolts	Turbidity NTU
1		20.9	8.22	11.8	2.92		999

Laboratory Analyses Requested

TIME/SAMPLE ID

Well ID	DTW	Diameter	Total Depth	Cap / Lock
B-6	5.6'			

TD-WL = __ X well vol.factor = ___ X # vol. to purge = Purge Vol.

Slight Sheen Observed.

Purge Method: ___ Pump/ ___ Disp. Bailer(s) ___/ ___ Pail

Comments:

Gal.	Time	Temp F or C	pH	E.C. umhos/cm	D.O. mg/l	Eh Millivolts	Turbidity NTU
1		26.4	7.78	1.40	0.64		999
2		26.4	7.76	1.37	0.46		999

Laboratory Analyses Requested

TIME/SAMPLE ID

Well ID	DTW	Diameter	Total Depth	Cap / Lock
B-7	8.6'			

TD-WL = __ X well vol.factor = ___ X # vol. to purge = Purge Vol.

Purge Method: ___ Pump/ ___ Disp. Bailer(s) ___/ ___ Pail

Comments:

Gal.	Time	Temp F or C	pH	E.C. umhos/cm	D.O. mg/l	Eh Millivolts	Turbidity NTU
1		24.3	7.97	2.91	0.23		999

Laboratory Analyses Requested

TIME/SAMPLE ID

Field Report / Sampling Data Sheet

MECA CONSULTING,

Site: Independent Road Warehouse
Address: 7000 Independent Rd.

Date: 8/17/04
Day: M T W TH F

Project No.: 7000.2013

Well ID	DTW	Diameter	Total Depth	Cap / Lock
B-8	7.5'			

TD-WL = __ X well vol.factor = ___ X # vol. to purge = Purge Vol.

Purge Method: ___ Pump/ ___ Disp. Bailer(s) ___ / ___ Perl

Comments: Sheen Observed.

Gal.	Time	Temp F or C	pH	E.C. umhos/cm	D.O. mg/l	Eh Millivolts	Turbidity NTU
1		20.9	7.93	28.7	0.42		999

Laboratory Analyses Requested

TIME/SAMPLE ID

Well ID	DTW	Diameter	Total Depth	Cap / Lock

TD-WL = __ X well vol.factor = ___ X # vol. to purge = Purge Vol.

Purge Method: ___ Pump/ ___ Disp. Bailer(s) ___ / ___ Perl

Comments:

Gal.	Time	Temp F or C	pH	E.C. umhos/cm	D.O. mg/l	Eh Millivolts	Turbidity NTU

Laboratory Analyses Requested

TIME/SAMPLE ID

Well ID	DTW	Diameter	Total Depth	Cap / Lock

TD-WL = __ X well vol.factor = ___ X # vol. to purge = Purge Vol.

Purge Method: ___ Pump/ ___ Disp. Bailer(s) ___ / ___ Perl

Comments:

Gal.	Time	Temp F or C	pH	E.C. umhos/cm	D.O. mg/l	Eh Millivolts	Turbidity NTU

Laboratory Analyses Requested

TIME/SAMPLE ID

McCampbell Analytical, Inc.
110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

	Client Project ID: #7000.2013; Independent Road Warehouse	Date Sampled: 08/17/04
		Date Received: 08/18/04
	Client Contact: Kin Leung	Date Extracted: 08/18/04
	Client P.O.: #1279	Date Analyzed: 08/18/04-08/19/04

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline *

Extraction method: SW5030B Analytical methods: SW8015Cm Work Order: 0408343

Lab ID	Client ID	Matrix	TPH(g)	DF	% SS
001A	B-1-1-5	S	ND	1	80.2
002A	B1-2-15	S	ND	1	87.5
003A	B2-1-5	S	ND	1	87.2
004A	B2-2-10	S	ND	1	87.8
005A	B3-1-5	S	ND	1	87.8
006A	B3-2-10	S	ND	1	99.0
007A	B4-1-5	S	ND	1	102
008A	B4-2-10	S	ND	1	80.8
009A	B5-1-5	S	ND	1	99.3
010A	B5-2-10	S	4.4,g	1	93.0
011A	B6-1-5	S	ND	1	95.0
012A	B7-1-5	S	2.1,g	1	100
013A	B7-2-10	S	ND	1	87.7
014A	B8-1-5	S	51,a,m	2	96.4
015A	B8-2-10	S	210,a,m	20	---#
016A	B8-3-15	S	190,a,m	20	---#
Reporting Limit for DF =1; ND means not detected at or above the reporting limit		W	50		µg/L
		S	1.0		mg/Kg

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) reporting limit raised due to high MTBE content; k) TPH pattern that does not appear to be derived from gasoline (aviation gas). m) no recognizable pattern.

DHS Certification No. 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

	Client Project ID: #7000.2013; Independent Road Warehouse	Date Sampled: 08/17/04
		Date Received: 08/18/04
	Client Contact: Kin Leung	Date Extracted: 08/18/04-08/19/04
	Client P.O.: #1279	Date Analyzed: 08/18/04-08/19/04

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline*

Extraction method: SW5030B Analytical methods: SW8015Cm Work Order: 0408243

Lab ID	Client ID	Matrix	TPH(g)	DF	% SS
017B	B1-GW-01:03	W	ND	1	103
018B	B2-GW-01:03	W	ND	1	101
019B	B4-GW-01:03	W	ND	1	103
020B	B5-GW-01:03	W	ND	1	105
021B	B6-GW-01:03	W	ND	1	101
022B	B7-GW-01:03	W	ND	1	101
023B	B8-GW-01:03	W	54,000,a	200	---#

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	µg/L
	S	NA	NA

* water and vapor samples and all TCLP & SPLP extracts are reported in ug/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation. a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) reporting limit raised due to high MTBE content; k) TPH pattern that does not appear to be derived from gasoline (aviation gas). m) no recognizable pattern; n) TPH(g) range non-target isolated peaks subtracted out of the TPH(g) concentration at the client's request.

DHS Certification No. 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.
110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

	Client Project ID: #7000.2013; Independent Road Warehouse	Date Sampled: 08/17/04
		Date Received: 08/18/04
	Client Contact: Kin Leung	Date Extracted: 08/18/04
	Client P.O.: #1279	Date Analyzed: 08/18/04

Diesel Range (C10-C23) Extractable Hydrocarbons as Diesel*

Extraction method: SW3550C Analytical methods: SW8015C Work Order: 0408243

Lab ID	Client ID	Matrix	TPH(d)	DF	% SS
0408243-001A	B-1-1-5	S	11,g	5	94.8
0408243-002A	B1-2-15	S	ND	1	105
0408243-003A	B2-1-5	S	4.8,g	1	104
0408243-004A	B2-2-10	S	10,g	5	96.6
0408243-005A	B3-1-5	S	12,g,b	5	99.4
0408243-006A	B3-2-10	S	2.1,g	1	103
0408243-007A	B4-1-5	S	38,g,b	2	104
0408243-008A	B4-2-10	S	2.0,b	1	103
0408243-009A	B5-1-5	S	3.5,g,b	2	105
0408243-010A	B5-2-10	S	4.5,d,b,g	2	95.2
0408243-011A	B6-1-5	S	15,g	5	97.1
0408243-012A	B7-1-5	S	3.2,g	1	101
0408243-013A	B7-2-10	S	ND	1	99.5
0408243-014A	B8-1-5	S	5.9,d	1	108
0408243-015A	B8-2-10	S	25,d,b	1	105
0408243-016A	B8-3-15	S	25,d,b	1	117

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	µg/L
	S	1.0	mg/Kg

* water samples are reported in µg/L, wipe samples in µg/wipe, soil/solid/sludge samples in mg/kg, product/oil/non-aqueous liquid samples in mg/L, and all DISTLC / STLC / SPLP / TCLP extracts are reported in µg/L.

cluttered chromatogram resulting in coeluted surrogate and sample peaks, or; surrogate peak is on elevated baseline, or; surrogate has been diminished by dilution of original extract.

+The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified diesel is significant; b) diesel range compounds are significant; no recognizable pattern; c) aged diesel is significant; d) gasoline range compounds are significant; e) unknown medium boiling point pattern that does not appear to be derived from diesel; f) one to a few isolated peaks present; g) oil range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; k) kerosene/kerosene range; l) bunker oil; m) fuel oil; n) stoddard solvent/mineral spirit.

DHS Certification No. 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

	Client Project ID: #7000.2013; Independent Road Warehouse	Date Sampled: 08/17/04
		Date Received: 08/18/04
	Client Contact: Kin Leung	Date Extracted: 08/18/04
	Client P.O.: #1279	Date Analyzed: 08/18/04

Diesel Range (C10-C23) Extractable Hydrocarbons as Diesel*

Extraction method: SW3510C Analytical methods: SW8015C Work Order: 0408243

Lab ID	Client ID	Matrix	TPH(d)	DF	% SS
0408243-017B	B1-GW-04	W	ND	1	97.6
0408243-018B	B2-GW-04	W	ND	1	93.5
0408243-019B	B4-GW-04	W	150,b	1	110
0408243-020B	B5-GW-04	W	ND	1	110
0408243-021B	B6-GW-04	W	220,b,g	1	96.8
0408243-022B	B7-GW-04	W	ND	1	104
0408243-023B	B8-GW-04	W	7400,d	10	107

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	µg/L
	S	1.0	mg/Kg

* water samples are reported in µg/L, wipe samples in µg/wipe, soil/solid/sludge samples in mg/kg, product/oil/non-aqueous liquid samples in mg/L, and all DISTLC / STLC / SPLP / TCLP extracts are reported in µg/L.

cluttered chromatogram resulting in coeluted surrogate and sample peaks, or; surrogate peak is on elevated baseline, or; surrogate has been diminished by dilution of original extract.

+The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified diesel is significant; b) diesel range compounds are significant; no recognizable pattern; c) aged diesel is significant; d) gasoline range compounds are significant; e) unknown medium boiling point pattern that does not appear to be derived from diesel; f) one to a few isolated peaks present; g) oil range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; k) kerosene/kerosene range; l) bunker oil; m) fuel oil; n) stoddard solvent/mineral spirit.

DHS Certification No. 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

	Client Project ID: #7000.2013; Independent Road Warehouse	Date Sampled: 08/17/04
		Date Received: 08/18/04
	Client Contact: Kin Leung	Date Extracted: 08/18/04
	Client P.O.: #1279	Date Analyzed: 08/18/04-08/19/04

Volatile Organics by P&T and GC/MS (Basic Target List)*

Extraction Method: SW5030B Analytical Method: SW8260B Work Order: 0408243

Lab ID	0408243-001A
Client ID	B-1-1-5
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	50	Acrolein (Propenal)	ND	1.0	50
Acrylonitrile	ND	1.0	20	tert-Amyl methyl ether (TAME)	ND	1.0	5.0
Benzene	ND	1.0	5.0	Bromobenzene	ND	1.0	5.0
Bromochloromethane	ND	1.0	5.0	Bromodichloromethane	ND	1.0	5.0
Bromoform	ND	1.0	5.0	Bromomethane	ND	1.0	5.0
2-Butanone (MEK)	ND	1.0	20	t-Butyl alcohol (TBA)	ND	1.0	25
n-Butyl benzene	ND	1.0	5.0	sec-Butyl benzene	ND	1.0	5.0
tert-Butyl benzene	ND	1.0	5.0	Carbon Disulfide	ND	1.0	5.0
Carbon Tetrachloride	ND	1.0	5.0	Chlorobenzene	ND	1.0	5.0
Chloroethane	ND	1.0	5.0	2-Chloroethyl Vinyl Ether	ND	1.0	10
Chloroform	ND	1.0	5.0	Chloromethane	ND	1.0	5.0
2-Chlorotoluene	ND	1.0	5.0	4-Chlorotoluene	ND	1.0	5.0
Dibromochloromethane	ND	1.0	5.0	1,2-Dibromo-3-chloropropane	ND	1.0	5.0
1,2-Dibromoethane (EDB)	ND	1.0	5.0	Dibromomethane	ND	1.0	5.0
1,2-Dichlorobenzene	ND	1.0	5.0	1,3-Dichlorobenzene	ND	1.0	5.0
1,4-Dichlorobenzene	ND	1.0	5.0	Dichlorodifluoromethane	ND	1.0	5.0
1,1-Dichloroethane	ND	1.0	5.0	1,2-Dichloroethane (1,2-DCA)	ND	1.0	5.0
1,1-Dichloroethene	ND	1.0	5.0	cis-1,2-Dichloroethene	ND	1.0	5.0
trans-1,2-Dichloroethene	ND	1.0	5.0	1,2-Dichloropropane	ND	1.0	5.0
1,3-Dichloropropane	ND	1.0	5.0	2,2-Dichloropropane	ND	1.0	5.0
1,1-Dichloropropene	ND	1.0	5.0	cis-1,3-Dichloropropene	ND	1.0	5.0
trans-1,3-Dichloropropene	ND	1.0	5.0	Diisopropyl ether (DIPE)	ND	1.0	5.0
Ethylbenzene	ND	1.0	5.0	Ethyl tert-butyl ether (ETBE)	ND	1.0	5.0
Freon 113	ND	1.0	100	Hexachlorobutadiene	ND	1.0	5.0
Hexachloroethane	ND	1.0	5.0	2-Hexanone	ND	1.0	5.0
Isopropylbenzene	ND	1.0	5.0	4-Isopropyl toluene	ND	1.0	5.0
Methyl-t-butyl ether (MTBE)	ND	1.0	5.0	Methylene chloride	ND	1.0	5.0
4-Methyl-2-pentanone (MIBK)	ND	1.0	5.0	Naphthalene	ND	1.0	5.0
Nitrobenzene	ND	1.0	100	n-Propyl benzene	ND	1.0	5.0
Styrene	ND	1.0	5.0	1,1,1,2-Tetrachloroethane	ND	1.0	5.0
1,1,2,2-Tetrachloroethane	ND	1.0	5.0	Tetrachloroethene	ND	1.0	5.0
Toluene	ND	1.0	5.0	1,2,3-Trichlorobenzene	ND	1.0	5.0
1,2,4-Trichlorobenzene	ND	1.0	5.0	1,1,1-Trichloroethane	ND	1.0	5.0
1,1,2-Trichloroethane	ND	1.0	5.0	Trichloroethene	ND	1.0	5.0
Trichlorofluoromethane	ND	1.0	5.0	1,2,3-Trichloropropane	ND	1.0	5.0
1,2,4-Trimethylbenzene	ND	1.0	5.0	1,3,5-Trimethylbenzene	ND	1.0	5.0
Vinyl Chloride	ND	1.0	5.0	Xylenes	ND	1.0	5.0

Surrogate Recoveries (%)

%SS1:	111	%SS2:	101
%SS3:	106		

Comments:

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in µg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content.

DHS Certification No. 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

	Client Project ID: #7000.2013; Independent Road Warehouse	Date Sampled: 08/17/04
		Date Received: 08/18/04
	Client Contact: Kin Leung	Date Extracted: 08/18/04
	Client P.O.: #1279	Date Analyzed: 08/18/04-08/19/04

Volatile Organics by P&T and GC/MS (Basic Target List)*

Extraction Method: SW5030B Analytical Method: SW8260B Work Order: 0408243

Lab ID	0408243-002A
Client ID	B1-2-15
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	50	Acrolein (Propenal)	ND	1.0	50
Acrylonitrile	ND	1.0	20	tert-Amyl methyl ether (TAME)	ND	1.0	5.0
Benzene	ND	1.0	5.0	Bromobenzene	ND	1.0	5.0
Bromochloromethane	ND	1.0	5.0	Bromodichloromethane	ND	1.0	5.0
Bromoform	ND	1.0	5.0	Bromomethane	ND	1.0	5.0
2-Butanone (MEK)	ND	1.0	20	t-Butyl alcohol (TBA)	ND	1.0	25
n-Butyl benzene	ND	1.0	5.0	sec-Butyl benzene	ND	1.0	5.0
tert-Butyl benzene	ND	1.0	5.0	Carbon Disulfide	ND	1.0	5.0
Carbon Tetrachloride	ND	1.0	5.0	Chlorobenzene	ND	1.0	5.0
Chloroethane	ND	1.0	5.0	2-Chloroethyl Vinyl Ether	ND	1.0	10
Chloroform	ND	1.0	5.0	Chloromethane	ND	1.0	5.0
2-Chlorotoluene	ND	1.0	5.0	4-Chlorotoluene	ND	1.0	5.0
Dibromochloromethane	ND	1.0	5.0	1,2-Dibromo-3-chloropropane	ND	1.0	5.0
1,2-Dibromoethane (EDB)	ND	1.0	5.0	Dibromomethane	ND	1.0	5.0
1,2-Dichlorobenzene	ND	1.0	5.0	1,3-Dichlorobenzene	ND	1.0	5.0
1,4-Dichlorobenzene	ND	1.0	5.0	Dichlorodifluoromethane	ND	1.0	5.0
1,1-Dichloroethane	ND	1.0	5.0	1,2-Dichloroethane (1,2-DCA)	ND	1.0	5.0
1,1-Dichloroethene	ND	1.0	5.0	cis-1,2-Dichloroethene	ND	1.0	5.0
trans-1,2-Dichloroethene	ND	1.0	5.0	1,2-Dichloropropane	ND	1.0	5.0
1,3-Dichloropropane	ND	1.0	5.0	2,2-Dichloropropane	ND	1.0	5.0
1,1-Dichloropropene	ND	1.0	5.0	cis-1,3-Dichloropropene	ND	1.0	5.0
trans-1,3-Dichloropropene	ND	1.0	5.0	Diisopropyl ether (DIPE)	ND	1.0	5.0
Ethylbenzene	ND	1.0	5.0	Ethyl tert-butyl ether (ETBE)	ND	1.0	5.0
Freon 113	ND	1.0	100	Hexachlorobutadiene	ND	1.0	5.0
Hexachloroethane	ND	1.0	5.0	2-Hexanone	ND	1.0	5.0
Isopropylbenzene	ND	1.0	5.0	4-Isopropyl toluene	ND	1.0	5.0
Methyl-t-butyl ether (MTBE)	ND	1.0	5.0	Methylene chloride	ND	1.0	5.0
4-Methyl-2-pentanone (MIBK)	ND	1.0	5.0	Naphthalene	ND	1.0	5.0
Nitrobenzene	ND	1.0	100	n-Propyl benzene	ND	1.0	5.0
Styrene	ND	1.0	5.0	1,1,1,2-Tetrachloroethane	ND	1.0	5.0
1,1,2,2-Tetrachloroethane	ND	1.0	5.0	Tetrachloroethene	ND	1.0	5.0
Toluene	ND	1.0	5.0	1,2,3-Trichlorobenzene	ND	1.0	5.0
1,2,4-Trichlorobenzene	ND	1.0	5.0	1,1,1-Trichloroethane	ND	1.0	5.0
1,1,2-Trichloroethane	ND	1.0	5.0	Trichloroethene	ND	1.0	5.0
Trichlorofluoromethane	ND	1.0	5.0	1,2,3-Trichloropropane	ND	1.0	5.0
1,2,4-Trimethylbenzene	ND	1.0	5.0	1,3,5-Trimethylbenzene	ND	1.0	5.0
Vinyl Chloride	ND	1.0	5.0	Xylenes	ND	1.0	5.0

Surrogate Recoveries (%)

%SS1:	114	%SS2:	101
%SS3:	108		

Comments:

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in µg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content.

DHS Certification No. 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.
110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

	Client Project ID: #7000.2013; Independent Road Warehouse	Date Sampled: 08/17/04
		Date Received: 08/18/04
	Client Contact: Kin Leung	Date Extracted: 08/18/04
	Client P.O.: #1279	Date Analyzed: 08/18/04-08/19/04

Volatile Organics by P&T and GC/MS (Basic Target List)*

Extraction Method: SW5030B Analytical Method: SW8260B Work Order: 0408243

Lab ID	0408243-003A
Client ID	B2-1-5
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	50	Acrolein (Propenal)	ND	1.0	50
Acrylonitrile	ND	1.0	20	tert-Amyl methyl ether (TAME)	ND	1.0	5.0
Benzene	ND	1.0	5.0	Bromobenzene	ND	1.0	5.0
Bromochloromethane	ND	1.0	5.0	Bromodichloromethane	ND	1.0	5.0
Bromoform	ND	1.0	5.0	Bromomethane	ND	1.0	5.0
2-Butanone (MEK)	ND	1.0	20	t-Butyl alcohol (TBA)	ND	1.0	25
n-Butyl benzene	ND	1.0	5.0	sec-Butyl benzene	ND	1.0	5.0
tert-Butyl benzene	ND	1.0	5.0	Carbon Disulfide	ND	1.0	5.0
Carbon Tetrachloride	ND	1.0	5.0	Chlorobenzene	ND	1.0	5.0
Chloroethane	ND	1.0	5.0	2-Chloroethyl Vinyl Ether	ND	1.0	10
Chloroform	ND	1.0	5.0	Chloromethane	ND	1.0	5.0
2-Chlorotoluene	ND	1.0	5.0	4-Chlorotoluene	ND	1.0	5.0
Dibromochloromethane	ND	1.0	5.0	1,2-Dibromo-3-chloropropane	ND	1.0	5.0
1,2-Dibromoethane (EDB)	ND	1.0	5.0	Dibromomethane	ND	1.0	5.0
1,2-Dichlorobenzene	ND	1.0	5.0	1,3-Dichlorobenzene	ND	1.0	5.0
1,4-Dichlorobenzene	ND	1.0	5.0	Dichlorodifluoromethane	ND	1.0	5.0
1,1-Dichloroethane	ND	1.0	5.0	1,2-Dichloroethane (1,2-DCA)	ND	1.0	5.0
1,1-Dichloroethene	ND	1.0	5.0	cis-1,2-Dichloroethene	ND	1.0	5.0
trans-1,2-Dichloroethene	ND	1.0	5.0	1,2-Dichloropropane	ND	1.0	5.0
1,3-Dichloropropane	ND	1.0	5.0	2,2-Dichloropropane	ND	1.0	5.0
1,1-Dichloropropene	ND	1.0	5.0	cis-1,3-Dichloropropene	ND	1.0	5.0
trans-1,3-Dichloropropene	ND	1.0	5.0	Diisopropyl ether (DIPE)	ND	1.0	5.0
Ethylbenzene	ND	1.0	5.0	Ethyl tert-butyl ether (ETBE)	ND	1.0	5.0
Freon 113	ND	1.0	100	Hexachlorobutadiene	ND	1.0	5.0
Hexachloroethane	ND	1.0	5.0	2-Hexanone	ND	1.0	5.0
Isopropylbenzene	ND	1.0	5.0	4-Isopropyl toluene	ND	1.0	5.0
Methyl-t-butyl ether (MTBE)	ND	1.0	5.0	Methylene chloride	ND	1.0	5.0
4-Methyl-2-pentanone (MIBK)	ND	1.0	5.0	Naphthalene	ND	1.0	5.0
Nitrobenzene	ND	1.0	100	n-Propyl benzene	ND	1.0	5.0
Styrene	ND	1.0	5.0	1,1,1,2-Tetrachloroethane	ND	1.0	5.0
1,1,2,2-Tetrachloroethane	ND	1.0	5.0	Tetrachloroethene	ND	1.0	5.0
Toluene	ND	1.0	5.0	1,2,3-Trichlorobenzene	ND	1.0	5.0
1,2,4-Trichlorobenzene	ND	1.0	5.0	1,1,1-Trichloroethane	ND	1.0	5.0
1,1,2-Trichloroethane	ND	1.0	5.0	Trichloroethene	ND	1.0	5.0
Trichlorofluoromethane	ND	1.0	5.0	1,2,3-Trichloropropane	ND	1.0	5.0
1,2,4-Trimethylbenzene	ND	1.0	5.0	1,3,5-Trimethylbenzene	ND	1.0	5.0
Vinyl Chloride	ND	1.0	5.0	Xylenes	ND	1.0	5.0

Surrogate Recoveries (%)

%SS1:	108	%SS2:	101
%SS3:	109		

Comments:

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in µg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content.

DHS Certification No. 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

	Client Project ID: #7000.2013; Independent Road Warehouse	Date Sampled: 08/17/04
		Date Received: 08/18/04
	Client Contact: Kin Leung	Date Extracted: 08/18/04
	Client P.O.: #1279	Date Analyzed: 08/18/04-08/19/04

Volatile Organics by P&T and GC/MS (Basic Target List)*

Extraction Method: SW5030B Analytical Method: SW8260B Work Order: 0408243

Lab ID	0408243-004A
Client ID	B2-2-10
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	50	Acrolein (Propenal)	ND	1.0	50
Acrylonitrile	ND	1.0	20	tert-Amyl methyl ether (TAME)	ND	1.0	5.0
Benzene	ND	1.0	5.0	Bromobenzene	ND	1.0	5.0
Bromochloromethane	ND	1.0	5.0	Bromodichloromethane	ND	1.0	5.0
Bromoform	ND	1.0	5.0	Bromomethane	ND	1.0	5.0
2-Butanone (MEK)	ND	1.0	20	t-Butyl alcohol (TBA)	ND	1.0	25
n-Butyl benzene	ND	1.0	5.0	sec-Butyl benzene	ND	1.0	5.0
tert-Butyl benzene	ND	1.0	5.0	Carbon Disulfide	ND	1.0	5.0
Carbon Tetrachloride	ND	1.0	5.0	Chlorobenzene	ND	1.0	5.0
Chloroethane	ND	1.0	5.0	2-Chloroethyl Vinyl Ether	ND	1.0	10
Chloroform	ND	1.0	5.0	Chloromethane	ND	1.0	5.0
2-Chlorotoluene	ND	1.0	5.0	4-Chlorotoluene	ND	1.0	5.0
Dibromochloromethane	ND	1.0	5.0	1,2-Dibromo-3-chloropropane	ND	1.0	5.0
1,2-Dibromoethane (EDB)	ND	1.0	5.0	Dibromomethane	ND	1.0	5.0
1,2-Dichlorobenzene	ND	1.0	5.0	1,3-Dichlorobenzene	ND	1.0	5.0
1,4-Dichlorobenzene	ND	1.0	5.0	Dichlorodifluoromethane	ND	1.0	5.0
1,1-Dichloroethane	ND	1.0	5.0	1,2-Dichloroethane (1,2-DCA)	ND	1.0	5.0
1,1-Dichloroethene	ND	1.0	5.0	cis-1,2-Dichloroethene	ND	1.0	5.0
trans-1,2-Dichloroethene	ND	1.0	5.0	1,2-Dichloropropane	ND	1.0	5.0
1,3-Dichloropropane	ND	1.0	5.0	2,2-Dichloropropane	ND	1.0	5.0
1,1-Dichloropropene	ND	1.0	5.0	cis-1,3-Dichloropropene	ND	1.0	5.0
trans-1,3-Dichloropropene	ND	1.0	5.0	Diisopropyl ether (DIPE)	ND	1.0	5.0
Ethylbenzene	ND	1.0	5.0	Ethyl tert-butyl ether (ETBE)	ND	1.0	5.0
Freon 113	ND	1.0	100	Hexachlorobutadiene	ND	1.0	5.0
Hexachloroethane	ND	1.0	5.0	2-Hexanone	ND	1.0	5.0
Isopropylbenzene	ND	1.0	5.0	4-Isopropyl toluene	ND	1.0	5.0
Methyl-t-butyl ether (MTBE)	ND	1.0	5.0	Methylene chloride	ND	1.0	5.0
4-Methyl-2-pentanone (MIBK)	ND	1.0	5.0	Naphthalene	ND	1.0	5.0
Nitrobenzene	ND	1.0	100	n-Propyl benzene	ND	1.0	5.0
Styrene	ND	1.0	5.0	1,1,1,2-Tetrachloroethane	ND	1.0	5.0
1,1,2,2-Tetrachloroethane	ND	1.0	5.0	Tetrachloroethene	ND	1.0	5.0
Toluene	ND	1.0	5.0	1,2,3-Trichlorobenzene	ND	1.0	5.0
1,2,4-Trichlorobenzene	ND	1.0	5.0	1,1,1-Trichloroethane	ND	1.0	5.0
1,1,2-Trichloroethane	ND	1.0	5.0	Trichloroethene	ND	1.0	5.0
Trichlorofluoromethane	ND	1.0	5.0	1,2,3-Trichloropropane	ND	1.0	5.0
1,2,4-Trimethylbenzene	ND	1.0	5.0	1,3,5-Trimethylbenzene	ND	1.0	5.0
Vinyl Chloride	ND	1.0	5.0	Xylenes	ND	1.0	5.0

Surrogate Recoveries (%)

%SS1:	114	%SS2:	99.9
%SS3:	108		

Comments:

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in µg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content.

DHS Certification No. 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone: 925-798-1620 Fax: 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

	Client Project ID: #7000.2013; Independent Road Warehouse	Date Sampled: 08/17/04
		Date Received: 08/18/04
	Client Contact: Kin Leung	Date Extracted: 08/18/04
	Client P.O.: #1279	Date Analyzed: 08/18/04-08/19/04

Volatile Organics by P&T and GC/MS (Basic Target List)*

Extraction Method: SW5030B Analytical Method: SW8260B Work Order: 0408243

Lab ID	0408243-005A
Client ID	B3-1-5
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	50	Acrolein (Propenal)	ND	1.0	50
Acrylonitrile	ND	1.0	20	tert-Amyl methyl ether (TAME)	ND	1.0	5.0
Benzene	ND	1.0	5.0	Bromobenzene	ND	1.0	5.0
Bromochloromethane	ND	1.0	5.0	Bromodichloromethane	ND	1.0	5.0
Bromoform	ND	1.0	5.0	Bromomethane	ND	1.0	5.0
2-Butanone (MEK)	ND	1.0	20	t-Butyl alcohol (TBA)	ND	1.0	25
n-Butyl benzene	ND	1.0	5.0	sec-Butyl benzene	ND	1.0	5.0
tert-Butyl benzene	ND	1.0	5.0	Carbon Disulfide	ND	1.0	5.0
Carbon Tetrachloride	ND	1.0	5.0	Chlorobenzene	ND	1.0	5.0
Chloroethane	ND	1.0	5.0	2-Chloroethyl Vinyl Ether	ND	1.0	10
Chloroform	ND	1.0	5.0	Chloromethane	ND	1.0	5.0
2-Chlorotoluene	ND	1.0	5.0	4-Chlorotoluene	ND	1.0	5.0
Dibromochloromethane	ND	1.0	5.0	1,2-Dibromo-3-chloropropane	ND	1.0	5.0
1,2-Dibromoethane (EDB)	ND	1.0	5.0	Dibromomethane	ND	1.0	5.0
1,2-Dichlorobenzene	ND	1.0	5.0	1,3-Dichlorobenzene	ND	1.0	5.0
1,4-Dichlorobenzene	ND	1.0	5.0	Dichlorodifluoromethane	ND	1.0	5.0
1,1-Dichloroethane	ND	1.0	5.0	1,2-Dichloroethane (1,2-DCA)	ND	1.0	5.0
1,1-Dichloroethene	ND	1.0	5.0	cis-1,2-Dichloroethene	ND	1.0	5.0
trans-1,2-Dichloroethene	ND	1.0	5.0	1,2-Dichloropropane	ND	1.0	5.0
1,3-Dichloropropane	ND	1.0	5.0	2,2-Dichloropropane	ND	1.0	5.0
1,1-Dichloropropene	ND	1.0	5.0	cis-1,3-Dichloropropene	ND	1.0	5.0
trans-1,3-Dichloropropene	ND	1.0	5.0	Diisopropyl ether (DIPE)	ND	1.0	5.0
Ethylbenzene	ND	1.0	5.0	Ethyl tert-butyl ether (ETBE)	ND	1.0	5.0
Freon 113	ND	1.0	100	Hexachlorobutadiene	ND	1.0	5.0
Hexachloroethane	ND	1.0	5.0	2-Hexanone	ND	1.0	5.0
Isopropylbenzene	ND	1.0	5.0	4-Isopropyl toluene	ND	1.0	5.0
Methyl-t-butyl ether (MTBE)	ND	1.0	5.0	Methylene chloride	ND	1.0	5.0
4-Methyl-2-pentanone (MIBK)	ND	1.0	5.0	Naphthalene	ND	1.0	5.0
Nitrobenzene	ND	1.0	100	n-Propyl benzene	ND	1.0	5.0
Styrene	ND	1.0	5.0	1,1,1,2-Tetrachloroethane	ND	1.0	5.0
1,1,2,2-Tetrachloroethane	ND	1.0	5.0	Tetrachloroethene	ND	1.0	5.0
Toluene	ND	1.0	5.0	1,2,3-Trichlorobenzene	ND	1.0	5.0
1,2,4-Trichlorobenzene	ND	1.0	5.0	1,1,1-Trichloroethane	ND	1.0	5.0
1,1,2-Trichloroethane	ND	1.0	5.0	Trichloroethene	ND	1.0	5.0
Trichlorofluoromethane	ND	1.0	5.0	1,2,3-Trichloropropane	ND	1.0	5.0
1,2,4-Trimethylbenzene	ND	1.0	5.0	1,3,5-Trimethylbenzene	ND	1.0	5.0
Vinyl Chloride	ND	1.0	5.0	Xylenes	ND	1.0	5.0

Surrogate Recoveries (%)

%SS1:	105	%SS2:	103
%SS3:	111		

Comments:

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in µg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content.

DHS Certification No. 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

	Client Project ID: #7000.2013; Independent Road Warehouse	Date Sampled: 08/17/04
		Date Received: 08/18/04
	Client Contact: Kin Leung	Date Extracted: 08/18/04
	Client P.O.: #1279	Date Analyzed: 08/18/04-08/19/04

Volatile Organics by P&T and GC/MS (Basic Target List)*

Extraction Method: SW5030B Analytical Method: SW8260B Work Order: 0408243

Lab ID	0408243-006A
Client ID	B3-2-10
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	240	1.0	50	Acrolein (Propenal)	ND	1.0	50
Acrylonitrile	ND	1.0	20	tert-Amyl methyl ether (TAME)	ND	1.0	5.0
Benzene	ND	1.0	5.0	Bromobenzene	ND	1.0	5.0
Bromochloromethane	ND	1.0	5.0	Bromodichloromethane	ND	1.0	5.0
Bromoform	ND	1.0	5.0	Bromomethane	ND	1.0	5.0
2-Butanone (MEK)	91	1.0	20	t-Butyl alcohol (TBA)	ND	1.0	25
n-Butyl benzene	ND	1.0	5.0	sec-Butyl benzene	ND	1.0	5.0
tert-Butyl benzene	ND	1.0	5.0	Carbon Disulfide	ND	1.0	5.0
Carbon Tetrachloride	ND	1.0	5.0	Chlorobenzene	ND	1.0	5.0
Chloroethane	ND	1.0	5.0	2-Chloroethyl Vinyl Ether	ND	1.0	10
Chloroform	ND	1.0	5.0	Chloromethane	ND	1.0	5.0
2-Chlorotoluene	ND	1.0	5.0	4-Chlorotoluene	ND	1.0	5.0
Dibromochloromethane	ND	1.0	5.0	1,2-Dibromo-3-chloropropane	ND	1.0	5.0
1,2-Dibromoethane (EDB)	ND	1.0	5.0	Dibromomethane	ND	1.0	5.0
1,2-Dichlorobenzene	ND	1.0	5.0	1,3-Dichlorobenzene	ND	1.0	5.0
1,4-Dichlorobenzene	ND	1.0	5.0	Dichlorodifluoromethane	ND	1.0	5.0
1,1-Dichloroethane	ND	1.0	5.0	1,2-Dichloroethane (1,2-DCA)	ND	1.0	5.0
1,1-Dichloroethene	ND	1.0	5.0	cis-1,2-Dichloroethene	ND	1.0	5.0
trans-1,2-Dichloroethene	ND	1.0	5.0	1,2-Dichloropropane	ND	1.0	5.0
1,3-Dichloropropane	ND	1.0	5.0	2,2-Dichloropropane	ND	1.0	5.0
1,1-Dichloropropene	ND	1.0	5.0	cis-1,3-Dichloropropene	ND	1.0	5.0
trans-1,3-Dichloropropene	ND	1.0	5.0	Diisopropyl ether (DIPE)	ND	1.0	5.0
Ethylbenzene	ND	1.0	5.0	Ethyl tert-butyl ether (ETBE)	ND	1.0	5.0
Freon 113	ND	1.0	100	Hexachlorobutadiene	ND	1.0	5.0
Hexachloroethane	ND	1.0	5.0	2-Hexanone	ND	1.0	5.0
Isopropylbenzene	ND	1.0	5.0	4-Isopropyl toluene	ND	1.0	5.0
Methyl-t-butyl ether (MTBE)	ND	1.0	5.0	Methylene chloride	ND	1.0	5.0
4-Methyl-2-pentanone (MIBK)	ND	1.0	5.0	Naphthalene	ND	1.0	5.0
Nitrobenzene	ND	1.0	100	n-Propyl benzene	ND	1.0	5.0
Styrene	ND	1.0	5.0	1,1,1,2-Tetrachloroethane	ND	1.0	5.0
1,1,2,2-Tetrachloroethane	ND	1.0	5.0	Tetrachloroethene	ND	1.0	5.0
Toluene	ND	1.0	5.0	1,2,3-Trichlorobenzene	ND	1.0	5.0
1,2,4-Trichlorobenzene	ND	1.0	5.0	1,1,1-Trichloroethane	ND	1.0	5.0
1,1,2-Trichloroethane	ND	1.0	5.0	Trichloroethene	ND	1.0	5.0
Trichlorofluoromethane	ND	1.0	5.0	1,2,3-Trichloropropane	ND	1.0	5.0
1,2,4-Trimethylbenzene	ND	1.0	5.0	1,3,5-Trimethylbenzene	ND	1.0	5.0
Vinyl Chloride	ND	1.0	5.0	Xylenes	ND	1.0	5.0

Surrogate Recoveries (%)

%SS1:	116	%SS2:	100
%SS3:	109		

Comments:

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in µg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content.

DHS Certification No. 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone: 925-798-1620 Fax: 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

	Client Project ID: #7000.2013; Independent Road Warehouse	Date Sampled: 08/17/04
		Date Received: 08/18/04
	Client Contact: Kin Leung	Date Extracted: 08/18/04
	Client P.O.: #1279	Date Analyzed: 08/18/04-08/19/04

Volatile Organics by P&T and GC/MS (Basic Target List)*

Extraction Method: SW5030B Analytical Method: SW8260B Work Order: 0408243

Lab ID	0408243-007A
Client ID	B4-1-5
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	50	Acrolein (Propenal)	ND	1.0	50
Acrylonitrile	ND	1.0	20	tert-Amyl methyl ether (TAME)	ND	1.0	5.0
Benzene	ND	1.0	5.0	Bromobenzene	ND	1.0	5.0
Bromochloromethane	ND	1.0	5.0	Bromodichloromethane	ND	1.0	5.0
Bromoform	ND	1.0	5.0	Bromomethane	ND	1.0	5.0
2-Butanone (MEK)	ND	1.0	20	t-Butyl alcohol (TBA)	ND	1.0	25
n-Butyl benzene	ND	1.0	5.0	sec-Butyl benzene	ND	1.0	5.0
tert-Butyl benzene	ND	1.0	5.0	Carbon Disulfide	ND	1.0	5.0
Carbon Tetrachloride	ND	1.0	5.0	Chlorobenzene	ND	1.0	5.0
Chloroethane	ND	1.0	5.0	2-Chloroethyl Vinyl Ether	ND	1.0	10
Chloroform	ND	1.0	5.0	Chloromethane	ND	1.0	5.0
2-Chlorotoluene	ND	1.0	5.0	4-Chlorotoluene	ND	1.0	5.0
Dibromochloromethane	ND	1.0	5.0	1,2-Dibromo-3-chloropropane	ND	1.0	5.0
1,2-Dibromoethane (EDB)	ND	1.0	5.0	Dibromomethane	ND	1.0	5.0
1,2-Dichlorobenzene	ND	1.0	5.0	1,3-Dichlorobenzene	ND	1.0	5.0
1,4-Dichlorobenzene	ND	1.0	5.0	Dichlorodifluoromethane	ND	1.0	5.0
1,1-Dichloroethane	ND	1.0	5.0	1,2-Dichloroethane (1,2-DCA)	ND	1.0	5.0
1,1-Dichloroethene	ND	1.0	5.0	cis-1,2-Dichloroethene	ND	1.0	5.0
trans-1,2-Dichloroethene	ND	1.0	5.0	1,2-Dichloropropane	ND	1.0	5.0
1,3-Dichloropropane	ND	1.0	5.0	2,2-Dichloropropane	ND	1.0	5.0
1,1-Dichloropropene	ND	1.0	5.0	cis-1,3-Dichloropropene	ND	1.0	5.0
trans-1,3-Dichloropropene	ND	1.0	5.0	Diisopropyl ether (DIPE)	ND	1.0	5.0
Ethylbenzene	ND	1.0	5.0	Ethyl tert-butyl ether (ETBE)	ND	1.0	5.0
Freon 113	ND	1.0	100	Hexachlorobutadiene	ND	1.0	5.0
Hexachloroethane	ND	1.0	5.0	2-Hexanone	ND	1.0	5.0
Isopropylbenzene	ND	1.0	5.0	4-Isopropyl toluene	ND	1.0	5.0
Methyl-t-butyl ether (MTBE)	ND	1.0	5.0	Methylene chloride	ND	1.0	5.0
4-Methyl-2-pentanone (MIBK)	ND	1.0	5.0	Naphthalene	ND	1.0	5.0
Nitrobenzene	ND	1.0	100	n-Propyl benzene	ND	1.0	5.0
Styrene	ND	1.0	5.0	1,1,1,2-Tetrachloroethane	ND	1.0	5.0
1,1,2,2-Tetrachloroethane	ND	1.0	5.0	Tetrachloroethene	ND	1.0	5.0
Toluene	ND	1.0	5.0	1,2,3-Trichlorobenzene	ND	1.0	5.0
1,2,4-Trichlorobenzene	ND	1.0	5.0	1,1,1-Trichloroethane	ND	1.0	5.0
1,1,2-Trichloroethane	ND	1.0	5.0	Trichloroethene	ND	1.0	5.0
Trichlorofluoromethane	ND	1.0	5.0	1,2,3-Trichloropropane	ND	1.0	5.0
1,2,4-Trimethylbenzene	ND	1.0	5.0	1,3,5-Trimethylbenzene	ND	1.0	5.0
Vinyl Chloride	ND	1.0	5.0	Xylenes	ND	1.0	5.0

Surrogate Recoveries (%)

%SS1:	106	%SS2:	101
%SS3:	109		

Comments:

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in µg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content.

DHS Certification No. 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

	Client Project ID: #7000.2013; Independent Road Warehouse	Date Sampled: 08/17/04
		Date Received: 08/18/04
	Client Contact: Kin Leung	Date Extracted: 08/18/04
	Client P.O.: #1279	Date Analyzed: 08/18/04-08/19/04

Volatile Organics by P&T and GC/MS (Basic Target List)*

Extraction Method: SW5030B Analytical Method: SW8260B Work Order: 0408243

Lab ID	0408243-008A
Client ID	B4-2-10
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	360	1.0	50	Acrolein (Propenal)	ND	1.0	50
Acrylonitrile	ND	1.0	20	tert-Amyl methyl ether (TAME)	ND	1.0	5.0
Benzene	ND	1.0	5.0	Bromobenzene	ND	1.0	5.0
Bromochloromethane	ND	1.0	5.0	Bromodichloromethane	ND	1.0	5.0
Bromoform	ND	1.0	5.0	Bromomethane	ND	1.0	5.0
2-Butanone (MEK)	130	1.0	20	t-Butyl alcohol (TBA)	ND	1.0	25
n-Butyl benzene	ND	1.0	5.0	sec-Butyl benzene	ND	1.0	5.0
tert-Butyl benzene	ND	1.0	5.0	Carbon Disulfide	ND	1.0	5.0
Carbon Tetrachloride	ND	1.0	5.0	Chlorobenzene	ND	1.0	5.0
Chloroethane	ND	1.0	5.0	2-Chloroethyl Vinyl Ether	ND	1.0	10
Chloroform	ND	1.0	5.0	Chloromethane	ND	1.0	5.0
2-Chlorotoluene	ND	1.0	5.0	4-Chlorotoluene	ND	1.0	5.0
Dibromochloromethane	ND	1.0	5.0	1,2-Dibromo-3-chloropropane	ND	1.0	5.0
1,2-Dibromoethane (EDB)	ND	1.0	5.0	Dibromomethane	ND	1.0	5.0
1,2-Dichlorobenzene	ND	1.0	5.0	1,3-Dichlorobenzene	ND	1.0	5.0
1,4-Dichlorobenzene	ND	1.0	5.0	Dichlorodifluoromethane	ND	1.0	5.0
1,1-Dichloroethane	ND	1.0	5.0	1,2-Dichloroethane (1,2-DCA)	ND	1.0	5.0
1,1-Dichloroethene	ND	1.0	5.0	cis-1,2-Dichloroethene	ND	1.0	5.0
trans-1,2-Dichloroethene	ND	1.0	5.0	1,2-Dichloropropane	ND	1.0	5.0
1,3-Dichloropropane	ND	1.0	5.0	2,2-Dichloropropane	ND	1.0	5.0
1,1-Dichloropropene	ND	1.0	5.0	cis-1,3-Dichloropropene	ND	1.0	5.0
trans-1,3-Dichloropropene	ND	1.0	5.0	Diisopropyl ether (DIPE)	ND	1.0	5.0
Ethylbenzene	ND	1.0	5.0	Ethyl tert-butyl ether (ETBE)	ND	1.0	5.0
Freon 113	ND	1.0	100	Hexachlorobutadiene	ND	1.0	5.0
Hexachloroethane	ND	1.0	5.0	2-Hexanone	ND	1.0	5.0
Isopropylbenzene	ND	1.0	5.0	4-Isopropyl toluene	ND	1.0	5.0
Methyl-t-butyl ether (MTBE)	ND	1.0	5.0	Methylene chloride	ND	1.0	5.0
4-Methyl-2-pentanone (MIBK)	ND	1.0	5.0	Naphthalene	ND	1.0	5.0
Nitrobenzene	ND	1.0	100	n-Propyl benzene	ND	1.0	5.0
Styrene	ND	1.0	5.0	1,1,1,2-Tetrachloroethane	ND	1.0	5.0
1,1,2,2-Tetrachloroethane	ND	1.0	5.0	Tetrachloroethene	ND	1.0	5.0
Toluene	ND	1.0	5.0	1,2,3-Trichlorobenzene	ND	1.0	5.0
1,2,4-Trichlorobenzene	ND	1.0	5.0	1,1,1-Trichloroethane	ND	1.0	5.0
1,1,2-Trichloroethane	ND	1.0	5.0	Trichloroethene	ND	1.0	5.0
Trichlorofluoromethane	ND	1.0	5.0	1,2,3-Trichloropropane	ND	1.0	5.0
1,2,4-Trimethylbenzene	ND	1.0	5.0	1,3,5-Trimethylbenzene	ND	1.0	5.0
Vinyl Chloride	ND	1.0	5.0	Xylenes	ND	1.0	5.0

Surrogate Recoveries (%)

%SS1:	114	%SS2:	98.8
%SS3:	105		

Comments:

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in µg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content.

DHS Certification No. 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

	Client Project ID: #7000.2013; Independent Road Warehouse	Date Sampled: 08/17/04
		Date Received: 08/18/04
	Client Contact: Kin Leung	Date Extracted: 08/18/04
	Client P.O.: #1279	Date Analyzed: 08/18/04-08/19/04

Volatile Organics by P&T and GC/MS (Basic Target List)*

Extraction Method: SW5030B Analytical Method: SW8260B Work Order: 0408243

Lab ID	0408243-009A
Client ID	B5-1-5
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	50	Acrolein (Propenal)	ND	1.0	50
Acrylonitrile	ND	1.0	20	tert-Amyl methyl ether (TAME)	ND	1.0	5.0
Benzene	ND	1.0	5.0	Bromobenzene	ND	1.0	5.0
Bromochloromethane	ND	1.0	5.0	Bromodichloromethane	ND	1.0	5.0
Bromoform	ND	1.0	5.0	Bromomethane	ND	1.0	5.0
2-Butanone (MEK)	ND	1.0	20	t-Butyl alcohol (TBA)	ND	1.0	25
n-Butyl benzene	ND	1.0	5.0	sec-Butyl benzene	ND	1.0	5.0
tert-Butyl benzene	ND	1.0	5.0	Carbon Disulfide	ND	1.0	5.0
Carbon Tetrachloride	ND	1.0	5.0	Chlorobenzene	ND	1.0	5.0
Chloroethane	ND	1.0	5.0	2-Chloroethyl Vinyl Ether	ND	1.0	10
Chloroform	ND	1.0	5.0	Chloromethane	ND	1.0	5.0
2-Chlorotoluene	ND	1.0	5.0	4-Chlorotoluene	ND	1.0	5.0
Dibromochloromethane	ND	1.0	5.0	1,2-Dibromo-3-chloropropane	ND	1.0	5.0
1,2-Dibromoethane (EDB)	ND	1.0	5.0	Dibromomethane	ND	1.0	5.0
1,2-Dichlorobenzene	ND	1.0	5.0	1,3-Dichlorobenzene	ND	1.0	5.0
1,4-Dichlorobenzene	ND	1.0	5.0	Dichlorodifluoromethane	ND	1.0	5.0
1,1-Dichloroethane	ND	1.0	5.0	1,2-Dichloroethane (1,2-DCA)	ND	1.0	5.0
1,1-Dichloroethene	ND	1.0	5.0	cis-1,2-Dichloroethene	ND	1.0	5.0
trans-1,2-Dichloroethene	ND	1.0	5.0	1,2-Dichloropropane	ND	1.0	5.0
1,3-Dichloropropane	ND	1.0	5.0	2,2-Dichloropropane	ND	1.0	5.0
1,1-Dichloropropene	ND	1.0	5.0	cis-1,3-Dichloropropene	ND	1.0	5.0
trans-1,3-Dichloropropene	ND	1.0	5.0	Diisopropyl ether (DIPE)	ND	1.0	5.0
Ethylbenzene	ND	1.0	5.0	Ethyl tert-butyl ether (ETBE)	ND	1.0	5.0
Freon 113	ND	1.0	100	Hexachlorobutadiene	ND	1.0	5.0
Hexachloroethane	ND	1.0	5.0	2-Hexanone	ND	1.0	5.0
Isopropylbenzene	ND	1.0	5.0	4-Isopropyl toluene	ND	1.0	5.0
Methyl-t-butyl ether (MTBE)	ND	1.0	5.0	Methylene chloride	ND	1.0	5.0
4-Methyl-2-pentanone (MIBK)	ND	1.0	5.0	Naphthalene	ND	1.0	5.0
Nitrobenzene	ND	1.0	100	n-Propyl benzene	ND	1.0	5.0
Styrene	ND	1.0	5.0	1,1,1,2-Tetrachloroethane	ND	1.0	5.0
1,1,2,2-Tetrachloroethane	ND	1.0	5.0	Tetrachloroethene	ND	1.0	5.0
Toluene	ND	1.0	5.0	1,2,3-Trichlorobenzene	ND	1.0	5.0
1,2,4-Trichlorobenzene	ND	1.0	5.0	1,1,1-Trichloroethane	ND	1.0	5.0
1,1,2-Trichloroethane	ND	1.0	5.0	Trichloroethene	ND	1.0	5.0
Trichlorofluoromethane	ND	1.0	5.0	1,2,3-Trichloropropane	ND	1.0	5.0
1,2,4-Trimethylbenzene	ND	1.0	5.0	1,3,5-Trimethylbenzene	ND	1.0	5.0
Vinyl Chloride	ND	1.0	5.0	Xylenes	ND	1.0	5.0

Surrogate Recoveries (%)

%SS1:	105	%SS2:	102
%SS3:	108		

Comments:

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in µg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content.

DHS Certification No. 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

	Client Project ID: #7000.2013; Independent Road Warehouse	Date Sampled: 08/17/04
		Date Received: 08/18/04
	Client Contact: Kin Leung	Date Extracted: 08/18/04
	Client P.O.: #1279	Date Analyzed: 08/18/04-08/19/04

Volatile Organics by P&T and GC/MS (Basic Target List)*

Extraction Method: SW5030B Analytical Method: SW8260B Work Order: 0408243

Lab ID	0408243-010A
Client ID	B5-2-10
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	50	Acrolein (Propenal)	ND	1.0	50
Acrylonitrile	ND	1.0	20	tert-Amyl methyl ether (TAME)	ND	1.0	5.0
Benzene	ND	1.0	5.0	Bromobenzene	ND	1.0	5.0
Bromochloromethane	ND	1.0	5.0	Bromodichloromethane	ND	1.0	5.0
Bromoform	ND	1.0	5.0	Bromomethane	ND	1.0	5.0
2-Butanone (MEK)	ND	1.0	20	t-Butyl alcohol (TBA)	ND	1.0	25
n-Butyl benzene	ND	1.0	5.0	sec-Butyl benzene	ND	1.0	5.0
tert-Butyl benzene	ND	1.0	5.0	Carbon Disulfide	ND	1.0	5.0
Carbon Tetrachloride	ND	1.0	5.0	Chlorobenzene	ND	1.0	5.0
Chloroethane	ND	1.0	5.0	2-Chloroethyl Vinyl Ether	ND	1.0	10
Chloroform	ND	1.0	5.0	Chloromethane	ND	1.0	5.0
2-Chlorotoluene	ND	1.0	5.0	4-Chlorotoluene	ND	1.0	5.0
Dibromochloromethane	ND	1.0	5.0	1,2-Dibromo-3-chloropropane	ND	1.0	5.0
1,2-Dibromoethane (EDB)	ND	1.0	5.0	Dibromomethane	ND	1.0	5.0
1,2-Dichlorobenzene	ND	1.0	5.0	1,3-Dichlorobenzene	ND	1.0	5.0
1,4-Dichlorobenzene	ND	1.0	5.0	Dichlorodifluoromethane	ND	1.0	5.0
1,1-Dichloroethane	ND	1.0	5.0	1,2-Dichloroethane (1,2-DCA)	ND	1.0	5.0
1,1-Dichloroethene	ND	1.0	5.0	cis-1,2-Dichloroethene	ND	1.0	5.0
trans-1,2-Dichloroethene	ND	1.0	5.0	1,2-Dichloropropane	ND	1.0	5.0
1,3-Dichloropropane	ND	1.0	5.0	2,2-Dichloropropane	ND	1.0	5.0
1,1-Dichloropropene	ND	1.0	5.0	cis-1,3-Dichloropropene	ND	1.0	5.0
trans-1,3-Dichloropropene	ND	1.0	5.0	Diisopropyl ether (DIPE)	ND	1.0	5.0
Ethylbenzene	ND	1.0	5.0	Ethyl tert-butyl ether (ETBE)	ND	1.0	5.0
Freon 113	ND	1.0	100	Hexachlorobutadiene	ND	1.0	5.0
Hexachloroethane	ND	1.0	5.0	2-Hexanone	ND	1.0	5.0
Isopropylbenzene	ND	1.0	5.0	4-Isopropyl toluene	ND	1.0	5.0
Methyl-t-butyl ether (MTBE)	ND	1.0	5.0	Methylene chloride	ND	1.0	5.0
4-Methyl-2-pentanone (MIBK)	ND	1.0	5.0	Naphthalene	ND	1.0	5.0
Nitrobenzene	ND	1.0	100	n-Propyl benzene	ND	1.0	5.0
Styrene	ND	1.0	5.0	1,1,1,2-Tetrachloroethane	ND	1.0	5.0
1,1,2,2-Tetrachloroethane	ND	1.0	5.0	Tetrachloroethene	ND	1.0	5.0
Toluene	ND	1.0	5.0	1,2,3-Trichlorobenzene	ND	1.0	5.0
1,2,4-Trichlorobenzene	ND	1.0	5.0	1,1,1-Trichloroethane	ND	1.0	5.0
1,1,2-Trichloroethane	ND	1.0	5.0	Trichloroethene	ND	1.0	5.0
Trichlorofluoromethane	ND	1.0	5.0	1,2,3-Trichloropropane	ND	1.0	5.0
1,2,4-Trimethylbenzene	ND	1.0	5.0	1,3,5-Trimethylbenzene	ND	1.0	5.0
Vinyl Chloride	ND	1.0	5.0	Xylenes	ND	1.0	5.0

Surrogate Recoveries (%)

%SS1:	115	%SS2:	100
%SS3:	98.4		

Comments:

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in µg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content.

DHS Certification No. 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.
110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone: 925-798-1620 Fax: 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

	Client Project ID: #7000.2013; Independent Road Warehouse	Date Sampled: 08/17/04
		Date Received: 08/18/04
	Client Contact: Kin Leung	Date Extracted: 08/18/04
	Client P.O.: #1279	Date Analyzed: 08/18/04-08/19/04

Volatile Organics by P&T and GC/MS (Basic Target List)*

Extraction Method: SW5030B Analytical Method: SW8260B Work Order: 0408243

Lab ID	0408243-011A
Client ID	B6-1-5
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	50	Acrolein (Propenal)	ND	1.0	50
Acrylonitrile	ND	1.0	20	tert-Amyl methyl ether (TAME)	ND	1.0	5.0
Benzene	ND	1.0	5.0	Bromobenzene	ND	1.0	5.0
Bromochloromethane	ND	1.0	5.0	Bromodichloromethane	ND	1.0	5.0
Bromoform	ND	1.0	5.0	Bromomethane	ND	1.0	5.0
2-Butanone (MEK)	ND	1.0	20	t-Butyl alcohol (TBA)	ND	1.0	25
n-Butyl benzene	ND	1.0	5.0	sec-Butyl benzene	ND	1.0	5.0
tert-Butyl benzene	ND	1.0	5.0	Carbon Disulfide	ND	1.0	5.0
Carbon Tetrachloride	ND	1.0	5.0	Chlorobenzene	ND	1.0	5.0
Chloroethane	ND	1.0	5.0	2-Chloroethyl Vinyl Ether	ND	1.0	10
Chloroform	ND	1.0	5.0	Chloromethane	ND	1.0	5.0
2-Chlorotoluene	ND	1.0	5.0	4-Chlorotoluene	ND	1.0	5.0
Dibromochloromethane	ND	1.0	5.0	1,2-Dibromo-3-chloropropane	ND	1.0	5.0
1,2-Dibromoethane (EDB)	ND	1.0	5.0	Dibromomethane	ND	1.0	5.0
1,2-Dichlorobenzene	ND	1.0	5.0	1,3-Dichlorobenzene	ND	1.0	5.0
1,4-Dichlorobenzene	ND	1.0	5.0	Dichlorodifluoromethane	ND	1.0	5.0
1,1-Dichloroethane	ND	1.0	5.0	1,2-Dichloroethane (1,2-DCA)	ND	1.0	5.0
1,1-Dichloroethene	ND	1.0	5.0	cis-1,2-Dichloroethene	ND	1.0	5.0
trans-1,2-Dichloroethene	ND	1.0	5.0	1,2-Dichloropropane	ND	1.0	5.0
1,3-Dichloropropane	ND	1.0	5.0	2,2-Dichloropropane	ND	1.0	5.0
1,1-Dichloropropene	ND	1.0	5.0	cis-1,3-Dichloropropene	ND	1.0	5.0
trans-1,3-Dichloropropene	ND	1.0	5.0	Diisopropyl ether (DIPE)	ND	1.0	5.0
Ethylbenzene	ND	1.0	5.0	Ethyl tert-butyl ether (ETBE)	ND	1.0	5.0
Freon 113	ND	1.0	100	Hexachlorobutadiene	ND	1.0	5.0
Hexachloroethane	ND	1.0	5.0	2-Hexanone	ND	1.0	5.0
Isopropylbenzene	ND	1.0	5.0	4-Isopropyl toluene	ND	1.0	5.0
Methyl-t-butyl ether (MTBE)	ND	1.0	5.0	Methylene chloride	ND	1.0	5.0
4-Methyl-2-pentanone (MIBK)	ND	1.0	5.0	Naphthalene	ND	1.0	5.0
Nitrobenzene	ND	1.0	100	n-Propyl benzene	ND	1.0	5.0
Styrene	ND	1.0	5.0	1,1,1,2-Tetrachloroethane	ND	1.0	5.0
1,1,2,2-Tetrachloroethane	ND	1.0	5.0	Tetrachloroethene	ND	1.0	5.0
Toluene	ND	1.0	5.0	1,2,3-Trichlorobenzene	ND	1.0	5.0
1,2,4-Trichlorobenzene	ND	1.0	5.0	1,1,1-Trichloroethane	ND	1.0	5.0
1,1,2-Trichloroethane	ND	1.0	5.0	Trichloroethene	ND	1.0	5.0
Trichlorofluoromethane	ND	1.0	5.0	1,2,3-Trichloropropane	ND	1.0	5.0
1,2,4-Trimethylbenzene	ND	1.0	5.0	1,3,5-Trimethylbenzene	ND	1.0	5.0
Vinyl Chloride	ND	1.0	5.0	Xylenes	ND	1.0	5.0

Surrogate Recoveries (%)

%SS1:	119	%SS2:	99.7
%SS3:	106		

Comments:

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in µg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content.

DHS Certification No. 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

	Client Project ID: #7000.2013; Independent Road Warehouse	Date Sampled: 08/17/04
		Date Received: 08/18/04
	Client Contact: Kin Leung	Date Extracted: 08/18/04
	Client P.O.: #1279	Date Analyzed: 08/18/04-08/19/04

Volatile Organics by P&T and GC/MS (Basic Target List)*

Extraction Method: SW5030B Analytical Method: SW8260B Work Order: 0408243

Lab ID	0408243-012A
Client ID	B7-1-5
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	50	Acrolein (Propenal)	ND	1.0	50
Acrylonitrile	ND	1.0	20	tert-Amyl methyl ether (TAME)	ND	1.0	5.0
Benzene	ND	1.0	5.0	Bromobenzene	ND	1.0	5.0
Bromochloromethane	ND	1.0	5.0	Bromodichloromethane	ND	1.0	5.0
Bromoform	ND	1.0	5.0	Bromomethane	ND	1.0	5.0
2-Butanone (MEK)	ND	1.0	20	t-Butyl alcohol (TBA)	ND	1.0	25
n-Butyl benzene	ND	1.0	5.0	sec-Butyl benzene	ND	1.0	5.0
tert-Butyl benzene	ND	1.0	5.0	Carbon Disulfide	ND	1.0	5.0
Carbon Tetrachloride	ND	1.0	5.0	Chlorobenzene	ND	1.0	5.0
Chloroethane	ND	1.0	5.0	2-Chloroethyl Vinyl Ether	ND	1.0	10
Chloroform	ND	1.0	5.0	Chloromethane	ND	1.0	5.0
2-Chlorotoluene	ND	1.0	5.0	4-Chlorotoluene	ND	1.0	5.0
Dibromochloromethane	ND	1.0	5.0	1,2-Dibromo-3-chloropropane	ND	1.0	5.0
1,2-Dibromoethane (EDB)	ND	1.0	5.0	Dibromomethane	ND	1.0	5.0
1,2-Dichlorobenzene	ND	1.0	5.0	1,3-Dichlorobenzene	ND	1.0	5.0
1,4-Dichlorobenzene	ND	1.0	5.0	Dichlorodifluoromethane	ND	1.0	5.0
1,1-Dichloroethane	ND	1.0	5.0	1,2-Dichloroethane (1,2-DCA)	ND	1.0	5.0
1,1-Dichloroethene	ND	1.0	5.0	cis-1,2-Dichloroethene	ND	1.0	5.0
trans-1,2-Dichloroethene	ND	1.0	5.0	1,2-Dichloropropane	ND	1.0	5.0
1,3-Dichloropropane	ND	1.0	5.0	2,2-Dichloropropane	ND	1.0	5.0
1,1-Dichloropropene	ND	1.0	5.0	cis-1,3-Dichloropropene	ND	1.0	5.0
trans-1,3-Dichloropropene	ND	1.0	5.0	Diisopropyl ether (DIPE)	ND	1.0	5.0
Ethylbenzene	ND	1.0	5.0	Ethyl tert-butyl ether (ETBE)	ND	1.0	5.0
Freon 113	ND	1.0	100	Hexachlorobutadiene	ND	1.0	5.0
Hexachloroethane	ND	1.0	5.0	2-Hexanone	ND	1.0	5.0
Isopropylbenzene	ND	1.0	5.0	4-Isopropyl toluene	ND	1.0	5.0
Methyl-t-butyl ether (MTBE)	ND	1.0	5.0	Methylene chloride	ND	1.0	5.0
4-Methyl-2-pentanone (MIBK)	ND	1.0	5.0	Naphthalene	ND	1.0	5.0
Nitrobenzene	ND	1.0	100	n-Propyl benzene	ND	1.0	5.0
Styrene	ND	1.0	5.0	1,1,1,2-Tetrachloroethane	ND	1.0	5.0
1,1,2,2-Tetrachloroethane	ND	1.0	5.0	Tetrachloroethene	ND	1.0	5.0
Toluene	ND	1.0	5.0	1,2,3-Trichlorobenzene	ND	1.0	5.0
1,2,4-Trichlorobenzene	ND	1.0	5.0	1,1,1-Trichloroethane	ND	1.0	5.0
1,1,2-Trichloroethane	ND	1.0	5.0	Trichloroethene	ND	1.0	5.0
Trichlorofluoromethane	ND	1.0	5.0	1,2,3-Trichloropropane	ND	1.0	5.0
1,2,4-Trimethylbenzene	ND	1.0	5.0	1,3,5-Trimethylbenzene	ND	1.0	5.0
Vinyl Chloride	ND	1.0	5.0	Xylenes	ND	1.0	5.0

Surrogate Recoveries (%)

%SS1:	118	%SS2:	100
%SS3:	105		

Comments:

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in µg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content.

DHS Certification No. 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

	Client Project ID: #7000.2013; Independent Road Warehouse	Date Sampled: 08/17/04
		Date Received: 08/18/04
	Client Contact: Kin Leung	Date Extracted: 08/18/04
	Client P.O.: #1279	Date Analyzed: 08/18/04-08/19/04

Volatile Organics by P&T and GC/MS (Basic Target List)*

Extraction Method: SW5030B Analytical Method: SW8260B Work Order: 0408243

Lab ID	0408243-013A
Client ID	B7-2-10
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	50	Acrolein (Propenal)	ND	1.0	50
Acrylonitrile	ND	1.0	20	tert-Amyl methyl ether (TAME)	ND	1.0	5.0
Benzene	ND	1.0	5.0	Bromobenzene	ND	1.0	5.0
Bromochloromethane	ND	1.0	5.0	Bromodichloromethane	ND	1.0	5.0
Bromoform	ND	1.0	5.0	Bromomethane	ND	1.0	5.0
2-Butanone (MEK)	ND	1.0	20	t-Butyl alcohol (TBA)	ND	1.0	25
n-Butyl benzene	ND	1.0	5.0	sec-Butyl benzene	ND	1.0	5.0
tert-Butyl benzene	ND	1.0	5.0	Carbon Disulfide	ND	1.0	5.0
Carbon Tetrachloride	ND	1.0	5.0	Chlorobenzene	ND	1.0	5.0
Chloroethane	ND	1.0	5.0	2-Chloroethyl Vinyl Ether	ND	1.0	10
Chloroform	ND	1.0	5.0	Chloromethane	ND	1.0	5.0
2-Chlorotoluene	ND	1.0	5.0	4-Chlorotoluene	ND	1.0	5.0
Dibromochloromethane	ND	1.0	5.0	1,2-Dibromo-3-chloropropane	ND	1.0	5.0
1,2-Dibromoethane (EDB)	ND	1.0	5.0	Dibromomethane	ND	1.0	5.0
1,2-Dichlorobenzene	ND	1.0	5.0	1,3-Dichlorobenzene	ND	1.0	5.0
1,4-Dichlorobenzene	ND	1.0	5.0	Dichlorodifluoromethane	ND	1.0	5.0
1,1-Dichloroethane	ND	1.0	5.0	1,2-Dichloroethane (1,2-DCA)	ND	1.0	5.0
1,1-Dichloroethene	ND	1.0	5.0	cis-1,2-Dichloroethene	ND	1.0	5.0
trans-1,2-Dichloroethene	ND	1.0	5.0	1,2-Dichloropropane	ND	1.0	5.0
1,3-Dichloropropane	ND	1.0	5.0	2,2-Dichloropropane	ND	1.0	5.0
1,1-Dichloropropene	ND	1.0	5.0	cis-1,3-Dichloropropene	ND	1.0	5.0
trans-1,3-Dichloropropene	ND	1.0	5.0	Diisopropyl ether (DIPE)	ND	1.0	5.0
Ethylbenzene	ND	1.0	5.0	Ethyl tert-butyl ether (ETBE)	ND	1.0	5.0
Freon 113	ND	1.0	100	Hexachlorobutadiene	ND	1.0	5.0
Hexachloroethane	ND	1.0	5.0	2-Hexanone	ND	1.0	5.0
Isopropylbenzene	ND	1.0	5.0	4-Isopropyl toluene	ND	1.0	5.0
Methyl-t-butyl ether (MTBE)	ND	1.0	5.0	Methylene chloride	ND	1.0	5.0
4-Methyl-2-pentanone (MIBK)	ND	1.0	5.0	Naphthalene	ND	1.0	5.0
Nitrobenzene	ND	1.0	100	n-Propyl benzene	ND	1.0	5.0
Styrene	ND	1.0	5.0	1,1,1,2-Tetrachloroethane	ND	1.0	5.0
1,1,2,2-Tetrachloroethane	ND	1.0	5.0	Tetrachloroethene	ND	1.0	5.0
Toluene	ND	1.0	5.0	1,2,3-Trichlorobenzene	ND	1.0	5.0
1,2,4-Trichlorobenzene	ND	1.0	5.0	1,1,1-Trichloroethane	ND	1.0	5.0
1,1,2-Trichloroethane	ND	1.0	5.0	Trichloroethene	ND	1.0	5.0
Trichlorofluoromethane	ND	1.0	5.0	1,2,3-Trichloropropane	ND	1.0	5.0
1,2,4-Trimethylbenzene	ND	1.0	5.0	1,3,5-Trimethylbenzene	ND	1.0	5.0
Vinyl Chloride	ND	1.0	5.0	Xylenes	ND	1.0	5.0

Surrogate Recoveries (%)

%SS1:	115	%SS2:	99.8
%SS3:	109		

Comments:

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in µg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content.

DHS Certification No. 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

Client Project ID: #7000.2013; Independent Road Warehouse	Date Sampled: 08/17/04
	Date Received: 08/18/04
Client Contact: Kin Leung	Date Extracted: 08/18/04
Client P.O.: #1279	Date Analyzed: 08/18/04

Volatile Organics by P&T and GC/MS (Basic Target List)*

Extraction Method: SW5030B Analytical Method: SW8260B Work Order: 0408243

Lab ID	0408243-014A
Client ID	B8-1-5
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND<200	4.0	50	Acrolein (Propenal)	ND<200	4.0	50
Acrylonitrile	ND<80	4.0	20	tert-Amyl methyl ether (TAME)	ND<20	4.0	5.0
Benzene	520	4.0	5.0	Bromobenzene	ND<20	4.0	5.0
Bromochloromethane	ND<20	4.0	5.0	Bromodichloromethane	ND<20	4.0	5.0
Bromoform	ND<20	4.0	5.0	Bromomethane	ND<20	4.0	5.0
2-Butanone (MEK)	ND<80	4.0	20	t-Butyl alcohol (TBA)	ND<100	4.0	25
n-Butyl benzene	160	4.0	5.0	sec-Butyl benzene	46	4.0	5.0
tert-Butyl benzene	ND<20	4.0	5.0	Carbon Disulfide	ND<20	4.0	5.0
Carbon Tetrachloride	ND<20	4.0	5.0	Chlorobenzene	ND<20	4.0	5.0
Chloroethane	ND<20	4.0	5.0	2-Chloroethyl Vinyl Ether	ND<40	4.0	10
Chloroform	ND<20	4.0	5.0	Chloromethane	ND<20	4.0	5.0
2-Chlorotoluene	ND<20	4.0	5.0	4-Chlorotoluene	ND<20	4.0	5.0
Dibromochloromethane	ND<20	4.0	5.0	1,2-Dibromo-3-chloropropane	ND<20	4.0	5.0
1,2-Dibromoethane (EDB)	ND<20	4.0	5.0	Dibromomethane	ND<20	4.0	5.0
1,2-Dichlorobenzene	ND<20	4.0	5.0	1,3-Dichlorobenzene	ND<20	4.0	5.0
1,4-Dichlorobenzene	ND<20	4.0	5.0	Dichlorodifluoromethane	ND<20	4.0	5.0
1,1-Dichloroethane	ND<20	4.0	5.0	1,2-Dichloroethane (1,2-DCA)	ND<20	4.0	5.0
1,1-Dichloroethene	ND<20	4.0	5.0	cis-1,2-Dichloroethene	ND<20	4.0	5.0
trans-1,2-Dichloroethene	ND<20	4.0	5.0	1,2-Dichloropropane	ND<20	4.0	5.0
1,3-Dichloropropane	ND<20	4.0	5.0	2,2-Dichloropropane	ND<20	4.0	5.0
1,1-Dichloropropene	ND<20	4.0	5.0	cis-1,3-Dichloropropene	ND<20	4.0	5.0
trans-1,3-Dichloropropene	ND<20	4.0	5.0	Diisopropyl ether (DIPE)	ND<20	4.0	5.0
Ethylbenzene	57	4.0	5.0	Ethyl tert-butyl ether (ETBE)	ND<20	4.0	5.0
Freon 113	ND<400	4.0	100	Hexachlorobutadiene	ND<20	4.0	5.0
Hexachloroethane	ND<20	4.0	5.0	2-Hexanone	ND<20	4.0	5.0
Isopropylbenzene	120	4.0	5.0	4-Isopropyl toluene	ND<20	4.0	5.0
Methyl-t-butyl ether (MTBE)	ND<20	4.0	5.0	Methylene chloride	ND<20	4.0	5.0
4-Methyl-2-pentanone (MIBK)	ND<20	4.0	5.0	Naphthalene	52	4.0	5.0
Nitrobenzene	ND<400	4.0	100	n-Propyl benzene	460	4.0	5.0
Styrene	ND<20	4.0	5.0	1,1,1,2-Tetrachloroethane	ND<20	4.0	5.0
1,1,2,2-Tetrachloroethane	ND<20	4.0	5.0	Tetrachloroethene	ND<20	4.0	5.0
Toluene	28	4.0	5.0	1,2,3-Trichlorobenzene	ND<20	4.0	5.0
1,2,4-Trichlorobenzene	ND<20	4.0	5.0	1,1,1-Trichloroethane	ND<20	4.0	5.0
1,1,2-Trichloroethane	ND<20	4.0	5.0	Trichloroethene	ND<20	4.0	5.0
Trichlorofluoromethane	ND<20	4.0	5.0	1,2,3-Trichloropropane	ND<20	4.0	5.0
1,2,4-Trimethylbenzene	ND<20	4.0	5.0	1,3,5-Trimethylbenzene	39	4.0	5.0
Vinyl Chloride	ND<20	4.0	5.0	Xylenes	98	4.0	5.0

Surrogate Recoveries (%)

%SS1:	103	%SS2:	96.2
%SS3:	99.5		

Comments:

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in µg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content.

DHS Certification No. 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

	Client Project ID: #7000.2013; Independent Road Warehouse	Date Sampled: 08/17/04
		Date Received: 08/18/04
	Client Contact: Kin Leung	Date Extracted: 08/18/04
	Client P.O.: #1279	Date Analyzed: 08/18/04

Volatile Organics by P&T and GC/MS (Basic Target List)*

Extraction Method: SW5030B Analytical Method: SW8260B Work Order: 0408243

Lab ID	0408243-015A
Client ID	B8-2-10
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND<2000	40	50	Acrolein (Propenal)	ND<2000	40	50
Acrylonitrile	ND<800	40	20	tert-Amyl methyl ether (TAME)	ND<200	40	5.0
Benzene	1600	40	5.0	Bromobenzene	ND<200	40	5.0
Bromochloromethane	ND<200	40	5.0	Bromodichloromethane	ND<200	40	5.0
Bromoform	ND<200	40	5.0	Bromomethane	ND<200	40	5.0
2-Butanone (MEK)	ND<800	40	20	t-Butyl alcohol (TBA)	ND<1000	40	25
n-Butyl benzene	400	40	5.0	sec-Butyl benzene	ND<200	40	5.0
tert-Butyl benzene	ND<200	40	5.0	Carbon Disulfide	ND<200	40	5.0
Carbon Tetrachloride	ND<200	40	5.0	Chlorobenzene	ND<200	40	5.0
Chloroethane	ND<200	40	5.0	2-Chloroethyl Vinyl Ether	ND<400	40	10
Chloroform	ND<200	40	5.0	Chloromethane	ND<200	40	5.0
2-Chlorotoluene	ND<200	40	5.0	4-Chlorotoluene	ND<200	40	5.0
Dibromochloromethane	ND<200	40	5.0	1,2-Dibromo-3-chloropropane	ND<200	40	5.0
1,2-Dibromoethane (EDB)	ND<200	40	5.0	Dibromomethane	ND<200	40	5.0
1,2-Dichlorobenzene	ND<200	40	5.0	1,3-Dichlorobenzene	ND<200	40	5.0
1,4-Dichlorobenzene	ND<200	40	5.0	Dichlorodifluoromethane	ND<200	40	5.0
1,1-Dichloroethane	ND<200	40	5.0	1,2-Dichloroethane (1,2-DCA)	ND<200	40	5.0
1,1-Dichloroethene	ND<200	40	5.0	cis-1,2-Dichloroethene	ND<200	40	5.0
trans-1,2-Dichloroethene	ND<200	40	5.0	1,2-Dichloropropane	ND<200	40	5.0
1,3-Dichloropropane	ND<200	40	5.0	2,2-Dichloropropane	ND<200	40	5.0
1,1-Dichloropropene	ND<200	40	5.0	cis-1,3-Dichloropropene	ND<200	40	5.0
trans-1,3-Dichloropropene	ND<200	40	5.0	Diisopropyl ether (DIPE)	ND<200	40	5.0
Ethylbenzene	1600	40	5.0	Ethyl tert-butyl ether (ETBE)	ND<200	40	5.0
Freon 113	ND<4000	40	100	Hexachlorobutadiene	ND<200	40	5.0
Hexachloroethane	ND<200	40	5.0	2-Hexanone	ND<200	40	5.0
Isopropylbenzene	ND<200	40	5.0	4-Isopropyl toluene	ND<200	40	5.0
Methyl-t-butyl ether (MTBE)	ND<200	40	5.0	Methylene chloride	ND<200	40	5.0
4-Methyl-2-pentanone (MIBK)	ND<200	40	5.0	Naphthalene	650	40	5.0
Nitrobenzene	ND<4000	40	100	n-Propyl benzene	500	40	5.0
Styrene	ND<200	40	5.0	1,1,1,2-Tetrachloroethane	ND<200	40	5.0
1,1,2,2-Tetrachloroethane	ND<200	40	5.0	Tetrachloroethene	ND<200	40	5.0
Toluene	ND<200	40	5.0	1,2,3-Trichlorobenzene	ND<200	40	5.0
1,2,4-Trichlorobenzene	ND<200	40	5.0	1,1,1-Trichloroethane	ND<200	40	5.0
1,1,2-Trichloroethane	ND<200	40	5.0	Trichloroethene	ND<200	40	5.0
Trichlorofluoromethane	ND<200	40	5.0	1,2,3-Trichloropropane	ND<200	40	5.0
1,2,4-Trimethylbenzene	2700	40	5.0	1,3,5-Trimethylbenzene	750	40	5.0
Vinyl Chloride	ND<200	40	5.0	Xylenes	1600	40	5.0

Surrogate Recoveries (%)

%SS1:	113	%SS2:	94.7
%SS3:	91.8		

Comments:

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in µg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content.

DHS Certification No. 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

	Client Project ID: #7000.2013; Independent Road Warehouse	Date Sampled: 08/17/04
		Date Received: 08/18/04
	Client Contact: Kin Leung	Date Extracted: 08/18/04
	Client P.O.: #1279	Date Analyzed: 08/18/04

Volatile Organics by P&T and GC/MS (Basic Target List)*

Extraction Method: SW5030B Analytical Method: SW8260B Work Order: 0408243

Lab ID	0408243-016A
Client ID	B8-3-15
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND<500	10	50	Acrolein (Propenal)	ND<500	10	50
Acrylonitrile	ND<200	10	20	tert-Amyl methyl ether (TAME)	ND<50	10	5.0
Benzene	1200	10	5.0	Bromobenzene	ND<50	10	5.0
Bromochloromethane	ND<50	10	5.0	Bromodichloromethane	ND<50	10	5.0
Bromoform	ND<50	10	5.0	Bromomethane	ND<50	10	5.0
2-Butanone (MEK)	ND<200	10	20	t-Butyl alcohol (TBA)	ND<250	10	25
n-Butyl benzene	290	10	5.0	sec-Butyl benzene	ND<50	10	5.0
tert-Butyl benzene	ND<50	10	5.0	Carbon Disulfide	ND<50	10	5.0
Carbon Tetrachloride	ND<50	10	5.0	Chlorobenzene	ND<50	10	5.0
Chloroethane	ND<50	10	5.0	2-Chloroethyl Vinyl Ether	ND<100	10	10
Chloroform	ND<50	10	5.0	Chloromethane	ND<50	10	5.0
2-Chlorotoluene	ND<50	10	5.0	4-Chlorotoluene	ND<50	10	5.0
Dibromochloromethane	ND<50	10	5.0	1,2-Dibromo-3-chloropropane	ND<50	10	5.0
1,2-Dibromoethane (EDB)	ND<50	10	5.0	Dibromomethane	ND<50	10	5.0
1,2-Dichlorobenzene	ND<50	10	5.0	1,3-Dichlorobenzene	ND<50	10	5.0
1,4-Dichlorobenzene	ND<50	10	5.0	Dichlorodifluoromethane	ND<50	10	5.0
1,1-Dichloroethane	ND<50	10	5.0	1,2-Dichloroethane (1,2-DCA)	ND<50	10	5.0
1,1-Dichloroethene	ND<50	10	5.0	cis-1,2-Dichloroethene	ND<50	10	5.0
trans-1,2-Dichloroethene	ND<50	10	5.0	1,2-Dichloropropane	ND<50	10	5.0
1,3-Dichloropropane	ND<50	10	5.0	2,2-Dichloropropane	ND<50	10	5.0
1,1-Dichloropropene	ND<50	10	5.0	cis-1,3-Dichloropropene	ND<50	10	5.0
trans-1,3-Dichloropropene	ND<50	10	5.0	Diisopropyl ether (DIPE)	ND<50	10	5.0
Ethylbenzene	1100	10	5.0	Ethyl tert-butyl ether (ETBE)	ND<50	10	5.0
Freon 113	ND<1000	10	100	Hexachlorobutadiene	ND<50	10	5.0
Hexachloroethane	ND<50	10	5.0	2-Hexanone	ND<50	10	5.0
Isopropylbenzene	98	10	5.0	4-Isopropyl toluene	71	10	5.0
Methyl-t-butyl ether (MTBE)	ND<50	10	5.0	Methylene chloride	ND<50	10	5.0
4-Methyl-2-pentanone (MIBK)	ND<50	10	5.0	Naphthalene	630	10	5.0
Nitrobenzene	ND<1300	10	100	n-Propyl benzene	330	10	5.0
Styrene	ND<50	10	5.0	1,1,1,2-Tetrachloroethane	ND<50	10	5.0
1,1,2,2-Tetrachloroethane	ND<50	10	5.0	Tetrachloroethene	ND<50	10	5.0
Toluene	ND<50	10	5.0	1,2,3-Trichlorobenzene	ND<50	10	5.0
1,2,4-Trichlorobenzene	ND<50	10	5.0	1,1,1-Trichloroethane	ND<50	10	5.0
1,1,2-Trichloroethane	ND<50	10	5.0	Trichloroethene	ND<50	10	5.0
Trichlorofluoromethane	ND<50	10	5.0	1,2,3-Trichloropropane	ND<50	10	5.0
1,2,4-Trimethylbenzene	2100	10	5.0	1,3,5-Trimethylbenzene	540	10	5.0
Vinyl Chloride	ND<50	10	5.0	Xylenes	1000	10	5.0

Surrogate Recoveries (%)

%SS1:	118	%SS2:	97.7
%SS3:	89.2		

Comments:

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in µg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content.

DHS Certification No. 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

	Client Project ID: #7000.2013; Independent Road Warehouse	Date Sampled: 08/17/04
		Date Received: 08/18/04
	Client Contact: Kin Leung	Date Extracted: 08/18/04-08/19/04
	Client P.O.: #1279	Date Analyzed: 08/18/04-08/19/04

Volatile Organics by P&T and GC/MS (Basic Target List)*

Extraction Method: SW5030B Analytical Method: SW8260B Work Order: 0408243

Lab ID	0408243-017A
Client ID	B1-GW-01:03
Matrix	Water

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	5.0	Acrolein (Propenal)	ND	1.0	5.0
Acrylonitrile	ND	1.0	2.0	tert-Amyl methyl ether (TAME)	ND	1.0	0.5
Benzene	ND	1.0	0.5	Bromobenzene	ND	1.0	0.5
Bromochloromethane	ND	1.0	0.5	Bromodichloromethane	ND	1.0	0.5
Bromoform	ND	1.0	0.5	Bromomethane	ND	1.0	0.5
2-Butanone (MEK)	ND	1.0	2.0	t-Butyl alcohol (TBA)	ND	1.0	5.0
n-Butyl benzene	ND	1.0	0.5	sec-Butyl benzene	ND	1.0	0.5
tert-Butyl benzene	ND	1.0	0.5	Carbon Disulfide	ND	1.0	0.5
Carbon Tetrachloride	ND	1.0	0.5	Chlorobenzene	ND	1.0	0.5
Chloroethane	ND	1.0	0.5	2-Chloroethyl Vinyl Ether	ND	1.0	1.0
Chloroform	ND	1.0	0.5	Chloromethane	ND	1.0	0.5
2-Chlorotoluene	ND	1.0	0.5	4-Chlorotoluene	ND	1.0	0.5
Dibromochloromethane	ND	1.0	0.5	1,2-Dibromo-3-chloropropane	ND	1.0	0.5
1,2-Dibromoethane (EDB)	ND	1.0	0.5	Dibromomethane	ND	1.0	0.5
1,2-Dichlorobenzene	ND	1.0	0.5	1,3-Dichlorobenzene	ND	1.0	0.5
1,4-Dichlorobenzene	ND	1.0	0.5	Dichlorodifluoromethane	ND	1.0	0.5
1,1-Dichloroethane	ND	1.0	0.5	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.5
1,1-Dichloroethene	ND	1.0	0.5	cis-1,2-Dichloroethene	ND	1.0	0.5
trans-1,2-Dichloroethene	ND	1.0	0.5	1,2-Dichloropropane	ND	1.0	0.5
1,3-Dichloropropane	ND	1.0	0.5	2,2-Dichloropropane	ND	1.0	0.5
1,1-Dichloropropene	ND	1.0	0.5	cis-1,3-Dichloropropene	ND	1.0	0.5
trans-1,3-Dichloropropene	ND	1.0	0.5	Diisopropyl ether (DIPE)	ND	1.0	0.5
Ethylbenzene	ND	1.0	0.5	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.5
Freon 113	ND	1.0	10	Hexachlorobutadiene	ND	1.0	0.5
Hexachloroethane	ND	1.0	0.5	2-Hexanone	ND	1.0	0.5
Isopropylbenzene	ND	1.0	0.5	4-Isopropyl toluene	ND	1.0	0.5
Methyl-t-butyl ether (MTBE)	ND	1.0	0.5	Methylene chloride	ND	1.0	0.5
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.5	Naphthalene	ND	1.0	0.5
Nitrobenzene	ND	1.0	10	n-Propyl benzene	ND	1.0	0.5
Styrene	ND	1.0	0.5	1,1,1,2-Tetrachloroethane	ND	1.0	0.5
1,1,2,2-Tetrachloroethane	ND	1.0	0.5	Tetrachloroethene	ND	1.0	0.5
Toluene	ND	1.0	0.5	1,2,3-Trichlorobenzene	ND	1.0	0.5
1,2,4-Trichlorobenzene	ND	1.0	0.5	1,1,1-Trichloroethane	ND	1.0	0.5
1,1,2-Trichloroethane	ND	1.0	0.5	Trichloroethene	ND	1.0	0.5
Trichlorofluoromethane	ND	1.0	0.5	1,2,3-Trichloropropane	ND	1.0	0.5
1,2,4-Trimethylbenzene	ND	1.0	0.5	1,3,5-Trimethylbenzene	ND	1.0	0.5
Vinyl Chloride	ND	1.0	0.5	Xylenes	ND	1.0	0.5

Surrogate Recoveries (%)

%SS1:	108	%SS2:	99.5
%SS3:	107		

Comments:

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in µg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content.

DHS Certification No. 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone: 925-798-1620 Fax: 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

	Client Project ID: #7000.2013; Independent Road Warehouse	Date Sampled: 08/17/04
		Date Received: 08/18/04
	Client Contact: Kin Leung	Date Extracted: 08/18/04-08/19/04
	Client P.O.: #1279	Date Analyzed: 08/18/04-08/19/04

Volatile Organics by P&T and GC/MS (Basic Target List)*

Extraction Method: SW5030B Analytical Method: SW8260B Work Order: 0408243

Lab ID	0408243-018A
Client ID	B2-GW-01:03
Matrix	Water

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	5.0	Acrolein (Propenal)	ND	1.0	5.0
Acrylonitrile	ND	1.0	2.0	tert-Amyl methyl ether (TAME)	ND	1.0	0.5
Benzene	ND	1.0	0.5	Bromobenzene	ND	1.0	0.5
Bromochloromethane	ND	1.0	0.5	Bromodichloromethane	ND	1.0	0.5
Bromoform	ND	1.0	0.5	Bromomethane	ND	1.0	0.5
2-Butanone (MEK)	ND	1.0	2.0	t-Butyl alcohol (TBA)	ND	1.0	5.0
n-Butyl benzene	ND	1.0	0.5	sec-Butyl benzene	ND	1.0	0.5
tert-Butyl benzene	ND	1.0	0.5	Carbon Disulfide	ND	1.0	0.5
Carbon Tetrachloride	ND	1.0	0.5	Chlorobenzene	ND	1.0	0.5
Chloroethane	ND	1.0	0.5	2-Chloroethyl Vinyl Ether	ND	1.0	1.0
Chloroform	ND	1.0	0.5	Chloromethane	ND	1.0	0.5
2-Chlorotoluene	ND	1.0	0.5	4-Chlorotoluene	ND	1.0	0.5
Dibromochloromethane	ND	1.0	0.5	1,2-Dibromo-3-chloropropane	ND	1.0	0.5
1,2-Dibromoethane (EDB)	ND	1.0	0.5	Dibromomethane	ND	1.0	0.5
1,2-Dichlorobenzene	ND	1.0	0.5	1,3-Dichlorobenzene	ND	1.0	0.5
1,4-Dichlorobenzene	ND	1.0	0.5	Dichlorodifluoromethane	ND	1.0	0.5
1,1-Dichloroethane	ND	1.0	0.5	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.5
1,1-Dichloroethene	ND	1.0	0.5	cis-1,2-Dichloroethene	ND	1.0	0.5
trans-1,2-Dichloroethene	ND	1.0	0.5	1,2-Dichloropropane	ND	1.0	0.5
1,3-Dichloropropane	ND	1.0	0.5	2,2-Dichloropropane	ND	1.0	0.5
1,1-Dichloropropene	ND	1.0	0.5	cis-1,3-Dichloropropene	ND	1.0	0.5
trans-1,3-Dichloropropene	ND	1.0	0.5	Diisopropyl ether (DIPE)	ND	1.0	0.5
Ethylbenzene	ND	1.0	0.5	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.5
Freon 113	ND	1.0	10	Hexachlorobutadiene	ND	1.0	0.5
Hexachloroethane	ND	1.0	0.5	2-Hexanone	ND	1.0	0.5
Isopropylbenzene	ND	1.0	0.5	4-Isopropyl toluene	ND	1.0	0.5
Methyl-t-butyl ether (MTBE)	ND	1.0	0.5	Methylene chloride	ND	1.0	0.5
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.5	Naphthalene	ND	1.0	0.5
Nitrobenzene	ND	1.0	10	n-Propyl benzene	ND	1.0	0.5
Styrene	ND	1.0	0.5	1,1,1,2-Tetrachloroethane	ND	1.0	0.5
1,1,2,2-Tetrachloroethane	ND	1.0	0.5	Tetrachloroethene	ND	1.0	0.5
Toluene	ND	1.0	0.5	1,2,3-Trichlorobenzene	ND	1.0	0.5
1,2,4-Trichlorobenzene	ND	1.0	0.5	1,1,1-Trichloroethane	ND	1.0	0.5
1,1,2-Trichloroethane	ND	1.0	0.5	Trichloroethene	ND	1.0	0.5
Trichlorofluoromethane	ND	1.0	0.5	1,2,3-Trichloropropane	ND	1.0	0.5
1,2,4-Trimethylbenzene	ND	1.0	0.5	1,3,5-Trimethylbenzene	ND	1.0	0.5
Vinyl Chloride	ND	1.0	0.5	Xylenes	ND	1.0	0.5

Surrogate Recoveries (%)

%SS1:	102	%SS2:	96.6
%SS3:	103		

Comments:

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in µg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content.

DHS Certification No. 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

	Client Project ID: #7000.2013; Independent Road Warehouse	Date Sampled: 08/17/04
		Date Received: 08/18/04
	Client Contact: Kin Leung	Date Extracted: 08/18/04-08/19/04
	Client P.O.: #1279	Date Analyzed: 08/18/04-08/19/04

Volatile Organics by P&T and GC/MS (Basic Target List)*

Extraction Method: Analytical Method: SW8260B Work Order: 0408243

Lab ID	0408243-019A
Client ID	B4-GW-01:03
Matrix	Water

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	5.0	Acrolein (Propenal)	ND	1.0	5.0
Acrylonitrile	ND	1.0	2.0	tert-Amyl methyl ether (TAME)	ND	1.0	0.5
Benzene	ND	1.0	0.5	Bromobenzene	ND	1.0	0.5
Bromochloromethane	ND	1.0	0.5	Bromodichloromethane	ND	1.0	0.5
Bromoform	ND	1.0	0.5	Bromomethane	ND	1.0	0.5
2-Butanone (MEK)	ND	1.0	2.0	t-Butyl alcohol (TBA)	ND	1.0	5.0
n-Butyl benzene	ND	1.0	0.5	sec-Butyl benzene	ND	1.0	0.5
tert-Butyl benzene	ND	1.0	0.5	Carbon Disulfide	ND	1.0	0.5
Carbon Tetrachloride	ND	1.0	0.5	Chlorobenzene	ND	1.0	0.5
Chloroethane	ND	1.0	0.5	2-Chloroethyl Vinyl Ether	ND	1.0	1.0
Chloroform	ND	1.0	0.5	Chloromethane	ND	1.0	0.5
2-Chlorotoluene	ND	1.0	0.5	4-Chlorotoluene	ND	1.0	0.5
Dibromochloromethane	ND	1.0	0.5	1,2-Dibromo-3-chloropropane	ND	1.0	0.5
1,2-Dibromoethane (EDB)	ND	1.0	0.5	Dibromomethane	ND	1.0	0.5
1,2-Dichlorobenzene	ND	1.0	0.5	1,3-Dichlorobenzene	ND	1.0	0.5
1,4-Dichlorobenzene	ND	1.0	0.5	Dichlorodifluoromethane	ND	1.0	0.5
1,1-Dichloroethane	ND	1.0	0.5	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.5
1,1-Dichloroethene	ND	1.0	0.5	cis-1,2-Dichloroethene	ND	1.0	0.5
trans-1,2-Dichloroethene	ND	1.0	0.5	1,2-Dichloropropane	ND	1.0	0.5
1,3-Dichloropropane	ND	1.0	0.5	2,2-Dichloropropane	ND	1.0	0.5
1,1-Dichloropropene	ND	1.0	0.5	cis-1,3-Dichloropropene	ND	1.0	0.5
trans-1,3-Dichloropropene	ND	1.0	0.5	Diisopropyl ether (DIPE)	ND	1.0	0.5
Ethylbenzene	ND	1.0	0.5	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.5
Freon 113	ND	1.0	10	Hexachlorobutadiene	ND	1.0	0.5
Hexachloroethane	ND	1.0	0.5	2-Hexanone	ND	1.0	0.5
Isopropylbenzene	ND	1.0	0.5	4-Isopropyl toluene	ND	1.0	0.5
Methyl-t-butyl ether (MTBE)	ND	1.0	0.5	Methylene chloride	ND	1.0	0.5
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.5	Naphthalene	ND	1.0	0.5
Nitrobenzene	ND	1.0	10	n-Propyl benzene	ND	1.0	0.5
Styrene	ND	1.0	0.5	1,1,1,2-Tetrachloroethane	ND	1.0	0.5
1,1,2,2-Tetrachloroethane	ND	1.0	0.5	Tetrachloroethene	ND	1.0	0.5
Toluene	ND	1.0	0.5	1,2,3-Trichlorobenzene	ND	1.0	0.5
1,2,4-Trichlorobenzene	ND	1.0	0.5	1,1,1-Trichloroethane	ND	1.0	0.5
1,1,2-Trichloroethane	ND	1.0	0.5	Trichloroethene	ND	1.0	0.5
Trichlorofluoromethane	ND	1.0	0.5	1,2,3-Trichloropropane	ND	1.0	0.5
1,2,4-Trimethylbenzene	ND	1.0	0.5	1,3,5-Trimethylbenzene	ND	1.0	0.5
Vinyl Chloride	ND	1.0	0.5	Xylenes	ND	1.0	0.5

Surrogate Recoveries (%)

%SS1:	116	%SS2:	97.4
%SS3:	105		

Comments:

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in µg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content.

RL = Reporting Limit; MDL = Method Detection Limit; DF = Dilution Factor; J = Estimated value; concentration detected between the MDL and RL.

DHS Certification No. 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

	Client Project ID: #7000.2013; Independent Road Warehouse	Date Sampled: 08/17/04
		Date Received: 08/18/04
	Client Contact: Kin Leung	Date Extracted: 08/18/04-08/19/04
	Client P.O.: #1279	Date Analyzed: 08/18/04-08/19/04

Volatile Organics by P&T and GC/MS (Basic Target List)*

Extraction Method: SW5030B Analytical Method: SW8260B Work Order: 0408243

Lab ID	0408243-020A
Client ID	B5-GW-01:03
Matrix	Water

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	5.0	Acrolein (Propenal)	ND	1.0	5.0
Acrylonitrile	ND	1.0	2.0	tert-Amyl methyl ether (TAME)	ND	1.0	0.5
Benzene	ND	1.0	0.5	Bromobenzene	ND	1.0	0.5
Bromochloromethane	ND	1.0	0.5	Bromodichloromethane	ND	1.0	0.5
Bromoform	ND	1.0	0.5	Bromomethane	ND	1.0	0.5
2-Butanone (MEK)	ND	1.0	2.0	t-Butyl alcohol (TBA)	ND	1.0	5.0
n-Butyl benzene	ND	1.0	0.5	sec-Butyl benzene	ND	1.0	0.5
tert-Butyl benzene	ND	1.0	0.5	Carbon Disulfide	ND	1.0	0.5
Carbon Tetrachloride	ND	1.0	0.5	Chlorobenzene	ND	1.0	0.5
Chloroethane	ND	1.0	0.5	2-Chloroethyl Vinyl Ether	ND	1.0	1.0
Chloroform	ND	1.0	0.5	Chloromethane	ND	1.0	0.5
2-Chlorotoluene	ND	1.0	0.5	4-Chlorotoluene	ND	1.0	0.5
Dibromochloromethane	ND	1.0	0.5	1,2-Dibromo-3-chloropropane	ND	1.0	0.5
1,2-Dibromoethane (EDB)	ND	1.0	0.5	Dibromomethane	ND	1.0	0.5
1,2-Dichlorobenzene	ND	1.0	0.5	1,3-Dichlorobenzene	ND	1.0	0.5
1,4-Dichlorobenzene	ND	1.0	0.5	Dichlorodifluoromethane	ND	1.0	0.5
1,1-Dichloroethane	ND	1.0	0.5	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.5
1,1-Dichloroethene	ND	1.0	0.5	cis-1,2-Dichloroethene	ND	1.0	0.5
trans-1,2-Dichloroethene	ND	1.0	0.5	1,2-Dichloropropane	ND	1.0	0.5
1,3-Dichloropropane	ND	1.0	0.5	2,2-Dichloropropane	ND	1.0	0.5
1,1-Dichloropropene	ND	1.0	0.5	cis-1,3-Dichloropropene	ND	1.0	0.5
trans-1,3-Dichloropropene	ND	1.0	0.5	Diisopropyl ether (DIPE)	ND	1.0	0.5
Ethylbenzene	ND	1.0	0.5	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.5
Freon 113	ND	1.0	10	Hexachlorobutadiene	ND	1.0	0.5
Hexachloroethane	ND	1.0	0.5	2-Hexanone	ND	1.0	0.5
Isopropylbenzene	ND	1.0	0.5	4-Isopropyl toluene	ND	1.0	0.5
Methyl-t-butyl ether (MTBE)	ND	1.0	0.5	Methylene chloride	ND	1.0	0.5
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.5	Naphthalene	ND	1.0	0.5
Nitrobenzene	ND	1.0	10	n-Propyl benzene	ND	1.0	0.5
Styrene	ND	1.0	0.5	1,1,1,2-Tetrachloroethane	ND	1.0	0.5
1,1,2,2-Tetrachloroethane	ND	1.0	0.5	Tetrachloroethene	ND	1.0	0.5
Toluene	ND	1.0	0.5	1,2,3-Trichlorobenzene	ND	1.0	0.5
1,2,4-Trichlorobenzene	ND	1.0	0.5	1,1,1-Trichloroethane	ND	1.0	0.5
1,1,2-Trichloroethane	ND	1.0	0.5	Trichloroethene	ND	1.0	0.5
Trichlorofluoromethane	ND	1.0	0.5	1,2,3-Trichloropropane	ND	1.0	0.5
1,2,4-Trimethylbenzene	ND	1.0	0.5	1,3,5-Trimethylbenzene	ND	1.0	0.5
Vinyl Chloride	ND	1.0	0.5	Xylenes	ND	1.0	0.5

Surrogate Recoveries (%)

%SS1:	117	%SS2:	97.6
%SS3:	107		

Comments:

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in µg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content.

DHS Certification No. 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

	Client Project ID: #7000.2013; Independent Road Warehouse	Date Sampled: 08/17/04
		Date Received: 08/18/04
	Client Contact: Kin Leung	Date Extracted: 08/18/04-08/19/04
	Client P.O.: #1279	Date Analyzed: 08/18/04-08/19/04

Volatile Organics by P&T and GC/MS (Basic Target List)*

Extraction Method: SW5030B Analytical Method: SW8260B Work Order: 0408243

Lab ID	0408243-021A
Client ID	B6-GW-01:03
Matrix	Water

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	5.0	Acrolein (Propenal)	ND	1.0	5.0
Acrylonitrile	ND	1.0	2.0	tert-Amyl methyl ether (TAME)	ND	1.0	0.5
Benzene	ND	1.0	0.5	Bromobenzene	ND	1.0	0.5
Bromochloromethane	ND	1.0	0.5	Bromodichloromethane	ND	1.0	0.5
Bromoform	ND	1.0	0.5	Bromomethane	ND	1.0	0.5
2-Butanone (MEK)	ND	1.0	2.0	t-Butyl alcohol (TBA)	ND	1.0	5.0
n-Butyl benzene	ND	1.0	0.5	sec-Butyl benzene	ND	1.0	0.5
tert-Butyl benzene	ND	1.0	0.5	Carbon Disulfide	ND	1.0	0.5
Carbon Tetrachloride	ND	1.0	0.5	Chlorobenzene	ND	1.0	0.5
Chloroethane	ND	1.0	0.5	2-Chloroethyl Vinyl Ether	ND	1.0	1.0
Chloroform	ND	1.0	0.5	Chloromethane	ND	1.0	0.5
2-Chlorotoluene	ND	1.0	0.5	4-Chlorotoluene	ND	1.0	0.5
Dibromochloromethane	ND	1.0	0.5	1,2-Dibromo-3-chloropropane	ND	1.0	0.5
1,2-Dibromoethane (EDB)	ND	1.0	0.5	Dibromomethane	ND	1.0	0.5
1,2-Dichlorobenzene	ND	1.0	0.5	1,3-Dichlorobenzene	ND	1.0	0.5
1,4-Dichlorobenzene	ND	1.0	0.5	Dichlorodifluoromethane	ND	1.0	0.5
1,1-Dichloroethane	ND	1.0	0.5	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.5
1,1-Dichloroethene	ND	1.0	0.5	cis-1,2-Dichloroethene	ND	1.0	0.5
trans-1,2-Dichloroethene	ND	1.0	0.5	1,2-Dichloropropane	ND	1.0	0.5
1,3-Dichloropropane	ND	1.0	0.5	2,2-Dichloropropane	ND	1.0	0.5
1,1-Dichloropropene	ND	1.0	0.5	cis-1,3-Dichloropropene	ND	1.0	0.5
trans-1,3-Dichloropropene	ND	1.0	0.5	Diisopropyl ether (DIPE)	ND	1.0	0.5
Ethylbenzene	ND	1.0	0.5	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.5
Freon 113	ND	1.0	10	Hexachlorobutadiene	ND	1.0	0.5
Hexachloroethane	ND	1.0	0.5	2-Hexanone	ND	1.0	0.5
Isopropylbenzene	ND	1.0	0.5	4-Isopropyl toluene	ND	1.0	0.5
Methyl-t-butyl ether (MTBE)	ND	1.0	0.5	Methylene chloride	ND	1.0	0.5
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.5	Naphthalene	ND	1.0	0.5
Nitrobenzene	ND	1.0	10	n-Propyl benzene	ND	1.0	0.5
Styrene	ND	1.0	0.5	1,1,1,2-Tetrachloroethane	ND	1.0	0.5
1,1,2,2-Tetrachloroethane	ND	1.0	0.5	Tetrachloroethene	ND	1.0	0.5
Toluene	0.62	1.0	0.5	1,2,3-Trichlorobenzene	ND	1.0	0.5
1,2,4-Trichlorobenzene	ND	1.0	0.5	1,1,1-Trichloroethane	ND	1.0	0.5
1,1,2-Trichloroethane	ND	1.0	0.5	Trichloroethene	ND	1.0	0.5
Trichlorofluoromethane	ND	1.0	0.5	1,2,3-Trichloropropane	ND	1.0	0.5
1,2,4-Trimethylbenzene	ND	1.0	0.5	1,3,5-Trimethylbenzene	ND	1.0	0.5
Vinyl Chloride	ND	1.0	0.5	Xylenes	ND	1.0	0.5

Surrogate Recoveries (%)

%SS1:	117	%SS2:	97.0
%SS3:	106		

Comments:

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in µg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content.

DHS Certification No. 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

	Client Project ID: #7000.2013; Independent Road Warehouse	Date Sampled: 08/17/04
		Date Received: 08/18/04
	Client Contact: Kin Leung	Date Extracted: 08/18/04-08/19/04
	Client P.O.: #1279	Date Analyzed: 08/18/04-08/19/04

Volatile Organics by P&T and GC/MS (Basic Target List)*

Extraction Method: SW5030B Analytical Method: SW8260B Work Order: 0408243

Lab ID	0408243-022A
Client ID	B7-GW-01:03
Matrix	Water

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	5.0	Acrolein (Propenal)	ND	1.0	5.0
Acrylonitrile	ND	1.0	2.0	tert-Amyl methyl ether (TAME)	ND	1.0	0.5
Benzene	ND	1.0	0.5	Bromobenzene	ND	1.0	0.5
Bromochloromethane	ND	1.0	0.5	Bromodichloromethane	ND	1.0	0.5
Bromoform	ND	1.0	0.5	Bromomethane	ND	1.0	0.5
2-Butanone (MEK)	ND	1.0	2.0	t-Butyl alcohol (TBA)	9.0	1.0	5.0
n-Butyl benzene	ND	1.0	0.5	sec-Butyl benzene	ND	1.0	0.5
tert-Butyl benzene	ND	1.0	0.5	Carbon Disulfide	ND	1.0	0.5
Carbon Tetrachloride	ND	1.0	0.5	Chlorobenzene	ND	1.0	0.5
Chloroethane	ND	1.0	0.5	2-Chloroethyl Vinyl Ether	ND	1.0	1.0
Chloroform	ND	1.0	0.5	Chloromethane	ND	1.0	0.5
2-Chlorotoluene	ND	1.0	0.5	4-Chlorotoluene	ND	1.0	0.5
Dibromochloromethane	ND	1.0	0.5	1,2-Dibromo-3-chloropropane	ND	1.0	0.5
1,2-Dibromoethane (EDB)	ND	1.0	0.5	Dibromomethane	ND	1.0	0.5
1,2-Dichlorobenzene	ND	1.0	0.5	1,3-Dichlorobenzene	ND	1.0	0.5
1,4-Dichlorobenzene	ND	1.0	0.5	Dichlorodifluoromethane	ND	1.0	0.5
1,1-Dichloroethane	ND	1.0	0.5	1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.5
1,1-Dichloroethene	ND	1.0	0.5	cis-1,2-Dichloroethene	ND	1.0	0.5
trans-1,2-Dichloroethene	ND	1.0	0.5	1,2-Dichloropropane	ND	1.0	0.5
1,3-Dichloropropane	ND	1.0	0.5	2,2-Dichloropropane	ND	1.0	0.5
1,1-Dichloropropene	ND	1.0	0.5	cis-1,3-Dichloropropene	ND	1.0	0.5
trans-1,3-Dichloropropene	ND	1.0	0.5	Diisopropyl ether (DIPE)	ND	1.0	0.5
Ethylbenzene	ND	1.0	0.5	Ethyl tert-butyl ether (ETBE)	ND	1.0	0.5
Freon 113	ND	1.0	10	Hexachlorobutadiene	ND	1.0	0.5
Hexachloroethane	ND	1.0	0.5	2-Hexanone	ND	1.0	0.5
Isopropylbenzene	ND	1.0	0.5	4-Isopropyl toluene	ND	1.0	0.5
Methyl-t-butyl ether (MTBE)	ND	1.0	0.5	Methylene chloride	ND	1.0	0.5
4-Methyl-2-pentanone (MIBK)	ND	1.0	0.5	Naphthalene	ND	1.0	0.5
Nitrobenzene	ND	1.0	10	n-Propyl benzene	ND	1.0	0.5
Styrene	ND	1.0	0.5	1,1,1,2-Tetrachloroethane	ND	1.0	0.5
1,1,2,2-Tetrachloroethane	ND	1.0	0.5	Tetrachloroethene	ND	1.0	0.5
Toluene	ND	1.0	0.5	1,2,3-Trichlorobenzene	ND	1.0	0.5
1,2,4-Trichlorobenzene	ND	1.0	0.5	1,1,1-Trichloroethane	ND	1.0	0.5
1,1,2-Trichloroethane	ND	1.0	0.5	Trichloroethene	ND	1.0	0.5
Trichlorofluoromethane	ND	1.0	0.5	1,2,3-Trichloropropane	ND	1.0	0.5
1,2,4-Trimethylbenzene	ND	1.0	0.5	1,3,5-Trimethylbenzene	ND	1.0	0.5
Vinyl Chloride	ND	1.0	0.5	Xylenes	ND	1.0	0.5

Surrogate Recoveries (%)

%SS1:	102	%SS2:	97.4
%SS3:	107		

Comments:

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in µg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content.

DHS Certification No. 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

	Client Project ID: #7000.2013; Independent Road Warehouse	Date Sampled: 08/17/04
		Date Received: 08/18/04
	Client Contact: Kin Leung	Date Extracted: 08/18/04
	Client P.O.: #1279	Date Analyzed: 08/18/04

Volatile Organics by P&T and GC/MS (Basic Target List)*

Extraction Method: SW5030B Analytical Method: SW8260B Work Order: 0408243

Lab ID	0408243-023A
Client ID	B8-GW-01:03
Matrix	Water

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND<1000	200	5.0	Acrolein (Propenal)	ND<1000	200	5.0
Acrylonitrile	ND<400	200	2.0	tert-Amyl methyl ether (TAME)	ND<100	200	0.5
Benzene	9800	200	0.5	Bromobenzene	ND<100	200	0.5
Bromochloromethane	ND<100	200	0.5	Bromodichloromethane	ND<100	200	0.5
Bromoform	ND<100	200	0.5	Bromomethane	ND<100	200	0.5
2-Butanone (MEK)	ND<400	200	2.0	t-Butyl alcohol (TBA)	ND<1000	200	5.0
n-Butyl benzene	ND<100	200	0.5	sec-Butyl benzene	ND<100	200	0.5
tert-Butyl benzene	ND<100	200	0.5	Carbon Disulfide	ND<100	200	0.5
Carbon Tetrachloride	ND<100	200	0.5	Chlorobenzene	ND<100	200	0.5
Chloroethane	ND<100	200	0.5	2-Chloroethyl Vinyl Ether	ND<200	200	1.0
Chloroform	ND<100	200	0.5	Chloromethane	ND<100	200	0.5
2-Chlorotoluene	ND<100	200	0.5	4-Chlorotoluene	ND<100	200	0.5
Dibromochloromethane	ND<100	200	0.5	1,2-Dibromo-3-chloropropane	ND<100	200	0.5
1,2-Dibromoethane (EDB)	ND<100	200	0.5	Dibromomethane	ND<100	200	0.5
1,2-Dichlorobenzene	ND<100	200	0.5	1,3-Dichlorobenzene	ND<100	200	0.5
1,4-Dichlorobenzene	ND<100	200	0.5	Dichlorodifluoromethane	ND<100	200	0.5
1,1-Dichloroethane	ND<100	200	0.5	1,2-Dichloroethane (1,2-DCA)	ND<100	200	0.5
1,1-Dichloroethene	ND<100	200	0.5	cis-1,2-Dichloroethene	ND<100	200	0.5
trans-1,2-Dichloroethene	ND<100	200	0.5	1,2-Dichloropropane	ND<100	200	0.5
1,3-Dichloropropane	ND<100	200	0.5	2,2-Dichloropropane	ND<100	200	0.5
1,1-Dichloropropene	ND<100	200	0.5	cis-1,3-Dichloropropene	ND<100	200	0.5
trans-1,3-Dichloropropene	ND<100	200	0.5	Diisopropyl ether (DIPE)	ND<100	200	0.5
Ethylbenzene	1500	200	0.5	Ethyl tert-butyl ether (ETBE)	ND<100	200	0.5
Freon 113	ND<2000	200	10	Hexachlorobutadiene	ND<100	200	0.5
Hexachloroethane	ND<100	200	0.5	2-Hexanone	ND<100	200	0.5
Isopropylbenzene	ND<100	200	0.5	4-Isopropyl toluene	ND<100	200	0.5
Methyl-t-butyl ether (MTBE)	ND<100	200	0.5	Methylene chloride	ND<100	200	0.5
4-Methyl-2-pentanone (MIBK)	ND<100	200	0.5	Naphthalene	190	200	0.5
Nitrobenzene	ND<2000	200	10	n-Propyl benzene	120	200	0.5
Styrene	ND<100	200	0.5	1,1,1,2-Tetrachloroethane	ND<100	200	0.5
1,1,2,2-Tetrachloroethane	ND<100	200	0.5	Tetrachloroethene	ND<100	200	0.5
Toluene	930	200	0.5	1,2,3-Trichlorobenzene	ND<100	200	0.5
1,2,4-Trichlorobenzene	ND<100	200	0.5	1,1,1-Trichloroethane	ND<100	200	0.5
1,1,2-Trichloroethane	ND<100	200	0.5	Trichloroethene	ND<100	200	0.5
Trichlorofluoromethane	ND<100	200	0.5	1,2,3-Trichloropropane	ND<100	200	0.5
1,2,4-Trimethylbenzene	930	200	0.5	1,3,5-Trimethylbenzene	300	200	0.5
Vinyl Chloride	ND<100	200	0.5	Xylenes	3100	200	0.5

Surrogate Recoveries (%)

%SS1:	115	%SS2:	91.9
%SS3:	93.1		

Comments:

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in µg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content.

DHS Certification No. 1644

Angela Rydelius, Lab Manager

MECA CONSULTING Inc.
620 CONTRA COSTA BLVD.
SUITE 102
PLEASANT HILL, CA 94523
Ph: 925-808-6700 / Fax: 925-808-6708

CHAIN OF CUSTODY RECORD

TURN AROUND TIME: ☐ RUSH
☒ 24 HR ☐ 48 HR ☐ 72 HR ☐ 5 DAY

Report To: Kin Leung
Company: MECA Consulting
Tel: 925-808-6700
Fax: 925-808-6708
Sampler Signature:

Project No.: 7000.2013
Project Name: Independent Road Warehouse
Project Location: 700 Independent Road
Oakland, CA

Sample ID	Location	SAMPLING Date	SAMPLING Time	# Containers	Type Containers	MATRIX Water	MATRIX Soil	MATRIX Air	MATRIX Sludge	MATRIX Other	METHOD PRESERVED Ice	METHOD PRESERVED HCl	METHOD PRESERVED HNO3	METHOD PRESERVED Other	ANALYSIS REQUEST: TPH as Gas (8015C)	TPH - Diesel (8015C)	Total Petroleum Oil & Grease	EPA 601 / 8010	BTEX ONLY (EPA 602 / 8020)	EPA 608 / 8080 / 8081	EPA 608 / 8080 PCB's Only	EPA 624 / 8240 / 8260	EPA 625 / 8270	PAHs / PNAs by EPA 625 / 8270 / 8310	CAM-17 Metals	LUFT 5 Metals	Lead (7240/7421/239.2/6010)	RCI	OTHER		
B8-2-10	Bore Hole #8	17-Aug	pm	1	S		x				x				x	x						x									
B8-3-15	Bore Hole #8	17-Aug	pm	1	S		x				x				x	x						x									
B1-GW-01:03	Bore Hole #1	17-Aug	am	3	V	x					x				x							x									
B1-GW-04	Bore Hole #1	17-Aug	am	1	G	x					x					x						x									
B2-GW-01:03	Bore Hole #2	17-Aug	am	3	V	x					x				x							x									
B2-GW-04	Bore Hole #2	17-Aug	am	1	G	x					x					x						x									
B4-GW-01:03	Bore Hole #4	17-Aug	pm	3	V	x					x				x							x									
B4-GW-04	Bore Hole #4	17-Aug	pm	1	G	x					x					x						x									
B5-GW-01:03	Bore Hole #5	17-Aug	pm	3	V	x					x				x							x									
B5-GW-04	Bore Hole #5	17-Aug	pm	1	G	x					x					x						x									
B6-GW-01:03	Bore Hole #6	17-Aug	pm	3	V	x					x				x							x									
B6-GW-04	Bore Hole #6	17-Aug	pm	1	G	x					x					x						x									
B7-GW-01:03	Bore Hole #7	17-Aug	pm	3	V	x					x				x							x									
B7-GW-04	Bore Hole #7	17-Aug	pm	1	G	x					x					x						x									

Relinquished By:	Date:	Time:	Received By:
[signature]	8/18/04	10:25	[signature]
Relinquished By:	Date:	Time:	Received By:
Relinquished By:	Date:	Time:	Received By:

Remarks: Fax results to above number
Also fax to Golder, Attn: Neil Giham
at (425) 882-5498

S: Butyl Acetate Sleeve
G: 1 liter amber glass jar
V: VOA Glass vial (clear)

ICE/T
GOOD CONDITION
HEAD SPACE ABSENT
DECHLORINATED IN LAB
APPROPRIATE CONTAINERS
PRESERVED IN LAB

PRESERVATION	VOA'S	O&G	METALS	OTHER

MECA CONSULTING Inc.
620 CONTRA COSTA BLVD.
SUITE 102
PLEASANT HILL, CA 94523
Ph: 925-808-6700 / Fax: 925-808-6708

CHAIN OF CUSTODY RECORD

TURN AROUND TIME: ☐ RUSH ☒ 24 HR ☐ 48 HR ☐ 72 HR ☐ 5 DAY

Report To:	Kin Leung	Project No.:	7000.2013
Company:	MECA Consulting	Project Name:	Independent Road Warehouse
Tel:	925-808-6700	Project Location:	700 Independent Road
Fax:	925-808-6708		Oakland, CA
Sampler Signature:			

Sample ID	Location	SAMPLING Date	SAMPLING Time	# Containers	Type Containers	MATRIX: Water	Soil	Air	Sludge	Other	METHOD PRESERVED: Ice	HCl	HNO3	Other	ANALYSIS REQUEST: TPH as Gas (8015C)	TPH - Diesel (8015C)	Total Petroleum Oil & Grease	EPA 601 / 8010	BTEX ONLY (EPA 602 / 8020)	EPA 608 / 8080 / 8081	EPA 608 / 8080 PCB's Only	EPA 624 / 8240 / 8260	EPA 625 / 8270	PAH's / PNA's by EPA 625 / 8270 / 8310	CAM-17 Metals	LUFT 5 Metals	Lead (7240/7421/239.2/6010)	RCI	OTHER
B8-GW-01:03	Bore Hole #8	17-Aug	pm	3	V	x					x				x							x								
B8-GW-04	Bore Hole #8	17-Aug	pm	1	G	x					x					x														

Relinquished By:	Date: 8/18/04	Time: 10:30	Received By:
Relinquished By:	Date:	Time:	Received By:
Relinquished By:	Date:	Time:	Received By:

Remarks: Fax results to above number
Also fax to Golder, Attn: Neil Gilham
at (425) 882-5498

S: Butyl Acetate Sleeve
G: 1 liter amber glass jar
V: VOA Glass vial (clear)

GOOD CONDITION ____ APPROPRIATE
HEAD SPACE ABSENT ____ CONTAINERS ____
DECHLORINATED IN LAB ____ PRESERVED IN LAB ____

PRESERVATION	VOA	O&G	METALS	OTHER

McCampbell Analytical, Inc.
110 Second Avenue South, #D7
Pacheco, CA 94553-5560
(925) 798-1620

CHAIN-OF-CUSTODY RECORD

WorkOrder: 0408243 **ClientID: MECA**

Report to:
Kin Leung
Meca Consulting Inc.
620 Contra Costa Blvd. Ste. 102
Pleasant Hill, CA 94523
TEL: (925) 808-6700
FAX: (925) 808-6708
ProjectNo: #7000.2013; Independent Road Wareho
PO:

Bill to:
Accounts Payable
MECA, LLC
620 Contra Costa Blvd. Ste. 102
Pleasant Hill, CA 94523

Requested TAT: 1 day
Date Received: 8/18/04
Date Printed: 8/18/04

Sample ID	ClientSampID	Matrix	Collection Date	Hold	Requested Tests (See legend below)														
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
0408243-001	B-1-1-5	Soil	8/17/04	☐	A		A												
0408243-002	B1-2-15	Soil	8/17/04	☐	A		A												
0408243-003	B2-1-5	Soil	8/17/04	☐	A		A												
0408243-004	B2-2-10	Soil	8/17/04	☐	A		A												
0408243-005	B3-1-5	Soil	8/17/04	☐	A		A												
0408243-006	B3-2-10	Soil	8/17/04	☐	A		A												
0408243-007	B4-1-5	Soil	8/17/04	☐	A		A												
0408243-008	B4-2-10	Soil	8/17/04	☐	A		A												
0408243-009	B5-1-5	Soil	8/17/04	☐	A		A												
0408243-010	B5-2-10	Soil	8/17/04	☐	A		A												
0408243-011	B6-1-5	Soil	8/17/04	☐	A		A												
0408243-012	B7-1-5	Soil	8/17/04	☐	A		A												
0408243-013	B7-2-10	Soil	8/17/04	☐	A		A												
0408243-014	B8-1-5	Soil	8/17/04	☐	A		A												
0408243-015	B8-2-10	Soil	8/17/04	☐	A		A												

Test Legend:

1	8260B_S	2	8260B_W	3	G-MBTEX_S	4	G-MBTEX_W	5	
6		7		8		9		10	
11		12		13		14		15	

Prepared by: Elisa Venegas

Comments: ON RUSH TAT

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

McCampbell Analytical, Inc.
110 Second Avenue South, #D7
Pacheco, CA 94553-5560
(925) 798-1620

CHAIN-OF-CUSTODY RECORD

WorkOrder: 0408243 **ClientID: MECA**

Report to:
Kin Leung
Maca Consulting Inc.
620 Contra Costa Blvd. Ste. 102
Pleasant Hill, CA 94523
TEL: (925) 808-6700
FAX: (925) 808-6708
ProjectNo: #7000.2013; Independent Road Wareho
PO:

Bill to:
Accounts Payable
MECA, LLC
620 Contra Costa Blvd. Ste. 102
Pleasant Hill, CA 94523

Requested TAT: 1 day
Date Received: 8/18/04
Date Printed: 8/18/04

Sample ID	ClientSampID	Matrix	Collection Date	Hold	Requested Tests (See legend below) 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
0408243-016	B6-3-15	Soil	8/17/04	☐	A		A												
0408243-017	B1-GW-01:03	Water	8/17/04	☐		A													
0408243-017	B1-GW-04	Water	8/17/04	☐				B											
0408243-018	B2-GW-01:03	Water	8/17/04	☐		A													
0408243-018	B2-GW-04	Water	8/17/04	☐				B											
0408243-019	B4-GW-01:03	Water	8/17/04	☐		A													
0408243-019	B4-GW-04	Water	8/17/04	☐				B											
0408243-020	B5-GW-01:03	Water	8/17/04	☐		A													
0408243-020	B5-GW-04	Water	8/17/04	☐				B											
0408243-021	B6-GW-01:03	Water	8/17/04	☐		A													
0408243-021	B6-GW-04	Water	8/17/04	☐				B											
0408243-022	B7-GW-01:03	Water	8/17/04	☐		A													
0408243-022	B7-GW-04	Water	8/17/04	☐				B											
0408243-023	B8-GW-01:03	Water	8/17/04	☐		A													
0408243-023	B8-GW-04	Water	8/17/04	☐				B											

Test Legend:

1	8260B_S	2	8260B_W	3	G-MBTEX_S	4	G-MBTEX_W	6	
6		7		8		9		10	
11		12		13		14		16	

Prepared by: Elisa Venegas

Comments: ON RUSH TAT

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.