

## Detterman, Karel, Env. Health

---

**From:** Detterman, Karel, Env. Health  
**Sent:** Tuesday, August 01, 2017 10:51 AM  
**To:** 'Janice Jacobson'  
**Cc:** James Chappell; 'Igonzalez@sahahomes.org'; Roe, Dilan, Env. Health; Khatri, Paresh, Env. Health; jennifer.c.sedlachek@exxonmobil.com  
**Subject:** RE: Fuel Leak Case No. RO0002922 and Geotracker Global ID T06019782296, Mobil #10-MHG, 160 14th St., Oakland, CA 94612

Hello Janice:

Here is the extension:

### Revised Technical Report Request

Please upload the cross section to the ACDEH ftp site (Attention: Karel Detterman), and to the State Water Resources Control Board's Geotracker website, in accordance with the following specified file naming convention and schedule:

- **August 29, 2017 ~~August 8, 2017~~ – Miscellaneous Report**  
File to be named: RO2922\_MISC\_R\_YYYY-MM-DD

This report is being requested pursuant to California Health and Safety Code Section 25296.10. 23 CCR Sections 2652 through 2654, and 2721 through 2728 outline the responsibilities of a responsible party in response to an unauthorized release from a petroleum UST system, and require your compliance with this request.

Thank you,

Karel Detterman, PG  
Hazardous Materials Specialist  
Alameda County Environmental Health  
1131 Harbor Bay Parkway  
Alameda, CA 94502  
Direct: 510.567.6708  
Fax: 510.337.9335  
Email: karel.detterman@acgov.org

PDF copies of case files can be downloaded at:

<http://www.acgov.org/aceh/lop/ust.htm>

---

**From:** Janice Jacobson [mailto:janice.jacobson@cardno.com]  
**Sent:** Tuesday, August 01, 2017 8:26 AM  
**To:** Detterman, Karel, Env. Health <Karel.Detterman@acgov.org>  
**Cc:** James Chappell <jim.chappell@cardno.com>; 'Igonzalez@sahahomes.org' <Igonzalez@sahahomes.org>; Roe, Dilan, Env. Health <Dilan.Roe@acgov.org>; Khatri, Paresh, Env. Health <paresh.khatri@acgov.org>; jennifer.c.sedlachek@exxonmobil.com  
**Subject:** RE: Fuel Leak Case No. RO0002922 and Geotracker Global ID T06019782296, Mobil #10-MHG, 160 14th St., Oakland, CA 94612

Hi Karel,  
I am requesting a 3 week extension for the technical report due on August 8, 2017 to August 29, 2017. Please let me know if you approve this extension.  
Thank you,  
Janice

## Janice Jacobson

SR PROJECT MANAGER

ENGINEERING & ENVIRONMENTAL SERVICES DIVISION

CARDNO

Direct (+1) 707-766-2018 Mobile (+1) 707-975-0931 Fax (+1) 707-789-0414

Address 601 North McDowell Blvd., Petaluma, CA 94954

Email [janice.jacobson@cardno.com](mailto:janice.jacobson@cardno.com) Web [www.cardno.com](http://www.cardno.com)

This email and its attachments may contain confidential and/or privileged information for the sole use of the intended recipient(s). All electronically supplied data must be checked against an applicable hardcopy version which shall be the only document which Cardno warrants accuracy. If you are not the intended recipient, any use, distribution or copying of the information contained in this email and its attachments is strictly prohibited. If you have received this email in error, please email the sender by replying to this message and immediately delete and destroy any copies of this email and any attachments. The views or opinions expressed are the author's own and may not reflect the views or opinions of Cardno.

---

**From:** Detterman, Karel, Env. Health [<mailto:Karel.Detterman@acgov.org>]

**Sent:** Wednesday, July 12, 2017 5:46 PM

**To:** Janice Jacobson <[janice.jacobson@cardno.com](mailto:janice.jacobson@cardno.com)>; [jennifer.c.sedlachek@exxonmobil.com](mailto:jennifer.c.sedlachek@exxonmobil.com)

**Cc:** James Chappell <[jim.chappell@cardno.com](mailto:jim.chappell@cardno.com)>; 'Igonzalez@sahahomes.org' <[Igonzalez@sahahomes.org](mailto:Igonzalez@sahahomes.org)>; Roe, Dilan, Env. Health <[Dilan.Roe@acgov.org](mailto:Dilan.Roe@acgov.org)>; Khatri, Paresh, Env. Health <[paresh.khatri@acgov.org](mailto:paresh.khatri@acgov.org)>

**Subject:** Fuel Leak Case No. RO0002922 and Geotracker Global ID T06019782296, Mobil #10-MHG, 160 14th St., Oakland, CA 94612

Hi Janice and Jennifer:

Thank you for your suggestion to meet tomorrow regarding RO2922 after your meeting with Keith Nowell. Unfortunately, Dilan has back to back meetings and suggests we schedule a meeting in August upon her return from vacation.

Please choose from this selection of August dates:

Wednesday August 9: one hour meeting anytime between 11AM to 2 PM

Tuesday August 15 1-3PM

Thursday August 17 1-3 PM

I have reviewed the Soil and Groundwater Report dated March 28, 2017 which was prepared in response to Alameda County Department of Environmental Health's (ACDEH's) January 26, 2017 Directive Letter. Thank you for addressing Technical Comment 1 regarding LTCP Media Specific Criteria for Groundwater; however, a cross section requested in Technical Comment 2 regarding LTCP Media Specific Criteria for Vapor Intrusion to Indoor Air was not submitted.

As requested in January 26, 2017 Directive Letter Technical Comment 2: Please prepare a cross section showing the subsurface features, the base of the excavation, and historical soil and groundwater data to support the existence of a 10-foot thick bioattenuation zone. Alternately, if the data does not support the existence of a 10-foot thick bioattenuation zone, please provide documentation that it meets an alternative LTCP scenario or include a work plan to collect sufficient data to determine that it may meet one of the other criteria.

### **Technical Report Request**

Please upload the cross section to the ACDEH ftp site (Attention: Karel Detterman), and to the State Water Resources Control Board's Geotracker website, in accordance with the following specified file naming convention and schedule:

- **August 8, 2017 – Miscellaneous Report**  
File to be named: RO2922\_MISC\_R\_YYYY-MM-DD

This report is being requested pursuant to California Health and Safety Code Section 25296.10. 23 CCR Sections 2652 through 2654, and 2721 through 2728 outline the responsibilities of a responsible party in response to an unauthorized release from a petroleum UST system, and require your compliance with this request.

Thank you,

Karel Detterman, PG  
Hazardous Materials Specialist  
Alameda County Environmental Health  
1131 Harbor Bay Parkway  
Alameda, CA 94502  
Direct: 510.567.6708  
Fax: 510.337.9335  
Email: [karel.detterman@acgov.org](mailto:karel.detterman@acgov.org)

PDF copies of case files can be downloaded at:

<http://www.acgov.org/aceh/lop/ust.htm>