

**RECEIVED**

9:46 am, Jun 24, 2009

Alameda County  
Environmental Health

**Closure Plan for the Former  
Hanson Aggregates Radum Facility  
3000 Busch Road, Pleasanton, California  
(ACEH Case #RO0002941 and  
Geotracker Global ID # SLT19719376)**

**June 19, 2009  
001-09567-08**

Prepared for:  
Lehigh Hanson West Region  
12667 Alcosta Boulevard, Suite 400  
San Ramon, California 94583

Prepared by:  
LFR Inc., an ARCADIS Company  
1900 Powell Street, 12<sup>th</sup> Floor  
Emeryville, California 94608

June 19, 2009

Mr. John Rigter  
Livermore-Pleasanton Fire Department  
3560 Nevada Street  
Pleasanton, California 94566

Mr. Jerry Wickham  
Alameda County Health Care Services  
Environmental Health Services  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

**Subject: Closure Plan for the Former Hanson Aggregates Radum Facility, 3000 Busch Road, Pleasanton, California (ACEH Case #RO0002941 and Geotracker Global ID #SLT19719376)**

Dear Mr. Rigter and Mr. Wickham:

The attached Closure Plan was prepared by LFR Inc. (LFR) on behalf of Hanson Aggregates West Region for the former hot mix asphalt plant area, the idle truck maintenance area, and the heavy equipment maintenance and wash rack area at the former Hanson Aggregates Radum Facility located at 3000 Busch Road, Pleasanton, California.

Representatives of LFR or me will contact you by the end of June to assess the review schedule for this closure document. We would like to complete the scope of work presented in the Closure Plan prior to the 2009 wet season.

I certify under penalty of law that this document and all attachments are prepared under my direction or supervision in accordance with a system designed to ensure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who managed the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

If you have any questions or comments concerning this Closure Plan, please call me at (925) 244-6584 or Ron Goloubow of LFR at (510) 652-4500.

**Closure Plan for the Former Hanson Aggregates Radum Facility, 3000 Busch Road, Pleasanton, California  
(ACEH Case #RO0002941 and Geotracker Global ID #SLT19719376)**

**June 19, 2009**

**Page 2**

Sincerely,



Lee W. Cover  
Environmental Manager  
Hanson Aggregates Northern California

Attachment

## CONTENTS

CERTIFICATION .....	iii
1.0 INTRODUCTION .....	1
2.0 BACKGROUND .....	2
2.1 Site Description and History .....	2
2.2 Regulatory Determinations .....	3
3.0 SUBSURFACE INVESTIGATIONS AND REMEDIATION ACTIVITIES .....	3
3.1 Summary of Subsurface Investigations Previously Conducted.....	3
3.2 Groundwater Monitoring Well Abandonment .....	4
3.3 Additional Subsurface Sampling .....	5
3.4 Soil Excavation and Confirmation Sampling.....	6
3.4.1 Proposed Cleanup Goals .....	7
4.0 CLOSURE PLAN OF SURFACE FEATURES .....	7
4.1 Two Plastic Containers and One Tote Located East of AOC #1 .....	8
4.2 Former Containment Structure.....	9
4.3 Former Truck Scale.....	10
4.4 Concrete Footings .....	11
4.5 Soil Pile.....	11
4.6 Contents of the Storage Shed.....	12
4.7 Miscellaneous Debris .....	12
4.8 Closure of Former Conveyor Culvert.....	12
4.9 Documentation Regarding Closure of Former Warehouse Facilities .....	13
4.9.1 Insulation Material .....	13
4.9.2 Transformer .....	14
4.9.3 Metal Parts Washer .....	14
4.9.4 Heavy Equipment .....	14
5.0 SITE CLOSURE SCHEDULE .....	14



5.1 Reporting ..... 14

6.0 LIMITATIONS ..... 15

7.0 REFERENCES ..... 16

TABLES

- 1 Summary of Hazardous and Non-Hazardous Materials Removed from the Former Maintenance/Warehouse Facilities

FIGURES

- 1 Site Location Map
- 2 Site Plan of Property Showing Areas of Concern
- 3 Site Plan for Area of Concern #1 Former Asphalt Batch Plant Area
- 4 Site Plan for Area of Concern #2 Former Idle Truck Maintenance Area
- 5 Site Plan for Area of Concern #3 Former Heavy Equipment Maintenance, Wash Rack, and Office Area

APPENDICES

- A Photo Log
- B NRC Report
- C Documentation for Removal of Waste Materials
- D Micro Analytical Laboratories Report

## CERTIFICATION


LFR Inc. has prepared this closure plan for the Former Hanson Aggregates Radum Facility, located at 3000 Busch Road, Pleasanton, California, on behalf of Lehigh Hanson West Region in a manner consistent with the level of care and skill ordinarily exercised by professional geologists and environmental scientists. This report was prepared under the technical direction of the undersigned California Professional Geologist.



6/19/09

Ron Goloubow, P.G.  
Senior Associate Geologist  
California Professional Geologist No. 8655

Date



Expires Nov. 30, 2009

## 1.0 INTRODUCTION

LFR Inc. (LFR) has prepared this closure plan at the request of the Livermore-Pleasanton Fire Department (LFPD), on behalf of Lehigh Hanson West Region (“Hanson”), for the former hot mix asphalt plant area, the idle truck maintenance area, and the heavy equipment maintenance and wash rack area of the Hanson Aggregates Radum Facility located at 3000 Busch Road, Pleasanton, California (“the Site”; Figure 1). These three areas are located within the following Areas of Concern (AOCs; Figure 2):

AOC #1 – Former Hot Mix Asphalt Plant Area (Figure 3)

AOC #2 - Idle Truck Maintenance Area (Figure 4)

AOC #3 – Heavy Equipment Maintenance and Wash Rack Area (Figure 5)

The closure of the Site includes addressing both aboveground and subsurface features and environmental concerns. For completeness, this closure plan includes brief descriptions of subsurface investigations that have been conducted and that are planned to be conducted and associated soil remediation, under the purview of Alameda County Environmental Health (ACEH). The purpose of the proposed investigations is to further address environmental concerns (primarily soil affected by petroleum hydrocarbons) identified at the Site. The purpose of the proposed remediation activities is to remove soil affected by petroleum hydrocarbons. Environmental work conducted under the oversight of ACEH is described in more details in various work plans and reports, a list of which is provided in the reference list of this report, and a selection of which has previously been provided to the LFPD for their review and reference.

In general, closure of the Site consists of the following activities, which are described in more detail in this report.

- Removal of non-hazardous and hazardous materials and equipment previously used and/or stored at the Site in these three AOCs;
- Cleaning and decontamination of former maintenance and wash structures in AOC #3
- Testing and removal (if appropriate) of the building insulation for asbestos and a transformer stored in AOC #3
- Demolition and removal of certain features in AOC #1
- Additional subsurface investigation for soil sampling in AOC #1
- Abandonment of existing groundwater monitoring wells in and around AOC #1
- Excavation of surface soils affected by petroleum hydrocarbons

This report is organized as follows:

- Section 2.0 presents background information including a site description and history, and a summary of regulatory involvement regarding environmental conditions and site closure activities.
- Section 3.0 presents a brief summary of subsurface environmental conditions based on investigations conducted to date and a discussion of activities planned to be conducted as part of site closure under the purview of ACEH, including drilling, well abandonment, and soil remediation.
- Section 4.0 presents the closure plan for aboveground features and activities conducted and/or planned to be conducted under the purview of the LPFD, including the demolition and removal of certain aboveground features, and disposal of materials and equipment.
- Section 5.0 presents a schedule of projected start and completion dates for closure plan activities.
- Section 6.0 defines LFR's professional limitations.
- Section 7.0 provides a reference list of primary documents related to environmental investigations conducted at the Site and throughout the Radum property to date.

## **2.0 BACKGROUND**

### **2.1 Site Description and History**

The approximately 1,050-acre property consisting of the former Radum facility is located at 3000 Busch Road, Pleasanton, California, partly within the city limits of Pleasanton and partly within an unincorporated area of Alameda County (Figures 1 and 2). The property includes three large ponds or lakes (Lake I, Lake H, and Cope Pond), created during historical aggregate mining operations, and approximately 320 acres of developable land (approximately the southern third; Figure 2). During 2007, the majority of the property was transferred to Legacy Partners ("Legacy") as part of a real estate transaction. Hanson retained ownership of an approximately 15-acre parcel (Parcel 1; AOC #1) located in the southwestern corner of the property.

As described in the Phase I Environmental Site Assessment (ESA) report by ENV America Inc. (ENV 2006a), mining of sand and gravel in the Livermore-Amador Valley began prior to 1900. Mining at the property began in approximately 1938 by Kaiser Sand and Gravel. Reportedly, as sections of the property were mined out, the former mining pits were used for storage and/or as disposal ponds for water (from dewatering of new pits) and fine-grained sediments (silt and sand) washed out of the aggregate material. In addition, some mining pits likely were backfilled with debris and mine waste, as is evident from debris encountered during drilling in various areas of the property. Hanson purchased the property in 1991 and continued mining operations until 2001 when mining was discontinued due to lack of available aggregate materials. Based on subsurface investigations conducted throughout the property, historical mining and

aggregate processing operations have resulted in localized petroleum hydrocarbon-affected soil and groundwater in certain localized areas.

## **2.2 Regulatory Determinations**

ACEH has been the lead oversight agency for subsurface environmental conditions. As described in Section 3.1, numerous environmental investigations have been conducted throughout the property and in particular at the Site. Previous investigations have included Phase I reviews, Phase II investigations including collecting samples from surface features, drilling temporary soil borings to collect depth-discrete soil and grab groundwater samples, and installing groundwater monitoring wells for groundwater monitoring over time. Subsurface investigations have been conducted under the purview of ACEH.

Based on investigations conducted to date, no further depth-discrete soil or grab groundwater sampling to further characterize the nature and extent of contamination is necessary at the Site, with the following exceptions. As described in Section 3.3, one additional subsurface investigation is proposed to evaluate shallow soil in the vicinity of selected features proposed to remain at the Site. As described in Section 3.4, soil remediation consisting of limited soil excavations is proposed to be conducted as part of the final closure plan of the Site

During early 2008, ACEH informed Hanson that the LPFD is the Certified Unified Public Agency for the Site, and as such is responsible for oversight of the closure of surface features at the Site. On July 18, 2008, Hanson conducted a site walk with the LPFD, ACEH, and LFR, to review current conditions at the Site and evaluate the effort necessary to conduct final closure of the Site. During the site walk, Hanson identified those features planned for demolition and/or removal and those planned to remain on the Site. The LPFD requested closure plans be submitted for approval for certain individual features planned for closure at the Site, and indicated that a formal letter requesting the closure plans would be forthcoming. However, no letter has been received by Hanson to date. In the interest of completing the final closure of the Site under approval of the LPFD, Hanson and LFR have prepared this closure plan for the Site. To prepare this closure plan, Hanson and LFR have referred to a September 22, 2004 "Hazardous Materials Closure" letter from the LPFD, and to discussions held during the July 18, 2008 site walk.

## **3.0 SUBSURFACE INVESTIGATIONS AND REMEDIATION ACTIVITIES**

### **3.1 Summary of Subsurface Investigations Previously Conducted**

Several subsurface investigations have been conducted throughout the Radum property and at the Site to date by various consultants, including Baseline Environmental Consulting, Brown & Caldwell, ENV, and LFR, on behalf of Hanson and Legacy. The

results of previous investigations, including various Phase I and Phase II ESAs conducted at the Site have also been described extensively in reports prepared by ENV and LFR. All investigations, with the possible exception of the Phase I reports and certain initial investigations, were conducted under the purview of ACEH. The primary objectives of previous characterization investigations were to characterize the lateral and/or vertical extent of petroleum hydrocarbons detected in soil and grab groundwater samples. Section 7.0 contains a list of pertinent documents and reports, many of which were recently provided to the LPFD for reference.

The most recent subsurface investigations conducted at the Site were completed at AOC #1 by LFR during October 2007 and June 2008 with the drilling of temporary soil borings for depth-discrete soil and grab groundwater sampling, and the installation of 10 groundwater monitoring wells. During 2008 and 2009, and as approved by ACEH, LFR conducted four quarterly groundwater monitoring events to evaluate groundwater flow direction and groundwater quality over time.

Conclusions drawn from previous subsurface investigations indicated that:

- The lateral and/or vertical extent of petroleum hydrocarbons in soil had been sufficiently characterized at the Site.
- The area of deep soil contamination (approximately 30 to 40 feet below ground surface [bgs]) identified in the northern half of the property is relatively old, of limited extent, and immobile; was probably buried in place during historical mining operations; and is unlikely to further affect soil or significantly affect groundwater beneath the Site.
- The local groundwater flow direction during 2008 and 2009 was approximately to the northwest.
- Groundwater beneath the Site does not appear to have been significantly affected by total petroleum hydrocarbons (TPH) detected in soil beneath the Site.

Based on the results of previous subsurface investigations, several areas within AOC #1 have been identified for remediation by soil excavation (Figure 3). The March 21, 2008 “Work Plan for the Excavation of Petroleum Hydrocarbon-Affected Soil,” submitted to ACEH, presents the rationale, location, and methodology of the proposed soil excavation activities (“the March 2008 Work Plan”; LFR 2008c). This work plan was approved by ACEH on April 18, 2008 (ACEH 2008d). For reference, the methodology of the planned soil excavation and confirmation sampling activities is briefly described in Section 3.4.

## **3.2 Groundwater Monitoring Well Abandonment**

As described in the February 28, 2008 “Work Plan for Additional Well Installations and Quarterly Groundwater Monitoring and Reporting” (LFR 2008b), and approved by ACEH (ACEH 2008c), LFR has conducted four quarterly groundwater monitoring

events during June and September 2008 and January and March 2009. The results of the four quarterly groundwater monitoring events indicated that groundwater has not significantly been affected by petroleum hydrocarbons detected in soil in limited areas beneath the Site. Based on the results of the groundwater monitoring events, in conjunction with results from previous investigations and in agreement with a work plan approved by ACEH, LFR recommended that groundwater monitoring cease and that the wells be properly abandoned (LFR 2009b). A response from ACEH is pending.

### 3.3 Additional Subsurface Sampling

Following the July 18, 2008 site walk with the ACEH and LPFD, and at the request of ACEH, a limited additional subsurface investigation was proposed that includes advancing approximately five temporary soil borings at the Site. The approximate locations of proposed temporary soil borings B36 through B40 are shown on Figure 3. The proposed locations were selected to investigate subsurface conditions in the vicinity of certain features planned to remain at the Site, including concrete pads formerly associated with a pug mill mixer and a dust collector, and two concrete footings and the former storage shed.

The proposed scope of work, including the locations, rationale, and methodology of this additional subsurface investigation, was detailed in the September 15, 2008 "Work Plan for Additional Site Characterization at Selected Areas Within AOC #1" (LFR 2008e) and a December 5, 2008 addendum letter. ACEH provided final approval of the proposed additional investigation on January 29, 2009 (ACEH 2009).

In summary, the additional subsurface investigation will consist of advancing five temporary soil borings to approximately 8 feet bgs. Depth discrete soil samples will be collected from intervals where visible staining and/or field screening results indicate the potential presence of petroleum hydrocarbons. In the absence of indications of potential contamination, soil samples will be collected from approximately 1.5, 3, 5, and 8 feet bgs. The samples collected from approximately 8 feet bgs will be placed on hold at the laboratory pending the analysis of the samples collected from approximately 1.5, 3, and 5 feet bgs.

Soil samples will be analyzed by a California-certified analytical laboratory as follows:

- TPH as diesel (TPHd) and TPH as motor oil (TPHmo) using U.S. Environmental Protection Agency (U.S. EPA) Method 8015B
- benzene, toluene, ethylbenzene, and total xylenes using U.S. EPA Method 8021B

Investigation-derived waste will be placed in appropriate Department of Transportation-approved 55-gallon steel drums and temporarily stored at AOC #1. The drums will be labeled as containing non-hazardous soil materials and properly characterized for disposal or reuse. The soil likely will be disposed of as part of the removal action

(excavation work) proposed to be completed at the Site and described further in Section 3.4.

Based on the results of the proposed subsurface investigation, limited soil excavation may be proposed to remediate petroleum hydrocarbon-affected shallow soils, as described in Section 3.4.

### **3.4 Soil Excavation and Confirmation Sampling**

Soil excavation and confirmation sampling will be conducted in accordance with the procedures presented in the March 2008 Work Plan (LFR 2008c) and approved by ACEH on April 18, 2008 (ACEH 2008d). Eight areas are proposed to be excavated to remove petroleum hydrocarbon-affected soil (Figure 3). The proposed soil excavation areas will attain a maximum depth of 8 feet bgs and range in size from approximately 20 feet by 20 feet to approximately 20 feet by 50 feet. Additional soil excavation may be performed based on the results of the subsurface excavation activities described in this section, and based on visual inspection of soils beneath any surface features proposed for demolition and removal, as described in Section 4.0. All soil removed from excavations will be stockpiled pending analysis and evaluation with respect to cleanup goals, for disposal or reuse.

Visual inspection of the soil in the excavations will be used to evaluate the need for additional excavation vertically (if less than approximately 8 feet bgs) or laterally. Confirmation soil samples will be collected from the midpoint along the sidewalls and from the base of the former structures. The purpose of these samples is to document concentrations (if any) that may remain in place or to indicate if additional soil will require removal.

Soil samples will be field-screened with a photoionization detector (PID), a flame ionization detector (FID), or a similar instrument, for the presence of petroleum hydrocarbons and/or volatile organic compounds (VOCs). In addition to the visual inspections and field screening, one soil sample will be collected for laboratory analyses from approximately every 20 linear feet along each sidewall and one soil sample will be collected from the base of the former containment area every 400 square feet (20 feet by 20 feet).

Soil samples will be placed directly into glass jars using a hand trowel or similar device. Based on the historical use of AOC #1 as a hot mix asphalt plant, all soil samples proposed to be collected as confirmation samples will be submitted to a state-certified laboratory for the analysis of TPHd and TPHmo using U.S. EPA test Method 8015, modified after silica-gel cleanup. If necessary, soil samples may be analyzed on a rapid turnaround schedule so that analytical results can be reviewed and the need for additional soil excavation can be evaluated and conducted while the excavation contractor is at the Site.



Sampling equipment that comes into contact with potentially affected soil will be decontaminated to ensure the quality of samples collected. As appropriate, disposable equipment intended for one-time use may be used and will not be decontaminated, but will be packaged for appropriate disposal.

### 3.4.1 Proposed Cleanup Goals

In accordance with the ACEH-approved March 2008 Work Plan (LFR 2008c), LFR is applying the San Francisco Regional Water Quality Control Board (RWQCB) Environmental Screening Level (ESL) guidance for TPHd and TPHmo in soil at commercial sites where groundwater is a current or potential source of drinking water as the cleanup goals for the soil excavation (RWQCB 2008).

#### Proposed Clean-Up Goals

Chemicals of Potential Concern	RWQCB ESL (mg/kg)
TPH as motor oil	2,500
TPH as diesel	83

Note: mg/kg = milligrams per kilogram

Following the collection of soil samples that contain TPHd and TPHmo at concentrations less than the cleanup goals established for the Site, the excavations will be backfilled to match the current grade. The fill material will be comprised of appropriate material that is already stockpiled on-site, presumably from previous mining activities. In accordance with the March 21, 2008 work plan, representative composite samples will be collected from stockpiled material proposed to be used as backfill material, at a sample rate of approximately one four-point composite soil sample per 250 cubic yards, to confirm that the soil can be used.

## 4.0 CLOSURE PLAN OF SURFACE FEATURES

This portion of the closure plan addresses aboveground features that are planned to be closed and/or removed in the AOC #1 area and closure activities already conducted in the AOC #2 and AOC #3 areas.

Several features are planned to be removed from AOC #1. These features were identified during the July 18, 2008 site inspection with the LPFD and their approximate locations are indicated on Figure 3. Also indicated on Figure 3 are those surface features that will remain in place (primarily clean concrete structures).

The following surface features are planned to be cleaned out as necessary, and demolished and removed from AOC #1:

- Two plastic containers and one tote located east of AOC #1
- Former containment structure
- Former truck scale
- Concrete footings
- Soil pile located in the southern portion of the Site
- Contents of the storage shed located approximately northeast of the former containment structure (note that the storage shed will remain in place)

A licensed General Engineering Contractor (“Contractor”) with a Hazardous Waste Endorsement licensed in the State of California (A-HAZ license) will be retained to remove these surface features and/or contents as described below. The selected Contractor will provide personnel who have the appropriate Occupational Safety and Health Administration (OSHA) training for sites with affected soil and groundwater (HAZWOPER). Demolition activities will be directed by an LFR representative working under the direct supervision of a California Professional Geologist or Professional Engineer.

If necessary and appropriate, soil excavation activities and confirmation soil collection methods may be conducted beneath surface features after demolition and removal as described in Section 3.4.

Several closure activities have already been completed at the Site, including the following:

- AOC #1: The underground conveyor culvert was inspected and sealed.
- AOC #2: Heavy equipment including loaders and overhead cranes were either sold or relocated.
- AOC #3: Maintenance equipment was sold or relocated; the ceiling insulation was tested for asbestos; hazardous and non hazardous materials were removed and disposed of; and the warehouse, wash rack, and lube shed facilities were cleaned.

#### **4.1 Two Plastic Containers and One Tote Located East of AOC #1**

During the site inspection conducted on July 18, 2008, two plastic containers and one tote were identified east of AOC #1. The plastic containers are broken and contain rainwater. The tote is in relatively better condition and contains approximately 100 gallons of liquid. Photographs documenting the condition of these features are included as Appendix A. Based on the labeling of the tote and conversations with representatives of Hanson, these items appear to have been used to store accelerants and allow concrete to cure faster and are typical of the concrete industry. To properly dispose of the liquid in the containers, the selected Contractor will field test the liquid for polychlorinated biphenyls (PCBs) and chlorinated VOCs. Based on the results of the field screening, the

liquid will be removed from the containers and disposed of properly. In addition, the containers and tote will be rinsed as necessary, and disposed of properly and in a fashion consistent with the material that was removed from the containers. Depending upon the results of the field testing, the liquid will be recycled at either InStrat Inc.'s ("InStrat's") non-hazardous liquid waste treatment facility located in Rio Vista, California, or Evergreen Oil Inc.'s ("Evergreen's") treatment, storage, and disposal facility (TSDF) located in Newark, California. The final disposition of the liquid and the containers will be presented in the report that will be prepared to document the implementation of this closure plan.

## 4.2 Former Containment Structure

A concrete containment structure is present at AOC #1 (Figure 3). Currently, the former containment structure contains the following:

- oily water
- eight 55-gallon drums
- several 5-gallon buckets
- metal piping (some insulated metal piping) that has been temporarily stored in the containment area

Photographs documenting the condition of this feature are included as Appendix A. To properly dispose of the containment structure and its contents, the selected Contractor will field test the liquid (and sludge) present at the base of the structure and the contents of the 55-gallon drums and buckets for PCBs and VOCs. Based on the results of the field screening, the liquid will be removed and recycled or disposed of properly. It is anticipated that the oil and oily water will be recycled at an appropriate facility such as Evergreen or InStrat.

The insulated piping present within the containment structure will be screened for the presence of asbestos-containing material (ACM). A representative sample of the insulation material will be collected and submitted to a laboratory that has a U.S. EPA certification through the National Institute for Standards and Technology (NIST) National Voluntary Laboratory Accreditation Program (NVLAP) for analysis using polarized light microscopy (PLM). The samples will be analyzed for ACM using PLM with Dispersion Staining (PLM/DS) in accordance with the U.S. EPA "Interim Method for the Determination of Asbestos in Bulk Building Materials as found in 40 CFR, Part 763, subpart F, Appendix A" (EPA/600/R-93/116). Based on the results of this testing, the piping will be disposed of or recycled appropriately. If the analytical results of the insulation material indicate that ACM is present, an ACM abatement plan presenting the procedures to contain and dispose of the ACM will be prepared.

After the oily water, drums, buckets, and piping are removed from the containment structure, the concrete walls and floor of the structure will be removed using

earth-moving equipment such as an excavator and hoe ram if necessary. Based on the presence of the oily water within the containment structure, the concrete will likely require off-site disposal. It is anticipated that the stained concrete will be disposed of off-site as Class II waste material at Waste Management Inc.'s Altamont Landfill ("Altamont") located in Livermore, California.

Once the concrete structure is removed, the soil beneath the concrete containment structure will be visually observed for the presence of staining. Soil visually stained by petroleum hydrocarbons will be excavated laterally and/or vertically and stockpiled, and confirmation soil samples will be collected, as described in Section 3.4.

### **4.3 Former Truck Scale**

A partially dismantled truck scale is located at AOC #1 and is proposed to be removed from the Site (Figure 3). Photographs documenting the condition of this feature are included as Appendix A. The scale consists of a concrete structure that extends approximately 4 feet below grade. Prior to removing the former truck scale from AOC #1, debris or freestanding liquid in the confines of the former truck scale will be removed and handled using similar methods as described for the former containment structure.

Once the liquid (if present) is removed from the former truck scale the concrete walls and floor of the former truck scale will be removed using earth moving equipment such as an excavator and hoe ram if necessary. The unaffected-unstained concrete will be transported to the Mission Valley Facility for recycling. Stained concrete will be transported off-site for disposal at Altamont as Class II waste.

Once the concrete structure of the truck scale is removed, the soil beneath the former truck scale will be visually observed for the presence of staining. Soil visually stained by oil will be excavated laterally and/or vertically and stockpiled on-site using procedures provided in the March 2008 Work Plan (LFR 2008c). If stained soil is not observed, then confirmation soil samples will be collected after the structure is removed and submitted for laboratory analysis as discussed in Section 3.4.

The analytical results for the confirmation soil samples will be compared to cleanup goals established for this Site in the March 2008 Work Plan. If the concentration is above the cleanup goals, then additional soil will be removed from where the confirmation sample was collected. Following the completion of the expanded excavation, additional confirmation samples will be collected using the methods described in Section 3.4.

If the analytical results for the confirmation soil samples are less than the cleanup goals, then the area where the former truck scale was located will be backfilled to match the current grade. The excavated area will be backfilled material that is already stockpiled on-site, presumably from previous mining activities. Representative composite soil

samples will be collected from the stockpiled material at a sample rate of approximately one four-point composite soil sample per 250 cubic yards (LFR 2008c).

A total of five “weight plates” that are comprised of concrete and metal were formerly located on the top of the former truck scale. These weight plates are now located on the western side of the former truck scale and are depicted on Figure 3. The metal will be separated from the concrete of the weight plates and will be transported off-site for recycling. The unaffected, unstained concrete will be transported to the Hanson Mission Valley Facility in Sunol, California (“Mission Valley Facility”) for recycling.

#### **4.4 Concrete Footings**

A total of seven concrete footings that were formerly associated with the vibrating screen, pug mill mixer, and aggregate drying drum are proposed to be removed from AOC #1 (Figure 3). Observations made during the July 2008 site inspection indicated that these footings were not stained and did not appear affected by previous site activities. Therefore, these concrete footings will be broken up on-site and transported to the Mission Valley Facility for recycling.

Once each concrete footing is removed, the soil beneath the former footing will be visually observed for the presence of staining. Soil visually stained by oil will be excavated laterally and/or vertically and stockpiled on-site using procedures provided in the March 2008 Work Plan (LFR 2008c). If stained soil is not observed, then confirmation soil samples will be collected and submitted for laboratory analysis as discussed in Section 3.4.

The analytical results for the confirmation soil samples will be compared to cleanup goals established for this Site in the March 2008 Work Plan. If the concentration is above the cleanup goals, then additional soil will be removed from where the confirmation sample was collected. Following the completion of the expanded excavation, additional confirmation samples will be collected using the methods described in Section 3.4.

If the analytical results for the confirmation soil samples are less than the cleanup goals, then the area where the former footing(s) was located will be backfilled to match the current grade. The excavated area will be backfilled material that is already stockpiled on-site, presumably from previous mining activities. Representative composite soil samples will be collected from the stockpiled material at a sample rate of approximately one four-point composite soil sample per 250 cubic yards (LFR 2008c).

#### **4.5 Soil Pile**

One soil pile from previous site operations is present at AOC #1 (Figure 3). To assess the quality of the soil in this pile, one four-point composite soil sample will be collected

and analyzed using sample collection and analytical methods provided in the March 2008 Work Plan.

The analytical results for the composite soil samples will be compared to cleanup goals established for this Site in the March 2008 Work Plan. If the concentration is above the cleanup goals, then the soil will be transported for off-site disposal as Class II waste to Altamont.

If the analytical results for the composite soil samples are less than the cleanup goals, then the soil will remain on-site.

#### **4.6 Contents of the Storage Shed**

A storage shed comprised of corrugated metal is present at AOC #1 (Figure 3). A photograph documenting the condition of this feature is included as Appendix A. Based on conversations with representatives of Hanson, this structure is to remain in place; however, the contents of the shed are to be removed. Observations made during the July 2008 site inspection indicated that the contents of the shed consisted of spare parts for the equipment formerly operated at AOC #1. Based on observations made during the July 2008 site inspection, the majority of the contents of the shed are metal fittings and tools that can be recycled as scrap metal.

#### **4.7 Miscellaneous Debris**

Observations made during the July 2008 site inspection indicated that miscellaneous debris is located throughout AOC #1. This debris consists of broken pieces of concrete, metal pipes, tools, and mechanical equipment that were previously used as part of the hot mix asphalt plant. These items are to be removed from AOC #1 as part of this closure plan. It is anticipated that these items can be recycled for scrap and that the concrete will be recycled at the Mission Valley Facility. If stained soil is observed beneath the debris, the visually stained soil will be excavated laterally and/or vertically and stockpiled on-site using procedures provided in the March 2008 Work Plan (LFR 2008c). If stained soil is not observed, then confirmation soil samples will be collected and submitted for laboratory analysis as discussed in Section 3.4.

Soil visually stained by oil will be excavated laterally and/or vertically and stockpiled on-site using procedures provided in the March 2008 Work Plan (LFR 2008c). If stained soil is not observed following the removal of the debris, then confirmation soil samples will not be collected from beneath the miscellaneous debris.

#### **4.8 Closure of Former Conveyor Culvert**

An underground culvert containing a former conveyor system used to deliver aggregate to the hot mix asphalt operation was formerly located approximately on the eastern edge of the Site, immediately southeast of the storage shed (Figure 3). Photographs

documenting the abandonment of this feature are included as Appendix A. The entrance to the culvert was observed during the July 18, 2008 site walk. At the request of the LPPFD, Hanson conducted an inspection of the culvert and sealed it for safety reasons. The culvert was inspected and sealed on December 8, 2008.

Hanson contracted NRC Environmental Services (NRC) of Alameda, California, to inspect and seal the culvert. NRC entered the culvert using appropriate health and safety equipment and walked its length to inspect its condition and contents. The culvert constructed out of corrugated metal was found to be approximately 8 feet in diameter and approximately 130 feet long from the main opening and stretching approximately to the east. The end of the culvert consisted of a solid wall constructed of concrete and wood. The culvert contained primarily a former conveyor system, a metal support structure, metal pipes, and rubber tubing fastened along the center of the ceiling, and what may have been a former motor at the end of the culvert. The culvert was relatively debris-free, although a layer of fine soil lined the floor of the culvert and plastic debris was found at the end of the culvert. A smaller diameter escape tunnel also constructed of corrugated metal was identified leading from near the end of the main culvert to the left (approximately north). The escape culvert was also inspected and found to be approximately 4 feet in diameter and approximately 60 feet long.

No signs of human transient occupancy were identified in either the primary or the escape culverts. The entrances to the main culvert and the escape culverts were subsequently sealed by placing a large amount of soil in front of the entrances. A brief summary of the inspection conducted by NRC and conditions encountered is provided in Appendix B.

## **4.9 Documentation Regarding Closure of Former Warehouse Facilities**

Before leaving the Site, Hanson conducted some closure activities for the former warehouse facility at the Site (Figure 4). These features were identified during the July 18, 2008 site inspection. A summary of the materials that were removed from the Site and their disposal is provided in Table 1.

Following the removal of the contents of the former warehouse facility, the floor of the warehouse, wash rack, and lube shed were power washed by representatives of Evergreen. The wash water was contained in four 55-gallon drums and was screened for VOCs and PCBs. Based on the results of the screening, the wash water was determined to not contain PCBs or VOCs and was transported to Evergreen's TSD in Newark, California, for recycling. A non-hazardous waste manifest documenting the transport and recycling of this material is included in Appendix C.

### **4.9.1 Insulation Material**

Insulation material was noted to be falling from the ceiling and the walls of the former warehouse facility during the site inspection. LFR collected four discrete samples of

this insulation material and submitted the samples to Micro Analytical Laboratories, Inc., on October 21, 2008. The samples were analyzed for asbestos using PLM (test method 600/R/93/116). Asbestos was not detected in the four samples. The laboratory report for these samples is included as Appendix D.

#### **4.9.2 Transformer**

An electrical transformer identified during the site inspection was formerly stored in a yard located to the west of the former warehouse facility (Figure 5). The oil in the transformer was screened for PCBs by representatives of Evergreen. Based on the results of the screening, the transformer was determined to not contain PCBs and was transported to a TSDf located in Fernley, Nevada, and operated by 21<sup>st</sup> Century Environmental Management of Nevada, LLC, a fully owned subsidiary of Philips Services Corporation. A manifest documenting the transport and recycling of this transformer is included in Appendix C.

#### **4.9.3 Metal Parts Washer**

A metal parts washer identified during the site inspection was formerly located in the warehouse facility. The parts washer and its contents were removed from the Site by Safety Kleen and transported for disposal to their TSDf located in Denton, Texas. Paperwork documenting the transport and recycling of the parts washer is included in Appendix C.

#### **4.9.4 Heavy Equipment**

Four front-end loaders formerly stored on AOC #3 (Figure 5) were sold to private parties for reuse. Overhead cranes formerly located at AOC #3 (Figure 5) were dismantled and transported to the Mission Valley Facility for reuse.

### **5.0 SITE CLOSURE SCHEDULE**

It is anticipated that the scope of work of this closure plan will be completed within four months following approval of the plan by the LPFD and ACEH. The report documenting the closure activities (described below) will be submitted to the LPFD and ACEH one month after the closure activities are completed.

#### **5.1 Reporting**

LFR will prepare and submit to ACEH and the LPFD a report summarizing the activities described above. The report will include a summary of the following:



- field observations made at the time of excavation and/or structure removal
- the volume and disposition of soil removed from the Site
- the volume and disposition of material that was recycled and disposed
- a summary of the analytical results of the confirmation soil samples
- field forms
- chain-of-custody forms and certified laboratory analytical reports

## 6.0 LIMITATIONS

The opinions and recommendations presented in this report are based upon the scope of services, information obtained through the performance of the services, and the schedule as agreed upon by LFR and the party for whom this report was originally prepared. This report is an instrument of professional service and was prepared in accordance with the generally accepted standards and level of skill and care under similar conditions and circumstances established by the environmental consulting industry. No representation, warranty, or guarantee, express or implied, is intended or given. To the extent that LFR relied upon any information prepared by other parties not under contract to LFR, LFR makes no representation as to the accuracy or completeness of such information. This report is expressly for the sole and exclusive use of the party for whom this report was originally prepared for a particular purpose. Only the party for whom this report was originally prepared and/or other specifically named parties have the right to make use of and rely upon this report. Reuse of this report or any portion thereof for other than its intended purpose, or if modified, or if used by third parties, shall be at the user's sole risk.

Results of any investigations or testing and any findings presented in this report apply solely to conditions existing at the time when LFR's investigative work was performed. It must be recognized that any such investigative or testing activities are inherently limited and do not represent a conclusive or complete characterization. Conditions in other parts of the Site may vary from those at the locations where data were collected. LFR's ability to interpret investigation results is related to the availability of the data and the extent of the investigation activities. As such, 100 percent confidence in environmental investigation conclusions cannot reasonably be achieved.

LFR, therefore, does not provide any guarantees, certifications, or warranties regarding any conclusions regarding environmental contamination of any such property. Furthermore, nothing contained in this document shall relieve any other party of its responsibility to abide by contract documents and applicable laws, codes, regulations, or standards.

## 7.0 REFERENCES

- Alameda County Environmental Health (ACEH). 1998. Letter from Scott Seery to Lawrence Appleton of Kaiser Sand & Gravel Company, re: Kaiser Sand & Gravel, 3000 Busch Road, Pleasanton. March 9.
- . 2007a. Letter from Jerry Wickham to Lee Cover of Hanson Aggregates, re: SLIC Case RO0002941 and Geotracker Global ID SLT19719376, Hanson Aggregates Radum Plant, 3000 Busch Road, Pleasanton, CA 94566. March 16.
- . 2007b. Letter from Donna Drogos to Lee Cover of Hanson Aggregates, re: Fuel Leak Case No. RO0002858 and Geotracker Global ID T06019765846, Hanson Aggregates, 3000 Busch Road, Pleasanton, CA 94566. June 12.
- . 2007c. Letter from Jerry Wickham to Lee Cover of Hanson Aggregates West Region, re: SLIC Case RO0002941 and Geotracker Global ID STL19719376, Hanson Aggregates Radum Plant, 3000 Busch Road, Pleasanton, CA 94566. June 22.
- . 2007d. Letter from Jerry Wickham to Lee Cover of Hanson Aggregates West Region, re: SLIC Case RO0002941 and Geotracker Global ID STL19719376, Hanson Aggregates Radum Plant, 3000 Busch Road, Pleasanton, CA 94566. July 24.
- . 2007e. Letter from Jerry Wickham to Lee Cover of Hanson Aggregates West Region, re: SLIC Case RO0002952 and Geotracker Global ID STL0600101555, Hanson Aggregates Radum Plant, 3000 Busch Road, Pleasanton, CA 94566. November 28.
- . 2008a. Letter from Jerry Wickham to Lee Cover of Hanson Aggregates West Region, re: SLIC Case RO0002941 and Geotracker Global ID STL19719376, Hanson Aggregates Radum Plant, 3000 Busch Road, Pleasanton, CA 94566. January 11.
- . 2008b. Letter from Jerry Wickham to Lee Cover of Hanson Aggregates West Region, re: SLIC Case RO0002952 and Geotracker Global ID STL0600101555, Hanson Aggregates Radum Plant, 3000 Busch Road, Pleasanton, CA 94566. February 26.
- . 2008c. Letter from Jerry Wickham to Lee Cover of Hanson Aggregates West Region, re: SLIC Case RO0002941 and Geotracker Global ID STL19719376, Hanson Aggregates Radum Plant, 3000 Busch Road, Pleasanton, CA 94566. March 31.

- 
- . 2008d. Letter from Jerry Wickham to Lee Cover of Hanson Aggregates West Region, re: SLIC Case RO0002941 and Geotracker Global ID STL19719376, Hanson Aggregates Radum Plant, 3000 Busch Road, Pleasanton, CA 94566. April 18.
- . 2008e. Letter from Jerry Wickham to Lee Cover of Hanson Aggregates West Region and to Steven Dunn of Legacy Partners, re: SLIC Cases RO0002941 (Geotracker Global ID STL19719376) and RO0002952 (Geotracker Global ID SL0600101555), Hanson Aggregates Radum Plant, 3000 Busch Road, Pleasanton, CA 94566. July 29.
- . 2008f. Letter from Jerry Wickham to Lee Cover of Hanson Aggregates West Region, re: SLIC Case RO0002941 and Geotracker Global ID STL19719376, Hanson Aggregates Radum Plant, 3000 Busch Road, Pleasanton, CA 94566. October 7.
- . 2009. Letter from Jerry Wickham to Lee Cover of Hanson Aggregates West Region and to Stephen Dunn of Legacy Partners, re: SLIC Case RO0002941 and Geotracker Global ID STL19719376, Hanson Aggregates Radum Plant, 3000 Busch Road, Pleasanton, CA 94566. January 29.
- Baseline Environmental Consulting. 1991a. Report on Tank Removal Activities and Work Plan for Additional Investigation, 3000 Busch Road, Pleasanton, California. January.
- . 1991b. Report on Preliminary Soil and Groundwater Investigation, 3000 Busch Road, Pleasanton, California. May.
- . 1995. Report on Tank Removal Activities, 3000 Busch Road, Pleasanton, California. April.
- Brown & Caldwell. 2006a. Final Phase I Environmental Site Assessment, Hanson Aggregates West / Radum Plant, 3000 Busch Road, Pleasanton, California. June.
- . 2006b. Letter from Lisa Ehlers and Andrew Lojo to Marvin Howell of Hanson America, re: Summary of the Limited Subsurface Investigation Activities at the Hanson Aggregates West Radum Facility in Pleasanton, California. August 2.
- . 2007. Letter from Andrew Lojo and Jason Grant to Jerry Wickham of ACEH, re: Results of Soil and Groundwater Investigation, ACEH Fuel Leak Case No. RO0002858, Hanson Aggregates, 3000 Busch Road, Pleasanton, California. February 15.

- ENV America Inc. (ENV). 2006a. Draft Phase I Environmental Site Assessment, Hanson Radum Site, Pleasanton, California. October.
- . 2006b. Draft Phase II Environmental Site Assessment, 3000 Busch Road, Pleasanton, California. November.
- . 2007a. Additional Soil and Groundwater Investigation Report, 3000 Busch Road, Pleasanton, California. February.
- . 2007b. Second Additional Soil and Groundwater Investigation Report, Hanson Radum Site, 3000 Busch Road, Pleasanton, California. April.
- . 2007c. Revised Final Third Additional Soil and Groundwater Investigation Report, Hanson Radum Site, 3000 Busch Road, Pleasanton, California. June.
- Kiewit Construction Company. 2004. Letter from Mike Schrad to Betty Graham of the RWQCB, re: 01S0566 - Self Directed Cleanup, 3300 Busch Road, Pleasanton, California 94566. February 3.
- Lawrence Berkeley National Laboratory. 2002. Analysis of Background Distributions of Metals in the Soil at Lawrence Berkeley National Laboratory (LBNL). June.
- LFR Inc. (LFR). 2006. Summary Report of Additional Phase II ESA Investigation at the Former Asphalt Plant Area, Hanson Radum Facility, 3000 Busch Road, Pleasanton, Alameda County, California. December 5.
- . 2007a. Work Plan for Additional Site Characterization at the Hanson Aggregates Radum Facility, 3000 Busch Road, Pleasanton, California. May 16.
- . 2007b. Submittal of Supporting Information to Request a Separate Case Number for a Portion of the Hanson Radum Property at 3000 Busch Road, Pleasanton, California. July 6.
- . 2007c. Site Investigation Report for the Eastern Portion of AOC #2 and AOCs #3 through #9, ACEH Case # RO0002952 and Geotracker Global ID #SL0600101555, Hanson Aggregates Radum Facility, 3000 Busch Road, Pleasanton, California. October 26.
- . 2007d. Additional Site Investigation Report for the Former Hot Mix Asphalt Plant Area (AOC #1), ACEH Case # RO0002941 and Geotracker Global ID #SLT19719376, Hanson Aggregates Radum Facility, 3000 Busch Road, Pleasanton, California. December 21.

- 
- . 2008a. Work Plan for Additional Site Characterization at AOC #8, Hanson Aggregates Radum Facility, 3000 Busch Road, Pleasanton, California, SLIC Case RO0002952 and Geotracker ID SL0600101555. February 6.
  - . 2008b. Work Plan for Additional Well Installations and Quarterly Groundwater Monitoring and Reporting in the Former Hot Mix Asphalt Plant Area (AOC #1) of the Hanson Aggregates Radum Facility, 3000 Busch Road, Pleasanton, California, SLIC Case #RO0002941 and GeoTracker ID SLT19719376. February 28.
  - . 2008c. Work Plan for the Excavation of Petroleum Hydrocarbon-Affected Soil at the Former Hot Mix Asphalt Plant Area (AOC #1) of the Hanson Aggregates Radum Facility, 3000 Busch Road, Pleasanton, California, SLIC Case #RO0002941 and GeoTracker ID SLT19719376. March 21.
  - . 2008d. Combined Well Installation and Groundwater Monitoring Report for the Period of April 1 through June 30, 2008, Former Hot Mix Asphalt Plant Area (AOC #1) of the Hanson Aggregates Radum Facility, 3000 Busch Road, Pleasanton, California, SLIC Case #RO0002941 and GeoTracker ID SLT19719376. July 23.
  - . 2008e. Work Plan for Additional Site Characterization at Selected Areas Within AOC #1, Hanson Aggregates Radum Facility, 3000 Busch Road, Pleasanton, California, SLIC Case RO0002952 and Geotracker ID SL0600101555. September 15.
  - . 2008f. Groundwater Monitoring Report, July 1 through September 30, 2008, Former Hot Mix Asphalt Plant Area (AOC #1), Hanson Aggregates Radum Facility, 3000 Busch Road, Pleasanton, California, ACEH Case #RO0002941 and Geotracker Global ID # SLT19719376. November 10.
  - . 2009a. Groundwater Monitoring Report, October 1 through December 31, 2008, Former Hot Mix Asphalt Plant Area (AOC #1), Hanson Aggregates Radum Facility, 3000 Busch Road, Pleasanton, California, ACEH Case #RO0002941 and Geotracker Global ID # SLT19719376. February 10.
  - . 2009b. Groundwater Monitoring Report, January 1 through March 31, 2009, Former Hot Mix Asphalt Plant Area (AOC #1), Hanson Aggregates Radum Facility, 3000 Busch Road, Pleasanton, California, ACEH Case #RO0002941 and Geotracker Global ID # SLT19719376. May 11.
- Livermore-Pleasanton Fire Department (LPPFD). 2004. Letter from John F. Rigger, Hazardous Materials Inspector of the LPPFD to Larry Appleton of Hanson Aggregates, re: Hazardous Materials Closure. September 22.

- Regional Water Quality Control Board, San Francisco Bay Region (RWQCB). 2004. Letter from Bruce Wolfe to Mike Schrad or Kiewit Construction Company and Bill Berger of Hanson Aggregates Mid Pacific Inc., re: No Further Action, 3300 Busch Road, Pleasanton, Alameda County. March 31.
- . 2008. Screening for Environmental Concerns at Sites with Contaminated Soil and Groundwater (Interim Final – November 2007; Revised May 2008); Environmental Screening Levels (“ESLs”). Technical Document. May.
- TRC. 2003. Workplan, Self-Directed Soil Remediation, Pleasanton Site; Kiewit Construction / Hanson Aggregates Mid-Pacific, 3200/3000 Busch Road, Pleasanton, California. September 15.
- . 2004. Self-Directed Remediation of Diesel Contaminated Soil; Kiewit Construction / Hanson Aggregates Mid-Pacific Inc., 3200/3000 Busch Road, Pleasanton, California. January.
- U.S. Environmental Protection Agency. 1989. Risk. *Risk Assessment Guidance for Superfund, Human Health Evaluation Manual, Part A*. Interim Final. December 29.
- . 1996. Low-Flow (Minimal Drawdown) Ground-Water Sampling Procedures; Ground Water Issue EPA/540/S-95/504. April.
- Zone 7 Water Agency, Alameda County Flood Control and Water Conservation District (Zone 7). 1998. Groundwater Protection Ordinance Permit Application; Permit No. 98024 for location number 3A/1E 15F4. February 24.
- . 2007. Annual Report for the Groundwater Management Program, 2006 Water Year, June 14.

**Table 1**  
**Summary of Hazardous and Non-Hazardous Materials**  
**Removed from the Former Maintenance/Warehouse Facilities**  
**Former Hanson Aggregates Radum Facility**  
**3000 Busch Road, Pleasanton, California**


Date	Type of Material	Quantity	Transporter	Disposal-Recycling Facility
7-Jul-08	Used oil, Non RCRA Hazardous	450 Gallons	Evergreen Environmental Services, Newark, CA	Evergreen Oil, Inc., Newark, CA
8-Jul-08	Used Parts Washing Solution, Hazardous	30 Gallons	Safety-Kleen Corp, Oakland, CA	Safety-Kleen Systems, Inc., Denton, TX
8-Jul-08	Mercury, Hazardous	1 Pound	Evergreen Environmental Services, Newark, CA	Evergreen Oil, Inc., Newark, CA
8-Jul-08	Waste Corrosive Liquid (Sodium Hydroxide), Hazardous	10 Gallons	Evergreen Environmental Services, Newark, CA	Evergreen Oil, Inc., Newark, CA
8-Jul-08	Non RCRA Hazardous Waste, solid (Grease), Hazardous	1,250 Pounds	Evergreen Environmental Services, Newark, CA	Evergreen Oil, Inc., Newark, CA
8-Jul-08	Non RCRA Hazardous Waste, Solid (debris w/ oil), Hazardous	800 Pounds	Evergreen Environmental Services, Newark, CA	Evergreen Oil, Inc., Newark, CA
8-Jul-08	Non RCRA Hazardous Waste, liquid (oily water), Hazardous	35 Gallons	Evergreen Environmental Services, Newark, CA	Evergreen Oil, Inc., Newark, CA
8-Jul-08	Non RCRA Hazardous Waste, liquid (oil, grease, diesel), Hazardous	10 Gallons	Evergreen Environmental Services, Newark, CA	Evergreen Oil, Inc., Newark, CA
8-Jul-08	Waste Paint Related Material, Hazardous	1 Gallon	Evergreen Environmental Services, Newark, CA	Evergreen Oil, Inc., Newark, CA
16-Jul-08	Waste Paint Related Material, Hazardous	150 Pounds	Evergreen Environmental Services, Newark, CA	Evergreen Oil, Inc., Newark, CA
16-Jul-08	Non RCRA Hazardous Waste, Liquid (oil), Hazardous	75 Pounds	Evergreen Environmental Services, Newark, CA	Evergreen Oil, Inc., Newark, CA
16-Jul-08	Waste Batteries, Wet, Filled with Acid, Hazardous	50 Pounds	Evergreen Environmental Services, Newark, CA	Evergreen Oil, Inc., Newark, CA
16-Jul-08	Waste Flammable Liquids (isopropanol, mineral spirits, etc. lab packed), Hazardous	200 Pounds	Evergreen Environmental Services, Newark, CA	Evergreen Oil, Inc., Newark, CA
16-Jul-08	Waste Corrosive Liquids, Toxic (hydrofluoric acid, zinc chloride, lab packed), Hazardous	5 Pounds	Evergreen Environmental Services, Newark, CA	Evergreen Oil, Inc., Newark, CA
16-Jul-08	Corrosive Solid, Basic, Inorganic (calcium hydroxide, lab packed), Hazardous	150 Pounds	Evergreen Environmental Services, Newark, CA	Evergreen Oil, Inc., Newark, CA
16-Jul-08	Waste Aerosol, Flammable, Hazardous	45 Pounds	Evergreen Environmental Services, Newark, CA/Philip West Industrial Services	21st Century EMI, Fernley, NV
16-Jul-08	Universal Waste, Straight Fluorescent Light Tubes, Hazardous	30 Pounds	Evergreen Environmental Services, Newark, CA	AERC Recycling Solutions, Hayward, CA
30-Jul-08	Non RCRA Hazardous Waste, Liquid (oil filled non PCB transformer), Hazardous	160 Pounds	Evergreen Environmental Services, Newark, CA/Philip West Industrial Services	21st Century EMI, Fernley, NV
24-Oct-08	Used Automotive Antifreeze, Non RCRA Hazardous Waste Liquid, Hazardous	120 Gallons	Evergreen Environmental Services, Newark, CA	Evergreen Oil, Inc., Newark, CA
25-Oct-08	Used oil, Non RCRA Hazardous, Hazardous	200 Gallons	Evergreen Environmental Services, Newark, CA	Evergreen Oil, Inc., Newark, CA

**Table 1**  
**Summary of Hazardous and Non-Hazardous Materials**  
**Removed from the Former Maintenance/Warehouse Facilities**  
**Former Hanson Aggregates Radum Facility**  
**3000 Busch Road, Pleasanton, California**

Date	Type of Material	Quantity	Transporter	Disposal-Recycling Facility
29-Oct-08	Non RCRA Hazardous Waste Liquid (oil and water), Hazardous	25 Gallons	Evergreen Environmental Services, Newark, CA	Evergreen Oil, Inc., Newark, CA
6-Nov-08	Non Hazardous Waste, Liquid, Non Hazardous	1,500 Gallons	Evergreen Environmental Services, Newark, CA	Evergreen Oil, Inc., Newark, CA
10-Nov-08	Non RCRA Hazardous Waste, Solid (debris, petroleum hydrocarbons), Hazardous	600 Pounds	Evergreen Environmental Services, Newark, CA	Evergreen Oil, Inc., Newark, CA
10-Nov-08	Waste Paint Related Material, Mineral Sprits, Hazardous	200 Pounds	Evergreen Environmental Services, Newark, CA	Evergreen Oil, Inc., Newark, CA
10-Nov-08	Non Hazardous Waste Liquid (purge water), Non Hazardous	170 Gallons	Evergreen Environmental Services, Newark, CA	Evergreen Oil, Inc., Newark, CA
	Motor Oil (15W-40), Hazardous		Hanson Aggregates	Hanson Aggregates - Clayton, CA
	Gear Lube (85W-140), Hazardous		Hanson Aggregates	Hanson Aggregates - Sunol, CA
	Transmission Fluid (50W), Hazardous		Hanson Aggregates	Hanson Aggregates - Clayton, CA
	Red Grease 2, Hazardous		Hanson Aggregates	Hanson Aggregates - Sunol, CA
	Lube Oil (30W), Hazardous		Hanson Aggregates	Hanson Aggregates - Clayton, CA
	Kerosene, Hazardous		Hanson Aggregates	Chemical used up at Hanson Aggregates - Radum
	Antifreeze, Hazardous		Hanson Aggregates	Hanson Aggregates - Clayton, CA
	Hydraulic Oil, Hazardous		Hanson Aggregates	Hanson Aggregates - Clayton, CA
	Diesel Fuel, Hazardous		Hanson Aggregates	Chemical used up at Hanson Aggregates - Radum
	Oxygen, Hazardous		Hanson Aggregates	Returned to original vendor
	Acetylene, Hazardous		Hanson Aggregates	Returned to original vendor
	Carbon Dioxide (welding gas), Hazardous		Hanson Aggregates	Returned to original vendor
	Drain Oil, Hazardous		Evergreen Environmental Services, Newark, CA	Evergreen Oil, Inc., Newark, CA
	Oil Filters, Hazardous		Hanson Aggregates	Big Sky Enterprises
	Batteries (sulfuric acid, water), Hazardous		Hanson Aggregates	Returned to P.T.C.
	Antifreeze, Hazardous		Evergreen Environmental Services, Newark, CA	Evergreen Oil, Inc., Newark, CA



I:\Design\001\09567\00\dwg\Pleasanton Drilling Locations.dwg Jun 11, 2009-10:22am



Source: Thomas Guide

**EXPLANATION**

----- Approximate Property Boundary



0 5,000 Feet  
 APPROXIMATE SCALE

**Site Location Map**

Former Hanson Aggregates, Radum Facility,  
3000 Busch Road, Pleasanton, California

**Figure 1**




Figure 2








Figure 3









**Site Plan for Area of Concern #3**  
**Former Maintenance, Wash Rack Area,**  
**and Office Area**  
 Former Hanson Aggregates, Radum Facility,  
 3000 Busch Road, Pleasanton, California

Figure 5



## **APPENDIX A**

### **Photo Log**





Eastern Entrance to Conveyor Tunnel



Eastern Conveyor Entrance Post Abandonment

## Photolog

Former Hanson Aggregates Radum Facility  
3000 Busch Road, Pleasanton, CA



**Eastern Conveyor Entrance Post Abandonment**



**Western Conveyor Entrance Pre-Abandonment**

## **Photolog**

Former Hanson Aggregates Radum Facility  
3000 Busch Road, Pleasanton, CA





**Inside Conveyor Tunnel**



**Inside Conveyor Tunnel**

### **Photolog**

Former Hanson Aggregates Radum Facility  
3000 Busch Road, Pleasanton, CA

---



Inside Conveyor Tunnel



Western Conveyor Entrance During Abandonment

### Photolog

Former Hanson Aggregates Radum Facility  
3000 Busch Road, Pleasanton, CA



**Western Conveyor Entrance Post Abandonment 1**



**Containment Structure**

### **Photolog**

Former Hanson Aggregates Radum Facility  
3000 Busch Road, Pleasanton, CA





**Piping in Containment Structure**



**Drums in Containment Structure 1**

### **Photolog**

Former Hanson Aggregates Radum Facility  
3000 Busch Road, Pleasanton, CA



Former Truck Scale



Contents of Storage Shed

## Photolog

Client Name/Site Location

Figure Number





**Plastic Containers**



**Plastic Tote**

## **Photolog**

Former Hanson Aggregates Radum Facility  
3000 Busch Road, Pleasanton, CA

**APPENDIX B**

**NRC Report**



1605 Ferry Point  
Alameda, CA 94501  
Phone: (510) 749-1390  
Fax: (510) 749-4150  
www.nrces.com

**Emergency Response**  
1-800-33-SPILL (77455)

12/08/08

Hanson Aggregates West Region  
3000 Busch Road  
Pleasanton, Ca 94566-8403

Attention: Lee W. Cover / Environmental Manager

Re: Conveyer Tunnel Structure(s) NRCES Inspection Summary 12/08/08 – Radum  
Facility Pleasanton, Ca USA

Mr. Cover,

On the above date and location NRC Environmental Services Inc. (NRCES) was contracted to perform inspection services for possible human transient occupation of your out of service conveyer structure tunnel and escape tunnel(s). NRCES mobilized a confined space crew of (3) with the necessary and required personal protective equipment required to perform permit-required confined space entry operations. NRCES personnel inspected the main tunnel which had a distance length of 130' linear feet before encountering a solid wall structure inside tunnel constructed of concrete material and wood. In addition to this inspection, an escape corrugated tunnel measuring 60' linear feet was inspected with a similar wall structure composition. During the inspection NRCES personnel encountered no signs of human transient occupancy inside tunnel structures.

Respectfully Submitted,

A handwritten signature in black ink, appearing to read 'Carlos Sanchez', written over a circular scribble.

Carlos Sanchez  
Emergency Response Manager-NORCAL Region  
NRCES Alameda Ca USA





PLEASE REMIT CHECK PAYMENT TO:  
 NRC Environmental Services Inc.  
 Box#2886 P.O. Box 8500  
 Philadelphia, PA 19178-2886

1605 Ferry Point  
 Alameda, CA 94501  
 Phone: (510) 749-1390  
 Fax: (510) 749-4150  
 www.nrces.com

PLEASE REMIT ACH PAYMENT TO:  
 NRC Environmental Services Inc.  
 Bank of New York  
 ABA# 021-000-018  
 A/C# 56100110015632001  
 A/C Name: N.R.C.E.S

Emergency Response  
 1-800-33-SPILL (77455)

Invoice Date: December 12, 2008

Invoice #: 533686  
 NRCES Job #: 39202  
 Customer PO #: 10344

Customer: Hanson Aggregates  
 3000 Busch Rd.  
 Pleasanton, CA 94566-8403

Contact: Lee Cover  
 Phone: (925) 584-6880  
 Fax: (925) 426-4040  
 Terms: Net 30 Days

Job Description: Provide service to inspect conveyer tunnel for inhabitants

Job Location: Pleasanton, CA

Job Date (s): 12/8/2008

Progress Billing: No  
 Final Billing: Yes

QUANTITY	DESCRIPTION	UOM	UNIT PRICE	EXTENDED PRICE
1	Provide service to inspect conveyer tunnel for inhabitants	ea.	2,270.60	2,270.60

THANK YOU FOR YOUR BUSINESS

INVOICE SUBTOTAL	\$2,270.60
TAX	n/a
<b>TOTAL INVOICE</b>	<b>\$2,270.60</b>

Currency: USD

OK To Pay  
 Lee W. [Signature]  
 1/28/09  
 113264.6330

Carlos Sanchez Project Manager

Direct Phone (510) 749-4138  
 Fax (510) 749-4150

FED ID #: 91-1572532

A 1.5% per month finance charge will be assessed for all past due invoices to include the flat late fee amount.

CC: ACCOUNTING

JOB NUMBER:	39202	JOB TYPE:	Services	WEEK ENDING:	12/14/08	CUSTOMER:	Hanson Aggregates	PROJECT MANAGER:	Carlos Sanchez														
<b>LABOR CHARGES</b>		Hourly Rates			12/08/08	12/09/08	12/10/08	12/11/08	12/12/08	12/13/08	12/14/08	Subtotal Hours											
Name	Position	Rate 1	Rate 2	Rate 3	R1	R2	R3	R1	R2	R3	R1	R2	R3	R1	R2	R3	R1	R2	R3	Rate 1	Rate 2	Rate 3	Weekly Total
Sanchez, Carlos	PM	\$85.00	\$85.00	\$85.00	8.0															8.0	0.0	0.0	\$680.00
Sanchez, Alberto	TE	\$42.00	\$57.00	\$72.00	7.0															7.0	0.0	0.0	\$294.00
Contreras, Francisco	TE	\$42.00	\$57.00	\$72.00	7.0															7.0	0.0	0.0	\$294.00
Per diem per person - Food		\$40.00																		0.0			\$0.00
Per diem per person - Lodging		\$85.00																		0.0			\$0.00
<b>Weekly Total Labor Charges:</b>																						\$1,268.00	
<b>EQUIPMENT CHARGES</b>				12/08/08	12/09/08	12/10/08	12/11/08	12/12/08	12/13/08	12/14/08	Subtotal Quantity		Weekly Total										
Equipment Description	ID#	Rate	Unit	Quantity	Quantity	Quantity	Quantity	Quantity	Quantity	Quantity	Quantity	Quantity	Quantity										
Truck, Gear, 2 ton to 5 ton	1215	\$220.00	Day	1								1	\$220.00										
Truck, Gear, less than 1 ton	1091	\$135.00	Day	1								1	\$135.00										
LEL/O2 Meter	8082	\$100.00	Day	1								1	\$100.00										
Light, Portable, explosion-proof	9103-10	\$44.00	Day	1								1	\$44.00										
Digital Camera	4133	\$25.00	Day	1								1	\$25.00										
Cellular Phone/Radios	700	\$25.00	Day	2								2	\$50.00										
Harness/Lanyard/Safety Line	9085-H	\$25.00	Day	3								3	\$75.00										
Harness/Lanyard/Safety Line	7112	\$25.00	Day	2								2	\$50.00										
SCBA	SCBA-30	\$125.00	Day	1								1	\$125.00										
<b>Weekly Total Equipment Charges:</b>												\$824.00											
<b>MATERIAL CHARGES</b>				12/08/08	12/09/08	12/10/08	12/11/08	12/12/08	12/13/08	12/14/08	Subtotal Quantity		Weekly Total										
Material Description	ID#	Rate	Unit	Quantity	Quantity	Quantity	Quantity	Quantity	Quantity	Quantity	Quantity	Quantity	Quantity										
Protective Gear Level D	432	\$30.00	Each	3								3	\$90.00										
Tyvek Suit, disp or safety vest	425	\$8.00	Each	1								1	\$8.00										
Mileage 1215	M1215	\$0.65	Each	62								62	\$40.30										
Mileage 1091	M1091	\$0.65	Each	62								62	\$40.30										
<b>Weekly Total Material Charges:</b>												\$178.60											
<b>OUTSIDE SERVICES - Cost Plus 20%</b>				12/08/08	12/09/08	12/10/08	12/11/08	12/12/08	12/13/08	12/14/08	Subtotal Cost		20%	Weekly Total									
Service Description	Vendor Name	Cost	Cost	Cost	Cost	Cost	Cost	Cost	Cost	Cost	Cost	Cost	Cost	Weekly Total									
												\$0.00	0.00	\$0.00									
<b>Weekly Total Outside Services:</b>												\$0.00											
<b>TRANSPORTATION &amp; DISPOSAL - Per Bid</b>				12/08/08	12/09/08	12/10/08	12/11/08	12/12/08	12/13/08	12/14/08	Subtotal Bid		Weekly Total										
Service Description	Vendor Name	Bid	Bid	Bid	Bid	Bid	Bid	Bid	Bid	Bid	Bid	Bid	Weekly Total										
													\$0.00										
<b>Weekly Total Transportation &amp; Disposal Charges:</b>												\$0.00											
<b>Weekly Total Charges:</b>												\$2,270.60											

Project Manager's Approval: \_\_\_\_\_



DAILY WORK REPORT

Date: 12/08/08  
 Project No.: 39202   
 Customer PO/Project No: #10344

Customer: HANSEN AGGREGATES Work Description: PERFORMED I.D  
WEST REGION OF CONVEYER  
 Customer Phone: (925) 244-6584 ATT: LEE COVER TUNNEL FOR  
 Job Name/Location: PLEASANTON, CA TRANSIENTS.

LABOR

Position	Name	EE init.	Start	End	Start	End	ST Hours	OT Hours	DT Hours
PM	CARLOS SANCHEZ		0700	1500					
TE	ALBERTO SANCHEZ	A.S	0700	1400					
TE	FRANCISCO CONTRERAS	FC	0700	1400					

EQUIPMENT

Unit #	Qty	UOM	NRC Equipment
1215	1	DAY	GCAR TRUCK FSD
1091	1	DAY	TICK-UP TRUCK
8082	1	EA	LEL METER
110310	1	EA	X-PROOF FLASHLIGHT
4133	1	EA	DIGITAL CAMERA
700	2	EA	2WAY RADIOS
M1215	02	EA	MILEAGE #1215
M1091	02	EA	MILEAGE #1091

MATERIALS

ID #	Qty	UOM	NRC Material
432	3	SET	LEVEL 'D' PPE
SCBA	1	EA	30 MIN SCBA
425	1	EA	WHITE TYCK
0085H	3	EA	LIFE LINES
7112	2	EA	BODY HARNESS

OTHER (Add'l Personnel, Add'l Equipment, Add'l Materials, Outside Services, Manifest #, Disposal Info, etc.)

ID	Description	Qty	UOM
	ENTERED CONVEYER BELT TUNNEL TO PERFORM INSPECTION OF POSSIBLE TRANSIENT OCCUPANTS INSIDE TUNNEL. PERFORMED PHOTO DOCUMENTATION.		

ACKNOWLEDGEMENT

NRC REPRESENTATIVE SIGNATURE: CARLOS SANCHEZ  
 CUSTOMER REPRESENTATIVE SIGNATURE:   
 PRINTED NAME/TITLE: Resource Manager   
 PRINTED NAME/TITLE:

## **APPENDIX C**

### **Documentation for Removal of Waste Materials**

Date: 06/27/06

# Non-Waste Hazardous Materials Inventory Statement

Livermore-Pleasanton Fire Department

<b>Business Name: HANSON AGGREGATES MID PACIFIC, INC., 3000 Busch Road, Pleasanton, CA 94566</b> <small>(Same as Facility Name or DBA)</small>						<b>Type of Report on This Page:</b> <input type="checkbox"/> Add; <input type="checkbox"/> Delete; <input checked="" type="checkbox"/> Revise			<b>Page ____ of ____</b> <small>(One page per building or area)</small>					
<b>Chemical Location: Lube Shed</b> <small>(Building/Storage Area)</small>			<b>EPCRA Confidential Location?</b> <input type="checkbox"/> Yes; <input checked="" type="checkbox"/> No <b>Trade Secret Information?</b> <input type="checkbox"/> Yes; <input checked="" type="checkbox"/> No			<b>Facility ID #</b> <small>(Agency Use Only)</small>								
1. Fire Code Haz. Class	2. Map and Grid or Location Code	3. Common Name	4. Hazardous Components			5. Type and Physical State	6. Total Quantities On-site			7. Units	8. Storage Codes		9. Hazard Categories	
			Chemical Component Name	% Wt.	EHS		CAS No.	Max. Daily	Average Daily		Largest Cont.	Storage Pressure		Storage Temp.
CLIII -B, IRR	Map A L-10	Motor Oil 15W-40	Petroleum Hydrocarbons		<input type="checkbox"/>	N/A	<input type="checkbox"/> pure <input checked="" type="checkbox"/> mixture	110	85	55	<input checked="" type="checkbox"/> gallons <input type="checkbox"/> pounds <input type="checkbox"/> cu. feet <input type="checkbox"/> tons	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb.	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb. <input type="checkbox"/> cryogenic	<input type="checkbox"/> fire <input type="checkbox"/> reactive <input type="checkbox"/> pressure release <input type="checkbox"/> acute health <input checked="" type="checkbox"/> chronic health <input type="checkbox"/> radioactive
		CAS No.: 8002-05-9 <input type="checkbox"/> EHS	<i>Clayton</i>		<input type="checkbox"/>		<input type="checkbox"/> solid <input checked="" type="checkbox"/> liquid <input type="checkbox"/> gas	Curies: (if radioactive) N/A	Days On Site: 365	Storage Container: D				
CLIII -B, IRR	Map A L-9	Gear Lube 85W-140	Petroleum Hydrocarbons		<input type="checkbox"/>	N/A	<input type="checkbox"/> pure <input checked="" type="checkbox"/> mixture	110	85	55	<input checked="" type="checkbox"/> gallons <input type="checkbox"/> pounds <input type="checkbox"/> cu. feet <input type="checkbox"/> tons	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb.	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb. <input type="checkbox"/> cryogenic	<input type="checkbox"/> fire <input type="checkbox"/> reactive <input type="checkbox"/> pressure release <input type="checkbox"/> acute health <input checked="" type="checkbox"/> chronic health <input type="checkbox"/> radioactive
		CAS No.: N/A <input type="checkbox"/> EHS	<i>Sand wet mix</i>		<input type="checkbox"/>		<input type="checkbox"/> solid <input checked="" type="checkbox"/> liquid <input type="checkbox"/> gas	Curies: (if radioactive) N/A	Days On Site: 365	Storage Container: D				
CLIII -B, IRR	Map A L-10	Transmission Fluid 50W	Petroleum Hydrocarbons		<input type="checkbox"/>	N/A	<input type="checkbox"/> pure <input checked="" type="checkbox"/> mixture	110	85	55	<input checked="" type="checkbox"/> gallons <input type="checkbox"/> pounds <input type="checkbox"/> cu. feet <input type="checkbox"/> tons	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb.	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb. <input type="checkbox"/> cryogenic	<input type="checkbox"/> fire <input type="checkbox"/> reactive <input type="checkbox"/> pressure release <input type="checkbox"/> acute health <input checked="" type="checkbox"/> chronic health <input type="checkbox"/> radioactive
		CAS No.: N/A <input type="checkbox"/> EHS	<i>Clayton</i>		<input type="checkbox"/>		<input type="checkbox"/> solid <input checked="" type="checkbox"/> liquid <input type="checkbox"/> gas	Curies: (if radioactive) N/A	Days On Site: 365	Storage Container: D				
CLIII -B, IRR	Map A M-10	Red Grease 2	Petroleum Hydrocarbons		<input type="checkbox"/>	N/A	<input type="checkbox"/> pure <input checked="" type="checkbox"/> mixture	110	85	55	<input checked="" type="checkbox"/> gallons <input type="checkbox"/> pounds <input type="checkbox"/> cu. feet <input type="checkbox"/> tons	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb.	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb. <input type="checkbox"/> cryogenic	<input type="checkbox"/> fire <input type="checkbox"/> reactive <input type="checkbox"/> pressure release <input type="checkbox"/> acute health <input checked="" type="checkbox"/> chronic health <input type="checkbox"/> radioactive
		CAS No.: N/A <input type="checkbox"/> EHS	<i>Sand wet mix</i>		<input type="checkbox"/>		<input type="checkbox"/> solid <input checked="" type="checkbox"/> liquid <input type="checkbox"/> gas	Curies: (if radioactive) N/A	Days On Site: 365	Storage Container: D				
CLIII -B, IRR	Map A N-10	Lube Oil 30W	Petroleum Hydrocarbons		<input type="checkbox"/>	N/A	<input type="checkbox"/> pure <input checked="" type="checkbox"/> mixture	110	85	55	<input checked="" type="checkbox"/> gallons <input type="checkbox"/> pounds <input type="checkbox"/> cu. feet <input type="checkbox"/> tons	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb.	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb. <input type="checkbox"/> cryogenic	<input type="checkbox"/> fire <input type="checkbox"/> reactive <input type="checkbox"/> pressure release <input type="checkbox"/> acute health <input checked="" type="checkbox"/> chronic health <input type="checkbox"/> radioactive
		CAS No.: N/A <input type="checkbox"/> EHS	<i>Clayton</i>		<input type="checkbox"/>		<input type="checkbox"/> solid <input checked="" type="checkbox"/> liquid <input type="checkbox"/> gas	Curies: (if radioactive) N/A	Days On Site: 365	Storage Container: D				
CLII, IRR	Map A N-10	Kerosene	Petroleum Hydrocarbons		<input type="checkbox"/>	N/A	<input type="checkbox"/> pure <input checked="" type="checkbox"/> mixture	110	55	55	<input checked="" type="checkbox"/> gallons <input type="checkbox"/> pounds <input type="checkbox"/> cu. feet <input type="checkbox"/> tons	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb.	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb. <input type="checkbox"/> cryogenic	<input checked="" type="checkbox"/> fire <input type="checkbox"/> reactive <input type="checkbox"/> pressure release <input type="checkbox"/> acute health <input checked="" type="checkbox"/> chronic health <input type="checkbox"/> radioactive
		CAS No.: 8000-20-6 <input type="checkbox"/> EHS	<i>Sand wet mix used up</i>		<input type="checkbox"/>		<input type="checkbox"/> solid <input checked="" type="checkbox"/> liquid <input type="checkbox"/> gas	Curies: (if radioactive) N/A	Days On Site: 365	Storage Container: D				

- |                        |                             |                   |                   |                         |                   |                   |
|------------------------|-----------------------------|-------------------|-------------------|-------------------------|-------------------|-------------------|
| * Code Storage Type    | Code Storage Type           | Code Storage Type | Code Storage Type | Code Storage Type       | Code Storage Type | Code Storage Type |
| A Aboveground Tank     | D Steel Drum                | G Carboy          | J Bag             | M Glass Bottle or Jug   | P Tank Wagon      | Q Rail Car        |
| B Belowground Tank     | E Plastic/Non-metallic Drum | H Silo            | K Box             | N Plastic Bottle or Jug | R Other           |                   |
| C Tank Inside Building | F Can                       | I Fiber Drum      | L Cylinder        | O Tote Bin              |                   |                   |

**If EPCRA, sign below:**

---

# Non-Waste Hazardous Materials Inventory Statement

Livermore-Pleasanton Fire Department

Date: 06/27/06

<b>Business Name:</b> HANSON AGGREGATES MID PACIFIC, INC., 3000 Busch Road, Pleasanton, CA 94566 <small>(Same as Facility Name or DBA)</small>						<b>Type of Report on This Page:</b> <input type="checkbox"/> Add; <input type="checkbox"/> Delete; <input checked="" type="checkbox"/> Revise			<b>Page</b> ___ <b>of</b> ___ <small>(One page per building or area)</small>					
<b>Chemical Location:</b> Lube Shed, Maintenance Shop <small>(Building/Storage Area)</small>			<b>EPCRA Confidential Location?</b> <input type="checkbox"/> Yes; <input checked="" type="checkbox"/> No <b>Trade Secret Information?</b> <input type="checkbox"/> Yes; <input checked="" type="checkbox"/> No			<b>Facility ID #</b> <small>(Agency Use Only)</small>								
1. Fire Code Haz. Class	2. Map and Grid or Location Code	3. Common Name	4. Hazardous Components			5. Type and Physical State	6. Total Quantities On-site			7. Units	8. Storage Codes		9. Hazard Categories	
			Chemical Component Name	% Wt.	EHS		CAS No.	Max. Daily	Average Daily		Largest Cont.	Storage Pressure		Storage Temp.
CLIII -B, IRR	Map A K-10	Anti-freeze	Ethylene glycol		<input type="checkbox"/>	N/A	<input type="checkbox"/> pure	110	110	55	<input checked="" type="checkbox"/> gallons <input type="checkbox"/> pounds <input type="checkbox"/> cu. feet <input type="checkbox"/> tons	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb.	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb. <input type="checkbox"/> cryogenic	<input type="checkbox"/> fire <input type="checkbox"/> reactive <input type="checkbox"/> pressure release <input checked="" type="checkbox"/> acute health <input checked="" type="checkbox"/> chronic health <input type="checkbox"/> radioactive
		<i>Clayton</i>		<input type="checkbox"/>		<input checked="" type="checkbox"/> mixture								
		CAS No.: 107-21-1 <input type="checkbox"/> EHS		<input type="checkbox"/>		<input type="checkbox"/> solid	Curies: (If radioactive) N/A	Days On Site: 365	Storage Container: * D					
CLIII -B, IRR	Map A M-9	Hydraulic Oil	Petroleum Hydrocarbons		<input type="checkbox"/>	N/A	<input type="checkbox"/> pure	110	55	55	<input checked="" type="checkbox"/> gallons <input type="checkbox"/> pounds <input type="checkbox"/> cu. feet <input type="checkbox"/> tons	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb.	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb. <input type="checkbox"/> cryogenic	<input type="checkbox"/> fire <input checked="" type="checkbox"/> reactive <input type="checkbox"/> pressure release <input type="checkbox"/> acute health <input type="checkbox"/> chronic health <input type="checkbox"/> radioactive
		<i>Clayton</i>		<input type="checkbox"/>		<input type="checkbox"/> mixture								
		CAS No.: <input type="checkbox"/> EHS		<input type="checkbox"/>		<input type="checkbox"/> solid	Curies: (If radioactive) N/A	Days On Site: 365	Storage Container: * D					
CLII, IRR	Map A M-10	Diesel Fuel	Petroleum Hydrocarbons		<input type="checkbox"/>	N/A	<input type="checkbox"/> pure	220	55	55	<input checked="" type="checkbox"/> gallons <input type="checkbox"/> pounds <input type="checkbox"/> cu. feet <input type="checkbox"/> tons	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb.	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb. <input type="checkbox"/> cryogenic	<input checked="" type="checkbox"/> fire <input type="checkbox"/> reactive <input checked="" type="checkbox"/> pressure release <input type="checkbox"/> acute health <input type="checkbox"/> chronic health <input type="checkbox"/> radioactive
		<i>used up</i>		<input type="checkbox"/>		<input type="checkbox"/> mixture								
		CAS No.: <input type="checkbox"/> EHS		<input type="checkbox"/>		<input type="checkbox"/> solid	Curies: (If radioactive) N/A	Days On Site: 365	Storage Container: * D					
OXY, NFCC	Map A D-4	Oxygen	Oxygen		<input type="checkbox"/>	N/A	<input type="checkbox"/> pure	900	600	300	<input type="checkbox"/> gallons <input type="checkbox"/> pounds <input checked="" type="checkbox"/> cu. feet <input type="checkbox"/> tons	<input type="checkbox"/> ambient <input checked="" type="checkbox"/> > amb. <input type="checkbox"/> < amb.	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb. <input type="checkbox"/> cryogenic	<input type="checkbox"/> fire <input type="checkbox"/> reactive <input checked="" type="checkbox"/> pressure release <input type="checkbox"/> acute health <input type="checkbox"/> chronic health <input type="checkbox"/> radioactive
		<i>returned to Vendor</i>		<input type="checkbox"/>		<input type="checkbox"/> mixture								
		CAS No.: 7782-44-7 <input type="checkbox"/> EHS		<input type="checkbox"/>		<input type="checkbox"/> solid	Curies: (If radioactive) N/A	Days On Site: 365	Storage Container: * L					
FG, UR2	Map A D-4	Acetylene	Acetylene		<input type="checkbox"/>	N/A	<input type="checkbox"/> pure	900	600	300	<input type="checkbox"/> gallons <input type="checkbox"/> pounds <input checked="" type="checkbox"/> cu. feet <input type="checkbox"/> tons	<input type="checkbox"/> ambient <input checked="" type="checkbox"/> > amb. <input type="checkbox"/> < amb.	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb. <input type="checkbox"/> cryogenic	<input checked="" type="checkbox"/> fire <input type="checkbox"/> reactive <input checked="" type="checkbox"/> pressure release <input type="checkbox"/> acute health <input type="checkbox"/> chronic health <input type="checkbox"/> radioactive
		<i>returned to Vendor</i>		<input type="checkbox"/>		<input type="checkbox"/> mixture								
		CAS No.: 74-86-2 <input type="checkbox"/> EHS		<input type="checkbox"/>		<input type="checkbox"/> solid	Curies: (If radioactive) N/A	Days On Site: 365	Storage Container: * L					
NFCC	Map A D-4	Carbon dioxide (welding gas)	Carbon dioxide		<input type="checkbox"/>	N/A	<input type="checkbox"/> pure	900	600	300	<input type="checkbox"/> gallons <input type="checkbox"/> pounds <input checked="" type="checkbox"/> cu. feet <input type="checkbox"/> tons	<input type="checkbox"/> ambient <input checked="" type="checkbox"/> > amb. <input type="checkbox"/> < amb.	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb. <input type="checkbox"/> cryogenic	<input type="checkbox"/> fire <input type="checkbox"/> reactive <input checked="" type="checkbox"/> pressure release <input type="checkbox"/> acute health <input type="checkbox"/> chronic health <input type="checkbox"/> radioactive
		<i>returned to Vendor</i>		<input type="checkbox"/>		<input type="checkbox"/> mixture								
		CAS No.: 124-39-9 <input type="checkbox"/> EHS		<input type="checkbox"/>		<input type="checkbox"/> solid	Curies: (If radioactive) N/A	Days On Site: 365	Storage Container: * L					

* Code	Storage Type	Code	Storage Type	Code	Storage Type	Code	Storage Type	Code	Storage Type	Code	Storage Type
A	Aboveground Tank	D	Steel Drum	G	Carboy	J	Bag	M	Glass Bottle or Jug	P	Tank Wagon
B	Belowground Tank	E	Plastic/Non-metallic Drum	H	Silo	K	Box	N	Plastic Bottle or Jug	Q	Rail Car
C	Tank Inside Building	F	Can	I	Fiber Drum	L	Cylinder	O	Tote Bin	R	Other

If EPCRA, sign below:

# Hazardous Waste Inventory Statement

Livermore-Pleasanton Fire Department

Date: 06/27/06

**Business Name:** HANSON AGGREGATES MID PACIFIC, INC., 3000 Busch Road, Pleasanton, CA 94566  
 (Same as Facility Name or DBA)

**Type of Report on This Page:**  
 Add;  Delete;  Revise

**Page** \_\_\_ **of** \_\_\_  
 (One page per building or area)

**Chemical Location:** Heavy Maintenance Shop  
 (Building/Storage Area)

**EPCRA Confidential Location?**  Yes;  No  
**Trade Secret Information?**  Yes;  No

**Facility ID #**  
 (Agency Use Only)


1. Fire Code Hazard Class	2. Map and Grid or Location Code	3. Waste Stream Name	4. Hazardous Components			5. Type and Physical State	6. Total Quantities On-site			7. Annual Waste Amount	8. Units	9. Storage Codes		10. Hazard Categories	
			Chemical Component Name	% Wt.	EHS CAS No.		Max. Daily	Average Daily	Largest Cont.			Storage Pressure	Storage Temp.		
CLIII -B, IRR	Map A I-9	Drain Oil	Petroleum hydrocarbons		<input type="checkbox"/>	8002-05-9	<input checked="" type="checkbox"/> waste	400	100	300	4,400	<input checked="" type="checkbox"/> gallons <input type="checkbox"/> pounds <input type="checkbox"/> cu. feet <input type="checkbox"/> tons	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb.	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb. <input type="checkbox"/> cryogenic	<input type="checkbox"/> fire <input type="checkbox"/> reactive <input type="checkbox"/> pressure release <input type="checkbox"/> acute health <input checked="" type="checkbox"/> chronic health <input type="checkbox"/> radioactive
			<i>evergreen</i>		<input type="checkbox"/>		<input type="checkbox"/> solid	<b>Curies:</b> (If radioactive) N/A	<b>Days On Site:</b> 365	<b>Storage Container:*</b> A	<b>State Waste Code:</b>				
			<i>pickled up</i>		<input type="checkbox"/>		<input checked="" type="checkbox"/> liquid								
					<input type="checkbox"/>		<input type="checkbox"/> gas								
CLIII -B, IRR	Map A H-8	Oil Filters	N/A		<input type="checkbox"/>	N/A	<input checked="" type="checkbox"/> waste	3	1	55	17	<input checked="" type="checkbox"/> gallons <input type="checkbox"/> pounds <input type="checkbox"/> cu. feet <input type="checkbox"/> tons	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb.	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb. <input type="checkbox"/> cryogenic	<input type="checkbox"/> fire <input type="checkbox"/> reactive <input type="checkbox"/> pressure release <input type="checkbox"/> acute health <input checked="" type="checkbox"/> chronic health <input type="checkbox"/> radioactive
			<i>Big Sky</i>		<input type="checkbox"/>		<input type="checkbox"/> solid	<b>Curies:</b> (If radioactive) N/A	<b>Days On Site:</b> 365	<b>Storage Container:*</b> F	<b>State Waste Code:</b>				
			<i>enterprises</i>		<input type="checkbox"/>		<input checked="" type="checkbox"/> liquid								
			<i>800 479-7993</i>		<input type="checkbox"/>		<input type="checkbox"/> gas								
WRI, C	Map A H-10	Batteries	Sulfuric Acid	80	<input type="checkbox"/>	7664-93-9	<input checked="" type="checkbox"/> waste	6	2	N/A	50	<input type="checkbox"/> gallons <input type="checkbox"/> pounds <input type="checkbox"/> cu. feet <input type="checkbox"/> tons EACH	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb.	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb. <input type="checkbox"/> cryogenic	<input type="checkbox"/> fire <input type="checkbox"/> reactive <input type="checkbox"/> pressure release <input type="checkbox"/> acute health <input type="checkbox"/> chronic health <input type="checkbox"/> radioactive
			Water	20	<input type="checkbox"/>		<input type="checkbox"/> solid	<b>Curies:</b> (If radioactive) N/A	<b>Days On Site:</b> 365	<b>Storage Container:*</b> R	<b>State Waste Code:</b>				
			<i>cores returned to P.H.C.</i>		<input type="checkbox"/>		<input checked="" type="checkbox"/> liquid								
					<input type="checkbox"/>		<input type="checkbox"/> gas								
CLIII -B, IRR	Map A I-10	Anti-freeze	Ethylene glycol		<input type="checkbox"/>	107-21-1	<input checked="" type="checkbox"/> waste	80	40	55	500	<input checked="" type="checkbox"/> gallons <input type="checkbox"/> pounds <input type="checkbox"/> cu. feet <input type="checkbox"/> tons	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb.	<input checked="" type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb. <input type="checkbox"/> cryogenic	<input type="checkbox"/> fire <input type="checkbox"/> reactive <input type="checkbox"/> pressure release <input checked="" type="checkbox"/> acute health <input type="checkbox"/> chronic health <input type="checkbox"/> radioactive
			<i>evergreen</i>		<input type="checkbox"/>		<input type="checkbox"/> solid	<b>Curies:</b> (If radioactive) N/A	<b>Days On Site:</b> 365	<b>Storage Container:*</b> A	<b>State Waste Code:</b>				
			<i>pickled up</i>		<input type="checkbox"/>		<input checked="" type="checkbox"/> liquid								
					<input type="checkbox"/>		<input type="checkbox"/> gas								
					<input type="checkbox"/>		<input checked="" type="checkbox"/> waste					<input type="checkbox"/> gallons <input type="checkbox"/> pounds <input type="checkbox"/> cu. feet <input type="checkbox"/> tons	<input type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb.	<input type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb. <input type="checkbox"/> cryogenic	<input type="checkbox"/> fire <input type="checkbox"/> reactive <input type="checkbox"/> pressure release <input type="checkbox"/> acute health <input type="checkbox"/> chronic health <input type="checkbox"/> radioactive
					<input type="checkbox"/>		<input type="checkbox"/> solid	<b>Curies:</b> (If radioactive)	<b>Days On Site:</b>	<b>Storage Container:*</b>	<b>State Waste Code:</b>				
					<input type="checkbox"/>		<input checked="" type="checkbox"/> liquid								
					<input type="checkbox"/>		<input type="checkbox"/> gas								
					<input type="checkbox"/>		<input checked="" type="checkbox"/> waste					<input type="checkbox"/> gallons <input type="checkbox"/> pounds <input type="checkbox"/> cu. feet <input type="checkbox"/> tons	<input type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb.	<input type="checkbox"/> ambient <input type="checkbox"/> > amb. <input type="checkbox"/> < amb. <input type="checkbox"/> cryogenic	<input type="checkbox"/> fire <input type="checkbox"/> reactive <input type="checkbox"/> pressure release <input type="checkbox"/> acute health <input type="checkbox"/> chronic health <input type="checkbox"/> radioactive
					<input type="checkbox"/>		<input type="checkbox"/> solid	<b>Curies:</b> (If radioactive)	<b>Days On Site:</b>	<b>Storage Container:*</b>	<b>State Waste Code:</b>				
					<input type="checkbox"/>		<input checked="" type="checkbox"/> liquid								
					<input type="checkbox"/>		<input type="checkbox"/> gas								

- \* **Code Storage Type**
- |                        |                            |              |            |                         |              |
|------------------------|----------------------------|--------------|------------|-------------------------|--------------|
| A Aboveground Tank     | D Steel Drum               | G Carboy     | J Bag      | M Glass Bottle or Jug   | P Tank Wagon |
| B Belowground Tank     | E Plastic/Nonmetallic Drum | H Silo       | K Box      | N Plastic Bottle or Jug | Q Rail Car   |
| C Tank Inside Building | F Can                      | I Fiber Drum | L Cylinder | O Tote Bin              | R Other      |

**If EPCRA, sign below:**

---

# HAZARDOUS MATERIALS SITE MAP A



HEAVY MAINT. SHOP & LUBE STORAGE SHED AREA A

BUSINESS NAME <b>HANSON AGGREGATES</b>	DATE
ADDRESS <b>3000 BUSCH ROAD, PLEASANTON</b>	PAGE ___ OF ___

1" = 30'





# Evergreen Environmental Services

*dedicated to the protection of the environment*

## WORK ORDER/SERVICE AGREEMENT

### Nº 464650

To schedule a pickup, call  
**800-596-9455**

Send payment to:

Sales Order # 181333

6880 Smith Ave., Newark, CA EPA# CAD982413262  
16540 S. San Pedro St., Carson, CA EPA# CAD982413262

Evergreen Oil, Inc.  
P.O. BOX 30517  
Los Angeles, CA 90030-0517

Date: 7 July 2008

### GENERATOR/JOB LOCATION

### BILLING INFORMATION

NAME <u>Hanson Aggregate S</u>		NAME		CASH <input type="checkbox"/> CHECK <input type="checkbox"/>	
ADDRESS <u>3000 Busch Rd.</u>		ADDRESS		CUSTOMER CODE NO. <u>HAA607</u>	
CITY <u>Pleasanton, Ca</u>	STATE <u>Ca</u>	ZIP <u>94566</u>	CO. <u>ALA</u>	CITY	STATE
PHONE NO. <u>925 846-8800</u>	PHONE NO.	PROFILE NO.	CUSTOMER EPA ID NO. <u>AL000032095</u>		

PRODUCT	WASTE CODE	MANIFEST NUMBER	QUANTITY	UNITS	PRICE	AMOUNT
Used oil, Non-RCRA Hazardous Lubricating	CA221	<u>003853188</u>	<u>450</u>	Gal.	<u>Contract</u>	
Waste, Liquid Industrial	CA221			Gal.		
Used Automotive Antifreeze, Non-RCRA Hazardous Waste Liquid	CA134			Gal.		
RQ Waste Combustible Liquid, N.O.S. NA 1993 III (Oil contaminated with halogens)	CA221 F001/F002			Gal.		
Oil & Water, Non-RCRA Hazardous Waste Liquid	CA221			Gal.		
Waste Solids and Sludges				Gal.		
Wash Out				Each		
Drained Used Oil Filters				Drum		
Non-RCRA Hazardous Waste Solids (oily debris)	CA223			Drum		
Empty Drums				Drum		
Transportation				Hrs.		
Non Hazardous Water				Gal.		
Glycol Bulk 50/50				Gal.		
Glycol Bulk Conc.				Gal.		

TEST:  Clor D Tech 4000 \_\_\_\_\_ ppm  Clor D Tech 1000  Pass  Fail  Halogen Detector/Flame Test  Pass  Fail

Field Service Work Description: \_\_\_\_\_ Total Charges \_\_\_\_\_

Other: \_\_\_\_\_

Other: \_\_\_\_\_

Vacuum Services Time \_\_\_\_\_

Out of Yard \_\_\_\_\_ On Site \_\_\_\_\_ Off Site \_\_\_\_\_ Off Load Start \_\_\_\_\_ Off Load End \_\_\_\_\_ Return to Yard \_\_\_\_\_

### TSDE

### Consolidated Manifest

- |  |  |   |   |
|--|--|---|---|
| <input checked="" type="checkbox"/> Evergreen Oil, Inc.<br>6880 Smith Ave.<br>Newark, CA 94560<br>CAD980887418 | <input type="checkbox"/> Evergreen Env. Svc.<br>Road 30B<br>Davis, CA 95616<br>CAD982446874                    | <input type="checkbox"/> Evergreen Env. Svc.<br>4139 N. Valentine<br>Fresno, CA 93722<br>CAD982446882         | <input type="checkbox"/> AJS Filter<br>15131 Clark Ave.<br>Industry, CA 91745<br>CAD000097432 |
| <input type="checkbox"/> Evergreen Env. Svc.<br>16604 S. San Pedro<br>Carson, CA 90746<br>CAD981696420         | <input type="checkbox"/> Evergreen Env. Svc.<br>745 A West Betteravia<br>Santa Maria, CA 93454<br>CAD982446858 | <input type="checkbox"/> CFR<br>944 E. Slauson Ave.<br>Los Angeles, CA 90011<br>CAL000110021                  | <input type="checkbox"/> CFR<br>33210 Western<br>Union City, CA 94587<br>CAL000091507         |
|  |  | <input type="checkbox"/> Greenleaf Env. Svc.<br>3474 Toyon Circle<br>Valley Springs, CA 95352<br>CAL000214411 |   |

Source:  Collection Station  Government  
 Marine  Agricultural  Industrial

Generator certifies that it has established a program to reduce the volume or quantity & toxicity of the hazardous waste to the degree determined by generator to be economically practicable.

**I hereby certify that I have read and have the authority to bind the above listed generator to the terms on the reverse side of this form.**

Retain sample # (7) tanks + drums

### IMPORTANT NOTICE REGARDING THE DISPOSITION OF YOUR OIL.

Per California Health and Safety Code Section 25250.9, Evergreen hereby advises customer that customer's shipment of used oil may be transported to a facility that is required to comply with federal regulations applicable to management of used oil, but that is not required to comply with the more stringent requirements applicable to hazardous waste management facilities. California facilities that handle or process used oil are required to meet those more stringent requirements, and some out-of-state facilities that process used oil also meet those requirements. These include more stringent leak detection and prevention requirements, engineering certifications of tank integrity, and financial assurances for closure and accidental releases. It is lawful to send used oil to out-of-state facilities that comply only with federal used oil management standards and not these more stringent requirements. This notification is for information purposes only.

Mansyall  
Driver Signature Print Name  
one 7-7-08  
Route # Date

Carl Stacker  
Generator's Signature Print Name  
7-7-08  
Date



# Evergreen Environmental Services

Containerized Services

*dedicated to the protection of the environment*

## No 26414

To schedule a pickup, call

Send payment to:

Sales Order # \_\_\_\_\_

### 800-596-9455

Evergreen Oil, Inc.

P.O. BOX 30517

6880 Smith Ave., Newark, CA EPA# CAD982413262

16540 S. San Pedro St., Carson, CA EPA# CAD982413262 Los Angeles, CA 90030-0517

Date: 07/08/08

### GENERATOR/JOB LOCATION

### BILLING INFORMATION

NAME <b>HANSON AGGREGATES</b>				NAME <b>HANSON AGGREGATES</b>				CASH <input type="checkbox"/> CHECK <input type="checkbox"/>	
ADDRESS <b>3000 BUSCH RD</b>				ADDRESS <b>3000 BUSCH RD</b>				#	
CITY <b>PLEASANTON</b>		STATE <b>CA</b>		CITY <b>PLEASANTON</b>		STATE <b>CA</b>		CUSTOMER CODE NO. <b>KASA 05</b>	
ZIP <b>94566</b>		CO. <b>CA</b>		ZIP <b>94566</b>		CO. <b>CA</b>		PO #	
PHONE NO. <b>(925) 426-4170</b>				PHONE NO. <b>(925) 426-4170</b>		PROFILE NO. <b>VARIOUS</b>		CUSTOMER EPA ID NO. <b>CAL 000 032 095</b>	

PRODUCT	WASTE CODE	MANIFEST NUMBER	QUANTITY	UNITS	PRICE	AMOUNT
Waste Latex Paint (Non-RCRA)						
Waste Latex Paint (Non-RCRA)						
Waste Paint Related (Flammables oil based)	213	002588344	1	DF	\$ 145.00	\$ 145.00
Waste Paint Related (Flammables oil based)						
Waste Aerosols Cans						
Non-RCRA Hazardous Waste, Solid (Soil, Debris contaminated with petroleum hydrocarbons)	223	002588344	4	DM	\$ 195 <sup>00</sup> /EA	\$ 780.00
Non-RCRA Hazardous Waste, Solid (Soil, Debris contaminated with petroleum hydrocarbons) (GREASE)	352	002588344	5	DM	\$ 220/EA	\$ 1,100.00
Waste Corrosive Liquids, n.o.s.	122	002588344	1	DF	\$ 215.00	\$ 215.00
Waste Flammable Liquids, n.o.s.						
Waste Flammable Liquids, n.o.s.						
Non-RCRA Hazardous Waste, Liquid	223	002588344	1	DM	\$ 195.00	\$ 195.00
Non-RCRA Hazardous Waste, Liquid (LP)	223	002588344	1	DM	\$ 195.00	\$ 195.00
Waste Toxic Liquids or Solids (Class 9)						
Waste Oxidizing Liquids or Solids						
Drained Used Oil Filters						
Empty Drums			1415	DM	\$ 35/EA	<del>\$ 496.00</del> \$ 525 <sup>00</sup>
Non Hazardous Water						
Non Hazardous Water						
Non Hazardous Solids						
Non Hazardous Solids						
Glycol Bulk 50/50						
Glycol Bulk Conc.						
MERCURY	141	002588344	1	DF	\$ 245.00	\$ 245.00
LABOR, MATERIAL & SUPPLIES					\$ 1,110.00	\$ 1,110.00

### TOTAL CHARGES

~~\$ 4,475.00~~  
**\$ 4,510.00**  
 Field Service

### TSDF

Evergreen Oil, Inc.  
 6880 Smith Ave.  
 Newark, CA 94560  
 CAD980887418

CFR  
 33210 Western  
 Union City, CA 94587  
 CAL000091507

Source:  Collection Station  Government  
 Marine  Agricultural  Industrial

Generator certifies that it has established a program to reduce the volume or quantity & toxicity of the hazardous waste to the degree determined by generator to be economically practicable.

**I hereby certify that I have read and have the authority to bind the above listed generator to the terms on the reverse side of this form.**

Retain sample # \_\_\_\_\_

### IMPORTANT NOTICE REGARDING THE DISPOSITION OF YOUR OIL.

Per California Health and Safety Code Section 25250.9, Evergreen hereby advises customer that customer's shipment of used oil may be transported to a facility that is required to comply with federal regulations applicable to management of used oil, but that is not required to comply with the more stringent requirements applicable to hazardous waste management facilities. California facilities that handle or process used oil are required to meet those more stringent requirements, and some out-of-state facilities that process used oil also meet those requirements. These include more stringent leak detection and prevention requirements, engineering certifications of tank integrity, and financial assurances for closure and accidental releases. It is lawful to send used oil to out-of-state facilities that comply only with federal used oil management standards and not these more stringent requirements. This notification is for information purposes only.

*DM*  
 Driver Signature \_\_\_\_\_ Print Name \_\_\_\_\_ Route # \_\_\_\_\_ Date \_\_\_\_\_

*Carl Stokke*  
 Generator's Signature \_\_\_\_\_ Print Name \_\_\_\_\_ Date: 7-8-08

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator ID Number <i>PAL 000237071</i>	2. Page 1 of <i>2</i>	3. Emergency Response Phone <i>214-474-7700</i>	4. Manifest Tracking Number <b>002588344 JJK</b>		
		5. Generator's Name and Mailing Address <i>Hanson Aggregates, 3000 E. 4th Rd., Pleasanton, Ca 94566</i>		Generator's Site Address (if different than mailing address)			
6. Transporter 1 Company Name <i>Evergreen Environmental Services</i>					U.S. EPA ID Number <i>CAD9882413211</i>		
7. Transporter 2 Company Name					U.S. EPA ID Number		
8. Designated Facility Name and Site Address <i>Evergreen Oil Inc., 6700 South Cove, Newark Ca, 94560</i>					U.S. EPA ID Number <i>CAD988287411</i>		
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes	
		No.	Type				
<i>EA</i>	<i>1. Waste, Mercury, 8.2809, III</i>	<i>001</i>	<i>DF</i>	<i>001</i>	<i>7</i>	<i>141</i>	<i>2009</i>
<i>X</i>	<i>2. Waste, Benzene, 100% (UN 1113, 3), (UN 1113, 3), (UN 1113, 3)</i>	<i>001</i>	<i>DF</i>	<i>010</i>	<i>5</i>	<i>122</i>	<i>2002</i>
	<i>3. Waste, PCBs, 100% (UN 1753, 3), (UN 1753, 3)</i>	<i>005</i>	<i>DR</i>	<i>1250</i>	<i>7</i>	<i>200</i>	<i>201</i>
	<i>4. Waste, PCBs, 100% (UN 1753, 3), (UN 1753, 3)</i>	<i>004</i>	<i>DR</i>	<i>0000</i>	<i>7</i>	<i>200</i>	
14. Special Handling Instructions and Additional Information <i>961 CAL#172      952 CAL#171 187 CAL#154      901 CAL#171</i>							
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.							
Generator's/Offoror's Printed/Typed Name <i>Paul G. Stork</i>				Signature <i>[Signature]</i>		Month Day Year <i>7 20 02</i>	
16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S.                      Port of entry/exit: _____ Transporter signature (for exports only): _____                      Date leaving U.S.: _____							
17. Transporter Acknowledgment of Receipt of Materials							
Transporter 1 Printed/Typed Name <i>Albert T. Hobson</i>				Signature <i>[Signature]</i>		Month Day Year <i>7 20 02</i>	
Transporter 2 Printed/Typed Name				Signature		Month Day Year	
18. Discrepancy							
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection							
Manifest Reference Number: _____							
18b. Alternate Facility (or Generator)					U.S. EPA ID Number		
Facility's Phone: _____							
18c. Signature of Alternate Facility (or Generator)						Month Day Year	
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)							
1.	2.	3.	4.				
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a							
Printed/Typed Name				Signature		Month Day Year	

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b> (Continuation Sheet)		21. Generator ID Number	22. Page	23. Manifest Tracking Number						
		PA 003 032 095	7/2	WES08311TR						
24. Generator's Name							U.S. EPA ID Number			
The Home Depot 3400 E 48th St. Hampton Va 23066										
25. Transporter _____ Company Name						U.S. EPA ID Number				
26. Transporter _____ Company Name						U.S. EPA ID Number				
27a. HM	27b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	28. Containers		29. Total Quantity	30. Unit Wt./Vol.	31. Waste Codes				
		No.	Type							
	Waste 202A Hazardous Waste, liquid (Dib, 1) (1)	001	DAG	055	G	220				
	Waste 202B Hazardous Waste, liquid (Dib, Acetic, Diox) (1)	001	DAG	010	G	223				
X	Waste, Paint Related material 3.00011262 TT	001	DAG	001	G	213	220			
32. Special Handling Instructions and Additional Information										
2761 080117 2762 080117										
33. Transporter _____ Acknowledgment of Receipt of Materials										
Printed/Typed Name					Signature			Month	Day	Year
34. Transporter _____ Acknowledgment of Receipt of Materials										
Printed/Typed Name					Signature			Month	Day	Year
35. Discrepancy										
36. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)										

GENERATOR

TRANSPORTER

DESIGNATED FACILITY

GENERATOR NAME: HANSON AGGREGATES

MANIFEST NO. 000 705934 SUB  
MANIFEST PAGE/LINE# 9b-1


PURSUANT TO 40 CFR 268.7(A), I HEREBY NOTIFY THAT THIS SHIPMENT CONTAINS WASTE RESTRICTED UNDER 40 CFR PART 268 LAND DISPOSAL RESTRICTIONS (LDR).

A. GENERAL WASTE NOTIFICATION  
EPA WASTE CODES & LDR SUBCATEGORIES (IF ANY)  
D007 D008

TREATABILITY GROUP: NONWASTEWATERS

WASTE CONSTITUENT NOTIFICATION:

LEGEND NUMBER	CONSTITUENT
250	CADMIUM
258	NICKEL

	Carl Stocke	7/8/98
GENERATOR'S AUTHORIZED SIGNATURE	NAME & TITLE (PRINTED OR TYPED)	DATE

S-K PROFILE REFERENCE NUMBER: 40278603 CONTROL NUMBER: 200180067-8

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator ID Number <i>SA000023095</i>		2. Page 1 of		3. Emergency Response Phone		4. Manifest Tracking Number <b>00070399A SKS</b>		
		5. Generator's Name and Mailing Address <i>WILSON INDUSTRIES 2000 W. 10th St Lawton, OK 73505</i>					Generator's Site Address (if different than mailing address) <i>2000 W. 10th St Lawton, OK 73505</i>			
6. Transporter 1 Company Name							U.S. EPA ID Number			
7. Transporter 2 Company Name							U.S. EPA ID Number			
8. Designated Facility Name and Site Address <i>Lawton, OK 73505</i>							U.S. EPA ID Number <i>TR000001</i>			
Facility's Phone:										
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes				
		No.	Type							
1.	<i>Hazardous Waste, Corrosive, Aqueous Solution, 3, 8, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100</i>	<i>2</i>	<i>DR</i>	<i>4000</i>						
2.										
3.										
4.										
14. Special Handling Instructions and Additional Information <i>Decontaminate</i>										
15. <b>GENERATOR'S/OFFEROR'S CERTIFICATION:</b> I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.										
Generator's/Offeror's Printed/Typed Name <i>Carl Stork</i>					Signature <i>[Signature]</i>			Month Day Year <i>10/15/00</i>		
16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____										
17. Transporter Acknowledgment of Receipt of Materials										
Transporter 1 Printed/Typed Name <i>WILSON INDUSTRIES</i>					Signature <i>[Signature]</i>			Month Day Year <i>10/15/00</i>		
Transporter 2 Printed/Typed Name					Signature			Month Day Year		
18. Discrepancy										
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection										
Manifest Reference Number: _____										
18b. Alternate Facility (or Generator)					U.S. EPA ID Number					
Facility's Phone: _____										
18c. Signature of Alternate Facility (or Generator)							Month Day Year			
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)										
1.		2.		3.		4.				
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a										
Printed/Typed Name					Signature			Month Day Year		

Plano, Texas 75024

www.safety-kleen.com

# PLACEMENT FORM

FOR SERVICE CALL 510-832-7942	BRANCH MANAGER SCOTT G JOHNSON	REFERENCE NUMBER P001899288
----------------------------------	-----------------------------------	--------------------------------

T-321 P002/003 F-647  
510-832-0668  
FROM-Safety-Kleen Oakland  
07-08-'08 13:32

2096994

### GENERATOR LOCATION

150n Aggregates  
 00 Busch Rd  
 Escondido CA  
 566-

DUNS NO. 05-397-6551 FED. ID NO. 396090019

### BILL TO (IF DIFFERENT FROM LOCATION)

NAME	TITLE	SIGN
1.		
2.		

7100000 SIC CODE  
 CUSTOMER SEGMENT CHAIN ASSOCIATION SVC. P/C PROD. P/C  
 SALES TAX EXEMPTION NUMBER

TE PLACED 808 SALES REP NO. 433650  
 CUSTOMER'S P.O. NUMBER [ ] BLANKET [ ] TEMPORARY [ ]  
 CUSTOMER PHONE NO. 925-846-8000 DATE EQPT/PROD ORDERED [ ] SERVICE TAX [ ] C.O.M.S. TAX [ ] PRODUCT TAX [ ]

SERVICE/PRODUCT	SERIAL NUMBER	REMARKS/UNIT PRICE	QUAN.	CHARGE	SALES TAX	TOTAL CHARGE	SOLVENT/DRL/MS		CC	SERVICE TERM	SCHEDULE (Y/N/W)	TANK USE BELOW	FREE TRAILER	P.W. COCCE	PROMO NO.	RELEASE NO.	HSDS (GVEN)
							CLEAR	SPENT									
82119	40278603	Auto Wash Solution	1	\$90.00	-	\$90.00											

AL-SERVICE/PRODUCTS [ ]  
 PATRANSPORTER 1 DINO: TXR000050930 CAL000032095  
 US DOT DESCRIPTION (INCLUDING PROPER SHIPPING NAME, HAZARD CLASS, AND ID.)

12. CONTAINERS NO.	13. TYPE	13. TOTAL QUANTITY	14. UNIT WT/VOL	SK DOT NUMBER	5163055

SIGNED FACILITY NAME AND ADDRESS: SAFETY-KLEEN SYSTEMS, INC. USA EPA ID NO. STATE ID NO.

CASH [ ] TOTAL RECEIVED [ ]  
 CHECK NUMBER [ ]  
 INVOICE # [ ] AMOUNT \$ [ ]  
 CREDIT CARD NO. [ ]

LD MESSAGE [ ]  
 MANIFEST CODE [ ] SEQ # [ ]  
 16 D  
 IN THE EVENT OF AN EMERGENCY CALL

I AGREE TO PAY THE ABOVE CHARGES AND TO BE BOUND BY THE TERMS AND CONDITIONS SET FORTH ABOVE AND ON THE REVERSE SIDE OF THIS DOCUMENT.  
 PLEASE CHARGE MY ACCOUNT FOR THIS TRANSACTION UNLESS OTHERWISE INDICATED IN THE PAYMENT RECEIVED SECTION. THE INDIVIDUAL SIGNING THIS DOCUMENT IS DULY AUTHORIZED TO SIGN AND BIND CUSTOMER TO ITS TERMS.  
 Carl Stocke  
 Print Customer Name  
 Carl Stocke  
 Customer's Authorized Representative

TOTAL CHARGE (FROM ABOVE) [ ]  
 TOTAL DUE \$90.00  
 DO NOT WRITE IN AREA BELOW  
 P001899288  
 433650

ELGIN OFFICE

PART NO. 1360 (Rev. 05/07)

**SAFETY-KLEEN**

**WASTE MATERIAL PROFILE**

**PROFILE #:** 0040278603

Customer #: 2096994 Analytical Part #: \_\_\_\_\_  
 Sales Name: YOSUF PARWIZ Employee #: \_\_\_\_\_ Rep Email: yosuf.parwiz@Safety-Kleen.com  
 Location/Branch #: 717801

**A. CUSTOMER INFORMATION**

Check if Billing Same

Generator: HANSON AGGREGATES Billing Company: \_\_\_\_\_  
 Facility Address (No P.O. Box): 3000 BUSCH ROAD Billing Address: \_\_\_\_\_  
P.O. BOX 580 City/State/Zip: \_\_\_\_\_  
 City/State/Zip: PLEASANTON / CA / 94566 Billing Contact: \_\_\_\_\_  
 Technical Contact: CARL Phone: \_\_\_\_\_ FAX: \_\_\_\_\_  
 Phone: 925-846-8800 Email: \_\_\_\_\_  
 NAICS #: 32810000  CESQG  SQG  LQG EPA ID#: CAL000032095 State ID#: \_\_\_\_\_

**B. SHIPPING INFORMATION**

The customer has not restricted the disposal of this waste.

US DOT Shipping Name: HAZARDOUS WASTE, LIQUID, N.O.S. (PETROLEUM DISTILLATES, LEAD) 9 NA3082 PG III (ERG#171)  
 Hazardous Class/Division #: 9.0 UN/NA #: NA3082 Packing Group: III RQ: 100  
 Size: 30G Container Type: STEEL Quantity: 1 Frequency: ONE-TIME ONLY

**C. GENERAL MATERIAL & REGULATORY INFORMATION**

Name of Material: USED PARTS WASHING SOLUTION  
 Process Generating the Material: MV-16 - MAINTENANCE DEGREASING AGENTS, USED NON-FLAMMAB  
 Yes No Yes No  
  Regulated or Licensed Radioactive Waste   Contains UHCs/Constituents of Concern: List in section D  
  Regulated Medical/Infectious Waste   Exempt Waste: If yes, list ref. 40 CFR \_\_\_\_\_  
  Waste Subject to Benzene NESHAP regulations   For Artesia, MS: Does waste material contain, or is derived from, dioxin-listed wastes with F020-F023 or F027 waste codes?  
  TSCA Regulated PCB Waste: List PCB level in section D   State Hazardous Waste: List Codes: 213 NM01 NHX1 B R010 OUTS219H  
  Regulated Ozone Depleting Substance   EPA Hazardous Waste: List Codes: D007 D008  
  CERCLA Regulated (Superfund) Waste Source Code G: G13 Form Code W: W119 Mgt. Method W: \_\_\_\_\_

**D. MATERIAL COMPOSITION** (Range Total > or = 100%) or ppm

STEEL FINES, GRINDINGS	0 - 20%
CHROMIUM	<1%
OIL, PETROLEUM	0 - 30%
GREASE	0 - 10%
DIRT	0 - 10%
PETROLEUM DISTILLATES	60 - 90%
MINERAL SPIRITS, ALIPHATIC (C9-C13)	10 - 40%
LEAD COMPOUNDS, INORGANIC (D008)	<1%
NICKEL COMPOUNDS, INSOLUBLE AND METAL	<1%
CADMIUM COMPOUNDS (D006)	<1ppm
<input type="checkbox"/> MSDS Attached	
Total:	100%

**E. REACTIVE CHARACTERISTICS**

Yes  No  Oxidizer  
 Yes  No  React. Sulfides \_\_\_\_\_ ppm Yes  No  Shock/Explosive  
 Yes  No  React. Cyanides \_\_\_\_\_ ppm Yes  No  Polymerizable  
 Yes  No  Water/Air (Pyrophoric) React. Yes  No  Other-Comments  
 Elemental Constituents (ppm): NR = Not Reported  
 No detectable Elements Sb NR As NR Ba NR  
 Be NR Cd <1ppm Cr <10000ppm Pb <10000ppm Hg NR  
 Ni <10000ppm Se NR Ag NR Tl NR V NR  
 Metals Data based on:  TCLP  Total Analysis  Generator Knowledge (no testing)

**F. PHYSICAL CHARACTERISTICS**

Flash Point: \_\_\_\_\_ °F (if <73°F) pH Range:  <2  
 73-<100  100-141  >2-4  >4-10  
 142-<200  ≥200  >10-<12.5  ≥12.5  
 # Phases: 2 % Liquid: 80 - 100% Viscosity cps: < 100  
 % Sludge: \_\_\_\_\_ % Solid: 0 - 20% % Halogens: \_\_\_\_\_  
 BTU's/lb: > 12000 Specific Gravity: 1.1

**G. COMMENTS**

CUSTOMER RESTRICTIONS:  Yes  No The customer has not restricted the disposal of this waste.

**H. GENERATOR'S CERTIFICATION**

I hereby certify that I am an authorized agent of the generator, and warrant on behalf of the generator that the information supplied on this form and on any attachments or supplements hereto is complete and accurate, and that all known or suspected hazards of the material(s) described herein have been disclosed. I agree that if the sample test results indicate a discrepancy with any information supplied on this form, that either Safety-Kleen or the generator may initiate further testing and evaluation in accordance with the terms and conditions of the contract between Safety-Kleen and the generator and that this profile certification may be amended accordingly.

Generator Signature: X Carl Contact Printed Name and Title: CARL - CONTACT Date: 7/8/2008



Destination	Start Time	Time	Prints	Result	Note
915108320668	07-08 14:36	00:01 06	002/002	OK	

Note TMR: Timer, POL: Poll, TRN: Turn Around, 2IN: 2in1 TX, ORG: Original, DPG: Book, FME: Frame Erase TX, MIX: Mixed Original, CALL: Manual Communication, CSRC: CSRC, FWD: Forward, PC: PC-FAX, BND: Bind, SP: Special Original, FCODE: F-Code, RTX: Re-TX, RLY: Relay, MBX: Secure, BLTN: Bulletin

Result OK: TX OK, S-OK: Stop Communication, PW-OFF: Power Switch OFF, TEL: RX from TEL, NG: Other Error, Cont: Continue, No Ans: No Answer, Refuse: Receipt Refused, Busy: Busy, M-Full: Memory Full.

ELGIN OFFICE

FOR SERVICE CALL: BRANCH NUMBER: P001699288  
 110-832-7942 SCOTT & JOHNSON  
 CENS NO. 06-807-461 FEB. 01 NO. 8800019

GENERATOR LOCATION: 150N WOODSTOCK RD, ELGIN, ILL 60120  
 001 BUSBY RD, ELGIN, ILL 60120

DATE ORDERED: 07/06/08  
 CUSTOMER PHONE NO: 915-746-2000

SALES CHARGE: \$190.00  
 TAX: \$10.00  
 TOTAL CHARGE: \$200.00

US DOT DESCRIPTION: SAFETY-KLEEN SYSTEMS, INC.  
 TXS000050930 (L140022025)

APPLY PAYMENTS TO: TOTAL RECEIVED, CHECK NUMBER, AMOUNTS, SERVICE, AMOUNTS, MERCH CODE, SEE 16 D

USA EPA ID NO. STATE ID NO.

TOTAL CHARGE FROM ABOVE: \$200.00  
 TOTAL DUE: \$200.00

DO NOT WRITE IN AREA BELOW

P001699288  
 433650

Carla Stacke  
 Customer Representative



5400 Legacy Drive, Cluster II, B3  
Plano, Texas 75024  
CUSTOMER NO.

800-669-5740  
www.safety-kleen.com



DUNS NO. 05-397-6551		FED. ID NO. 396090019	
FOR SERVICE CALL	BRANCH MANAGER	DOC. EXP.	SCHEDULED SERVICE WEEK
510-832-7942	SCOTT G JOHNSON	09/06/08	08-28
			SCHEDULED TERRITORY
			05
			REFERENCE NUMBER
			0036937354

GENERATOR

0 0 0 2 - 0 9 6 9 - 9 4

HANSON AGGREGATES  
3000 BUSCH ROAD  
P.O. BOX 580  
PLEASANTON CA 94566

0002-0969-77  
HANSON AGGREGATES MID PACIFIC REGION  
P.O. BOX 580  
ATTN: ACCTS PAYABLE  
PLEASANTON CA 94566-0808

CREDIT CODE	PREVIOUS BALANCE		BAL. OVER 60 DAYS	
CUSTOMER SEGMENT	CHAIN	OUTER COUNTY	SVC. P/C	PROD. P/C
04	0215	NO	3314	3414
LOCATION		TAX EXEMPTION NO.		
PW 717801				

SERVICE DATE	SALES REP NO.	CUSTOMER P.O. NUMBER	CUSTOMER PHONE #	TAX CODE	DATE EQPT/PROD ORDERED	SERVICE TAX	C.O.M.S. TAX	PRODUCT TAX
7-8-8	433650		925-846-8800	05-005-6759		.0875		.0875

DEPT	SERVICE/PRODUCT	SERIAL NUMBER	REMARKS/UNIT PRICE	QUAN.	CHARGE	SALES TAX	TOTAL CHARGE	WASTE MIN.	SOLVENT/DRUMS		CC	SERVICE TERM	CHANGE SERVICE TERM (WEEKS)(INITIAL)	CHANGE SCH DATE (YY WW)	INV. CODE	PROMO NO.	RELEASE NO.	MSDS GIVEN	
									CLEAN	SPENT									# OF CONT.
1	0088888	40278603	20.0000	2	300.09	0.00	300.09	# 875001				5	30	GM					
2	00100008			1	20.09	0.00	20.09	0.00				0							
3																			
4																			
5																			
6																			
7																			
8																			
9																			
10																			
11																			
12																			



TOTAL-SERVICE/PRODUCTS				320.09	0	320.09													
USEPA TRANSPORTER 1 ID NO.		USEPA TRANSPORTER 2 ID NO.		GENERATOR USEPA ID NO.		GENERATOR STATE ID NO.		CHECK APPROPRIATE BOXES		GOOD POOR		DECALS IN PLACE AND LEGIBLE		YES NO		MACHINE PROPERLY GROUNDED		YES NO	
TXR000050930		CAL000032053						MACHINE CONDITION & CLEANLINESS		<input type="checkbox"/> <input type="checkbox"/>		FUSIBLE LINK INSTALLED		<input type="checkbox"/> <input type="checkbox"/>		LOCAL PHONE NO. STICKER AFFIXED TO MACHINE		<input type="checkbox"/> <input type="checkbox"/>	
								LAMP ASSEMBLY CONDITION		<input type="checkbox"/> <input type="checkbox"/>		EMERGENCY CLOSING OF LID UNOBSTRUCTED		<input type="checkbox"/> <input type="checkbox"/>		SPENT SOLVENT MEETS ACCEPTANCE CRITERIA		<input type="checkbox"/> <input type="checkbox"/>	

11. US DOT DESCRIPTION (INCLUDING PROPER SHIPPING NAME, HAZARD CLASS, AND ID.)										12. CONTAINERS NO.	13. TOTAL QUANTITY	14. UNIT WT/VOL	SK DOT NUMBER	5163055	I CERTIFY THAT MY TOTAL WASTE STREAMS ARE WITHIN ONE OF THE FOLLOWING CATEGORIES.				
															0 TO 220 LBS./MONTH				
															INITIALS				
															220 LBS. TO 2,200 LBS./MONTH				
															INITIALS				
															GREATER THAN 2,200 LBS./MONTH				
															INITIALS				

DESIGNATED FACILITY NAME AND ADDRESS

I CERTIFY THAT NO MATERIAL CHANGE HAS OCCURRED EITHER IN THE CHARACTERISTICS OF THE WASTE MATERIALS OR IN THE PROCESS GENERATING THE WASTE MATERIALS.

USA EPA ID NO.

STATE ID NO.

PAYMENT RECEIVED SECTION	CASH <input type="checkbox"/>	TOTAL RECEIVED	APPLY PAYMENT TO:	
	CHECK NUMBER		<input type="checkbox"/> TODAY'S SERVICE/SALE	<input type="checkbox"/> PREVIOUS BALANCE AS FOLLOWS
PREVIOUS CREDIT CARD NO	INVOICE #	AMOUNT \$	INVOICE #	AMOUNT \$
CREDIT CARD NO.	AMEX VISA MC		EXP. DATE	
CUSTOMER REFERENCE INFORMATION				

MANIFEST NO.	
000703994515	
LDR MESSAGE	
LDR NOT REQ'D	
MANIFEST CODE	SEQ #
	2 D

I AGREE TO PAY THE ABOVE CHARGES AND TO BE BOUND BY THE TERMS AND CONDITIONS SET FORTH ABOVE AND ON THE REVERSE SIDE OF THIS DOCUMENT. PLEASE CHARGE MY ACCOUNT FOR THIS TRANSACTION UNLESS OTHERWISE INDICATED IN THE PAYMENT RECEIVED SECTION. THE INDIVIDUAL SIGNING THIS DOCUMENT IS DULY AUTHORIZED TO SIGN AND BIND CUSTOMER TO ITS TERMS.

This is to certify that the above-named materials are properly classified, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation.

By: *Carl Stack*  
Customer's Authorized Representative

TOTAL CHARGE (FROM ABOVE)	
WASTE MIN. (FROM ABOVE)	
TOTAL DUE	320.09
DO NOT WRITE IN THE AREA BELOW	
0036937354	
0002-0969-94 -9	

IN THE EVENT OF AN EMERGENCY CALL  
1-800-468-1760 (24 hours)

THIS AGREEMENT CONTINUES ON THE REVERSE SIDE

SERVICE AND SALES ACKNOWLEDGMENT  
PART 01-1367 (Rev. 05/07)



# Evergreen Environmental Services

Containerized Services

*dedicated to the protection of the environment*

To schedule a pickup, call

Send payment to:

800-596-9455

Evergreen Oil, Inc.

P.O. BOX 30517

6880 Smith Ave., Newark, CA EPA# CAD982413262

Los Angeles, CA 90030-0517

16540 S. San Pedro St., Carson, CA EPA# CAD982413262

## No 26450

Sales Order # \_\_\_\_\_

Date: 7-16-08

### GENERATOR/JOB LOCATION

### BILLING INFORMATION

NAME <u>Hanson Aggregates</u>	NAME	CASH <input type="checkbox"/> CHECK <input type="checkbox"/>
ADDRESS <u>3000 Busch Rd</u>	ADDRESS	#
CITY <u>Pleasanton</u> STATE <u>CA</u> ZIP <u>94566</u> CO.	CITY STATE ZIP CO.	CUSTOMER CODE NO.
PHONE NO. <u>(925) 426-4147</u>	PHONE NO. ( )	PROFILE NO.
		CUSTOMER EPA ID NO. <u>CA L000032095</u>

PRODUCT	WASTE CODE	MANIFEST NUMBER	QUANTITY	UNITS	PRICE	AMOUNT
Waste Latex Paint (Non-RCRA)						
Waste Latex Paint (Non-RCRA)						
Waste Paint Related (Flammables oil based)						
Waste Paint Related (Flammables oil based)						
Waste Aerosols Cans						
Non-RCRA Hazardous Waste, Solid (Soil, Debris contaminated with petroleum hydrocarbons)						
Non-RCRA Hazardous Waste, Solid (Soil, Debris contaminated with petroleum hydrocarbons)						
Waste Corrosive Liquids, n.o.s.						
Waste Flammable Liquids, n.o.s.						
Waste Flammable Liquids, n.o.s.						
Non-RCRA Hazardous Waste, Liquid						
Non-RCRA Hazardous Waste, Liquid						
Waste Toxic Liquids or Solids (Class 9)						
Waste Oxidizing Liquids or Solids						
Drained Used Oil Filters						
Empty Drums						
Non Hazardous Water						
Non Hazardous Water						
Non Hazardous Solids						
Non Hazardous Solids						
Glycol Bulk 50/50						
Glycol Bulk Conc.						
<u>Field Services : 004010948 JJK (6), 003338252 JJK (1)</u>						
<u>BOL# 071608 (2)</u>						

labor = 4 hrs  
TSDF supplies: 2x55g, 2x30g, 2x16g, 1x5g, 3x Vermiculite.

Evergreen Oil, Inc.  
6880 Smith Ave.  
Newark, CA 94560  
CAD980887418

CFR  
33210 Western  
Union City, CA 94587  
CAL000091507

21st Century  
Fenley, NV

AERC Recycling  
Hayward, CA

TOTAL CHARGES

C.P.

Source:  Collection Station  Government  
 Marine  Agricultural  Industrial

Generator certifies that it has established a program to reduce the volume or quantity & toxicity of the hazardous waste to the degree determined by generator to be economically practicable.  
**I hereby certify that I have read and have the authority to bind the above listed generator to the terms on the reverse side of this form.**

Retain sample # \_\_\_\_\_

### IMPORTANT NOTICE REGARDING THE DISPOSITION OF YOUR OIL.

Per California Health and Safety Code Section 25250.9, Evergreen hereby advises customer that customer's shipment of used oil may be transported to a facility that is required to comply with federal regulations applicable to management of used oil, but that is not required to comply with the more stringent requirements applicable to hazardous waste management facilities. California facilities that handle or process used oil are required to meet those more stringent requirements, and some out-of-state facilities that process used oil also meet those requirements. These include more stringent leak detection and prevention requirements, engineering certifications of tank integrity, and financial assurances for closure and accidental releases. It is lawful to send used oil to out-of-state facilities that comply only with federal used oil management standards and not these more stringent requirements. This notification is for information purposes only.

Albert Hobson Driver Signature      Albert Hobson Print Name      7/16/08 Date

Carl Stacke Generator's Signature      Carl Stacke Print Name      7/16-08 Date

# Land Disposal Notification and Certification Form



Evergreen Oil, Inc.  
6880 Smith Ave.  
Newark, CA 94560  
Phone - (510) 795-4400  
EPA ID #CAD980887418

Generator Name:	<u>Hanson Aggregates</u>
Uniform Hazardous Waste Manifest #:	<u>004010948JJK</u>
U.S. EPA ID Number:	<u>CAL 000 032095</u>

Manifest Line #	Profile #	RCRA Waste Codes	NWW/WW (1)	Subcategory (2)	Applicable Alternative Treatment Standards		
					Contaminated Soil	Hazardous Debris (3)	Lab Pack
9b.1		D001, F003, F005					
9b.2							
9b.3		D002, D008					
9b.4							X

27b1-2

1. WW - Wastewaters: wastes that contain less than 1% by weight total organic carbon and less than 1% by weight total suspended solids; NWW - Non-Wastewaters: wastes that do not meet the definition of wastewaters.
2. For RCRA wastes codes D001, D003, D006, D008, and D009, check appropriate subcategory from list below. For all other RCRA waste codes enter 'NONE'
3. This waste is hazardous debris and is subject to the treatment standards in 40 CFR 268.45.

### Waste Subcategories

9b.1	9b.2	9b.3	9b.4	SUBCATEGORY
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D001 - Ignitable Characteristic Wastes, except for the §261.21(a)(1) High TOC Subcategory.
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D001 - High TOC Ignitable Characteristic Liquids, Greater than 10% total organic carbon (does not apply to wastewaters)
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D003 - Reactive Sulfides based on 261.23(a)(5)
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D003 - Other Reactives based on 261.23(a)(1)
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D003 - Water Reactive based on 261.23(a)(2), (3) and (4), (does not apply to wastewaters)
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D003 - Reactive Cyanides based on 261.23(a)(5)
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D006 - Wastes exhibiting the characterisitc of toxicity for cadmium based on the TCLP
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D006 - Cadmium Containing Batteries
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D008 - Wastes exhibiting the characteristic of toxicity for lead based on the TCLP
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	D008 - Lead Acid Batteries
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D009 - Non-wastewaters that exhibit the characteristic of toxicity for mercury and contain greater than or equal to 260 mg/kg organic mercury
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D009 - Non-wastewaters that exhibit the characteristic of toxicity for mercury and contain greater than or equal to 260 mg/kg inorganic mercury
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D009 - Non-wastewaters that exhibit the characterisitc of toxicity for mercury and contain less than 260 mg/kg total mercury and that are residues from RMERC only
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D009 - Non-wastewaters that exhibit the characterisitc of toxicity for mercury and contain less than 260 mg/kg total mercury and that are not residues from RMERC only
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D009 - All D009 wastewaters

Land Disposal Notification and Certification Form (Cont.)



Constituents of Concern (For F001 - F005 EPA Waste Codes Only)

9b.1/ 9b.2/ 9b.3 /9b.4	Constituent	9b.1/ 9b.2/ 9b.3 /9b.4	Constituent	9b.1/ 9b.2/ 9b.3 /9b.4	Constituent
<input checked="" type="checkbox"/>	Acetone		Cyclohexanone		Nitrobenzene
	Benzene		o-Dichlorobenzene		Pyridine
	n-Butyl Alcohol		Ethyl Acetate		Tetrachloroethylene
	Carbon Tetrachloride		Ethyl Benzene	<input checked="" type="checkbox"/>	Toluene
	Carbon Disulfide		Ethyl Ether		1,1,1-Trichloroethane
	Chlorobenzene		Isobutyl Alcohol		1,1,2-Trichloroethane
	Cresol Mixed Isomers		Methanol		1,1,2-Trichloro-1,2,2-Trifluoroethane
	Cresol, p-isomers		Methylene Chloride		Trichloroethylene
	Cresol, m-isomers		Methyl Ethyl Ketone		Trichloromonofluoromethane
	o-Cresol		Methyl Isobutyl Ketone	<input checked="" type="checkbox"/>	Xylenes (Total)

Underlying Waste Constituents for Characteristics Wastes

(From 40 CFR 268.48, not applicable for Lab Packs)

9b.1	_____
9b.2	_____
9b.3	_____
9b.4	_____

Certifications

2751-2

9b.1 9b.2 9b.3 9b.4 Waste Does Not Meet Applicable Treatment Standards

Waste does not meet applicable treatment standards in 40 CFR 268.40 or exceeds applicable prohibition levels of 40 CFR 268.32 or RCRA Section 3004(d).

Waste or Contaminated Soil Meets Treatment Standard At Original Point of Generation

I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that the waste complies with the treatment standards specified in 40 CFR part 268 subpart D and in CCR, Title 22, Division 4.5, Chapter 18, Article 4. I believe that the information I submitted is true, accurate, and complete. I am aware that there are significant penalties for submitting a false certification, including the possibility of a fine and imprisonment.

Contaminated Soils Certification (Mark appropriate answers in certification statement.)

I certify under penalty of law that I personally have examined this contaminated soil and it [DOES / DOES NOT] contain listed hazardous waste and [DOES / DOES NOT] exhibit a characteristic of hazardous waste and requires treatment to meet the soil treatment standards as provided by 40 CFR 268.49(c) and CCR Title 22 §66268.49(c).

Lab Pack Alternate Treatment Standard Certification

I certify under penalty of law that I personally have examined and am familiar with the waste and the lab pack contains only wastes that have not been excluded under appendix IV to 40 CFR part 268 and that this lab pack will be sent to a combustion facility in compliance with the alternative treatment standards for lab packs at 40 CFR 268.42(c). I am aware that there are significant penalties for submitting a false certification, including the possibility of fine or imprisonment.

I hereby certify that all information supplied is complete and accurate to the best of my knowledge and information.

Signature: Carl Stoeke

Printed Name: Carl Stoeke

Title: Foreman

Date: 7-16-08

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator ID Number <i>CAL 000 032 095</i>	2. Page 1 of <i>2</i>	3. Emergency Response Phone <i>1800-424-9300</i>	4. Manifest Tracking Number <b>004010348 JJK</b>		
5. Generator's Name and Mailing Address <i>Hansen Associates 3000 Bush St Pittsburg, CA 94566</i>				Generator's Site Address (if different than mailing address)			
Generator's Phone: <i>925-436-0117</i>							
6. Transporter 1 Company Name <i>Evergreen Environmental Services</i>				U.S. EPA ID Number <i>CAD862413292</i>			
7. Transporter 2 Company Name				U.S. EPA ID Number			
8. Designated Facility Name and Site Address <i>Evergreen Oil, Inc. 6680 Smith Ave. Newark, Ca. 94560</i>				U.S. EPA ID Number <i>CAD860887418</i>			
Facility's Phone: <i>910-705-1400</i>							
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes	
		No.	Type				
X	1. <i>16. White paint, flammable liquid E-UN263, I E-1 (D001)</i>	1	DAI	150	P	213	D001, D005, D002
	2. <i>100% HCl Hazardous Waste, liquid (D01)</i>	1	DAI	75	P	221	
X	3. <i>16 White batteries, used, filled with acid E-UN2794, II E-1 (D001)</i>	1	DAI	50	P	141	D002, D008
X	4. <i>16. White flammable liquid, n.o.s. E-UN263, I (flammable liquid) (D01)</i>	1	DAI	200	P	481	D001, D008
14. Special Handling Instructions and Additional Information <i>(b) 1836, 1836 #102, Bulk loose pack 27446, 1836 #102, Bulk loose pack 371826, 1836 #150 Bulk</i>							
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.							
Generator's/Offeror's Printed/Typed Name				Signature		Month Day Year	
16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____							
17. Transporter Acknowledgment of Receipt of Materials							
Transporter 1 Printed/Typed Name				Signature		Month Day Year	
Transporter 2 Printed/Typed Name				Signature		Month Day Year	
18. Discrepancy							
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection							
18b. Alternate Facility (or Generator) Manifest Reference Number: _____ U.S. EPA ID Number _____							
Facility's Phone: _____							
18c. Signature of Alternate Facility (or Generator)						Month Day Year	
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)							
1. _____		2. _____		3. _____		4. _____	
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a							
Printed/Typed Name				Signature		Month Day Year	

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b> (Continuation Sheet)		21. Generator ID Number 07000000000000000000	22. Page 2 of 2	23. Manifest Tracking Number 04010902 376				
24. Generator's Name W. H. ...								
25. Transporter _____ Company Name				U.S. EPA ID Number				
26. Transporter _____ Company Name				U.S. EPA ID Number				
27a. HM	27b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	28. Containers		29. Total Quantity	30. Unit Wt./Vol.	31. Waste Codes		
		No.	Type					
V	500 ml. vials of ... Sodium Hydroxide (White)	1	DF	5	P	451		
V	500 ml. vials of ... Sodium Hydroxide	1	DM	150	P	451		
32. Special Handling Instructions and Additional Information ... Lab Park								
TRANSPORTER	33. Transporter _____ Acknowledgment of Receipt of Materials							
	Printed/Typed Name			Signature		Month Day Year		
TRANSPORTER	34. Transporter _____ Acknowledgment of Receipt of Materials							
	Printed/Typed Name			Signature		Month Day Year		
DESIGNATED FACILITY	35. Discrepancy							
	36. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)							



# Evergreen Oil, Inc.

Lab Pack

17191

## Drum Inventory Sheet

Generator Name:	<u>Hanson Aggregates</u>	Drum Size:	5 gallon <input type="checkbox"/>	20 gallon <input type="checkbox"/>	Drum Type:	1A2 - Steel <input checked="" type="checkbox"/>	
Manifest #:	<u>004010948 JJK</u>		10 gallon <input type="checkbox"/>	30 gallon <input type="checkbox"/>		1H2 - Poly <input type="checkbox"/>	
Line Item #:	<u>064</u>		14 gallon <input type="checkbox"/>	55 gallon <input checked="" type="checkbox"/>		1G - Fiber <input type="checkbox"/>	
Generator's Waste Profile Worksheet #:	_____						
Drum ID:	<u>HAA-001</u>						
PSN:	<u>RQ, Waste Flammable liquids, n.o.s (Isopropanol, Mineral spirits)</u>						
Hazard Class:	<u>3</u>	ID:	<u>UN1993</u>	Packing Group:	<u>II</u>	Date:	<u>7/16/08</u>

<u>Inner Packaging Constituents</u>	<u>Liquid</u>	<u>Solid</u>	<u>Quantity x Size</u>	<u>Vol %</u>	<u>CA Codes</u>	<u>RCRA Codes</u>	
Rust preventive w/ petroleum distillates	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1X5G	1/2	55'	D001	
	<input type="checkbox"/>	<input type="checkbox"/>	1X1G	1/4			
Grease	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1X5G	1/2			None
	<input type="checkbox"/>	<input type="checkbox"/>	#				
Brake fluid w/ chlorinated hydrocarbons, non-flammable	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1X5G	1/2			
Asphalt	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1" 3X1G	F			D001
Gasoline	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1X2.5G	1/4			D001, D018
Oil	<input type="checkbox"/>	<input type="checkbox"/>	1" 6X250mL	1/4			None
Wax	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1X100mL	1/4			
Engine coolant	<input checked="" type="checkbox"/>	<input type="checkbox"/>	2 X1G	1/2			
Auto cleaner w/ mineral spirits	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1" 2X10L	1/2			D001
Hand cleaner w/ d-limonene, nonylphenoxy poly(ethyleneoxy ethanol)	<input type="checkbox"/>	<input type="checkbox"/>	1" 2X1G	1/4			None
Lubricating compound w/ petroleum distillates & teflon	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1" 4X1P	1/2			D001
	<input type="checkbox"/>	<input type="checkbox"/>	<del>1" 4X1P</del>				
Grease	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1" 3X400g	1/2			None
	<input type="checkbox"/>	<input type="checkbox"/>	1" 3X1P	1/4			
cleaner w/ isopropanol	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1 X100mL	1/2		D001	
Quenching oil	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1 X1G	1/2		None	





# Evergreen Oil, Inc.

Lab Pack

## Drum Inventory Sheet

17171

Generator Name: Hanson Aggregates  
 Manifest #: 004010948 JJK  
 Line Item #: 2761  
 Generator's Waste Profile Worksheet #: \_\_\_\_\_  
 Drum ID: HAA-002  
 PSN: Waste Corrosive liquids, toxic, n.o.s (Hydrofluoric acid, zinc chloride)  
 Hazard Class: 8(6.1) ID: UN2922 Packing Group: II Date: 7/16/08

Drum Size: 5 gallon  20 gallon   
 10 gallon  30 gallon   
 14 gallon  55 gallon

Drum Type: 1A2 - Steel   
 1H2 - Poly   
 1G - Fiber

<i>Inner Packaging Constituents</i>	<i>Liquid</i>	<i>Solid</i>	<i>Quantity x Size</i>	<i>Vol %</i>	<i>CA Codes</i>	<i>RCRA Codes</i>
Cleaner w/ hydrofluoric acid	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1 x 1L	1/2	551	D002
soldering flux w/ zinc chloride	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3 x 480mL	Full		
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	2 x 20z	1/2		
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				



# Evergreen Oil, Inc.

Lab Pack

## Drum Inventory Sheet

17172

Generator Name:	<u>Hanson Aggregates</u>						
Manifest #:	<u>004010948 JJK</u>	Drum Size:		Drum Type:			
Line Item #:	<u>2762</u>	5 gallon	<input type="checkbox"/>	20 gallon	<input type="checkbox"/>	1A2 - Steel	<input checked="" type="checkbox"/>
Generator's Waste Profile Worksheet #:		10 gallon	<input type="checkbox"/>	30 gallon	<input type="checkbox"/>	1H2 - Poly	<input type="checkbox"/>
Drum ID:	<u>HAA-003</u>	14 gallon	<input type="checkbox"/>	55 gallon	<input checked="" type="checkbox"/>	1G - Fiber	<input type="checkbox"/>
PSN:	<u>Corrosive solid, basic, Inorganic, n.o.s (calcium hydroxide)</u>						
Hazard Class:	<u>8</u>	ID:	<u>UN3262</u>	Packing Group:	<u>II</u>	Date	<u>7/16/08</u>

<u>Inner Packaging Constituents</u>	<u>Liquid</u>	<u>Solid</u>	<u>Quantity x Size</u>	<u>Vol %</u>	<u>CA Codes</u>	<u>RCRA Codes</u>
(Hydrated lime w/ 95% calcium hydroxide, 5% calcium carbonate) Bag	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	2x30p	Full	551	<del>#</del> None
	<input type="checkbox"/>	<input type="checkbox"/>				
Debris w/ calcium hydroxide	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1x1p	Empty		
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input type="checkbox"/>				

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator ID Number CA 000 000 000	2. Page 1 of	3. Emergency Response Phone 1-800-424-9334	4. Manifest Tracking Number <b>003338252 JJK</b>			
5. Generator's Name and Mailing Address Waste Resources 2000 1st St. E. Pasadena, CA 91101 Generator's Phone: 951-856-1107				Generator's Site Address (if different than mailing address)				
6. Transporter 1 Company Name Evergreen Environmental Services				U.S. EPA ID Number CA0002410267				
7. Transporter 2 Company Name Philip West Industrial Services				U.S. EPA ID Number CA0000177037				
8. Designated Facility Name and Site Address 21st Century EMI 2000 Howlands Drive East Farming, NY 05403 Facility's Phone: 773-879-2700				U.S. EPA ID Number NY0000000000				
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes		
		No.	Type					
1	1. 100% Acetone, Flammable 2. 100% Acetone	1	DRUM	100	1	100		
2.								
3.								
4.								
14. Special Handling Instructions and Additional Information None								
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.								
Generator's/Offoror's Printed/Typed Name				Signature		Month	Day	Year
16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____								
17. Transporter Acknowledgment of Receipt of Materials								
Transporter 1 Printed/Typed Name Albert Hobson				Signature		Month	Day	Year
Transporter 2 Printed/Typed Name				Signature		Month	Day	Year
18. Discrepancy								
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection								
Manifest Reference Number:								
18b. Alternate Facility (or Generator)				U.S. EPA ID Number				
Facility's Phone:								
18c. Signature of Alternate Facility (or Generator)						Month	Day	Year
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)								
1.	2.	3.	4.					
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a								
Printed/Typed Name				Signature		Month	Day	Year

**CONTAINS HAZARDOUS MATERIALS**

**THIS MEMORANDUM** is an acknowledgement that a bill of lading has been issued and is not the Original Bill of Lading, not a copy or duplicate, covering the property named herein, and is intended solely for filing or record.

Shipper's No. 071608

Carrier Evergreen Env. Services SCAC \_\_\_\_\_ Carrier's No. \_\_\_\_\_

RECEIVED, subject to individually determined rates or contracts that have been agreed upon in writing between the carrier and shipper, if applicable, otherwise to the rates, classifications and rules that have been established by the carrier and are available to the shipper, on request; and all applicable state and federal regulations;

at \_\_\_\_\_, date \_\_\_\_\_ from \_\_\_\_\_

the Property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said company (the word company being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to delivery at said destination, if on its route, or otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any portion of said Property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said Property that every service to be performed hereunder shall be subject to all the conditions not prohibited by law, whether printed or written, herein contained, including the conditions on the back hereof, which are hereby agreed to by the shipper and accepted for himself and his assigns.

<b>TO:</b>	<b>FROM:</b>
Consignee <u>AERC Recycling Solutions</u>	Shipper <u>Hanson Aggregates</u>
Street <u>30677 Huntwood Ave</u>	Street <u>3000 Bush Rd</u>
Destination <u>Hayward CA Zip 94544</u>	Origin <u>Pleasanton CA Zip 94566</u>
Route <u>CA 000 032 095</u>	

Delivering Carrier	Vehicle Number	U.S. DOT Hazmat Reg. No.
--------------------	----------------	--------------------------

Number and Type of Packages	HM	I.D. Number	Description of Articles	Hazard Class	Pkg. Grp.	Total Quantity (mass, volume, or activity)	Weight (subject to correction)	Class or Rate
<u>2 X DF</u>			<u>Universal Waste - Straight Fluorescent Light Tubes (34 x 8ft) ERG# Nono</u>				<u>30 P</u>	

Remit COD to: Address: City: _____ State: _____ Zip: _____	Subject to Section 7 of conditions, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement: The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.  (Signature of Consignor)	<b>COD AMT:</b> \$ _____	<b>COD FEE:</b> Prepaid <input type="checkbox"/> Collect <input type="checkbox"/> \$ _____
NOTE: Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding \$ _____ Per _____		<b>TOTAL CHARGES:</b> \$ _____	<b>FREIGHT CHARGES:</b> <input type="checkbox"/> Prepaid <input type="checkbox"/> Collect

NOTE: Liability Limitation for loss or damage in this shipment may be applicable. See 49 U.S.C. 14706(c)(1)(A) and (B). This is to certify that the above-named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation. Per _____	<b>PLACARDS REQUIRED</b>	<b>PLACARDS SUPPLIED</b>	<input type="checkbox"/> BY SHIPPER <input type="checkbox"/> BY CARRIER
SHIPPER: <u>Hanson Aggregates</u>	CARRIER: <u>Evergreen Env. Services</u>	DRIVER'S SIGNATURE: _____	
PER: <u>[Signature]</u> DATE: <u>7-16-08</u>	PER: <u>[Signature]</u> DATE: <u>7/16/08</u>		

**EMERGENCY RESPONSE**  
TELEPHONE NUMBER: (800) 424-9300

Monitored at all times the Hazardous Material is in transportation including storage incidental to transportation (172.604).



# Evergreen Environmental Services

Containerized Services

dedicated to the protection of the environment

## No 26864

To schedule a pickup, call

Send payment to:

Sales Order # \_\_\_\_\_

**800-596-9455**

Evergreen Oil, Inc.

P.O. BOX 30517

6880 Smith Ave., Newark, CA EPA# CAD982413262

Los Angeles, CA 90030-0517

16540 S. San Pedro St., Carson, CA EPA# CAD982413262

Date: 7/30/08

### GENERATOR/JOB LOCATION

### BILLING INFORMATION

NAME <u>HANSON AGGREGATES</u>				NAME <u>HANSON AGGREGATES</u>				CASH <input type="checkbox"/> CHECK <input type="checkbox"/>
ADDRESS <u>3000 BUSCH ROAD</u>				ADDRESS <u>3000 BUSCH RD</u>				# CUSTOMER CODE NO.
CITY <u>PLEASANTON</u>	STATE <u>CA</u>	ZIP <u>94506</u>	CO. <u>CA</u>	CITY <u>PLEASANTON</u>	STATE <u>CA</u>	ZIP <u>94506</u>	CO. <u>CA</u>	PO #
PHONE NO. <u>(925) 426-4170</u>				PHONE NO. <u>(925) 426-4170</u>		PROFILE NO. <u>22240-00</u>		CUSTOMER EPA ID NO. <u>CAL000 033 095</u>

PRODUCT	WASTE CODE	MANIFEST NUMBER	QUANTITY	UNITS	PRICE	AMOUNT
Waste Latex Paint (Non-RCRA)						
Waste Latex Paint (Non-RCRA)						
Waste Paint Related (Flammables oil based)						
Waste Paint Related (Flammables oil based)						
Waste Aerosols Cans						
Non-RCRA Hazardous Waste, Solid (Soil, Debris contaminated with petroleum hydrocarbons)						
Non-RCRA Hazardous Waste, Solid (Soil, Debris contaminated with petroleum hydrocarbons)						
Waste Corrosive Liquids, n.o.s.						
Waste Flammable Liquids, n.o.s.						
Waste Flammable Liquids, n.o.s.						
Non-RCRA Hazardous Waste, Liquid	<u>223</u>	<u>004477913</u>	<u>1</u>	<u>DM</u>	<u>\$ 795.00</u>	<u>\$ 795.00</u>
Non-RCRA Hazardous Waste, Liquid						
Waste Toxic Liquids or Solids (Class 9)						
Waste Oxidizing Liquids or Solids						
Drained Used Oil Filters						
Empty Drums						
Non Hazardous Water						
Non Hazardous Water						
Non Hazardous Solids						
Non Hazardous Solids						
Glycol Bulk 50/50						
Glycol Bulk Conc.						

### TSDF

Evergreen Oil, Inc. 6880 Smith Ave. Newark, CA 94560 CAD980887418  
 CFR 33210 Western Union City, CA 94587 CAL000091507  
 21ST CENTURY EM1  
2025 NEWLANDS DR.  
FERNLEY, NJ 08408

Source:  Collection Station  Government  
 Marine  Agricultural  Industrial

Generator certifies that it has established a program to reduce the volume or quantity & toxicity of the hazardous waste to the degree determined by generator to be economically practicable.

**I hereby certify that I have read and have the authority to bind the above listed generator to the terms on the reverse side of this form.**

Retain sample # \_\_\_\_\_

### IMPORTANT NOTICE REGARDING THE DISPOSITION OF YOUR OIL.

Per California Health and Safety Code Section 25250.9, Evergreen hereby advises customer that customer's shipment of used oil may be transported to a facility that is required to comply with federal regulations applicable to management of used oil, but that is not required to comply with the more stringent requirements applicable to hazardous waste management facilities. California facilities that handle or process used oil are required to meet those more stringent requirements, and some out-of-state facilities that process used oil also meet those requirements. These include more stringent leak detection and prevention requirements, engineering certifications of tank integrity, and financial assurances for closure and accidental releases. It is lawful to send used oil to out-of-state facilities that comply only with federal used oil management standards and not these more stringent requirements. This notification is for information purposes only.

Marcos Smith 7/30/08  
 Driver Signature Print Name Route # Date  
Carla Stock Car/Stock 7-30-08  
 Generator's Signature Print Name Date

TOTAL CHARGES  
\$ 795.00

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator ID Number CAL000032095		2. Page 1 of 1		3. Emergency Response Phone 800-424-9300		4. Manifest Tracking Number <b>004477913 JJK</b>		
		5. Generator's Name and Mailing Address Hanson Aggregates 925-426-4170 3000 Busch Rd Pleasanton, Ca. 94566					Generator's Site Address (if different than mailing address)			
6. Transporter 1 Company Name Evergreen Environmental Services		U.S. EPA ID Number CAD982413262								
7. Transporter 2 Company Name		U.S. EPA ID Number								
8. Designated Facility Name and Site Address 21st Century EMI 775-575-2760 2095 Newlands Drive East Fernley NV 89406		U.S. EPA ID Number NVD900895338								
Facility's Phone:										
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes				
		No.	Type							
1.	Non RCRA Hazardous Waste, Liquid (Oil filled Non PCB Transformer)	001	DM	20160	P	223				
2.										
3.										
4.										
14. Special Handling Instructions and Additional Information 961 Profile# 22340-10 ERGM71 (1X55 GAL) USE APPROPRIATE PPE										
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.										
Generator's/Offeror's Printed/Typed Name X Carol Turk				Signature X Carol Turk			Month Day Year 07 30 08			
16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Transporter signature (for exports only): _____ Date leaving U.S.: _____										
17. Transporter Acknowledgment of Receipt of Materials										
Transporter 1 Printed/Typed Name X M Alcorn Smith				Signature X M Alcorn Smith			Month Day Year 11 17 2008			
Transporter 2 Printed/Typed Name				Signature			Month Day Year			
18. Discrepancy										
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection										
18b. Alternate Facility (or Generator) Manifest Reference Number: _____ U.S. EPA ID Number _____										
18c. Signature of Alternate Facility (or Generator) _____ Month Day Year _____										
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)										
1.		2.		3.		4.				
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a										
Printed/Typed Name				Signature			Month Day Year			



# Evergreen Environmental Services

*dedicated to the protection of the environment*

## WORK ORDER/SERVICE AGREEMENT

### Nº 482159

To schedule a pickup, call  
**800-596-9455**

Send payment to:

Sales Order # **197534**

6880 Smith Ave., Newark, CA EPA# CAD982413262  
16540 S. San Pedro St., Carson, CA EPA# CAD982413262

Evergreen Oil, Inc.  
P.O. BOX 30517

Los Angeles, CA 90030-0517

Date: **24 October 08**

### GENERATOR/JOB LOCATION

### BILLING INFORMATION

NAME <b>Hanson Aggregates</b>		NAME		CASH <input type="checkbox"/> CHECK <input type="checkbox"/>	
ADDRESS <b>3000 Busch Rd.</b>		ADDRESS		#	
CITY <b>Pleasanton Ca.</b>	STATE <b>Ca.</b>	ZIP <b>94566</b>	CO. <b>Ala.</b>	CITY	STATE
PHONE NO. <b>(925) 426-4147</b>	PHONE NO.	PROFILE NO.	CUSTOMER CODE NO. <b>KASA 05</b>		
CUSTOMER EPA ID NO. <b>AL000032095</b>			PO #		

PRODUCT	WASTE CODE	MANIFEST NUMBER	QUANTITY	UNITS	PRICE	AMOUNT
Used oil, Non-RCRA Hazardous Lubricating	CA221			Gal.		
Waste, Liquid Industrial	CA221			Gal.		
Used Automotive Antifreeze, Non-RCRA Hazardous Waste Liquid	CA134	<b>002520987</b>	<b>120</b>	Gal.	<b>Contract</b>	
RQ Waste Combustible Liquid, N.O.S. NA 1993 III (Oil contaminated with halogens)	CA221 F001/F002			Gal.		
Oil & Water, Non-RCRA Hazardous Waste Liquid	CA221			Gal.		
Waste Solids and Sludges				Gal.		
Wash Out				Each		
Drained Used Oil Filters				Drum		
Non-RCRA Hazardous Waste Solids (oily debris)	CA223			Drum		
Empty Drums				Drum		
Transportation				Hrs.		
Non Hazardous Water				Gal.		
Glycol Bulk 50/50				Gal.		
Glycol Bulk Conc.				Gal.		

TEST:  Clor D Tech 4000 \_\_\_\_\_ ppm  Clor D Tech 1000  Pass  Fail  Halogen Detector/Flame Test  Pass  Fail

Field Service Work Description: \_\_\_\_\_ Total Charges \_\_\_\_\_

Other: \_\_\_\_\_

Other: \_\_\_\_\_

Vacuum Services Time \_\_\_\_\_

Out of Yard \_\_\_\_\_ On Site \_\_\_\_\_ Off Site \_\_\_\_\_ Off Load Start \_\_\_\_\_ Off Load End \_\_\_\_\_ Return to Yard \_\_\_\_\_

**TSDE**  Consolidated Manifest

<input checked="" type="checkbox"/> Evergreen Oil, Inc. 6880 Smith Ave. Newark, CA 94560 CAD980887418	<input type="checkbox"/> Evergreen Env. Svc. Road 30B Davis, CA 95616 CAD982446874	<input type="checkbox"/> Evergreen Env. Svc. 4139 N. Valentine Fresno, CA 93722 CAD982446882	<input type="checkbox"/> AJS Filter 15131 Clark Ave. Industry, CA 91745 CAD000097432	<input type="checkbox"/> _____
<input type="checkbox"/> Evergreen Env. Svc. 16604 S. San Pedro Carson, CA 90746 CAD981696420	<input type="checkbox"/> Evergreen Env. Svc. 745 A West Betteravia Santa Maria, CA 93454 CAD982446858	<input type="checkbox"/> CFR 944 E. Slauson Ave. Los Angeles, CA 90011 CAL000110021	<input type="checkbox"/> CFR 33210 Western Union City, CA 94587 CAL000091507	<input type="checkbox"/> Greenleaf Env. Svc. 3474 Toyon Circle Valley Springs, CA 95352 CAL000214411

Source:  Collection Station  Government  
 Marine  Agricultural  Industrial

Generator certifies that it has established a program to reduce the volume or quantity & toxicity of the hazardous waste to the degree determined by generator to be economically practicable.  
**I hereby certify that I have read and have the authority to bind the above listed generator to the terms on the reverse side of this form.**

Retain sample # 3

### IMPORTANT NOTICE REGARDING THE DISPOSITION OF YOUR OIL.

Per California Health and Safety Code Section 25250.9, Evergreen hereby advises customer that customer's shipment of used oil may be transported to a facility that is required to comply with federal regulations applicable to management of used oil, but that is not required to comply with the more stringent requirements applicable to hazardous waste management facilities. California facilities that handle or process used oil are required to meet those more stringent requirements, and some out-of-state facilities that process used oil also meet those requirements. These include more stringent leak detection and prevention requirements, engineering certifications of tank integrity, and financial assurances for closure and accidental releases. It is lawful to send used oil to out-of-state facilities that comply only with federal used oil management standards and not these more stringent requirements. This notification is for information purposes only.

*Driver Signature* *Print Name* *Route #* *Date* *Generator's Signature* *Print Name* *Date*

**001 10-24-08**



# Evergreen Environmental Services

dedicated to the protection of the environment

## WORK ORDER/SERVICE AGREEMENT

### Nº 485130

To schedule a pickup, call  
**800-596-9455**

Send payment to:

Sales Order # 600197523

6880 Smith Ave., Newark, CA EPA# CAD982413262  
16540 S. San Pedro St., Carson, CA EPA# CAD982413262

Evergreen Oil, Inc.  
P.O. BOX 30517

Los Angeles, CA 90030-0517

Date: 10-24-08

### GENERATOR/JOB LOCATION

### BILLING INFORMATION

NAME <u>Hanson Aggregates</u>				NAME				CASH <input type="checkbox"/> CHECK <input type="checkbox"/>	
ADDRESS <u>3000 Busch rd</u>				ADDRESS				#	
CITY <u>Reasonton</u>		STATE <u>CA</u>		ZIP <u>94566</u>		CITY		CUSTOMER CODE NO. <u>K154 05</u>	
PHONE NO. <u>(925) 426-4147</u>		PHONE NO. ( )		PROFILE NO.		PO #		CUSTOMER EPA ID NO. <u>Cal 00032095</u>	

PRODUCT	WASTE CODE	MANIFEST NUMBER	QUANTITY	UNITS	PRICE	AMOUNT
Used oil, Non-RCRA Hazardous Lubricating	CA221	<u>06408900 JTL</u>	<u>200</u>	Gal.		<u>200</u>
Waste, Liquid Industrial	CA221			Gal.		
Used Automotive Antifreeze, Non-RCRA Hazardous Waste Liquid	CA134			Gal.		
RQ Waste Combustible Liquid, N.O.S. NA 1993 III (Oil contaminated with halogens)	CA221 F001/F002			Gal.		
Oil & Water, Non-RCRA Hazardous Waste Liquid	CA221			Gal.		
Waste Solids and Sludges				Gal.		
Wash Out				Each		
Drained Used Oil Filters				Drum		
Non-RCRA Hazardous Waste Solids (oily debris)	CA223			Drum		
Empty Drums				Drum		
Transportation				Hrs.		
Non Hazardous Water				Gal.		
Glycol Bulk 50/50				Gal.		
Glycol Bulk Conc.				Gal.		
TEST: <input checked="" type="checkbox"/> Clor D Tech 4000 <u>500</u> ppm <input type="checkbox"/> Clor D Tech 1000 <input type="checkbox"/> Pass <input type="checkbox"/> Fail <input type="checkbox"/> Halogen Detector/Flame Test <input type="checkbox"/> Pass <input type="checkbox"/> Fail <u>N/C</u>						
Field Service Work Description:						Total Charges
Other:						<u>200</u>
Other:						
Vacuum Services Time						
Out of Yard _____ On Site _____ Off Site _____ Off Load Start _____ Off Load End _____ Return to Yard _____						

### TSDF

### Consolidated Manifest

- |  |  |   |   |   |
|--|--|---|---|---|
| <input checked="" type="checkbox"/> Evergreen Oil, Inc.<br>6880 Smith Ave.<br>Newark, CA 94560<br>CAD980887418 | <input type="checkbox"/> Evergreen Env. Svc.<br>Road 30B<br>Davis, CA 95616<br>CAD982446874                    | <input type="checkbox"/> Evergreen Env. Svc.<br>4139 N. Valentine<br>Fresno, CA 93722<br>CAD982446882 | <input type="checkbox"/> AJS Filter<br>15131 Clark Ave.<br>Industry, CA 91745<br>CAD000097432 | <input type="checkbox"/> _____<br>_____   |
| <input type="checkbox"/> Evergreen Env. Svc.<br>16604 S. San Pedro<br>Carson, CA 90746<br>CAD981696420         | <input type="checkbox"/> Evergreen Env. Svc.<br>745 A West Betteravia<br>Santa Maria, CA 93454<br>CAD982446858 | <input type="checkbox"/> CFR<br>944 E. Slauson Ave.<br>Los Angeles, CA 90011<br>CAL000110021          | <input type="checkbox"/> CFR<br>33210 Western<br>Union City, CA 94587<br>CAL000091507         | <input type="checkbox"/> Greenleaf Env. Svc.<br>3474 Toyon Circle<br>Valley Springs, CA 95352<br>CAL000214411 |

Source:  Collection Station  Government  
 Marine  Agricultural  Industrial

Generator certifies that it has established a program to reduce the volume or quantity & toxicity of the hazardous waste to the degree determined by generator to be economically practicable.  
**I hereby certify that I have read and have the authority to bind the above listed generator to the terms on the reverse side of this form.**

Retain sample # 5

### IMPORTANT NOTICE REGARDING THE DISPOSITION OF YOUR OIL.

Per California Health and Safety Code Section 25250.9, Evergreen hereby advises customer that customer's shipment of used oil may be transported to a facility that is required to comply with federal regulations applicable to management of used oil, but that is not required to comply with the more stringent requirements applicable to hazardous waste management facilities. California facilities that handle or process used oil are required to meet those more stringent requirements, and some out-of-state facilities that process used oil also meet those requirements. These include more stringent leak detection and prevention requirements, engineering certifications of tank integrity, and financial assurances for closure and accidental releases. It is lawful to send used oil to out-of-state facilities that comply only with federal used oil management standards and not these more stringent requirements. This notification is for information purposes only.

M.O. Miguel Ponsoree 10-25-08 Carl Stoeckle  
Driver Signature Print Name Route # Date Generator's Signature Print Name Date





# Evergreen Environmental Services

dedicated to the protection of the environment

## WORK ORDER/SERVICE AGREEMENT

### Nº 484866

To schedule a pickup, call  
**800-596-9455**

Send payment to:

Sales Order # 198057

6880 Smith Ave., Newark, CA EPA# CAD982413262  
16540 S. San Pedro St., Carson, CA EPA# CAD982413262

Evergreen Oil, Inc.  
P.O. BOX 30517  
Los Angeles, CA 90030-0517

Date: 10-27-08

### GENERATOR/JOB LOCATION

### BILLING INFORMATION

NAME <u>Hansen Aggregates</u>				NAME				CASH <input type="checkbox"/> CHECK <input type="checkbox"/>	
ADDRESS <u>2000 Bush Rd</u>				ADDRESS				#	
CITY <u>Ontario</u>		STATE <u>CA</u>		ZIP <u>91764</u>		CO.		CUSTOMER CODE NO. <u>NAVA 15</u>	
PHONE NO. <u>(951) 265-1117</u>				PHONE NO. ( )		PROFILE NO.		PO #	
								CUSTOMER EPA ID NO. <u>16600192015</u>	

PRODUCT	WASTE CODE	MANIFEST NUMBER	QUANTITY	UNITS	PRICE	AMOUNT
Used oil, Non-RCRA Hazardous Lubricating	CA221			Gal.		
Waste, Liquid Industrial	CA221			Gal.		
Used Automotive Antifreeze, Non-RCRA Hazardous Waste Liquid	CA134			Gal.		
RQ Waste Combustible Liquid, N.O.S. NA 1993 III (Oil contaminated with halogens)	CA221 F001/F002			Gal.		
Oil & Water, Non-RCRA Hazardous Waste Liquid	CA221	<u>17119572</u>	<u>25</u>	Gal.	<u>.95</u>	<u>23.75</u>
Waste Solids and Sludges				Gal.		
Wash Out			<u>1</u>	Each	<u>153</u>	<u>153.00</u>
Drained Used Oil Filters				Drum		
Non-RCRA Hazardous Waste Solids (oily debris)	CA223			Drum		
Empty Drums				Drum		
Transportation			<u>21</u>	Hrs.	<u>65</u>	<u>65.00</u>
Non Hazardous Water				Gal.		
Glycol Bulk 50/50				Gal.		
Glycol Bulk Conc.				Gal.		
TEST: <input type="checkbox"/> Clor D Tech 4000 _____ ppm <input type="checkbox"/> Clor D Tech 1000 <input type="checkbox"/> Pass <input type="checkbox"/> Fail <input type="checkbox"/> Halogen Detector/Flame Test <input type="checkbox"/> Pass <input type="checkbox"/> Fail						
Field Service Work Description:						Total Charges
Other:						
Other:						
Vacuum Services Time						
Out of Yard _____ On Site _____ Off Site _____ Off Load Start _____ Off Load End _____ Return to Yard _____						<u>238.75</u>

### TSDF

### Consolidated Manifest

<input checked="" type="checkbox"/> Evergreen Oil, Inc. 6880 Smith Ave. Newark, CA 94560 CAD980887418	<input type="checkbox"/> Evergreen Env. Svc. Road 30B Davis, CA 95616 CAD982446874	<input type="checkbox"/> Evergreen Env. Svc. 4139 N. Valentine Fresno, CA 93722 CAD982446882	<input type="checkbox"/> AJS Filter 15131 Clark Ave. Industry, CA 91745 CAD000097432	<input type="checkbox"/> _____ _____
<input type="checkbox"/> Evergreen Env. Svc. 16604 S. San Pedro Carson, CA 90746 CAD981696420	<input type="checkbox"/> Evergreen Env. Svc. 745 A West Betteravia Santa Maria, CA 93454 CAD982446858	<input type="checkbox"/> CFR 944 E. Slauson Ave. Los Angeles, CA 90011 CAL000110021	<input type="checkbox"/> CFR 33210 Western Union City, CA 94587 CAL000091507	<input type="checkbox"/> Greenleaf Env. Svc. 3474 Toyon Circle Valley Springs, CA 95352 CAL000214411

Source:  Collection Station  Government  
 Marine  Agricultural  Industrial

Generator certifies that it has established a program to reduce the volume or quantity & toxicity of the hazardous waste to the degree determined by generator to be economically practicable.

**I hereby certify that I have read and have the authority to bind the above listed generator to the terms on the reverse side of this form.**

Retain sample # \_\_\_\_\_

### IMPORTANT NOTICE REGARDING THE DISPOSITION OF YOUR OIL.

Per California Health and Safety Code Section 25250.9, Evergreen hereby advises customer that customer's shipment of used oil may be transported to a facility that is required to comply with federal regulations applicable to management of used oil, but that is not required to comply with the more stringent requirements applicable to hazardous waste management facilities. California facilities that handle or process used oil are required to meet those more stringent requirements, and some out-of-state facilities that process used oil also meet those requirements. These include more stringent leak detection and prevention requirements, engineering certifications of tank integrity, and financial assurances for closure and accidental releases. It is lawful to send used oil to out-of-state facilities that comply only with federal used oil management standards and not these more stringent requirements. This notification is for information purposes only.

Driver Signature \_\_\_\_\_ Print Name \_\_\_\_\_ Route # \_\_\_\_\_ Date \_\_\_\_\_ Generator's Signature \_\_\_\_\_ Print Name \_\_\_\_\_ Date \_\_\_\_\_

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator ID Number <i>CA1000032095</i>	2. Page 1 of <i>1</i>	3. Emergency Response Phone <i>1-800-424-9300</i>	4. Manifest Tracking Number <b>004478119 JJK</b>		
5. Generator's Name and Mailing Address <i>Hanson Associates 3000 Bush Rd Pleasanton CA 94566</i>			Generator's Site Address (if different than mailing address)				
Generator's Phone: <i>925-726-4117</i>							
6. Transporter 1 Company Name <b>EVERGREEN ENVIRONMENTAL SERVICES</b>			U.S. EPA ID Number <i>CA0802413232</i>				
7. Transporter 2 Company Name			U.S. EPA ID Number				
8. Designated Facility Name and Site Address <b>EVERGREEN OIL, INC. 5900 SMITH AVENUE NEWARK CA 94560</b>			U.S. EPA ID Number <i>CA080387418</i>				
Facility's Phone: <i>510-785-4400</i>							
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes	
		No.	Type				
1.	<b>NON-RCRA HAZARDOUS WASTE, LIQUID (oil + water)</b>	<i>001</i>	<i>TT</i>	<i>25</i>	<i>0</i>	<i>213</i>	
2.							
3.							
4.							
14. Special Handling Instructions and Additional Information <b>PROFILE # _____ INVOICE # 424466</b> <b>DOT ERG# 171 WEAR PROTECTIVE CLOTHING SALES ORDER # 172057</b>							
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.							
Generator's/Officer's Printed/Typed Name <i>V DELIA SIOSON</i>			Signature <i>[Signature]</i>		Month <i>10</i>	Day <i>27</i>	Year <i>06</i>
16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____							
17. Transporter Acknowledgment of Receipt of Materials							
Transporter 1 Printed/Typed Name <i>Tom L Powell</i>			Signature <i>[Signature]</i>		Month <i>10</i>	Day <i>20</i>	Year <i>06</i>
Transporter 2 Printed/Typed Name			Signature		Month	Day	Year
18. Discrepancy							
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection							
18b. Alternate Facility (or Generator) Manifest Reference Number: _____ U.S. EPA ID Number _____							
18c. Signature of Alternate Facility (or Generator) Month Day Year							
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)							
1.	2.	3.	4.				
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a							
Printed/Typed Name			Signature		Month	Day	Year

GENERATOR  
TRANSPORTER INT'L  
DESIGNATED FACILITY



# Evergreen Environmental Services

dedicated to the protection of the environment

## WORK ORDER/SERVICE AGREEMENT

### Nº 466703

To schedule a pickup, call  
**800-596-9455**

Send payment to:  
Evergreen Oil, Inc.  
P.O. BOX 30517

Sales Order # WOC15719

6880 Smith Ave., Newark, CA EPA# CAD982413262  
16540 S. San Pedro St., Carson, CA EPA# CAD982413262

Los Angeles, CA 90030-0517

Date: 11-6-09

### GENERATOR/JOB LOCATION

### BILLING INFORMATION

NAME <u>Hanson Agregata</u>				NAME				CASH <input type="checkbox"/> CHECK <input type="checkbox"/>	
ADDRESS <u>3000 Bush Rd</u>				ADDRESS				CUSTOMER CODE NO. <u>KASAC5</u>	
CITY <u>Pleasanton CA</u>	STATE <u>CA</u>	ZIP <u>94566</u>	CO.	CITY	STATE	ZIP	CO.	PO #	
PHONE NO. <u>(925) 476-4147</u>				PHONE NO. ( )		PROFILE NO.		CUSTOMER EPA ID NO. <u>CA000082095</u>	

PRODUCT	WASTE CODE	MANIFEST NUMBER	QUANTITY	UNITS	PRICE	AMOUNT
Used oil, Non-RCRA Hazardous Lubricating	CA221			Gal.		
Waste, Liquid Industrial	CA221			Gal.		
Used Automotive Antifreeze, Non-RCRA Hazardous Waste Liquid	CA134			Gal.		
RQ Waste Combustible Liquid, N.O.S. NA 1993 III (Oil contaminated with halogens)	CA221 F001/F002			Gal.		
Oil & Water, Non-RCRA Hazardous Waste Liquid	CA221			Gal.		
Waste Solids and Sludges				Gal.		
Wash Out				Each		
Drained Used Oil Filters				Drum		
Non-RCRA Hazardous Waste Solids (oily debris)	CA223			Drum		
Empty Drums				Drum		
Transportation				Hrs.		
Non Hazardous Water		<u>W15920</u>	<u>1500</u>	Gal.	<u>0</u>	<u>0</u>
Glycol Bulk 50/50				Gal.		
Glycol Bulk Conc.				Gal.		
TEST: <input type="checkbox"/> Clor D Tech 4000 _____ ppm <input type="checkbox"/> Clor D Tech 1000 <input type="checkbox"/> Pass <input type="checkbox"/> Fail <input type="checkbox"/> Halogen Detector/Flame Test <input type="checkbox"/> Pass <input type="checkbox"/> Fail						
Field Service Work Description:						Total Charges
Other:						
Other:						
Vacuum Services Time						
Out of Yard _____ On Site _____ Off Site _____ Off Load Start _____ Off Load End _____ Return to Yard _____						

### TSDF

### Consolidated Manifest

<input checked="" type="checkbox"/> Evergreen Oil, Inc. 6880 Smith Ave. Newark, CA 94560 CAD980887418	<input type="checkbox"/> Evergreen Env. Svc. Road 30B Davis, CA 95616 CAD982446874	<input type="checkbox"/> Evergreen Env. Svc. 4139 N. Valentine Fresno, CA 93722 CAD982446882	<input type="checkbox"/> AJS Filter 15131 Clark Ave. Industry, CA 91745 CAD000097432	<input type="checkbox"/> _____ _____
<input type="checkbox"/> Evergreen Env. Svc. 16604 S. San Pedro Carson, CA 90746 CAD981696420	<input type="checkbox"/> Evergreen Env. Svc. 745 A West Betteravia Santa Maria, CA 93454 CAD982446858	<input type="checkbox"/> CFR 944 E. Slauson Ave. Los Angeles, CA 90011 CAL000110021	<input type="checkbox"/> CFR 33210 Western Union City, CA 94587 CAL000091507	<input type="checkbox"/> Greenleaf Env. Svc. 3474 Toyon Circle Valley Springs, CA 95352 CAL000214411

Source:  Collection Station  Government  
 Marine  Agricultural  Industrial

Generator certifies that it has established a program to reduce the volume or quantity & toxicity of the hazardous waste to the degree determined by generator to be economically practicable.

**I hereby certify that I have read and have the authority to bind the above listed generator to the terms on the reverse side of this form.**

Retain sample # \_\_\_\_\_

### IMPORTANT NOTICE REGARDING THE DISPOSITION OF YOUR OIL.

Per California Health and Safety Code Section 25250.9, Evergreen hereby advises customer that customer's shipment of used oil may be transported to a facility that is required to comply with federal regulations applicable to management of used oil, but that is not required to comply with the more stringent requirements applicable to hazardous waste management facilities. California facilities that handle or process used oil are required to meet those more stringent requirements, and some out-of-state facilities that process used oil also meet those requirements. These include more stringent leak detection and prevention requirements, engineering certifications of tank integrity, and financial assurances for closure and accidental releases. It is lawful to send used oil to out-of-state facilities that comply only with federal used oil management standards and not these more stringent requirements. This notification is for information purposes only.

Driver Signature \_\_\_\_\_ Print Name \_\_\_\_\_ Route # \_\_\_\_\_ Date \_\_\_\_\_ Generator's Signature \_\_\_\_\_ Print Name \_\_\_\_\_ Date \_\_\_\_\_

# NON-HAZARDOUS WASTE MANIFEST

EES19

2. Page 1  
of 1

## NON-HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

Manifest Document No. **NH 5920**

3. Generator's Name and Mailing Address  
*Hansen Aggregates  
 3000 Bush Rd  
 Pleasanton, CA 94566*

4. Generator's Phone (*925*) *426 4147*

5. Transporter 1 Company Name

6. US EPA ID Number

**EVERGREEN ENVIRONMENTAL SERVICES**

**CAD982413262**

7. Transporter 2 Company Name

8. US EPA ID Number

9. Designated Facility Name and Site Address

10. US EPA ID Number

**EVERGREEN OIL, INC.**  
 6880 Smith Avenue  
 Newark, CA 94560

**CAD980887418**

A. State Transporter's ID

B. Transporter 1 Phone **510 795-4400**

C. State Transporter's ID

D. Transporter 2 Phone

E. State Facility's ID

F. Facility's Phone

**510 795-4400**

11. WASTE DESCRIPTION

12. Containers

13. Total Quantity

14. Unit Wt./Vol.

a. Non-Hazardous waste, liquid

No.	Type
001	TT

*1500*

G

b.

c.

d.

G. Additional Descriptions for Materials Listed Above

H. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

Profile # \_\_\_\_\_  
 Do not ingest  
 Wear protective clothing  
 In case of emergency call: CHEMTREC 800-424-9300  
 DOT ERG 171

Invoice: *466703*  
 Sales Order: *woc15718*

16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.

Printed/Typed Name

*Carl Stocke*

Signature

*Carl Stocke*

Date

Month Day Year  
*11 6 08*

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

*Eric Cunningham*

Signature

*[Signature]*

Date

Month Day Year  
*11 6 08*

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.

Printed/Typed Name

Signature

Date

Month Day Year

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



# Evergreen Environmental Services

Containerized Services

*dedicated to the protection of the environment*

To schedule a pickup, call

Send payment to:

No 30037

800-596-9455

Evergreen Oil, Inc.  
P.O. BOX 30517

Sales Order # \_\_\_\_\_

6880 Smith Ave., Newark, CA EPA# CAD982413262  
16540 S. San Pedro St., Carson, CA EPA# CAD982413262

Los Angeles, CA 90030-0517

Date: 11/10/08

**GENERATOR/JOB LOCATION**

**BILLING INFORMATION**

NAME <u>Hanson Aggregates</u>	NAME	CASH <input type="checkbox"/> CHECK <input type="checkbox"/>
ADDRESS <u>3000 Busch Rd</u>	ADDRESS	#
CITY STATE ZIP CO. <u>Pleasanton CA 94566</u>	CITY STATE ZIP CO.	CUSTOMER CODE NO. <u>KA SA 05</u>
PHONE NO. ( )	PHONE NO. ( )	PO #
	PROFILE NO.	CUSTOMER EPA ID NO.

PRODUCT	WASTE CODE	MANIFEST NUMBER	QUANTITY	UNITS	PRICE	AMOUNT
Waste Latex Paint (Non-RCRA)						
Waste Latex Paint (Non-RCRA)						
Waste Paint Related (Flammables oil based)						
Waste Paint Related (Flammables oil based)						
Waste Aerosols Cans						
Non-RCRA Hazardous Waste, Solid (Soil, Debris contaminated with petroleum hydrocarbons)						
Non-RCRA Hazardous Waste, Solid (Soil, Debris contaminated with petroleum hydrocarbons)	<u>223</u>	<u>0040004/0</u>	<u>3</u>	<u>DM55</u>		<u>CP</u>
Waste Corrosive Liquids, n.o.s.						
Waste Flammable Liquids, n.o.s.						
Waste Flammable Liquids, n.o.s.	<u>213 214 200 F003</u>	<u>0040004/0</u>	<u>1</u>	<u>DM55</u>		<u>CP</u>
Non-RCRA Hazardous Waste, Liquid						
Non-RCRA Hazardous Waste, Liquid						
Waste Toxic Liquids or Solids (Class 9)						
Waste Oxidizing Liquids or Solids						
Drained Used Oil Filters						
Empty Drums						
Non Hazardous Water			<u>4</u>	<u>DM55/X3000</u>		<u>CP</u>
Non Hazardous Water						
Non Hazardous Solids						
Non Hazardous Solids						
Glycol Bulk 50/50						
Glycol Bulk Conc.						
<u>See Gerrardo C.</u>						
<u>For Pricing</u>						

**TSDF**

Evergreen Oil, Inc. 6880 Smith Ave. Newark, CA 94560 CAD980887418  
 CFR 33210 Western Union City, CA 94587 CAL000091507  
 \_\_\_\_\_

Source:  Collection Station  Government  
 Marine  Agricultural  Industrial

Generator certifies that it has established a program to reduce the volume or quantity & toxicity of the hazardous waste to the degree determined by generator to be economically practicable.  
**I hereby certify that I have read and have the authority to bind the above listed generator to the terms on the reverse side of this form.**

Retain sample # \_\_\_\_\_

TOTAL CHARGES  
CP

**IMPORTANT NOTICE REGARDING THE DISPOSITION OF YOUR OIL.**

Per California Health and Safety Code Section 25250.9, Evergreen hereby advises customer that customer's shipment of used oil may be transported to a facility that is required to comply with federal regulations applicable to management of used oil, but that is not required to comply with the more stringent requirements applicable to hazardous waste management facilities. California facilities that handle or process used oil are required to meet those more stringent requirements, and some out-of-state facilities that process used oil also meet those requirements. These include more stringent leak detection and prevention requirements, engineering certifications of tank integrity, and financial assurances for closure and accidental releases. It is lawful to send used oil to out-of-state facilities that comply only with federal used oil management standards and not these more stringent requirements. This notification is for information purposes only.

Albert Hobson 11/10/08 Lee W. ... LEE COVER 11/10/08  
 Driver Signature Print Name Route # Date Generator's Signature Print Name Date

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator ID Number <i>CA1000232095</i>		2. Page 1 of 1		3. Emergency Response Phone <i>1800-424-8300</i>		4. Manifest Tracking Number <b>004000410 JJK</b>				
		5. Generator's Name and Mailing Address <i>Hanson Aggregate 3000 Busch Rd Flowerton, Ca 94564</i>						Generator's Site Address (if different than mailing address)				
6. Transporter 1 Company Name <i>Evergreen Environmental Services</i>						U.S. EPA ID Number <i>CA1002413262</i>						
7. Transporter 2 Company Name						U.S. EPA ID Number						
8. Designated Facility Name and Site Address <i>Evergreen Oil, Inc. 6600 Smith Ave. Newark, Ca. 94560</i>						U.S. EPA ID Number <i>CAD993897418</i>						
Facility's Phone: <i>510-785-4000</i>												
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes						
		No.	Type									
	1. <i>NON RCRA Hazardous waste in 20603 Perculum Hydrochloric</i>	<i>3</i>	<i>DM</i>	<i>600</i>	<i>P</i>	<i>223</i>						
	2. <i>WASTE PAINT RELATED MATERIAL 3 UN 1263 II MERCURY SPILLS</i>	<i>1</i>	<i>DM</i>	<i>200</i>	<i>P</i>	<i>213</i>	<i>214</i>	<i>207</i>	<i>F223</i>	<i>F205</i>		
	3.											
	4.											
14. Special Handling Instructions and Additional Information <i>96-1 ERG# 171 Pro tie # 29793</i> <i>96-2 ERG# 128 Pro tie # 29796</i>												
15. <b>GENERATOR'S/OFFEROR'S CERTIFICATION:</b> I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.												
Generator's/Offoror's Printed/Typed Name <i>LEE COVER</i>						Signature <i>[Signature]</i>			Month <i>11</i>		Day <i>10</i>	Year <i>08</i>
16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____												
17. Transporter Acknowledgment of Receipt of Materials												
Transporter 1 Printed/Typed Name <i>Albert [Signature]</i>						Signature <i>[Signature]</i>			Month <i>11</i>		Day <i>10</i>	Year <i>08</i>
Transporter 2 Printed/Typed Name						Signature			Month		Day	Year
18. Discrepancy												
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection												
Manifest Reference Number:												
18b. Alternate Facility (or Generator)						U.S. EPA ID Number						
Facility's Phone:												
18c. Signature of Alternate Facility (or Generator)									Month		Day	Year
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)												
1.			2.			3.			4.			
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a												
Printed/Typed Name						Signature			Month		Day	Year

# NON-HAZARDOUS WASTE MANIFEST

EES20

<b>NON-HAZARDOUS WASTE MANIFEST</b>		1. Generator's US EPA ID No. <b>CAL000 032 095</b>		Manifest Document No. <b>NH 5205</b>		2. Page 1 of 1	
3. Generator's Name and Mailing Address <b>Hanson Aggregates 3000 BUSCH RD. Pleasanton CA 94566</b>							
4. Generator's Phone <b>(925) 426-4197</b>		6. US EPA ID Number		A. State Transporter's ID <b>CAD 982 413262</b>			
5. Transporter 1 Company Name <b>EVERGREEN ENVIRONMENTAL SERVICES</b>		8. US EPA ID Number		B. Transporter 1 Phone <b>(510) 795 4400</b>			
7. Transporter 2 Company Name		10. US EPA ID Number		C. State Transporter's ID		D. Transporter 2 Phone	
9. Designated Facility Name and Site Address <b>Evergreen Oil INC 6880 Smith Ave Newark CA 94560</b>				E. State Facility's ID <b>CAD 980 887 418</b>		F. Facility's Phone <b>(510) 795-4400</b>	
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	14. Unit Wt./Vol.
				No.	Type		
a. <b>Non hazardous waste Liquid (purge water)</b>				<b>4</b>	<b>DM</b>	<b>170</b>	<b>G</b>
b.							
c.							
d.							
G. Additional Descriptions for Materials Listed Above				H. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information							
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.							
Printed/Typed Name <b>LEE COVER</b>				Signature <i>Lee W. Cover</i>		Date <b>11/10/08</b>	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Albert Hobson</i>		Date <b>11/10/08</b>	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator: Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.				Signature		Date	
Printed/Typed Name				Signature		Date Month Day Year	

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

## **APPENDIX D**

### **Micro Analytical Laboratories Report**



# MICRO ANALYTICAL LABORATORIES, INC.

## BULK ASBESTOS ANALYSIS - PLM (EPA/600/R-93/116, 1993)

1126  
Daren Roth  
Levine-Fricke-Recon  
1900 Powell Street, 12th Floor  
Emeryville, CA 94608-1827

PROJECT:  
**HANSON RADON**  
JOB NO. 001-09587-02

Micro Log In **117574**  
Total Samples 4  
Date Sampled 10/21/2008  
Date Received 10/21/2008  
Date Analyzed 10/21/2008

### ASBESTOS INFORMATION

#### SAMPLE IDENTIFICATION

#### QUANTITY (AREA %) / TYPES / LAYERS / DISTINCT SAMPLES

#### DOMINANT OTHER MATERIALS

Client: <b>880082</b> Micro: 117574-01 Analyst: GR WHITE CEILING INSULATION HEAVY EQUIPMENT SHOP WEST SIDE	<b>NONE DETECTED</b>	70 % CELLULOSE 2 % FIBROUS GLASS 10 % SYNTHETIC FIBERS Matrix Type: SYNTHETIC MATERIAL
Client: <b>880083</b> Micro: 117574-02 Analyst: GR WHITE CEILING INSULATION HEAVY EQUIPMENT SHOP EAST SIDE	<b>NONE DETECTED</b>	70 % CELLULOSE 2 % FIBROUS GLASS 10 % SYNTHETIC FIBERS Matrix Type: SYNTHETIC MATERIAL
Client: <b>880084</b> Micro: 117574-03 Analyst: GR WHITE CEILING INSULATION HEAVY EQUIPMENT SHOP SOUTH SIDE	<b>NONE DETECTED</b>	70 % CELLULOSE 2 % FIBROUS GLASS 10 % SYNTHETIC FIBERS Matrix Type: SYNTHETIC MATERIAL
Client: <b>880085</b> Micro: 117574-04 Analyst: GR WHITE CEILING INSULATION HEAVY EQUIPMENT SHOP NORTH SIDE	<b>NONE DETECTED</b>	70 % CELLULOSE 2 % FIBROUS GLASS 10 % SYNTHETIC FIBERS Matrix Type: SYNTHETIC MATERIAL

Technical Supervisor: 

10/21/2008

Gamini Ranatunga, Ph.D.

Date Reported

Asbestos is quantified by calibrated visual estimation. Detection limit is material dependent. Detection of asbestos traces (much less than 1%) may not be reliable or reproducible by PLM. Weight % cannot be determined by PLM. Asbestos with diameter below ~1 µm may not be detected by PLM. Absence of asbestos in dust, debris, and some compact materials, including floor tiles, cannot be conclusively established by PLM, and should be confirmed by Transmission Electron Microscopy (TEM). The lower quantitation limit (reporting limit) of PLM estimation is 1%. The Cal-OSHA definition of asbestos-containing construction material is 0.1% asbestos; however, reliable determination of asbestos percent at this level cannot be done by PLM estimation; PLM Point Counting or TEM is recommended. Only dominant non-asbestos materials are indicated. Interferences may prevent detection of small asbestos fibers, and hinder determination of some optical properties. Sample heterogeneity is indicated by listing more than one distinct layer or material on the report. Layers are analyzed separately when feasible; if asbestos is detected, percentages are reported for individual layers. Interlayer contamination is possible among any layers in a sample. Composite asbestos percentages are applicable only to wallboard / joint compound systems; compositing is based on customers' descriptions of material as "joint compound". Customers are solely responsible for identification and description of bulk materials listed on field forms. Laboratory descriptions may differ from those given by customers. Quality Control (QC) Codes: A1/A2 = results within acceptance limits; F = false positive or negative corrected, reanalysis within acceptance limits; M = Method error resolved (for trace amounts); R = Other, resolved after review. Accreditation: NIST / NVLAP (Lab Code 101872-0). CA ELAP Certification #1037. EPA 1993 method is based on EPA Interim Method (1982), with improved analytical techniques. Unless otherwise stated herein, all samples were received in acceptable condition for analysis. This report must not be used to claim product endorsement by NIST or any U.S. Government agency. This report shall not be reproduced without the approval of Micro Analytical Laboratories, Inc., shall not be reproduced except in full, and pertains only to the samples analyzed. ND = NO ASBESTOS DETECTED.

5900 HOLLIS STREET, SUITE M - EMERYVILLE, CA 94608 - (510) 653-0824

Client ID #

MICRO ANALYTICAL LABORATORIES, INC.

Log in #

117574

Name / Client / Address:

5900 Hollis St., Suite M, Emeryville, CA 94608

(510) 653-0824 - (510) 653-1361 - FAX

LFR Inc

1900 Powell St, 12th Floor, Emeryville, Ca 94608

Tel. (510) 596-9558

Fax (510) 652-2246

E-mail daren.roth@lfr.com

Project

Hanson Radon

Asbestos (TEM)

Asbestos PLM - Bulk

Lead Only

Metals (Specify)

Mold, Non-Viable

Other (Specify)

Number of Samples

4

Turn-Around Time

24 HOURS

Micro ID #

(For Lab Use Only)

Client Sample ID#

Description

Date Sampled

Time Sampled Start / Stop / Total Minutes

Average LPM

Total Liters

Filter Pore Size

Micro ID # (For Lab Use Only)	Client Sample ID#	Description	Date Sampled	Time Sampled Start / Stop / Total Minutes	Average LPM	Total Liters	Filter Pore Size
a	880082	white ceiling insulation, heavy equipment shop, west side	10/21/08	: : 0		0.00	
n	880083	white ceiling insulation, heavy equipment shop, east side	10/21/08	: : 0		0.00	
ay	880084	white wall insulation, heavy equipment shop, south side	10/21/08	: : 0		0.00	
d	880085	white wall insulation, heavy equipment shop, north side	10/21/08	: : 0		0.00	
				: : 0		0.00	
				: : 0		0.00	
				: : 0		0.00	
				: : 0		0.00	
				: : 0		0.00	
				: : 0		0.00	
				: : 0		0.00	

Instructions / Comments:

Fax

E-mail To: daren.roth@lfr.com and to Ron Golubow at ron.golubowa@lfr.com

Sample Return: YES  NO

If "YES" is checked, samples will be returned to the client or archived at Micro Analytical if required. If "NO" is checked, solid samples may be disposed of within three months (one week for liquid samples, lab suspensions, and digestates).

Sampler's Signature / Name

Daren C Roth / Daren C Roth

Note to Lab: If any samples are not acceptable, record reasons for rejection.

Drop Box / Courier

Relinquished By

Daren C Roth

Date / Time

10/21/08 0915

Received By

[Signature]

Date / Time

10-21-08 9:18

Relinquished By

Date/Time

Received By

Date / Time