

RECEIVED

By Alameda County Environmental Health at 2:31 pm, Jan 09, 2014

SCANLAN KEMPER BARD COMPANIES
REAL ESTATE PRIVATE EQUITY

December 18, 2013

881.060.03.010

Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502

Attention: Mr. Jerry Wickham

**Transmittal
Groundwater Monitoring Report, Second Semi-Annual 2013 Event
Sparkle Cleaners
Eastmont Town Center
7000 Bancroft Avenue
Oakland, California
SLIC Case RO0002942**


Dear Mr. Wickham:

Submitted herewith for your review is the Groundwater Monitoring Report for the Second Semi-Annual 2013 Event, prepared by PES Environmental, Inc.

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

Yours very truly,

Eastmont Oakland Associates, LLC



James V. Paul
Executive Vice President – Asset Management

cc: Gary Thomas – PES Environmental, Inc.
Ms. Beena Standig – Cushman & Wakefield

88106003T010.docx



A Report Prepared for:


Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502


Attention: Mr. Jerry Wickham

**GROUNDWATER MONITORING REPORT
SECOND SEMI-ANNUAL 2013 EVENT
SPARKLE CLEANERS
EASTMONT TOWN CENTER
7000 BANCROFT AVENUE
OAKLAND, CALIFORNIA**


JANUARY 6, 2014

By:





Gary Thomas, P.G.
Senior Geologist



William W. Mast, P.G.
Principal Engineer

881.060.03.010

TABLE OF CONTENTS

LIST OF TABLES	iii
LIST OF ILLUSTRATIONS	iii
1.0 INTRODUCTION	1
2.0 BACKGROUND INFORMATION	1
3.0 SITE DESCRIPTION	2
4.0 GROUNDWATER MONITORING WELL SAMPLING ACTIVITIES	2
4.1 Depth to Groundwater Measurements	2
4.2 Monitoring Well Sampling	2
5.0 GROUNDWATER MONITORING RESULTS	3
5.1 Groundwater Elevation Measurements	3
5.2 Groundwater Sample Analytical Results	3
5.3 Quality Assurance/Quality Control Assessment of Chemical Data.....	4
6.0 SUMMARY	4
7.0 REFERENCES	4

TABLES

ILLUSTRATIONS

APPENDICES	A	MONITORING WELL SAMPLING FORMS
	B	LABORATORY ANALYTICAL REPORT AND CHAIN-OF-CUSTODY DOCUMENTATION

DISTRIBUTION

LIST OF TABLES

Table 1	Groundwater Monitoring Well Construction Details
Table 2	Groundwater Elevation Data
Table 3	Summary of Analytical Results for Groundwater Monitoring Well Samples

LIST OF ILLUSTRATIONS

Plate 1	Site Location Map
Plate 2	Interpretive Groundwater Potentiometric Surface Map – September 27, 2013

1.0 INTRODUCTION

This report presents the results of groundwater monitoring activities conducted during the second semi-annual 2013 monitoring event at the Sparkle Cleaners facility (Site). The Site is located at 7000 Bancroft Avenue, Oakland, California and is situated in the northwest portion of Eastmont Town Center (Plates 1 and 2). Sparkle Cleaners is an active dry-cleaning facility. Until December 2008, tetrachloroethene (PCE) was used as the dry-cleaning solvent. At that time the PCE-based equipment was decommissioned, removed from the property, and replaced with new clothes cleaning equipment that utilizes “wet-cleaning” technology with a soy-based cleaner (i.e., no hazardous chemicals are used or stored on the Site). This report has been prepared for the Alameda County Environmental Health Department (ACEH) by PES Environmental, Inc. (PES) on behalf of SKB – Eastmont Oakland Associates, LLC (SKBEOA), the property owner.

2.0 BACKGROUND INFORMATION

The groundwater monitoring activities were conducted in accordance with the Remedial Action Workplan (RAW) that was approved by ACEH in a letter dated February 27, 2007 (PES, 2007a; ACEH, 2007a). The scope of work in the RAW also included removing the source of PCE soil contamination beneath Sparkle Cleaners and installing four groundwater monitoring wells. Excavation activities to remove the source of PCE in soil were successfully completed in July 2007 and documented in the report titled *Post-Remediation Report, Voluntary Soil Remediation, Sparkle Cleaners, Eastmont Town Center, 7000 Bancroft Avenue, Oakland, California* (PES, 2007b) that was previously submitted to ACEH. The groundwater monitoring wells were installed in July 2007 and the baseline groundwater sampling event was conducted in August 2007. The details of the well installations and the results of the baseline sampling event are presented in the *Third Quarter 2007 Groundwater Monitoring Report* (PES, 2007c). In a letter dated October 4, 2007, ACEH provided comments on the *Post-Remediation Report* and requested additional analytical testing during two quarters of groundwater monitoring (ACEH, 2007b). After four quarters of groundwater monitoring were completed in June 2008, PES recommended that the frequency of monitoring be reduced to a semi-annual basis (PES, 2008). ACEH agreed with this recommendation in a letter dated October 23, 2008 (ACEH, 2008).

As described in the RAW, the purpose of the groundwater monitoring is to: (1) document the initial concentrations of volatile organic compounds (VOCs) in the newly installed wells at the Site; (2) monitor groundwater flow directions(s), gradient, and seasonal fluctuations; (3) evaluate the groundwater chemical response to the removal of the source of contamination; and (4) verify that groundwater quality down gradient of Sparkle Cleaners is not declining.

3.0 SITE DESCRIPTION

The Sparkle Cleaners tenant space (Suite 11) covers approximately 1,800 square feet in the northwest portion of Eastmont Town Center (Plate 2). The area in front (north) of Sparkle Cleaners includes storefront parking and a mall driveway. The rear (south) of the tenant space opens into a common hallway that traverses the width of the building from east to west. An alleyway is located approximately 20 feet to the east.

The ground surface elevation at Sparkle Cleaners is approximately 60 feet above mean seal level (MSL). The Site topography slopes gently to the southwest. To the east and northeast of the Site, the topography steepens and continues to rise to approximately 360 feet MSL (Plate 1).

4.0 GROUNDWATER MONITORING WELL SAMPLING ACTIVITIES

Groundwater monitoring activities for the current event consisted of: (1) collection of depth to groundwater measurements and calculation of groundwater elevations; (2) groundwater sample collection; and (3) laboratory analysis of the samples for halogenated VOCs. Field activities were conducted by Blaine Tech Services (BTS) of San Jose, California on September 27, 2013¹. Construction details for the four monitoring wells are provided in Table 1.

4.1 Depth to Groundwater Measurements

Depth-to-groundwater measurements were obtained for the monitoring wells using an electronic water-level indicator and recorded to the nearest 0.01-foot. The portion of the water-level indicator that was submerged in the wells was cleaned with a solution of Alconox and deionized (DI) water, and then rinsed with DI water between measurements. Decontamination fluids were stored temporarily on the Site in a DOT-approved 55-gallon drum pending off-Site disposal. Depth-to-groundwater data were converted to groundwater elevations referenced to mean sea level and are presented in Table 2. Groundwater elevation contours are presented on Plate 2.

4.2 Monitoring Well Sampling

After collecting water-level data, BTS collected monitoring well samples for laboratory analysis. Three casing volumes of groundwater were purged from the wells prior to collecting the samples. The wells were purged using a positive air displacement pump for each well. Samples were collected using a disposable bailer and decanted into laboratory-provided sample containers. Groundwater temperature, pH, conductivity, and turbidity were monitored during purging. The BTS monitoring well sampling forms are presented in Appendix A.

¹ Because well MW-02 was not accessible on September 27, the depth-to-groundwater measurement and sample were collected on October 4.

The samples were transported to TestAmerica Laboratories, Inc. (TestAmerica) under chain-of-custody protocol and analyzed for halogenated VOCs (8010 list) using U.S. Environmental Protection Agency (EPA) Test Method 8260B.

5.0 GROUNDWATER MONITORING RESULTS

5.1 Groundwater Elevation Measurements

Groundwater elevations measured during the current monitoring event ranged from 23.82 feet MSL in well MW-01 to 34.07 feet MSL in well MW-02 (see Table 2 and Plate 2). As indicated on Plate 2, the elevation data from well MW-02 is not used for contouring because the groundwater elevation in this well is significantly higher than the elevations in the other wells. As described in the previous monitoring reports, the cause of the higher water-level elevation at well MW-02 appears to be from a screen interval that is at least 9 feet shallower (i.e., relative to the ground surface) than the other three wells. Well MW-2 was constructed in this manner because groundwater was observed at a shallower depth while drilling the borehole for this well.

Based on the groundwater elevation data from wells MW-01, MW-03, and MW-04, the hydraulic gradient during the current monitoring event was approximately 0.041 foot per foot to the west (see Plate 2). In addition, the analytical results discussed below suggest a westerly to northwesterly direction for groundwater flow.

5.2 Groundwater Sample Analytical Results

The analytical results for the groundwater samples collected during the current monitoring event are summarized below and presented in Table 3. The laboratory analytical report and chain-of-custody documentation are provided in Appendix B.

PCE was detected in three of the four monitoring wells at concentrations ranging from 1.6 micrograms per liter ($\mu\text{g/L}$) in well MW-03 to 120 $\mu\text{g/L}$ in well MW-01 (PCE was also detected at 120 $\mu\text{g/L}$ in the duplicate sample from well MW-01). TCE was detected at concentrations of 3.1 and 0.91 $\mu\text{g/L}$ in wells MW-01 and MW-02, respectively. Cis-1,2-dichloroethene (cis-1,2-DCE) was detected at a concentration of 0.68 $\mu\text{g/L}$ in well MW-03. No other VOCs were detected at concentrations exceeding laboratory reporting limits in the samples from wells MW-01 through MW-03, and no VOCs were detected in well MW-04 (Table 3).

The distribution of PCE and TCE in groundwater is consistent with the observed westerly groundwater flow direction, and with prior monitoring data.

5.3 Quality Assurance/Quality Control Assessment of Chemical Data

The quality of the chemical data reported by TestAmerica was assessed from the results of internal laboratory spike and method blank. The data are within acceptable recovery limits. The results for the duplicate sample collected at MW-01 indicate good reproducibility with PCE and TCE detected in both the regular and duplicate sample. The relative percent differences for the PCE and TCE concentrations detected in this sample are 0 and 3.3 percent, respectively. The water samples were analyzed within acceptable EPA holding times. The data from TestAmerica are considered to be representative and of good quality.

6.0 SUMMARY

The second semi-annual 2013 groundwater monitoring event has been conducted in accordance with approved procedures.

Based on the groundwater elevation data from wells MW-01, MW-03, and MW-04, groundwater flow at the Site during this sampling event continues to be westerly (see Plate 2). The only VOC constituents detected above laboratory reporting limits in groundwater during this monitoring event were PCE, TCE, and cis-1,2-DCE. The maximum concentrations of PCE and TCE were detected in well MW-01 at 120 $\mu\text{g/L}$ and 3.1 $\mu\text{g/L}$, respectively. PCE and TCE were also detected at 120 $\mu\text{g/L}$ and 3.0 $\mu\text{g/L}$, respectively, in the duplicate sample from well MW-01. These concentrations are generally similar to those observed during previous monitoring events. Groundwater monitoring data collected since removal of the vadose zone source area in 2007 indicate that VOC concentrations are fairly stable in downgradient monitoring wells MW-01 and MW-02.

The next monitoring event is scheduled for March 2013.

7.0 REFERENCES

Alameda County Environmental Health (ACEH), 2007a. *SLIC Case RO0002942 and Geotracker Global ID SLT19735483, Sparkle Cleaners, 7000 Bancroft Avenue, Oakland, CA 94605 – Work Plan Approval*. February 27.

ACEH, 2007b. *SLIC Case RO0002942 and Geotracker Global ID SLT19735483, Sparkle Cleaners, 7000 Bancroft Avenue, Oakland, CA 94605 – Post-Remediation Report Review*. October 4.

ACEH, 2008. *SLIC Case RO0002942 and Geotracker Global ID SLT19735483, Sparkle Cleaners, 7000 Bancroft Avenue, Oakland, CA 94605 – Post-Remediation Report Review*. October 23.

ACEH, 2009. *SLIC Case RO0002942 and Geotracker Global ID SLT19735483, Sparkle Cleaners, 7000 Bancroft Avenue, Oakland, CA 94605 – Groundwater Monitoring.* September 4.

PES Environmental, Inc. (PES), 2007a. *Remedial Action Workplan, Voluntary Soil Remediation, Sparkle Cleaner, Eastmont Town Center, 7000 Bancroft Avenue, Oakland, California.* January 5.

PES, 2007b. *Post-Remediation Report, Voluntary Soil Remediation, Sparkle Cleaners, Eastmont Town Center, 7000 Bancroft Avenue, Oakland, California.* September 9.

PES, 2007c. *Third Quarter 2007 Groundwater Monitoring Report, Sparkle Cleaners, Eastmont Town Center, 7000 Bancroft Avenue, Oakland, California.* October 8.

PES, 2008. *Second Quarter 2008 Groundwater Monitoring Report, Sparkle Cleaners, Eastmont Town Center, 7000 Bancroft Avenue, Oakland, California.* September 29.

TABLES

Table 1
Groundwater Monitoring Well Construction Details
Sparkle Cleaners
Eastmont Town Center
7000 Bancroft Avenue
Oakland, California

Well ID	Date Completed	Top of Casing Elevation (feet MSL)	Borehole Diameter (inches)	Borehole Depth (feet bgs)	Well Depth (feet bgs)	Casing Diameter (inches)	Screen Interval (feet bgs)	Sand Filter Pack Interval (feet bgs)	Screen Slot Size (inches)
MW-01	7/23/2007	49.51	8	47	47	2	31.5 to 46.5	29.5 to 47	0.020
MW-02	7/24/2007	49.07	8	36.5	35	2	19.5 to 34.5	17.5 to 36.5	0.020
MW-03	7/24/2007	50.43	8	44	44	2	28.5 to 43.5	26.5 to 44	0.020
MW-04	7/23/2007	49.81	8	48.5	48.5	2	33 to 48	31 to 48.5	0.020

Note:

bgs - Below ground surface

MSL - Mean sea level

Table 2
Groundwater Elevation Data
Sparkle Cleaners
Eastmont Town Center
7000 Bancroft Avenue
Oakland, California

Well ID	Date Measured	Top of Casing Elevation (feet MSL)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet MSL)
MW-01	8/7/2007	49.51	23.62	25.89
MW-01	11/19/2007	49.51	24.85	24.66
MW-01	2/6/2008	49.51	22.93	26.58
MW-01	5/15/2008	49.51	23.52	25.99
MW-01	11/19/2008	49.51	26.80	22.71
MW-01	5/14/2009	49.51	23.92	25.59
MW-01	1/5/2010	49.51	25.64	23.87
MW-01	5/20/2011	49.51	21.02	28.49
MW-01	3/18/2013	49.51	23.40	26.11
MW-01	9/27/2013	49.51	25.69	23.82
MW-02	8/7/2007	49.07	14.30	34.77
MW-02	11/19/2007	49.07	14.83	34.24
MW-02	2/6/2008	49.07	14.11	34.96
MW-02	5/15/2008	49.07	13.07	36.00
MW-02	11/19/2008	49.07	17.57	31.50
MW-02	5/14/2009	49.07	14.21	34.86
MW-02	1/5/2010	49.07	15.05	34.02
MW-02	5/20/2011	49.07	10.28	38.79
MW-02	3/18/2013	49.07	13.02	36.05
MW-02	10/4/2013	49.07	15.00	34.07
MW-03	8/7/2007	50.43	17.82	32.61
MW-03	11/19/2007	50.43	24.70	25.73
MW-03	2/6/2008	50.43	22.86	27.57
MW-03	5/15/2008	50.43	22.27	28.16
MW-03	11/19/2008	50.43	23.64	26.79
MW-03	5/14/2009	50.43	22.37	28.06
MW-03	1/5/2010	50.43	24.00	26.43
MW-03	5/20/2011	50.43	18.31	32.12
MW-03	3/18/2013	50.43	18.93	31.50
MW-03	9/27/2013	50.43	20.26	30.17
MW-04	8/7/2007	49.81	22.43	27.38
MW-04	11/19/2007	49.81	23.81	26.00
MW-04	2/6/2008	49.81	22.80	27.01
MW-04	5/15/2008	49.81	22.32	27.49
MW-04	11/19/2008	49.81	25.60	24.21
MW-04	5/14/2009	49.81	23.50	26.31
MW-04	1/5/2010	49.81	24.52	25.29
MW-04	5/20/2011	49.81	19.39	30.42
MW-04	3/18/2013	49.81	22.07	27.74
MW-04	9/27/2013	49.81	24.81	25.00

Note:

MSL - Mean sea level

BTOC - Below top of casing

Table 3
Summary of Analytical Results for Groundwater Monitoring Well Samples
Sparkle Cleaners
Eastmont Town Center
7000 Bancroft Avenue
Oakland, California

Sample Location	Sample Date	Petroleum Hydrocarbons		Volatile Organic Compounds									
		TPHg (µg/L)	TPHd (µg/L)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Naphthalene (µg/L)	MTBE (µg/L)	TAME (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	Other VOCs (µg/L)
MW-01	8/7/2007	NA	NA	60	3.1	ND (0.50)	NA	NA	NA	NA	NA	NA	ND
MW-01 ^(D)	8/7/2007	NA	NA	71	3.1	ND (0.50)	NA	NA	NA	NA	NA	NA	ND
MW-01	11/19/2007	110 ⁽¹⁾	52	110	5.2	ND (1.0)	ND (2.0)	ND (0.50)	ND (0.50)	ND (5.0)	ND (1.0)	ND (0.50)	ND
MW-01 ^(D)	11/19/2007	110 ⁽¹⁾	79	100	5.0	ND (1.0)	ND (2.0)	ND (0.50)	ND (0.50)	ND (5.0)	ND (1.0)	ND (0.50)	ND
MW-01	2/6/2008	140 ⁽¹⁾	57	130	5.8	0.58	ND (1.0)	ND (0.50)	ND (0.50)	ND (5.0)	ND (1.0)	ND (0.50)	ND
MW-01 ^(D)	2/6/2008	140 ⁽¹⁾	65	130	5.7	0.60	ND (1.0)	ND (0.50)	ND (0.50)	ND (5.0)	ND (1.0)	ND (0.50)	ND
MW-01	5/15/2008	NA	NA	130	5.5	0.53	ND (1.0)	ND (0.50)	ND (0.50)	ND (5.0)	ND (1.0)	ND (0.50)	ND
MW-01 ^(D)	5/15/2008	NA	NA	140	5.4	0.54	ND (1.0)	ND (0.50)	ND (0.50)	ND (5.0)	ND (1.0)	ND (0.50)	ND
MW-01	11/19/2008	NA	NA	110	4.4	ND (1.0)	ND (2.0)	NA	NA	NA	NA	NA	ND
MW-01 ^(D)	11/19/2008	NA	NA	110	4.3	ND (1.0)	ND (2.0)	NA	NA	NA	NA	NA	ND
MW-01	5/14/2009	NA	NA	160	5.3	ND (1.0)	NA	NA	NA	NA	NA	NA	ND
MW-01 ^(D)	5/14/2009	NA	NA	140	4.9	ND (2.0)	NA	NA	NA	NA	NA	NA	ND
MW-01	1/5/2010	NA	NA	110	4.1	ND (1.0)	NA	NA	NA	NA	NA	NA	ND
MW-01 ^(D)	1/5/2010	NA	NA	120	4.3	ND (1.0)	NA	NA	NA	NA	NA	NA	ND
MW-01	5/20/2011	NA	NA	110	4.0	ND (1.0)	NA	NA	NA	NA	NA	NA	ND
MW-01 ^(D)	5/20/2011	NA	NA	120	4.3	ND (1.0)	NA	NA	NA	NA	NA	NA	ND
MW-01	3/18/2013	NA	NA	150	3.4	ND (0.50)	NA	NA	NA	NA	NA	NA	ND
MW-01 ^(D)	3/18/2013	NA	NA	150	3.5	ND (1.0)	NA	NA	NA	NA	NA	NA	ND
MW-01	9/27/2013	NA	NA	120	3.1	ND (0.50)	NA	NA	NA	NA	NA	NA	ND
MW-01 ^(D)	9/27/2013	NA	NA	120	3.0	ND (0.50)	NA	NA	NA	NA	NA	NA	ND
MW-02	8/7/2007	NA	NA	25	1.2	ND (0.50)	NA	NA	NA	NA	NA	NA	ND
MW-02	11/19/2007	ND (50)	120	26	0.93	ND (0.50)	ND (1.0)	ND (0.50)	ND (0.50)	ND (5.0)	ND (1.0)	ND (0.50)	ND
MW-02	2/6/2008	ND (50)	200	25	0.90	ND (0.50)	ND (1.0)	ND (0.50)	ND (0.50)	ND (5.0)	ND (1.0)	ND (0.50)	ND
MW-02	5/15/2008	NA	NA	20	0.91	ND (0.50)	ND (1.0)	ND (0.50)	ND (0.50)	ND (5.0)	ND (1.0)	ND (0.50)	ND
MW-02	11/19/2008	NA	NA	23	0.88	ND (0.50)	ND (1.0)	NA	NA	NA	NA	NA	ND
MW-02	5/14/2009	NA	NA	31	0.84	ND (0.50)	NA	NA	NA	NA	NA	NA	ND
MW-02	1/5/2010	NA	NA	24	0.60	ND (0.50)	NA	NA	NA	NA	NA	NA	ND
MW-02	5/20/2011	NA	NA	39	1.2	ND (0.50)	NA	NA	NA	NA	NA	NA	ND
MW-02	3/18/2013	NA	NA	36	0.95	ND (0.50)	NA	NA	NA	NA	NA	NA	ND
MW-02	10/4/2013	NA	NA	26	0.91	ND (0.50)	NA	NA	NA	NA	NA	NA	ND
MW-03	8/7/2007	NA	NA	1.6	ND (0.50)	ND (0.50)	NA	NA	NA	NA	NA	NA	ND
MW-03	11/19/2007	ND (50)	79	2.1	ND (0.50)	ND (0.50)	ND (1.0)	ND (0.50)	ND (0.50)	ND (5.0)	ND (1.0)	ND (0.50)	ND
MW-03	2/6/2008	ND (50)	70	2.0	ND (0.50)	ND (0.50)	ND (1.0)	ND (0.50)	ND (0.50)	ND (5.0)	ND (1.0)	ND (0.50)	ND
MW-03	5/15/2008	NA	NA	1.5	ND (0.50)	0.50	ND (1.0)	ND (0.50)	ND (0.50)	ND (5.0)	ND (1.0)	ND (0.50)	ND
MW-03	11/19/2008	NA	NA	2.0	ND (0.50)	ND (0.50)	ND (1.0)	NA	NA	NA	NA	NA	ND
MW-03	5/14/2009	NA	NA	1.8	ND (0.50)	ND (0.50)	NA	NA	NA	NA	NA	NA	ND
MW-03	1/5/2010	NA	NA	1.5	ND (0.50)	ND (0.50)	NA	NA	NA	NA	NA	NA	ND
MW-03	5/20/2011	NA	NA	1.8	ND (0.50)	0.57	NA	NA	NA	NA	NA	NA	ND
MW-03	3/18/2013	NA	NA	1.6	ND (0.50)	0.67	NA	NA	NA	NA	NA	NA	ND
MW-03	9/27/2013	NA	NA	1.6	ND (0.50)	0.68	NA	NA	NA	NA	NA	NA	ND
MW-04	8/7/2007	NA	NA	ND (0.50)	ND (0.50)	ND (0.50)	NA	NA	NA	NA	NA	NA	ND
MW-04	11/19/2007	ND (50)	69	ND (0.50)	ND (0.50)	ND (0.50)	ND (1.0)	ND (0.50)	ND (0.50)	ND (5.0)	ND (1.0)	ND (0.50)	ND
MW-04	2/6/2008	ND (50)	ND (50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (1.0)	ND (0.50)	ND (0.50)	ND (5.0)	ND (1.0)	ND (0.50)	ND
MW-04	5/15/2008	NA	NA	ND (0.50)	ND (0.50)	ND (0.50)	ND (1.0)	ND (0.50)	ND (0.50)	ND (5.0)	ND (1.0)	ND (0.50)	ND
MW-04	11/19/2008	NA	NA	ND (0.50)	ND (0.50)	ND (0.50)	ND (1.0)	NA	NA	NA	NA	NA	ND
MW-04	5/14/2009	NA	NA	ND (0.50)	ND (0.50)	ND (0.50)	NA	NA	NA	NA	NA	NA	ND
MW-04	1/5/2010	NA	NA	ND (0.50)	ND (0.50)	ND (0.50)	NA	NA	NA	NA	NA	NA	ND
MW-04	5/20/2011	NA	NA	ND (0.50)	ND (0.50)	ND (0.50)	NA	NA	NA	NA	NA	NA	ND
MW-04	3/18/2013	NA	NA	ND (0.50)	ND (0.50)	ND (0.50)	NA	NA	NA	NA	NA	NA	ND
MW-04	9/27/2013	NA	NA	ND (0.50)	ND (0.50)	ND (0.50)	NA	NA	NA	NA	NA	NA	ND

Notes:

TPHg - Gasoline range organics (C5-C12)

TPHd - Diesel range organics (C10-C28)

DCE - Dichloroethene

PCE - Tetrachloroethene

TCE - Trichloroethene

cis-1,2-DCE = cis-1,2-dichloroethene

µg/L - Micrograms per liter

NA - Not Analyzed

ND (0.50) - Not detected at or above indicated laboratory reporting limit

ND - Not detected at or above the laboratory reporting limit (varies by analyte)

^(D) - Field duplicate sample

⁽¹⁾ - The analytical laboratory narrative states that the reported gasoline range organics concentration is due to the presence of PCE.

MTBE - Methyl tert-butyl ether



TAME - Tert-amyl methyl ether

TBA - Tert-butyl alcohol

DIPE - Diisopropyl ether

ETBE - Ethyl tert-butyl ether

ILLUSTRATIONS




U.S.G.S. Topo Map - Oakland East, California, 7.5-minute quadrangle. Map version 1959; current as of 1980.



Site Location Map
Sparkle Cleaners
Eastmont Town Center
Oakland, California

PLATE
1



APPENDIX A

MONITORING WELL SAMPLING FORMS

WELL MONITORING DATA SHEET

Project #: <u>130927-MM1</u>	Client: <u>PEJ</u>
Sampler: <u>MM</u>	Date: <u>9-27-13</u>
Well I.D.: <u>MW-01</u>	Well Diameter: <u>2</u> 3 4 6 8
Total Well Depth (TD): <u>46.99</u>	Depth to Water (DTW): <u>25.69</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>29.95</u>	

Purge Method: Bailer <input checked="" type="radio"/> Disposable Bailer <input type="radio"/> Positive Air Displacement <input type="radio"/> Electric Submersible	Waterra <input type="radio"/> Peristaltic <input type="radio"/> Extraction Pump Other _____	Sampling Method: Bailer <input checked="" type="radio"/> Disposable Bailer <input type="radio"/> Extraction Port <input type="radio"/> Dedicated Tubing Other: _____
---	--	--

<u>3.4</u> (Gals.) X	<u>3</u>	= <u>10.2</u> Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F or °C)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1007	17.8	6.96	845	606	3.5	Brown
1012	18.1	6.74	871	>1000	7.0	↓
1018	18.8	6.73	907	>1000	10.5	↓

Did well dewater? Yes No Gallons actually evacuated: 10.5

Sampling Date: 9-27-13 Sampling Time: 1020 Depth to Water: 26.95

Sample I.D.: MW-01 Laboratory: Kiff CalScience Other TA SF

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: see Coc

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable): DUP

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
------------------	------------	------	-------------	------

O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV
--------------------	------------	----	-------------	----

WELL MONITORING DATA SHEET

Project #: 131004-DW1	Client: PES
Sampler: DW	Date: 10/4/13
Well I.D.: MW-02	Well Diameter: (2) 3 4 6 8
Total Well Depth (TD): 34.75	Depth to Water (DTW): 15.00
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 18.95	

Purge Method: Bailer Waterra Sampling Method: Bailer

Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

Other: _____

3.2 (Gals.) X	3	= 9.6 Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F or °C)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
0853	19.4	6.21	1025	868	3.2	
0857	19.6	6.30	1027	954	6.4	
0902	19.7	6.34	1031	897	9.6	

Did well dewater? Yes No Gallons actually evacuated: 9.6

Sampling Date: 10/4/13 Sampling Time: 0910 Depth to Water: 18.29

Sample I.D.: MW-02 Laboratory: Kiff CalScience Other TA-SF

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: SEE COC

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

WELL MONITORING DATA SHEET

Project #: <u>130927-MMI</u>	Client: <u>PES</u>
Sampler: <u>MM</u>	Date: <u>9-27-13</u>
Well I.D.: <u>MW-03</u>	Well Diameter: <u>(2)</u> 3 4 6 8 _____
Total Well Depth (TD): <u>43.99</u>	Depth to Water (DTW): <u>20.26</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>25.00</u>	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

Other: _____

<u>3.8</u> (Gals.) X	<u>3</u> Specified Volumes	= <u>11.4</u> Gals. Calculated Volume
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F or °C)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
<u>0933</u>	<u>18.6</u>	<u>6.87</u>	<u>661</u>	<u>>1000</u>	<u>4</u>	<u>Brown</u>
<u>0939</u>	<u>19.2</u>	<u>6.73</u>	<u>650</u>	<u>>1000</u>	<u>8</u>	<u>↓</u>
<u>0944</u>	<u>19.1</u>	<u>6.84</u>	<u>671</u>	<u>>1000</u>	<u>11.5</u>	<u>↓</u>

Did well dewater? Yes No Gallons actually evacuated: 11.5

Sampling Date: 9-27-13 Sampling Time: 0955 Depth to Water: 24.82

Sample I.D.: MW-03 Laboratory: Kiff CalScience Other TA SF

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: see coc

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

WELL MONITORING DATA SHEET

Project #: <u>130927-MM1</u>	Client: <u>PES</u>
Sampler: <u>MM</u>	Date: <u>9-27-13</u>
Well I.D.: <u>MW-04</u>	Well Diameter: <u>(2)</u> 3 4 6 8 _____
Total Well Depth (TD): <u>48.34</u>	Depth to Water (DTW): <u>24.81</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>29.51</u>	

Purge Method: Bailer Waterra Sampling Method: Bailer
~~Disposable Bailer~~ Peristaltic ~~Disposable Bailer~~
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

Other: _____

3.8 (Gals.) X 3 = 11.4 Gals.
 I Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F or °C)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
<u>0907</u>	<u>19.8</u>	<u>7.49</u>	<u>518</u>	<u>>1000</u>	<u>4</u>	<u>Brown</u>
<u>0912</u>	<u>19.6</u>	<u>6.84</u>	<u>527</u>	<u>>1000</u>	<u>8</u>	<u>↓</u>
<u>0917</u>	<u>19.3</u>	<u>6.80</u>	<u>553</u>	<u>>1000</u>	<u>11.5</u>	<u>↓</u>

Did well dewater? Yes No Gallons actually evacuated: 11.5

Sampling Date: 9-27-13 Sampling Time: 0920 Depth to Water: 26.04

Sample I.D.: MW-04 Laboratory: Kiff CalScience Other TA SF

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: See Col

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

APPENDIX B

**LABORATORY ANALYTICAL RESULTS AND
CHAIN-OF-CUSTODY DOCUMENTATION**

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Pleasanton
1220 Quarry Lane
Pleasanton, CA 94566
Tel: (925)484-1919

TestAmerica Job ID: 720-52633-1
Client Project/Site: Eastmont Town Center

For:
PES Environmental, Inc.
1682 Novato Boulevard
Suite 100
Novato, California 94947-7021

Attn: Mr. Gary Thomas



Authorized for release by:
10/2/2013 3:30:46 PM

Afsaneh Salimpour, Project Manager I
(925)484-1919
afsaneh.salimpour@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	6
QC Sample Results	11
QC Association Summary	14
Lab Chronicle	15
Certification Summary	16
Method Summary	17
Sample Summary	18
Chain of Custody	19
Receipt Checklists	20

Definitions/Glossary

Client: PES Environmental, Inc.
Project/Site: Eastmont Town Center

TestAmerica Job ID: 720-52633-1

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: PES Environmental, Inc.
Project/Site: Eastmont Town Center

TestAmerica Job ID: 720-52633-1

Job ID: 720-52633-1

Laboratory: TestAmerica Pleasanton

Narrative

Job Narrative
720-52633-1

Comments

No additional comments.

Receipt

The samples were received on 9/27/2013 6:24 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 5.9° C.

GC/MS VOA

No analytical or quality issues were noted.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: PES Environmental, Inc.
Project/Site: Eastmont Town Center

TestAmerica Job ID: 720-52633-1

Client Sample ID: MW-01

Lab Sample ID: 720-52633-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	3.1		0.50		ug/L	1		8260B	Total/NA
Tetrachloroethene	120		0.50		ug/L	1		8260B	Total/NA

Client Sample ID: MW-03

Lab Sample ID: 720-52633-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.68		0.50		ug/L	1		8260B	Total/NA
Tetrachloroethene	1.6		0.50		ug/L	1		8260B	Total/NA

Client Sample ID: MW-04

Lab Sample ID: 720-52633-3

No Detections.

Client Sample ID: DUP

Lab Sample ID: 720-52633-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	3.0		0.50		ug/L	1		8260B	Total/NA
Tetrachloroethene	120		0.50		ug/L	1		8260B	Total/NA

Client Sample ID: TB-1

Lab Sample ID: 720-52633-5

No Detections.

This Detection Summary does not include radiochemical test results.

TestAmerica Pleasanton

Client Sample Results

Client: PES Environmental, Inc.
Project/Site: Eastmont Town Center

TestAmerica Job ID: 720-52633-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Client Sample ID: MW-01
Date Collected: 09/27/13 10:20
Date Received: 09/27/13 18:24

Lab Sample ID: 720-52633-1
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	ND		0.50		ug/L			10/01/13 14:04	1
1,1-Dichloroethane	ND		0.50		ug/L			10/01/13 14:04	1
Dichlorodifluoromethane	ND		0.50		ug/L			10/01/13 14:04	1
Vinyl chloride	ND		0.50		ug/L			10/01/13 14:04	1
Chloroethane	ND		1.0		ug/L			10/01/13 14:04	1
Trichlorofluoromethane	ND		1.0		ug/L			10/01/13 14:04	1
Methylene Chloride	ND		5.0		ug/L			10/01/13 14:04	1
trans-1,2-Dichloroethene	ND		0.50		ug/L			10/01/13 14:04	1
cis-1,2-Dichloroethene	ND		0.50		ug/L			10/01/13 14:04	1
Chloroform	ND		1.0		ug/L			10/01/13 14:04	1
1,1,1-Trichloroethane	ND		0.50		ug/L			10/01/13 14:04	1
Carbon tetrachloride	ND		0.50		ug/L			10/01/13 14:04	1
1,2-Dichloroethane	ND		0.50		ug/L			10/01/13 14:04	1
Trichloroethene	3.1		0.50		ug/L			10/01/13 14:04	1
1,2-Dichloropropane	ND		0.50		ug/L			10/01/13 14:04	1
Dichlorobromomethane	ND		0.50		ug/L			10/01/13 14:04	1
trans-1,3-Dichloropropene	ND		0.50		ug/L			10/01/13 14:04	1
cis-1,3-Dichloropropene	ND		0.50		ug/L			10/01/13 14:04	1
1,1,2-Trichloroethane	ND		0.50		ug/L			10/01/13 14:04	1
Tetrachloroethene	120		0.50		ug/L			10/01/13 14:04	1
Chlorodibromomethane	ND		0.50		ug/L			10/01/13 14:04	1
Chlorobenzene	ND		0.50		ug/L			10/01/13 14:04	1
Bromoform	ND		1.0		ug/L			10/01/13 14:04	1
1,1,2,2-Tetrachloroethane	ND		0.50		ug/L			10/01/13 14:04	1
1,3-Dichlorobenzene	ND		0.50		ug/L			10/01/13 14:04	1
1,4-Dichlorobenzene	ND		0.50		ug/L			10/01/13 14:04	1
1,2-Dichlorobenzene	ND		0.50		ug/L			10/01/13 14:04	1
Chloromethane	ND		1.0		ug/L			10/01/13 14:04	1
Bromomethane	ND		1.0		ug/L			10/01/13 14:04	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		0.50		ug/L			10/01/13 14:04	1
EDB	ND		0.50		ug/L			10/01/13 14:04	1
1,2,4-Trichlorobenzene	ND		1.0		ug/L			10/01/13 14:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
<i>Toluene-d8 (Surr)</i>	97		70 - 130		10/01/13 14:04	1
<i>4-Bromofluorobenzene</i>	95		67 - 130		10/01/13 14:04	1
<i>1,2-Dichloroethane-d4 (Surr)</i>	103		72 - 130		10/01/13 14:04	1

Client Sample ID: MW-03
Date Collected: 09/27/13 09:55
Date Received: 09/27/13 18:24

Lab Sample ID: 720-52633-2
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	ND		0.50		ug/L			10/01/13 14:30	1
1,1-Dichloroethane	ND		0.50		ug/L			10/01/13 14:30	1
Dichlorodifluoromethane	ND		0.50		ug/L			10/01/13 14:30	1
Vinyl chloride	ND		0.50		ug/L			10/01/13 14:30	1
Chloroethane	ND		1.0		ug/L			10/01/13 14:30	1
Trichlorofluoromethane	ND		1.0		ug/L			10/01/13 14:30	1
Methylene Chloride	ND		5.0		ug/L			10/01/13 14:30	1
trans-1,2-Dichloroethene	ND		0.50		ug/L			10/01/13 14:30	1

TestAmerica Pleasanton

Client Sample Results

Client: PES Environmental, Inc.
Project/Site: Eastmont Town Center

TestAmerica Job ID: 720-52633-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: MW-03
Date Collected: 09/27/13 09:55
Date Received: 09/27/13 18:24

Lab Sample ID: 720-52633-2
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	0.68		0.50		ug/L			10/01/13 14:30	1
Chloroform	ND		1.0		ug/L			10/01/13 14:30	1
1,1,1-Trichloroethane	ND		0.50		ug/L			10/01/13 14:30	1
Carbon tetrachloride	ND		0.50		ug/L			10/01/13 14:30	1
1,2-Dichloroethane	ND		0.50		ug/L			10/01/13 14:30	1
Trichloroethene	ND		0.50		ug/L			10/01/13 14:30	1
1,2-Dichloropropane	ND		0.50		ug/L			10/01/13 14:30	1
Dichlorobromomethane	ND		0.50		ug/L			10/01/13 14:30	1
trans-1,3-Dichloropropene	ND		0.50		ug/L			10/01/13 14:30	1
cis-1,3-Dichloropropene	ND		0.50		ug/L			10/01/13 14:30	1
1,1,2-Trichloroethane	ND		0.50		ug/L			10/01/13 14:30	1
Tetrachloroethene	1.6		0.50		ug/L			10/01/13 14:30	1
Chlorodibromomethane	ND		0.50		ug/L			10/01/13 14:30	1
Chlorobenzene	ND		0.50		ug/L			10/01/13 14:30	1
Bromoform	ND		1.0		ug/L			10/01/13 14:30	1
1,1,1,2-Tetrachloroethane	ND		0.50		ug/L			10/01/13 14:30	1
1,3-Dichlorobenzene	ND		0.50		ug/L			10/01/13 14:30	1
1,4-Dichlorobenzene	ND		0.50		ug/L			10/01/13 14:30	1
1,2-Dichlorobenzene	ND		0.50		ug/L			10/01/13 14:30	1
Chloromethane	ND		1.0		ug/L			10/01/13 14:30	1
Bromomethane	ND		1.0		ug/L			10/01/13 14:30	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		0.50		ug/L			10/01/13 14:30	1
EDB	ND		0.50		ug/L			10/01/13 14:30	1
1,2,4-Trichlorobenzene	ND		1.0		ug/L			10/01/13 14:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
<i>Toluene-d8 (Surr)</i>	97		70 - 130		10/01/13 14:30	1
<i>4-Bromofluorobenzene</i>	92		67 - 130		10/01/13 14:30	1
<i>1,2-Dichloroethane-d4 (Surr)</i>	99		72 - 130		10/01/13 14:30	1

Client Sample ID: MW-04
Date Collected: 09/27/13 09:20
Date Received: 09/27/13 18:24

Lab Sample ID: 720-52633-3
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	ND		0.50		ug/L			10/01/13 14:56	1
1,1-Dichloroethane	ND		0.50		ug/L			10/01/13 14:56	1
Dichlorodifluoromethane	ND		0.50		ug/L			10/01/13 14:56	1
Vinyl chloride	ND		0.50		ug/L			10/01/13 14:56	1
Chloroethane	ND		1.0		ug/L			10/01/13 14:56	1
Trichlorofluoromethane	ND		1.0		ug/L			10/01/13 14:56	1
Methylene Chloride	ND		5.0		ug/L			10/01/13 14:56	1
trans-1,2-Dichloroethene	ND		0.50		ug/L			10/01/13 14:56	1
cis-1,2-Dichloroethene	ND		0.50		ug/L			10/01/13 14:56	1
Chloroform	ND		1.0		ug/L			10/01/13 14:56	1
1,1,1-Trichloroethane	ND		0.50		ug/L			10/01/13 14:56	1
Carbon tetrachloride	ND		0.50		ug/L			10/01/13 14:56	1
1,2-Dichloroethane	ND		0.50		ug/L			10/01/13 14:56	1
Trichloroethene	ND		0.50		ug/L			10/01/13 14:56	1
1,2-Dichloropropane	ND		0.50		ug/L			10/01/13 14:56	1
Dichlorobromomethane	ND		0.50		ug/L			10/01/13 14:56	1

TestAmerica Pleasanton

Client Sample Results

Client: PES Environmental, Inc.
Project/Site: Eastmont Town Center

TestAmerica Job ID: 720-52633-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: MW-04
Date Collected: 09/27/13 09:20
Date Received: 09/27/13 18:24

Lab Sample ID: 720-52633-3
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,3-Dichloropropene	ND		0.50		ug/L			10/01/13 14:56	1
cis-1,3-Dichloropropene	ND		0.50		ug/L			10/01/13 14:56	1
1,1,2-Trichloroethane	ND		0.50		ug/L			10/01/13 14:56	1
Tetrachloroethene	ND		0.50		ug/L			10/01/13 14:56	1
Chlorodibromomethane	ND		0.50		ug/L			10/01/13 14:56	1
Chlorobenzene	ND		0.50		ug/L			10/01/13 14:56	1
Bromoform	ND		1.0		ug/L			10/01/13 14:56	1
1,1,2,2-Tetrachloroethane	ND		0.50		ug/L			10/01/13 14:56	1
1,3-Dichlorobenzene	ND		0.50		ug/L			10/01/13 14:56	1
1,4-Dichlorobenzene	ND		0.50		ug/L			10/01/13 14:56	1
1,2-Dichlorobenzene	ND		0.50		ug/L			10/01/13 14:56	1
Chloromethane	ND		1.0		ug/L			10/01/13 14:56	1
Bromomethane	ND		1.0		ug/L			10/01/13 14:56	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		0.50		ug/L			10/01/13 14:56	1
EDB	ND		0.50		ug/L			10/01/13 14:56	1
1,2,4-Trichlorobenzene	ND		1.0		ug/L			10/01/13 14:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	97		70 - 130					10/01/13 14:56	1
4-Bromofluorobenzene	95		67 - 130					10/01/13 14:56	1
1,2-Dichloroethane-d4 (Surr)	102		72 - 130					10/01/13 14:56	1

Client Sample ID: DUP
Date Collected: 09/27/13 00:00
Date Received: 09/27/13 18:24

Lab Sample ID: 720-52633-4
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	ND		0.50		ug/L			10/01/13 17:58	1
1,1-Dichloroethane	ND		0.50		ug/L			10/01/13 17:58	1
Dichlorodifluoromethane	ND		0.50		ug/L			10/01/13 17:58	1
Vinyl chloride	ND		0.50		ug/L			10/01/13 17:58	1
Chloroethane	ND		1.0		ug/L			10/01/13 17:58	1
Trichlorofluoromethane	ND		1.0		ug/L			10/01/13 17:58	1
Methylene Chloride	ND		5.0		ug/L			10/01/13 17:58	1
trans-1,2-Dichloroethene	ND		0.50		ug/L			10/01/13 17:58	1
cis-1,2-Dichloroethene	ND		0.50		ug/L			10/01/13 17:58	1
Chloroform	ND		1.0		ug/L			10/01/13 17:58	1
1,1,1-Trichloroethane	ND		0.50		ug/L			10/01/13 17:58	1
Carbon tetrachloride	ND		0.50		ug/L			10/01/13 17:58	1
1,2-Dichloroethane	ND		0.50		ug/L			10/01/13 17:58	1
Trichloroethene	3.0		0.50		ug/L			10/01/13 17:58	1
1,2-Dichloropropane	ND		0.50		ug/L			10/01/13 17:58	1
Dichlorobromomethane	ND		0.50		ug/L			10/01/13 17:58	1
trans-1,3-Dichloropropene	ND		0.50		ug/L			10/01/13 17:58	1
cis-1,3-Dichloropropene	ND		0.50		ug/L			10/01/13 17:58	1
1,1,2-Trichloroethane	ND		0.50		ug/L			10/01/13 17:58	1
Tetrachloroethene	120		0.50		ug/L			10/01/13 17:58	1
Chlorodibromomethane	ND		0.50		ug/L			10/01/13 17:58	1
Chlorobenzene	ND		0.50		ug/L			10/01/13 17:58	1
Bromoform	ND		1.0		ug/L			10/01/13 17:58	1
1,1,2,2-Tetrachloroethane	ND		0.50		ug/L			10/01/13 17:58	1

TestAmerica Pleasanton

Client Sample Results

Client: PES Environmental, Inc.
Project/Site: Eastmont Town Center

TestAmerica Job ID: 720-52633-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: DUP

Date Collected: 09/27/13 00:00

Date Received: 09/27/13 18:24

Lab Sample ID: 720-52633-4

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3-Dichlorobenzene	ND		0.50		ug/L			10/01/13 17:58	1
1,4-Dichlorobenzene	ND		0.50		ug/L			10/01/13 17:58	1
1,2-Dichlorobenzene	ND		0.50		ug/L			10/01/13 17:58	1
Chloromethane	ND		1.0		ug/L			10/01/13 17:58	1
Bromomethane	ND		1.0		ug/L			10/01/13 17:58	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		0.50		ug/L			10/01/13 17:58	1
EDB	ND		0.50		ug/L			10/01/13 17:58	1
1,2,4-Trichlorobenzene	ND		1.0		ug/L			10/01/13 17:58	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>Toluene-d8 (Surr)</i>	97		70 - 130					10/01/13 17:58	1
<i>4-Bromofluorobenzene</i>	97		67 - 130					10/01/13 17:58	1
<i>1,2-Dichloroethane-d4 (Surr)</i>	102		72 - 130					10/01/13 17:58	1

Client Sample ID: TB-1

Date Collected: 09/27/13 08:00

Date Received: 09/27/13 18:24

Lab Sample ID: 720-52633-5

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	ND		0.50		ug/L			10/01/13 11:02	1
1,1-Dichloroethane	ND		0.50		ug/L			10/01/13 11:02	1
Dichlorodifluoromethane	ND		0.50		ug/L			10/01/13 11:02	1
Vinyl chloride	ND		0.50		ug/L			10/01/13 11:02	1
Chloroethane	ND		1.0		ug/L			10/01/13 11:02	1
Trichlorofluoromethane	ND		1.0		ug/L			10/01/13 11:02	1
Methylene Chloride	ND		5.0		ug/L			10/01/13 11:02	1
trans-1,2-Dichloroethene	ND		0.50		ug/L			10/01/13 11:02	1
cis-1,2-Dichloroethene	ND		0.50		ug/L			10/01/13 11:02	1
Chloroform	ND		1.0		ug/L			10/01/13 11:02	1
1,1,1-Trichloroethane	ND		0.50		ug/L			10/01/13 11:02	1
Carbon tetrachloride	ND		0.50		ug/L			10/01/13 11:02	1
1,2-Dichloroethane	ND		0.50		ug/L			10/01/13 11:02	1
Trichloroethene	ND		0.50		ug/L			10/01/13 11:02	1
1,2-Dichloropropane	ND		0.50		ug/L			10/01/13 11:02	1
Dichlorobromomethane	ND		0.50		ug/L			10/01/13 11:02	1
trans-1,3-Dichloropropene	ND		0.50		ug/L			10/01/13 11:02	1
cis-1,3-Dichloropropene	ND		0.50		ug/L			10/01/13 11:02	1
1,1,2-Trichloroethane	ND		0.50		ug/L			10/01/13 11:02	1
Tetrachloroethene	ND		0.50		ug/L			10/01/13 11:02	1
Chlorodibromomethane	ND		0.50		ug/L			10/01/13 11:02	1
Chlorobenzene	ND		0.50		ug/L			10/01/13 11:02	1
Bromoform	ND		1.0		ug/L			10/01/13 11:02	1
1,1,2,2-Tetrachloroethane	ND		0.50		ug/L			10/01/13 11:02	1
1,3-Dichlorobenzene	ND		0.50		ug/L			10/01/13 11:02	1
1,4-Dichlorobenzene	ND		0.50		ug/L			10/01/13 11:02	1
1,2-Dichlorobenzene	ND		0.50		ug/L			10/01/13 11:02	1
Chloromethane	ND		1.0		ug/L			10/01/13 11:02	1
Bromomethane	ND		1.0		ug/L			10/01/13 11:02	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		0.50		ug/L			10/01/13 11:02	1
EDB	ND		0.50		ug/L			10/01/13 11:02	1
1,2,4-Trichlorobenzene	ND		1.0		ug/L			10/01/13 11:02	1

TestAmerica Pleasanton

Client Sample Results

Client: PES Environmental, Inc.
Project/Site: Eastmont Town Center

TestAmerica Job ID: 720-52633-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>Toluene-d8 (Surr)</i>	97		70 - 130		10/01/13 11:02	1
<i>4-Bromofluorobenzene</i>	95		67 - 130		10/01/13 11:02	1
<i>1,2-Dichloroethane-d4 (Surr)</i>	103		72 - 130		10/01/13 11:02	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Sample Results

Client: PES Environmental, Inc.
Project/Site: Eastmont Town Center

TestAmerica Job ID: 720-52633-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 720-145261/4

Matrix: Water

Analysis Batch: 145261

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	ND		0.50		ug/L			10/01/13 08:27	1
1,1-Dichloroethane	ND		0.50		ug/L			10/01/13 08:27	1
Dichlorodifluoromethane	ND		0.50		ug/L			10/01/13 08:27	1
Vinyl chloride	ND		0.50		ug/L			10/01/13 08:27	1
Chloroethane	ND		1.0		ug/L			10/01/13 08:27	1
Trichlorofluoromethane	ND		1.0		ug/L			10/01/13 08:27	1
Methylene Chloride	ND		5.0		ug/L			10/01/13 08:27	1
trans-1,2-Dichloroethene	ND		0.50		ug/L			10/01/13 08:27	1
cis-1,2-Dichloroethene	ND		0.50		ug/L			10/01/13 08:27	1
Chloroform	ND		1.0		ug/L			10/01/13 08:27	1
1,1,1-Trichloroethane	ND		0.50		ug/L			10/01/13 08:27	1
Carbon tetrachloride	ND		0.50		ug/L			10/01/13 08:27	1
1,2-Dichloroethane	ND		0.50		ug/L			10/01/13 08:27	1
Trichloroethene	ND		0.50		ug/L			10/01/13 08:27	1
1,2-Dichloropropane	ND		0.50		ug/L			10/01/13 08:27	1
Dichlorobromomethane	ND		0.50		ug/L			10/01/13 08:27	1
trans-1,3-Dichloropropene	ND		0.50		ug/L			10/01/13 08:27	1
cis-1,3-Dichloropropene	ND		0.50		ug/L			10/01/13 08:27	1
1,1,2-Trichloroethane	ND		0.50		ug/L			10/01/13 08:27	1
Tetrachloroethene	ND		0.50		ug/L			10/01/13 08:27	1
Chlorodibromomethane	ND		0.50		ug/L			10/01/13 08:27	1
Chlorobenzene	ND		0.50		ug/L			10/01/13 08:27	1
Bromoform	ND		1.0		ug/L			10/01/13 08:27	1
1,1,2,2-Tetrachloroethane	ND		0.50		ug/L			10/01/13 08:27	1
1,3-Dichlorobenzene	ND		0.50		ug/L			10/01/13 08:27	1
1,4-Dichlorobenzene	ND		0.50		ug/L			10/01/13 08:27	1
1,2-Dichlorobenzene	ND		0.50		ug/L			10/01/13 08:27	1
Chloromethane	ND		1.0		ug/L			10/01/13 08:27	1
Bromomethane	ND		1.0		ug/L			10/01/13 08:27	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		0.50		ug/L			10/01/13 08:27	1
EDB	ND		0.50		ug/L			10/01/13 08:27	1
1,2,4-Trichlorobenzene	ND		1.0		ug/L			10/01/13 08:27	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	98		70 - 130		10/01/13 08:27	1
4-Bromofluorobenzene	97		67 - 130		10/01/13 08:27	1
1,2-Dichloroethane-d4 (Surr)	100		72 - 130		10/01/13 08:27	1

Lab Sample ID: LCS 720-145261/5

Matrix: Water

Analysis Batch: 145261

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	25.0	22.5		ug/L		90	64 - 128
1,1-Dichloroethane	25.0	23.5		ug/L		94	70 - 130
Dichlorodifluoromethane	25.0	27.1		ug/L		108	34 - 132
Vinyl chloride	25.0	24.9		ug/L		100	54 - 135
Chloroethane	25.0	23.3		ug/L		93	62 - 138

TestAmerica Pleasanton

QC Sample Results

Client: PES Environmental, Inc.
Project/Site: Eastmont Town Center

TestAmerica Job ID: 720-52633-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 720-145261/5

Matrix: Water

Analysis Batch: 145261

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Trichlorofluoromethane	25.0	25.4		ug/L		102	66 - 132
Methylene Chloride	25.0	22.1		ug/L		88	70 - 147
trans-1,2-Dichloroethene	25.0	24.1		ug/L		96	68 - 130
cis-1,2-Dichloroethene	25.0	23.4		ug/L		94	70 - 130
Chloroform	25.0	24.2		ug/L		97	70 - 130
1,1,1-Trichloroethane	25.0	24.5		ug/L		98	70 - 130
Carbon tetrachloride	25.0	24.9		ug/L		100	70 - 146
1,2-Dichloroethane	25.0	23.6		ug/L		94	61 - 132
Trichloroethene	25.0	25.1		ug/L		100	70 - 130
1,2-Dichloropropane	25.0	23.0		ug/L		92	70 - 130
Dichlorobromomethane	25.0	24.1		ug/L		96	70 - 130
trans-1,3-Dichloropropene	25.0	24.9		ug/L		100	70 - 140
cis-1,3-Dichloropropene	25.0	24.1		ug/L		96	70 - 130
1,1,2-Trichloroethane	25.0	24.6		ug/L		98	70 - 130
Tetrachloroethene	25.0	25.3		ug/L		101	70 - 130
Chlorodibromomethane	25.0	25.2		ug/L		101	70 - 145
Chlorobenzene	25.0	24.5		ug/L		98	70 - 130
Bromoform	25.0	26.2		ug/L		105	68 - 136
1,1,2,2-Tetrachloroethane	25.0	24.8		ug/L		99	70 - 130
1,3-Dichlorobenzene	25.0	24.4		ug/L		98	70 - 130
1,4-Dichlorobenzene	25.0	24.0		ug/L		96	70 - 130
1,2-Dichlorobenzene	25.0	24.2		ug/L		97	70 - 130
Chloromethane	25.0	23.5		ug/L		94	52 - 175
Bromomethane	25.0	24.4		ug/L		98	43 - 151
1,1,2-Trichloro-1,2,2-trifluoroethane	25.0	23.6		ug/L		94	42 - 162
EDB	25.0	25.3		ug/L		101	70 - 130
1,2,4-Trichlorobenzene	25.0	23.7		ug/L		95	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Toluene-d8 (Surr)	99		70 - 130
4-Bromofluorobenzene	96		67 - 130
1,2-Dichloroethane-d4 (Surr)	92		72 - 130

Lab Sample ID: LCSD 720-145261/6

Matrix: Water

Analysis Batch: 145261

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene	25.0	23.1		ug/L		93	64 - 128	3	20
1,1-Dichloroethane	25.0	23.5		ug/L		94	70 - 130	0	20
Dichlorodifluoromethane	25.0	28.5		ug/L		114	34 - 132	5	20
Vinyl chloride	25.0	26.2		ug/L		105	54 - 135	5	20
Chloroethane	25.0	24.1		ug/L		97	62 - 138	3	20
Trichlorofluoromethane	25.0	26.3		ug/L		105	66 - 132	4	20
Methylene Chloride	25.0	22.8		ug/L		91	70 - 147	3	20
trans-1,2-Dichloroethene	25.0	24.8		ug/L		99	68 - 130	3	20
cis-1,2-Dichloroethene	25.0	23.5		ug/L		94	70 - 130	0	20

TestAmerica Pleasanton

QC Sample Results

Client: PES Environmental, Inc.
Project/Site: Eastmont Town Center

TestAmerica Job ID: 720-52633-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 720-145261/6

Matrix: Water

Analysis Batch: 145261

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	
								RPD	Limit
Chloroform	25.0	24.1		ug/L		96	70 - 130	0	20
1,1,1-Trichloroethane	25.0	24.3		ug/L		97	70 - 130	1	20
Carbon tetrachloride	25.0	25.1		ug/L		100	70 - 146	1	20
1,2-Dichloroethane	25.0	24.0		ug/L		96	61 - 132	2	20
Trichloroethene	25.0	25.3		ug/L		101	70 - 130	1	20
1,2-Dichloropropane	25.0	23.3		ug/L		93	70 - 130	1	20
Dichlorobromomethane	25.0	24.9		ug/L		100	70 - 130	3	20
trans-1,3-Dichloropropene	25.0	25.7		ug/L		103	70 - 140	3	20
cis-1,3-Dichloropropene	25.0	25.0		ug/L		100	70 - 130	4	20
1,1,2-Trichloroethane	25.0	25.6		ug/L		103	70 - 130	4	20
Tetrachloroethene	25.0	25.6		ug/L		102	70 - 130	1	20
Chlorodibromomethane	25.0	26.6		ug/L		107	70 - 145	6	20
Chlorobenzene	25.0	24.9		ug/L		100	70 - 130	2	20
Bromoform	25.0	28.6		ug/L		114	68 - 136	9	20
1,1,2,2-Tetrachloroethane	25.0	26.6		ug/L		106	70 - 130	7	20
1,3-Dichlorobenzene	25.0	25.1		ug/L		101	70 - 130	3	20
1,4-Dichlorobenzene	25.0	25.2		ug/L		101	70 - 130	5	20
1,2-Dichlorobenzene	25.0	25.3		ug/L		101	70 - 130	4	20
Chloromethane	25.0	24.4		ug/L		97	52 - 175	4	20
Bromomethane	25.0	25.5		ug/L		102	43 - 151	4	20
1,1,2-Trichloro-1,2,2-trifluoroethane	25.0	24.5		ug/L		98	42 - 162	4	20
EDB	25.0	26.6		ug/L		106	70 - 130	5	20
1,2,4-Trichlorobenzene	25.0	25.5		ug/L		102	70 - 130	7	20

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
Toluene-d8 (Surr)	100		70 - 130
4-Bromofluorobenzene	100		67 - 130
1,2-Dichloroethane-d4 (Surr)	93		72 - 130

QC Association Summary

Client: PES Environmental, Inc.
Project/Site: Eastmont Town Center

TestAmerica Job ID: 720-52633-1

GC/MS VOA

Analysis Batch: 145261

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-52633-1	MW-01	Total/NA	Water	8260B	
720-52633-2	MW-03	Total/NA	Water	8260B	
720-52633-3	MW-04	Total/NA	Water	8260B	
720-52633-4	DUP	Total/NA	Water	8260B	
720-52633-5	TB-1	Total/NA	Water	8260B	
LCS 720-145261/5	Lab Control Sample	Total/NA	Water	8260B	
LCSD 720-145261/6	Lab Control Sample Dup	Total/NA	Water	8260B	
MB 720-145261/4	Method Blank	Total/NA	Water	8260B	

Lab Chronicle

Client: PES Environmental, Inc.
Project/Site: Eastmont Town Center

TestAmerica Job ID: 720-52633-1

Client Sample ID: MW-01

Date Collected: 09/27/13 10:20

Date Received: 09/27/13 18:24

Lab Sample ID: 720-52633-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	145261	10/01/13 14:04	LPL	TAL PLS

Client Sample ID: MW-03

Date Collected: 09/27/13 09:55

Date Received: 09/27/13 18:24

Lab Sample ID: 720-52633-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	145261	10/01/13 14:30	LPL	TAL PLS

Client Sample ID: MW-04

Date Collected: 09/27/13 09:20

Date Received: 09/27/13 18:24

Lab Sample ID: 720-52633-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	145261	10/01/13 14:56	LPL	TAL PLS

Client Sample ID: DUP

Date Collected: 09/27/13 00:00

Date Received: 09/27/13 18:24

Lab Sample ID: 720-52633-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	145261	10/01/13 17:58	LPL	TAL PLS

Client Sample ID: TB-1

Date Collected: 09/27/13 08:00

Date Received: 09/27/13 18:24

Lab Sample ID: 720-52633-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	145261	10/01/13 11:02	LPL	TAL PLS

Laboratory References:

TAL PLS = TestAmerica Pleasanton, 1220 Quarry Lane, Pleasanton, CA 94566, TEL (925)484-1919

Certification Summary

Client: PES Environmental, Inc.
Project/Site: Eastmont Town Center

TestAmerica Job ID: 720-52633-1

Laboratory: TestAmerica Pleasanton

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
California	State Program	9	2496	01-31-14

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: PES Environmental, Inc.
Project/Site: Eastmont Town Center

TestAmerica Job ID: 720-52633-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL PLS

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL PLS = TestAmerica Pleasanton, 1220 Quarry Lane, Pleasanton, CA 94566, TEL (925)484-1919



Sample Summary

Client: PES Environmental, Inc.
Project/Site: Eastmont Town Center

TestAmerica Job ID: 720-52633-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
720-52633-1	MW-01	Water	09/27/13 10:20	09/27/13 18:24
720-52633-2	MW-03	Water	09/27/13 09:55	09/27/13 18:24
720-52633-3	MW-04	Water	09/27/13 09:20	09/27/13 18:24
720-52633-4	DUP	Water	09/27/13 00:00	09/27/13 18:24
720-52633-5	TB-1	Water	09/27/13 08:00	09/27/13 18:24

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

BLAINE

TECH SERVICES, INC

1680 ROGERS AVENUE
 SAN JOSE, CALIFORNIA 95112-1105
 FAX (408) 573-7771
 PHONE (408) 573-0555

CONDUCT ANALYSIS TO DETECT

LAB

TA - San Francisco

DHS #

720-52633

ALL ANALYSES MUST MEET SPECIFICATIONS AND DETECTION LIMITS SET BY CALIFORNIA DHS AND

- EPA
- LIA
- OTHER


RWQCB REGION _____
 148929

CHAIN OF CUSTODY
 CLIENT PES
 SITE Eastmont Town Center
 7200 Bancroft Ave.
 Oakland, CA

C = COMPOSITE ALL CONTAINERS

Halogenated VOCs (8010 List) by EPA 8260B

SAMPLE I.D.	DATE	TIME	MATRIX S= SOIL W=H ₂ O	CONTAINERS TOTAL							ADD'L INFORMATION	STATUS	CONDITION	LAB SAMPLE #
MW-01	9-27-13	1020	W	4	HCL WAS	✓								
MW-03		0955		4	↓	✓								
MW-04		0920		4	↓	✓								
DUP		—		4	↓	✓								
TB-1	✓	0800	✓	2	↓	✓								



SAMPLING COMPLETED 9-27-13
 SAMPLING PERFORMED BY Mark McColloch
 RESULTS NEEDED NO LATER THAN STANDARD TAT 5.9°C

RELEASED BY [Signature] DATE 9/27/13 TIME 1640 RECEIVED BY # 5565 DATE 9-27-13 TIME 1641

RELEASED BY [Signature] DATE 9/27/13 TIME 1824 RECEIVED BY [Signature] DATE 9-27-13 TIME 1824

RELEASED BY [Signature] DATE 9/27/13 TIME 1824 RECEIVED BY [Signature] DATE 9-27-13 TIME 1824

SHIPPED VIA DATE SENT TIME SENT COOLER #



Login Sample Receipt Checklist

Client: PES Environmental, Inc.

Job Number: 720-52633-1

Login Number: 52633

List Source: TestAmerica Pleasanton

List Number: 1

Creator: Gonzales, Justinn

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Pleasanton
1220 Quarry Lane
Pleasanton, CA 94566
Tel: (925)484-1919

TestAmerica Job ID: 720-52809-1
Client Project/Site: Eastmont Town Center

For:
PES Environmental, Inc.
1682 Novato Boulevard
Suite 100
Novato, California 94947-7021

Attn: Mr. Gary Thomas



Authorized for release by:
10/11/2013 5:09:17 PM

Afsaneh Salimpour, Project Manager I
(925)484-1919
afsaneh.salimpour@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	6
QC Sample Results	7
QC Association Summary	10
Lab Chronicle	11
Certification Summary	12
Method Summary	13
Sample Summary	14
Chain of Custody	15
Receipt Checklists	16

Definitions/Glossary

Client: PES Environmental, Inc.
Project/Site: Eastmont Town Center

TestAmerica Job ID: 720-52809-1

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: PES Environmental, Inc.
Project/Site: Eastmont Town Center

TestAmerica Job ID: 720-52809-1

Job ID: 720-52809-1

Laboratory: TestAmerica Pleasanton

Narrative

Job Narrative
720-52809-1

Comments

No additional comments.

Receipt

The samples were received on 10/4/2013 5:40 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 5.1° C.

GC/MS VOA

No analytical or quality issues were noted.



Detection Summary

Client: PES Environmental, Inc.
Project/Site: Eastmont Town Center

TestAmerica Job ID: 720-52809-1

Client Sample ID: MW-02

Lab Sample ID: 720-52809-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.91		0.50		ug/L	1		8260B	Total/NA
Tetrachloroethene	26		0.50		ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Pleasanton

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client Sample Results

Client: PES Environmental, Inc.
Project/Site: Eastmont Town Center

TestAmerica Job ID: 720-52809-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Client Sample ID: MW-02
Date Collected: 10/04/13 09:10
Date Received: 10/04/13 17:40

Lab Sample ID: 720-52809-1
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	ND		0.50		ug/L			10/10/13 04:34	1
1,1-Dichloroethane	ND		0.50		ug/L			10/10/13 04:34	1
Dichlorodifluoromethane	ND		0.50		ug/L			10/10/13 04:34	1
Vinyl chloride	ND		0.50		ug/L			10/10/13 04:34	1
Chloroethane	ND		1.0		ug/L			10/10/13 04:34	1
Trichlorofluoromethane	ND		1.0		ug/L			10/10/13 04:34	1
Methylene Chloride	ND		5.0		ug/L			10/10/13 04:34	1
trans-1,2-Dichloroethene	ND		0.50		ug/L			10/10/13 04:34	1
cis-1,2-Dichloroethene	ND		0.50		ug/L			10/10/13 04:34	1
Chloroform	ND		1.0		ug/L			10/10/13 04:34	1
1,1,1-Trichloroethane	ND		0.50		ug/L			10/10/13 04:34	1
Carbon tetrachloride	ND		0.50		ug/L			10/10/13 04:34	1
1,2-Dichloroethane	ND		0.50		ug/L			10/10/13 04:34	1
Trichloroethene	0.91		0.50		ug/L			10/10/13 04:34	1
1,2-Dichloropropane	ND		0.50		ug/L			10/10/13 04:34	1
Dichlorobromomethane	ND		0.50		ug/L			10/10/13 04:34	1
trans-1,3-Dichloropropene	ND		0.50		ug/L			10/10/13 04:34	1
cis-1,3-Dichloropropene	ND		0.50		ug/L			10/10/13 04:34	1
1,1,2-Trichloroethane	ND		0.50		ug/L			10/10/13 04:34	1
Tetrachloroethene	26		0.50		ug/L			10/10/13 04:34	1
Chlorodibromomethane	ND		0.50		ug/L			10/10/13 04:34	1
Chlorobenzene	ND		0.50		ug/L			10/10/13 04:34	1
Bromoform	ND		1.0		ug/L			10/10/13 04:34	1
1,1,2,2-Tetrachloroethane	ND		0.50		ug/L			10/10/13 04:34	1
1,3-Dichlorobenzene	ND		0.50		ug/L			10/10/13 04:34	1
1,4-Dichlorobenzene	ND		0.50		ug/L			10/10/13 04:34	1
1,2-Dichlorobenzene	ND		0.50		ug/L			10/10/13 04:34	1
Chloromethane	ND		1.0		ug/L			10/10/13 04:34	1
Bromomethane	ND		1.0		ug/L			10/10/13 04:34	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		0.50		ug/L			10/10/13 04:34	1
EDB	ND		0.50		ug/L			10/10/13 04:34	1
1,2,4-Trichlorobenzene	ND		1.0		ug/L			10/10/13 04:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>Toluene-d8 (Surr)</i>	99		70 - 130					10/10/13 04:34	1
<i>4-Bromofluorobenzene</i>	97		67 - 130					10/10/13 04:34	1
<i>1,2-Dichloroethane-d4 (Surr)</i>	95		72 - 130					10/10/13 04:34	1

QC Sample Results

Client: PES Environmental, Inc.
Project/Site: Eastmont Town Center

TestAmerica Job ID: 720-52809-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 720-145872/4

Matrix: Water

Analysis Batch: 145872

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	ND		0.50		ug/L			10/09/13 19:29	1
1,1-Dichloroethane	ND		0.50		ug/L			10/09/13 19:29	1
Dichlorodifluoromethane	ND		0.50		ug/L			10/09/13 19:29	1
Vinyl chloride	ND		0.50		ug/L			10/09/13 19:29	1
Chloroethane	ND		1.0		ug/L			10/09/13 19:29	1
Trichlorofluoromethane	ND		1.0		ug/L			10/09/13 19:29	1
Methylene Chloride	ND		5.0		ug/L			10/09/13 19:29	1
trans-1,2-Dichloroethene	ND		0.50		ug/L			10/09/13 19:29	1
cis-1,2-Dichloroethene	ND		0.50		ug/L			10/09/13 19:29	1
Chloroform	ND		1.0		ug/L			10/09/13 19:29	1
1,1,1-Trichloroethane	ND		0.50		ug/L			10/09/13 19:29	1
Carbon tetrachloride	ND		0.50		ug/L			10/09/13 19:29	1
1,2-Dichloroethane	ND		0.50		ug/L			10/09/13 19:29	1
Trichloroethene	ND		0.50		ug/L			10/09/13 19:29	1
1,2-Dichloropropane	ND		0.50		ug/L			10/09/13 19:29	1
Dichlorobromomethane	ND		0.50		ug/L			10/09/13 19:29	1
trans-1,3-Dichloropropene	ND		0.50		ug/L			10/09/13 19:29	1
cis-1,3-Dichloropropene	ND		0.50		ug/L			10/09/13 19:29	1
1,1,2-Trichloroethane	ND		0.50		ug/L			10/09/13 19:29	1
Tetrachloroethene	ND		0.50		ug/L			10/09/13 19:29	1
Chlorodibromomethane	ND		0.50		ug/L			10/09/13 19:29	1
Chlorobenzene	ND		0.50		ug/L			10/09/13 19:29	1
Bromoform	ND		1.0		ug/L			10/09/13 19:29	1
1,1,2,2-Tetrachloroethane	ND		0.50		ug/L			10/09/13 19:29	1
1,3-Dichlorobenzene	ND		0.50		ug/L			10/09/13 19:29	1
1,4-Dichlorobenzene	ND		0.50		ug/L			10/09/13 19:29	1
1,2-Dichlorobenzene	ND		0.50		ug/L			10/09/13 19:29	1
Chloromethane	ND		1.0		ug/L			10/09/13 19:29	1
Bromomethane	ND		1.0		ug/L			10/09/13 19:29	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		0.50		ug/L			10/09/13 19:29	1
EDB	ND		0.50		ug/L			10/09/13 19:29	1
1,2,4-Trichlorobenzene	ND		1.0		ug/L			10/09/13 19:29	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	100		70 - 130		10/09/13 19:29	1
4-Bromofluorobenzene	96		67 - 130		10/09/13 19:29	1
1,2-Dichloroethane-d4 (Surr)	92		72 - 130		10/09/13 19:29	1

Lab Sample ID: LCS 720-145872/5

Matrix: Water

Analysis Batch: 145872

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	25.0	24.1		ug/L		96	64 - 128
1,1-Dichloroethane	25.0	22.8		ug/L		91	70 - 130
Dichlorodifluoromethane	25.0	16.9		ug/L		68	34 - 132
Vinyl chloride	25.0	18.5		ug/L		74	54 - 135
Chloroethane	25.0	20.0		ug/L		80	62 - 138

TestAmerica Pleasanton

QC Sample Results

Client: PES Environmental, Inc.
Project/Site: Eastmont Town Center

TestAmerica Job ID: 720-52809-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 720-145872/5

Matrix: Water

Analysis Batch: 145872

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Trichlorofluoromethane	25.0	22.9		ug/L		92	66 - 132
Methylene Chloride	25.0	23.9		ug/L		96	70 - 147
trans-1,2-Dichloroethene	25.0	24.8		ug/L		99	68 - 130
cis-1,2-Dichloroethene	25.0	22.5		ug/L		90	70 - 130
Chloroform	25.0	24.3		ug/L		97	70 - 130
1,1,1-Trichloroethane	25.0	24.7		ug/L		99	70 - 130
Carbon tetrachloride	25.0	25.4		ug/L		101	70 - 146
1,2-Dichloroethane	25.0	23.3		ug/L		93	61 - 132
Trichloroethene	25.0	27.0		ug/L		108	70 - 130
1,2-Dichloropropane	25.0	23.8		ug/L		95	70 - 130
Dichlorobromomethane	25.0	24.4		ug/L		98	70 - 130
trans-1,3-Dichloropropene	25.0	25.0		ug/L		100	70 - 140
cis-1,3-Dichloropropene	25.0	25.0		ug/L		100	70 - 130
1,1,2-Trichloroethane	25.0	26.2		ug/L		105	70 - 130
Tetrachloroethene	25.0	28.0		ug/L		112	70 - 130
Chlorodibromomethane	25.0	27.1		ug/L		108	70 - 145
Chlorobenzene	25.0	26.0		ug/L		104	70 - 130
Bromoform	25.0	29.8		ug/L		119	68 - 136
1,1,2,2-Tetrachloroethane	25.0	24.5		ug/L		98	70 - 130
1,3-Dichlorobenzene	25.0	26.1		ug/L		105	70 - 130
1,4-Dichlorobenzene	25.0	26.4		ug/L		106	70 - 130
1,2-Dichlorobenzene	25.0	26.3		ug/L		105	70 - 130
Chloromethane	25.0	16.6		ug/L		66	52 - 175
Bromomethane	25.0	22.2		ug/L		89	43 - 151
1,1,2-Trichloro-1,2,2-trifluoroethane	25.0	26.9		ug/L		108	42 - 162
EDB	25.0	27.2		ug/L		109	70 - 130
1,2,4-Trichlorobenzene	25.0	26.9		ug/L		107	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Toluene-d8 (Surr)	100		70 - 130
4-Bromofluorobenzene	95		67 - 130
1,2-Dichloroethane-d4 (Surr)	87		72 - 130

Lab Sample ID: LCSD 720-145872/6

Matrix: Water

Analysis Batch: 145872

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
1,1-Dichloroethene	25.0	23.7		ug/L		95	64 - 128	2	20
1,1-Dichloroethane	25.0	22.7		ug/L		91	70 - 130	1	20
Dichlorodifluoromethane	25.0	16.7		ug/L		67	34 - 132	1	20
Vinyl chloride	25.0	18.7		ug/L		75	54 - 135	1	20
Chloroethane	25.0	19.8		ug/L		79	62 - 138	1	20
Trichlorofluoromethane	25.0	22.9		ug/L		92	66 - 132	0	20
Methylene Chloride	25.0	23.8		ug/L		95	70 - 147	0	20
trans-1,2-Dichloroethene	25.0	24.8		ug/L		99	68 - 130	0	20
cis-1,2-Dichloroethene	25.0	22.6		ug/L		90	70 - 130	0	20

TestAmerica Pleasanton

QC Sample Results

Client: PES Environmental, Inc.
Project/Site: Eastmont Town Center

TestAmerica Job ID: 720-52809-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 720-145872/6

Matrix: Water

Analysis Batch: 145872

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	
								RPD	Limit
Chloroform	25.0	24.0		ug/L		96	70 - 130	1	20
1,1,1-Trichloroethane	25.0	24.2		ug/L		97	70 - 130	2	20
Carbon tetrachloride	25.0	25.1		ug/L		100	70 - 146	1	20
1,2-Dichloroethane	25.0	23.2		ug/L		93	61 - 132	0	20
Trichloroethene	25.0	26.8		ug/L		107	70 - 130	1	20
1,2-Dichloropropane	25.0	23.6		ug/L		94	70 - 130	1	20
Dichlorobromomethane	25.0	24.3		ug/L		97	70 - 130	1	20
trans-1,3-Dichloropropene	25.0	25.3		ug/L		101	70 - 140	1	20
cis-1,3-Dichloropropene	25.0	25.6		ug/L		102	70 - 130	2	20
1,1,2-Trichloroethane	25.0	26.4		ug/L		106	70 - 130	1	20
Tetrachloroethene	25.0	27.9		ug/L		111	70 - 130	0	20
Chlorodibromomethane	25.0	27.1		ug/L		108	70 - 145	0	20
Chlorobenzene	25.0	25.5		ug/L		102	70 - 130	2	20
Bromoform	25.0	29.5		ug/L		118	68 - 136	1	20
1,1,2,2-Tetrachloroethane	25.0	24.2		ug/L		97	70 - 130	1	20
1,3-Dichlorobenzene	25.0	26.1		ug/L		104	70 - 130	0	20
1,4-Dichlorobenzene	25.0	26.2		ug/L		105	70 - 130	1	20
1,2-Dichlorobenzene	25.0	26.1		ug/L		104	70 - 130	1	20
Chloromethane	25.0	16.1		ug/L		64	52 - 175	3	20
Bromomethane	25.0	22.1		ug/L		88	43 - 151	1	20
1,1,2-Trichloro-1,2,2-trifluoroethane	25.0	26.5		ug/L		106	42 - 162	2	20
EDB	25.0	27.6		ug/L		110	70 - 130	1	20
1,2,4-Trichlorobenzene	25.0	27.1		ug/L		108	70 - 130	1	20

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
Toluene-d8 (Surr)	100		70 - 130
4-Bromofluorobenzene	94		67 - 130
1,2-Dichloroethane-d4 (Surr)	91		72 - 130

QC Association Summary

Client: PES Environmental, Inc.
Project/Site: Eastmont Town Center

TestAmerica Job ID: 720-52809-1

GC/MS VOA

Analysis Batch: 145872

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-52809-1	MW-02	Total/NA	Water	8260B	
LCS 720-145872/5	Lab Control Sample	Total/NA	Water	8260B	
LCSD 720-145872/6	Lab Control Sample Dup	Total/NA	Water	8260B	
MB 720-145872/4	Method Blank	Total/NA	Water	8260B	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Lab Chronicle

Client: PES Environmental, Inc.
Project/Site: Eastmont Town Center

TestAmerica Job ID: 720-52809-1

Client Sample ID: MW-02

Lab Sample ID: 720-52809-1

Date Collected: 10/04/13 09:10

Matrix: Water

Date Received: 10/04/13 17:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	145872	10/10/13 04:34	ASC	TAL PLS

Laboratory References:

TAL PLS = TestAmerica Pleasanton, 1220 Quarry Lane, Pleasanton, CA 94566, TEL (925)484-1919

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Certification Summary

Client: PES Environmental, Inc.
Project/Site: Eastmont Town Center

TestAmerica Job ID: 720-52809-1

Laboratory: TestAmerica Pleasanton

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
California	State Program	9	2496	01-31-14

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: PES Environmental, Inc.
Project/Site: Eastmont Town Center

TestAmerica Job ID: 720-52809-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL PLS

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL PLS = TestAmerica Pleasanton, 1220 Quarry Lane, Pleasanton, CA 94566, TEL (925)484-1919



Sample Summary

Client: PES Environmental, Inc.
Project/Site: Eastmont Town Center

TestAmerica Job ID: 720-52809-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
720-52809-1	MW-02	Water	10/04/13 09:10	10/04/13 17:40

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Login Sample Receipt Checklist

Client: PES Environmental, Inc.

Job Number: 720-52809-1

Login Number: 52809

List Source: TestAmerica Pleasanton

List Number: 1

Creator: Gonzales, Justinn

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



DISTRIBUTION

**GROUNDWATER MONITORING REPORT
SECOND SEMI-ANNUAL 2013 EVENT
SPARKLE CLEANERS
EASTMONT TOWN CENTER
7000 BANCROFT AVENUE
OAKLAND, CALIFORNIA**

JANUARY 6, 2014

COPY NO. _____

Copy No.

1 Copy	Alameda County Environmental Health 1131 Harbor Bay Parkway, Suite 250 Alameda, California 94502 Attention: Mr. Jerry Wickham	PDF only
1 Copy	Eastmont Oakland Associates, LLC c/o ScanlanKemperBard Companies 810 NW Marshall Street, Suite 300 Portland, Oregon 97209 Attention: Mr. James V. Paul	1
1 Copy	Unico Properties, LLC 7200 Bancroft Avenue, Suite 1 Oakland, California 94605 Attention: Ms. Beena Standig	2
1 Copy	PES Job File	3
1 Copy	Unbound Original	4