

October 2, 2009

Ms. Barbara J. Jakub
Hazardous Materials Specialist
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

**RE: Addendum to Additional Site Assessment Work Plan
dated April 6, 2009
76 Service Station No. 256277
15803 East 14th Street
San Leandro, California
Fuel Leak Case No. R000002969**



Dear Ms. Jakub:

On April 6, 2009, Delta Consultants (Delta), on behalf of ConocoPhillips Company, submitted a work plan addendum to your agency, modifying Delta's *Additional Site Assessment Work Plan*, dated October 27, 2008. The work plan addendum was submitted in response to correspondence received from the Alameda County Health Care Services Agency dated March 6, 2009. The timely completion of this work is crucial for Delta to meet contractual milestones and timelines.

As of today, it has been more than sixty (60) days since the workplan was submitted to your agency for review and comments. Therefore, in accordance with Title 23, Division 3, Chapter 16, Article 11, Section 2722 (e) of the California Code of Regulations, this letter is being submitted to inform your agency of Delta's intent to proceed with the work described in the above referenced work plan and addendum.

If you have any questions concerning this submittal, please contact us at (408) 826-1867.

Sincerely,

DELTA CONSULTANTS

A handwritten signature in black ink, appearing to read "Tony Perini" followed by a stylized flourish.

Tony Perini
Senior Project Manager