

ANALYTICAL REPORT

Job Number: 720-11530-1

Job Description: 414/448 Beverly

For:

Livermore-Pleasanton Fire Department

3560 Nevada Street

Pleasanton, CA 94566

Attention: Mr. John Rigter

RECEIVED

NOV 16 2007

FIRE PREVENTION

Surinder Sidhu

Surinder Sidhu

Customer Service Manager

surinder.sidhu@testamericainc.com

11/14/2007

Job Narrative
720-J11530-1

Comments

No additional comments.

Receipt

All samples were received in good condition within temperature requirements.

GC/MS VOA

No analytical or quality issues were noted.

GC Semi VOA

Method(s) 8015B: Due to the high concentration of target analytes, the matrix spike / matrix spike duplicate (MS/MSD) for batch 28149 and 28150 could not be evaluated. The associated laboratory control standard (LCS) met acceptance criteria.

No other analytical or quality issues were noted.

Organic Prep

No analytical or quality issues were noted.

EXECUTIVE SUMMARY - Detections

Client: Livermore-Pleasanton Fire Department

Job Number: 720-11530-1

Lab Sample ID	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
720-11530-1	102607-01				
n-Butylbenzene		8200	970	ug/Kg	8260B
sec-Butylbenzene		2700	970	ug/Kg	8260B
4-Isopropyltoluene		2800	970	ug/Kg	8260B
N-Propylbenzene		1800	970	ug/Kg	8260B
1,2,4-Trimethylbenzene		17000	970	ug/Kg	8260B
1,3,5-Trimethylbenzene		5900	970	ug/Kg	8260B
Xylenes, Total		6600	1900	ug/Kg	8260B
Diesel Range Organics [C10-C28]		2900	50	mg/Kg	8015B
Mineral Spirit Range Organics [C9-C13]		4200	50	mg/Kg	8015B

METHOD SUMMARY

Client: Livermore-Pleasanton Fire Department

Job Number: 720-11530-1

Description	Lab Location	Method	Preparation Method
Matrix: Solid			
Volatile Organic Compounds by GC/MS (Low Level)	TAL SF	SW846 8260B	
Purge and Trap for Methanol Extractions	TAL SF		SW846 5030B
Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)	TAL SF	SW846 8015B	
Ultrasonic Extraction	TAL SF		SW846 3550B

Lab References:

TAL SF = TestAmerica San Francisco

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

SAMPLE SUMMARY

Client: Livermore-Pleasanton Fire Department

Job Number: 720-11530-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
720-11530-1	102607-01	Solid	10/26/2007 1150	10/30/2007 1508

Analytical Data

Client: Livermore-Pleasanton Fire Department

Job Number: 720-11530-1

Client Sample ID: 102607-01

Lab Sample ID: 720-11530-1

Date Sampled: 10/26/2007 1150

Client Matrix: Solid

Date Received: 10/30/2007 1508

8260B Volatile Organic Compounds by GC/MS (Low Level)

Method: 8260B Analysis Batch: 720-28180 Instrument ID: Varian 3900G
Preparation: 5030B-Medium Prep Batch: 720-28157 Lab File ID: c:\saturmws\data\200711\11
Dilution: 200 Initial Weight/Volume: 5.16 g
Date Analyzed: 11/02/2007 1911 Final Weight/Volume: 10 mL
Date Prepared: 11/02/2007 1300

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
Methyl tert-butyl ether		ND		970
Acetone		ND		9700
Benzene		ND		970
Dichlorobromomethane		ND		970
Bromobenzene		ND		970
Chlorobromomethane		ND		3900
Bromoform		ND		970
Bromomethane		ND		1900
2-Butanone (MEK)		ND		9700
n-Butylbenzene		8200		970
sec-Butylbenzene		2700		970
tert-Butylbenzene		ND		970
Carbon disulfide		ND		970
Carbon tetrachloride		ND		970
Chlorobenzene		ND		970
Chloroethane		ND		1900
Chloroform		ND		970
Chloromethane		ND		1900
2-Chlorotoluene		ND		970
4-Chlorotoluene		ND		970
Chlorodibromomethane		ND		970
1,2-Dichlorobenzene		ND		970
1,3-Dichlorobenzene		ND		970
1,4-Dichlorobenzene		ND		970
1,3-Dichloropropane		ND		970
1,1-Dichloropropene		ND		970
1,2-Dibromo-3-Chloropropane		ND		9700
Ethylene Dibromide		ND		970
Dibromomethane		ND		1900
Dichlorodifluoromethane		ND		1900
1,1-Dichloroethane		ND		970
1,2-Dichloroethane		ND		970
1,1-Dichloroethene		ND		970
cis-1,2-Dichloroethene		ND		970
trans-1,2-Dichloroethene		ND		970
1,2-Dichloropropane		ND		970
cis-1,3-Dichloropropene		ND		970
trans-1,3-Dichloropropene		ND		970
Ethylbenzene		ND		970
Hexachlorobutadiene		ND		970
2-Hexanone		ND		9700
Isopropylbenzene		ND		970
4-Isopropyltoluene		2800		970
Methylene Chloride		ND		1900

Analytical Data

Client: Livermore-Pleasanton Fire Department

Job Number: 720-11530-1

Client Sample ID: 102607-01

Lab Sample ID: 720-11530-1

Date Sampled: 10/26/2007 1150

Client Matrix: Solid

Date Received: 10/30/2007 1508

8260B Volatile Organic Compounds by GC/MS (Low Level)

Method: 8260B	Analysis Batch: 720-28180	Instrument ID: Varian 3900G	
Preparation: 5030B-Medium	Prep Batch: 720-28157	Lab File ID: c:\saturnws\data\200711\11	
Dilution: 200		Initial Weight/Volume: 5.16 g	
Date Analyzed: 11/02/2007 1911		Final Weight/Volume: 10 mL	
Date Prepared: 11/02/2007 1300			

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
4-Methyl-2-pentanone (MIBK)		ND		9700
Naphthalene		ND		1900
N-Propylbenzene		1800		970
Styrene		ND		970
1,1,1,2-Tetrachloroethane		ND		970
1,1,2,2-Tetrachloroethane		ND		970
Tetrachloroethene		ND		970
Toluene		ND		970
1,2,3-Trichlorobenzene		ND		970
1,2,4-Trichlorobenzene		ND		970
1,1,1-Trichloroethane		ND		970
1,1,2-Trichloroethane		ND		970
Trichloroethene		ND		970
Trichlorofluoromethane		ND		970
1,2,3-Trichloropropane		ND		970
1,1,2-Trichloro-1,2,2-trifluoroethane		ND		970
1,2,4-Trimethylbenzene		17000		970
1,3,5-Trimethylbenzene		5900		970
Vinyl acetate		ND		9700
Vinyl chloride		ND		970
Xylenes, Total		6600		1900
2,2-Dichloropropane		ND		970

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	71	60 - 140
1,2-Dichloroethane-d4 (Surr)	95	60 - 140
Toluene-d8 (Surr)	97	70 - 130

Analytical Data

Client: Livermore-Pleasanton Fire Department

Job Number: 720-11530-1

Client Sample ID: 102607-01

Lab Sample ID: 720-11530-1

Date Sampled: 10/26/2007 1150

Client Matrix: Solid

Date Received: 10/30/2007 1508

8015B Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Method:	8015B	Analysis Batch: 720-28150	Instrument ID: HP DRO5
Preparation:	3550B	Prep Batch: 720-28083	Lab File ID: N/A
Dilution:	50		Initial Weight/Volume: 30.21 g
Date Analyzed:	11/05/2007 1225		Final Weight/Volume: 5 mL
Date Prepared:	11/01/2007 0913		Injection Volume:
			Column ID: PRIMARY

Analyte	DryWt Corrected: N	Result (mg/Kg)	Qualifier	RL
Diesel Range Organics [C10-C28]		2900		50
Motor Oil Range Organics [C24-C36]		ND		2500
Mineral Spirit Range Organics [C9-C13]		4200		50

Surrogate	%Rec		Acceptance Limits
p-Terphenyl	0	D	40 - 119

DATA REPORTING QUALIFIERS

Client: Livermore-Pleasanton Fire Department

Job Number: 720-11530-1

Lab Section	Qualifier	Description
GC Semi VOA	D	Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution may be flagged with a D.

Quality Control Results

Client: Livermore-Pleasanton Fire Department

Job Number: 720-11530-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS VOA					
Prep Batch: 720-28157					
LCS 720-28157/1-A	Lab Control Spike	T	Solid	5030B	
LCSD 720-28157/2-A	Lab Control Spike Duplicate	T	Solid	5030B	
MB 720-28157/3-A	Method Blank	T	Solid	5030B	
720-11530-1	102607-01	T	Solid	5030B	
Analysis Batch:720-28180					
LCS 720-28157/1-A	Lab Control Spike	T	Solid	8260B	720-28157
LCSD 720-28157/2-A	Lab Control Spike Duplicate	T	Solid	8260B	720-28157
MB 720-28157/3-A	Method Blank	T	Solid	8260B	720-28157
720-11530-1	102607-01	T	Solid	8260B	720-28157

Report Basis

T = Total

GC Semi VOA

Prep Batch: 720-28083					
LCS 720-28083/2-A	Lab Control Spike	T	Solid	3550B	
LCSD 720-28083/3-A	Lab Control Spike Duplicate	T	Solid	3550B	
MB 720-28083/1-A	Method Blank	T	Solid	3550B	
720-11530-1	102607-01	T	Solid	3550B	
Analysis Batch:720-28149					
LCS 720-28083/2-A	Lab Control Spike	T	Solid	8015B	720-28083
LCSD 720-28083/3-A	Lab Control Spike Duplicate	T	Solid	8015B	720-28083
MB 720-28083/1-A	Method Blank	T	Solid	8015B	720-28083
Analysis Batch:720-28150					
720-11530-1	102607-01	T	Solid	8015B	720-28083

Report Basis

T = Total

Quality Control Results

Client: Livermore-Pleasanton Fire Department

Job Number: 720-11530-1

Method Blank - Batch: 720-28157

Method: 8260B

Preparation: 5030B

Lab Sample ID: MB 720-28157/3-A
 Client Matrix: Solid
 Dilution: 200
 Date Analyzed: 11/02/2007 1551
 Date Prepared: 11/02/2007 1300

Analysis Batch: 720-28180
 Prep Batch: 720-28157
 Units: ug/Kg

Instrument ID: Varian 3900G
 Lab File ID: c:\saturday\data\200711\11
 Initial Weight/Volume: 5 g
 Final Weight/Volume: 10 mL

Analyte	Result	Qual	RL
Methyl tert-butyl ether	ND		1000
Acetone	ND		10000
Benzene	ND		1000
Dichlorobromomethane	ND		1000
Bromobenzene	ND		1000
Chlorobromomethane	ND		4000
Bromoform	ND		1000
Bromomethane	ND		2000
2-Butanone (MEK)	ND		10000
n-Butylbenzene	ND		1000
sec-Butylbenzene	ND		1000
tert-Butylbenzene	ND		1000
Carbon disulfide	ND		1000
Carbon tetrachloride	ND		1000
Chlorobenzene	ND		1000
Chloroethane	ND		2000
Chloroform	ND		1000
Chloromethane	ND		2000
2-Chlorotoluene	ND		1000
4-Chlorotoluene	ND		1000
Chlorodibromomethane	ND		1000
1,2-Dichlorobenzene	ND		1000
1,3-Dichlorobenzene	ND		1000
1,4-Dichlorobenzene	ND		1000
1,3-Dichloropropane	ND		1000
1,1-Dichloropropane	ND		1000
1,2-Dibromo-3-Chloropropane	ND		10000
Ethylene Dibromide	ND		1000
Dibromomethane	ND		2000
Dichlorodifluoromethane	ND		2000
1,1-Dichloroethane	ND		1000
1,2-Dichloroethane	ND		1000
1,1-Dichloroethene	ND		1000
cis-1,2-Dichloroethene	ND		1000
trans-1,2-Dichloroethene	ND		1000
1,2-Dichloropropane	ND		1000
cis-1,3-Dichloropropane	ND		1000
trans-1,3-Dichloropropane	ND		1000
Ethylbenzene	ND		1000
Hexachlorobutadiene	ND		1000
2-Hexanone	ND		10000

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Livermore-Pleasanton Fire Department

Job Number: 720-11530-1

Method Blank - Batch: 720-28157

Method: 8260B

Preparation: 5030B

Lab Sample ID: MB 720-28157/3-A
 Client Matrix: Solid
 Dilution: 200
 Date Analyzed: 11/02/2007 1551
 Date Prepared: 11/02/2007 1300

Analysis Batch: 720-28180
 Prep Batch: 720-28157
 Units: ug/Kg

Instrument ID: Varian 3900G
 Lab File ID: c:\saturnews\data\200711\11
 Initial Weight/Volume: 5 g
 Final Weight/Volume: 10 mL

Analyte	Result	Qual	RL
Isopropylbenzene	ND		1000
4-Isopropyltoluene	ND		1000
Methylene Chloride	ND		2000
4-Methyl-2-pentanone (MIBK)	ND		10000
Naphthalene	ND		2000
N-Propylbenzene	ND		1000
Styrene	ND		1000
1,1,1,2-Tetrachloroethane	ND		1000
1,1,2,2-Tetrachloroethane	ND		1000
Tetrachloroethene	ND		1000
Toluene	ND		1000
1,2,3-Trichlorobenzene	ND		1000
1,2,4-Trichlorobenzene	ND		1000
1,1,1-Trichloroethane	ND		1000
1,1,2-Trichloroethane	ND		1000
Trichloroethene	ND		1000
Trichlorofluoromethane	ND		1000
1,2,3-Trichloropropane	ND		1000
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1000
1,2,4-Trimethylbenzene	ND		1000
1,3,5-Trimethylbenzene	ND		1000
Vinyl acetate	ND		10000
Vinyl chloride	ND		1000
Xylenes, Total	ND		2000
2,2-Dichloropropane	ND		1000

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	104	60 - 140
1,2-Dichloroethane-d4 (Surr)	98	60 - 140
Toluene-d8 (Surr)	100	70 - 130

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Livermore-Pleasanton Fire Department

Job Number: 720-11530-1

**Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 720-28157**

**Method: 8260B
Preparation: 5030B**

LCS Lab Sample ID: LCS 720-28157/1-A
Client Matrix: Solid
Dilution: 200
Date Analyzed: 11/02/2007 1444
Date Prepared: 11/02/2007 1300

Analysis Batch: 720-28180
Prep Batch: 720-28157
Units: ug/Kg

Instrument ID: Varian 3900G
Lab File ID: c:\saturnws\data\200711\110
Initial Weight/Volume: 5 g
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 720-28157/2-A
Client Matrix: Solid
Dilution: 200
Date Analyzed: 11/02/2007 1517
Date Prepared: 11/02/2007 1300

Analysis Batch: 720-28180
Prep Batch: 720-28157
Units: ug/Kg

Instrument ID: Varian 3900G
Lab File ID: c:\saturnws\data\200711\110
Initial Weight/Volume: 5 g
Final Weight/Volume: 10 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Benzene	88	84	69 - 129	5	20		
Chlorobenzene	106	106	61 - 121	0	20		
1,1-Dichloroethene	99	98	65 - 125	1	20		
Toluene	98	96	70 - 130	2	20		
Trichloroethene	91	87	74 - 134	4	20		
Surrogate	LCS % Rec		LCSD % Rec	Acceptance Limits			
4-Bromofluorobenzene	108		106	60 - 140			
1,2-Dichloroethane-d4 (Surr)	102		101	60 - 140			
Toluene-d8 (Surr)	106		102	70 - 130			

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Livermore-Pleasanton Fire Department

Job Number: 720-11530-1

Method Blank - Batch: 720-28083

**Method: 8015B
Preparation: 3550B**

Lab Sample ID: MB 720-28083/1-A
Client Matrix: Solid
Dilution: 1.0
Date Analyzed: 11/01/2007 1900
Date Prepared: 11/01/2007 0913

Analysis Batch: 720-28149
Prep Batch: 720-28083
Units: mg/Kg

Instrument ID: Varian DRO4
Lab File ID: N/A
Initial Weight/Volume: 30.17 g
Final Weight/Volume: 5 mL
Injection Volume:
Column ID: PRIMARY

Analyte	Result	Qual	RL
Diesel Range Organics [C10-C28]	ND		0.99
Motor Oil Range Organics [C24-C36]	ND		50
Mineral Spirit Range Organics [C9-C13]	ND		0.99
Surrogate	% Rec		Acceptance Limits
p-Terphenyl	93		40 - 119

**Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 720-28083**

**Method: 8015B
Preparation: 3550B**

LCS Lab Sample ID: LCS 720-28083/2-A
Client Matrix: Solid
Dilution: 1.0
Date Analyzed: 11/01/2007 1808
Date Prepared: 11/01/2007 0913

Analysis Batch: 720-28149
Prep Batch: 720-28083
Units: mg/Kg

Instrument ID: Varian DRO4
Lab File ID: N/A
Initial Weight/Volume: 30.21 g
Final Weight/Volume: 5 mL
Injection Volume:
Column ID: PRIMARY

LCSD Lab Sample ID: LCSD 720-28083/3-A
Client Matrix: Solid
Dilution: 1.0
Date Analyzed: 11/01/2007 1834
Date Prepared: 11/01/2007 0913

Analysis Batch: 720-28149
Prep Batch: 720-28083
Units: mg/Kg

Instrument ID: Varian DRO4
Lab File ID: N/A
Initial Weight/Volume: 30.14 g
Final Weight/Volume: 5 mL
Injection Volume:
Column ID: PRIMARY

Analyte	<u>% Rec.</u>		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Diesel Range Organics [C10-C28]	78	81	50 - 130	4	30		
Surrogate	LCS % Rec		LCSD % Rec		Acceptance Limits		
p-Terphenyl	81		99		40 - 119		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Login Sample Receipt Check List

Client: TestAmerica San Francisco

Job Number: 720-11530-1

Login Number: 11530

Creator: Mullen, Joan

List Number: 1

List Source: TestAmerica San Francisco

Question	T / F / NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	
The cooler's custody seal, if present, is intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	False	NCM
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

Livermore-Pleasanton Fire Department Chain of Custody Form

Incident Number	Customer Service Request CSR # 7268
Date of Incident	10/26/07
Location/Address of Incident	448 Beverly St., Livermore, CA

Sample Identifier	Sample Description	Sample Media	Analyses Requested
102607-01	(1) 0.25 liter soil	Soil/gravel	

	Name	Agency/Company	Date	Time
Sample COLLECTED BY	Paul M. Amie	LPFD	10/26/07	11:50 AM
Sample Relinquished BY	Paul M. Amie	LPFD	10/26/07	11:57 AM
Sample Relinquished TO	John Richter	LPFD	10/26/07	11:58 AM
Sample Relinquished BY	John Richter	LPFD	10/26/07	12:38 AM
Sample Relinquished TO	Steve M. G.	City of Livermore - WRD	10/26/07	12:38 PM
Sample Relinquished BY	Sydney Argalona	City of Livermore - WRD	10/30/07	14:49
Sample Relinquished TO	John Richter	LPFD	10/30/07	14:50

DN 10
/



THE LEADER IN ENVIRONMENTAL TESTING

TESTAMERICA San Francisco Chain of Custody
 1220 Quarry Lane • Pleasanton CA 94566-4756
 Phone: (925) 484-1919 • Fax: (925) 600-3002
 Email: sflogin@stl-inc.com

Reference #: _____
 Date _____ Page _____ of _____

Report To					Analysis Request																	
Sample ID	Date	Time	Mat rix	Pres erv.	TPH EPA - <input type="checkbox"/> 801 <input type="checkbox"/> 8260B	Gas w/ <input type="checkbox"/> BTEX	Purgeable Aromatics BTEX EPA - <input type="checkbox"/> 8021 <input type="checkbox"/> 8260B	TEPH EPA 8015M* <input type="checkbox"/> Silica Gel <input checked="" type="checkbox"/> Diesel <input type="checkbox"/> Motor Oil <input checked="" type="checkbox"/> Other	Fuel Tests EPA 8260B: <input type="checkbox"/> Gas <input type="checkbox"/> BTEX <input type="checkbox"/> Five Oxenolates <input type="checkbox"/> DCA, EDB <input type="checkbox"/>	Purgeable Halocarbons (HVOCS) EPA 8021 by 8260B	Volatile Organics GC/MS (VOCs) <input checked="" type="checkbox"/> EPA 8260B <input type="checkbox"/> 824	Semivolatiles GC/MS <input type="checkbox"/> EPA 8270 <input type="checkbox"/> 825	Oil and Grease <input type="checkbox"/> Petroleum (EPA 1664) <input type="checkbox"/> Total	Pesticides <input type="checkbox"/> EPA 8081 <input type="checkbox"/> 608 PCBs <input type="checkbox"/> EPA 8082 <input type="checkbox"/> 608	PNAs by <input type="checkbox"/> 8270 <input type="checkbox"/> 8310	CAM17 Metals (EPA 601074707471)	Metals: <input type="checkbox"/> Lead <input type="checkbox"/> LUFT <input type="checkbox"/> RCRA <input type="checkbox"/> Other:	Low Level Metals by EPA 200.8/6020 (ICP-MS):	WLE.T (STLC) TCLP	Hexavalent Chromium pH (24h hold time for H ₂ O)	Spec Cond. <input type="checkbox"/> Alkalinity TSS <input type="checkbox"/> TDS <input type="checkbox"/>	Anions: <input type="checkbox"/> Cl <input type="checkbox"/> SO ₄ <input type="checkbox"/> NO ₃ <input type="checkbox"/> F <input type="checkbox"/> Br <input type="checkbox"/> NO ₂ <input type="checkbox"/> PO ₄
102607-01	10/26/07	11:50 AM	Soil	-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Project Info.		Sample Receipt	
Project Name 414/448 Berkeley St	Project#	# of Containers	Head Space:
PO#	Credit Card#	Temp: 8.8°C	Conforms to record:
T A T	5 Day	72h	48h 24h Other:

1) Relinquished by: Signature: [Signature] Time: 3:08 PM Printed Name: Joan Richter Date: 10/30/07 Company: Livermore-Pleasanton F.D.	2) Relinquished by: Signature: _____ Time: _____ Printed Name: _____ Date: _____ Company: _____	3) Relinquished by: Signature: _____ Time: _____ Printed Name: _____ Date: _____ Company: _____
1) Received by: Signature: [Signature] Time: 1508 Printed Name: Joan Mulken Date: 10-30-07 Company: FALSE	2) Received by: Signature: _____ Time: _____ Printed Name: _____ Date: _____ Company: _____	3) Received by: Signature: _____ Time: _____ Printed Name: _____ Date: _____ Company: _____

Report Routine Level 3 Level 4 EDD State Tank Fund EDF Global ID

Special Instructions / Comments:
 Da TO Analyze
 See Terms and Conditions on [unclear]
 *TestAmerica SF reports 8015M from C₉-C₂₄ (Industry norm). Default for 8015B is C₁₀-C₂₄