

ExxonMobil
Environmental Services Company
4096 Piedmont Avenue #194
Oakland, California 94611
510 547 8196 Telephone
510 547 8706 Facsimile

Jennifer C. Sediachek
Project Manager

RECEIVED

By Alameda County Environmental Health at 11:08 am, Jul 25, 2013

ExxonMobil

July 22, 2013

Ms. Barbara Jakub, P.G.
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harbor Bay Parkway, Room 250
Alameda, California 94502-6577

RE: Former Exxon RAS #79374/990 San Pablo Avenue, Albany, California.

Dear Ms. Jakub:

Attached for your review and comment is a copy of the letter report entitled ***Groundwater Monitoring Report, First and Second Quarter 2013***, dated July 22, 2013, for the above-referenced site. The report was prepared by Cardno ERI of Petaluma, California, and details activities for the subject site.

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

If you have any questions or comments, please contact me at 510.547.8196.

Sincerely,



Jennifer C. Sediachek
Project Manager

Attachment: Cardno ERI's ***Groundwater Monitoring Report, First and Second Quarter 2013***,
dated July 22, 2013

cc: w/ attachment
Ms. Muriel T. Blank, Trustee, The Blank Family Trust
Reverend Deborah Blank, Trustee, The Blank Family Trust
Ms. Marcia Blank Kelly, The Blank Family Trust

w/o attachment
Ms. Rebekah A. Westrup, Cardno ERI

July 22, 2013
 Cardno ERI 2735C.Q132

Cardno ERI
 License A/C10/C36-611383

601 North McDowell Blvd.
 Petaluma, CA 94954

Phone +1 707 766 2000
 Fax +1 707 789 0414
www.cardno.com
www.cardnoeri.com

Ms. Jennifer C. Sediachek
 ExxonMobil Environmental Services Company
 4096 Piedmont Avenue #194
 Oakland, California 94611

SUBJECT **Groundwater Monitoring Report, First and Second Quarter 2013**
 Former Exxon Service Station 79374
 990 San Pablo Avenue, Albany, California

Alameda County RO#2974

INTRODUCTION

At the request of ExxonMobil Environmental Services (EMES), on behalf of Exxon Mobil Corporation, Cardno ERI performed quarterly monitoring of well MW4 in the first and second quarters and performed second quarter 2013 groundwater monitoring and sampling activities at the subject site. Relevant plates, tables, and appendices are included at the end of this report. Currently, the site is occupied by a retail outlet for paints and painting products.

GROUNDWATER MONITORING AND SAMPLING SUMMARY

Well MW4 quarterly gauging dates:	03/06/13 and 06/11/13
Semi-annual gauging and sampling date:	06/11/13
Wells gauged and sampled:	MW1 through MW3, MW3A, MW4 through MW6
Wells gauged only:	AS1, SVE1 through SVE3
Presence of NAPL:	Not observed
Laboratory:	Calscience Environmental Laboratories, Inc. Garden Grove, California
Analyses performed:	EPA Method 8015B TPHd, TPHg, TPHmo EPA Method 8260B BTEX, MTBE, ETBE, TAME, TBA, DIPE, EDB, 1,2-DCA
Waste disposal:	60 gallons purge and decon water delivered to InStrat, Inc., of Rio Vista, California, on 07/03/13

July 22, 2013
Cardno ERI 2735C.Q132 Former Exxon Service Station 79374, Albany, California

RESULTS AND CONCLUSIONS

Groundwater Gradient

Due to varying well construction, Cardno ERI separated the wells into shallow and deep water-bearing zones. Wells MW3A, MW4, MW5, and SVE1 through SVE3 are screened no deeper than 15 feet bgs and are referred to as the shallow water-bearing zone; wells MW1 through MW3 and MW6 have screened intervals that extend below 15 feet bgs and are referred to as the deep water-bearing zone. The groundwater elevations in wells screened deeper than 15 feet are commonly irregular and do not agree with the distribution of petroleum hydrocarbon concentrations. Although the water-bearing zones are referred to as shallow and deep, they likely do not represent unique water-bearing zones. During second quarter 2013, the groundwater flow direction in the shallow water-bearing zone was towards the west with a hydraulic gradient of approximately 0.01. Due to varying well construction, the groundwater flow in the deep water-bearing zone was not calculated. Groundwater elevation maps for the shallow and deep water-bearing zones are included as Plates 3 and 4, respectively.

Non-Aqueous Phase Liquid

During the fourth quarter 2012 sampling event, concentrations of TPHg (270,000 µg/L) were two orders of magnitude higher in well MW4 than previous concentrations, potentially indicative of the presence of NAPL. Although the TPHd numbers increased during fourth quarter 2012, BTEX concentrations were consistent with previous data. As a result, Cardno ERI began quarterly monitoring of well MW4 to check for NAPL. NAPL was not observed in the well during the first or second quarter 2013 monitoring events. Concentrations of TPHg in well MW4 decreased to 16,000 µg/L during the second quarter 2013 sampling event and are consistent with previous results.

Hydrocarbons in Groundwater

During second quarter 2013, concentrations of TPHd, TPHg, and BTEX were reported in wells MW3, MW3A, and MW4 through MW6. The chromatographic pattern of the TPHd results was not consistent with diesel. Concentrations of TPHmo, MTBE, TBA, ETBE, DIPE, TAME, EDB, and 1,2-DCA were not reported in the samples collected from the wells. Maximum hydrocarbon concentrations were reported in wells MW4 and MW5, located west of the former USTs. Concentrations of TPHd and TPHg reported in well MW4 were up to one order of magnitude lower than concentrations reported during the previous event in fourth quarter 2012 and were similar to previous concentrations. The results in the other wells were consistent with historic site data.

RECOMMENDATIONS

Cardno ERI recommends continued semi-annual monitoring and sampling of wells MW1 through MW3, MW3A, and MW4 through MW6 during the second and fourth quarters and continued quarterly monitoring of well MW4.

Cardno ERI also recommends additional off-site assessment south and west of the site and additional on-site assessment of soil vapor and shallow soil near the former dispensers. Cardno ERI submitted the *Data Gap Investigation Work Plan*, dated July 22, 2013, detailing this proposed work.

LIMITATIONS

For documents cited that were not generated by Cardno ERI, the data taken from those documents is used "as is" and is assumed to be accurate. Cardno ERI does not guarantee the accuracy of this data and makes no warranties for the referenced work performed nor the inferences or conclusions stated in these documents.

This document and the work performed have been undertaken in good faith, with due diligence and with the expertise, experience, capability, and specialized knowledge necessary to perform the work in a good and workmanlike manner and within all accepted standards pertaining to providers of environmental services in California at the time of investigation. No soil engineering or geotechnical references are implied or should be

July 22, 2013
 Cardno ERI 2735C.Q132 Former Exxon Service Station 79374, Albany, California

inferred. The evaluation of the geologic conditions at the site for this investigation is made from a limited number of data points. Subsurface conditions may vary away from these data points.

Please contact Ms. Rebekah A. Westrup, Cardno ERI's project manager for this site, at rebekah.westrup@cardno.com or at (707) 766-2000 with any questions regarding this report.

Sincerely,

Christine M. Capwell
 CHRISTINE M. CAPWELL
 IMAGE

DRD
 DRD
 SCANNED
 IMAGE



Christine M. Capwell
 Senior Technical Editor
 for Cardno ERI
 707 766 2000
 Email: christine.capwell@cardno.com

David R. Daniels
 P.G. 8737
 for Cardno ERI
 707 766 2000
 Email: david.daniels@cardno.com

Enclosures:

Acronym List

Plate 1	Site Vicinity Map
Plate 2	Select Analytical Results
Plate 3	Groundwater Elevation Map, Shallow Water-Bearing Zone
Plate 4	Groundwater Elevation Map, Deep Water-Bearing Zone
Table 1A	Cumulative Groundwater Monitoring and Sampling Data
Table 1B	Additional Cumulative Groundwater Monitoring and Sampling Data
Table 2	Well Construction Details
Appendix A	Groundwater Sampling Protocol
Appendix B	Field Notes
Appendix C	Laboratory Analytical Report and Chain-of-Custody Record
Appendix D	Waste Disposal Documentation

cc: Ms. Barbara Jakub, Alameda County Health Care Services Agency, Environmental Health Services,
 1131 Harbor Bay Parkway, Suite 250, Alameda, California, 94502-6577

Ms. Muriel T. Blank, Trustee, The Blank Family Trusts, 1164 Solano Avenue, #406, Albany, California,
 94706


Reverend Deborah Blank, Trustee, The Blank Family Trust, 1563 Solano Avenue, #344, Berkeley,
 California, 94707

Ms. Marcia Blank, Trustee, The Blank Family Trust, 641 SW Morningside Road, Topeka, Kansas, 66606

July 22, 2013
 Cardno ERI 2735C.Q132 Former Exxon Service Station 79374, Albany, California

ACRONYM LIST

$\mu\text{g/L}$	Micrograms per liter	NEPA	National Environmental Policy Act
μs	Microsiemens	NGVD	National Geodetic Vertical Datum
1,2-DCA	1,2-dichloroethane	NPDES	National Pollutant Discharge Elimination System
acf m	Actual cubic feet per minute	O&M	Operations and Maintenance
AS	Air sparge	ORP	Oxidation-reduction potential
bgs	Below ground surface	OSHA	Occupational Safety and Health Administration
BTEX	Benzene, toluene, ethylbenzene, and total xylenes	OVA	Organic vapor analyzer
CEQA	California Environmental Quality Act	P&ID	Process & Instrumentation Diagram
cfm	Cubic feet per minute	PAH	Polycyclic aromatic hydrocarbon
COC	Chain of Custody	PCB	Polychlorinated biphenyl
CPT	Cone Penetration (Penetrometer) Test	PCE	Tetrachloroethene or perchloroethylene
DIPE	Di-isopropyl ether	PID	Photo-ionization detector
DO	Dissolved oxygen	PLC	Programmable logic control
DOT	Department of Transportation	POTW	Publicly owned treatment works
DPE	Dual-phase extraction	ppmv	Parts per million by volume
DTW	Depth to water	PQL	Practical quantitation limit
EDB	1,2-dibromoethane	psi	Pounds per square inch
EPA	Environmental Protection Agency	PVC	Polyvinyl chloride
ESL	Environmental screening level	QA/QC	Quality assurance/quality control
ETBE	Ethyl tertiary butyl ether	RBSL	Risk-based screening levels
FID	Flame-ionization detector	RCRA	Resource Conservation and Recovery Act
fpm	Feet per minute	RL	Reporting limit
GAC	Granular activated carbon	scfm	Standard cubic feet per minute
gpd	Gallons per day	SSTL	Site-specific target level
gpm	Gallons per minute	STLC	Soluble threshold limit concentration
GWPTS	Groundwater pump and treat system	SVE	Soil vapor extraction
HVOC	Halogenated volatile organic compound	SVOC	Semivolatile organic compound
J	Estimated value between MDL and PQL (RL)	TAME	Tertiary amyl methyl ether
LEL	Lower explosive limit	TBA	Tertiary butyl alcohol
LPC	Liquid-phase carbon	TCE	Trichloroethylene
LRP	Liquid-ring pump	TOC	Top of well casing elevation; datum is msl
LUFT	Leaking underground fuel tank	TOG	Total oil and grease
LUST	Leaking underground storage tank	TPHd	Total petroleum hydrocarbons as diesel
MCL	Maximum contaminant level	TPHg	Total petroleum hydrocarbons as gasoline
MDL	Method detection limit	TPHmo	Total petroleum hydrocarbons as motor oil
mg/kg	Milligrams per kilogram	TPHs	Total petroleum hydrocarbons as stoddard solvent
mg/L	Milligrams per liter	TRPH	Total recoverable petroleum hydrocarbons
mg/m ³	Milligrams per cubic meter	UCL	Upper confidence level
MPE	Multi-phase extraction	USCS	Unified Soil Classification System
MRL	Method reporting limit	USGS	United States Geologic Survey
msl	Mean sea level	UST	Underground storage tank
MTBE	Methyl tertiary butyl ether	VCP	Voluntary Cleanup Program
MTCA	Model Toxics Control Act	VOC	Volatile organic compound
NAI	Natural attenuation indicators	VPC	Vapor-phase carbon
NAPL	Non-aqueous phase liquid		




FN 2735 TOPO

EXPLANATION



1/2-mile radius circle

APPROXIMATE SCALE



SOURCE:
Modified from a map
provided by
DeLorme 3-D TopoQuads

Analyte Concentrations in ug/L
Sampled June 11, 2013

Total Petroleum Hydrocarbons
as gasoline

Benzene


Methyl Tertiary Butyl Ether

< Less Than the Stated Laboratory
Reporting Limit


ug/L Micrograms per Liter

NOTE:

Air sparge and soil vapor
extraction wells not routinely
sampled.



FN 2735 13 2QTR QM






TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 79374
990 San Pablo Avenue
Albany, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	O&G (µg/L)	TPHmo (µg/L)	TPHd (µg/L)	TPHg (µg/L)	MTBE (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)		
Monitoring Well Samples																	
MW1	11/04/10	--	Well installed.														
MW1	12/01/10	--	41.45	Well surveyed.													
MW1	12/16/10	--	41.45	9.18	32.27	No	--	<250	71a	54	<0.50	1.4	0.65	0.58	1.6		
MW1	01/31/11	--	41.45	8.78	32.67	No	--	<250	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50		
MW1	04/07/11	--	41.45	8.45	33.00	No	--	<250	65a	160a	<0.50	2.9	0.92	<0.50	1.7		
MW1	07/18/11	--	41.45	9.49	31.96	No	--	<250	<50	63a	<0.50	<0.50	<0.50	<0.50	<0.50		
MW1	10/13/11	--	41.45	9.86	31.59	No	--	<250	54	<50	<0.50	<0.50	<0.50	<0.50	<0.50		
MW1	04/06/12	--	41.45	8.11	33.34	No	--	<250	130	130	<0.50	2.1	<0.50	<0.50	<0.50		
MW1	10/19/12	--	41.45	10.42	31.03	No	--	<250	<50	<50	<0.50	0.51	2.2	<0.50	0.65		
MW1	06/11/13	--	41.45	10.48	30.97	No	--	<250	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50		
MW2	11/04/10	--	Well installed.														
MW2	12/01/10	--	41.25	Well surveyed.													
MW2	12/16/10	--	41.25	8.11	33.14	No	--	<250	110a	<50	<0.50	<0.50	<0.50	<0.50	<0.50		
MW2	01/31/11	--	41.25	9.29	31.96	No	--	<250	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50		
MW2	04/07/11	--	41.25	8.21	33.04	No	--	<250	<50	<50	0.51	<0.50	<0.50	<0.50	<0.50		
MW2	07/18/11	--	41.25	9.52	31.73	No	--	<250	<50	54a	<0.50	<0.50	<0.50	<0.50	<0.50		
MW2	10/13/11	--	41.25	9.56	31.69	No	--	<250	98	75a	<0.50	<0.50	<0.50	<0.50	<0.50		
MW2	04/06/12	--	41.25	8.68	32.57	No	--	<250	60	68	<0.50	<0.50	<0.50	<0.50	<0.50		
MW2	10/19/12	--	41.25	11.03	30.22	No	--	<250	<50	59a	<0.50	<0.50	<0.50	<0.50	<0.50		
MW2	06/11/13	--	41.25	10.67	30.58	No	--	<250	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50		
MW3	11/08/10	--	Well installed.														
MW3	12/01/10	--	40.42	Well surveyed.													
MW3	12/16/10	--	40.42	8.18	32.24	No	--	<250	2,900a	19,000	<12	350	130	940	290		
MW3	01/31/11	--	40.42	7.64	32.78	No	--	390	2,800a	17,000a	<12	540	140	700	270		
MW3	04/07/11	--	40.42	5.88	34.54	No	--	<250	2,700a	14,000	<10	600	150	780	230		
MW3	07/18/11	--	40.42	8.31	32.11	No	--	<250	1,700a	19,000	<10	650	140	660	220		
MW3	10/13/11	--	40.42	8.76	31.66	No	--	<250	1,900a	16,000	<10	520	150	900	270		
MW3	04/06/12	--	40.42	8.13	32.29	No	--	<250	3,200a	18,000	<20	300	120	1,100	180		
MW3	10/19/12	--	40.42	9.37	31.05	No	--	<250	1,700a	11,000a	<10	380	120	740	150		
MW3	06/11/13	--	40.42	9.48	30.94	No	--	<250	2,700a	17,000	<10	270	110	990	140		
MW3A	01/18/12	--	Well installed.														
MW3A	02/06/12	--	40.68	Well surveyed.													
MW3A	04/06/12	--	40.68	6.02	34.66	No	--	<250	170a	1,300	<2.0	41	7.5	140	38		
MW3A	10/19/12	--	40.68	10.44	30.24	No	--	<250	860a	4,400a	<5.0	390	59	410	82		
MW3A	06/11/13	--	40.68	9.75	30.93	No	--	<250	160a	1,100	<2.0	99	14	110	3.6		
MW4	11/05/10	--	Well installed.														
MW4	12/01/10	--	39.30	Well surveyed.													
MW4	12/16/10	--	39.30	6.10	33.20	No	--	<250	2,000a	9,900	<5.0	440	40	170	380		
MW4	01/31/11	--	39.30	6.84	32.46	No	--	260	3,900a	13,000	<10	500	59	320	740		

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 79374
990 San Pablo Avenue
Albany, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	O&G (µg/L)	TPHmo (µg/L)	TPHd (µg/L)	TPHg (µg/L)	MTBE (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW4	04/07/11	---	39.30	5.29	34.01	No	---	<250	1,900a	9,600	<10	530	59	250	340
MW4	07/18/11	---	39.30	7.36	31.94	No	---	<250	2,800a	14,000	<10	570	66	320	510
MW4	10/13/11	---	39.30	7.83	31.47	No	---	320	7,200a	14,000	<10	350	43	340	690
MW4	04/06/12	---	39.30	6.21	33.09	No	---	<250	1,800a	9,100a	<10	380	40	220	410
MW4	10/19/12	---	39.30	10.64	28.66	No	---	1,400a	20,000a	270,000	<10	440	88	2,100	3,800
MW4	03/06/13	---	39.30	8.02	31.28	No	---	---	---	---	---	---	---	---	---
MW4	06/11/13	---	39.30	9.05	30.25	No	---	<250	3,400a	16,000	<10	430	48	520	820
MW5	11/11/10	---	Well installed.												
MW5	12/01/10	---	40.38	Well surveyed.											
MW5	12/16/10	---	40.38	7.69	32.69	No	---	<250	1,100a	6,200	<2.5	150	96	270	980
MW5	01/31/11	---	40.38	8.00	32.38	No	---	270	4,600a	15,000	<10	520	310	1,100	2,500
MW5	04/07/11	---	40.38	6.73	33.65	No	---	<250	610a	2,500	<2.5	61	32	180	390
MW5	07/18/11	---	40.38	7.63	32.75	No	---	<250	2,000a	11,000	<2.5	340	160	990	1,800
MW5	10/13/11	---	40.38	9.31	31.07	No	---	660	7,600a	23,000	<20	390	160	1,200	3,100
MW5	04/06/12	---	40.38	6.77	33.61	No	---	<250	880a	6,000a	<5.0	62	17	360	680
MW5	10/19/12	---	40.38	10.64	29.74	No	---	280a	2,100a	15,000	<20	580	63	950	1,400
MW5	06/11/13	---	40.38	10.06	30.32	No	---	<250	2,700a	13,000	<20	540	36	930	1,200
MW6	11/03/10	---	Well installed.												
MW6	12/01/10	---	41.06	Well surveyed.											
MW6	12/16/10	---	41.06	8.55	32.51	No	---	<250	110a	1,700	<0.50	2.8	1.2	61	46
MW6	01/31/11	---	41.06	8.52	32.54	No	---	<250	800a	2,000a	<1.0	6.0	<1.0	30	24
MW6	04/07/11	---	41.06	7.78	33.28	No	---	<250	660a	2,000	<0.50	10	1.0	20	19
MW6	07/18/11	---	41.06	9.27	31.79	No	---	<250	350a	1,000a	<0.50	2.5	<0.50	3.8	3.5
MW6	10/13/11	---	41.06	10.21	30.85	No	---	<250	370a	890a	<0.50	2.8	<0.50	7.9	5.5
MW6	04/06/12	---	41.06	7.19	33.87	No	---	<250	440a	1,400a	<0.50	2.4	<0.50	13	15
MW6	10/19/12	---	41.06	11.36	29.70	No	---	<250	99a	510a	<0.50	4.2	1.6	8.0	7.0
MW6	06/11/13	---	41.06	10.81	30.25	No	---	<250	150a	500	<0.50	<0.50	2.4	1.1	
AS1	01/18/12	---	Well installed.												
AS1	10/19/12	---	10.32	---	No	---	---	---	---	---	---	---	---	---	---
AS1	06/11/13	---	9.82	---	No	---	---	---	---	---	---	---	---	---	---
SVE1	01/17/12	---	Well installed.												
SVE1	02/06/12	---	40.58	Well surveyed.											
SVE1	10/19/12	---	40.58	10.21	30.37	No	---	---	---	---	---	---	---	---	---
SVE1	06/11/13	---	40.58	9.63	30.95	No	---	---	---	---	---	---	---	---	---
SVE2	01/17/12	---	Well installed.												
SVE2	02/06/12	---	40.94	Well surveyed.											
SVE2	10/19/12	---	40.94	10.48	30.46	No	---	---	---	---	---	---	---	---	---
SVE2	06/11/13	---	40.94	9.94	31.00	No	---	---	---	---	---	---	---	---	---
SVE3	01/17/12	---	Well installed.												
SVE3	02/06/12	---	40.93	Well surveyed.											

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 79374
990 San Pablo Avenue
Albany, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	O&G (µg/L)	TPHmo (µg/L)	TPHd (µg/L)	TPHg (µg/L)	MTBE (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
SVE3	10/19/12	---	40.93	10.39	30.54	No	---	---	---	---	---	---	---	---	---
SVE3	06/11/13	---	40.93	9.65	31.28	No	---	---	---	---	---	---	---	---	---
Grab Groundwater Samples															
B-1W	01/06/08	---	---	---	---	---	26r,s	<5,000	99,000o,n,r	76,000m,p,r	<50	<50	93	3,100	9,600
B-2W	01/06/08	---	---	---	---	---	---	310s	23,000o,r,s	77,000 l,r,s	<50	1,500	300	2,000	6,800
B-3W	01/06/08	---	---	---	---	---	---	<250s	2,000o,s	6,200 l,s	<10	170	32	740	250
B-4W	01/06/08	---	---	---	---	---	---	<250s	3,100o,s	7,700 l,s	<10	360	<10	240	20
B-5W	01/06/08	---	---	---	---	---	---	<250s	120o,s	120q,s	<0.5	<0.5	<0.5	<0.5	<0.5
B-6W	01/06/08	---	---	---	---	---	---	<250s	830o,s	1,700 l,s	<2.5	5.2	<2.5	100	8.6
DR-W	01/06/08	---	---	---	---	---	---	<250	96o	730m,p	<0.5	<0.5	<0.5	6.9	14
W-27.5-HP1A	10/28/10	27.5	---	---	---	---	---	260	330a	63a	<0.50	<0.50	<0.50	<0.50	<0.50
W-36-HP1A	10/28/10	36	---	---	---	---	---	<250	220a	<50	<0.50	<0.50	<0.50	<0.50	<0.50
W-46.5-HP1A	10/28/10	46.5	---	---	---	---	---	<420	<83	<50	<0.50	<0.50	<0.50	<0.50	<0.50
W-59-HP1B	10/27/10	59	---	---	---	---	---	<250	130	<50	<0.50	<0.50	<0.50	<0.50	<0.50
W-27.5-HP2A	10/29/10	27.5	---	---	---	---	---	<250	100a	340	<0.50	1.7	2.1	20	46
W-52-HP2A	10/29/10	52	---	---	---	---	---	<250	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50
W-60.5-HP2B	10/27/10	60.5	---	---	---	---	---	<250	62	<50	<0.50	<0.50	<0.50	<0.50	<0.50
W-10-SVE1-2	01/31/12	10	---	---	---	---	---	890a	1,500a	1,400	<1.0	46	2.0	24	23
W-10-SVE1-1	01/31/12	10	---	---	---	---	---	990a	1,900a	2,000	<2.0	87	2.1	13	23

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 79374
990 San Pablo Avenue
Albany, California

Notes:

TOC	= Top of well casing elevation; datum is mean sea level.
DTW	= Depth to water.
GW Elev.	= Groundwater elevation; datum is mean sea level. If liquid-phase hydrocarbons present, elevation adjusted using TOC - [DTW - (PT x 0.76)].
NAPL	= Non-aqueous phase liquid.
O&G	= Oil and grease with silica gel clean-up analyzed using Standard Method 5520B/F.
TPHmo	= Total petroleum hydrocarbons as motor oil analyzed using EPA Method 8015 (modified).
TPHd	= Total petroleum hydrocarbons as diesel analyzed using EPA Method 8015 (modified).
TPHg	= Total petroleum hydrocarbons as gasoline analyzed using EPA Method 8015 (modified).
MTBE	= Methyl tertiary butyl ether analyzed using EPA Method 8260B.
BTEX	= Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8260B.
EDB	= 1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	= 1,2-dichloroethane analyzed using EPA Method 8260B.
TAME	= Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	= Tertiary butyl alcohol analyzed using EPA Method 8260B.
ETBE	= Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
DIPE	= Di-isopropyl ether analyzed using EPA Method 8260B.
Add'l VOCs	= Additional volatile organic carbons analyzed using EPA Method 8260B.
Add'l SVOCs	= Additional semi-volatile organic carbons analyzed using EPA Method 8270C.
µg/L	= Micrograms per liter.
ND	= Not detected at or above laboratory reporting limits.
—	= Not measured/Not sampled/Not analyzed.
<	= Less than the stated laboratory reporting limit.
a	= The chromatographic pattern does not match that of the specified standard.
b	= n-butylbenzene.
c	= sec-butylbenzene.
d	= Isopropylbenzene.
e	= n-propylbenzene.
f	= 1,2,4-trimethylbenzene.
g	= 1,3,5-trimethylbenzene.
h	= Naphthalene.
i	= 1-butanone.
j	= 1,2-dibromo-3-chloropropane.
k	= 2-methylnaphthalene.
l	= Unmodified or weakly modified gasoline is significant.
m	= Heavier gasoline range compounds are significant.
n	= Diesel range compounds are significant; no recognizable pattern.
o	= Gasoline range compounds are significant.
p	= No recognizable pattern.
q	= Strongly aged gasoline or diesel compounds are significant.
r	= Lighter than water immiscible sheen/product is present.
s	= Liquid sample that contains greater than approximately 1 volume % sediment.

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 79374
990 San Pablo Avenue
Albany, California

Well ID	Sampling Date	Depth (feet)	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Add'l VOCs (µg/L)	Add'l SVOCs (µg/L)
Monitoring Well Samples										
MW1	11/04/10	--		Well installed.						
MW1	12/16/10	--	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	--	--
MW1	01/31/11	--	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	--	--
MW1	04/07/11	--	<0.50	<0.50	<0.50	10	<0.50	<0.50	--	--
MW1	07/18/11	--	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	--	--
MW1	10/13/11	--	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	--	--
MW1	04/06/12	--	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	--	--
MW1	10/19/12	--	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	--	--
MW1	06/11/13	--	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	--	--
MW2	11/04/10	--		Well installed.						
MW2	12/16/10	--	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	--	--
MW2	01/31/11	--	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	--	--
MW2	04/07/11	--	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	--	--
MW2	07/18/11	--	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	--	--
MW2	10/13/11	--	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	--	--
MW2	04/06/12	--	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	--	--
MW2	10/19/12	--	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	--	--
MW2	06/11/13	--	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	--	--
MW3	11/08/10	--		Well installed.						
MW3	12/16/10	--	<12	<12	<12	<120	<12	<12	--	--
MW3	01/31/11	--	<12	<12	<12	<120	<12	<12	--	--
MW3	04/07/11	--	<10	<10	<10	<100	<10	<10	--	--
MW3	07/18/11	--	<10	<10	<10	<100	<10	<10	--	--
MW3	10/13/11	--	<10	<10	<10	<100	<10	<10	--	--
MW3	04/06/12	--	<20	<20	<20	<200	<20	<20	--	--
MW3	10/19/12	--	<10	<10	<10	<100	<10	<10	--	--
MW3	06/11/13	--	<10	<10	<10	<100	<10	<10	--	--
MW3A	01/18/12	--		Well installed.						
MW3A	04/06/12	--	<2.0	<2.0	<2.0	<20	<2.0	<2.0	--	--
MW3A	10/19/12	--	<5.0	<5.0	<5.0	<50	<5.0	<5.0	--	--
MW3A	06/11/13	--	<2.0	<2.0	<2.0	<20	<2.0	<2.0	--	--
MW4	11/05/10	--		Well installed.						
MW4	12/16/10	--	<5.0	<5.0	<5.0	<50	<5.0	<5.0	--	--
MW4	01/31/11	--	<10	<10	<10	<100	<10	<10	--	--
MW4	04/07/11	--	<10	<10	<10	<100	<10	<10	--	--
MW4	07/18/11	--	<10	<10	<10	<100	<10	<10	--	--
MW4	10/13/11	--	<10	<10	<10	<100	<10	<10	--	--
MW4	04/06/12	--	<10	<10	<10	<100	<10	<10	--	--
MW4	10/19/12	--	<10	<10	<10	<100	<10	<10	--	--

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 79374
990 San Pablo Avenue
Albany, California

Well ID	Sampling Date	Depth (feet)	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Add'l VOCs (µg/L)	Add'l SVOCs (µg/L)
MW4	06/11/13	---	<10	<10	<10	<100	<10	<10	---	---
MW5	11/11/10	---	Well installed.							
MW5	12/16/10	---	<2.5	<2.5	<2.5	<25	<2.5	<2.5	---	---
MW5	01/31/11	---	<10	<10	<10	<100	<10	<10	---	---
MW5	04/07/11	---	<2.5	<2.5	<2.5	<25	<2.5	<2.5	---	---
MW5	07/18/11	---	<2.5	<2.5	<2.5	<25	<2.5	<2.5	---	---
MW5	10/13/11	---	<20	<20	<20	<200	<20	<20	---	---
MW5	04/06/12	---	<0.50	<5.0	<5.0	<50	<5.0	<5.0	---	---
MW5	10/19/12	---	<20	<20	<20	<200	<20	<20	---	---
MW5	06/11/13	---	<20	<20	<20	<200	<20	<20	---	---
MW6	11/03/10	---	Well installed.							
MW6	12/16/10	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	---
MW6	01/31/11	---	<1.0	<1.0	<1.0	<10	<1.0	<1.0	---	---
MW6	04/07/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	---
MW6	07/18/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	---
MW6	10/13/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	---
MW6	04/06/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	---
MW6	10/19/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	---
MW6	06/11/13	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	---
AS1	01/18/12	---	Well installed.							
AS1	10/19/12	---	---	---	---	---	---	---	---	---
SVE1	01/17/12	---	Well installed.							
SVE1	10/19/12	---	---	---	---	---	---	---	---	---
SVE2	01/17/12	---	Well installed.							
SVE2	10/19/12	---	---	---	---	---	---	---	---	---
SVE3	01/17/12	---	Well installed.							
SVE3	10/19/12	---	---	---	---	---	---	---	---	---
Grab Groundwater Samples										
B-1W	01/06/08	---	<50	<50	<50	<200	<50	<50	210b, 68c, 370d, 1,100e, 3,800f, 1,300g, 1,500h	4,000h, 3,900k
B-2W	01/06/08	---	<50	<50	<50	<200	<50	<50	110b, 140e, 440f, 2,400g, 730h, 610i, 32j	---
B-3W	01/06/08	---	<10	<10	<10	<40	<10	<10	25b, 11c, 74d, 190e, 290f, 49g, 55i	---
B-4W	01/06/08	---	<10	<10	<10	<40	<10	<10	46b, 19c, 48d, 160e, 16f, 100h	---
B-5W	01/06/08	---	ND	<0.5	<0.5	<2.0	<0.5	<0.5	2.6b, 0.83e, 4.8f, 1.2g, 6.5h	---
B-6W	01/06/08	---	<2.5	<2.5	<2.5	<10	<2.5	<2.5	14b, 5.6c, 17d, 60e, 32f, 5.8g, 38h, 10i	---
DR-W	01/06/08	---	<0.5	<0.5	<0.5	<2.0	<0.5	<0.5	6.9b, 2.4c, 2.5d, 11e, 17f, 5.5g, 7.0h	---

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 79374
990 San Pablo Avenue
Albany, California

Well ID	Sampling Date	Depth (feet)	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Add'l VOCs (µg/L)	Add'l SVOCs (µg/L)
W-27.5-HP1A	10/28/10	27.5	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	---
W-36-HP1A	10/28/10	36	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	---
W-46.5-HP1A	10/28/10	46.5	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	---
W-59-HP1B	10/27/10	59	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	---
W-27.5-HP2A	10/29/10	27.5	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	---
W-52-HP2A	10/29/10	52	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	---
W-60.5-HP2B	10/27/10	60.5	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	---
W-10-SVE1-1	01/31/12	10	<2.0	<2.0	<2.0	62	<2.0	<2.0	---	---
W-10-SVE1-2	01/31/12	10	<1.0	<1.0	<1.0	57	<1.0	<1.0	---	---

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 79374
990 San Pablo Avenue
Albany, California

Notes:

TOC	= Top of well casing elevation; datum is mean sea level.
DTW	= Depth to water.
GW Elev.	= Groundwater elevation; datum is mean sea level. If liquid-phase hydrocarbons present, elevation adjusted using TOC - [DTW - (PT x 0.76)].
NAPL	= Non-aqueous phase liquid.
O&G	= Oil and grease with silica gel clean-up analyzed using Standard Method 5520B/F.
TPHmo	= Total petroleum hydrocarbons as motor oil analyzed using EPA Method 8015 (modified).
TPHd	= Total petroleum hydrocarbons as diesel analyzed using EPA Method 8015 (modified).
TPHg	= Total petroleum hydrocarbons as gasoline analyzed using EPA Method 8015 (modified).
MTBE	= Methyl tertiary butyl ether analyzed using EPA Method 8260B.
BTEX	= Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8260B.
EDB	= 1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	= 1,2-dichloroethane analyzed using EPA Method 8260B.
TAME	= Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	= Tertiary butyl alcohol analyzed using EPA Method 8260B.
ETBE	= Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
DIPE	= Di-isopropyl ether analyzed using EPA Method 8260B.
Add'l VOCs	= Additional volatile organic carbons analyzed using EPA Method 8260B.
Add'l SVOCs	= Additional semi-volatile organic carbons analyzed using EPA Method 8270C.
µg/L	= Micrograms per liter.
ND	= Not detected at or above laboratory reporting limits.
—	= Not measured/Not sampled/Not analyzed.
<	= Less than the stated laboratory reporting limit.
a	= The chromatographic pattern does not match that of the specified standard.
b	= n-butylbenzene.
c	= sec-butylbenzene.
d	= Isopropylbenzene.
e	= n-propylbenzene.
f	= 1,2,4-trimethylbenzene.
g	= 1,3,5-trimethylbenzene.
h	= Naphthalene.
i	= 1-butanone.
j	= 1,2-dibromo-3-chloropropane.
k	= 2-methylnaphthalene.
l	= Unmodified or weakly modified gasoline is significant.
m	= Heavier gasoline range compounds are significant.
n	= Diesel range compounds are significant; no recognizable pattern.
o	= Gasoline range compounds are significant.
p	= No recognizable pattern.
q	= Strongly aged gasoline or diesel compounds are significant.
r	= Lighter than water immiscible sheen/product is present.
s	= Liquid sample that contains greater than approximately 1 volume % sediment.

TABLE 2
WELL CONSTRUCTION DETAILS
Former Exxon Service Station 79374
990 San Pablo Avenue
Albany, California

Well ID	Well Installation Date	TOC Elevation (feet)	Borehole Diameter (inches)	Total Depth of Boring (feet bgs)	Well Depth (feet bgs)	Casing Diameter (inches)	Well Casing Material	Screened Interval (feet bgs)	Slot Size (inches)	Filter Pack Interval (feet bgs)	Filter Pack Material
MW1	11/04/10	41.45	8	17	17	2	Schedule 40 PVC	12-17	0.020	10-17	#3 Sand
MW2	11/04/10	41.25	8	17	17	4	Schedule 40 PVC	12-17	0.020	10-17	#3 Sand
MW3	11/08/10	40.42	8	17	17	4	Schedule 40 PVC	11-16	0.020	9-16	#3 Sand
MW3A	01/18/12	40.68	10	15.5	15.5	4	Schedule 40 PVC	5-15	0.020	4.5-15.5	#2/12 Sand
MW4	11/05/10	39.30	8	17	13	2	Schedule 40 PVC	8-13	0.020	6-13	#3 Sand
MW5	11/05/10	40.38	8	17	14	2	Schedule 40 PVC	9-14	0.020	7-14	#3 Sand
MW6	11/03/10	41.06	10	20	20	2	Schedule 40 PVC	15-20	0.020	13-20	#3 Sand
AS1	01/18/12	---	8	15.5	15.5	1	Schedule 80 PVC	10.25-13.5	#60 mesh	10.5-15.5	#2/12 Sand
SVE1	01/17/12	40.58	10	15.5	15.5	4	Schedule 40 PVC	5-15	0.020	4.5-15.5	#2/12 Sand
SVE2	01/17/12	40.94	10	15	15	4	Schedule 40 PVC	5-15	0.020	4.5-15	#2/12 Sand
SVE3	01/17/12	40.93	10	15	15	4	Schedule 40 PVC	5-15	0.020	4.5-15.5	#2/12 Sand

Notes:

TOC = Top of well casing elevation; datum is mean sea level.

PVC = Polyvinyl chloride.

feet bgs = Feet below ground surface.

APPENDIX A

GROUNDWATER SAMPLING PROTOCOL

GROUNDWATER SAMPLING PROTOCOL

The static water level and separate-phase product level, if present, in each well that contained water and/or separate-phase product are measured with a ORS Interface Probe, which is accurate to the nearest 0.01 foot. To calculate groundwater elevations and evaluate groundwater gradient, depth to water (DTW) levels are subtracted from top of casing elevations.

Groundwater samples collected for subjective evaluation are collected by gently lowering approximately half the length of a clean Teflon® or polypropylene bailer past the air-water interface (if possible) and collecting a sample from near the surface of the water in the well. The samples are checked for measurable free-phase hydrocarbons or sheen. If appropriate, free-phase hydrocarbons are removed from the well.

Before water samples are collected from the groundwater monitoring wells, the wells are purged until a minimum of three well casing volumes is purged and stabilization of the temperature, pH, and conductivity is obtained. Water samples from the wells that do not obtain stability of the temperature, pH, and conductivity are considered to be "grab samples." The quantity of water purged from each well is calculated as follows:

$$1 \text{ well casing volume} = \pi r^2 h (7.48) \text{ where:}$$

r	=	radius of the well casing in feet
h	=	column of water in the well in feet (depth to bottom - depth to water)
7.48	=	conversion constant from cubic feet to gallons
π	=	ratio of the circumference of a circle to its diameter

Gallons of water purged/gallons in 1 well casing volume = well casing volumes removed.

The wells are purged using a submersible pump. Prior to use at the site and between wells the pump is cleaned.

Five gallons of water are placed in three 15-gallon tubs. Liquinox detergent is added to the first tub of water. The pump and tubing are submerged in the first tub and the water is pumped through the pump. The process is repeated in the second and third tub.

After purging, each well is allowed to recharge to at least 80% of the initial water level. Water samples from wells that do not recover at least 80% (due to slow recharging of the well) between purging and sampling are considered to be "grab samples." Water samples are collected with a new, disposable Teflon® or polypropylene bailer. The groundwater is carefully poured into selected sample containers (40-milliliter [ml] glass vials, 1,000-ml glass amber bottles, etc.), which are filled so as to produce a positive meniscus.

Depending on the required analysis, each sample container is preserved with hydrochloric acid, nitric acid, etc., or it is preservative free. The type of preservative used for each sample is specified on the Chain-of-Custody record.

Each vial and glass amber bottle is sealed with a cap containing a Teflon® septum, and subsequently examined for air bubbles to avoid headspace, which would allow volatilization to occur. The samples are promptly transported in iced storage in a thermally-insulated ice chest, accompanied by a Chain-of-Custody record, to a California state-certified laboratory.

Water generated during purging and cleaning is contained and transported off site for treatment and disposal.

APPENDIX B

FIELD NOTES



Daily Field Report

Cardno ERI

Project ID #: 79374

Cardno ERI Job # 2735

Subject: Gauging for Separate Phase Hydrocarbons (MW4)

Date: 3/6/2013

Equipment Used: Dual phase DTW/HC indicator, Sub. Bailer.

Sheet: 1 of 1

Name(s): Azat R. Magdanov

Time Arrived On Site: 6:30

Time Departed Site:

7:45

1 of 1

0630 On site

0630-0700 Safety meeting, gen. work permit.

0700-0730 DTW on MW4 with dual phase HC/water tape indicator.

0745 Off site

* No separate phase hydrocarbons were discovered in MW4.

****Strong smell of hydrocarbons from the well and tape indicator after doing the measurements.**

Cardno ERI Groundwater M+S Depth To Water

Case Volume= H(r^2 x0.183)

H=Height of Water Column in Feet
r=Radius of well casing in inches

Common conversion factors:
 $2''=0.163$, $4''=0.652$, $6''=1.457$

Project

Location

Data

Name _____

2735

79374

03/06/2013

Azat R. Magdanov

WATER SAMPLING SITE STATUS

Date: 03/06/2013

Inspected by: Azat R. Magdanov

ERI Job Number 2735 Station No. 79374 Site Address: 990 San Pablo Ave., Albany, CA

N = Not repairable in time available-see comments.

R = Repaired-see comments

ok = No action needed.

Y = Yes.

N = No.

s = Soil

w = Water

\emptyset = Empty

g = Graffiti on walls

v = Vagrants (or evidence of)

o = Open (not secured).

Daily Field Report



Project ID #:	79374	ERI Job # 2735
Subject:	Monitoring and Sampling	Date: 06/11/2013
Equipment Used:	Sub. Pump, Disp. Bailers, DTW meter.	Sheet: 1 of 1
Name(s):	Azat R. Magdanov	
Time Arrived On Site:	0:45	Time Departed Site:

06/11/2013

00:45 On site.
00:45-01:15 H&S meeting, Permit.
01:15-01:30 Opened wells.
02:00-02:30 DTW Wells
02:30-04:15 Purged: MW1, MW2, MW6, MW3A, MW3, MW5, MW4.
04:45-07:15 Sampled: MW1, MW2, MW6, MW3A, MW3, MW5, MW4.
07:30 Off site.

* No NAPL discovered in MW4.

Purge water - 32 gal.
Decon water - 28 gal.
Total water - 60 gal.

Cardno ERI Groundwater M+S

Depth To Water

Case Volume= $H(r^2 \times 0.163)$

H=Height of Water Column in Feet
r=Radius of well casing in inches

Common conversion factors:
2"=0.163, 4"=0.652, 6"=1.457

Project

Location

Date

Name _____

2735

79374

06/14/2013

Azot R. Magdano

WATER SAMPLING SITE STATUS

Date: 06/11/2013

Inspected by: Azar R. Magdano
2610 Ave, Alhambra

Cardno ERI Job No.: 2735

Station No.: 79374

Site Address: 990 San Pablo Ave, Alameda

N = Not repairable in time available-see comments.

Y = Yes.

$s = \text{Soil}$.

g = Graffiti on walls.

R = Repaired-see comments

N = No.

w = Water.

v = Vagrants (or evidence of).

ok = No action needed.

GROUNDWATER SAMPLING FIELD LOG

Client Name: EXON MOBIL

Cardno ERI Job #: 2735

Date: 06/11/13 Page 1 of 1

Location: 79324

Field Cleaning Performed: _____

Case Volume = (TD - DTW) x F where F =

Field Crew: Azot R. Hoggendorf

Analytics:

0.163 for 2" inside-diameter well casing


0.652 for 4" inside-diameter well casing

1457 for 6" inside-diameter well casings

1.437 for 6" Inside-diameter well casing

APPENDIX C

**LABORATORY ANALYTICAL REPORT
AND CHAIN-OF-CUSTODY RECORD**



CALSCIENCE

WORK ORDER NUMBER: 13-06-0844

The difference is service



AIR | SOIL | WATER | MARINE CHEMISTRY

RECEIVED
JUN 24 2013

BY: -----

Analytical Report For

Client: Cardno ERI

Client Project Name: ExxonMobil 79374/022735C

Attention: Rebekah Westrup
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Cecile L. deGuia

Approved for release on 06/24/2013 by:
Cecile deGuia
Project Manager



[ResultLink ▶](#)

[Email your PM ▶](#)

Calscience Environmental Laboratories, Inc. (Calscience) certifies that the test results provided in this report meet all NELAC requirements for parameters for which accreditation is required or available. Any exceptions to NELAC requirements are noted in the case narrative. The original report of subcontracted analyses, if any, is attached to this report. The results in this report are limited to the sample(s) tested and any reproduction thereof must be made in its entirety. The client or recipient of this report is specifically prohibited from making material changes to said report and, to the extent that such changes are made, Calscience is not responsible, legally or otherwise. The client or recipient agrees to indemnify Calscience for any defense to any litigation which may arise.



7440 Lincoln Way, Garden Grove, CA 92841-1432 • TEL: (714) 895-5494 • FAX: (714) 894-7501 • www.calscience.com

NELAP ID: 03220CA | DoD-ELAP ID: L10-41 | CSDLAC ID: 10109 | SCAQMD ID: 93LA0830

Contents

Client Project Name: ExxonMobil 79374/022735C
Work Order Number: 13-06-0844

1	Work Order Narrative.	3
2	Sample Summary.	4
3	Client Sample Data.	5
3.1	EPA 8015B (M) TPH Motor Oil (Aqueous).	5
3.2	EPA 8015B (M) TPH Diesel (Aqueous).	7
3.3	EPA 8015B (M) TPH Gasoline (Aqueous).	9
3.4	EPA 8260B Volatile Organics (Aqueous).	11
4	Quality Control Sample Data.	20
4.1	MS/MSD.	20
4.2	LCS/LCSD.	24
5	Glossary of Terms and Qualifiers.	30
6	Chain of Custody/Sample Receipt Form.	31



Work Order Narrative

Work Order: 13-06-0844

Page 1 of 1

Condition Upon Receipt:

Samples were received under Chain of Custody (COC) on 06/13/13. They were assigned to Work Order 13-06-0844.

Unless otherwise noted on the Sample Receiving forms all samples were received in good condition and within the recommended EPA temperature criteria for the methods noted on the COC. The COC and Sample Receiving Documents are integral elements of the analytical report and are presented at the back of the report.

Holding Times:

All samples were analyzed within prescribed holding times (HT) and/or in accordance with the Calscience Sample Acceptance Policy unless otherwise noted in the analytical report and/or comprehensive case narrative, if required.

Any parameter identified in 40CFR Part 136.3 Table II that is designated as "analyze immediately" with an immediate holding time (HT <= 15 minutes --40CFR-136.3 Table II footnote 4), is considered a "field" test and reported samples results are not flagged unless the analysis is performed beyond 24 hours of the time of collection.

Quality Control:


All quality control parameters (QC) were within established control limits except where noted in the QC summary forms or described further within this report.

Additional Comments:

Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture. All QC results are always reported on a wet weight basis.

Subcontractor Information:

Unless otherwise noted below (or on the subcontract form), no samples were subcontracted.



Sample Summary

Client:	Cardno ERI 601 North McDowell Blvd. Petaluma, CA 94954-2312	Work Order:	13-06-0844
		Project Name:	ExxonMobil 79374/022735C
		PO Number:	022735C
		Date Received:	06/13/13
Attn:	Rebekah Westrup		

Sample Identification	Lab Number	Collection Date and Time	Number of Containers	Matrix
QCBB	13-06-0844-1	06/11/13 07:15	2	Aqueous
W-11-MW1	13-06-0844-2	06/11/13 04:50	8	Aqueous
W-11-MW2	13-06-0844-3	06/11/13 05:10	8	Aqueous
W-14-MW3	13-06-0844-4	06/11/13 06:10	8	Aqueous
W-14-MW3A	13-06-0844-5	06/11/13 05:50	8	Aqueous
W-10-MW4	13-06-0844-6	06/11/13 07:00	8	Aqueous
W-11-MW5	13-06-0844-7	06/11/13 06:35	8	Aqueous
W-15-MW6	13-06-0844-8	06/11/13 05:30	8	Aqueous



Analytical Report


Cardno ERI Date Received: 06/13/13
 601 North McDowell Blvd. Work Order: 13-06-0844
 Petaluma, CA 94954-2312 Preparation: EPA 3510C
 Method: EPA 8015B (M)
 Units: ug/L

Project: ExxonMobil 79374/022735C

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-11-MW1	13-06-0844-2-G	06/11/13 04:50	Aqueous	GC 45	06/14/13	06/15/13 01:08	130614B07
<u>Parameter</u>	<u>Result</u>		<u>RL</u>		<u>DF</u>		<u>Qualifiers</u>
TPH as Motor Oil	ND		250		1		SG
<u>Surrogate</u>	<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>		
n-Octacosane	77		68-140				
W-11-MW2	13-06-0844-3-G	06/11/13 05:10	Aqueous	GC 45	06/14/13	06/15/13 01:25	130614B07
<u>Parameter</u>	<u>Result</u>		<u>RL</u>		<u>DF</u>		<u>Qualifiers</u>
TPH as Motor Oil	ND		250		1		SG
<u>Surrogate</u>	<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>		
n-Octacosane	83		68-140				
W-14-MW3	13-06-0844-4-G	06/11/13 06:10	Aqueous	GC 45	06/14/13	06/15/13 01:43	130614B07
<u>Parameter</u>	<u>Result</u>		<u>RL</u>		<u>DF</u>		<u>Qualifiers</u>
TPH as Motor Oil	ND		250		1		SG
<u>Surrogate</u>	<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>		
n-Octacosane	76		68-140				
W-14-MW3A	13-06-0844-5-G	06/11/13 05:50	Aqueous	GC 45	06/14/13	06/15/13 01:59	130614B07
<u>Parameter</u>	<u>Result</u>		<u>RL</u>		<u>DF</u>		<u>Qualifiers</u>
TPH as Motor Oil	ND		250		1		SG
<u>Surrogate</u>	<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>		
n-Octacosane	77		68-140				
W-10-MW4	13-06-0844-6-G	06/11/13 07:00	Aqueous	GC 45	06/14/13	06/15/13 02:17	130614B07
<u>Parameter</u>	<u>Result</u>		<u>RL</u>		<u>DF</u>		<u>Qualifiers</u>
TPH as Motor Oil	ND		250		1		SG
<u>Surrogate</u>	<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>		
n-Octacosane	78		68-140				

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI Date Received: 06/13/13
 601 North McDowell Blvd. Work Order: 13-06-0844
 Petaluma, CA 94954-2312 Preparation: EPA 3510C
 Method: EPA 8015B (M)
 Units: ug/L

Project: ExxonMobil 79374/022735C

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-11-MW5	13-06-0844-7-G	06/11/13 06:35	Aqueous	GC 45	06/14/13	06/15/13 02:33	130614B07
<u>Parameter</u>		<u>Result</u>	<u>RL</u>		<u>DF</u>		<u>Qualifiers</u>
TPH as Motor Oil		ND	250		1		SG
<u>Surrogate</u>		<u>Rec. (%)</u>	<u>Control Limits</u>		<u>Qualifiers</u>		
n-Octacosane		81	68-140				
W-15-MW6	13-06-0844-8-G	06/11/13 05:30	Aqueous	GC 45	06/14/13	06/15/13 02:51	130614B07
<u>Parameter</u>		<u>Result</u>	<u>RL</u>		<u>DF</u>		<u>Qualifiers</u>
TPH as Motor Oil		ND	250		1		SG
<u>Surrogate</u>		<u>Rec. (%)</u>	<u>Control Limits</u>		<u>Qualifiers</u>		
n-Octacosane		81	68-140				
Method Blank	099-15-278-316	N/A	Aqueous	GC 45	06/14/13	06/14/13 23:42	130614B07
<u>Parameter</u>		<u>Result</u>	<u>RL</u>		<u>DF</u>		<u>Qualifiers</u>
TPH as Motor Oil		ND	250		1		
<u>Surrogate</u>		<u>Rec. (%)</u>	<u>Control Limits</u>		<u>Qualifiers</u>		
n-Octacosane		89	68-140				

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI Date Received: 06/13/13
 601 North McDowell Blvd. Work Order: 13-06-0844
 Petaluma, CA 94954-2312 Preparation: EPA 3510C
 Method: EPA 8015B (M)
 Units: ug/L

Project: ExxonMobil 79374/022735C

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-11-MW1	13-06-0844-2-G	06/11/13 04:50	Aqueous	GC 45	06/14/13	06/15/13 01:08	130614B06
<u>Parameter</u>		<u>Result</u>	<u>RL</u>		<u>DF</u>		<u>Qualifiers</u>
TPH as Diesel		ND	50		1		SG
<u>Surrogate</u>		<u>Rec. (%)</u>	<u>Control Limits</u>		<u>Qualifiers</u>		
n-Octacosane		77	68-140				
W-11-MW2	13-06-0844-3-G	06/11/13 05:10	Aqueous	GC 45	06/14/13	06/15/13 01:25	130614B06
<u>Parameter</u>		<u>Result</u>	<u>RL</u>		<u>DF</u>		<u>Qualifiers</u>
TPH as Diesel		ND	50		1		SG
<u>Surrogate</u>		<u>Rec. (%)</u>	<u>Control Limits</u>		<u>Qualifiers</u>		
n-Octacosane		84	68-140				
W-14-MW3	13-06-0844-4-G	06/11/13 06:10	Aqueous	GC 45	06/14/13	06/15/13 01:43	130614B06
<u>Parameter</u>		<u>Result</u>	<u>RL</u>		<u>DF</u>		<u>Qualifiers</u>
TPH as Diesel		2700	50		1		HD,SG
<u>Surrogate</u>		<u>Rec. (%)</u>	<u>Control Limits</u>		<u>Qualifiers</u>		
n-Octacosane		76	68-140				
W-14-MW3A	13-06-0844-5-G	06/11/13 05:50	Aqueous	GC 45	06/14/13	06/15/13 01:59	130614B06
<u>Parameter</u>		<u>Result</u>	<u>RL</u>		<u>DF</u>		<u>Qualifiers</u>
TPH as Diesel		160	50		1		HD,SG
<u>Surrogate</u>		<u>Rec. (%)</u>	<u>Control Limits</u>		<u>Qualifiers</u>		
n-Octacosane		77	68-140				
W-10-MW4	13-06-0844-6-G	06/11/13 07:00	Aqueous	GC 45	06/14/13	06/15/13 02:17	130614B06
<u>Parameter</u>		<u>Result</u>	<u>RL</u>		<u>DF</u>		<u>Qualifiers</u>
TPH as Diesel		3400	50		1		HD,SG
<u>Surrogate</u>		<u>Rec. (%)</u>	<u>Control Limits</u>		<u>Qualifiers</u>		
n-Octacosane		78	68-140				

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report


Cardno ERI Date Received: 06/13/13
 601 North McDowell Blvd. Work Order: 13-06-0844
 Petaluma, CA 94954-2312 Preparation: EPA 3510C
 Method: EPA 8015B (M)
 Units: ug/L

Project: ExxonMobil 79374/022735C

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-11-MW5	13-06-0844-7-G	06/11/13 06:35	Aqueous	GC 45	06/14/13	06/15/13 02:33	130614B06
<u>Parameter</u>		<u>Result</u>	<u>RL</u>		<u>DF</u>		<u>Qualifiers</u>
TPH as Diesel		2700	50		1		HD,SG
<u>Surrogate</u>		<u>Rec. (%)</u>	<u>Control Limits</u>		<u>Qualifiers</u>		
n-Octacosane		81	68-140				
W-15-MW6	13-06-0844-8-G	06/11/13 05:30	Aqueous	GC 45	06/14/13	06/15/13 02:51	130614B06
<u>Parameter</u>		<u>Result</u>	<u>RL</u>		<u>DF</u>		<u>Qualifiers</u>
TPH as Diesel		150	50		1		HD,SG
<u>Surrogate</u>		<u>Rec. (%)</u>	<u>Control Limits</u>		<u>Qualifiers</u>		
n-Octacosane		81	68-140				
Method Blank	099-15-304-359	N/A	Aqueous	GC 45	06/14/13	06/14/13 23:42	130614B06
<u>Parameter</u>		<u>Result</u>	<u>RL</u>		<u>DF</u>		<u>Qualifiers</u>
TPH as Diesel		ND	50		1		
<u>Surrogate</u>		<u>Rec. (%)</u>	<u>Control Limits</u>		<u>Qualifiers</u>		
n-Octacosane		89	68-140				

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report


Cardno ERI Date Received: 06/13/13
 601 North McDowell Blvd. Work Order: 13-06-0844
 Petaluma, CA 94954-2312 Preparation: EPA 5030C
 Method: EPA 8015B (M)
 Units: ug/L

Project: ExxonMobil 79374/022735C

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-11-MW1	13-06-0844-2-E	06/11/13 04:50	Aqueous	GC 18	06/14/13	06/14/13 12:16	130614B01
<u>Parameter</u>	<u>Result</u>		<u>RL</u>		<u>DF</u>		<u>Qualifiers</u>
TPH as Gasoline	ND		50		1		
<u>Surrogate</u>	<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>		
1,4-Bromofluorobenzene	84		38-134				
W-11-MW2	13-06-0844-3-E	06/11/13 05:10	Aqueous	GC 18	06/14/13	06/14/13 14:10	130614B01
<u>Parameter</u>	<u>Result</u>		<u>RL</u>		<u>DF</u>		<u>Qualifiers</u>
TPH as Gasoline	ND		50		1		
<u>Surrogate</u>	<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>		
1,4-Bromofluorobenzene	85		38-134				
W-14-MW3	13-06-0844-4-E	06/11/13 06:10	Aqueous	GC 18	06/14/13	06/14/13 14:48	130614B01
<u>Parameter</u>	<u>Result</u>		<u>RL</u>		<u>DF</u>		<u>Qualifiers</u>
TPH as Gasoline	17000		500		10		
<u>Surrogate</u>	<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>		
1,4-Bromofluorobenzene	111		38-134				
W-14-MW3A	13-06-0844-5-D	06/11/13 05:50	Aqueous	GC 18	06/15/13	06/15/13 20:42	130615B01
<u>Parameter</u>	<u>Result</u>		<u>RL</u>		<u>DF</u>		<u>Qualifiers</u>
TPH as Gasoline	1100		100		2		
<u>Surrogate</u>	<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>		
1,4-Bromofluorobenzene	94		38-134				
W-10-MW4	13-06-0844-6-D	06/11/13 07:00	Aqueous	GC 18	06/15/13	06/15/13 21:20	130615B01
<u>Parameter</u>	<u>Result</u>		<u>RL</u>		<u>DF</u>		<u>Qualifiers</u>
TPH as Gasoline	16000		2500		50		
<u>Surrogate</u>	<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>		
1,4-Bromofluorobenzene	84		38-134				

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI Date Received: 06/13/13
 601 North McDowell Blvd. Work Order: 13-06-0844
 Petaluma, CA 94954-2312 Preparation: EPA 5030C
 Method: EPA 8015B (M)
 Units: ug/L

Project: ExxonMobil 79374/022735C

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-11-MW5	13-06-0844-7-E	06/11/13 06:35	Aqueous	GC 18	06/14/13	06/14/13 16:42	130614B01
<u>Parameter</u>		<u>Result</u>	<u>RL</u>		<u>DF</u>		<u>Qualifiers</u>
TPH as Gasoline		13000	500		10		
<u>Surrogate</u>		<u>Rec. (%)</u>	<u>Control Limits</u>		<u>Qualifiers</u>		
1,4-Bromofluorobenzene		109	38-134				
W-15-MW6	13-06-0844-8-D	06/11/13 05:30	Aqueous	GC 18	06/15/13	06/15/13 20:04	130615B01
<u>Parameter</u>		<u>Result</u>	<u>RL</u>		<u>DF</u>		<u>Qualifiers</u>
TPH as Gasoline		500	50		1		
<u>Surrogate</u>		<u>Rec. (%)</u>	<u>Control Limits</u>		<u>Qualifiers</u>		
1,4-Bromofluorobenzene		88	38-134				
Method Blank	099-12-436-8619	N/A	Aqueous	GC 18	06/14/13	06/14/13 11:01	130614B01
<u>Parameter</u>		<u>Result</u>	<u>RL</u>		<u>DF</u>		<u>Qualifiers</u>
TPH as Gasoline		ND	50		1		
<u>Surrogate</u>		<u>Rec. (%)</u>	<u>Control Limits</u>		<u>Qualifiers</u>		
1,4-Bromofluorobenzene		83	38-134				
Method Blank	099-12-436-8629	N/A	Aqueous	GC 18	06/15/13	06/15/13 10:35	130615B01
<u>Parameter</u>		<u>Result</u>	<u>RL</u>		<u>DF</u>		<u>Qualifiers</u>
TPH as Gasoline		ND	50		1		
<u>Surrogate</u>		<u>Rec. (%)</u>	<u>Control Limits</u>		<u>Qualifiers</u>		
1,4-Bromofluorobenzene		84	38-134				

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI Date Received: 06/13/13
 601 North McDowell Blvd. Work Order: 13-06-0844
 Petaluma, CA 94954-2312 Preparation: EPA 5030C
 Method: EPA 8260B
 Units: ug/L

Project: ExxonMobil 79374/022735C

Page 1 of 9

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-11-MW1	13-06-0844-2-A	06/11/13 04:50	Aqueous	GC/MS L	06/13/13	06/13/13 18:33	130613L01

Parameter	Result	RL	DF	Qualifiers
Benzene	ND	0.50	1	
Toluene	ND	0.50	1	
Ethylbenzene	ND	0.50	1	
o-Xylene	ND	0.50	1	
p/m-Xylene	ND	0.50	1	
Xylenes (total)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1	
Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	92	68-120	
Dibromofluoromethane	107	80-127	
1,2-Dichloroethane-d4	102	80-128	
Toluene-d8	98	80-120	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI Date Received: 06/13/13
 601 North McDowell Blvd. Work Order: 13-06-0844
 Petaluma, CA 94954-2312 Preparation: EPA 5030C
 Method: EPA 8260B
 Units: ug/L

Project: ExxonMobil 79374/022735C

Page 2 of 9

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-11-MW2	13-06-0844-3-A	06/11/13 05:10	Aqueous	GC/MS L	06/13/13	06/13/13 19:01	130613L01

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qualifiers</u>
Benzene	ND	0.50	1	
Toluene	ND	0.50	1	
Ethylbenzene	ND	0.50	1	
o-Xylene	ND	0.50	1	
p/m-Xylene	ND	0.50	1	
Xylenes (total)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1	
Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1	

<u>Surrogate</u>	<u>Rec. (%)</u>	<u>Control Limits</u>	<u>Qualifiers</u>
1,4-Bromofluorobenzene	90	68-120	
Dibromofluoromethane	108	80-127	
1,2-Dichloroethane-d4	103	80-128	
Toluene-d8	98	80-120	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI Date Received: 06/13/13
 601 North McDowell Blvd. Work Order: 13-06-0844
 Petaluma, CA 94954-2312 Preparation: EPA 5030C
 Method: EPA 8260B
 Units: ug/L

Project: ExxonMobil 79374/022735C

Page 3 of 9

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-14-MW3	13-06-0844-4-A	06/11/13 06:10	Aqueous	GC/MS L	06/13/13	06/13/13 19:30	130613L01

Parameter	Result	RL	DF	Qualifiers
Benzene	270	10	20	
Toluene	110	10	20	
o-Xylene	21	10	20	
p/m-Xylene	110	10	20	
Xylenes (total)	140	10	1	
Methyl-t-Butyl Ether (MTBE)	ND	10	20	
Tert-Butyl Alcohol (TBA)	ND	100	20	
Diisopropyl Ether (DIPE)	ND	10	20	
Ethyl-t-Butyl Ether (ETBE)	ND	10	20	
Tert-Amyl-Methyl Ether (TAME)	ND	10	20	
1,2-Dibromoethane	ND	10	20	
1,2-Dichloroethane	ND	10	20	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	99	68-120	
Dibromofluoromethane	102	80-127	
1,2-Dichloroethane-d4	96	80-128	
Toluene-d8	100	80-120	

W-14-MW3	13-06-0844-4-B	06/11/13 06:10	Aqueous	GC/MS L	06/14/13	06/14/13 21:19	130614L01
----------	----------------	-------------------	---------	---------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qualifiers
Ethylbenzene	990	25	50	
Surrogate	Rec. (%)	Control Limits	Qualifiers	
1,4-Bromofluorobenzene	96	68-120		
Dibromofluoromethane	99	80-127		
1,2-Dichloroethane-d4	94	80-128		
Toluene-d8	100	80-120		

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI Date Received: 06/13/13
 601 North McDowell Blvd. Work Order: 13-06-0844
 Petaluma, CA 94954-2312 Preparation: EPA 5030C
 Method: EPA 8260B
 Units: ug/L

Project: ExxonMobil 79374/022735C

Page 4 of 9

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-14-MW3A	13-06-0844-5-B	06/11/13 05:50	Aqueous	GC/MS L	06/14/13	06/14/13 21:48	130614L01

Parameter	Result	RL	DF	Qualifiers
Benzene	99	2.0	4	
Toluene	14	2.0	4	
Ethylbenzene	110	2.0	4	
o-Xylene	ND	2.0	4	
p/m-Xylene	3.6	2.0	4	
Xylenes (total)	3.6	2.0	1	
Methyl-t-Butyl Ether (MTBE)	ND	2.0	4	
Tert-Butyl Alcohol (TBA)	ND	20	4	
Diisopropyl Ether (DIPE)	ND	2.0	4	
Ethyl-t-Butyl Ether (ETBE)	ND	2.0	4	
Tert-Amyl-Methyl Ether (TAME)	ND	2.0	4	
1,2-Dibromoethane	ND	2.0	4	
1,2-Dichloroethane	ND	2.0	4	
Surrogate				
1,4-Bromofluorobenzene	Rec. (%)	Control Limits	Qualifiers	
Dibromofluoromethane	96	68-120		
1,2-Dichloroethane-d4	97	80-127		
Toluene-d8	94	80-128		
	100	80-120		

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI Date Received: 06/13/13
 601 North McDowell Blvd. Work Order: 13-06-0844
 Petaluma, CA 94954-2312 Preparation: EPA 5030C
 Method: EPA 8260B
 Units: ug/L

Project: ExxonMobil 79374/022735C

Page 5 of 9

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-10-MW4	13-06-0844-6-B	06/11/13 07:00	Aqueous	GC/MS L	06/14/13	06/14/13 22:16	130614L01

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qualifiers</u>
Benzene	430	10	20	
Toluene	48	10	20	
Ethylbenzene	520	10	20	
o-Xylene	190	10	20	
p/m-Xylene	630	10	20	
Xylenes (total)	820	10	1	
Methyl-t-Butyl Ether (MTBE)	ND	10	20	
Tert-Butyl Alcohol (TBA)	ND	100	20	
Diisopropyl Ether (DIPE)	ND	10	20	
Ethyl-t-Butyl Ether (ETBE)	ND	10	20	
Tert-Amyl-Methyl Ether (TAME)	ND	10	20	
1,2-Dibromoethane	ND	10	20	
1,2-Dichloroethane	ND	10	20	

<u>Surrogate</u>	<u>Rec. (%)</u>	<u>Control Limits</u>	<u>Qualifiers</u>
1,4-Bromofluorobenzene	99	68-120	
Dibromofluoromethane	93	80-127	
1,2-Dichloroethane-d4	92	80-128	
Toluene-d8	99	80-120	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI Date Received: 06/13/13
 601 North McDowell Blvd. Work Order: 13-06-0844
 Petaluma, CA 94954-2312 Preparation: EPA 5030C
 Method: EPA 8260B
 Units: ug/L


Project: ExxonMobil 79374/022735C

Page 6 of 9

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-11-MW5	13-06-0844-7-A	06/11/13 06:35	Aqueous	GC/MS L	06/13/13	06/13/13 20:55	130613L01

Parameter	Result	RL	DF	Qualifiers
Benzene	540	20	40	
Toluene	36	20	40	
Ethylbenzene	930	20	40	
o-Xylene	180	20	40	
p/m-Xylene	990	20	40	
Xylenes (total)	1200	20	1	
Methyl-t-Butyl Ether (MTBE)	ND	20	40	
Tert-Butyl Alcohol (TBA)	ND	200	40	
Diisopropyl Ether (DIPE)	ND	20	40	
Ethyl-t-Butyl Ether (ETBE)	ND	20	40	
Tert-Amyl-Methyl Ether (TAME)	ND	20	40	
1,2-Dibromoethane	ND	20	40	
1,2-Dichloroethane	ND	20	40	
<u>Surrogate</u>				
1,4-Bromofluorobenzene	Rec. (%)	Control Limits	Qualifiers	
Dibromofluoromethane	97	68-120		
1,2-Dichloroethane-d4	103	80-127		
Toluene-d8	98	80-128		
	98	80-120		

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI Date Received: 06/13/13
 601 North McDowell Blvd. Work Order: 13-06-0844
 Petaluma, CA 94954-2312 Preparation: EPA 5030C
 Method: EPA 8260B
 Units: ug/L

Project: ExxonMobil 79374/022735C

Page 7 of 9

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-15-MW6	13-06-0844-8-A	06/11/13 05:30	Aqueous	GC/MS L	06/13/13	06/13/13 21:23	130613L01

Parameter	Result	RL	DF	Qualifiers
Benzene	ND	0.50	1	
Toluene	ND	0.50	1	
Ethylbenzene	2.4	0.50	1	
o-Xylene	ND	0.50	1	
p/m-Xylene	1.1	0.50	1	
Xylenes (total)	1.1	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1	
Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	97	68-120	
Dibromofluoromethane	104	80-127	
1,2-Dichloroethane-d4	96	80-128	
Toluene-d8	99	80-120	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI Date Received: 06/13/13
 601 North McDowell Blvd. Work Order: 13-06-0844
 Petaluma, CA 94954-2312 Preparation: EPA 5030C
 Method: EPA 8260B
 Units: ug/L

Project: ExxonMobil 79374/022735C

Page 8 of 9

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-884-1056	N/A	Aqueous	GC/MS L	06/13/13	06/13/13 11:53	130613L01

Parameter	Result	RL	DF	Qualifiers
Benzene	ND	0.50	1	
Toluene	ND	0.50	1	
Ethylbenzene	ND	0.50	1	
o-Xylene	ND	0.50	1	
p/m-Xylene	ND	0.50	1	
Xylenes (total)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1	
Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	91	68-120	
Dibromofluoromethane	114	80-127	
1,2-Dichloroethane-d4	107	80-128	
Toluene-d8	98	80-120	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI Date Received: 06/13/13
 601 North McDowell Blvd. Work Order: 13-06-0844
 Petaluma, CA 94954-2312 Preparation: EPA 5030C
 Method: EPA 8260B
 Units: ug/L

Project: ExxonMobil 79374/022735C


Page 9 of 9

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-884-1057	N/A	Aqueous	GC/MS L	06/14/13	06/14/13 12:20	130614L01

Parameter	Result	RL	DF	Qualifiers
Benzene	ND	0.50	1	
Toluene	ND	0.50	1	
Ethylbenzene	ND	0.50	1	
o-Xylene	ND	0.50	1	
p/m-Xylene	ND	0.50	1	
Xylenes (total)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1	
Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	90	68-120	
Dibromofluoromethane	110	80-127	
1,2-Dichloroethane-d4	105	80-128	
Toluene-d8	97	80-120	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Quality Control - Spike/Spike Duplicate

Cardno ERI Date Received: 06/13/13
 601 North McDowell Blvd. Work Order: 13-06-0844
 Petaluma, CA 94954-2312 Preparation: EPA 5030C
 Project: ExxonMobil 79374/022735C Method: EPA 8015B (M)
 Page 1 of 4

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number					
W-11-MW1	Aqueous	GC 18	06/14/13	06/14/13 12:54	130614S01					
Parameter	Sample Conc.	Spike Added	MS Conc.	MS %Rec.	MSD Conc.	MSD %Rec.	%Rec. CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	ND	2000	1810	90	1783	89	68-122	2	0-18	

RPD: Relative Percent Difference. CL: Control Limits



Quality Control - Spike/Spike Duplicate

Cardno ERI Date Received: 06/13/13
 601 North McDowell Blvd. Work Order: 13-06-0844
 Petaluma, CA 94954-2312 Preparation: EPA 5030C
 Project: ExxonMobil 79374/022735C Method: EPA 8015B (M)
 Page 2 of 4

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number					
13-06-0908-4	Aqueous	GC 18	06/15/13	06/15/13 12:29	130615S01					
Parameter	Sample Conc.	Spike Added	MS Conc.	MS %Rec.	MSD Conc.	MSD %Rec.	%Rec. CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	ND	2000	2046	102	2057	103	68-122	1	0-18	

RPD: Relative Percent Difference. CL: Control Limits



Quality Control - Spike/Spike Duplicate

Cardno ERI Date Received: 06/13/13
 601 North McDowell Blvd. Work Order: 13-06-0844
 Petaluma, CA 94954-2312 Preparation: EPA 5030C
 Method: EPA 8260B
 Project: ExxonMobil 79374/022735C Page 3 of 4

Quality Control Sample ID		Matrix		Instrument		Date Prepared	Date Analyzed	MS/MSD Batch Number			
13-06-0799-4		Aqueous		GC/MS L		06/13/13	06/13/13 16:10	130613S01			
Parameter		Sample Conc.	Spike Added	MS Conc.	MS %Rec.	MSD Conc.	MSD %Rec.	%Rec. CL	RPD	RPD CL	Qualifiers
Benzene		ND	10.00	9.974	100	10.25	103	76-124	3	0-20	
Toluene		1.054	10.00	11.27	102	11.39	103	80-120	1	0-20	
Ethylbenzene		ND	10.00	10.48	105	10.51	105	78-126	0	0-20	
o-Xylene		0.5050	10.00	9.811	93	9.917	94	70-130	1	0-30	
p/m-Xylene		1.092	20.00	20.66	98	20.71	98	70-130	0	0-30	
Methyl-t-Butyl Ether (MTBE)		31.58	10.00	36.06	45	36.39	48	67-121	1	0-49	HX
Tert-Butyl Alcohol (TBA)		ND	50.00	76.07	152	56.57	113	36-162	29	0-30	
Diisopropyl Ether (DIPE)		ND	10.00	9.350	93	9.587	96	60-138	3	0-45	
Ethyl-t-Butyl Ether (ETBE)		ND	10.00	9.532	95	9.831	98	69-123	3	0-30	
Tert-Amyl-Methyl Ether (TAME)		ND	10.00	9.627	96	9.975	100	65-120	4	0-20	
Ethanol		ND	100.0	93.44	93	87.88	88	30-180	6	0-72	
1,2-Dibromoethane		ND	10.00	10.06	101	10.14	101	80-120	1	0-20	
1,2-Dichloroethane		ND	10.00	9.260	93	9.463	95	80-120	2	0-20	

RPD: Relative Percent Difference. CL: Control Limits



Quality Control - Spike/Spike Duplicate

Cardno ERI Date Received: 06/13/13
 601 North McDowell Blvd. Work Order: 13-06-0844
 Petaluma, CA 94954-2312 Preparation: EPA 5030C
 Method: EPA 8260B
 Project: ExxonMobil 79374/022735C Page 4 of 4

Quality Control Sample ID		Matrix		Instrument		Date Prepared		Date Analyzed		MS/MSD Batch Number	
13-06-0895-3		Aqueous		GC/MS L		06/14/13		06/14/13 14:13		130614S01	
Parameter		Sample Conc.	Spike Added	MS Conc.	MS %Rec.	MSD Conc.	MSD %Rec.	%Rec. CL	RPD	RPD CL	Qualifiers
Benzene		ND	10.00	10.10	101	9.996	100	76-124	1	0-20	
Toluene		ND	10.00	10.39	104	10.33	103	80-120	1	0-20	
Ethylbenzene		ND	10.00	10.26	103	10.32	103	78-126	1	0-20	
o-Xylene		ND	10.00	9.157	92	9.394	94	70-130	3	0-30	
p/m-Xylene		ND	20.00	19.32	97	19.70	98	70-130	2	0-30	
Methyl-t-Butyl Ether (MTBE)	0.8820	10.00	11.67	108	10.33	95	67-121	12	0-49		
Tert-Butyl Alcohol (TBA)		ND	50.00	56.14	112	52.03	104	36-162	8	0-30	
Diisopropyl Ether (DIPE)		ND	10.00	9.158	92	9.207	92	60-138	1	0-45	
Ethyl-t-Butyl Ether (ETBE)		ND	10.00	9.288	93	9.177	92	69-123	1	0-30	
Tert-Amyl-Methyl Ether (TAME)		ND	10.00	9.702	97	9.574	96	65-120	1	0-20	
Ethanol		ND	100.0	91.81	92	97.30	97	30-180	6	0-72	
1,2-Dibromoethane		ND	10.00	9.836	98	9.708	97	80-120	1	0-20	
1,2-Dichloroethane		ND	10.00	9.340	93	9.265	93	80-120	1	0-20	

RPD: Relative Percent Difference. CL: Control Limits



Quality Control - LCS/LCSD

Cardno ERI Date Received: 06/13/13
 601 North McDowell Blvd. Work Order: 13-06-0844
 Petaluma, CA 94954-2312 Preparation: EPA 3510C
 Method: EPA 8015B (M)
 Project: ExxonMobil 79374/022735C Page 1 of 6

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number				
099-15-278-316	Aqueous	GC 45	06/14/13	06/15/13 00:34	130614B07				
Parameter	Spike Added	LCS Conc.	LCS %Rec.	LCSD Conc.	LCSD %Rec.	%Rec. CL	RPD	RPD CL	Qualifiers
TPH as Motor Oil	2000	1752	88	1900	95	75-117	8	0-13	

RPD: Relative Percent Difference. CL: Control Limits



Quality Control - LCS/LCSD

Cardno ERI Date Received: 06/13/13
 601 North McDowell Blvd. Work Order: 13-06-0844
 Petaluma, CA 94954-2312 Preparation: EPA 3510C
 Method: EPA 8015B (M)
 Project: ExxonMobil 79374/022735C Page 2 of 6

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number				
099-15-304-359	Aqueous	GC 45	06/14/13	06/15/13 00:00	130614B06				
Parameter	Spike Added	LCS Conc.	LCS %Rec.	LCSD Conc.	LCSD %Rec.	%Rec. CL	RPD	RPD CL	Qualifiers
TPH as Diesel	2000	1915	96	1995	100	75-117	4	0-13	

RPD: Relative Percent Difference. CL: Control Limits



Quality Control - LCS

Cardno ERI 601 North McDowell Blvd. Petaluma, CA 94954-2312	Date Received:	06/13/13
	Work Order:	13-06-0844
	Preparation:	EPA 5030C
	Method:	EPA 8015B (M)
Project: ExxonMobil 79374/022735C		Page 3 of 6

Quality Control Sample ID	Matrix	Instrument	Date Analyzed	LCS Batch Number	
099-12-436-8619	Aqueous	GC 18	06/14/13 11:38	130614B01	
Parameter	Spike Added	Conc. Recovered	LCS %Rec.	%Rec. CL	Qualifiers
TPH as Gasoline	2000	1807	90	78-120	

RPD: Relative Percent Difference. CL: Control Limits



Quality Control - LCS

Cardno ERI 601 North McDowell Blvd. Petaluma, CA 94954-2312	Date Received:	06/13/13
	Work Order:	13-06-0844
	Preparation:	EPA 5030C
	Method:	EPA 8015B (M)
Project: ExxonMobil 79374/022735C		Page 4 of 6

Quality Control Sample ID	Matrix	Instrument	Date Analyzed	LCS Batch Number	
099-12-436-8629	Aqueous	GC 18	06/15/13 11:13	130615B01	
Parameter	Spike Added	Conc. Recovered	LCS %Rec.	%Rec. CL	Qualifiers
TPH as Gasoline	2000	2113	106	78-120	

RPD: Relative Percent Difference. CL: Control Limits



Quality Control - LCS

Cardno ERI 601 North McDowell Blvd. Petaluma, CA 94954-2312	Date Received: Work Order: Preparation: Method:	06/13/13 13-06-0844 EPA 5030C EPA 8260B
Project: ExxonMobil 79374/022735C	Page 5 of 6	

Quality Control Sample ID	Matrix		Instrument	Date Analyzed	LCS Batch Number	
	099-12-884-1056	Aqueous			130613L01	Qualifiers
Parameter	Spike Added	Conc. Recovered	LCS %Rec.	%Rec. CL	ME CL	
Benzene	10.00	9.757	98	80-120	73-127	
Toluene	10.00	9.985	100	80-120	73-127	
Ethylbenzene	10.00	10.13	101	80-120	73-127	
o-Xylene	10.00	9.062	91	75-125	67-133	
p/m-Xylene	20.00	19.13	96	75-125	67-133	
Methyl-t-Butyl Ether (MTBE)	10.00	9.345	93	69-123	60-132	
Tert-Butyl Alcohol (TBA)	50.00	45.88	92	63-123	53-133	
Diisopropyl Ether (DIPE)	10.00	9.149	91	59-137	46-150	
Ethyl-t-Butyl Ether (ETBE)	10.00	8.975	90	69-123	60-132	
Tert-Amyl-Methyl Ether (TAME)	10.00	9.083	91	70-120	62-128	
Ethanol	100.0	94.40	94	28-160	6-182	
1,2-Dibromoethane	10.00	9.286	93	79-121	72-128	
1,2-Dichloroethane	10.00	8.736	87	80-120	73-127	

Total number of LCS compounds: 13

Total number of ME compounds: 0

Total number of ME compounds allowed: 1

LCS ME CL validation result: Pass



Quality Control - LCS

Cardno ERI Date Received: 06/13/13
 601 North McDowell Blvd. Work Order: 13-06-0844
 Petaluma, CA 94954-2312 Preparation: EPA 5030C
 Method: EPA 8260B
 Project: ExxonMobil 79374/022735C Page 6 of 6

Quality Control Sample ID	Matrix		Instrument	Date Analyzed	LCS Batch Number	
	Aqueous	GC/MS L			06/14/13 11:11	130614L01
Parameter	Spike Added	Conc. Recovered	LCS %Rec.	%Rec. CL	ME CL	Qualifiers
Benzene	10.00	10.09	101	80-120	73-127	
Toluene	10.00	10.30	103	80-120	73-127	
Ethylbenzene	10.00	10.40	104	80-120	73-127	
o-Xylene	10.00	9.452	95	75-125	67-133	
p/m-Xylene	20.00	19.99	100	75-125	67-133	
Methyl-t-Butyl Ether (MTBE)	10.00	9.510	95	69-123	60-132	
Tert-Butyl Alcohol (TBA)	50.00	44.99	90	63-123	53-133	
Diisopropyl Ether (DIPE)	10.00	8.073	81	59-137	46-150	
Ethyl-t-Butyl Ether (ETBE)	10.00	8.844	88	69-123	60-132	
Tert-Amyl-Methyl Ether (TAME)	10.00	9.478	95	70-120	62-128	
Ethanol	100.0	89.94	90	28-160	6-182	
1,2-Dibromoethane	10.00	9.757	98	79-121	72-128	
1,2-Dichloroethane	10.00	9.121	91	80-120	73-127	

Total number of LCS compounds: 13

Total number of ME compounds: 0

Total number of ME compounds allowed: 1

LCS ME CL validation result: Pass



Glossary of Terms and Qualifiers

Work Order: 13-06-0844

Page 1 of 1

<u>Qualifiers</u>	<u>Definition</u>
AZ	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
B	Analyte was present in the associated method blank.
BA	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
BB	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
BU	Sample analyzed after holding time expired.
DF	Reporting limits elevated due to matrix interferences.
E	Concentration exceeds the calibration range.
ET	Sample was extracted past end of recommended max. holding time.
GE	The PDS/PDSD or PES/PESD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported without further clarification.
HD	Chromat. profile inconsistent with pattern(s) of ref. fuel stdns.
HO	High concentration matrix spike recovery out of limits
HT	Analytical value calculated using results from associated tests.
HX	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
IL	Relative percent difference out of control.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
LD	Analyte presence was not confirmed by second column or GC/MS analysis.
LP	The LCS and/or LCSD recoveries for this analyte were above the upper control limit. The associated sample was non-detected. Therefore, the sample data was reported without further clarification.
LQ	LCS recovery above method control limits.
LR	LCS recovery below method control limits.
ND	Parameter not detected at the indicated reporting limit.
QO	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
RU	LCS/LCSD Recovery Percentage is within Marginal Exceedance (ME) Control Limit range.
SG	A silica gel cleanup procedure was performed.
SN	See applicable analysis comment. Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture. All QC results are reported on a wet weight basis. For any analysis identified as a "field" test with a holding time (HT) <= 15 minutes where the sample is received outside of HT, Calscience will adhere to its internal HT of 24 hours. In cases where sample analysis does not meet Calscience's internal HT, results will be appropriately qualified.
	A calculated total result (Example: Total Pesticides) is the summation of each component concentration and/or, if "J" flags are reported, estimated concentration. Component concentrations showing not detected (ND) are summed into the calculated total result as zero concentrations.

Calscience Environmental Laboratories, Inc.

7440 Lincoln Way
Garden Grove, CA 92841

Phone: 714-895-5494

Fax: 714-894-7501

ExxonMobil
13-06-0844

Consultant Name: Cardno ERI	Account #: NA	PO#: Direct Bill Cardno ERI
Consultant Address: 601 N. McDowell Boulevard	Invoice To: Direct Bill Cardno ERI	
Consultant City/State/Zip: Petaluma, California, 94954	Report To: Rebekah Westrup	
ExxonMobil Project Mgr: Jennifer Sediachek	Project Name: 02 2735 C	
Consultant Project Mgr: Rebekah Westrup	ExxonMobil Site #: 79374	Major Project (AFE #)
Consultant Telephone Number: 707-766-2000	Fax No.: 707-789-0414	Site Address: 990 San Pablo Avenue
Sampler Name (Print): Azor R. Magdanov	Site City, State, Zip: Albany, California	Oversight Agency: Alameda County Environmental Health Department
Sampler Signature: 		

Comments/Special Instructions:

PLEASE E-MAIL ALL PDF FILES TO

norcallabs@eri-us.com

GLOBAL ID # T0619716673

Use silica gel cleanup on all TPHd analyses

Oxygenates = MTBE, ETBE, DIPE, TAME, TBA, 1,2-DCA, EDB

Set TBA reporting limit at or below 12 ug/L.

Laboratory Comments:

Temperature Upon Receipt:

Sample Containers Intact?

VOCs Free of Headspace?

Page 1

13

Level 2

Level 3

Level 4

Site Sp

Project Manager or attach specific instructions

Digitized by srujanika@gmail.com

0844



< WebShip > > > >

800-322-5555 www.gso.com

Ship From:
 ALAN KEMP
 CAL SCIENCE- CONCORD
 5063 COMMERCIAL CIRCLE #H
 CONCORD, CA 94520

Ship To:
SAMPLE RECEIVING
 CEL
 7440 LINCOLN WAY
 GARDEN GROVE, CA 92841

COD:
 \$0.00

Reference:
 CARDNO ERI

Delivery Instructions:

Signature Type:
 SIGNATURE REQUIRED

Tracking #: 522030709



NPS

ORC
GARDEN GROVE

A

D92841A

13050797

Print Date : 06/12/13 15:28 PM

Package 1 of 1 Print All

LABEL INSTRUCTIONS:

Do not copy or reprint this label for additional shipments - each package must have a unique barcode.

STEP 1 - Use the "Send Label to Printer" button on this page to print the shipping label on a laser or inkjet printer.

STEP 2 - Fold this page in half.

STEP 3 - Securely attach this label to your package, do not cover the barcode.

STEP 4 - Request an on-call pickup for your package, if you do not have scheduled daily pickup service or Drop-off your package at the nearest GSO drop box. Locate nearest GSO dropbox locations using this link.

ADDITIONAL OPTIONS:

TERMS AND CONDITIONS:

By giving us your shipment to deliver, you agree to all the service terms and conditions described in this section. Our liability for loss or damage to any package is limited to your actual damages or \$100 whichever is less, unless you pay for and declare a higher authorized value. If you declare a higher value and pay the additional charge, our liability will be the lesser of your declared value or the actual value of your loss or damage. In any event, we will not be liable for any damage, whether direct, incidental, special or consequential, in excess of the declared value of a shipment whether or not we had knowledge that such damage might be incurred including but not limited to loss of income or profit. We will not be liable for your acts or omissions, including but not limited to improper or insufficient packaging, securing, marking or addressing. Also, we will not be liable if you or the recipient violates any of the terms of our agreement. We will not be liable for loss, damage or delay caused by events we cannot control, including but not limited to acts of God, perils of the air, weather conditions, act of public enemies, war, strikes, or civil commotion. The highest declared value for our GSO Priority Letter or GSO Priority Package is \$500. For other shipments the highest declared value is \$10,000 unless your package contains items of "extraordinary value", in which case the highest declared value we allow is \$500. Items of "extraordinary value" include, but are not limited to, artwork, jewelry, furs, precious metals, tickets, negotiable instruments and other items with intrinsic value.

WORK ORDER #: 13-06-0844

SAMPLE RECEIPT FORM

Cooler / of /

CLIENT: CARDNO E121

DATE: 06 // 3 / 13

TEMPERATURE: Thermometer ID: SC1 (Criteria: 0.0 °C – 6.0 °C, not frozen except sediment/tissue)

Temperature 1.8 °C - 0.2 °C (CF) = 1.6 °C Blank Sample Sample(s) outside temperature criteria (PM/APM contacted by: _____). Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling. Received at ambient temperature, placed on ice for transport by Courier.Ambient Temperature: Air Filter

Initial: PS

CUSTODY SEALS INTACT:

<input checked="" type="checkbox"/> Cooler	<input type="checkbox"/> _____	<input type="checkbox"/> No (Not Intact)	<input type="checkbox"/> Not Present	<input type="checkbox"/> N/A	Initial: PS
<input type="checkbox"/> Sample	<input type="checkbox"/> _____	<input type="checkbox"/> No (Not Intact)	<input checked="" type="checkbox"/> Not Present		Initial: MM

SAMPLE CONDITION:

Yes No N/A

Chain-Of-Custody (COC) document(s) received with samples..... COC document(s) received complete..... Collection date/time, matrix, and/or # of containers logged in based on sample labels. No analysis requested. Not relinquished. No date/time relinquished.Sampler's name indicated on COC..... Sample container label(s) consistent with COC..... Sample container(s) intact and good condition..... Proper containers and sufficient volume for analyses requested..... Analyses received within holding time..... pH / Res. Chlorine / Diss. Sulfide / Diss. Oxygen received within 24 hours... Proper preservation noted on COC or sample container..... Unpreserved vials received for Volatiles analysisVolatile analysis container(s) free of headspace..... Tedlar bag(s) free of condensation.....

CONTAINER TYPE:

Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve (_____) EnCores® TerraCores® _____Water: VOA VOAh VOAna₂ 125AGB 125AGBh 125AGBp 1AGB 1AGBna₂ 1AGBs 500AGB 500AGJ 500AGJs 250AGB 250CGB 250CGBs 1PB 1PBna 500PB 250PB 250PBN 125PB 125PBznna 100PJ 100PJna₂ _____ _____Air: Tedlar® Canister Other: _____ Trip Blank Lot#: _____ Labeled/Checked by: MM

Container: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelope

Reviewed by: WJSPreservative: h: HCL n: HNO₃ na₂:Na₂S₂O₃ na: NaOH p: H₃PO₄ s: H₂SO₄ u: Ultra-pure znna: ZnAc₂+NaOH f: FilteredScanned by: WJS

APPENDIX D

WASTE DISPOSAL DOCUMENTATION

NON-HAZARDOUS WASTE MANIFEST

Please print or type

(Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No.	2. Page 1	
GENERATOR	3. Generator's Name and Mailing Address		Exxon Mobil 79374 990 San Pablo Ave Albany CA		Carlsbad - FRC	
	4. Generator's Phone ()					
	5. Transporter 1 Company Name		6. US EPA ID Number		A. State Transporter's ID	
	CARLSBAD - FRC				B. Transporter 1 Phone	
	7. Transporter 2 Company Name		8. US EPA ID Number		C. State Transporter's ID	
	INSTRAT, INC. 1185 C AIRPORT RD. RIO VISTA, CA 94571				D. Transporter 2 Phone	
	9. Designated Facility Name and Site Address		10. US EPA ID Number		E. State Facility's ID	
					F. Facility's Phone (707) 574-3634	
	11. WASTE DESCRIPTION		12. Containers No. Type		13. Total Quantity	
	a. Non Hazardous Purge water		1 Poly 60		14. Unit Wt/Vol. gal	
b.						
c.						
d.						
G. Additional Descriptions for Materials Listed Above		H. Handling Codes for Wastes Listed Above				
15. Special Handling Instructions and Additional Information						
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.						
Printed/Typed Name		Signature		Date Month Day Year		
Dan Domenikelli 7/13/13						
TRANSPORTER						
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Date		
Printed/Typed Name		Signature		Month Day Year		
7/13/13						
FACILITY						
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date		
Printed/Typed Name		Signature		Month Day Year		
Date						
19. Discrepancy Indication Space						
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.						
Printed/Typed Name		Signature		Date Month Day Year		
I ST John M. Bruehl 7/13/13						