UNDERGROUND STORAGE TANK UNAUTHORIZED RELEASE (LEAK) / CONTAMINATION SITE REPORT			
EMERGENCY HAS STATE OFFICE OF EMERGENCY SERVICES FOR LOCAL AGENCY USE ONLY I HEREBY CERTIFY THAT I AM A DESIGNATED GOVERNMENT EN REPORT BEEN FILED? YES NO REPORTED THIS INFORMATION TO LOCAL OFFICIALS PURSUA			NMENT EMPLOYEE AND THAT I HAVE
REPORT DATE CASE # THE HEALTH AND SAFETY CODE.			
10/20/2010 Not Assigned SIGNED DATE			
	NAME OF INDIVIDUAL FILING REPORT PHONE	SIGNATURE	tob. la
REPORTED BY	Robert A. Batchelor (949) 7	COMPANY OR AGENCY NAME	acous-
	□ LOCAL AGENCY □ REGIONAL BOARD □ OWNER/OPERATOR □ OTHER	Batchelor Environmental Services, Inc	
	ADDRESS	* 250000000 337 J.	CA 92637
	3340 Punta Alta "B"	Laguna Woods	STATE ZIP
RESPONSIBLE PARTY	NAME	CONTACT PERSON Sam Bremmeke	PHONE (510) 853-8927
	Shell Oil Products, US Unknown	Sam Brennieke	
	20945 S. Wilmington Avenue	Carson	CA 90810
-	FACILITY NAME (IF APPLICABLE)	OPERATOR	PHONE
SITE LOCATION	Shell Oil Company-Service Station #135682		1()
	3750 International Blvd	Oakland Alameda	94601
	STREET CROSS STREET	CITY COUNTY	ZIP
	Villa Avenue		Laugue
MPLEMENTING AGENCIES	LOCAL AGENCY AGENCY NAME		(510) 670-6633
	Alameda County Env. Health Services		
	REGIONAL BOARD		(510) 622-2300
	San Francisco RWQCB	QUANT	ITY LOST (GALLONS)
SUBSTANCES	TPH(d) in soil exceeding RWQCB RSL	COANT	☐ Unknown
	(2)		
			□ Unknown
EN I	DATE DISCOVERED HOW DISCOVERED Tank	_	Nuisance Conditions
DISCOVERY/ABATEMENT	9/20/2010 Inven	tory Control Subsurface Monitoring METHOD USED TO STOP DISCHARGE (CHECK	Other KALL THAT APPLY)
	Remove Contents Close Tank		
S S S	HAS DISCHARGE BEEN STOPPED?	Repair Tank Change Proce	oure
DISC	YES NO IF YES, DATE	Repair Piping	
SOURCE	SOURCE OF DISCHARGE CAUSE(S)		
S S		ill Corrosion Rupture/Failure 🛛 Unl	nown Spill Other
CASE	HECK ONE ONLY		
35	☐ Undetermined ☐ Soil Only ☑ Groundwater ☐ Drinking Water – (CHECK ONLY IF WATER WELLS HAVE ACTUALLY BEEN AFFECTED)		
CURRENT		Case Closed (Cleanup Completed or Unneces	sary)
	☐ Leak Being Confirmed ☐ Pollution Characterization ☐ Post Cleanup Monitoring in Progress		
	☐ Preliminary Site Assessment Workplan Submitted ☐ Cleanup Underway ☐ Preliminary Site Assessment Underway		
REMEDIAL ACTION	CHECK APPROPRIATE ACTION(S) Cap Site (CD) Excavate & Treat (ET)	☐ Treatment At Hookup (HU)	☐ Other
	☐ Contamination Barrier (CB) ☐ No Action Required (NA) ☐ Vacuum Extract (VE) ☐ Remove Free Product (FP)	 ☑ Enhanced Bio Degradation (IT) ☑ Replace Supply (RS) 	
2	Excavate & Dispose (ED) Pump & Treat Groundwater (GT) Vent Soil (VS)		
TS.			
COMMENTS			
8			