

**ENVIRONMENTAL BIO-SYSTEMS, INC.**Innovative Solutions for a Better Environment

1. INTRODUCTION

Environmental Bio-Systems, Inc. (EBS) provides this report describing subsurface soil and ground water exploration performed for Thomas D. Meek, M.D. (the client) at 16660 E. 14th Street, San Leandro, CA (the site). The principal site contacts are:

Client Contact - Thomas D. Meek, M.D., Commercial Property Services, 2345 50th Street, Suite 100, Lubbock, Texas 79407, (806) 763-8004.

Consultant - Environmental Bio-Systems, Inc., 30028 Industrial Parkway Southwest, Suite C, Hayward, CA 94544, (510) 429-9988. Mr. Dave A. Sadoff - Project Manager

2. PURPOSE AND SCOPE OF WORK

This report describes the installation and sampling of 4 exploratory boreholes at the site. The scope of work described below has been composed to evaluate subsurface conditions associated with former underground storage tanks (USTs) reported to have been present during the previous tenure of a former Texaco service station at the site.

8 April 1994

Thomas D. Meek, M.D.
Chief Auto Plaza
16660 E. 14th Street
San Leandro, California

page 2

An itemized list of tasks performed and outlined in this report includes:

- Geophysical survey of accessible portions of the property (i.e. portions not covered by structures).
- Preparation of site specific work and safety plans.
- Procurement of permits.
- Drilling of 4 exploratory boreholes, one boring at each of the following locations:
 - S1- The former fuel UST location.
 - S2- The former fueling island along E. 14th Street.
 - S3- The former fueling island along 167th Avenue.
 - S4- The former waste oil UST location.
- Logging of subsurface conditions by an EBS project geologist.
- Collection of soil samples at 5-foot intervals from surface to the depth at which ground water was encountered and at the soil/ground water interface.
- Field screening of collected soil samples will be performed using a portable organic vapor meter (OVM).
- Laboratory analysis of 2 soil samples from each boring.
- Analysis of four soil samples for one or more of the following analytes:
 - 1- Total petroleum hydrocarbons as gasoline (TPHg) with distinction for benzene, toluene, ethylbenzene, and xylenes (BTEX) using Environmental Protection Agency (EPA) Methods 5030, and modified Methods 8015 and 8020.
 - 2- Total petroleum hydrocarbons as diesel (TPHd) using EPA Methods 3550 and modified 8015.
 - 3- Total oil and grease (TOG) using Standard Method 5520B&F.
- Containment of all soil drill cuttings in Department of Transportation (DOT) approved 55-gallon drums.
- Containment of all waste water (from decontamination and well purging) in DOT approved 55-gallon drums.

8 April 1994

Thomas D. Meek, M.D.
Chief Auto Plaza
16660 E. 14th Street
San Leandro, California

page 3

3. SITE LOCATION AND DESCRIPTION

The site is located at 16660 E. 14th Street in San Leandro, California. This location lies within an un-incorporated section of Alameda County. A site location map is included in this report as Figure 1.

The Alameda County Public Works Agency well survey shows the site to be located in 40-acre parcel C, Section 8, Township 3 south, Range 2 west of the San Mount Diablo Base and Meridian. The subject site is situated approximately 17,200-feet east of San Francisco Bay's east shoreline, and lies at an elevation of approximately 48-feet above mean sea level. The topography of the site dips gently to the west.

Figure 2 shows a general overview of the property on which the site is located. The site encompasses approximately 28,500-square feet, and is bounded to the southwest by E. 14th Street, to the northwest by Carl Kuper Motors, to the northeast by Bayfair Manor Apartments, and to the southeast by 167th Avenue. The site is currently occupied by a Chief Auto Parts store, the Old South BBQ, and Raja Markets.

A 7,800-square foot single-story structure, located on the northeast property border, houses the three businesses operating at the site. The remainder of the site is primarily asphalt-paved parking area with the exception of several planter areas.

8 April 1994

Thomas D. Meek, M.D.
Chief Auto Plaza
16660 E. 14th Street
San Leandro, California

page 4

3.1. REGIONAL GEOLOGY

The site is located in the East Bay Plain Area of the San Francisco Bay drainage basin. The Hayward Fault lies approximately 1,000-feet east-northeast of the site.

The flat, alluviated lowlands of this area are bounded to the north by the San Pablo Bay, to the east by the Hayward Fault and the Coast Range foothills, and to the south and west by the San Francisco Bay. Older alluvium in the area consists of Pliocene and Pleistocene clay, silt, sand, and gravel. These sediments were derived mainly from the hills to the east and southeast, and represent successive coalescing alluvial fans.

3.2. HYDROGEOLOGICAL SETTING

The subject site is situated above the San Lorenzo Cone sub-area, which consists of various sand and gravel strata within the older alluvium. Three shallow (to 400-feet bgs) aquifers have been identified for this area. These aquifers are correlative to the Niles cone sub-area Newark, Centerville, and Fremont aquifers (shallowest to deepest). Well yields from these aquifers range from a few tens of gallons per minute to over one thousand-gallons per minute.

8 April 1994

Thomas D. Meek, M.D.
Chief Auto Plaza
16660 E. 14th Street
San Leandro, California

page 5

3.3. METEOROLOGICAL SETTING

The site is located within the San Francisco Bay Area, which is considered a "Mediterranean" type climate. Warm to hot, dry summers, along with cool, wet winters are typical for this area. Mean annual precipitation in the form of rainfall near this site is approximately 13.7-inches. The prevailing wind at the site in general is from the northwest.

4. PREVIOUS ENVIRONMENTAL WORK

EBS performed a Phase I Environmental Audit of the site in a report dated 11 March 1994. The limited documentation found regarding past environmental work performed at the site is discussed and referenced in the Phase I report.

5. PROCEDURES

Drilling of four exploratory boreholes, sampling, and field screening of soil samples was performed on 4 March 1994. The borings were designated as S1 through S4. A site diagram displaying the locations of the boreholes is presented as Figure 2.

8 April 1994

Thomas D. Meek, M.D.
Chief Auto Plaza
16660 E. 14th Street
San Leandro, California

page 6

5.1. DRILLING OF EXPLORATORY BOREHOLES

Four soil borings were drilled by Bayland Drilling of Menlo Park, California (C-57 license #374152). The boreholes were drilled using a truck mounted CME 75 drill rig equipped with 8-inch diameter hollow stem augers. The logs of soil borings and well construction details are presented in Appendix A.

Soil lithologies encountered in the four borings were similar. Conditions encountered included clayey silty sand to approximately eight-feet bgs underlain by fine to medium and coarse sand. A stiff black clay was found at approximately 19-foot bgs in borings EB1 and EB3.

Exploratory borings S1 through S4 were drilled to total depths of 20, 15, 20, and 20-foot bgs, respectively. Appendix A contains the logs of soil borings with descriptions of subsurface conditions encountered.

5.1.1. Field Screening of Soil Samples

Soil samples were field screened using a portable Thermo Environmental Instruments organic vapor meter (OVM) Model OVM 580B at each sampling interval. Approximately 50 to 100-grams of soil were placed into a sampling chamber consisting of a brass sampling tube with a plastic cap fitted over one end. A plastic cap, with a hole through which the OVM intake tube could be inserted, was then placed over the open end of the tube. The sample tube was then shaken for approximately 30-seconds before inserting the OVM intake tube into the sample chamber and

8 April 1994

Thomas D. Meek, M.D.
Chief Auto Plaza
16660 E. 14th Street
San Leandro, California

page 7

recording the maximum value attained as parts per million (ppm) soil vapor.

An OVM reading was taken from the empty sampling chamber prior to each soil sample. The chamber and plastic caps were replaced if background concentrations were found.

The results of OVM field screening of soil were recorded in the field and are displayed in Table 1. None of the field screened samples yielded positive results.

5.1.2. Soil Sample Collection

Soil samples were collected from the borings at 5-foot intervals using a California modified split-spoon sampler. For collection, the sampler was driven 18-inches (the total sampler length) into the soil by a 140-pound weight falling a distance of approximately 30-inches. The number of blows required to drive the sampler each 6-inches was counted as an indicator of the relative density of the soil.

Soil samples were removed from the sampler as soon as it was opened. The ends of all tubes submitted to the laboratory were covered with Teflon[®] sheets and sealed with plastic end caps. The sample tubes were labeled, stored in a cooler on crushed ice, and transported to American Environmental Network (AEN) of Pleasant Hill, California. AEN is certified by the State of California to perform the stated analyses.

8 April 1994

Thomas D. Meek, M.D.
Chief Auto Plaza
16660 E. 14th Street
San Leandro, California

page 8

5.2. DECONTAMINATION PROCEDURES

The California modified split-spoon sampler was washed with Alqinox detergent and triple rinsed with distilled water between the collection of soil cores and samples. The augers used to drill the borings were steam cleaned prior to, and after each boring.

5.3. CONTAINMENT OF DRILL CUTTINGS AND DECONTAMINATION WATER

Soil from the exploratory borings and water generated from the decontamination of equipment was contained in 55-gallon drums approved by the Department of Transportation (DOT) for this use. The drums were labeled, and placed against the southern wall of the garbage dumpster bay.

6. SAMPLE ANALYSIS AND RESULTS

Selected soil samples collected from borings S1, S2, and S4 were analyzed for TPHg and BTEX using EPA Method 5030, and modified Methods 8015 and 8020 and TPHd using EPA Methods 3550 and modified 8015. Soil samples collected from boring S3 were analyzed for TOG using Standard Method 5520F. Table 2 displays the results of analyses performed on soil samples.

None of the analyzed samples were found to contain detectable concentrations of the selected analytes. Samples S2-5' and S4-5' were reported by the laboratory to contain concentrations of a

8 April 1994

Thomas D. Meek, M.D.
Chief Auto Plaza
16660 E. 14th Street
San Leandro, California

page 9

compound heavier than diesel. The compound was identified by the laboratory to be TPH as motor oil (TPHmo), and was found in these samples at 8 and 9-mg/kg, respectively.

7. CONCLUSIONS

1. Soils encountered during the drilling of the exploratory borings typically included clayey silty sand to approximately eight-foot bgs underlain by fine to medium and coarse sand. A stiff black clay was found at approximately 19-foot bgs in borings S1 and S3.
2. Screening of soil samples using an OVM showed no detectable concentrations of organic vapor.
3. None of the analyzed samples were found to contain reportable concentrations of the chosen analytes.
4. Samples S2-5' and S4-5' were reported by the laboratory to contain concentrations of a compound heavier than diesel. The compound was identified by the laboratory to be TPHmo and was found in these samples at 8 and 9-mg/kg, respectively.

8 April 1994

Thomas D. Meek, M.D.
Chief Auto Plaza
16660 E. 14th Street.
San Leandro, California

page 10

8. LIMITATIONS

The recommendations in this report were developed in accordance with generally accepted standards of current environmental practice in California. These recommendations are time-dependent and should not be considered valid after a 1-year period from the issue of this report. After 1-year from the issue of this report, site conditions and recommendations contained within this report should be reviewed.

This study was performed solely for the purpose of evaluating environmental conditions of the site subsurface relative to hydrocarbon impact at the subject site. No engineering or geotechnical references are implied or should be inferred.

Evaluation of the condition of the site, for the purpose of this study, was made from a limited number of observation points. Subsurface conditions may deviate away from these points. Additional work, including further study of the subsurface, can reduce the inherent uncertainties associated with this type of work.

This study was performed, and the report was prepared for the sole use of our client, Thomas D. Meek, M.D. This report and the findings contained herein shall not be disclosed to nor used by any other party without the prior written consent of Environmental Bio-Systems, Inc. It is the responsibility of the client to convey these recommendations to regulatory agencies and other parties, as appropriate.

8 April 1994

Thomas D. Meek, M.D.
Chief Auto Plaza
16660 E. 14th Street
San Leandro, California

page 11

The recommendations herein are professional opinions that our firm has endeavored to provide with competence and reasonable care. We are not able to eliminate the risks associated with environmental work. No guarantees or warranties, express or implied, are provided regarding our recommendations

8 April 1994

Thomas D. Meek, M.D.
Chief Auto Plaza
16660 E. 14th Street
San Leandro, California

page 12

9. REFERENCES

Alameda County Flood Control and Water Conservation District
205(J) Report, Geohydrology and Ground Water - Quality
Overview, East Bay Plain Area, Alameda County, California,
June 1988.

Environmental Bio-Systems, Inc., Phase I Environmental
Assessment, Chief Auto Plaza 16660 14th Street, San Leandro,
California, 11 March 1994.

Holley, E.J., and LaJoie, K.R., United States Geological Survey
Professional Paper 943, Flatland Deposits - Their Geology and
Engineering Properties and Their Importance to Comprehensive
Planning, 1979.

National Oceanic and Atmospheric Administration,
Climatology of the United States Number 81, Monthly Station
Normals of Temperature, Precipitation, and Heating and Cooling
Degree Days 1961-1990, January 1992.

United States Geological Survey Topographical Map, Hayward,
California 7.5-Minute Series Quadrangle, 1959, photorevised
1980.

8 April 1994

Thomas D. Meek, M.D.
Chief Auto Plaza
16660 E. 14th Street
San Leandro, California

page 13

**TABLE 1: OVM FIELD SCREENING OF SOIL
SAMPLES**

BORING #	DEPTH (FEET)	SOIL VAPOR (ppm) ¹
S1	5	0
	10	0
	15	0
	20	0
S2	2	0
	5	0
	10	0
	15	0
S3	4	0
	5	0
	10	0
	15	0
	20	0
S4	5	0
	10	0
	15	0
	20	0

ppm¹ - Parts per million.

8 April 1994


Thomas D. Meek, M.D.
Chief Auto Plaza
16660 E. 14th Street
San Leandro, California

page 14

TABLE 2: RESULTS OF SOIL SAMPLE ANALYSES

Sample #	TPHg (mg/Kg)	TPHd (mg/Kg)	TPHmo (mg/Kg)
S1-10'	ND	ND	ND
S1-15'	ND	ND	ND
S2-5'	ND	ND	8
S2-10'	ND	ND	ND
S3-10'	ND	ND	ND
S3-15'	ND	ND	ND
S4-5'	ND	ND	9
S4-10'	ND	ND	ND

Legend:**ND:** Analyte not detected above stated laboratory detection limits.**Note:** See laboratory reports for individual analyte detection limits used.



Source: USGS Topographic Map, Hayward Quadrangle



ENVIRONMENTAL
-SYSTEMS, INC.

DATE:
4/8/94

DRAWN BY:
DAS

SCALE:
1" = 2,000'


FIGURE 1:
SITE LOCATION MAP


Chief Auto Plaza
16660 E. 14th Street
San Leandro, California

8 April 1994

THOMAS D. MEEK, M.D.

Page 16



 <p>ENVIRONMENTAL BIO-SYSTEMS, INC</p>	<p>DATE: 4/8/94</p>	<p>FIGURE 2: SITE DIAGRAM</p> <p>16660 East 14th Street San Leandro, California</p>
	<p>DRAWN BY: TMB</p>	
	<p>SCALE: 1"=20' (approx.)</p>	

8 April 1994

Thomas D. Meek, M.D.
Chief Auto Plaza
16660 E. 14th Street
San Leandro, California

page A

APPENDIX A:

LOGS OF SOIL BORINGS

8 April 1994

Thomas D. Meek, M.D.
Chief Auto Plaza
16660 E. 14th Street
San Leandro, California

page B

APPENDIX B:


**LABORATORY REPORTS AND
CHAIN OF CUSTODY DOCUMENTATION**

LOG OF SOIL BORING S1

PAGE 1 OF 1

INSTRUCTION DETAILS

SOIL DESCRIPTION



by: Dave Sadoff
r: N/A
4/94

Drilling Contractor: Bayland
Drilling Method: Hollow Stem
Driller: Adam

Sanitary Seal/Backfill: Cement Grout
Sampler Type: Split Spoon
Total Boring Depth: 20-feet



ENVIRONMENTAL
SYSTEMS, INC.

EXPLANATION

- water level during drilling
- gradational
- potentiometric water level
- NR no recovery
- drill sample
- chemical analysis sample
- sieve sample
- grab sample
- CONTACTS:
- certain
- approximate
- uncertain


SITE:
CHIEF AUTO PLAZA
16660 EAST 14TH STREET
SAN LEANDRO, CA

PROJECT #: 090-292-01B


CLIENT:
Thomas D. Meek, M.D.
Commercial Property Svcs.

LOG OF SOIL BORING S2

WELL CONSTRUCTION DETAILS




SOIL DESCRIPTION



Logged by: Dave Sadoff
 Inspector: N/A
 Date: 3/4/94

Drilling Contractor: Bayland
 Drilling Method: Hollow Stem
 Driller: Adam

Sanitary Seal/Backfill: Cement Grout
 Sampler Type: Split Spoon
 Total Boring Depth: 15.5-feet



EXPLANATION

	water level during drilling		gradational
	potentiometric water level		NR no recovery
	drill sample	CONTACTS:	
	chemical analysis sample		certain
	sieve sample		approximate
	grab sample		uncertain

SITE:
 CHIEF AUTO PLAZA
 16660 EAST 14TH STREET
 SAN LEANDRO, CA

PROJECT #: 090-292-01B


CLIENT:
 Thomas D. Meek, M.D.
 Commercial Property Svcs.

LOG OF SOIL BORING S3

PAGE 1 OF 1

INSTRUCTION DETAILS

Cement Grout Backfill



by: Dave Sadoff Drilling Contractor: Bayland Sanitary Seal/Backfill: Cement Grout
 or: N/A Drilling Method: Hollow Stem Sampler Type: Split Spoon
 /4/94 Driller: Adam Total Boring Depth: 20-feet



EXPLANATION

- water level during drilling
- potentiometric water level
- drill sample
- chemical analysis sample
- sieve sample
- grab sample
- gradational
- NR no recovery
- CONTACTS:**
- certain
- approximate
- uncertain


SITE:
 CHIEF AUTO PLAZA
 16660 EAST 14TH STREET
 SAN LEANDRO, CA

PROJECT #: 090-292-01B


CLIENT:
 Thomas D. Meek, M.D.
 Commercial Property Svcs.

LOG OF SOIL BORING S4

WELL CONSTRUCTION DETAILS



SOIL DESCRIPTION



Logged by: Dave Sadoff
 Inspector: N/A
 Date: 3/4/94

Drilling Contractor: Bayland
 Drilling Method: Hollow Stem
 Driller: Adam

Sanitary Seal/Backfill: Cement Grout
 Sampler Type: Split Spoon
 Total Boring Depth: 15-feet



ENVIRONMENTAL
 BIO-SYSTEMS, INC.

EXPLANATION

- water level during drilling
- potentiometric water level
- drill sample
- chemical analysis sample
- sieve sample
- grab sample
- gradational
- NR no recovery
- CONTACTS:**
- certain
- approximate
- uncertain

SITE:

CHIEF AUTO PLAZA
 16680 EAST 14TH STREET
 SAN LEANDRO, CA

PROJECT #: 090-292-01B

CLIENT:
 Thomas D. Meek, M.D.
 Commercial Property Svcs.

American Environmental Network

Certificate of Analysis

Location: 1172

AIIA Accreditation: 11134

PAGE 1

RECEIVED

MAR 15 1994

Ass'd.....

ENVIRONMENTAL BIO-SYSTEMS, INC.
0028 INDUSTRIAL PKWY., S.W., STE. C
OAKLAND, CA 94544

REPORT DATE: 03/14/94

DATE SAMPLED: 03/04/94
DATE RECEIVED: 03/04/94

ATTN: DAVE SADOFF

ADDITIONAL ANALYSIS
REQUESTED: 03/08/94

CLIENT PROJ. ID: 090-292-01B
PROJ. NAME: THOMAS MEEK, M.D.

AEN JOB NO: 9403047

PROJECT SUMMARY:

In March 4, 1994, this laboratory received thirteen (13) soil samples.

Client requested eight (8) samples be analyzed for organic parameters. Five (5) samples were placed on hold. On March 8, 1994, client requested one (1) sample be taken off hold and be analyzed for organic parameters. Four (4) samples remain on hold. Sample identification, methodologies, results, and dates analyzed are summarized on the following pages.

Please see quality control report for a summary of QC data pertaining to this project.

If you have any questions, please contact Client Services at (510) 930-9090.


Larry Klein
General Manager

American Environmental Network

PAGE 2

ENVIRONMENTAL BIO-SYSTEMS

SAMPLE ID: S1-10'
 AEN LAB NO: 9403047-01
 AEN WORK ORDER: 9403047
 CLIENT PROJ. ID: 090-292-01B

DATE SAMPLED: 03/04/94
 DATE RECEIVED: 03/04/94
 REPORT DATE: 03/14/94

ANALYTE	METHOD/ CAS#	RESULT	REPORTING LIMIT	UNITS	DATE ANALYZED
BTEX & Gasoline HCs	EPA 8020				
Benzene	71-43-2	ND	5	ug/kg	03/04/94
Toluene	108-88-3	ND	5	ug/kg	03/04/94
Ethylbenzene	100-41-4	ND	5	ug/kg	03/04/94
Xylenes, Total	1330-20-7	ND	5	ug/kg	03/04/94
Purgeable HCs as Gasoline	5030/GCFID	ND	0.2	mg/kg	03/04/94
#Extraction for Diesel/Oil	EPA 3550	-		Extrn Date	03/04/94
TPH as Diesel	GC-FID	ND	1	mg/kg	03/06/94

ND = Not detected

* = Indicates value above reporting limit

American Environmental Network

PAGE 3

ENVIRONMENTAL BIO-SYSTEMS

SAMPLE ID: S1-15'
 LAB NO: 9403047-02
 WORK ORDER: 9403047
 INST PROJ. ID: 090-292-01B

DATE SAMPLED: 03/04/94
 DATE RECEIVED: 03/04/94
 REPORT DATE: 03/14/94

LYTE	METHOD/ CAS#	RESULT	REPORTING LIMIT	UNITS	DATE ANALYZED
X & Gasoline HCs	EPA 8020				
Benzene	71-43-2	ND	5	ug/kg	03/04/94
Toluene	108-88-3	ND	5	ug/kg	03/04/94
Xylenes	100-41-4	ND	5	ug/kg	03/04/94
Total	1330-20-7	ND	5	ug/kg	03/04/94
Refractable HCs as Gasoline	5030/GCFID	ND	0.2	mg/kg	03/04/94
Sulfur for Diesel/Oil	EPA 3550	-	-	Extrn Date	03/04/94
Total as Diesel	GC-FID	ND	1	mg/kg	03/06/94

= Not detected

= Indicates value above reporting limit

ENVIRONMENTAL BIO-SYSTEMS

SAMPLE ID: S2-5
 AEN LAB NO: 9403047-03
 AEN WORK ORDER: 9403047
 CLIENT PROJ. ID: 090-292-01B

DATE SAMPLED: 03/04/94
 DATE RECEIVED: 03/04/94
 REPORT DATE: 03/14/94

ANALYTE	METHOD/ CAS#	RESULT	REPORTING LIMIT	UNITS	DATE ANALYZED
BTEX & Gasoline HCs	EPA 8020				
Benzene	71-43-2	ND	5	ug/kg	03/05/94
Toluene	108-88-3	ND	5	ug/kg	03/05/94
Ethylbenzene	100-41-4	ND	5	ug/kg	03/05/94
Xylenes, Total	1330-20-7	ND	5	ug/kg	03/05/94
Purgeable HCs as Gasoline	5030/GCFID	ND	0.2	mg/kg	03/05/94
#Extraction for Diesel/Oil	EPA 3550	-		Extrn Date	03/04/94
TPH as Diesel	GC-FID	ND	1	mg/kg	03/06/94
TPH as Oil	GC-FID	8 *	5	mg/kg	03/06/94

ND = Not detected

* = Indicates value above reporting limit

RECEIVED

MAR 16 1994

Ans'd.....

American Environmental Network

PAGE 5

ENVIRONMENTAL BIO-SYSTEMS

PLE ID: S2-10*
 LAB NO: 9403047-04
 WORK ORDER: 9403047
 ENT PROJ. ID: 090-292-01B

DATE SAMPLED: 03/04/94
 DATE RECEIVED: 03/04/94
 REPORT DATE: 03/14/94

LYTE	METHOD/ CAS#	RESULT	REPORTING LIMIT	UNITS	DATE ANALYZED
X & Gasoline HCs	EPA 8020				
nzene	71-43-2	ND	5	ug/kg	03/05/94
luene	108-88-3	ND	5	ug/kg	03/05/94
hylbenzene	100-41-4	ND	5	ug/kg	03/05/94
lenes, Total	1330-20-7	ND	5	ug/kg	03/05/94
irgeable HCs as Gasoline	5030/GCFID	ND	0.2	mg/kg	03/05/94
traction for Diesel/Oil	EPA 3550	-		Extrn Date	03/04/94
l as Diesel	GC-FID	ND	1	mg/kg	03/06/94

= Not detected

= Indicates value above reporting limit

ENVIRONMENTAL BIO-SYSTEMS

SAMPLE ID: S3-10*
AEN LAB NO: 9403047-05
AEN WORK ORDER: 9403047
CLIENT PROJ. ID: 090-292-01B

DATE SAMPLED: 03/04/94
DATE RECEIVED: 03/04/94
REPORT DATE: 03/14/94

ANALYTE	METHOD/ CAS#	RESULT	REPORTING LIMIT	UNITS	DATE ANALYZED
#Soil Extn for O&G/HCs	SM 5520EF	-		Extrn Date	03/08/94
Hydrocarbons by IR	SM 5520F	ND	10	mg/kg	03/08/94

ND = Not detected

* = Indicates value above reporting limit

ENVIRONMENTAL BIO-SYSTEMS

WELL ID: S3-15
LAB NO: 9403047-06
WORK ORDER: 9403047
WELL PROJ. ID: 090-292-01B

DATE SAMPLED: 03/04/94
DATE RECEIVED: 03/04/94
REPORT DATE: 03/14/94

WELL	METHOD/ CAS#	RESULT	REPORTING LIMIT	UNITS	DATE ANALYZED
17 Extrn for O&G/HCs	SM 5520EF	-		Extrn Date	03/08/94
hydrocarbons by IR	SM 5520F	ND	10	mg/kg	03/08/94

= Not detected
= Indicates value above reporting limit

American Environmental Network

PAGE 8

ENVIRONMENTAL BIO-SYSTEMS

SAMPLE ID: S4-5'
 AEN LAB NO: 9403047-07
 AEN WORK ORDER: 9403047
 CLIENT PROJ. ID: 090-292-01B

DATE SAMPLED: 03/04/94
 DATE RECEIVED: 03/04/94
 REPORT DATE: 03/14/94

ANALYTE	METHOD/ CAS#	RESULT	REPORTING LIMIT	UNITS	DATE ANALYZED
BTEX & Gasoline HCs	EPA 8020				
Benzene	71-43-2	ND	5	ug/kg	03/05/94
Toluene	108-88-3	ND	5	ug/kg	03/05/94
Ethylbenzene	100-41-4	ND	5	ug/kg	03/05/94
Xylenes, Total	1330-20-7	ND	5	ug/kg	03/05/94
Purgeable HCs as Gasoline	5030/GCFID	ND	0.2	mg/kg	03/05/94
#Extraction for Diesel/Oil	EPA 3550	-		Extrn Date	03/04/94
TPH as Diesel	GC-FID	ND	1	mg/kg	03/06/94
TPH as Oil	GC-FID	9 *	5	mg/kg	03/06/94

ND = Not detected

* = Indicates value above reporting limit

American Environmental Network

PAGE 9

ENVIRONMENTAL BIO-SYSTEMS

SMPLE ID: S4-10'
 N LAB NO: 9403047-08
 N WORK ORDER: 9403047
 IENT PROJ. ID: 090-292-01B

DATE SAMPLED: 03/04/94
 DATE RECEIVED: 03/04/94
 REPORT DATE: 03/14/94

ANALYTE	METHOD/ CAS#	RESULT	REPORTING LIMIT	UNITS	DATE ANALYZED
TEX & Gasoline HCs	EPA 8020				
benzene	71-43-2	ND	5	ug/kg	03/05/94
Toluene	108-88-3	ND	5	ug/kg	03/05/94
ethylbenzene	100-41-4	ND	5	ug/kg	03/05/94
Xylenes, Total	1330-20-7	ND	5	ug/kg	03/05/94
Surgeable HCs as Gasoline	5030/GCFID	ND	0.2	mg/kg	03/05/94
Extraction for Diesel/Oil	EPA 3550	-		Extrn Date	03/04/94
PH as Diesel	GC-FID	ND	1	mg/kg	03/06/94

) = Not detected

* = Indicates value above reporting limit

ENVIRONMENTAL BIO-SYSTEMS

SAMPLE ID: S1-20'
 AEN LAB NO: 9403047-10
 AEN WORK ORDER: 9403047
 CLIENT PROJ. ID: 090-292-01B

DATE SAMPLED: 03/04/94
 DATE RECEIVED: 03/04/94
 REPORT DATE: 03/14/94

ANALYTE	METHOD/ CAS#	RESULT	REPORTING LIMIT	UNITS	DATE ANALYZED
BTEX & Gasoline HCs	EPA 8020				
Benzene	71-43-2	ND	5	ug/kg	03/08/94
Toluene	108-88-3	ND	5	ug/kg	03/08/94
Ethylbenzene	100-41-4	ND	5	ug/kg	03/08/94
Xylenes, Total	1330-20-7	ND	5	ug/kg	03/08/94
Purgeable HCs as Gasoline	5030/GCFID	ND	0.2	mg/kg	03/08/94
#Extraction for Diesel/Oil	EPA 3550	-		Extrn Date	03/08/94
TPH as Diesel	GC-FID	ND	1	mg/kg	03/08/94
#Soil Extrn for O&G/HCs	SM 5520EF	-		Extrn Date	03/09/94
Hydrocarbons by IR	SM 5520F	ND	10	mg/kg	03/09/94

ND = Not detected

* = Indicates value above reporting limit

AEN (CALIFORNIA)
QUALITY CONTROL REPORT

AEN JOB NUMBER: 9403047

CLIENT PROJECT ID: 090-292-01B

Quality Control Summary

All laboratory quality control parameters were found to be within established limits.

Definitions

The following abbreviations are found throughout the QC report:

- ND = Not Detected
- RPD = Relative Percent Difference
- < = Less Than

QUALITY CONTROL DATA

DATE EXTRACTED: 03/04/94
DATE ANALYZED: 03/05/94
CLIENT PROJ. ID: 090-292-018

AEN JOB NO: 9403047
SAMPLE SPIKED: 9403013-02
INSTRUMENT: IR

IR DETERMINATION FOR OIL & GREASE/HYDROCARBONS
MATRIX SPIKE RECOVERY SUMMARY
(SOIL MATRIX)

ANALYTE	Spike Added (mg/kg)	Average Percent Recovery	RPD
Oil	226	87	5

CURRENT QC LIMITS

Analyte	Percent Recovery	RPD
Oil	(70-118)	18

Daily method blanks for all associated analytical runs showed no contamination over the reporting limit.

QUALITY CONTROL DATA

DATE EXTRACTED: 03/03/94
DATE ANALYZED: 03/04/94
CLIENT PROJ. ID: 090-292-01B

AEN JOB NO: 9403047
SAMPLE SPIKED: 9403033-08
INSTRUMENT: C

MATRIX SPIKE RECOVERY SUMMARY
TPH EXTRACTABLE SOIL
METHOD: EPA 3550 GCFID

ANALYTE	Spike Added (mg/kg)	Average Percent Recovery	RPD
Diesel	41.9	65	7

CURRENT QC LIMITS

<u>Analyte</u>	<u>Percent Recovery</u>	<u>RPD</u>
Diesel	(44-105)	18

Daily method blanks for all associated analytical runs showed no contamination over the reporting limit.

QUALITY CONTROL DATA

CLIENT PROJ. ID: 090-292-018

AEN JOB NO: 9403047

INSTRUMENT: H

SURROGATE STANDARD RECOVERY SUMMARY
METHOD: EPA 8020, 5030 GCFID,
(SOIL MATRIX)

Date Analyzed	SAMPLE IDENTIFICATION		SURROGATE RECOVERY (PERCENT)
	Client Id.	Lab Id.	Fluorobenzene
03/04/94	S1-10'	01	101
03/04/94	S1-15'	02	101
03/05/94	S2-5'	03	105
03/05/94	S2-10'	04	101
03/05/94	S4-5'	07	101
03/05/94	S4-10'	08	100
03/08/94	S1-20'	10	101

CURRENT QC LIMITS

<u>ANALYTE</u>	<u>PERCENT RECOVERY</u>
Fluorobenzene	(78-114)

American Environmental Network

PAGE 15

QUALITY CONTROL DATA

DATE ANALYZED: 03/04/94
 CLIENT PROJ. ID: 090-292-01B

AEN JOB NO: 9403047
 SAMPLE SPIKED: LCS
 INSTRUMENT: H

LABORATORY CONTROL SAMPLE
 METHOD: EPA 8020, 5030 GCFID
 (SOIL MATRIX)

ANALYTE	Spike Added (ug/kg)	Percent Recovery
Benzene	19.1	98
Toluene	70.7	97
Gasoline	1000	117

CURRENT QC LIMITS

Analyte	Percent Recovery
Benzene	(65-122)
Toluene	(67-124)
Gasoline	(60-125)

Daily method blanks for all associated analytical runs showed no contamination over the reporting limit.

*** END OF REPORT ***



12-7,5-I
ENVIRONMENTAL BIO-SYSTEMS, INC.
 Innovative Solutions for a Better Environment
 30028 Industrial Pkwy., S.W.
 Suite C
 Hayward, CA 94544

CHAIN OF CUSTODY

9403047

ALL SAMPLES TO BE ANALYZED USING
 METHODS AND DETECTION LIMITS
 ESTABLISHED BY REGION
 OF THE STATE WATER RESOURCES
 CONTROL BOARD.

INSTRUCTIONS:

Samples also rec'd not listed
 on C.O.C.:
 S1-5' (107A) }
 S1-20' (107B) }
 S2-15' (11A) }
 S3-6' (12A) }
 S4-15' (13A) }
 3/7/94

PROJECT NUMBER: 090-292-01B
 CLIENT: Thomas Meek M.D.
 SITE: Chief Auto Plaza
 11666 E. 14th
 San Leandro, CA

SAMPLE I.D.	MATRIX	NUMBER OF CONTAINERS	COMPOSITE	ANALYSIS				
				TPH	gas	BTEX	TPH dissolved	TOT (C253)
S1-10'	Soil	1		X	X			
S1-15'		1		X	X			
S2-5'		1		X	X			
S2-10'		1		X	X			
S3-10'		1					X	
S3-15'		1					X	
S4-5'		1		X	X			
S4-10'		1		X	X			
S1-20'	TPH, gas, BTEX	1		X	X			
	TPH dissolved	1					X	
	TOT (C253)	1						X

TURNAROUND	SAMPLE CONDITION	LAB SAMPLE#
48 hrs	Soil	01A
		02A
		03A
		04A
		05A
		06A
		07A
		08A

SAMPLING COMPLETED: 3/4/94 16:30
 SAMPLING PERFORMED BY: ① Dave Sadler ② Tim Babcock

RELEASED BY: [Signature] DATE: 3/4/94 TIME: 16:30 RECEIVED BY: [Signature] DATE: 3/4/94 TIME: 16:30
 RELEASED BY: [Signature] DATE: 3/4/94 TIME: 17:45 RECEIVED BY: [Signature] DATE: 3-4-94 TIME: 1745

SHIPPED VIA: AEN Courier DATE SENT: 3/4/94 TIME SENT: COOLER #

01/06/2005 14:54 4154020191
 ORE COMM 4 KEARNY
 PAGE 40/41