

RECEIVED

10:15 am, Dec 08, 2010

Alameda County
Environmental Health

December 6, 2010

Alameda County Health Care Services Agency
Department of Environmental Health Services
1131 Harbor Bay Parkway
Alameda, California 94502-6577

Attention: Ms. Barbara Jakub, PG
Hazardous Materials Specialist

Subject: Cleanup Case No. RO0003010 and GeoTracker Global ID. T10000001613
U.S. General Services Administration
Federal Building 2C
620 Central Avenue
Alameda, California

Dear Ms. Jakub:

Please find enclosed the report, "Summary of Work Performed to Date and Additional Site Characterization Results."

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

Please do not hesitate to call if you have any questions or comments.

Sincerely,
U.S. GENERAL SERVICE ADMINISTRATION


Carolyn Cooley
Assistant Property Manager

Haley & Aldrich, Inc.
2033 N. Main Street
Suite 309
Walnut Creek, CA 94596-7260

Tel: 925.949.1013
Fax: 925.979.1456
HaleyAldrich.com



30 November 2010
File No. 36835

Alameda County Health Care Services Agency
Department of Environmental Health Services
1131 Harbor Bay Parkway
Alameda, California 94502-6577

Attention: Ms. Barbara Jakub, PG
Hazardous Materials Specialist

Subject: Summary of Work Performed to Date and Additional Site Characterization Results
U.S. General Services Administration
Federal Building 2C
620 Central Avenue
Alameda, California
Cleanup Case No. RO0003010 and GeoTracker Global ID. T10000001613

Dear Ms. Jakub:

Haley & Aldrich, Inc. (Haley & Aldrich) is submitting this summary of work performed to date as well as additional Site characterization methods and results associated with the elevator piping leak at Federal Building 2C located at 620 Central Avenue in Alameda, California (Site, Figure 1) on behalf of the General Services Administration (GSA).

The work performed to date includes excavating and identifying the location of the pipeline leak, collecting soil samples for chemical analysis from below the pipeline when the pipeline was exposed during excavation and repair activities, replacing both the old supply and return hydraulic lines with new pipelines within a secondary containment pipeline, and backfilling the excavation. The above work was performed in accordance with the work plan submitted to Alameda County Health Care Services Agency-Department of Environmental Health Services (ACEH) dated 23 September 2009 and approved by the ACEH.

On 14 September 2009 the U.S. General Services Administration (GSA) reported a hydraulic fluid leak to the Office of Emergency Services after having an unanticipated release of the elevator hydraulic fluid at the Site. Based on further investigation it was found that approximately 50 gallons of hydraulic fluid that were stored within the hydraulic fluid storage tank for the elevator had leaked. Tests were performed by others to evaluate which portion of the elevator piping was leaking. By using a combination of pressure testing and isolating various sections of the hydraulic line, it was concluded that the underground hydraulic supply line located beneath the sidewalks and street was leaking and not the elevator piston.

On 16 and 17 January 2010, ENV Environmental International of Benicia, California (EEI) excavated a trench to expose the hydraulic fluid lines for the elevator. The trench was excavated from the elevator control room to the elevator pit, such that the curb and gutter as well as the elevator lobby could remain

intact. The trench was excavated to approximately 3.5 feet below ground surface (bgs) in the deepest location.

Soil samples were collected on 17 January 2010 by ENV America Incorporated (ENV America). Soil samples were collected using a clean slide hammer from immediately below the pipeline to 6 inches below the pipeline at 10-foot intervals starting outside the elevator lobby and going toward the control room (Figure 2). A soil sample was also collected below the pipeline at the location of the hydraulic fluid leak. Samples were collected in brass tubes capped with Teflon® sheets and plastic end caps. Samples were uniquely labeled, placed in sealed plastic bags, and stored in an ice-chilled cooler. Samples were shipped under chain-of-custody to TestAmerica Inc. of Pleasanton, California, a state of California certified laboratory. The samples were analyzed for:

- Total petroleum hydrocarbons (TPH) quantified as hydraulic oil (TPHho) by Environmental Protection Agency (EPA) Method 8015B; and
- Polychlorinated biphenyls (PCBs) by EPA Method 8082.

Results of the soil sampling indicate that two of the seven soil samples collected, PL-3 (approximately 5 feet south of the source) and PL-7 (source location), have concentrations of TPHho at 12,000 milligrams per kilogram (mg/kg); PCBs were not detected. The remaining five samples, collected at 10-foot intervals below the pipelines within the trench, did not have reported concentrations of TPHho or PCBs above the laboratory detection limit.

In addition to the work described above, Empire Elevator, a state of California licensed elevator company, removed the old supply and return hydraulic lines for the elevator. These lines were replaced with new pipelines contained within a secondary containment pipeline. The supply line is a 2-inch diameter schedule 80 black steel pipe. The return line is ½-inch diameter copper line, and the secondary containment piping consists of 6-inch diameter schedule 80 polyvinyl chloride casing.

Based on the above results Haley & Aldrich, on behalf of ENV America, recommended additional investigation to evaluate the lateral and vertical extent of TPHho in soil and to characterize the groundwater quality. A work plan for the additional investigation dated 22 March 2010 was submitted to ACEH. The work plan was approved by ACEH in a letter dated 12 August 2010. The scope of work below describes what was completed during the additional investigation as well as presents the results of the investigation.

Scope of Work for the Additional Investigation

Pre Field Activities

- A boring permit was obtained from ACEH (W2010-0641);
- The boring locations were marked in white paint and Underground Service Alert (USA) was notified (Ticket # 277409); and
- The site-specific health and safety plan was updated for this work.

Field Work

On 18 September 2010 seven boring locations were drilled by hand by Penecore Drilling of Woodland, California, a California C-57 licensed drilling company (Figure 3), using a hand auger. Borings were continuously cored to observe lithologic conditions. The recovered soil was logged by a field geologist using the visual-manual procedures of ASTM Standard D-2488-09a for guidance, which is based on the Unified Soil Classification System, and using Munsell Soil Color Chart designations, under the direction of a California Professional Geologist. Down hole equipment was decontaminated prior to starting and between boring locations using a steam cleaner/pressure washer.

Soil samples were collected using a hand auger from above the groundwater table and below the former leaking pipeline at depths ranging from 3.5 to 4.5 feet bgs in clean glass jars provided by the analytical laboratory. Soil analytical results are presented in Table I and on Figure 2. A complete laboratory analytical report is included as Attachment A.

Groundwater samples were collected by installing temporary well points in the hand auger boreholes. One-inch diameter polyvinyl chloride blank casing and well screen were used to construct the well such that the screen interval extended above the groundwater level. Water samples were collected by using a peristaltic pump to transfer groundwater from the well into laboratory supplied sample containers. Groundwater results are presented on Table II and Figure 3. A complete laboratory analytical report is included as Attachment B.

Soil and water samples were uniquely labeled, placed in sealed plastic bags, and stored in ice-chilled coolers until delivered to TestAmerica Laboratories, Inc. of Pleasanton, California, a California certified analytical laboratory under chain-of-custody. The soil and water samples were analyzed for:

- TPH_{ho} by EPA Method 8015B.

After soil and groundwater sampling were complete the well casing was removed and the borings were abandoned using Type I/II neat cement mixed in a ratio of one 94-pound bag of cement to approximately 5 to 7 gallons of water. Concrete was used to complete the backfilling of the borings at ground surface. Drill cuttings and equipment wash/purge water were placed in labeled containers and stored on the Site pending analytical results. The soil and water for disposal were analyzed for:

- TPH quantified as gasoline (TPH_g), and benzene, toluene, ethyl benzene, and xylenes (BTEX) by EPA Method 8260B;
- TPH quantified as diesel and motor oil by EPA Method 8015M; and
- Title 22 metals by EPA Method 6000/7000 series.

Once the analytical results were received the soil cuttings and water were disposed of by EEI, a licensed waste hauler, as a non-hazardous waste at Crosby & Overton of Long Beach, California. TPH_g and BTEX were not detected in the disposal samples collected. A complete laboratory analytical report for the disposal samples collected is included as Attachment C. A copy of the disposal manifest is included as Attachment D.

Cruz Brothers Subsurface Locators of Scotts Valley, California surveyed the utilities at the Site to assess for preferential pathways as requested by ACEH. The depths of the utilities in the pipeline leak location below ground surface are as follow:

- Storm drain – 39 inches bgs;
- Sanitary Sewer – 62 inches bgs; and
- Water – 44 inches bgs;

In addition to checking the depths of the utilities, the lids were pulled on the sanitary sewer and the storm drain to observe flow within the pipelines. No sheen or odors were observed in these utilities.

Results

The results of the hand auger borings showed that the lithology at the Site consisted of a fill material up to 3 feet thick, consisting primarily of sand with varying amounts of gravel and fines (fill), underlain by a poorly graded sand with shell fragments (native) to the maximum depth drilled (6.5 feet). Groundwater was encountered between 4 and 5 feet bgs in all borings.

Soil sample results showed that TPHho was detected in four of the seven borings at concentrations ranging from 49 mg/kg to 8900 mg/kg. Table I presents the results for the soil sampling. Figure 2 presents the soil sampling results to date. A complete laboratory analytical report is included as Attachment A.

Water sample results showed that TPHho was detected at boring locations B-1, B-2, and B-7 at concentrations ranging from 310 micrograms per liter ($\mu\text{g/l}$) to 1,300 $\mu\text{g/l}$. Groundwater analytical results are presented in Table II and on Figure 3. A complete laboratory analytical report is included as Attachment B.

Recommendations

Since the release of the TPHho on 4 September 2009, the source of the leak has been repaired and the hydraulic fluid pipelines have been placed within secondary containment to prevent future leaks to the subsurface. The January investigation identified two locations with concentrations of TPHho within the pipeline trench of 12,000 mg/kg, the actual leak location and 5 feet from the leak location.

A second investigation with a focus of assessing the lateral and vertical extent of TPHho in soil and groundwater was performed on 18 September 2010. A sample collected from the source area on 18 September 2010 showed the concentration of TPHho in soil had a concentration of 8,900 mg/kg. TPHho was detected at a concentration of 12,000 mg/kg in the analysis of the previous sample collected at this location during the January investigation.

TPHho was not detected in groundwater in four of the seven borings located approximately 5 feet south and east from the highest soil concentrations from the first investigation (PL-3 and PL-7). The highest TPHho concentration detected in groundwater was 1,300 $\mu\text{g/l}$ in the analysis of the sample from boring B-7. B-1 and B-2 had detected concentrations of TPHho of 310 $\mu\text{g/l}$ and 460 $\mu\text{g/l}$, respectively.

Based on the results of the investigations, it does not appear that the TPHho is very mobile and is limited in extent to a small area near the pipeline leak location. The TPHho concentrations in soil seem to be confined to a small area. Soil in the area of high concentrations has been excavated to 3.5 feet bgs. Depth to water in this area is approximately 4 feet bgs.

Haley & Aldrich does not recommend additional investigation in this area. The utilities in the roadway area would make the excavation difficult and require a large area to be excavated to get below the hydraulic lines in secondary containment to remove the remaining 0.5 foot of soil above the water table. No PCBs were detected from the analysis of the samples collected from the January investigation and benzene, TPHg and BTEX were not detected in samples required for disposal. Based on the lack of volatile and carcinogenic compounds and current use of the contaminated area (roadway) human health risk is minimal.

Based on the limited mobility and extent of TPHho, the difficult excavation in a roadway with utilities, the lack of health risk, and the current use of the property Haley & Aldrich feels this is a low risk case. Haley & Aldrich recommends no further action required for this case.

Please do not hesitate to call if you have any questions or comments.

Sincerely yours,
HALEY & ALDRICH, INC.



Charles Rome
Geologist



Allan Atkinson, PG
Senior Geologist



Enclosures:

- Table I – Soil Analytical Results
- Table II – Groundwater Analytical Results
- Figure 1 – Project Locus Map
- Figure 2 – Soil Sample Results
- Figure 3 – Groundwater Sample Results
- Appendix A – Analytical Laboratory Report and Chain-of-Custody Documentation-Soil
- Appendix B – Analytical Laboratory Report and Chain-of-Custody Documentation-Water
- Appendix C – Analytical Laboratory Report and Chain-of-Custody Documentation-Disposal Samples
- Appendix D – Manifest

TABLES

TABLE I

SOIL ANALYTICAL RESULTS¹
 ALAMEDA FEDERAL CENTER
 620 CENTRAL AVENUE, ALAMEDA, CALIFORNIA

Sample Identification	Depth (feet)	Hydraulic Oil (mg/Kg)³
B-1-3.5	3.5	8900
B-2-4.0	4.0	58
B-3-3.5	3.5	<49
B-4-4.5	4.5	49
B-5-3.5	3.5	<49
B-6-3.5	3.5	<50
B-7-4.0	4.0	1200

NOTES:

1. Samples collected by Haley & Aldrich, Inc. and analyzed by TestAmerica Laboratories, Inc. of Pleasanton, CA for total petroleum hydrocarbons quantified as hydraulic oil using EPA Method 8015M.
2. Sample depth represents the bottom depth of a 6-inch sample interval (i.e., 3.5 feet is a sample depth of a sample collected between 3 and 3.5 feet).
3. mg/Kg = milligrams per kilogram


TABLE II
GROUNDWATER ANALYTICAL RESULTS
ALAMEDA FEDERAL CENTER
620 CENTRAL AVENUE, ALAMEDA, CALIFORNIA

Sample Identification	Hydraulic Oil (ug/L)²
B-1	460
B-2	310
B-3	<210 ³
B-4	<210
B-5	<210
B-6	<210
B-7	1300


NOTES:

1. Samples collected by Haley & Aldrich, Inc. and analyzed by TestAmerica Laboratories, Inc. of Pleasanton, CA for total petroleum hydrocarbons quantified as hydraulic oil using EPA Method 8015M.
2. ug/L = micrograms per liter
3. <520 = sample not detected above the laboratory reporting limit shown

FIGURES



SITE COORDINATES: 37°46'13"N 122°16'46"W




U.S.G.S. QUADRANGLE: OAKLAND WEST, CA

HALEY & ALDRICH FEDERAL BUILDING 2C
620 CENTRAL AVENUE
ALAMEDA, CALIFORNIA

PROJECT LOCUS

SCALE: 1:24,000
MARCH 2010

FIGURE 1



LEGEND

- BORING LOCATION (SEPTEMBER 2010)
- SAMPLE LOCATION FROM JANUARY 2010 (COLLECTED FROM BELOW THE PIPELINE IN AN OPEN EXCAVATION)
- WATER (44" BELOW GROUND SURFACE)
- SANITARY SEWER (62" BELOW GROUND SURFACE)
- STORM DRAIN (39" BELOW GROUND SURFACE)
- ELECTRIC
- HYDRAULIC FLUID PIPELINES/ ELECTRICAL CONDUIT TRENCH

NOTES:

1. ALL LOCATIONS AND DIMENSIONS ARE APPROXIMATE.
2. AERIAL PHOTO SOURCE : GOOGLE EARTH PRO; DATED AUG 2009
3. mg/Kg : MILLIGRAMS PER KILOGRAMS
4. TPH : TOTAL PETROLEUM HYDROCARBON
5. ND : NOT DETECTED ABOVE LABORATORY DETECTION LIMIT SHOWN ON TABLE 2




G:\36835 - Alameda\Global\GIS\MapProjects\36835-001-0003-SoilSample.mxd

HALEY & ALDRICH FEDERAL BUILDING 2C
620 CENTRAL AVENUE
ALAMEDA, CALIFORNIA

SOIL SAMPLE RESULTS

SCALE: AS SHOWN
NOVEMBER 2010

FIGURE 2



LEGEND

- BORING LOCATION (SEPTEMBER 2010)
- SAMPLE LOCATION FROM JANUARY 2010 (COLLECTED FROM BELOW THE PIPELINE IN AN OPEN EXCAVATION)
- WATER (44" BELOW GROUND SURFACE)
- SANITARY SEWER (62" BELOW GROUND SURFACE)
- STORM DRAIN (39" BELOW GROUND SURFACE)
- ELECTRIC
- HYDRAULIC FLUID PIPELINES/ ELECTRICAL CONDUIT TRENCH

SAMPLE LOCATION

B-7
1,300 ug/L

TPH HYDRAULIC OIL CONCENTRATION

NOTES:

1. ALL LOCATIONS AND DIMENSIONS ARE APPROXIMATE.
2. AERIAL PHOTO SOURCE : GOOGLE EARTH PRO; DATED AUG 2009
3. ug/L : MICROGRAMS PER LITER
4. TPH : TOTAL PETROLEUM HYDROCARBON
5. ND : NOT DETECTED ABOVE LABORATORY DETECTION LIMIT SHOWN ON TABLE 2



HALEY & ALDRICH FEDERAL BUILDING 2C
620 CENTRAL AVENUE
ALAMEDA, CALIFORNIA

GROUNDWATER SAMPLE RESULTS

SCALE: AS SHOWN
NOVEMBER 2010

FIGURE 3

G:\36835 - Alameda\Global\GIS\MapProjects\36835-001-0002-GroundwaterSample.mxd

APPENDIX A

Analytical Laboratory Report and Chain-of-Custody Documentation-Soil

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING


ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica San Francisco
1220 Quarry Lane
Pleasanton, CA 94566
Tel: (925)484-1919

TestAmerica Job ID: 720-30621-1
Client Project/Site: GSA Alameda

For:
Haley & Aldrich, Inc.
2033 North Main Street
Suite 309
Walnut Creek, California 94596

Attn: Charles Rome



Authorized for release by:
9/27/2010 3:47 PM

Dimple Sharma
Project Manager I
dimple.sharma@testamericainc.com

LINKS

Review your project
results through
Total Access

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13



Table of Contents

Cover Page	1
Table of Contents	2
Definitions	3
Case Narrative	4
Detection Summary	5
Client Sample Results	6
QC Sample Results	8
QC Association	9
Certification Summary	10
Method Summary	11
Sample Summary	12
Chain of Custody	13
Sample Receipt Checklist	14

Qualifier Definition/Glossary

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30621-1

Qualifiers

GC Semi VOA

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.
D	Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution may be flagged with a D.
F	RPD of the MS and MSD exceeds the control limits

Glossary

Glossary	Glossary Description
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Job Narrative
720-30621-1

Comments

No additional comments.

Receipt

All samples were received in good condition within temperature requirements.

GC Semi VOA

Method 8015B: Due to the level of dilution required for the following sample(s), surrogate recoveries are not reported: (720-30621-1 MS), (720-30621-1 MSD), B-1-3.5 (720-30621-1), B-7-4.0 (720-30621-7).

No other analytical or quality issues were noted.

Organic Prep

No analytical or quality issues were noted.



Detection Summary

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30621-1

Client Sample ID: B-1-3.5

Lab Sample ID: 720-30621-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
TPH-Hydraulic Oil Range (C19-C36)	8900		5000		mg/Kg	100		8015B	Total/NA

Client Sample ID: B-2-4.0

Lab Sample ID: 720-30621-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
TPH-Hydraulic Oil Range (C19-C36)	58		50		mg/Kg	1		8015B	Total/NA

Client Sample ID: B-3-3.5

Lab Sample ID: 720-30621-3

No Detections.

Client Sample ID: B-4-4.5

Lab Sample ID: 720-30621-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
TPH-Hydraulic Oil Range (C19-C36)	49		49		mg/Kg	1		8015B	Total/NA

Client Sample ID: B-5-3.5

Lab Sample ID: 720-30621-5

No Detections.

Client Sample ID: B-6-3.5

Lab Sample ID: 720-30621-6

No Detections.

Client Sample ID: B-7-4.0

Lab Sample ID: 720-30621-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
TPH-Hydraulic Oil Range (C19-C36)	1200		490		mg/Kg	10		8015B	Total/NA

Analytical Data

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30621-1

Client Sample ID: B-1-3.5

Date Collected: 09/18/10 10:05

Date Received: 09/20/10 13:00

Lab Sample ID: 720-30621-1

Matrix: Solid

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH-Hydraulic Oil Range (C19-C36)	8900		5000		mg/Kg		09/24/10 14:29	09/25/10 16:57	100
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl	0	D	31 - 114				09/24/10 14:29	09/25/10 16:57	100

Client Sample ID: B-2-4.0

Date Collected: 09/18/10 10:50

Date Received: 09/20/10 13:00

Lab Sample ID: 720-30621-2

Matrix: Solid

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH-Hydraulic Oil Range (C19-C36)	58		50		mg/Kg		09/24/10 14:29	09/25/10 18:03	1
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl	79		31 - 114				09/24/10 14:29	09/25/10 18:03	1

Client Sample ID: B-3-3.5

Date Collected: 09/18/10 11:20

Date Received: 09/20/10 13:00

Lab Sample ID: 720-30621-3

Matrix: Solid

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH-Hydraulic Oil Range (C19-C36)	ND		49		mg/Kg		09/24/10 14:29	09/27/10 10:09	1
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl	89		31 - 114				09/24/10 14:29	09/27/10 10:09	1

Client Sample ID: B-4-4.5

Date Collected: 09/18/10 08:40

Date Received: 09/20/10 13:00

Lab Sample ID: 720-30621-4

Matrix: Solid

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH-Hydraulic Oil Range (C19-C36)	49		49		mg/Kg		09/24/10 14:29	09/25/10 18:46	1
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl	80		31 - 114				09/24/10 14:29	09/25/10 18:46	1

Client Sample ID: B-5-3.5

Date Collected: 09/18/10 09:15

Date Received: 09/20/10 13:00

Lab Sample ID: 720-30621-5

Matrix: Solid

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH-Hydraulic Oil Range (C19-C36)	ND		49		mg/Kg		09/24/10 14:29	09/25/10 19:08	1
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl	93		31 - 114				09/24/10 14:29	09/25/10 19:08	1

Analytical Data

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30621-1

Client Sample ID: B-6-3.5
Date Collected: 09/18/10 09:40
Date Received: 09/20/10 13:00

Lab Sample ID: 720-30621-6
Matrix: Solid

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH-Hydraulic Oil Range (C19-C36)	ND		50		mg/Kg		09/24/10 14:29	09/25/10 19:30	1
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl	100		31 - 114				09/24/10 14:29	09/25/10 19:30	1

Client Sample ID: B-7-4.0
Date Collected: 09/18/10 09:55
Date Received: 09/20/10 13:00

Lab Sample ID: 720-30621-7
Matrix: Solid

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH-Hydraulic Oil Range (C19-C36)	1200		490		mg/Kg		09/24/10 14:29	09/25/10 19:52	10
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl	1	D	31 - 114				09/24/10 14:29	09/25/10 19:52	10

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Quality Control Data

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30621-1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 720-78656/1-A

Matrix: Solid

Analysis Batch: 78692

Client Sample ID: MB 720-78656/1-A

Prep Type: Total/NA

Prep Batch: 78656

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Diesel Range Organics [C10-C28]	ND		1.0		mg/Kg		09/24/10 14:29	09/25/10 22:25	1
TPH-Hydraulic Oil Range (C19-C36)	ND		50		mg/Kg		09/24/10 14:29	09/25/10 22:25	1
Surrogate	MB MB		Limits			Prepared	Analyzed	Dil Fac	
% Recovery	Qualifier			Unit	D				
p-Terphenyl	96		31 - 114			09/24/10 14:29	09/25/10 22:25	1	

Lab Sample ID: LCS 720-78656/2-A

Matrix: Solid

Analysis Batch: 78692

Client Sample ID: LCS 720-78656/2-A

Prep Type: Total/NA

Prep Batch: 78656

Analyte	Spike Added	LCS LCS		Unit	D	% Rec	% Rec. Limits	
		Result	Qualifier				Limits	
Diesel Range Organics [C10-C28]	83.3	74.9		mg/Kg		90	59 - 134	
Surrogate	LCS LCS		Limits			% Recovery	Qualifier	Limits
% Recovery	Qualifier			Unit	D			
p-Terphenyl	99		31 - 114					

Lab Sample ID: LCSD 720-78656/3-A

Matrix: Solid

Analysis Batch: 78692

Client Sample ID: LCSD 720-78656/3-A

Prep Type: Total/NA

Prep Batch: 78656

Analyte	Spike Added	LCSD LCSD		Unit	D	% Rec	% Rec. Limits		RPD	
		Result	Qualifier				Limits	RPD	Limit	
Diesel Range Organics [C10-C28]	82.6	74.5		mg/Kg		90	59 - 134	0.5	35	
Surrogate	LCSD LCSD		Limits			% Recovery	Qualifier	Limits	RPD	Limit
% Recovery	Qualifier			Unit	D					
p-Terphenyl	101		31 - 114							

Lab Sample ID: 720-30621-1 MS

Matrix: Solid

Analysis Batch: 78692

Client Sample ID: B-1-3.5

Prep Type: Total/NA

Prep Batch: 78656

Analyte	Sample Result	Sample Qualifier	Spike Added	MS MS		Unit	D	% Rec	% Rec. Limits	
				Result	Qualifier				Limits	
Diesel Range Organics [C10-C28]			83.2	3060	4	mg/Kg		-1448	50 - 130	
Surrogate	MS MS		Limits			% Recovery	Qualifier	Limits	RPD	Limit
% Recovery	Qualifier			Unit	D					
p-Terphenyl	0	D	31 - 114							

Lab Sample ID: 720-30621-1 MSD

Matrix: Solid

Analysis Batch: 78692

Client Sample ID: B-1-3.5

Prep Type: Total/NA

Prep Batch: 78656

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD MSD		Unit	D	% Rec	% Rec. Limits		RPD	
				Result	Qualifier				Limits	RPD	Limit	
Diesel Range Organics [C10-C28]			82.6	4590	4 F	mg/Kg		392	50 - 130	40	30	
Surrogate	MSD MSD		Limits			% Recovery	Qualifier	Limits	RPD	Limit		
% Recovery	Qualifier			Unit	D							
p-Terphenyl	0	D	31 - 114									

QC Association Summary

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30621-1

GC Semi VOA

Prep Batch: 78656

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 720-78656/1-A	MB 720-78656/1-A	Total/NA	Solid	3550B	
720-30621-5	B-5-3.5	Total/NA	Solid	3550B	
720-30621-6	B-6-3.5	Total/NA	Solid	3550B	
720-30621-7	B-7-4.0	Total/NA	Solid	3550B	
LCS 720-78656/2-A	LCS 720-78656/2-A	Total/NA	Solid	3550B	
LCSD 720-78656/3-A	LCSD 720-78656/3-A	Total/NA	Solid	3550B	
720-30621-1	B-1-3.5	Total/NA	Solid	3550B	
720-30621-1 MS	B-1-3.5	Total/NA	Solid	3550B	
720-30621-1 MSD	B-1-3.5	Total/NA	Solid	3550B	
720-30621-2	B-2-4.0	Total/NA	Solid	3550B	
720-30621-3	B-3-3.5	Total/NA	Solid	3550B	
720-30621-4	B-4-4.5	Total/NA	Solid	3550B	

Analysis Batch: 78692

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-30621-1	B-1-3.5	Total/NA	Solid	8015B	78656
720-30621-1 MS	B-1-3.5	Total/NA	Solid	8015B	78656
720-30621-1 MSD	B-1-3.5	Total/NA	Solid	8015B	78656
720-30621-2	B-2-4.0	Total/NA	Solid	8015B	78656
720-30621-4	B-4-4.5	Total/NA	Solid	8015B	78656
720-30621-5	B-5-3.5	Total/NA	Solid	8015B	78656
720-30621-6	B-6-3.5	Total/NA	Solid	8015B	78656
720-30621-7	B-7-4.0	Total/NA	Solid	8015B	78656
LCS 720-78656/2-A	LCS 720-78656/2-A	Total/NA	Solid	8015B	78656
LCSD 720-78656/3-A	LCSD 720-78656/3-A	Total/NA	Solid	8015B	78656
MB 720-78656/1-A	MB 720-78656/1-A	Total/NA	Solid	8015B	78656

Analysis Batch: 78731

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-30621-3	B-3-3.5	Total/NA	Solid	8015B	78656



Certification Summary

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30621-1

Laboratory	Authority	Program	EPA Region	Certification ID	Expiration Date
TestAmerica San Francisco	California	State Program	9	2496	01/31/12

Accreditation may not be offered or required for all methods and analytes reported in this package. Please contact your project manager for the laboratory's current list of certified methods and analytes.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Method Summary

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30621-1

Method	Method Description	Protocol	Laboratory
8015B	Diesel Range Organics (DRO) (GC)	SW846	TAL SF

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL SF = TestAmerica San Francisco, 1220 Quarry Lane, Pleasanton, CA 94566, TEL (925)484-1919



Sample Summary

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30621-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
720-30621-1	B-1-3.5	Solid	09/18/10 10:05	09/20/10 13:00
720-30621-2	B-2-4.0	Solid	09/18/10 10:50	09/20/10 13:00
720-30621-3	B-3-3.5	Solid	09/18/10 11:20	09/20/10 13:00
720-30621-4	B-4-4.5	Solid	09/18/10 08:40	09/20/10 13:00
720-30621-5	B-5-3.5	Solid	09/18/10 09:15	09/20/10 13:00
720-30621-6	B-6-3.5	Solid	09/18/10 09:40	09/20/10 13:00
720-30621-7	B-7-4.0	Solid	09/18/10 09:55	09/20/10 13:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Report To **Analysis Request**

Attn: Charles Rome
 Company: Haley & Aldrich
 Address: 2033 N. Main St Ste 309 Walnut Creek CA
 Phone: 925-979-1454 Email: crome@haleyaldrich.com
 Bill To: same Sampled By: C. Rome
 Attn: - Phone: -

- TPH EPA - 8260B
- Gas w/ BTEX MTBE
- TEPH EPA 8015M* Silica Gel
- Diesel Motor Oil Other
- EPA 8260B: Gas BTEX
- 5 Oxygenates DCA, EDB Ethanol
- (HVOCs) EPA 8021 by 8260B
- Volatile Organics GC/MS (VOCs)
- EPA 8260B 624
- Semivolatiles GC/MS
- EPA 8270 625
- Oil and Grease Petroleum (EPA 1664) Total
- Pesticides EPA 8081 608
- PCBs EPA 8082 608
- PNAs by 8270 8310
- CAM17 Metals (EPA 6010/7470/7471)
- Metals: Lead LUFT RCRA Other:
- Low Level Metals by EPA 200.8/6020 (ICP-MS):
- W.E.T (STLC)
- TCLP
- Hexavalent Chromium
- pH (24h hold time for H₂O)
- Spec. Cond. Alkalinity
- TSS TDS
- Anions: Cl SO₄ NO₃ F Br NO₂ PO₄

Sample ID	Date	Time	Mat rix	Preserv	TPH EPA - 8260B	Gas w/ BTEX MTBE	TEPH EPA 8015M* Silica Gel Diesel Motor Oil Other	EPA 8260B: Gas BTEX	5 Oxygenates DCA, EDB Ethanol	(HVOCs) EPA 8021 by 8260B	Volatile Organics GC/MS (VOCs) EPA 8260B 624	Semivolatiles GC/MS EPA 8270 625	Oil and Grease Petroleum (EPA 1664) Total	Pesticides EPA 8081 608 PCBs EPA 8082 608	PNAs by 8270 8310	CAM17 Metals (EPA 6010/7470/7471)	Metals: Lead LUFT RCRA Other:	Low Level Metals by EPA 200.8/6020 (ICP-MS):	W.E.T (STLC) TCLP	Hexavalent Chromium pH (24h hold time for H ₂ O)	Spec. Cond. Alkalinity TSS TDS	Anions: Cl SO ₄ NO ₃ F Br NO ₂ PO ₄	Number of Containers	
B-1-3.5	9/18/10	1005	605	-																				1
B-2-4.0		1050																						1
B-3-3.5		1120																						1
B-4-4.5		0840																						1
B-5-3.5		0915																						1
B-6-3.5		0940																						1
B-7-4.0		0955																						1

Project Info
 Project Name: GSA Alameda
 Project#: 36885-001
 PO#: _____
 Credit Card#: _____

Sample Receipt
 # of Containers: _____
 Head Space: _____
 Temp: 5.20°C, 2.60°C
 Conforms to record:

1) Relinquished by:
Ch Rome 1015
 Signature Time
Charles Rome 9/20/10
 Printed Name Date
Haley & Aldrich
 Company

2) Relinquished by:
Ed Mantony 1300
 Signature Time
Ed Mantony 9-20-10
 Printed Name Date
TASF
 Company

3) Relinquished by:
 Signature _____ Time _____
 Printed Name _____ Date _____
 Company _____

TAT: 5 Day 3 Day 2 Day 1 Day
 Report: Routine Level 3 Level 4 EDD State Tank Fund EDF
 Special Instructions / Comments: Global ID _____

1) Received by:
Ed Mantony 10:15
 Signature Time
Ed Mantony 9-20-10
 Printed Name Date
TASF
 Company

2) Received by:
Joan Mulken 1300
 Signature Time
Joan Mulken 9-20-10
 Printed Name Date
Test America
 Company

3) Received by:
 Signature _____ Time _____
 Printed Name _____ Date _____
 Company _____

See Terms and Conditions on reverse
 *TestAmerica SF reports 8015M from C₆-C₂₄ (Industry norm). Default for 8015B is C₁₀-C₂₅

Login Sample Receipt Check List

Client: Haley & Aldrich, Inc.

Job Number: 720-30621-1

Login Number: 30621

Creator: Mullen, Joan

List Number: 1

List Source: TestAmerica San Francisco

Question	T / F / NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	
The cooler's custody seal, if present, is intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

APPENDIX B

Analytical Laboratory Report and Chain-of-Custody Documentation-Water

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING


ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica San Francisco
1220 Quarry Lane
Pleasanton, CA 94566
Tel: (925)484-1919

TestAmerica Job ID: 720-30620-1
Client Project/Site: GSA Alameda
Revision: 1

For:
Haley & Aldrich, Inc.
2033 North Main Street
Suite 309
Walnut Creek, California 94596

Attn: Charles Rome



Authorized for release by:
10/28/2010 2:20 PM

Dimple Sharma
Project Manager I
dimple.sharma@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13



Table of Contents

Cover Page	1
Table of Contents	2
Definitions	3
Case Narrative	4
Detection Summary	5
Client Sample Results	6
QC Sample Results	8
QC Association	9
Certification Summary	10
Method Summary	11
Sample Summary	12
Chain of Custody	13
Sample Receipt Checklist	14

Qualifier Definition/Glossary

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30620-1

Glossary

Glossary	Glossary Description
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Comments

No additional comments.

Receipt

All samples were received in good condition within temperature requirements.

GC Semi VOA

No analytical or quality issues were noted.

Organic Prep

No analytical or quality issues were noted.

1

2

3

4

5

6

7

8

9

10

11

12

13

Detection Summary

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30620-1

Client Sample ID: B-3

Lab Sample ID: 720-30620-1

No Detections.

Client Sample ID: B-2

Lab Sample ID: 720-30620-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
TPH-Hydraulic Oil Range (C19-C36)	310		210		ug/L	1		8015B	Total/NA

Client Sample ID: B-4

Lab Sample ID: 720-30620-3

No Detections.

Client Sample ID: B-1

Lab Sample ID: 720-30620-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
TPH-Hydraulic Oil Range (C19-C36)	460		210		ug/L	1		8015B	Total/NA

Client Sample ID: B-5

Lab Sample ID: 720-30620-5

No Detections.

Client Sample ID: B-6

Lab Sample ID: 720-30620-6

No Detections.

Client Sample ID: B-7

Lab Sample ID: 720-30620-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
TPH-Hydraulic Oil Range (C19-C36)	1300		200		ug/L	1		8015B	Total/NA

Analytical Data

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30620-1

Client Sample ID: B-3
Date Collected: 09/18/10 11:50
Date Received: 09/20/10 13:00

Lab Sample ID: 720-30620-1
Matrix: Water

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH-Hydraulic Oil Range (C19-C36)	ND		210		ug/L		09/22/10 15:38	09/23/10 16:25	1
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl	101		23 - 156				09/22/10 15:38	09/23/10 16:25	1

Client Sample ID: B-2
Date Collected: 09/18/10 11:00
Date Received: 09/20/10 13:00

Lab Sample ID: 720-30620-2
Matrix: Water

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH-Hydraulic Oil Range (C19-C36)	310		210		ug/L		09/22/10 15:38	09/23/10 16:51	1
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl	95		23 - 156				09/22/10 15:38	09/23/10 16:51	1

Client Sample ID: B-4
Date Collected: 09/18/10 11:10
Date Received: 09/20/10 13:00

Lab Sample ID: 720-30620-3
Matrix: Water

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH-Hydraulic Oil Range (C19-C36)	ND		210		ug/L		09/22/10 15:38	09/23/10 17:14	1
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl	78		23 - 156				09/22/10 15:38	09/23/10 17:14	1

Client Sample ID: B-1
Date Collected: 09/18/10 10:50
Date Received: 09/20/10 13:00

Lab Sample ID: 720-30620-4
Matrix: Water

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH-Hydraulic Oil Range (C19-C36)	460		210		ug/L		09/22/10 15:38	09/23/10 17:35	1
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl	91		23 - 156				09/22/10 15:38	09/23/10 17:35	1

Client Sample ID: B-5
Date Collected: 09/18/10 11:20
Date Received: 09/20/10 13:00

Lab Sample ID: 720-30620-5
Matrix: Water

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH-Hydraulic Oil Range (C19-C36)	ND		210		ug/L		09/22/10 15:38	09/23/10 17:57	1
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl	76		23 - 156				09/22/10 15:38	09/23/10 17:57	1

Analytical Data

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30620-1

Client Sample ID: B-6

Date Collected: 09/18/10 11:30

Date Received: 09/20/10 13:00

Lab Sample ID: 720-30620-6

Matrix: Water

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH-Hydraulic Oil Range (C19-C36)	ND		210		ug/L		09/22/10 15:38	09/23/10 18:19	1
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl	100		23 - 156				09/22/10 15:38	09/23/10 18:19	1

Client Sample ID: B-7

Date Collected: 09/18/10 11:40

Date Received: 09/20/10 13:00

Lab Sample ID: 720-30620-7

Matrix: Water

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH-Hydraulic Oil Range (C19-C36)	1300		200		ug/L		09/22/10 15:38	09/23/10 18:41	1
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl	84		23 - 156				09/22/10 15:38	09/23/10 18:41	1

Quality Control Data

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30620-1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 720-78496/1-A

Matrix: Water

Analysis Batch: 78530

Client Sample ID: MB 720-78496/1-A

Prep Type: Total/NA

Prep Batch: 78496

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Diesel Range Organics [C10-C28]	ND		50		ug/L		09/22/10 15:38	09/23/10 22:41	1
TPH-Hydraulic Oil Range (C19-C36)	ND		200		ug/L		09/22/10 15:38	09/23/10 22:41	1
Surrogate	% Recovery	MB	MB	Limits			Prepared	Analyzed	Dil Fac
p-Terphenyl	95			23 - 156			09/22/10 15:38	09/23/10 22:41	1

Lab Sample ID: MB 720-78496/1-A

Matrix: Water

Analysis Batch: 79109

Client Sample ID: MB 720-78496/1-A

Prep Type: Total/NA

Prep Batch: 78496

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Diesel Range Organics [C10-C28]	ND		50		ug/L		09/22/10 15:38	10/01/10 11:33	1
TPH-Hydraulic Oil Range (C19-C36)	ND		200		ug/L		09/22/10 15:38	10/01/10 11:33	1
Surrogate	% Recovery	MB	MB	Limits			Prepared	Analyzed	Dil Fac
p-Terphenyl	95			23 - 156			09/22/10 15:38	10/01/10 11:33	1

Lab Sample ID: LCS 720-78496/2-A

Matrix: Water

Analysis Batch: 78530

Client Sample ID: LCS 720-78496/2-A

Prep Type: Total/NA

Prep Batch: 78496

Analyte	Spike Added	LCS	LCS	Unit	D	% Rec	% Rec.	Limits
Diesel Range Organics [C10-C28]	2500	1680		ug/L		67	40 - 150	
Surrogate	% Recovery	LCS	LCS			Limits	RPD	
p-Terphenyl	102					23 - 156		

Lab Sample ID: LCSD 720-78496/3-A

Matrix: Water

Analysis Batch: 78530

Client Sample ID: LCSD 720-78496/3-A

Prep Type: Total/NA

Prep Batch: 78496

Analyte	Spike Added	LCSD	LCSD	Unit	D	% Rec	% Rec.	Limits	RPD	RPD	Limit
Diesel Range Organics [C10-C28]	2500	1550		ug/L		62	40 - 150	8	35		
Surrogate	% Recovery	LCSD	LCSD			Limits	RPD				
p-Terphenyl	103					23 - 156					

QC Association Summary

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30620-1

GC Semi VOA

Prep Batch: 78496

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 720-78496/1-A	MB 720-78496/1-A	Total/NA	Water	3510C	
MB 720-78496/1-A	MB 720-78496/1-A	Total/NA	Water	3510C	
720-30620-7	B-7	Total/NA	Water	3510C	
LCS 720-78496/2-A	LCS 720-78496/2-A	Total/NA	Water	3510C	
LCSD 720-78496/3-A	LCSD 720-78496/3-A	Total/NA	Water	3510C	
720-30620-1	B-3	Total/NA	Water	3510C	
720-30620-2	B-2	Total/NA	Water	3510C	
720-30620-3	B-4	Total/NA	Water	3510C	
720-30620-4	B-1	Total/NA	Water	3510C	
720-30620-5	B-5	Total/NA	Water	3510C	
720-30620-6	B-6	Total/NA	Water	3510C	

Analysis Batch: 78530

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-30620-1	B-3	Total/NA	Water	8015B	78496
720-30620-2	B-2	Total/NA	Water	8015B	78496
720-30620-3	B-4	Total/NA	Water	8015B	78496
720-30620-4	B-1	Total/NA	Water	8015B	78496
720-30620-5	B-5	Total/NA	Water	8015B	78496
720-30620-6	B-6	Total/NA	Water	8015B	78496
720-30620-7	B-7	Total/NA	Water	8015B	78496
LCS 720-78496/2-A	LCS 720-78496/2-A	Total/NA	Water	8015B	78496
LCSD 720-78496/3-A	LCSD 720-78496/3-A	Total/NA	Water	8015B	78496
MB 720-78496/1-A	MB 720-78496/1-A	Total/NA	Water	8015B	78496

Analysis Batch: 79109

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 720-78496/1-A	MB 720-78496/1-A	Total/NA	Water	8015B	78496



Certification Summary

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30620-1

Laboratory	Authority	Program	EPA Region	Certification ID	Expiration Date
TestAmerica San Francisco	California	State Program	9	2496	01/31/12

Accreditation may not be offered or required for all methods and analytes reported in this package. Please contact your project manager for the laboratory's current list of certified methods and analytes.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Method Summary

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30620-1

Method	Method Description	Protocol	Laboratory
8015B	Diesel Range Organics (DRO) (GC)	SW846	TAL SF

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL SF = TestAmerica San Francisco, 1220 Quarry Lane, Pleasanton, CA 94566, TEL (925)484-1919



Sample Summary

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30620-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
720-30620-1	B-3	Water	09/18/10 11:50	09/20/10 13:00
720-30620-2	B-2	Water	09/18/10 11:00	09/20/10 13:00
720-30620-3	B-4	Water	09/18/10 11:10	09/20/10 13:00
720-30620-4	B-1	Water	09/18/10 10:50	09/20/10 13:00
720-30620-5	B-5	Water	09/18/10 11:20	09/20/10 13:00
720-30620-6	B-6	Water	09/18/10 11:30	09/20/10 13:00
720-30620-7	B-7	Water	09/18/10 11:40	09/20/10 13:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Report To					Analysis Request															Number of Containers
Attn: <u>Charles Rome</u>																				
Company: <u>Haley & Aldrich</u>																				
Address: <u>2033 N. Main St. Ste 309 Walnut Creek, CA</u>																				
Phone: <u>925-449-1454</u> Email: <u>crome@haleyaldrich.com</u>																				
Bill To: <u>Same</u>		Sampled By: <u>C. Rome</u>																		
Attn: <u>-</u>		Phone: <u>-</u>																		
Sample ID	Date	Time	Mat rix	Preserv	TPH EPA - <input type="checkbox"/> 8260B <input type="checkbox"/> Gas W/ <input type="checkbox"/> BTEX <input type="checkbox"/> MTBE	TEPH EPA 8015M* <input type="checkbox"/> Silica Gel <input type="checkbox"/> Diesel <input type="checkbox"/> Motor Oil <input checked="" type="checkbox"/> Other/ILC	EPA 8260B: <input type="checkbox"/> Gas <input type="checkbox"/> BTEX <input type="checkbox"/> 5 Oxygenates <input type="checkbox"/> DCA, EDB <input type="checkbox"/> Ethanol	(HVOCs) EPA 8021 by 8260B	Volatile Organics GC/MS (VOCs) <input type="checkbox"/> EPA 8260B <input type="checkbox"/> 624	Semivolatiles GC/MS <input type="checkbox"/> EPA 8270 <input type="checkbox"/> 625	Oil and Grease <input type="checkbox"/> Petroleum (EPA 1664) <input type="checkbox"/> Total	Pesticides <input type="checkbox"/> EPA 8081 <input type="checkbox"/> 608 PCBs <input type="checkbox"/> EPA 8082 <input type="checkbox"/> 608	PNAs by <input type="checkbox"/> 8270 <input type="checkbox"/> 8310	CAM17 Metals (EPA 6010/4707/471)	Metals: <input type="checkbox"/> Lead <input type="checkbox"/> LUFT <input type="checkbox"/> RCRA <input type="checkbox"/> Other:	Low Level Metals by EPA 200.8/6020 (ICP-MS): <input type="checkbox"/> WLE.T (STLC) <input type="checkbox"/> TCLP	Hexavalent Chromium <input type="checkbox"/> pH (24h hold time for H ₂ O)	Spec. Cond. <input type="checkbox"/> Alkalinity <input type="checkbox"/> TSS <input type="checkbox"/> TDS	Anions: <input type="checkbox"/> Cl <input type="checkbox"/> SO ₄ <input type="checkbox"/> NO ₃ <input type="checkbox"/> F <input type="checkbox"/> Br <input type="checkbox"/> NO ₂ <input type="checkbox"/> PO ₄	
B-3	9/18/10	1150	W	HCL	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>														2
B-2		1100			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>														2
B-4		1110			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>														2
B-1		1050			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>														2
B-5		1120			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>														2
B-6		1130			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>														2
B-7		1140			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>														2
					EPA 9/18/10															

Project Info		Sample Receipt	
Project Name: <u>GSA Alameda</u>	# of Containers: _____	Project#: <u>36885-001</u>	Head Space: _____
PO#: _____	Temp: <u>3.2°C, 2.6°C</u>	Credit Card#: _____	Conforms to record: _____

1) Relinquished by:
Charles Rome 1015
 Signature Time
Charles Rome 9/20/10
 Printed Name Date
Haley & Aldrich
 Company

2) Relinquished by:
Ed Montano 1300
 Signature Time
Ed Montano 9-20-10
 Printed Name Date
TASF
 Company

3) Relinquished by:
 Signature _____ Time _____
 Printed Name _____ Date _____
 Company _____

T A T	<u>6</u> Day	3 Day	2 Day	1 Day	Other: _____
Report: <input type="checkbox"/> Routine <input type="checkbox"/> Level 3 <input type="checkbox"/> Level 4 <input type="checkbox"/> EDD <input type="checkbox"/> State Tank Fund EDF					
Special Instructions / Comments: <input type="checkbox"/> Global ID _____					

1) Received by:
Ed Montano 1015
 Signature Time
Ed Montano 9-20-10
 Printed Name Date
TASF
 Company

2) Received by:
John Mulder 1300
 Signature Time
Mulder 9-20-10
 Printed Name Date
Test America
 Company

3) Received by:
 Signature _____ Time _____
 Printed Name _____ Date _____
 Company _____

See Terms and Conditions on reverse
 *TestAmerica SF reports 8015M from C₉-C₂₄ (industry norm). Default for 8015B is C₁₀-C₂₈

Login Sample Receipt Check List

Client: Haley & Aldrich, Inc.

Job Number: 720-30620-1

Login Number: 30620

List Source: TestAmerica San Francisco

Creator: Mullen, Joan

List Number: 1

Question	T / F / NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	
The cooler's custody seal, if present, is intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	



APPENDIX C

Analytical Laboratory Report and Chain-of-Custody Documentation-Disposal Samples

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING


ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica San Francisco
1220 Quarry Lane
Pleasanton, CA 94566
Tel: (925)484-1919

TestAmerica Job ID: 720-30628-1
Client Project/Site: GSA Alameda

For:
Haley & Aldrich, Inc.
2033 North Main Street
Suite 309
Walnut Creek, California 94596

Attn: Charles Rome



Authorized for release by:
9/27/2010 3:49 PM

Dimple Sharma
Project Manager I
dimple.sharma@testamericainc.com

LINKS

Review your project
results through
Total Access

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13



Table of Contents

Cover Page	1
Table of Contents	2
Definitions	3
Case Narrative	4
Detection Summary	5
Client Sample Results	6
QC Sample Results	8
QC Association	20
Certification Summary	23
Method Summary	24
Sample Summary	25
Chain of Custody	26
Sample Receipt Checklist	27

Qualifier Definition/Glossary

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30628-1

Qualifiers

Metals

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.
F	MS or MSD exceeds the control limits
F	RPD of the MS and MSD exceeds the control limits

Glossary

Glossary	Glossary Description
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Comments

No additional comments.

Receipt

All samples were received in good condition within temperature requirements.

GC/MS VOA

No analytical or quality issues were noted.

GC Semi VOA

No analytical or quality issues were noted.

Metals

Method 6010B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for batch 78632 were outside control limits. The associated laboratory control sample (LCS) recovery met acceptance criteria.

No other analytical or quality issues were noted.

Organic Prep

No analytical or quality issues were noted.



Detection Summary

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30628-1

Client Sample ID: DISP-1

Lab Sample ID: 720-30628-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Diesel Range Organics [C10-C28]	6.5		1.0		mg/Kg	1		8015B	Silica Gel Clear
Barium	29		2.0		mg/Kg	4		6010B	Total/NA
Chromium	21		2.0		mg/Kg	4		6010B	Total/NA
Cobalt	3.3		0.80		mg/Kg	4		6010B	Total/NA
Copper	8.4		6.0		mg/Kg	4		6010B	Total/NA
Lead	4.1		2.0		mg/Kg	4		6010B	Total/NA
Nickel	14		2.0		mg/Kg	4		6010B	Total/NA
Vanadium	16		2.0		mg/Kg	4		6010B	Total/NA
Zinc	17		6.0		mg/Kg	4		6010B	Total/NA
Mercury	0.050		0.0097		mg/Kg	1		7471A	Total/NA

Client Sample ID: DISP-2

Lab Sample ID: 720-30628-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	0.19		0.0050		mg/L	1		6010B	Total/NA
Chromium	0.090		0.010		mg/L	1		6010B	Total/NA
Cobalt	0.20		0.0020		mg/L	1		6010B	Total/NA
Copper	0.13		0.020		mg/L	1		6010B	Total/NA
Molybdenum	0.050		0.010		mg/L	1		6010B	Total/NA
Nickel	0.034		0.010		mg/L	1		6010B	Total/NA
Vanadium	0.057		0.010		mg/L	1		6010B	Total/NA
Zinc	0.070		0.020		mg/L	1		6010B	Total/NA
Diesel Range Organics [C10-C28]	500		62		ug/L	1		8015B	Silica Gel Clear
Motor Oil Range Organics [C24-C36]	1100		370		ug/L	1		8015B	Silica Gel Clear

Analytical Data

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30628-1

Client Sample ID: DISP-1

Date Collected: 09/18/10 13:15

Date Received: 09/20/10 13:00

Lab Sample ID: 720-30628-1

Matrix: Solid

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		4.9		ug/Kg		09/22/10 16:00	09/23/10 02:51	1
Ethylbenzene	ND		4.9		ug/Kg		09/22/10 16:00	09/23/10 02:51	1
Toluene	ND		4.9		ug/Kg		09/22/10 16:00	09/23/10 02:51	1
Xylenes, Total	ND		9.9		ug/Kg		09/22/10 16:00	09/23/10 02:51	1
Gasoline Range Organics (GRO) -C5-C12	ND		250		ug/Kg		09/22/10 16:00	09/23/10 02:51	1

Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	95		65 - 117	09/22/10 16:00	09/23/10 02:51	1
1,2-Dichloroethane-d4 (Surr)	100		73 - 140	09/22/10 16:00	09/23/10 02:51	1
Toluene-d8 (Surr)	95		72 - 113	09/22/10 16:00	09/23/10 02:51	1

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	6.5		1.0		mg/Kg		09/21/10 20:17	09/22/10 16:45	1
Motor Oil Range Organics [C24-C36]	ND		50		mg/Kg		09/21/10 20:17	09/22/10 16:45	1

Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	0.8		0 - 5	09/21/10 20:17	09/22/10 16:45	1
p-Terphenyl	92		46 - 115	09/21/10 20:17	09/22/10 16:45	1

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		2.0		mg/Kg		09/24/10 08:58	09/24/10 15:02	4
Arsenic	ND		4.0		mg/Kg		09/24/10 08:58	09/24/10 15:02	4
Barium	29		2.0		mg/Kg		09/24/10 08:58	09/24/10 15:02	4
Beryllium	ND		0.40		mg/Kg		09/24/10 08:58	09/24/10 15:02	4
Cadmium	ND		0.50		mg/Kg		09/24/10 08:58	09/24/10 15:02	4
Chromium	21		2.0		mg/Kg		09/24/10 08:58	09/24/10 15:02	4
Cobalt	3.3		0.80		mg/Kg		09/24/10 08:58	09/24/10 15:02	4
Copper	8.4		6.0		mg/Kg		09/24/10 08:58	09/24/10 15:02	4
Lead	4.1		2.0		mg/Kg		09/24/10 08:58	09/24/10 15:02	4
Molybdenum	ND		2.0		mg/Kg		09/24/10 08:58	09/24/10 15:02	4
Nickel	14		2.0		mg/Kg		09/24/10 08:58	09/24/10 15:02	4
Selenium	ND		4.0		mg/Kg		09/24/10 08:58	09/24/10 15:02	4
Silver	ND		1.0		mg/Kg		09/24/10 08:58	09/24/10 15:02	4
Thallium	ND		2.0		mg/Kg		09/24/10 08:58	09/24/10 15:02	4
Vanadium	16		2.0		mg/Kg		09/24/10 08:58	09/24/10 15:02	4
Zinc	17		6.0		mg/Kg		09/24/10 08:58	09/24/10 15:02	4

Method: 7471A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.050		0.0097		mg/Kg		09/23/10 22:32	09/24/10 16:18	1

Client Sample ID: DISP-2

Date Collected: 09/18/10 13:25

Date Received: 09/20/10 13:00

Lab Sample ID: 720-30628-2

Matrix: Water

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.50		ug/L			09/22/10 19:03	1
Ethylbenzene	ND		0.50		ug/L			09/22/10 19:03	1

TestAmerica San Francisco

Analytical Data

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30628-1

Client Sample ID: DISP-2

Lab Sample ID: 720-30628-2

Date Collected: 09/18/10 13:25

Matrix: Water

Date Received: 09/20/10 13:00

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Toluene	ND		0.50		ug/L		09/22/10 19:03	09/22/10 19:03	1
Xylenes, Total	ND		1.0		ug/L		09/22/10 19:03	09/22/10 19:03	1
Gasoline Range Organics (GRO) -C5-C12	ND		50		ug/L		09/22/10 19:03	09/22/10 19:03	1
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	95		67 - 130				09/22/10 19:03	09/22/10 19:03	1
1,2-Dichloroethane-d4 (Surr)	96		67 - 130				09/22/10 19:03	09/22/10 19:03	1
Toluene-d8 (Surr)	94		70 - 130				09/22/10 19:03	09/22/10 19:03	1

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	500		62		ug/L		09/22/10 21:55	09/26/10 01:03	1
Motor Oil Range Organics [C24-C36]	1100		370		ug/L		09/22/10 21:55	09/26/10 01:03	1
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	2		0 - 5				09/22/10 21:55	09/26/10 01:03	1
p-Terphenyl	93		31 - 150				09/22/10 21:55	09/26/10 01:03	1

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.010		mg/L		09/22/10 12:00	09/22/10 22:20	1
Arsenic	ND		0.010		mg/L		09/22/10 12:00	09/22/10 22:20	1
Barium	0.19		0.0050		mg/L		09/22/10 12:00	09/22/10 22:20	1
Beryllium	ND		0.0020		mg/L		09/22/10 12:00	09/22/10 22:20	1
Cadmium	ND		0.0025		mg/L		09/22/10 12:00	09/22/10 22:20	1
Chromium	0.090		0.010		mg/L		09/22/10 12:00	09/22/10 22:20	1
Cobalt	0.20		0.0020		mg/L		09/22/10 12:00	09/22/10 22:20	1
Copper	0.13		0.020		mg/L		09/22/10 12:00	09/22/10 22:20	1
Lead	ND		0.0050		mg/L		09/22/10 12:00	09/22/10 22:20	1
Molybdenum	0.050		0.010		mg/L		09/22/10 12:00	09/22/10 22:20	1
Nickel	0.034		0.010		mg/L		09/22/10 12:00	09/22/10 22:20	1
Selenium	ND		0.020		mg/L		09/22/10 12:00	09/22/10 22:20	1
Silver	ND		0.0050		mg/L		09/22/10 12:00	09/22/10 22:20	1
Thallium	ND		0.010		mg/L		09/22/10 12:00	09/22/10 22:20	1
Vanadium	0.057		0.010		mg/L		09/22/10 12:00	09/22/10 22:20	1
Zinc	0.070		0.020		mg/L		09/22/10 12:00	09/22/10 22:20	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020		mg/L		09/23/10 15:45	09/24/10 12:32	1

Quality Control Data

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30628-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 720-78538/1-A

Matrix: Solid

Analysis Batch: 78520

Client Sample ID: MB 720-78538/1-A

Prep Type: Total/NA

Prep Batch: 78538

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	ND		5.0		ug/Kg		09/22/10 16:00	09/22/10 22:23	1
Ethylbenzene	ND		5.0		ug/Kg		09/22/10 16:00	09/22/10 22:23	1
Toluene	ND		5.0		ug/Kg		09/22/10 16:00	09/22/10 22:23	1
m-Xylene & p-Xylene	ND		5.0		ug/Kg		09/22/10 16:00	09/22/10 22:23	1
o-Xylene	ND		5.0		ug/Kg		09/22/10 16:00	09/22/10 22:23	1
Xylenes, Total	ND		10		ug/Kg		09/22/10 16:00	09/22/10 22:23	1
Gasoline Range Organics (GRO) -C5-C12	ND		250		ug/Kg		09/22/10 16:00	09/22/10 22:23	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	% Recovery	Qualifier				
4-Bromofluorobenzene	103		65 - 117	09/22/10 16:00	09/22/10 22:23	1
1,2-Dichloroethane-d4 (Surr)	103		73 - 140	09/22/10 16:00	09/22/10 22:23	1
Toluene-d8 (Surr)	97		72 - 113	09/22/10 16:00	09/22/10 22:23	1

Lab Sample ID: LCS 720-78538/2-A

Matrix: Solid

Analysis Batch: 78520

Client Sample ID: LCS 720-78538/2-A

Prep Type: Total/NA

Prep Batch: 78538

Analyte	Spike Added	LCS LCS		Unit	D	% Rec	% Rec. Limits	
		Result	Qualifier				Limits	
Benzene	50.0	51.6		ug/Kg		103	82 - 124	
Ethylbenzene	50.0	48.4		ug/Kg		97	80 - 137	
Toluene	50.0	47.4		ug/Kg		95	83 - 128	
m-Xylene & p-Xylene	100	98.4		ug/Kg		98	79 - 146	
o-Xylene	50.0	50.0		ug/Kg		100	84 - 140	

Surrogate	LCS LCS		Limits
	% Recovery	Qualifier	
4-Bromofluorobenzene	104		65 - 117
1,2-Dichloroethane-d4 (Surr)	99		73 - 140
Toluene-d8 (Surr)	101		72 - 113

Lab Sample ID: LCS 720-78538/4-A

Matrix: Solid

Analysis Batch: 78520

Client Sample ID: LCS 720-78538/4-A

Prep Type: Total/NA

Prep Batch: 78538

Analyte	Spike Added	LCS LCS		Unit	D	% Rec	% Rec. Limits	
		Result	Qualifier				Limits	
Gasoline Range Organics (GRO) -C5-C12	1000	880		ug/Kg		88	68 - 115	

Surrogate	LCS LCS		Limits
	% Recovery	Qualifier	
4-Bromofluorobenzene	108		65 - 117
1,2-Dichloroethane-d4 (Surr)	106		73 - 140
Toluene-d8 (Surr)	100		72 - 113

Lab Sample ID: LCSD 720-78538/3-A

Matrix: Solid

Analysis Batch: 78520

Client Sample ID: LCSD 720-78538/3-A

Prep Type: Total/NA

Prep Batch: 78538

Analyte	Spike Added	LCSD LCSD		Unit	D	% Rec	% Rec. Limits		RPD	
		Result	Qualifier				Limits	RPD	Limit	
Benzene	50.0	51.2		ug/Kg		102	82 - 124	0.9	20	
Ethylbenzene	50.0	48.6		ug/Kg		97	80 - 137	0.3	20	

TestAmerica San Francisco

Quality Control Data

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30628-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 720-78538/3-A

Matrix: Solid

Analysis Batch: 78520

Client Sample ID: LCSD 720-78538/3-A

Prep Type: Total/NA

Prep Batch: 78538

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	% Rec	% Rec.		RPD	Limit
							Limits	RPD		
Toluene	50.0	47.8		ug/Kg		96	83 - 128	0.8		20
m-Xylene & p-Xylene	100	98.9		ug/Kg		99	79 - 146	0.5		20
o-Xylene	50.0	49.8		ug/Kg		100	84 - 140	0.4		20
		LCSD	LCSD							
Surrogate	% Recovery	Qualifier	Limits							
4-Bromofluorobenzene	103		65 - 117							
1,2-Dichloroethane-d4 (Surr)	100		73 - 140							
Toluene-d8 (Surr)	100		72 - 113							

Lab Sample ID: LCSD 720-78538/5-A

Matrix: Solid

Analysis Batch: 78520

Client Sample ID: LCSD 720-78538/5-A

Prep Type: Total/NA

Prep Batch: 78538

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	% Rec	% Rec.		RPD	Limit
							Limits	RPD		
Gasoline Range Organics (GRO) -C5-C12	1000	880		ug/Kg		88	68 - 115	0.03		20
		LCSD	LCSD							
Surrogate	% Recovery	Qualifier	Limits							
4-Bromofluorobenzene	107		65 - 117							
1,2-Dichloroethane-d4 (Surr)	103		73 - 140							
Toluene-d8 (Surr)	99		72 - 113							

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Lab Sample ID: MB 720-78439/4

Matrix: Water

Analysis Batch: 78439

Client Sample ID: MB 720-78439/4

Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
	Result	Qualifier								
Benzene	ND		0.50		ug/L		09/22/10 10:01		1	
Ethylbenzene	ND		0.50		ug/L		09/22/10 10:01		1	
Toluene	ND		0.50		ug/L		09/22/10 10:01		1	
m-Xylene & p-Xylene	ND		1.0		ug/L		09/22/10 10:01		1	
o-Xylene	ND		0.50		ug/L		09/22/10 10:01		1	
Xylenes, Total	ND		1.0		ug/L		09/22/10 10:01		1	
Gasoline Range Organics (GRO) -C5-C12	ND		50		ug/L		09/22/10 10:01		1	
		MB MB	Limits							
Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac				
4-Bromofluorobenzene	98		67 - 130		09/22/10 10:01					
1,2-Dichloroethane-d4 (Surr)	94		67 - 130		09/22/10 10:01					
Toluene-d8 (Surr)	95		70 - 130		09/22/10 10:01					

Lab Sample ID: LCS 720-78439/5

Matrix: Water

Analysis Batch: 78439

Client Sample ID: LCS 720-78439/5

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec.	
							Limits	RPD
Benzene	25.0	25.8		ug/L		103	82 - 127	
Ethylbenzene	25.0	24.8		ug/L		99	86 - 135	
Toluene	25.0	25.1		ug/L		100	83 - 129	

TestAmerica San Francisco

Quality Control Data

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30628-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS (Continued)

Lab Sample ID: LCS 720-78439/5

Matrix: Water

Analysis Batch: 78439

Client Sample ID: LCS 720-78439/5

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec. Limits	
m-Xylene & p-Xylene	50.0	48.0		ug/L		96	70 - 142	
o-Xylene	25.0	24.5		ug/L		98	89 - 136	
		LCS	LCS					
Surrogate	% Recovery	Qualifier	Limits					
4-Bromofluorobenzene	100		67 - 130					
1,2-Dichloroethane-d4 (Surr)	92		67 - 130					
Toluene-d8 (Surr)	97		70 - 130					

Lab Sample ID: LCS 720-78439/7

Matrix: Water

Analysis Batch: 78439

Client Sample ID: LCS 720-78439/7

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec. Limits	
Gasoline Range Organics (GRO) -C5-C12	500	479		ug/L		96	59 - 111	
		LCS	LCS					
Surrogate	% Recovery	Qualifier	Limits					
4-Bromofluorobenzene	103		67 - 130					
1,2-Dichloroethane-d4 (Surr)	96		67 - 130					
Toluene-d8 (Surr)	96		70 - 130					

Lab Sample ID: LCSD 720-78439/6

Matrix: Water

Analysis Batch: 78439

Client Sample ID: LCSD 720-78439/6

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	% Rec	% Rec. Limits		RPD	
									RPD	Limit
Benzene	25.0	25.7		ug/L		103	82 - 127	0.4	20	
Ethylbenzene	25.0	24.7		ug/L		99	86 - 135	0.6	20	
Toluene	25.0	25.0		ug/L		100	83 - 129	0.5	20	
m-Xylene & p-Xylene	50.0	48.0		ug/L		96	70 - 142	0.2	20	
o-Xylene	25.0	24.4		ug/L		97	89 - 136	0.6	20	
		LCSD	LCSD							
Surrogate	% Recovery	Qualifier	Limits							
4-Bromofluorobenzene	101		67 - 130							
1,2-Dichloroethane-d4 (Surr)	92		67 - 130							
Toluene-d8 (Surr)	96		70 - 130							

Lab Sample ID: LCSD 720-78439/8

Matrix: Water

Analysis Batch: 78439

Client Sample ID: LCSD 720-78439/8

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	% Rec	% Rec. Limits		RPD	
									RPD	Limit
Gasoline Range Organics (GRO) -C5-C12	500	465		ug/L		93	59 - 111	3	20	
		LCSD	LCSD							
Surrogate	% Recovery	Qualifier	Limits							
4-Bromofluorobenzene	100		67 - 130							
1,2-Dichloroethane-d4 (Surr)	96		67 - 130							
Toluene-d8 (Surr)	97		70 - 130							

Quality Control Data

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30628-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS (Continued)

Lab Sample ID: 720-30663-A-1 MS

Matrix: Water

Analysis Batch: 78439

Client Sample ID: 720-30663-A-1 MS

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	% Rec	% Rec.	Limits
	Result	Qualifier	Added	Result	Qualifier					
Benzene	ND		25.0	24.7		ug/L		98	60 - 140	
Ethylbenzene	ND		25.0	25.1		ug/L		100	60 - 140	
Toluene	0.88		25.0	26.0		ug/L		100	60 - 140	
m-Xylene & p-Xylene	ND		50.0	48.6		ug/L		96	60 - 140	
o-Xylene	ND		25.0	25.0		ug/L		99	60 - 140	
		MS		MS						
Surrogate	% Recovery	Qualifier	Limits							
4-Bromofluorobenzene	96		67 - 130							
1,2-Dichloroethane-d4 (Surr)	94		67 - 130							
Toluene-d8 (Surr)	95		70 - 130							

Lab Sample ID: 720-30663-A-1 MSD

Matrix: Water

Analysis Batch: 78439

Client Sample ID: 720-30663-A-1 MSD

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	% Rec	% Rec.	Limits	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier							
Benzene	ND		25.0	25.3		ug/L		101	60 - 140	2	20	
Ethylbenzene	ND		25.0	25.2		ug/L		100	60 - 140	0.6	20	
Toluene	0.88		25.0	26.2		ug/L		101	60 - 140	0.9	20	
m-Xylene & p-Xylene	ND		50.0	48.8		ug/L		97	60 - 140	0.5	20	
o-Xylene	ND		25.0	25.4		ug/L		101	60 - 140	2	20	
		MSD		MSD								
Surrogate	% Recovery	Qualifier	Limits									
4-Bromofluorobenzene	98		67 - 130									
1,2-Dichloroethane-d4 (Surr)	95		67 - 130									
Toluene-d8 (Surr)	95		70 - 130									

Method: 8015B - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 720-78392/1-A

Matrix: Solid

Analysis Batch: 78437

Client Sample ID: MB 720-78392/1-A

Prep Type: Silica Gel Cleanup

Prep Batch: 78392

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Diesel Range Organics [C10-C28]	ND		0.99		mg/Kg		09/21/10 14:57	09/22/10 11:02	1
Motor Oil Range Organics [C24-C36]	ND		50		mg/Kg		09/21/10 14:57	09/22/10 11:02	1
		MB		MB					
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	0.03		0 - 5				09/21/10 14:57	09/22/10 11:02	1
p-Terphenyl	105		46 - 115				09/21/10 14:57	09/22/10 11:02	1

Lab Sample ID: LCS 720-78392/2-A

Matrix: Solid

Analysis Batch: 78437

Client Sample ID: LCS 720-78392/2-A

Prep Type: Silica Gel Cleanup

Prep Batch: 78392

Analyte	Spike	LCS	LCS	Unit	D	% Rec	% Rec.	Limits
Diesel Range Organics [C10-C28]	82.3	71.4		mg/Kg		87	45 - 115	

Quality Control Data

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30628-1

Method: 8015B - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 720-78392/2-A
Matrix: Solid
Analysis Batch: 78437

Client Sample ID: LCS 720-78392/2-A
Prep Type: Silica Gel Cleanup
Prep Batch: 78392

	LCS	LCS	
Surrogate	% Recovery	Qualifier	Limits
<i>p</i> -Terphenyl	98		46 - 115

Lab Sample ID: LCSD 720-78392/3-A
Matrix: Solid
Analysis Batch: 78437

Client Sample ID: LCSD 720-78392/3-A
Prep Type: Silica Gel Cleanup
Prep Batch: 78392

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	% Rec	% Rec.		RPD	Limit
							Limits	RPD		
Diesel Range Organics [C10-C28]	82.3	73.8		mg/Kg		90	45 - 115	3	35	

	LCSD	LCSD	
Surrogate	% Recovery	Qualifier	Limits
<i>p</i> -Terphenyl	102		46 - 115

Lab Sample ID: 720-30589-A-25-C MS
Matrix: Solid
Analysis Batch: 78437

Client Sample ID: 720-30589-A-25-C MS
Prep Type: Silica Gel Cleanup
Prep Batch: 78392

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	% Rec	% Rec.	
									Limits	RPD
Diesel Range Organics [C10-C28]	4.9		83.2	68.1		mg/Kg		76	50 - 130	

	MS	MS	
Surrogate	% Recovery	Qualifier	Limits
<i>p</i> -Terphenyl	89		46 - 115

Lab Sample ID: 720-30589-A-25-D MSD
Matrix: Solid
Analysis Batch: 78437

Client Sample ID: 720-30589-A-25-D MSD
Prep Type: Silica Gel Cleanup
Prep Batch: 78392

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	% Rec	% Rec.		RPD	Limit
									Limits	RPD		
Diesel Range Organics [C10-C28]	4.9		82.1	61.6		mg/Kg		69	50 - 130	10	30	

	MSD	MSD	
Surrogate	% Recovery	Qualifier	Limits
<i>p</i> -Terphenyl	87		46 - 115

Lab Sample ID: MB 720-78518/1-A
Matrix: Water
Analysis Batch: 78531

Client Sample ID: MB 720-78518/1-A
Prep Type: Silica Gel Cleanup
Prep Batch: 78518

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared		Analyzed		Dil Fac
Diesel Range Organics [C10-C28]	ND		50		ug/L		09/22/10 18:29	09/23/10 12:09	09/23/10 12:09	1	
Motor Oil Range Organics [C24-C36]	ND		300		ug/L		09/22/10 18:29	09/23/10 12:09	09/23/10 12:09	1	

	MB	MB	
Surrogate	% Recovery	Qualifier	Limits
Capric Acid (Surr)	0		0 - 5
<i>p</i> -Terphenyl	104		31 - 150

Quality Control Data

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30628-1

Method: 8015B - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 720-78518/2-A
Matrix: Water
Analysis Batch: 78531

Client Sample ID: LCS 720-78518/2-A
Prep Type: Silica Gel Cleanup
Prep Batch: 78518

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec. Limits		
Diesel Range Organics [C10-C28]	2500	1540		ug/L		62	32 - 119		
Surrogate		LCS	LCS				% Recovery	Qualifier	Limits
p-Terphenyl		102							31 - 150

Lab Sample ID: LCSD 720-78518/3-A
Matrix: Water
Analysis Batch: 78531

Client Sample ID: LCSD 720-78518/3-A
Prep Type: Silica Gel Cleanup
Prep Batch: 78518

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	% Rec	% Rec. Limits		RPD Limit	
Diesel Range Organics [C10-C28]	2500	1770		ug/L		71	32 - 119		13	35
Surrogate		LCSD	LCSD				% Recovery	Qualifier	Limits	
p-Terphenyl		112							31 - 150	

Method: 6010B - Metals (ICP)

Lab Sample ID: MB 720-78466/1-A
Matrix: Water
Analysis Batch: 78543

Client Sample ID: MB 720-78466/1-A
Prep Type: Total/NA
Prep Batch: 78466

Analyte	MB MB		RL	MDL	Unit	D	Prepared		Analyzed		Dil Fac
	Result	Qualifier									
Antimony	ND		0.010		mg/L		09/22/10 12:00	09/22/10 20:50			1
Arsenic	ND		0.010		mg/L		09/22/10 12:00	09/22/10 20:50			1
Barium	ND		0.0050		mg/L		09/22/10 12:00	09/22/10 20:50			1
Beryllium	ND		0.0020		mg/L		09/22/10 12:00	09/22/10 20:50			1
Cadmium	ND		0.0025		mg/L		09/22/10 12:00	09/22/10 20:50			1
Chromium	ND		0.010		mg/L		09/22/10 12:00	09/22/10 20:50			1
Cobalt	ND		0.0020		mg/L		09/22/10 12:00	09/22/10 20:50			1
Copper	ND		0.020		mg/L		09/22/10 12:00	09/22/10 20:50			1
Lead	ND		0.0050		mg/L		09/22/10 12:00	09/22/10 20:50			1
Molybdenum	ND		0.010		mg/L		09/22/10 12:00	09/22/10 20:50			1
Nickel	ND		0.010		mg/L		09/22/10 12:00	09/22/10 20:50			1
Selenium	ND		0.020		mg/L		09/22/10 12:00	09/22/10 20:50			1
Silver	ND		0.0050		mg/L		09/22/10 12:00	09/22/10 20:50			1
Thallium	ND		0.010		mg/L		09/22/10 12:00	09/22/10 20:50			1
Vanadium	ND		0.010		mg/L		09/22/10 12:00	09/22/10 20:50			1
Zinc	ND		0.020		mg/L		09/22/10 12:00	09/22/10 20:50			1

Lab Sample ID: LCS 720-78466/2-A
Matrix: Water
Analysis Batch: 78543

Client Sample ID: LCS 720-78466/2-A
Prep Type: Total/NA
Prep Batch: 78466

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec. Limits	
Antimony	1.00	0.936		mg/L		94	80 - 120	
Arsenic	1.00	0.915		mg/L		91	80 - 120	
Barium	1.00	1.01		mg/L		101	80 - 120	
Beryllium	1.00	0.993		mg/L		99	80 - 120	
Cadmium	1.00	0.974		mg/L		97	80 - 120	

TestAmerica San Francisco

Quality Control Data

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30628-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: LCS 720-78466/2-A
Matrix: Water
Analysis Batch: 78543

Client Sample ID: LCS 720-78466/2-A
Prep Type: Total/NA
Prep Batch: 78466

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec.	
							Limits	
Chromium	1.00	1.01		mg/L		101	80 - 120	
Cobalt	1.00	0.986		mg/L		99	80 - 120	
Copper	1.00	1.00		mg/L		100	80 - 120	
Lead	1.00	0.991		mg/L		99	80 - 120	
Molybdenum	1.00	0.995		mg/L		99	80 - 120	
Nickel	1.00	0.972		mg/L		97	80 - 120	
Selenium	1.00	0.945		mg/L		94	80 - 120	
Silver	0.500	0.484		mg/L		97	80 - 120	
Thallium	1.00	0.987		mg/L		99	80 - 120	
Vanadium	1.00	0.981		mg/L		98	80 - 120	
Zinc	1.00	0.980		mg/L		98	80 - 120	

Lab Sample ID: LCSD 720-78466/3-A
Matrix: Water
Analysis Batch: 78543

Client Sample ID: LCSD 720-78466/3-A
Prep Type: Total/NA
Prep Batch: 78466

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	% Rec	% Rec.		RPD	
							Limits	RPD	RPD	Limit
Antimony	1.00	0.940		mg/L		94	80 - 120	0.5	20	
Arsenic	1.00	0.922		mg/L		92	80 - 120	0.8	20	
Barium	1.00	1.02		mg/L		102	80 - 120	0.4	20	
Beryllium	1.00	0.997		mg/L		100	80 - 120	0.4	20	
Cadmium	1.00	0.979		mg/L		98	80 - 120	0.5	20	
Chromium	1.00	1.02		mg/L		102	80 - 120	0.9	20	
Cobalt	1.00	0.992		mg/L		99	80 - 120	0.6	20	
Copper	1.00	1.02		mg/L		102	80 - 120	1	20	
Lead	1.00	0.996		mg/L		100	80 - 120	0.5	20	
Molybdenum	1.00	1.00		mg/L		100	80 - 120	0.8	20	
Nickel	1.00	0.977		mg/L		98	80 - 120	0.5	20	
Selenium	1.00	0.949		mg/L		95	80 - 120	0.5	20	
Silver	0.500	0.487		mg/L		97	80 - 120	0.7	20	
Thallium	1.00	0.992		mg/L		99	80 - 120	0.4	20	
Vanadium	1.00	0.988		mg/L		99	80 - 120	0.7	20	
Zinc	1.00	0.985		mg/L		99	80 - 120	0.5	20	

Lab Sample ID: 720-30615-E-3-A MS
Matrix: Water
Analysis Batch: 78543

Client Sample ID: 720-30615-E-3-A MS
Prep Type: Total/NA
Prep Batch: 78466

Analyte	Sample Result	Sample Qualifier	Spike Added	MS MS		Unit	D	% Rec	% Rec.	
				Result	Qualifier				Limits	
Antimony	ND		1.00	0.949		mg/L		94	75 - 125	
Arsenic	ND		1.00	0.935		mg/L		93	75 - 125	
Barium	0.014		1.00	1.02		mg/L		101	75 - 125	
Beryllium	ND		1.00	0.989		mg/L		99	75 - 125	
Cadmium	ND		1.00	0.959		mg/L		96	75 - 125	
Chromium	ND		1.00	0.994		mg/L		99	75 - 125	
Cobalt	ND		1.00	0.955		mg/L		96	75 - 125	
Copper	ND		1.00	0.996		mg/L		99	75 - 125	
Lead	ND		1.00	0.957		mg/L		96	75 - 125	
Molybdenum	ND		1.00	1.01		mg/L		100	75 - 125	
Nickel	ND		1.00	0.949		mg/L		94	75 - 125	

Quality Control Data

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30628-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: 720-30615-E-3-A MS

Matrix: Water

Analysis Batch: 78543

Client Sample ID: 720-30615-E-3-A MS

Prep Type: Total/NA

Prep Batch: 78466

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	% Rec	% Rec. Limits
Selenium	ND		1.00	0.960		mg/L		96	75 - 125
Silver	ND		0.500	0.484		mg/L		97	75 - 125
Thallium	ND		1.00	0.948		mg/L		95	75 - 125
Vanadium	ND		1.00	0.986		mg/L		99	75 - 125
Zinc	0.027		1.00	0.988		mg/L		96	75 - 125

Lab Sample ID: 720-30615-E-3-B MSD

Matrix: Water

Analysis Batch: 78543

Client Sample ID: 720-30615-E-3-B MSD

Prep Type: Total/NA

Prep Batch: 78466

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	% Rec	% Rec. Limits	RPD	RPD Limit
Antimony	ND		1.00	0.965		mg/L		96	75 - 125	2	25
Arsenic	ND		1.00	0.961		mg/L		96	75 - 125	3	25
Barium	0.014		1.00	1.04		mg/L		103	75 - 125	2	25
Beryllium	ND		1.00	1.01		mg/L		101	75 - 125	2	25
Cadmium	ND		1.00	0.986		mg/L		99	75 - 125	3	25
Chromium	ND		1.00	1.03		mg/L		103	75 - 125	3	25
Cobalt	ND		1.00	0.982		mg/L		98	75 - 125	3	25
Copper	ND		1.00	1.03		mg/L		103	75 - 125	3	25
Lead	ND		1.00	0.983		mg/L		98	75 - 125	3	25
Molybdenum	ND		1.00	1.03		mg/L		102	75 - 125	2	25
Nickel	ND		1.00	0.972		mg/L		96	75 - 125	2	25
Selenium	ND		1.00	0.981		mg/L		98	75 - 125	2	25
Silver	ND		0.500	0.498		mg/L		100	75 - 125	3	25
Thallium	ND		1.00	0.972		mg/L		97	75 - 125	3	25
Vanadium	ND		1.00	1.02		mg/L		102	75 - 125	3	25
Zinc	0.027		1.00	1.01		mg/L		99	75 - 125	3	25

Lab Sample ID: MB 720-78632/1-A

Matrix: Solid

Analysis Batch: 78662

Client Sample ID: MB 720-78632/1-A

Prep Type: Total/NA

Prep Batch: 78632

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.48		mg/Kg		09/24/10 08:56	09/24/10 13:56	1
Arsenic	ND		0.96		mg/Kg		09/24/10 08:56	09/24/10 13:56	1
Barium	ND		0.48		mg/Kg		09/24/10 08:56	09/24/10 13:56	1
Beryllium	ND		0.096		mg/Kg		09/24/10 08:56	09/24/10 13:56	1
Cadmium	ND		0.12		mg/Kg		09/24/10 08:56	09/24/10 13:56	1
Chromium	ND		0.48		mg/Kg		09/24/10 08:56	09/24/10 13:56	1
Cobalt	ND		0.19		mg/Kg		09/24/10 08:56	09/24/10 13:56	1
Copper	ND		1.4		mg/Kg		09/24/10 08:56	09/24/10 13:56	1
Lead	ND		0.48		mg/Kg		09/24/10 08:56	09/24/10 13:56	1
Molybdenum	ND		0.48		mg/Kg		09/24/10 08:56	09/24/10 13:56	1
Nickel	ND		0.48		mg/Kg		09/24/10 08:56	09/24/10 13:56	1
Selenium	ND		0.96		mg/Kg		09/24/10 08:56	09/24/10 13:56	1
Silver	ND		0.24		mg/Kg		09/24/10 08:56	09/24/10 13:56	1
Thallium	ND		0.48		mg/Kg		09/24/10 08:56	09/24/10 13:56	1
Vanadium	ND		0.48		mg/Kg		09/24/10 08:56	09/24/10 13:56	1
Zinc	ND		1.4		mg/Kg		09/24/10 08:56	09/24/10 13:56	1

Quality Control Data

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30628-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: LCS 720-78632/2-A

Matrix: Solid

Analysis Batch: 78662

Client Sample ID: LCS 720-78632/2-A

Prep Type: Total/NA

Prep Batch: 78632

Analyte	Spike	LCS	LCS	Unit	D	% Rec	% Rec.	Limits
	Added	Result	Qualifier					
Antimony	49.5	50.7		mg/Kg		102	80 - 120	
Arsenic	49.5	49.4		mg/Kg		100	80 - 120	
Barium	49.5	57.8		mg/Kg		117	80 - 120	
Beryllium	49.5	57.9		mg/Kg		117	80 - 120	
Cadmium	49.5	52.4		mg/Kg		106	80 - 120	
Chromium	49.5	53.7		mg/Kg		109	80 - 120	
Cobalt	49.5	53.3		mg/Kg		108	80 - 120	
Copper	49.5	53.9		mg/Kg		109	80 - 120	
Lead	49.5	53.9		mg/Kg		109	80 - 120	
Molybdenum	49.5	54.4		mg/Kg		110	80 - 120	
Nickel	49.5	53.0		mg/Kg		107	80 - 120	
Selenium	49.5	51.3		mg/Kg		104	80 - 120	
Silver	24.8	25.8		mg/Kg		104	80 - 120	
Thallium	49.5	53.5		mg/Kg		108	80 - 120	
Vanadium	49.5	53.9		mg/Kg		109	80 - 120	
Zinc	49.5	52.4		mg/Kg		106	80 - 120	

Lab Sample ID: LCSD 720-78632/3-A

Matrix: Solid

Analysis Batch: 78662

Client Sample ID: LCSD 720-78632/3-A

Prep Type: Total/NA

Prep Batch: 78632

Analyte	Spike	LCSD	LCSD	Unit	D	% Rec	% Rec.	Limits	RPD	Limit
	Added	Result	Qualifier							
Antimony	50.5	50.9		mg/Kg		101	80 - 120	0.5	20	
Arsenic	50.5	48.5		mg/Kg		96	80 - 120	2	20	
Barium	50.5	53.3		mg/Kg		105	80 - 120	8	20	
Beryllium	50.5	53.2		mg/Kg		105	80 - 120	9	20	
Cadmium	50.5	51.6		mg/Kg		102	80 - 120	2	20	
Chromium	50.5	52.2		mg/Kg		103	80 - 120	3	20	
Cobalt	50.5	52.5		mg/Kg		104	80 - 120	2	20	
Copper	50.5	52.5		mg/Kg		104	80 - 120	3	20	
Lead	50.5	53.2		mg/Kg		105	80 - 120	1	20	
Molybdenum	50.5	53.8		mg/Kg		107	80 - 120	1	20	
Nickel	50.5	52.4		mg/Kg		104	80 - 120	1	20	
Selenium	50.5	50.8		mg/Kg		101	80 - 120	1	20	
Silver	25.3	25.4		mg/Kg		101	80 - 120	2	20	
Thallium	50.5	52.6		mg/Kg		104	80 - 120	2	20	
Vanadium	50.5	52.8		mg/Kg		105	80 - 120	2	20	
Zinc	50.5	51.6		mg/Kg		102	80 - 120	2	20	

Lab Sample ID: LCSSRM 720-78632/15-A

Matrix: Solid

Analysis Batch: 78662

Client Sample ID: LCSSRM 720-78632/15-A

Prep Type: Total/NA

Prep Batch: 78632

Analyte	Spike	LCSSRM	LCSSRM	Unit	D	% Rec	% Rec.	Limits
	Added	Result	Qualifier					
Antimony	105	61.8		mg/Kg		59	11 - 101	
Arsenic	79.4	73.5		mg/Kg		93	69 - 119	
Barium	391	372		mg/Kg		95	61 - 117	
Beryllium	304	301		mg/Kg		99	56 - 102	
Cadmium	48.3	44.2		mg/Kg		92	67 - 118	
Chromium	171	160		mg/Kg		93	67 - 121	

TestAmerica San Francisco

Quality Control Data

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30628-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: LCSSRM 720-78632/15-A

Matrix: Solid

Analysis Batch: 78662

Client Sample ID: LCSSRM 720-78632/15-A

Prep Type: Total/NA

Prep Batch: 78632

Analyte	Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	% Rec	% Rec. Limits
Cobalt	59.2	55.8		mg/Kg		94	64 - 133
Copper	327	312		mg/Kg		95	68 - 126
Lead	181	166		mg/Kg		92	62 - 113
Molybdenum	156	151		mg/Kg		97	62 - 128
Nickel	76.0	70.7		mg/Kg		93	65 - 117
Selenium	76.9	74.3		mg/Kg		97	63 - 126
Silver	29.1	27.9		mg/Kg		96	51 - 130
Thallium	192	171		mg/Kg		89	64 - 124
Vanadium	213	212		mg/Kg		100	67 - 123
Zinc	256	237		mg/Kg		93	62 - 110

Lab Sample ID: 720-30623-A-5-B MS

Matrix: Solid

Analysis Batch: 78662

Client Sample ID: 720-30623-A-5-B MS

Prep Type: Total/NA

Prep Batch: 78632

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	% Rec	% Rec. Limits
Antimony	4.6		49.0	19.4	F	mg/Kg		30	75 - 125
Arsenic	12		49.0	61.2		mg/Kg		100	75 - 125
Barium	250		49.0	262	4	mg/Kg		30	75 - 125
Beryllium	ND		49.0	56.6		mg/Kg		115	75 - 125
Cadmium	ND		49.0	50.7		mg/Kg		103	75 - 125
Chromium	41		49.0	101		mg/Kg		122	75 - 125
Cobalt	11		49.0	61.5		mg/Kg		103	75 - 125
Copper	73		49.0	130		mg/Kg		116	75 - 125
Lead	80		49.0	135		mg/Kg		111	75 - 125
Molybdenum	ND		49.0	47.4		mg/Kg		97	75 - 125
Nickel	84		49.0	144		mg/Kg		121	75 - 125
Selenium	ND		49.0	49.5		mg/Kg		100	75 - 125
Silver	ND		24.5	25.7		mg/Kg		105	75 - 125
Thallium	ND		49.0	49.6		mg/Kg		101	75 - 125
Vanadium	26		49.0	81.3		mg/Kg		112	75 - 125
Zinc	130		49.0	190		mg/Kg		124	75 - 125

Lab Sample ID: 720-30623-A-5-C MSD

Matrix: Solid

Analysis Batch: 78662

Client Sample ID: 720-30623-A-5-C MSD

Prep Type: Total/NA

Prep Batch: 78632

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	% Rec	% Rec. Limits	RPD	RPD Limit
Antimony	4.6		48.5	20.3	F	mg/Kg		32	75 - 125	5	20
Arsenic	12		48.5	62.6		mg/Kg		103	75 - 125	2	20
Barium	250		48.5	361	4 F	mg/Kg		233	75 - 125	32	20
Beryllium	ND		48.5	57.7		mg/Kg		118	75 - 125	2	20
Cadmium	ND		48.5	51.7		mg/Kg		106	75 - 125	2	20
Chromium	41		48.5	102	F	mg/Kg		126	75 - 125	1	20
Cobalt	11		48.5	63.3		mg/Kg		107	75 - 125	3	20
Copper	73		48.5	138	F	mg/Kg		134	75 - 125	6	20
Lead	80		48.5	133		mg/Kg		109	75 - 125	1	20
Molybdenum	ND		48.5	48.7		mg/Kg		100	75 - 125	3	20
Nickel	84		48.5	151	F	mg/Kg		138	75 - 125	5	20
Selenium	ND		48.5	51.0		mg/Kg		104	75 - 125	3	20

Quality Control Data

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30628-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: 720-30623-A-5-C MSD
Matrix: Solid
Analysis Batch: 78662

Client Sample ID: 720-30623-A-5-C MSD
Prep Type: Total/NA
Prep Batch: 78632

Analyte	Sample	Sample	Spike Added	MSD	MSD	Unit	D	% Rec	% Rec.		RPD
	Result	Qualifier		Result	Qualifier				Limits	RPD	
Silver	ND		24.3	26.6		mg/Kg		110	75 - 125	3	20
Thallium	ND		48.5	50.4		mg/Kg		104	75 - 125	2	20
Vanadium	26		48.5	85.6		mg/Kg		122	75 - 125	5	20
Zinc	130		48.5	202	F	mg/Kg		150	75 - 125	6	20

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 720-78586/1-A
Matrix: Water
Analysis Batch: 78649

Client Sample ID: MB 720-78586/1-A
Prep Type: Total/NA
Prep Batch: 78586

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Mercury	ND		0.00020		mg/L		09/23/10 15:45	09/24/10 12:18	1

Lab Sample ID: LCS 720-78586/2-A
Matrix: Water
Analysis Batch: 78649

Client Sample ID: LCS 720-78586/2-A
Prep Type: Total/NA
Prep Batch: 78586

Analyte	Spike Added	LCS	LCS	Unit	D	% Rec	% Rec.	
		Result	Qualifier				Limits	RPD
Mercury	0.0100	0.00950		mg/L		95	80 - 120	

Lab Sample ID: LCSD 720-78586/3-A
Matrix: Water
Analysis Batch: 78649

Client Sample ID: LCSD 720-78586/3-A
Prep Type: Total/NA
Prep Batch: 78586

Analyte	Spike Added	LCSD	LCSD	Unit	D	% Rec	% Rec.	
		Result	Qualifier				Limits	RPD
Mercury	0.0100	0.00964		mg/L		96	80 - 120	1

Lab Sample ID: 720-30629-G-1-D MS
Matrix: Water
Analysis Batch: 78649

Client Sample ID: 720-30629-G-1-D MS
Prep Type: Total/NA
Prep Batch: 78586

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	% Rec	% Rec.	
	Result	Qualifier		Result	Qualifier				Limits	RPD
Mercury	ND		0.0100	0.0115		mg/L		115	75 - 125	

Lab Sample ID: 720-30629-G-1-E MSD
Matrix: Water
Analysis Batch: 78649

Client Sample ID: 720-30629-G-1-E MSD
Prep Type: Total/NA
Prep Batch: 78586

Analyte	Sample	Sample	Spike Added	MSD	MSD	Unit	D	% Rec	% Rec.	
	Result	Qualifier		Result	Qualifier				Limits	RPD
Mercury	ND		0.0100	0.0112		mg/L		112	75 - 125	2

Method: 7471A - Mercury (CVAA)

Lab Sample ID: MB 720-78610/1-A
Matrix: Solid
Analysis Batch: 78670

Client Sample ID: MB 720-78610/1-A
Prep Type: Total/NA
Prep Batch: 78610

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Mercury	ND		0.010		mg/Kg		09/23/10 22:32	09/24/10 15:37	1

Quality Control Data

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30628-1

Method: 7471A - Mercury (CVAA) (Continued)

Lab Sample ID: LCS 720-78610/2-A
Matrix: Solid
Analysis Batch: 78670

Client Sample ID: LCS 720-78610/2-A
Prep Type: Total/NA
Prep Batch: 78610

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec. Limits
Mercury	0.833	0.842		mg/Kg		101	80 - 120

Lab Sample ID: LCSD 720-78610/3-A
Matrix: Solid
Analysis Batch: 78670

Client Sample ID: LCSD 720-78610/3-A
Prep Type: Total/NA
Prep Batch: 78610

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	% Rec	% Rec. Limits	RPD	Limit
Mercury	0.833	0.858		mg/Kg		103	80 - 120	2	20

Lab Sample ID: 720-30571-A-1-L MS
Matrix: Solid
Analysis Batch: 78670

Client Sample ID: 720-30571-A-1-L MS
Prep Type: Total/NA
Prep Batch: 78610

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	% Rec	% Rec. Limits
Mercury	0.32		0.806	1.14		mg/Kg		101	75 - 125

Lab Sample ID: 720-30571-A-1-M MSD
Matrix: Solid
Analysis Batch: 78670

Client Sample ID: 720-30571-A-1-M MSD
Prep Type: Total/NA
Prep Batch: 78610

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	% Rec	% Rec. Limits	RPD	Limit
Mercury	0.32		0.847	1.26		mg/Kg		111	75 - 125	10	20



QC Association Summary

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30628-1

GC/MS VOA

Analysis Batch: 78439

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-30663-A-1 MS	720-30663-A-1 MS	Total/NA	Water	8260B/CA_LUF TMS	
720-30663-A-1 MSD	720-30663-A-1 MSD	Total/NA	Water	8260B/CA_LUF TMS	
720-30628-2	DISP-2	Total/NA	Water	8260B/CA_LUF TMS	
MB 720-78439/4	MB 720-78439/4	Total/NA	Water	8260B/CA_LUF TMS	
LCS 720-78439/5	LCS 720-78439/5	Total/NA	Water	8260B/CA_LUF TMS	
LCSD 720-78439/6	LCSD 720-78439/6	Total/NA	Water	8260B/CA_LUF TMS	
LCS 720-78439/7	LCS 720-78439/7	Total/NA	Water	8260B/CA_LUF TMS	
LCSD 720-78439/8	LCSD 720-78439/8	Total/NA	Water	8260B/CA_LUF TMS	

Analysis Batch: 78520

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-30628-1	DISP-1	Total/NA	Solid	8260B	78538
MB 720-78538/1-A	MB 720-78538/1-A	Total/NA	Solid	8260B	78538
LCS 720-78538/2-A	LCS 720-78538/2-A	Total/NA	Solid	8260B	78538
LCSD 720-78538/3-A	LCSD 720-78538/3-A	Total/NA	Solid	8260B	78538
LCS 720-78538/4-A	LCS 720-78538/4-A	Total/NA	Solid	8260B	78538
LCSD 720-78538/5-A	LCSD 720-78538/5-A	Total/NA	Solid	8260B	78538

Prep Batch: 78538

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 720-78538/1-A	MB 720-78538/1-A	Total/NA	Solid	5035	
720-30628-1	DISP-1	Total/NA	Solid	5035	
LCS 720-78538/2-A	LCS 720-78538/2-A	Total/NA	Solid	5035	
LCSD 720-78538/3-A	LCSD 720-78538/3-A	Total/NA	Solid	5035	
LCS 720-78538/4-A	LCS 720-78538/4-A	Total/NA	Solid	5035	
LCSD 720-78538/5-A	LCSD 720-78538/5-A	Total/NA	Solid	5035	

GC Semi VOA

Prep Batch: 78392

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 720-78392/1-A	MB 720-78392/1-A	Silica Gel Cleanup	Solid	3550B	
720-30628-1	DISP-1	Silica Gel Cleanup	Solid	3550B	
LCS 720-78392/2-A	LCS 720-78392/2-A	Silica Gel Cleanup	Solid	3550B	
LCSD 720-78392/3-A	LCSD 720-78392/3-A	Silica Gel Cleanup	Solid	3550B	
720-30589-A-25-C MS	720-30589-A-25-C MS	Silica Gel Cleanup	Solid	3550B	
720-30589-A-25-D MSD	720-30589-A-25-D MSD	Silica Gel Cleanup	Solid	3550B	

Analysis Batch: 78437

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 720-78392/2-A	LCS 720-78392/2-A	Silica Gel Cleanup	Solid	8015B	78392
LCSD 720-78392/3-A	LCSD 720-78392/3-A	Silica Gel Cleanup	Solid	8015B	78392
MB 720-78392/1-A	MB 720-78392/1-A	Silica Gel Cleanup	Solid	8015B	78392
720-30589-A-25-C MS	720-30589-A-25-C MS	Silica Gel Cleanup	Solid	8015B	78392
720-30589-A-25-D MSD	720-30589-A-25-D MSD	Silica Gel Cleanup	Solid	8015B	78392
720-30628-1	DISP-1	Silica Gel Cleanup	Solid	8015B	78392

QC Association Summary

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30628-1

GC Semi VOA (Continued)

Prep Batch: 78518

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 720-78518/1-A	MB 720-78518/1-A	Silica Gel Cleanup	Water	3510C SGC	
720-30628-2	DISP-2	Silica Gel Cleanup	Water	3510C SGC	
LCS 720-78518/2-A	LCS 720-78518/2-A	Silica Gel Cleanup	Water	3510C SGC	
LCSD 720-78518/3-A	LCSD 720-78518/3-A	Silica Gel Cleanup	Water	3510C SGC	

Analysis Batch: 78531

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 720-78518/2-A	LCS 720-78518/2-A	Silica Gel Cleanup	Water	8015B	78518
LCSD 720-78518/3-A	LCSD 720-78518/3-A	Silica Gel Cleanup	Water	8015B	78518
MB 720-78518/1-A	MB 720-78518/1-A	Silica Gel Cleanup	Water	8015B	78518

Analysis Batch: 78694

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-30628-2	DISP-2	Silica Gel Cleanup	Water	8015B	78518

Metals

Prep Batch: 78466

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 720-78466/1-A	MB 720-78466/1-A	Total/NA	Water	3010A	
LCS 720-78466/2-A	LCS 720-78466/2-A	Total/NA	Water	3010A	
720-30628-2	DISP-2	Total/NA	Water	3010A	
LCSD 720-78466/3-A	LCSD 720-78466/3-A	Total/NA	Water	3010A	
720-30615-E-3-A MS	720-30615-E-3-A MS	Total/NA	Water	3010A	
720-30615-E-3-B MSD	720-30615-E-3-B MSD	Total/NA	Water	3010A	

Analysis Batch: 78543

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 720-78466/1-A	MB 720-78466/1-A	Total/NA	Water	6010B	78466
LCS 720-78466/2-A	LCS 720-78466/2-A	Total/NA	Water	6010B	78466
720-30628-2	DISP-2	Total/NA	Water	6010B	78466
LCSD 720-78466/3-A	LCSD 720-78466/3-A	Total/NA	Water	6010B	78466
720-30615-E-3-A MS	720-30615-E-3-A MS	Total/NA	Water	6010B	78466
720-30615-E-3-B MSD	720-30615-E-3-B MSD	Total/NA	Water	6010B	78466

Prep Batch: 78586

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 720-78586/1-A	MB 720-78586/1-A	Total/NA	Water	7470A	
LCS 720-78586/2-A	LCS 720-78586/2-A	Total/NA	Water	7470A	
LCSD 720-78586/3-A	LCSD 720-78586/3-A	Total/NA	Water	7470A	
720-30629-G-1-D MS	720-30629-G-1-D MS	Total/NA	Water	7470A	
720-30629-G-1-E MSD	720-30629-G-1-E MSD	Total/NA	Water	7470A	
720-30628-2	DISP-2	Total/NA	Water	7470A	

Prep Batch: 78610

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 720-78610/1-A	MB 720-78610/1-A	Total/NA	Solid	7471A	
720-30628-1	DISP-1	Total/NA	Solid	7471A	
LCS 720-78610/2-A	LCS 720-78610/2-A	Total/NA	Solid	7471A	
LCSD 720-78610/3-A	LCSD 720-78610/3-A	Total/NA	Solid	7471A	
720-30571-A-1-L MS	720-30571-A-1-L MS	Total/NA	Solid	7471A	
720-30571-A-1-M MSD	720-30571-A-1-M MSD	Total/NA	Solid	7471A	

QC Association Summary

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30628-1

Metals (Continued)

Prep Batch: 78632

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 720-78632/1-A	MB 720-78632/1-A	Total/NA	Solid	3050B	
LCSSRM 720-78632/15-A	LCSSRM 720-78632/15-A	Total/NA	Solid	3050B	
720-30628-1	DISP-1	Total/NA	Solid	3050B	
LCS 720-78632/2-A	LCS 720-78632/2-A	Total/NA	Solid	3050B	
LCSD 720-78632/3-A	LCSD 720-78632/3-A	Total/NA	Solid	3050B	
720-30623-A-5-B MS	720-30623-A-5-B MS	Total/NA	Solid	3050B	
720-30623-A-5-C MSD	720-30623-A-5-C MSD	Total/NA	Solid	3050B	

Analysis Batch: 78649

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 720-78586/1-A	MB 720-78586/1-A	Total/NA	Water	7470A	78586
LCS 720-78586/2-A	LCS 720-78586/2-A	Total/NA	Water	7470A	78586
LCSD 720-78586/3-A	LCSD 720-78586/3-A	Total/NA	Water	7470A	78586
720-30629-G-1-D MS	720-30629-G-1-D MS	Total/NA	Water	7470A	78586
720-30629-G-1-E MSD	720-30629-G-1-E MSD	Total/NA	Water	7470A	78586
720-30628-2	DISP-2	Total/NA	Water	7470A	78586

Analysis Batch: 78662

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 720-78632/1-A	MB 720-78632/1-A	Total/NA	Solid	6010B	78632
720-30628-1	DISP-1	Total/NA	Solid	6010B	78632
LCSSRM 720-78632/15-A	LCSSRM 720-78632/15-A	Total/NA	Solid	6010B	78632
LCS 720-78632/2-A	LCS 720-78632/2-A	Total/NA	Solid	6010B	78632
LCSD 720-78632/3-A	LCSD 720-78632/3-A	Total/NA	Solid	6010B	78632
720-30623-A-5-B MS	720-30623-A-5-B MS	Total/NA	Solid	6010B	78632
720-30623-A-5-C MSD	720-30623-A-5-C MSD	Total/NA	Solid	6010B	78632

Analysis Batch: 78670

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-30628-1	DISP-1	Total/NA	Solid	7471A	78610
MB 720-78610/1-A	MB 720-78610/1-A	Total/NA	Solid	7471A	78610
LCS 720-78610/2-A	LCS 720-78610/2-A	Total/NA	Solid	7471A	78610
LCSD 720-78610/3-A	LCSD 720-78610/3-A	Total/NA	Solid	7471A	78610
720-30571-A-1-L MS	720-30571-A-1-L MS	Total/NA	Solid	7471A	78610
720-30571-A-1-M MSD	720-30571-A-1-M MSD	Total/NA	Solid	7471A	78610



Certification Summary

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30628-1

Laboratory	Authority	Program	EPA Region	Certification ID	Expiration Date
TestAmerica San Francisco	California	State Program	9	2496	01/31/12

Accreditation may not be offered or required for all methods and analytes reported in this package. Please contact your project manager for the laboratory's current list of certified methods and analytes.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Method Summary

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30628-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL SF
8260B/CA_LUFT MS	8260B / CA LUFT MS	SW846	TAL SF
8015B	Diesel Range Organics (DRO) (GC)	SW846	TAL SF
6010B	Metals (ICP)	SW846	TAL SF
7470A	Mercury (CVAA)	SW846	TAL SF
7471A	Mercury (CVAA)	SW846	TAL SF

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL SF = TestAmerica San Francisco, 1220 Quarry Lane, Pleasanton, CA 94566, TEL (925)484-1919



Sample Summary

Client: Haley & Aldrich, Inc.
Project/Site: GSA Alameda

TestAmerica Job ID: 720-30628-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
720-30628-1	DISP-1	Solid	09/18/10 13:15	09/20/10 13:00
720-30628-2	DISP-2	Water	09/18/10 13:25	09/20/10 13:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

770-30628

Report To **Analysis Request**

Attn: Charles Rome
 Company: Haley & Aldrich
 Address: 2033 N. Main St. Ste 309 Walnut Creek, CA
 Phone: 925-979-1454 Email: crome@haleyaldrich.com
 Bill To: Same Sampled By: C. Rome
 Attn: _____ Phone: _____

TPH EPA: 8260B Gas w/ BTEX MTBE
 TEPH EPA 8015M* Silica Gel Diesel Motor Oil Other _____
 EPA 8260B: Gas BTEX 5 Oxygenates DCA, EDB Ethanol
 (HVOCs) EPA 8021 by 8260B
 Volatile Organics GC/MS (VOCs)
 EPA 8260B 624
 Semivolatiles GC/MS
 EPA 8270 625
 Oil and Grease Petroleum (EPA 1664) Total
 Pesticides EPA 8081 608 EPA 8082 608
 PCBs
 PNAs by 8270 8310
 CAM17 Metals (EPA 8010/7470/7471)
 Metals: Lead LUFT RCRA Other _____
 Low Level Metals by EPA 200.8/6020 (ICP-MS):
 W.E.T (STLC) TCLP
 Hexavalent Chromium pH (24h hold time for H₂O)
 Spec. Cond. Alkalinity TSS TDS
 Anions: Cl SO₄ NO₃ F Br NO₂ PO₄

Sample ID	Date	Time	Mat rix	Preserv	TPH EPA	TEPH EPA	EPA 8260B	(HVOCs)	Volatile Organics	Semivolatiles	Oil and Grease	Pesticides	PCBs	PNAs	CAM17 Metals	Metals	Low Level Metals	W.E.T (STLC)	Hexavalent Chromium	Spec. Cond.	TSS	Anions	Number of Containers
DISP-1	9/18/10	1315	S	Y/N	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>									<input checked="" type="checkbox"/>								4
DISP-2	9/18/10	1325	W	Y	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>									<input checked="" type="checkbox"/>								6

*CA
9/18/10*

Project Info **Sample Receipt**
 Project Name: CSA Alameda # of Containers: _____
 Project#: 36565-001 Head Space: _____
 PO#: _____ Temp: 32°C, 2.60°C
 Credit Card#: _____ Conforms to record: _____

1) Relinquished by:
Charles Rome 1015
 Signature Time
Charles Rome 9/20/10
 Printed Name Date
Haley & Aldrich
 Company

2) Relinquished by:
Ed Martin 1300
 Signature Time
Ed Martin 9-20-10
 Printed Name Date
TASF
 Company

3) Relinquished by:
 Signature _____ Time _____
 Printed Name _____ Date _____
 Company _____

TAT: 5 Day 3 Day 2 Day 1 Day Other: _____
 Report: Routine Level 3 Level 4 EDD Slate Tank
 Fund EDF
 Special Instructions / Comments: Global ID _____

1) Received by:
Ed Martin 10:15
 Signature Time
Ed Martin 9-20-10
 Printed Name Date
TASF
 Company

2) Received by:
John Mulkey 1300
 Signature Time
Mulkey 9-20-10
 Printed Name Date
Test America
 Company

3) Received by:
 Signature _____ Time _____
 Printed Name _____ Date _____
 Company _____

See Terms and Conditions on reverse
 *TestAmerica SF reports 8015M from C₉-C₂₄ (industry norm). Default for 8015B is C₁₀-C₂₈

Login Sample Receipt Check List

Client: Haley & Aldrich, Inc.

Job Number: 720-30628-1

Login Number: 30628

Creator: Mullen, Joan

List Number: 1

List Source: TestAmerica San Francisco

Question	T / F / NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	
The cooler's custody seal, if present, is intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	



APPENDIX D

Manifest

NON-HAZARDOUS WASTE MANIFEST 1. Generator ID Number: **N/A** 2. Page 1 of 1 3. Emergency Response Phone: **707.355.0150** 4. Waste Tracking Number: **GSA 0902.5**

5. Generator's Name and Mailing Address: **U.S. General Services Administration, 620 Central Avenue, Alameda, California 94501**
 Generator's Site Address (if different than mailing address):
 Generator's Phone: **(510) 337-9087**

6. Transporter 1 Company Name: **ENV Environmental International, Inc.** U.S. EPA ID Number: **CA R000179382**

7. Transporter 2 Company Name: U.S. EPA ID Number:

8. Designated Facility Name and Site Address: **Crosby and Overton, 1610 W. 17th Street, Long Beach, CA 90813**
 Facility's Phone: **552-432-5445** U.S. EPA ID Number: **CA D028409019**

9. Waste Shipping Name and Description	10. Containers		11. Total Quantity	12. Unit Wt./Vol.
	No.	Type		
1. Non Hazardous Waste Liquids (Purged Water)	001	DM	30	G
2. Non Hazardous Waste Solids (Soil Debris)	001	DM	200	P
3.				
4.				

13. Special Handling Instructions and Additional Information:
 Send Invoice to: **ENV Environmental International, Inc. Attn: Mark Wam. Always wear proper PPE when handling this material.**
 Project number: **GSA 0902.5 Alameda Soil and Water Disposal 9b.1 Profile number 78110 // 9b.2 Profile number 78111**

14. GENERATOR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.
 Generator's/Officer's Printed/Typed Name: **Carolyn Cooley** Signature: *[Signature]* Month Day Year: **10/14/10**

15. International Shipments: Import to U.S. Export from U.S. Port of entry/exit: Date leaving U.S.:

16. Transporter Acknowledgment of Receipt of Materials
 Transporter 1 Printed/Typed Name: **Carlos Dujeno** Signature: *[Signature]* Month Day Year: **10/14/10**
 Transporter 2 Printed/Typed Name: Signature: Month Day Year:

17. Discrepancy
 17a. Discrepancy Indication Space: Quantity Type Residue Partial Rejection Full Rejection
 Manifest Reference Number:

17b. Alternate Facility (or Generator): U.S. EPA ID Number:
 Facility's Phone:

17c. Signature of Alternate Facility (or Generator): Month Day Year:

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name: Signature: Month Day Year: