

November 16, 2010

Mr. Paresh Khatri  
Hazardous Materials Specialist  
Alameda County Environmental Health  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94501-6577

**RECEIVED**

3:13 pm, Nov 30, 2010

Alameda County  
Environmental Health

**Subject:** **Soil and Groundwater Investigation Report**  
Crown Chevrolet Cadillac Isuzu  
7544 Dublin Boulevard and 6707 Golden Gate Drive  
Dublin, California  
Fuel Leak Case No. RO0003014


Dear Mr. Khatri:

Enclosed please find the *Soil and Groundwater Investigation Report* for the Crown Chevrolet Cadillac Isuzu site at 7544 Dublin Boulevard and 6707 Golden Gate Drive in Dublin, California (Fuel Leak Case No. RO0003014, GeoTracker Global ID T10000001616). This report summarizes soil and groundwater investigation activities conducted by AMEC Geomatrix, Inc. (AMEC), on behalf of Crown Chevrolet Cadillac Isuzu, in September 2010.

I declare under penalty of perjury that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

Please contact me at (925) 556-3201 or Avery Patton of AMEC at 510-663-4154 if you have any questions regarding this report.

Sincerely yours,



Patrick Costello  
Owner  
Crown Chevrolet Cadillac Isuzu

Attachment: **Soil and Groundwater Investigation Report**

cc: Gregory Brandt, Wendel, Rosen, Black & Dean LLP  
John Mullan, Zurich North American Insurance  
Thomas L. Vormbrock, Rimkus Consulting Group, Inc.  
Ed Conti, AMEC Geomatrix, Inc.



**SOIL AND GROUNDWATER INVESTIGATION REPORT**

Crown Chevrolet Cadillac Isuzu  
7544 Dublin Boulevard and 6707 Golden Gate Drive  
Dublin, California  
Fuel Leak Case No. RO0003014

*Prepared for:*  
Crown Chevrolet Cadillac Isuzu

*Prepared by:*  
**AMEC Geomatrix, Inc.,**

November 16, 2010


Project OD10160070

**SOIL AND GROUNDWATER INVESTIGATION  
REPORT**

Crown Chevrolet Cadillac Isuzu  
7544 Dublin Boulevard and 6707 Golden Gate Drive  
Dublin, California  
Fuel Leak Case No. RO0003014

November 16, 2010  
Project OD10160070

This report was prepared by AMEC Geomatrix, Inc. under the professional supervision of Edward P. Conti. The findings, recommendations, specifications and/or professional opinions presented in this report were prepared in accordance with generally accepted professional geologic practice, and within the scope of the project. There is no other warranty, either express or implied.



---

Edward P. Conti, C.E.G., C.HG.  
Principal Geologist

## TABLE OF CONTENTS

	Page
1.0 OBJECTIVES.....	1
2.0 BACKGROUND .....	1
3.0 FIELD AND LABORATORY METHODS.....	2
3.1 FIELD METHODS.....	2
3.2 LABORATORY ANALYTICAL METHODS.....	3
3.3 DATA QUALITY REVIEW .....	4
3.4 INVESTIGATION-DERIVED WASTE.....	4
4.0 RESULTS.....	4
4.1 FIELD OBSERVATIONS .....	5
4.2 SOIL ANALYTICAL RESULTS .....	5
4.2.1 Total Petroleum Hydrocarbons .....	5
4.2.2 Polynuclear Aromatic Hydrocarbons .....	6
4.2.3 Volatile Organic Compounds .....	6
4.3 GRAB GROUNDWATER ANALYTICAL RESULTS.....	6
4.3.1 Total Petroleum Hydrocarbons .....	6
4.3.2 Polynuclear Aromatic Hydrocarbons .....	7
4.3.3 Volatile Organic Compounds .....	7
4.4 CHROMIUM .....	8
5.0 CONCLUSIONS AND RECOMMENDATIONS .....	8
5.1 SOIL .....	8
5.2 GROUNDWATER .....	9
5.3 RECOMMENDATIONS .....	9
6.0 REFERENCES.....	10

## TABLES

Table 1	Sample and Analytical Matrix
Table 2	Summary of Total Petroleum Hydrocarbons and Polynuclear Aromatic Hydrocarbons in Soil
Table 3	Summary of Volatile Organic Compounds in Soil
Table 4	Summary of Total Petroleum Hydrocarbons and Polynuclear Aromatic Hydrocarbons in Groundwater
Table 5	Summary of Volatile Organic Compounds and Chromium in Groundwater

## FIGURES

Figure 1	Site Location Map
Figure 2	Site Plan and Boring Locations
Figure 3	Total Petroleum Hydrocarbons in Soil
Figure 4	Volatile Organic Compounds in Soil
Figure 5	Total Petroleum Hydrocarbons in Groundwater
Figure 6	Volatile Organic Compounds in Groundwater
Figure 7	Chromium in Soil and Dissolved Chromium in Groundwater

## APPENDICES

Appendix A	Drilling Permit
Appendix B	Soil Boring Logs
Appendix C	Data Quality Review
Appendix D	Copies of Laboratory Analytical Reports

## SOIL AND GROUNDWATER INVESTIGATION REPORT

Crown Chevrolet Cadillac Isuzu  
7544 Dublin Boulevard and 6707 Golden Gate Drive  
Dublin, California

AMEC Geomatrix, Inc. (AMEC), has prepared this report on behalf of Crown Chevrolet Cadillac Isuzu for the property located at 7544 Dublin Boulevard and 6707 Golden Gate Drive in Dublin, California (the site; Figure 1). This report presents the results of soil and groundwater sampling conducted by AMEC at the site from September 27 through 29, 2010.

### 1.0 OBJECTIVES

The objectives of the soil and groundwater sampling were to attempt to identify potential contamination source areas and delineate the extent of impacts associated with such source areas at the site.

### 2.0 BACKGROUND

The site is located on the relatively flat floor of a valley that extends to the north-northwest, toward San Ramon and Danville. The closest water body is a creek that flows through a culvert; the creek flows from a gully west of the site, enters a culvert north of the site, and then bends to the south, passing approximately 1,000 feet east of the site. Groundwater has been encountered at both the Montgomery Ward (Environmental Audit, Inc., 1996) property across Dublin Boulevard to the north of the site and at Quest Laboratory (Bureau Veritas, 2009), immediately south of the site, at depths of ranging from approximately 8 to 16 feet below ground surface (bgs). Groundwater flows to the east-southeast in the vicinity of the site, based on data from monitoring associated with the Montgomery Ward property. A recent investigation at Quest Laboratory identified groundwater flow to the north, toward the site. Later measurements at Quest Laboratory indicated groundwater flow to the southeast.

In October 2008, Basics Environmental, Inc. (Basics), performed a Phase I environmental site assessment, which summarized the site's history and use (Basics, 2008). Another Phase I environmental site assessment was performed by AEI Consultants, and submitted in the same month (AEI, 2008). Based on the Phase I reports, which documented similar information, Basics performed a limited soil and groundwater investigation in February 2009, advancing 10 borings for the collection of soil and grab groundwater samples near potential sources of contamination. The results were documented in a report titled *Limited Phase II Environmental Sampling Report* (Phase II report, Basics, 2009).

In March 2010, ACEH requested a work plan for additional soil and groundwater investigation (ACEH, 2010a). A *Work Plan for Soil and Groundwater Investigation* (work plan) was prepared

by AMEC and submitted to Alameda County Environmental Health Department (ACEH) in June 2010 (AMEC, 2010), and approved by ACEH on August 20, 2010 (ACEH, 2010b).

### **3.0 FIELD AND LABORATORY METHODS**

Activities performed during the September 2010 soil and groundwater investigation included collection and analysis of soil and grab groundwater samples from twelve locations at the site (Figure 2). A sampling matrix (Table 1) summarizes samples collected and analyses performed.

Prior to conducting the field work, AMEC obtained a drilling permit from Zone 7 Water Agency (Appendix A). Additionally, AMEC marked the proposed boring locations with white paint, contacted Underground Service Alert, in accordance with state law, and contracted with a private utility locator to check boring locations for underground utilities.

#### **3.1 FIELD METHODS**

Twelve soil borings were advanced under the supervision of an AMEC field geologist using dual-tube, direct-push technology, from September 27 through 29, 2010. The borings were advanced to total depths ranging from 15 to 20 feet below ground surface (bgs) by PeneCore Drilling, of Woodland, California, a California C57-licensed contractor.

The recovered soil core from each soil boring location was described by an AMEC field geologist, under the supervision of an AMEC California Professional Geologist, using the visual-manual procedures of the ASTM International Standard D 2488 for guidance, which is based on the Unified Soil Classification System (USCS). Recovered soils were generally screened for the presence of volatile organic compounds (VOCs) using a photoionization detector (PID). The recorded PID readings are shown on the lithologic logs prepared for each boring (Appendix B).

Soil samples were collected based on field observations of potential contamination (e.g., staining, odor, or PID reading), or, in the absence of observations of potential contamination, samples were collected from 3.0 feet bgs and/or from near the top of the zone of saturation, in accordance with the work plan. In some cases where samples were collected based on observations of potential contamination, additional samples were collected above and below the potentially contaminated sample to help vertically delineate possible impacts to soil.

Soil samples for analysis of volatile compounds (i.e., VOCs and total petroleum hydrocarbons as gasoline [TPHg]) were collected into laboratory-supplied volatile organic analysis (VOA) containers, equipped with preservatives appropriate for the desired analyses, using a new, clean plastic plunger for each sample. Soil samples for other analyses were collected into laboratory-supplied jars.

Once each soil boring had been advanced to total depth, at locations where the work plan called for a grab groundwater sample to be collected (i.e., all locations except SB-09), temporary

Polyvinyl chloride (PVC) casing with a 0.01-inch slotted screen was installed in the boring, and the outer casing was retracted to allow groundwater to enter the boring. Prior to collection of each groundwater sample, the casing was purged using a peristaltic pump and new, disposable tubing. Purging continued until the water was relatively clear (up to approximately 0.4 gallons of water was purged from each boring). Following purging, a grab groundwater sample was collected into laboratory-provided containers equipped with preservatives appropriate for the desired analyses, using the same methodology as was used to purge the boring.

The soil and groundwater samples were immediately labeled with unique identifiers and placed into zip-closure plastic bags. Samples were stored in ice-chilled coolers pending transport under AMEC chain-of-custody procedures to TestAmerica Laboratories, Inc., of Pleasanton, California, a California Department of Public Health-certified analytical laboratory.

Following completion of sampling, the borings were backfilled using a tremie pipe from total depth to ground surface with neat cement grout.

### **3.2 LABORATORY ANALYTICAL METHODS**

The soil and grab groundwater samples were analyzed for one or more of the following analyses:

- VOCs, including benzene, toluene, ethylbenzene, and xylenes (BTEX, collectively), and methyl tert-butyl ether (MTBE), using U.S. Environmental Protection Agency (U.S. EPA) Method 8260B; or for BTEX and MTBE only.
- TPHg using U.S. EPA Method 8260B.
- Total petroleum hydrocarbons quantified as diesel (TPHd) and motor oil (TPHmo) using U.S. EPA Method 8015B, following a silica gel preparation procedure in accordance with U.S. EPA Method 3630C. In addition, from each boring where a groundwater sample was collected for TPHd and TPHmo analyses, a duplicate grab groundwater sample was collected and filtered by the laboratory using a 0.7-micron glass-fiber filter prior to analysis, in order to provide an analysis that limits representation of TPH in the extractible range that may be adsorbed onto sediment present in the grab groundwater samples.
- Polynuclear aromatic hydrocarbons (PAHs) using U.S. EPA Method 8270C with selective ion monitoring (SIM).
- Total chromium using U.S. EPA Method 6020. The work plan specified that samples would be analyzed for dissolved total chromium; however, the laboratory initially performed the analyses with unfiltered samples. After this error was noted, the analytical laboratory used some remaining sample volume (from a different, unpreserved container) to filter and perform a dissolved total chromium analysis. All laboratory results (filtered and unfiltered) are presented in this report.
- Dissolved hexavalent chromium using U.S. EPA Method 7199.

### **3.3 DATA QUALITY REVIEW**

AMEC evaluated the analytical data using guidelines set forth in the U.S. Environmental Protection Agency's (EPA's) USEPA Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review (U.S. EPA, 2008), and the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review (U.S. EPA, 2010).

Quality assurance procedures for soil samples included the collection and analysis of one matrix spike/matrix spike duplicate (MS/MSD) sample; laboratory analysis of method blank samples, surrogate spikes, and laboratory control samples/laboratory control sample duplicates (LCS/LCSDs); and evaluation of the analytical results.

Quality assurance procedures for groundwater samples included the collection and analysis of one blind field duplicate sample and two MS/MSD samples; laboratory analysis of method blank samples, surrogate spikes, and LCS/LCSDs; and evaluation of the analytical results.

Based on an evaluation of data quality, some data were qualified as positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample (qualified with "J"); some data were qualified as estimated quantities that may be biased low (qualified with "J-"); and some data were qualified as not detected at a level greater than or equal to the laboratory reporting limit, but the laboratory reporting limit is approximate and may be inaccurate or imprecise (qualified with "UJ"). Overall, the results of the data quality review indicate that the analytical results are valid and useable. The data, as qualified, are acceptable and can be used for decision-making purposes; however, the limitations identified by the applied qualifiers should be considered when using the data. The complete data quality review is included in Appendix C.

### **3.4 INVESTIGATION-DERIVED WASTE**

Monitoring well purge water, equipment decontamination water, and soil cuttings were generated during the drilling and sampling activities performed at the site in September 2010. The purge water and equipment decontamination water were combined and placed in one Department of Transportation (DOT)-approved, 55-gallon drum. The soil cuttings were placed in a second DOT-approved 55-gallon drum. The drums are stored at the site pending disposal by a licensed contractor. One soil sample (IDW-1) and one water sample (IDW-2) were collected from the drums for waste characterization purposes. Copies of the laboratory analytical reports and sample chain-of-custody records are included in Appendix D.

## **4.0 RESULTS**

The field observations and laboratory analytical results for the soil and grab groundwater sampling performed in September 2010 are summarized below. The laboratory analytical results are presented in Tables 2 through 5 and on Figures 3 through 7. Table 1 provides a

matrix of samples and analyses. Copies of the laboratory analytical reports and sample chain-of-custody records are included in Appendix D.

The laboratory analytical results are compared to Environmental Screening Levels (ESLs) published by the California Regional Water Quality Control Board, San Francisco Bay Region (Regional Water Board), based on a residential land use scenario, and assuming that groundwater is a drinking water resource (Regional Water Board, 2007). The ESLs are conservative screening levels that correspond to an acceptable risk level; concentrations of the constituents below their respective ESLs can be considered to pose no significant risk. Concentrations of constituents above their respective ESLs do not necessarily indicate a risk is present, but rather suggest that additional scrutiny is warranted.

#### **4.1 FIELD OBSERVATIONS**

Soil encountered during this investigation consisted of lean clay with varying amounts of sand, to the total explored depth of 20 feet bgs, with the exception of thin (up to 0.6-foot-thick) lenses of clayey sand in borings SB-06, SB-07, and SB-08, at depths ranging from 6.5 to 13.5 feet bgs. Additionally, clayey sand with gravel (likely fill material) was present from beneath the concrete slab at the ground surface to approximately 4.7 feet bgs in boring SB-04, and from approximately 1.5 to 4.5 feet bgs in boring SB-10.

Saturated soil was not observed, likely due to the clay content of the soil. However, groundwater was measured prior to sampling at depths ranging from 9.2 to 15.5 feet bgs in the borings (the depth to groundwater was not measured in borings SB-04, SB-09, and SB-12).

Discoloration and/or elevated PID readings were encountered in several of the borings. PID readings up to 26 parts per million (ppm) were recorded from approximately 11 to 13 feet bgs in boring SB-02, and from approximately 5.5 to 8.5 feet bgs in boring SB-10. PID readings up to 5,800 ppm were recorded from approximately 3.0 feet bgs in boring SB-03, where VOCs were part of the analytical suite (Section 4.2.3); however, equipment malfunction prevented collection of PID readings from deeper soil in boring SB-03, as well as from boring SB-05. Greenish-colored soil, which may indicate the presence or former presence of petroleum hydrocarbons, was encountered in borings SB-01 through SB-05, and SB-09, at varying depths (see Appendix B).

#### **4.2 SOIL ANALYTICAL RESULTS**

Analytical results for soil samples collected during the September 2010 investigation are discussed in the following sections.

##### **4.2.1 Total Petroleum Hydrocarbons**

Results for TPH in soil are presented in Table 2 and on Figure 3, which also presents the results from Basics' investigation in 2009. TPHg was detected in three soil samples from three borings

(SB-01, SB-02, and SB-03). TPHg was detected at 1,200 mg/kg in the 3.2-foot sample from boring SB-03, exceeding the ESL of 83 mg/kg. However, the chromatogram for this sample did not resemble the gasoline standard; the TPHg value reported is likely due to the presence of non-gasoline VOCs in the sample (Section 4.2.3). No other TPHg results exceeded the ESL.

TPHd was detected in five soil samples from five borings, and TPHmo was detected in one soil sample; no TPHd or TPHmo results exceeded their respective ESLs.

#### **4.2.2 Polynuclear Aromatic Hydrocarbons**

Results for PAHs in soil are presented in Table 2 With the exception of low levels of naphthalene (detected at concentrations up to an estimated 9.4 mg/kg, well below the ESL of 1,300 mg/kg) detected in four soil samples from three borings (SB-06, SB-08, and SB-09), PAHs were not detected in any soil samples.

#### **4.2.3 Volatile Organic Compounds**

Results for VOCs in soil are presented in Table 3 and on Figure 4, which also presents the results from Basics' investigation in 2009. Results for chlorobenzene (detected at concentrations up to 90,000 µg/kg), 1,2-dichlorobenzene (detected at concentrations up to 30,000 µg/kg), and/or 1,4-dichlorobenzene (detected at concentrations up to 5,400 µg/kg) in soil were greater than their respective ESLs for samples collected from four depths (i.e., from approximately 2.8 to 11.5 feet bgs) from boring SB-03, adjacent to a sump in the area known as Service Area 2 of Building B at the site.

### **4.3 GRAB GROUNDWATER ANALYTICAL RESULTS**

Analytical results for grab groundwater samples collected during the September 2010 investigation are discussed in the following sections.

#### **4.3.1 Total Petroleum Hydrocarbons**

Results for TPH in groundwater are presented in Table 4 and on Figure 5, which also presents the results from Basics' investigation in 2009. TPHg was detected in groundwater from one boring (SB-02). Where analyzed, TPHd was detected in unfiltered groundwater samples from two borings (SB-07 and SB-12), and TPHmo was not detected in the filtered or unfiltered groundwater samples from any boring. No TPHg, TPHd, or TPHmo results for groundwater exceeded their respective ESLs. It should be noted that the laboratory reporting limits for all TPHmo analyses (i.e., from 300 to 320 µg/L) exceed the ESL of 100 µg/L. However, the method detection limit for unfiltered TPHmo analyses is 130 µg/L (and is up to 140 µg/L for filtered TPHmo analyses); TPHmo was not detected at or above the method detection limit in any sample.

The groundwater results presented above contrast with the findings of the Basics investigation in 2009, where the results for TPH in groundwater exceeded ESLs for all samples collected.

Potential reasons for this distinction include analytical methodology and sampling methodology, as discussed further below.

Regarding analytical methodology, AMEC requested that the laboratory perform a silica gel preparation procedure prior to analysis of samples for TPHd and TPHmo analyses. The purpose of the silica gel preparation is to remove polar compounds which can bias total petroleum hydrocarbon analyses using EPA Method 8015. Petroleum hydrocarbons are non-polar compounds, but many naturally occurring hydrocarbons, such as those found in organic material from plants, are polar. A silica gel preparation procedure was not performed prior to analysis for TPHd and TPHmo on the samples collected by Basics in 2009. It is therefore likely that non-petroleum hydrocarbons contributed to the quantitation of TPH in the 2009 investigation.

Regarding sampling methodology, AMEC used a dual-tube sampling system to advance the soil borings, which allows the soil core to be removed from the boring without removing the outer casing. Basics used a sampling system in which the sampling barrel is completely removed from the borehole every five feet in order to retrieve a sample. Using such a technique, it is possible for shallower soil or materials from the ground surface to enter the boring before a sample is collected.

Furthermore, copies of the laboratory analytical reports included in Basics' Phase II report indicated that each groundwater sample contained at least 1% sediment. It is therefore possible that the results of the 2009 investigation overestimate the concentrations of TPH dissolved in groundwater due to quantification of hydrocarbons that may have been adsorbed onto sediment particles rather than dissolved in the groundwater.

#### **4.3.2 Polynuclear Aromatic Hydrocarbons**

Results for PAHs in groundwater are presented in Table 4. PAHs were not detected in any groundwater samples.

#### **4.3.3 Volatile Organic Compounds**

Results for VOCs in groundwater are presented in Table 5 and on Figure 6, which also presents the results from Basics' investigation in 2009. Results for benzene (detected at 1.5 µg/L), chlorobenzene (detected at 84 µg/L), and 1,2-dichlorobenzene (detected at 42 µg/L) in groundwater were greater than their respective ESLs for the samples collected from boring SB-03, adjacent to the sump in the area known as Service Area 2 of Building B at the site. Tetrachloroethene, trichloroethene, cis-1,2-dichloroethene, and 1,4-dichlorobenzene, were also detected in the groundwater sample from boring SB-03; however, these concentrations were below their respective ESLs. VOCs were not detected in any of the other groundwater samples analyzed for VOCs.

#### 4.4 CHROMIUM

Four grab groundwater samples (i.e., SB-05, SB-06, SB-07, and SB-08) were analyzed for total and hexavalent chromium; results are presented in Table 5 and on Figure 7, which also presents the results from Basics' investigation in 2009. The September 2010 investigation results are discussed below.

- Dissolved hexavalent chromium was detected in all samples analyzed; no results exceeded the ESL.
- Total chromium (unfiltered) was detected in all samples analyzed; the result for sample SB-06 (250 µg/L) exceeded the ESL for total chromium (50 µg/L).
- Dissolved total chromium was detected in all samples analyzed. The results ranged from 2.3 to 3.3 µg/L, well below the ESL for total chromium (50 µg/L); however, the results are estimated quantities, and may be biased low, as discussed below.

The work plan specified that the samples would be analyzed for dissolved total chromium; however, the laboratory initially performed the analyses with unfiltered samples. Therefore, the resultant total chromium values likely overestimate the concentration of chromium that is dissolved in groundwater. After this error was noted, AMEC requested that samples SB-05, SB-06, SB-07, and SB-08 be reanalyzed by the analytical laboratory, which filtered some remaining sample volume (from a different, unpreserved container) and then performed dissolved total chromium analysis on each sample. However, since the unfiltered samples were stored in unpreserved glass containers, rather than being filtered and then stored in preserved plastic containers as required by the analytical method, the dissolved total chromium results were qualified as estimated and may be biased low. The data qualification is discussed further in the data quality review (Appendix C).

### 5.0 CONCLUSIONS AND RECOMMENDATIONS

Conclusions and recommendations based on evaluation of the results of the soil and groundwater sampling conducted in September 2010 and reported herein and the results of Basics' investigation in 2009 are presented below.

#### 5.1 SOIL

No source of TPH in soil has been identified. The TPHg detection in boring SB-03 is likely due to the presence of non-gasoline VOCs, as discussed in Section 4.2.1.

Based on the results of our September 2010 investigation and Basics' 2009 investigation, the source of the VOCs detected in soil is the sump adjacent to the hot parts washer in the area known as Service Area 2 of Building B (Basics, 2008). It is our understanding that the hot parts washer is no longer used. The horizontal and vertical extents of VOCs in soil greater than ESLs have not been fully delineated.

## 5.2 GROUNDWATER

Basics' investigation in 2009 indicated the presence of TPH in groundwater beneath the site at concentrations that exceeded ESLs. However, our September 2010 investigation found no source of TPH in groundwater, and did not identify TPH in groundwater that exceeded ESLs. Possible reasons for the discrepancy between the results of the two investigations are discussed above, in Section 4.3.1.

Based on the results of this investigation and the Basics investigation in 2009, the source of the VOCs detected in groundwater is the sump adjacent to the hot parts washer in Service Area 2 of Building B (Basics, 2008). Concentrations of VOCs in groundwater did not exceed ESLs in the sample from Basics' boring B10, approximately 60 feet east-southeast of the sump, indicating that VOC concentrations in groundwater rapidly attenuate in the presumed hydraulically downgradient direction from the sump (i.e., east-southeast). Based on this information, VOCs have been adequately delineated in groundwater at the site.

No source of chromium in groundwater has been identified. Basics' investigation in 2009 indicated that dissolved total chromium was present in groundwater above the ESL at one location in Auto Body Shop 2 of Building C. AMEC's initial analysis of total chromium was performed on unfiltered samples, and one result at the eastern property boundary exceeded the ESL. However, subsequent analysis of dissolved total chromium indicated that concentrations of dissolved total chromium in groundwater do not exceed the ESL. Although the results are estimated and may be biased low, the results are well below the ESL.

## 5.3 RECOMMENDATIONS

AMEC recommends that Crown Chevrolet address the VOC impacts in the vicinity of the existing sump in the area known as Service Area 2 of Building B.

Results from AMEC's investigation indicate the presence of some VOCs in soil above their respective ESLs from approximately 3.0 feet bgs to the maximum depth sampled in boring SB-03 of 11.5 feet bgs. TPHg was also detected above its ESL at 3.2 feet bgs; however, the reported TPHg concentration is likely due to quantification of non-gasoline VOCs present in the sample. Our results also indicate the presence of VOCs in groundwater above ESLs in the vicinity of the sump.

AMEC recommends a limited excavation be performed in the area of the sump in order to remove accessible soil containing VOCs, and dewatering in conjunction with the excavation to reduce the mass of VOCs in groundwater. Confirmation soil sampling from the walls and floor of the excavation should be performed to assess the presence of remaining soil containing VOCs, if any. VOCs remaining in groundwater, following excavation to remove the source material and dewatering, would be expected to naturally attenuate. Groundwater monitoring should be

performed following excavation and dewatering to verify natural attenuation of the VOCs in groundwater.

No further action is recommended relative to chromium, PAHs, and TPH.

## **6.0 REFERENCES**

AEI Consultants (AEI), 2008, Phase I Environmental Site Assessment, 7544 Dublin Boulevard & 6707 Golden Gate Drive, Dublin, California, October 29.

Alameda County Environmental Health Department (ACEH), 2010a, Site Investigation for Fuel Leak Case No. RO000314 and GeoTracker Global ID T10000001616, Crown Chevrolet Cadillac Isuzu, 7544 Dublin Boulevard, Dublin, CA, 94568, March 24.

ACEH, 2010b, Site Investigation for Fuel Leak Case No. RO0003014 and GeoTracker Global ID, T10000001616, Crown Chevrolet Cadillac Isuzu, 7544 Dublin Boulevard, Dublin, CA, 94568, August 20.

AMEC Geomatrix, Inc. (AMEC), 2010, Soil and Groundwater Investigation Work Plan, Crown Chevrolet Cadillac Isuzu, 7544 Dublin Boulevard and 6707 Golden Gate Drive, Dublin, California, Fuel Leak Case No. RO0003014, June 15.

Bureau Veritas, 2009, Additional Soil and Groundwater Investigation (Fuel Leak Case No. RO0002860), Former Quest Laboratory, 6511 Golden Gate Drive, Dublin, California, March 13.

Basics Environmental, Inc. (Basics), 2008, Phase I Environmental Site Assessment, 7544 Dublin Boulevard and 6707 Golden Gate Drive, Dublin, California, October 14.

Basics, 2009, Limited Phase II Environmental Site Sampling Report, 7544 Dublin Boulevard & 6707 Golden Gate Drive, Dublin, California, March 16.

California Regional Water Quality Control Board, San Francisco Region (Regional Water Board), 2007, Screening for Environmental Concerns at Sites with Contaminated Soil and Groundwater, November, revised May 2008.

Environmental Audit, Inc., 1996, Ground Water Monitoring Report, Fourth Quarter 1996, Montgomery Ward Auto Service Center, 7575 Dublin Boulevard, Dublin, California, December 12.

U.S. Environmental Protection Agency (U.S. EPA), 2008, USEPA Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review, EPA-540-R-08-01, June.

U.S. EPA, 2010, USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review, OSWER 9240.1-51. EPA 540-R-10-011, January.

---

**TABLES**

**TABLE 1**
**SAMPLE AND ANALYTICAL MATRIX<sup>1</sup>**

Crown Chevrolet Cadillac Isuzu  
 7544 Dublin Boulevard and 6707 Golden Gate Drive  
 Dublin, California

<b>Location</b>	<b>Total Depth of Boring (feet bgs)</b>	<b>Sample Depth (feet bgs)</b>	<b>Sample ID</b>	<b>VOCs, TPHg<sup>2</sup></b>	<b>BTEX, MTBE, TPHg<sup>2</sup></b>	<b>TPHd/ TPHmo<sup>3</sup></b>	<b>PAHs<sup>4</sup></b>	<b>Chromium<sup>5</sup></b>
SB-01	20.0	11.7	SB-01-11.7	--	X	--	--	--
		13.8	SB-01-13.8	--	X	--	--	--
		GW	SB-01	--	X	--	--	--
SB-02	17.5	9.1	SB-02-9.1	--	X	--	--	--
		11.5	SB-02-11.5	--	X	--	--	--
		GW	SB-02	--	X	--	--	--
SB-03	16.0	1.3	SB-03-1.3	X	--	--	--	--
		2.8	SB-03-2.8	X	--	--	--	--
		3.2	SB-03-3.2	X	--	--	--	--
		6.5	SB-03-6.5	X	--	--	--	--
		11.5	SB-03-11.5	X	--	--	--	--
		GW	SB-03	X	--	--	--	--
SB-04	16.0	3.0	SB-04-3.0	--	X	X	X	--
		7.0	SB-04-7.0	--	X	X	--	--
		8.5	SB-04-8.5	--	X	X	--	--
		12.0	SB-04-12	--	X	X	X	--
		GW	SB-04 <sup>6</sup>	--	X (DUP)	X (DUP)	X (DUP)	--
SB-05	15.0	0.7	SB-05-0.7	--	--	X	X	--
		2.0	SB-05-2	--	--	X	--	--
		11.5	SB-05-11.5	--	--	X	X	--
		GW	SB-05	--	--	X	X	X
SB-06	15.0	3.0	SB-06-3.0	--	--	X	X	--
		11.0	SB-06-11.0	--	--	X	X	--
		GW	SB-06	--	--	X	X	X
SB-07	17.0	13.2	SB-07-13.2	--	--	X	X	--
		GW	SB-07	--	--	X	X	X
SB-08	20.0	15.7	SB-08-15.7	--	X	X	X	
		GW	SB-08	--	X	X	X	X
SB-09	15.0	3.0	SB-09-3.0	--	--	X	--	--
		4.9	SB-09-4.9	--	--	X	X	--
		6.0	SB-09-6.0	--	--	X	--	--
		12.0	SB-09-12.0	--	--	X	X	--
SB-10	16.5	4.0	SB-10-4.0	--	--	X	--	--
		9.0	SB-10-9.0	--	--	X	--	--
		10.5	SB-10-10.5	--	--	X	--	--
		11.5	SB-10-11.5	--	--	X	X	--
		GW	SB-10	--	--	X	X	--
SB-11	18.0	12.8	SB-11-12.8	--	--	X	X	--
		GW	SB-11	--	--	X	X	--
SB-12	17.0	12.0	SB-12-12	--	--	X	X	--
		GW	SB-12	--	--	X	X	--

**TABLE 1****SAMPLE AND ANALYTICAL MATRIX<sup>1</sup>**

Crown Chevrolet Cadillac Isuzu  
7544 Dublin Boulevard and 6707 Golden Gate Drive  
Dublin, California

**Notes**

1. Samples were collected by AMEC Geomatrix, Inc., and analyzed by TestAmerica Laboratories, Inc., of Pleasanton, California.
2. Samples were analyzed for VOCs (including BTEX) and TPHg using U.S. EPA Method 8260B.
3. Samples were analyzed for TPHd and TPHmo using U.S. EPA Method 8015B, following a silica gel preparation in accordance with U.S. EPA Method 3630C.
4. Samples were analyzed for PAHs using U.S. EPA Method 8270C with selective ion monitoring (SIM).
5. Samples were analyzed using U.S. EPA Method 7199 for dissolved hexavalent chromium and U.S. EPA Method 6020 for total and dissolved total chromium.
6. A blind field duplicate sample was collected from boring SB-04, and was labeled as SB-40.

**Abbreviations**

-- = analysis not performed

bgs = below ground surface

BTEX = benzene, toluene, ethylbenzene, and xylenes, collectively

DUP = a duplicate sample was also collected and analyzed

GW = a groundwater sample was collected

MTBE - methyl tert-butyl ether

PAHs = polynuclear aromatic hydrocarbons

TPHd = total petroleum hydrocarbons quantified as diesel

TPHg = total petroleum hydrocarbons quantified as gasoline

TPHmo = total petroleum hydrocarbons quantified as motor oil

VOCs = volatile organic compounds

X = sample analyzed

TABLE 2

**SUMMARY OF TOTAL PETROLEUM HYDROCARBONS AND  
POLYNUCLEAR AROMATIC HYDROCARBONS IN SOIL<sup>1</sup>**

Crown Chevrolet Cadillac Isuzu  
7544 Dublin Boulevard and 6707 Golden Gate Drive  
Dublin, California

Concentrations reported in milligrams per kilogram (mg/kg)

Sample ID	Location	Depth (feet bgs)	Date	TPH			PAHs	
				TPHg	TPHd	TPHmo	Naphthalene	All other PAHs
SB-01-11.7	SB-01	11.7	9/27/2010	< 0.18	NA	NA	NA	NA
SB-01-13.8		13.8	9/27/2010	13 J	NA	NA	NA	NA
SB-02-9.1	SB-02	9.1	9/27/2010	< 0.19	NA	NA	NA	NA
SB-02-11.5		11.5	9/27/2010	1.4	NA	NA	NA	NA
SB-03-1.3	SB-03	1.3	9/28/2010	< 0.19	NA	NA	NA	NA
SB-03-2.8		2.8	9/28/2010	< 22	NA	NA	NA	NA
SB-03-3.2		3.2	9/28/2010	1,200 <sup>2,3</sup>	NA	NA	NA	NA
SB-03-6.5		6.5	9/28/2010	< 20	NA	NA	NA	NA
SB-03-11.5		11.5	9/28/2010	< 22	NA	NA	NA	NA
SB-04-3.0	SB-04	3.0	9/27/2010	< 0.16	2.6	< 50	< 5.0	ND
SB-04-7.0		7.0	9/27/2010	< 0.20	< 0.99	< 50	NA	NA
SB-04-8.5		8.5	9/27/2010	< 0.19	< 0.99	< 49	NA	NA
SB-04-12.0		12.0	9/27/2010	< 0.20	< 1.0	< 50	< 5.0	ND
SB-05-0.7	SB-05	0.7	9/28/2010	NA	20	58	< 10 UJ	ND
SB-05-2.0		2.0	9/28/2010	NA	< 0.99	< 50	NA	NA
SB-05-11.5		11.5	9/28/2010	NA	< 1.0	< 50	< 5.0 UJ	ND
SB-06-3.0	SB-06	3.0	9/28/2010	NA	< 0.99	< 50	9.4 J	ND
SB-06-11.0		11	9/28/2010	NA	< 1.0	< 50	< 5.0 UJ	ND
SB-07-13.2	SB-07	13.2	9/29/2010	NA	< 1.0	< 50	< 5.0 UJ	ND
SB-08-15.7	SB-08	15.7	9/29/2010	< 0.24	1.1	< 49	5.6 J	ND
SB-09-3.0	SB-09	3.0	9/28/2010	NA	< 0.99	< 50	NA	NA
SB-09-4.9		4.9	9/28/2010	NA	1.4	< 50	5.0 J	ND
SB-09-6.0		6.0	9/28/2010	NA	< 0.99	< 50	NA	NA
SB-09-11.8		11.8	9/28/2010	NA	< 1.0	< 50	5.1 J	ND
SB-10-4.0	SB-10	4.0	9/28/2010	NA	1.1	< 50	NA	NA
SB-10-9.0		9.0	9/28/2010	NA	< 0.99	< 50	NA	NA
SB-10-10.5		10.5	9/28/2010	NA	< 0.99	< 49	NA	NA
SB-10-11.5		11.5	9/28/2010	NA	< 1.0	< 50	< 5.0 UJ	ND
SB-11-12.8	SB-11	12.8	9/27/2010	NA	< 0.99	< 50	< 5.0	ND
SB-12-12.0	SB-12	12.0	9/28/2010	NA	< 0.98	< 49	< 4.9 UJ	ND
Environmental Screening Level (residential land use) <sup>4</sup>				83	83	370	1,300	--

**TABLE 2****SUMMARY OF TOTAL PETROLEUM HYDROCARBONS AND  
POLYNUCLEAR AROMATIC HYDROCARBONS IN SOIL<sup>1</sup>**

Crown Chevrolet Cadillac Isuzu  
7544 Dublin Boulevard and 6707 Golden Gate Drive  
Dublin, California

**Notes**

1. Samples were collected by AMEC Geomatrix, Inc., and analyzed by TestAmerica Laboratories, Inc., of Pleasanton, California. Samples were analyzed for TPHg using U.S. EPA Method 8260B; for TPHd and TPHmo using U.S. EPA Method 8015B, following a silica gel preparation procedure in accordance with U.S. EPA Method 3630C; and for PAHs using U.S. EPA Method 8270C with selective ion monitoring (SIM). Only detected constituents are shown on this table; see associated laboratory analytical reports for individual analytes and reporting limits.
2. Results shown in **bold** exceed their respective Environmental Screening Levels.
3. The laboratory indicated that the spectra for sample SB-03-3.2 does not resemble the pattern for the laboratory's fresh gasoline standard. The TPHg value reported is likely due to the presence of non-gasoline VOCs in the sample.
4. California Regional Water Quality Control Board, San Francisco Region, 2007, Screening for Environmental Concerns at Sites with Contaminated Soil and Groundwater, Table A-1. Shallow Soil Screening Level ( $\leq 3\text{m bgs}$ ), Residential Land Use (groundwater is a current or potential drinking water resource), November, revised May 2008.

**Abbreviations**

-- = not applicable

< = constituent was not detected at or above the laboratory reporting limit shown

bgs = below ground surface

J = the analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample

NA = not analyzed

ND = not detected at or above the respective laboratory reporting limits

PAHs = polynuclear aromatic hydrocarbons

TPH = total petroleum hydrocarbons

TPHg = total petroleum hydrocarbons quantified as gasoline

TPHd = total petroleum hydrocarbons quantified as diesel

TPHmo = total petroleum hydrocarbons quantified as motor oil

UJ = the analyte was not detected at a level greater than or equal to the laboratory reporting limit; however, the laboratory reporting limit is approximate and may be inaccurate or imprecise

U.S. EPA = U.S. Environmental Protection Agency

**TABLE 3**

**SUMMARY OF VOLATILE ORGANIC COMPOUNDS IN SOIL<sup>1</sup>**

Crown Chevrolet Cadillac Isuzu  
 7544 Dublin Boulevard and 6707 Golden Gate Drive  
 Dublin, California

Concentrations reported in micrograms per kilogram ( $\mu\text{g}/\text{kg}$ )

Sample ID	Location	Depth (feet bgs)	Date	Chloro-benzene	1,2-Dichloro-benzene	1,4-Dichloro-benzene	BTEX	All Other VOCs
SB-01-11.7	SB-01	11.7	9/27/2010	NA	NA	NA	ND	NA
SB-01-13.8		13.8	9/27/2010	NA	NA	NA	ND	NA
SB-02-9.1	SB-02	9.1	9/27/2010	NA	NA	NA	ND	NA
SB-02-11.5		11.5	9/27/2010	NA	NA	NA	ND	NA
SB-03-1.3	SB-03	1.3	9/28/2010	< 3.8	< 3.8	< 3.8	NA	ND
SB-03-2.8		2.8	9/28/2010	<b>2,600</b> <sup>2</sup>	< 440	< 440	NA	ND
SB-03-3.2		3.2	9/28/2010	<b>90,000</b>	< 5,200	<b>5,400</b>	NA	ND
SB-03-6.5		6.5	9/28/2010	<b>26,000</b>	<b>30,000</b>	<b>1,700</b>	NA	ND
SB-03-11.5		11.5	9/28/2010	<b>6,500</b>	<b>15,000</b>	< 440	NA	ND
SB-04-3.0	SB-04	3.0	9/27/2010	NA	NA	NA	ND	NA
SB-04-7.0		7.0	9/27/2010	NA	NA	NA	ND	NA
SB-04-8.5		8.5	9/27/2010	NA	NA	NA	ND	NA
SB-04-12.0		12.0	9/27/2010	NA	NA	NA	ND	NA
SB-08-15.7	SB-08	15.7	9/29/2010	NA	NA	NA	ND	NA
Environmental Screening Level (residential land use) <sup>3</sup>				1,500	1,100	590	--	--

Notes

1. Samples were collected by AMEC Geomatrix, Inc., and analyzed by TestAmerica Laboratories, Inc., of Pleasanton, California, using U.S. EPA Method 8260B for VOC analysis. Only detected constituents are shown on this table; see associated laboratory analytical reports for individual analytes and reporting limits.
2. Results shown in **bold** exceed their respective Environmental Screening Levels.
3. California Regional Water Quality Control Board, San Francisco Region, 2007, Screening for Environmental Concerns at Sites with Contaminated Soil and Groundwater, Table A-1. Shallow Soil Screening Level ( $\leq 3\text{m bgs}$ ), Residential Land Use (groundwater is a current or potential drinking water resource), November, revised May 2008.

Abbreviations

-- = not applicable

< = constituent was not detected at or above the laboratory reporting limit shown

bgs = below ground surface

NA = not analyzed

ND = not detected at or above the respective laboratory reporting limits

U.S. EPA = U.S. Environmental Protection Agency

VOCs = volatile organic compounds

**TABLE 4**

**SUMMARY OF TOTAL PETROLEUM HYDROCARBONS AND  
POLYNUCLEAR AROMATIC HYDROCARBONS IN GROUNDWATER<sup>1</sup>**

Crown Chevrolet Cadillac Isuzu  
7544 Dublin Boulevard and 6707 Golden Gate Drive  
Dublin, California

Concentrations reported in micrograms per liter ( $\mu\text{g/L}$ )

Sample ID	Location	Date	Total Petroleum Hydrocarbons				PAHs
			TPHg	TPHd (unfiltered)	TPHd (filtered) <sup>2</sup>	TPHmo (unfiltered)	
SB-01	SB-01	9/27/2010	< 50	NA	NA	NA	NA
SB-02	SB-02	9/27/2010	63	NA	NA	NA	NA
SB-03	SB-03	9/28/2010	< 50	NA	NA	NA	NA
SB-04	SB-04	9/27/2010	< 50	< 51	< 52	< 300 <sup>3</sup>	< 310 <sup>3</sup>
SB-40 <sup>4</sup>		9/27/2010	< 50	< 52	< 53	< 310 <sup>3</sup>	< 320 <sup>3</sup>
							ND
SB-05	SB-05	9/28/2010	NA	< 51	< 52	< 310 <sup>3</sup>	< 310 <sup>3</sup>
SB-06	SB-06	9/28/2010	NA	< 51	< 53	< 310 <sup>3</sup>	< 320 <sup>3</sup>
SB-07	SB-07	9/29/2010	NA	10 J	< 52	< 310 <sup>3</sup>	< 310 <sup>3</sup>
SB-08	SB-08	9/29/2010	< 50	< 51	< 52	< 310 <sup>3</sup>	< 310 <sup>3</sup>
SB-10	SB-10	9/28/2010	NA	< 51	< 53	< 300 <sup>3</sup>	< 320 <sup>3</sup>
SB-11	SB-11	9/27/2010	NA	< 51	< 52	< 300 <sup>3</sup>	< 310 <sup>3</sup>
SB-12	SB-12	9/28/2010	NA	11 J	< 52	< 310 <sup>3</sup>	< 310 <sup>3</sup>
Environmental Screening Level (groundwater is a potential or current drinking water resource) <sup>5</sup>			100	100	100	100	--

Notes

1. Samples were collected by AMEC Geomatrix, Inc., and analyzed by TestAmerica Laboratories, Inc., of Pleasanton, California. Samples were analyzed for TPHg using U.S. EPA Method 8260B; for TPHd and TPHmo using U.S. EPA Method 8015B, following a silica gel preparation procedure in accordance with U.S. EPA Method 3630C; and for PAHs using U.S. EPA Method 8270C with selective ion monitoring (SIM). Only detected constituents are shown on this table; see associated laboratory analytical reports for individual analytes and reporting limits.
2. Extra sample volume for samples for TPHd and TPHmo analyses was filtered at the laboratory prior to analysis using a 0.7-micron glass fiber filter.
3. The laboratory reporting limits for all TPHmo analyses (i.e., from 300 to 320  $\mu\text{g/L}$ ) exceed the ESL of 100  $\mu\text{g/L}$ . However, the method detection limit for unfiltered TPHmo analyses is 130  $\mu\text{g/L}$  (and is up to 140  $\mu\text{g/L}$  for filtered TPHmo analyses); TPHmo was not detected at or above the method detection limit in any sample.
4. Sample SB-40 is a blind field duplicate sample of sample SB-04.
5. California Regional Water Quality Control Board, San Francisco Region, 2007, Screening for Environmental Concerns at Sites with Contaminated Soil and Groundwater, Table F-1a, Groundwater Screening Levels (groundwater is a current or potential drinking water source), November, revised May 2008.

Abbreviations

-- = not applicable

< = constituent was not detected at or above the laboratory reporting limit shown

J = the analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample

NA = not analyzed

ND = not detected at or above the respective laboratory reporting limits

PAHs = polynuclear aromatic hydrocarbons

TPHg = total petroleum hydrocarbons quantified as gasoline

TPHd = total petroleum hydrocarbons quantified as diesel

TPHmo = total petroleum hydrocarbons quantified as motor oil

U.S. EPA = U.S. Environmental Protection Agency

TABLE 5

SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND CHROMIUM IN GROUNDWATER<sup>1</sup>

Crown Chevrolet Cadillac Isuzu  
 7544 Dublin Boulevard and 6707 Golden Gate Drive  
 Dublin, California

Concentrations reported in micrograms per liter ( $\mu\text{g/L}$ )

Sample ID	Location	Date	Volatile Organic Compounds							Chromium			
			Benzene	Chloro-benzene	1,2-Dichloro-benzene	1,4-Dichloro-benzene	cis-1,2-DCE	PCE	TCE	All Other VOCs Analyzed	Dissolved Hexavalent Chromium	Total Chromium <sup>2</sup>	Dissolved Total Chromium <sup>3</sup>
SB-01	SB-01	9/27/2010	< 0.50	NA	NA	NA	NA	NA	NA	ND	NA	NA	NA
SB-02	SB-02	9/27/2010	< 0.50	NA	NA	NA	NA	NA	NA	ND	NA	NA	NA
SB-03	SB-03	9/28/2010	<b>1.5<sup>4</sup></b>	<b>85</b>	<b>42</b>	1.3	1.3	3.2	0.96	ND	NA	NA	NA
SB-04	SB-04	9/27/2010	< 0.50	NA	NA	NA	NA	NA	NA	ND	NA	NA	NA
SB-40 <sup>5</sup>		9/27/2010	< 0.50	NA	NA	NA	NA	NA	NA	ND	NA	NA	NA
SB-05	SB-05	9/28/2010	NA	NA	NA	NA	NA	NA	NA	NA	1.1	20	2.5 J-
SB-06	SB-06	9/28/2010	NA	NA	NA	NA	NA	NA	NA	NA	0.94	<b>250</b>	2.3 J-
SB-07	SB-07	9/29/2010	NA	NA	NA	NA	NA	NA	NA	NA	1.7	44	2.8 J-
SB-08	SB-08	9/29/2010	< 0.50	NA	NA	NA	NA	NA	NA	ND	1.1	23	3.3 J-
Environmental Screening Level (groundwater is a potential or current drinking water resource) <sup>6</sup>			1.0	25	10	5.0	6.0	5.0	5.0	--	11	50	50

## Notes

1. Samples collected by AMEC Geomatrix, Inc., and analyzed by TestAmerica Laboratories, Inc., of Pleasanton, California. Samples were analyzed for VOCs using U.S. EPA Method 8260B, for hexavalent chromium using U.S. EPA Method 7199, and for total chromium and dissolved total chromium using U.S. EPA Method 6020. Only detected constituents are shown on this table; see associated laboratory analytical reports for individual analytes and reporting limits.
2. The work plan specified that the samples would be analyzed for dissolved total chromium; however, the laboratory initially performed the analyses with unfiltered samples. Therefore, the resultant total chromium values likely overestimate the concentration of chromium that is dissolved in groundwater.
3. The work plan specified that the samples would be analyzed for dissolved total chromium; however, the laboratory initially performed the analyses with unfiltered samples. After this error was noted, AMEC requested that the analytical laboratory filter some remaining sample volume (from a different, unpreserved container) and perform a dissolved total chromium analysis on each sample. However, since the unfiltered samples were stored in unpreserved glass containers, rather than being filtered and then stored in preserved plastic containers as required by the analytical method, the dissolved total chromium results were qualified as estimated and may be biased low.
4. Results shown in **bold** exceed their respective screening levels.
5. Sample SB-40 is a blind field duplicate sample of sample SB-04.
6. California Regional Water Quality Control Board, San Francisco Region, 2007, Screening for Environmental Concerns at Sites with Contaminated Soil and Groundwater, Table F-1a, Groundwater Screening Levels (groundwater is a current or potential drinking water source), November, revised May 2008.

Abbreviations

-- = not applicable

cis-1,2-DCE = cis-1,2 dichloroethene

J- = the result is an estimated quantity, but the result may be biased low

NA = not analyzed

\Oad-f1\doc\_safe\16000s\160070\4000\2010\_09\_Investigation\Tables\Tables.xlsx

ND = not detected at or above the respective laboratory reporting limits


PCE = tetrachloroethene

TCE = trichloroethene

U.S. EPA = U.S. Environmental Protection Agency

---

**FIGURES**





#### Explanation

- AMEC soil and/or grab groundwater sample location (September 27 through 29, 2010)
- Basics Environmental soil and/or grab groundwater sample location (February 24 and 25, 2009)
- X Approximate location of historical Montgomery Ward monitoring well MW-102
- ● Approximate location of historical Quest Laboratory underground storage tank
- Dashed blue line Approximate outline of former bulk storage area
- Approximate location of storm drain inlet


0 50 100 200  
Feet

SITE PLAN AND BORING LOCATIONS  
Crown Chevrolet Cadillac Isuzu  
7544 Dublin Boulevard and 6707 Golden Gate Drive  
Dublin, California

By: AWP Date: 11/11/2010 Project No. OD1016007

**AMEC Geomatrix**

Figure 2

**Explanation**

- AMEC soil and/or grab groundwater sample location (September 27 through 29, 2010)
- Basics Environmental soil and/or grab groundwater sample location (February 24 and 25, 2009)
- ✖ Approximate location of historical Montgomery Ward monitoring well MW-102
- Approximate location of historical Quest Laboratory underground storage tank
- Approximate outline of former bulk storage area

Abbreviations:  
 < = not detected at or above laboratory reporting limit shown  
 bgs = below ground surface  
 mg/kg = milligrams per kilogram  
 NA = not analyzed  
 TPH = total petroleum hydrocarbons  
 TPHd = TPH quantified as diesel  
 TPHg = TPH quantified as gasoline  
 TPHmo = TPH quantified as motor oil


0 75 150 Feet

Sample Location  
 Sample depths in feet bgs  
 SB-08 15.7 ft  
 TPHg <0.24  
 TPHd 1.1  
 TPHmo <49  
 Analyses  
 Concentrations in mg/kg

TOTAL PETROLEUM HYDROCARBONS IN SOIL  
 Crown Chevrolet Cadillac Isuzu  
 7544 Dublin Boulevard and 6707 Golden Gate Drive  
 Dublin, California

By: GFS Date: 11/11/2010 Project No. OD10160070

AMEC Geomatrix Figure 3

**Explanation**

- AMEC soil and/or grab groundwater sample location (September 27 through 29, 2010)
  - Basics Environmental soil and/or grab groundwater sample location (February 24 and 25, 2009)
  - ✖ Approximate location of historical Montgomery Ward monitoring well MW-102
  - Approximate location of historical Quest Laboratory underground storage tank
- Approximate outline of former bulk storage area

**Notes:**

1. Results shown in bold exceed their respective screening levels.

Sample location  
Sample depths in feet bgs  
Analytes  
Concentrations in  $\mu\text{g}/\text{kg}$

B1	4.0 ft
Chlorobenzene	<5
1,2-DCB	<5
1,4-DCB	<5

Abbreviations:  
< = not detected at or above laboratory reporting limit shown  
1,2-DCB = 1,2-dichlorobenzene  
1,4-DCB = 1,4-dichlorobenzene  
bgs = below ground surface  
 $\mu\text{g}/\text{kg}$  = micrograms per kilogram  
NA = not analyzed


0 75 150  
Feet

VOLATILE ORGANIC COMPOUNDS IN SOIL  
Crown Chevrolet Cadillac Isuzu  
7544 Dublin Boulevard and 6707 Golden Gate Drive  
Dublin, California

By: GFS Date: 11/11/2010 Project No. OD10160070

**AMEC Geomatrix**

Figure 4


**Explanation**

- ⊕ AMEC soil and/or grab groundwater sample location (September 27 through 29, 2010)
- sample location (February 24 and 25, 2009)
- ✖ Approximate location of historical Montgomery Ward monitoring well MW-102
- Approximate location of historical Quest Laboratory underground storage tank
- Approximate outline of former bulk storage area

- Notes:
- Results shown in bold exceed their respective screening levels.
  - Only results for unfiltered TPHd and TPHmo samples are shown. See Table 4 for additional information.
  - The laboratory reporting limits for TPHmo analyses exceed the ESL of 100 µg/L. However, the method detection limit for TPHmo analyses is 130 µg/L; TPHmo was not detected above the method detection limit in any sample.
  - Duplicate sample results for SB-04 are shown in parentheses.

**Abbreviations:**

< = not detected at or above laboratory reporting limit shown  
J = the analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample  
NA = not analyzed  
TPH = total petroleum hydrocarbons  
TPHbo = TPH quantified as bunker oil  
TPHd = TPH quantified as diesel  
TPHg = TPH quantified as gasoline  
TPHk = TPH quantified as kerosene  
TPHmo = TPH quantified as motor oil  
TPHss = TPH quantified as stoddard solvent  
µg/L = micrograms per liter



TOTAL PETROLEUM HYDROCARBONS IN GROUNDWATER

Crown Chevrolet Cadillac Isuzu

7544 Dublin Boulevard and 6707 Golden Gate Drive

Dublin, California


By: GFS Date: 11/11/2010 Project No. OD10160070


**AMEC Geomatrix** Figure 5



0 75

150 Feet



**Explanation**


- AMEC soil and/or grab groundwater sample location (September 27 through 29, 2010)
- Basics Environmental soil and/or grab groundwater sample location (February 24 and 25, 2009)
- X Approximate location of historical Montgomery Ward monitoring well MW-102
- ● Approximate location of historical Quest Laboratory underground storage tank
- Dashed blue line Approximate outline of former bulk storage area

Notes:  
1. Results shown in bold exceed their respective screening levels

**Abbreviations:**

- < = not detected at or above laboratory reporting limit shown  
bgs = below ground surface  
Hex Cr = dissolved hexavalent chromium  
J- = the result is an estimated quantity, but the result may be biased low  
mg/kg = milligrams per kilogram  
Tot Cr = dissolved total chromium  
µg/L = micograms per liter

0 75 150  
Feet



CHROMIUM IN SOIL AND  
DISSOLVED CHROMIUM IN GROUNDWATER  
Crown Chevrolet Cadillac Isuzu  
7544 Dublin Boulevard and 6707 Golden Gate Drive  
Dublin, California

By: GFS Date: 11/11/2010 Project No. OD10160070

**AMEC Geomatics**

Figure 7

---

**APPENDIX A**

Drilling Permit



# ZONE 7 WATER AGENCY

100 NORTH CANYONS PARKWAY, LIVERMORE, CALIFORNIA 94551 VOICE (925) 454-5000 FAX (925) 245-9306  
E-MAIL [whong@zone7water.com](mailto:whong@zone7water.com)

## DRILLING PERMIT APPLICATION

### FOR APPLICANT TO COMPLETE

LOCATION OF PROJECT Former Crown Chevrolet  
Cadillac Isuzu  
7544 Dublin Blvd, Dublin, California

Coordinates Source ft. Accuracy ft.  
LAT: 37.70368 LONG: -121.92838  
APN 941-1500-15-9

CLIENT  
Name Patrick Costello  
Address PO Box 2010 Phone \_\_\_\_\_  
City Dublin Zip 94568

APPLICANT  
Name AMEC Geomatix (Greg Stemler)  
Email greg.stemler@AMEC.com Fax (510)663 4141  
Address 2101 Webster St, 12th Floor Phone (510)663 4191  
City OAKLAND, CA Zip 94612

TYPE OF PROJECT:  
Well Construction  Geotechnical Investigation  
Well Destruction  Contamination Investigation   
Cathodic Protection  Other \_\_\_\_\_

PROPOSED WELL USE: None  
Domestic  Irrigation   
Municipal  Remediation   
Industrial  Groundwater Monitoring   
Dewatering  Other \_\_\_\_\_

DRILLING METHOD:  
Mud Rotary  Air Rotary  Hollow Stem Auger   
Cable Tool  Direct Push  Other \_\_\_\_\_

DRILLING COMPANY PeneCore Drilling

DRILLER'S LICENSE NO. L57 906899

WELL SPECIFICATIONS: None  
Drill Hole Diameter  in. Maximum \_\_\_\_\_  
Casing Diameter  in. Depth  ft.  
Surface Seal Depth  ft. Number

SOIL BORINGS:  
Number of Borings 12 Maximum \_\_\_\_\_  
Hole Diameter 3.5 in. Depth 20 ft.

ESTIMATED STARTING DATE 9/27/2010  
ESTIMATED COMPLETION DATE 9/30/2010

I hereby agree to comply with all requirements of this permit and Alameda County Ordinance No. 73-68.

APPLICANT'S SIGNATURE Greg Stemler Date 5/20/2010

### FOR OFFICE USE

PERMIT NUMBER 2010086  
WELL NUMBER \_\_\_\_\_  
APN 941-1500-015-09

#### PERMIT CONDITIONS

(Circled Permit Requirements Apply)


- A. GENERAL
  - 1. A permit application should be submitted so as to arrive at the Zone 7 office five days prior to your proposed starting date.
  - 2. Submit to Zone 7 within 60 days after completion of permitted work the original Department of Water Resources Water Well Drillers Report (DWR Form 188), signed by the driller.
  - 3. Permit is void if project not begun within 90 days of approval date.
  - 4. Notify Zone 7 at least 24 hours before the start of work.
- B. WATER SUPPLY WELLS
  - 1. Minimum surface seal diameter is four inches greater than the well casing diameter.
  - 2. Minimum seal depth is 50 feet for municipal and industrial wells or 20 feet for domestic and irrigation wells unless a lesser depth is specially approved.
  - 3. Grout placed by tremie.
  - 4. An access port at least 0.5 inches in diameter is required on the wellhead for water level measurements.
  - 5. A sample port is required on the discharge pipe near the wellhead.
- C. GROUNDWATER MONITORING WELLS INCLUDING PIEZOMETERS
  - 1. Minimum surface seal diameter is four inches greater than the well or piezometer casing diameter.
  - 2. Minimum seal depth for monitoring wells is the maximum depth practicable or 20 feet.
  - 3. Grout placed by tremie.
- D. GEOTECHNICAL. Backfill bore hole with compacted cuttings or heavy bentonite and upper two feet with compacted material. In areas of known or suspected contamination, tremied cement grout shall be used in place of compacted cuttings.
- E. CATHODIC. Fill hole above anode zone with concrete placed by tremie.
- F. WELL DESTRUCTION. See attached.
- G. SPECIAL CONDITIONS. Submit to Zone 7 within 60 days after completion of permitted work the well installation report including all soil and water laboratory analysis results.

Approved Wyman Hong Date 9/25/10  
Wyman Hong

ATTACH SITE PLAN OR SKETCH

Revised: January 4, 2010

PERMIT 2010 086



File path: S:\16000\16007\16007.000\Task\_0110\_0513.ep\fig\_02.mxd

**Explanation**

- ▲ Proposed soil and grab groundwater sample location

**PROPOSED BORING LOCATIONS**  
7544 Dublin Boulevard and 6707 Golden Gate Drive  
Dublin, California

By: AWP	Date: 9/20/2010	Project No. OD1016007
<b>AMEC Geomatrix</b>		Figure <b>2</b>

---

**APPENDIX B**

Soil Boring Logs

PROJECT: 7544 DUBLIN BOULEVARD Dublin, California 94568				<b>Boring Log Explanation</b>		
BORING LOCATION:				ELEVATION AND DATUM:		
DRILLING CONTRACTOR:				DATE STARTED:		DATE FINISHED:
DRILLING METHOD:				TOTAL DEPTH (ft.):		MEASURING POINT:
DRILLING EQUIPMENT:				DEPTH TO WATER (ft.)	FIRST	COMPL.
SAMPLING METHOD:				LOGGED BY:		
HAMMER WEIGHT:			DROP:	RESPONSIBLE PROFESSIONAL:		REG. NO.
DEPTH (feet)	SAMPLES			DESCRIPTION NAME (USCS): color, moist, % by wt., plast. density, structure, cementation, react. w/HCl, geo. inter.	REMARKS	
	Sample No.	Sample Type	Blows/ Foot			
				Surface Elevation:		
1				<b>Notes:</b>		
2				1. Soil described using visual-manual procedures of American Society of Testing and Materials (ASTM) Standard D 2488 for guidance; a Standard based on the Unified Soil Classification System.		
3				2. Soil color described according to Munsell Color Chart.		
4				3. Dashed lines separating soil strata represent inferred boundaries between sampled intervals that may be abrupt or gradual transitions.		
5				4. Solid lines represent approximate boundaries observed within sample intervals.		
6				5. OVM = organic vapor meter, reading in volumetric parts per million (ppm).		
7				6. Odor, if noted is subjective and not necessarily indicative of specific compounds or concentrations.		
8				7. NA = not applicable.		
9				Interval of recovered soil collected with a continuous core sampler.		
10				Interval of no recovery.		
11				Sample collected for chemical analysis and sample identification.		
12						
13						
14						
15					KEYFORM (REV. 6/2008)	
AMEC Geomatrix				Project No. OD10160070	Page 1 of 1	

PROJECT: 7544 DUBLIN BOULEVARD Dublin, California 94568				<b>Log of Boring No. SB-01</b>				
BORING LOCATION: 60' E, 20' N of NW corner of site				ELEVATION AND DATUM: Not surveyed; datum is ground surface				
DRILLING CONTRACTOR: PeneCore Drilling				DATE STARTED: 9/27/10	DATE FINISHED: 9/27/10			
DRILLING METHOD: Direct push				TOTAL DEPTH (ft.): 20.0	MEASURING POINT: Ground surface			
DRILLING EQUIPMENT: Geoprobe 7822 DT				DEPTH TO WATER (ft.)	FIRST NA	COMPL. NA		
SAMPLING METHOD: Geoprobe DT21 dual-tube sampling system [5' x 1.25"]				LOGGED BY: G. Stemler				
HAMMER WEIGHT: NA			DROP: NA	RESPONSIBLE PROFESSIONAL: A. Patton	REG. NO. PG 8541			
DEPTH (feet)	SAMPLES Sample No.	SAMPLES Sample No.	OVM READING (ppm)	DESCRIPTION NAME (USCS): color, moist, % by wt., plast. density, structure, cementation, react. w/HCl, geo. inter.				
				Surface Elevation: Not surveyed				
1				ASPHALTIC CONCRETE : (5 inches thick)				
1				LEAN CLAY with SAND (CL): dark grayish brown (2.5Y 4/2), moist, 80% fines, 20% fine to medium sand, medium plasticity, firm				
5				LEAN CLAY (CL): dark grayish brown (2.5Y 4/2), moist, 90% fines, 10% fine sand, medium plasticity, firm				
7			0	light olive brown (2.5Y 5/4), low plasticity, soft				
7			0	olive brown (2.5Y 4/4), medium plasticity, firm				
10			0	soft				
12			0.6	firm				
13			2.3	very dark greenish gray (10Y 3/1)				
15			0.4	olive brown (2.5Y 4/4)				
SB-01-11.7				REMARKS				
SB-01-13.8				Hand augered to 5 feet bgs.				
				OVM = MiniRAE 2000 PID calibrated with 100 ppm isobutylene standard.				
OAKBOREV (REV. 6/2008)								
AMEC Geomatrix				Project No. OD10160070	Page 1 of 2			

PROJECT: 7544 DUBLIN BOULEVARD  
Dublin, California 94568

## Log of Boring No. SB-01 (cont'd)

DEPTH (feet)	SAMPLES			DESCRIPTION NAME (USCS): color, moist, % by wt., plast. density, structure, cementation, react. w/HCl, geo. inter.	REMARKS
	Sample No.	Sample	Blows/ Foot		
16				0.1  LEAN CLAY (CL): cont'd sand fraction fine to medium	Grab groundwater sample SB-01 collected through 5 feet of 1-inch OD Sch. 40 PVC screen (0.010-inch slot size) placed in borehole from 15 to 20 feet bgs. Drive casing retracted from bottom of boring to 13 feet bgs to maintain surface seal. Depth to water measured prior to sampling using an electronic water level meter at 1100 on September 27, 2010: 11.6 feet bgs.
17				0.1	
18				0.1	
19				0.2	
20				0.1	
				0.4	
				0.1	
				0.1	
				Bottom of boring at 20.0 feet	Borehole destroyed using Type I-II neat cement grout placed from total depth to ground surface with a tremie pipe.
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					

OAKBOREV (REV. 6/2008)

PROJECT: 7544 DUBLIN BOULEVARD Dublin, California 94568				<b>Log of Boring No. SB-02</b>		
BORING LOCATION: 60' S of NE corner of site				ELEVATION AND DATUM: Not surveyed; datum is ground surface		
DRILLING CONTRACTOR: PeneCore Drilling				DATE STARTED: 9/27/10	DATE FINISHED: 9/27/10	
DRILLING METHOD: Direct push				TOTAL DEPTH (ft.): 17.5	MEASURING POINT: Ground surface	
DRILLING EQUIPMENT: Geoprobe 7822 DT				DEPTH TO WATER (ft.)	FIRST NA	COMPL. NA
SAMPLING METHOD: Geoprobe DT21 dual-tube sampling system [5' x 1.25"]				LOGGED BY: G. Stemler		
HAMMER WEIGHT: NA		DROP: NA		RESPONSIBLE PROFESSIONAL: A. Patton	REG. NO. PG 8541	
DEPTH (feet)	SAMPLES Sample No.	SAMPLES Sample No.	OVM READING (ppm)	DESCRIPTION NAME (USCS): color, moist, % by wt., plast. density, structure, cementation, react. w/HCl, geo. inter.		
				Surface Elevation: Not surveyed		
1				ASPHALTIC CONCRETE : (5 inches thick)		
2						
3						
4						
5						
6						
7						
8						
9	SB-02-9.1			LEAN CLAY (CL): dark grayish brown (2.5Y 4/2), moist, 90% fines, 10% fine to medium sand, medium plasticity, firm		
10				soft		
11	SB-02-11.5			mottled brownish yellow (10YR 6/6)		
12						
13						
14						
15						
OAKBOREV (REV. 6/2008)						
AMEC Geomatrix				Project No. OD10160070	Page 1 of 2	

PROJECT: 7544 DUBLIN BOULEVARD  
Dublin, California 94568

## Log of Boring No. SB-02 (cont'd)

DEPTH (feet)	SAMPLES			DESCRIPTION NAME (USCS): color, moist, % by wt., plast. density, structure, cementation, react. w/HCl, geo. inter.	REMARKS
	Sample No.	Sample	Blows/ Foot		
OVM READING (ppm)					
16				dark grayish brown (2.5Y 4/2) LEAN CLAY (CL): cont'd	
17				SANDY LEAN CLAY (CL): dark grayish brown (2.5Y 4/2) mottled with dark greenish gray (10Y 4/1)	
18				Bottom of boring at 17.5 feet	Borehole destroyed using Type I-II neat cement grout placed from total depth to ground surface with a tremie pipe.
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					

OAKBOREV (REV. 6/2008)

PROJECT: 7544 DUBLIN BOULEVARD Dublin, California 94568				<b>Log of Boring No. SB-03</b>		
BORING LOCATION: 3' NE of Service Area 2 sump				ELEVATION AND DATUM: Not surveyed; datum is ground surface		
DRILLING CONTRACTOR: PeneCore Drilling				DATE STARTED: 9/29/10	DATE FINISHED: 9/29/10	
DRILLING METHOD: Direct push				TOTAL DEPTH (ft.): 16.0	MEASURING POINT: Ground surface	
DRILLING EQUIPMENT: Geoprobe 7822 DT				DEPTH TO WATER (ft.)	FIRST NA	COMPL. NA
SAMPLING METHOD: Geoprobe DT21 dual-tube sampling system [5' x 1.25"]				LOGGED BY: G. Stemler		
HAMMER WEIGHT: NA		DROP: NA		RESPONSIBLE PROFESSIONAL: A. Patton	REG. NO. PG 8541	
DEPTH (feet)	SAMPLE No.	SAMPLES Blows/ Foot	OVM READING (ppm)	DESCRIPTION NAME (USCS): color, moist, % by wt., plast. density, structure, cementation, react. w/HCl, geo. inter.		
				Surface Elevation: Not surveyed	REMARKS	
SB-03-1.3	SB-03-1.3		0	ASPHALTIC CONCRETE : (4 inches thick)		
SB-03-2.8	SB-03-2.8		5800	AGGREGATE BASE : (3 inches thick)  SANDY LEAN CLAY with GRAVEL (CL): olive brown (2.5Y 4/3), moist, 60% fines, 25% fine to coarse sand, 15% fine to coarse gravel, medium plasticity, firm	Hand augered to 5 feet bgs.	
SB-03-3.2	SB-03-3.2			GRAVELLY LEAN CLAY with SAND (CL): dark greenish gray (5GY 4/1), moist, 55% fines, 25% fine gravel, 20% fine to coarse sand, medium plasticity, firm	PID equipment not working due to dead battery. OVM reading not available from 4 feet bgs to total depth.	
SB-03-6.5	SB-03-6.5			LEAN CLAY (CL): black (2.5Y 2.5/1), moist, 90% fines, 10% fine sand, medium plasticity, hard		
SB-03-11.5	SB-03-11.5			dark gray (2.5Y 4/1)	Grab groundwater sample SB-03 collected through 5 feet of 1-inch OD Sch. 40 PVC screen (0.010-inch slot size) placed in borehole from 11 to 16 feet bgs. Drive casing retracted from bottom of boring to 11 feet bgs to maintain surface seal. Depth to water measured prior to sampling using an electronic water level meter at 1720 on September 28, 2010: 14.4 feet bgs.	
12				SANDY LEAN CLAY (CL)		
13				dark grayish brown (2.5Y 4/2)		
14				soft		
15					OAKBOREV (REV. 6/2008)	
AMEC Geomatrix				Project No. OD10160070	Page 1 of 2	

PROJECT: 7544 DUBLIN BOULEVARD  
Dublin, California 94568

## Log of Boring No. SB-03 (cont'd)

DEPTH (feet)	SAMPLES			DESCRIPTION NAME (USCS): color, moist, % by wt., plast. density, structure, cementation, react. w/HCl, geo. inter.	REMARKS
	Sample No.	Sample	Blows/ Foot		
OVM READING (ppm)					
16				SANDY LEAN CLAY with GRAVEL (CL) LEAN CLAY (CL): cont'd Bottom of boring at 16.0 feet	Borehole destroyed using Type I-II neat cement grout placed from total depth to ground surface with a tremie pipe.
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					

OAKBOREV (REV. 6/2008)

PROJECT: 7544 DUBLIN BOULEVARD Dublin, California 94568				<b>Log of Boring No. SB-04</b>		
BORING LOCATION: 75' W, 35' S of SE corner of Bldg. B				ELEVATION AND DATUM: Not surveyed; datum is ground surface		
DRILLING CONTRACTOR: PeneCore Drilling				DATE STARTED: 9/27/10	DATE FINISHED: 9/27/10	
DRILLING METHOD: Direct push				TOTAL DEPTH (ft.): 16.0	MEASURING POINT: Ground surface	
DRILLING EQUIPMENT: Geoprobe 7822 DT				DEPTH TO WATER (ft.)	FIRST NA	COMPL. NA
SAMPLING METHOD: Geoprobe DT21 dual-tube sampling system [5' x 1.25"]				LOGGED BY: G. Stemler		
HAMMER WEIGHT: NA			DROP: NA	RESPONSIBLE PROFESSIONAL: A. Patton	REG. NO. PG 8541	
DEPTH (feet)	SAMPLES Sample No.	SAMPLES Sample No.	OVM READING (ppm)	DESCRIPTION NAME (USCS): color, moist, % by wt., plast. density, structure, cementation, react. w/HCl, geo. inter.		
				Surface Elevation: Not surveyed		
SB-04-3.0				CONCRETE : (4 inches thick)		
1			0.4	CLAYEY SAND with GRAVEL (SC): light olive brown (2.5Y 5/4), moist, 50% fine to coarse sand, 30% medium plasticity fines, 20% fine to coarse gravel [FILL]	Hand augered to 5 feet bgs.	
2			0.6			
3			0.5			
4			0.4			
5			0.4	LEAN CLAY (CL): black (2.5Y 2.5/1), moist, 90% fines, 10% fine sand, medium plasticity, hard		
SB-04-7.0			0.9			
6			0.4			
7			0.6			
8			0.5	GRAVELLY LEAN CLAY (CL): light olive brown (2.5Y 5/4) very dark greenish gray (10Y 3/1)		
SB-04-8.5			0.4			
9			0.4			
10			0.6			
11			0.5			
SB-04-12			0.4	SANDY LEAN CLAY (CL): 40% fine sand, soft		
12			0.4	SANDY LEAN CLAY (CL): 40% fine sand, soft		
13			0.3	dark olive brown (2.5Y 3/3)	Grab groundwater sample SB-04 collected through 5 feet of 1-inch OD Sch. 40 PVC screen (0.010-inch slot size) placed in borehole from 11 to 16 feet bgs. Drive casing retracted from bottom of boring to 11 feet bgs to maintain surface seal.	
14						
15						
OAKBOREV (REV. 6/2008)						
AMEC Geomatrix				Project No. OD10160070	Page 1 of 2	

PROJECT: 7544 DUBLIN BOULEVARD  
Dublin, California 94568

## Log of Boring No. SB-04 (cont'd)

DEPTH (feet)	SAMPLES			DESCRIPTION NAME (USCS): color, moist, % by wt., plast. density, structure, cementation, react. w/HCl, geo. inter.	REMARKS
	Sample No.	Sample	Blows/ Foot		
16				0.4 LEAN CLAY (CL): cont'd 0.3 SANDY LEAN CLAY (CL)	
17				Bottom of boring at 16.0 feet	Borehole destroyed using Type I-II neat cement grout placed from total depth to ground surface with a tremie pipe.
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					

OAKBOREV (REV. 6/2008)

PROJECT: 7544 DUBLIN BOULEVARD Dublin, California 94568				<b>Log of Boring No. SB-05</b>				
BORING LOCATION: 210' W, 10' N of SE corner of N site parcel				ELEVATION AND DATUM: Not surveyed; datum is ground surface				
DRILLING CONTRACTOR: PeneCore Drilling				DATE STARTED: 9/28/10	DATE FINISHED: 9/28/10			
DRILLING METHOD: Direct push				TOTAL DEPTH (ft.): 15.0	MEASURING POINT: Ground surface			
DRILLING EQUIPMENT: Geoprobe 7822 DT				DEPTH TO WATER (ft.)	FIRST NA	COMPL. NA		
SAMPLING METHOD: Geoprobe DT21 dual-tube sampling system [5' x 1.25"]				LOGGED BY: G. Stemler				
HAMMER WEIGHT: NA		DROP: NA		RESPONSIBLE PROFESSIONAL: A. Patton	REG. NO. PG 8541			
DEPTH (feet)	SAMPLES Sample No.	SAMPLES Sample No.	OVM READING (ppm)	DESCRIPTION NAME (USCS): color, moist, % by wt., plast. density, structure, cementation, react. w/HCl, geo. inter.				
				Surface Elevation: Not surveyed				
SB-05-0.7				ASPHALTIC CONCRETE : (1 inch thick)				
SB-05-2.0				AGGREGATE BASE : (3 inches thick)				
SB-05-5.0				LEAN CLAY (CL): black (2.5Y 2.5/1) trace mottling very dark greenish gray (10Y 3/1), moist, 90% fines, 10% fine sand, medium plasticity, firm				
SB-05-9.0				olive brown (2.5Y 4/3)				
SB-05-11.5				SANDY LEAN CLAY (CL): olive brown (2.5Y 4/3), moist, 65% fines, 35% fine sand, medium plasticity, firm				
SB-05-13.0				LEAN CLAY (CL): black (2.5Y 2.5/1)				
SB-05-15.0				Bottom of boring at 15.0 feet				
REMARKS								
Hand augered to 5 feet bgs.								
Grab groundwater sample SB-05 collected through 5 feet of 1-inch OD Sch. 40 PVC screen (0.010-inch slot size) placed in borehole from 10 to 15 feet bgs. Drive casing retracted from bottom of boring to 10 feet bgs to maintain surface seal. Depth to water measured prior to sampling using an electronic water level meter at 1400 on September 28, 2010: 11.2 feet bgs.								
Borehole destroyed using Type I-II neat cement grout placed from total depth to ground surface with a tremie pipe.								
OAKBOREV (REV. 6/2008)								
AMEC Geomatrix				Project No. OD10160070	Page 1 of 1			

PROJECT: 7544 DUBLIN BOULEVARD Dublin, California 94568				<b>Log of Boring No. SB-06</b>				
BORING LOCATION: SE corner of northern site parcel, near storm drain				ELEVATION AND DATUM: Not surveyed; datum is ground surface				
DRILLING CONTRACTOR: PeneCore Drilling				DATE STARTED: 9/28/10	DATE FINISHED: 9/28/10			
DRILLING METHOD: Direct push				TOTAL DEPTH (ft.): 15.0	MEASURING POINT: Ground surface			
DRILLING EQUIPMENT: Geoprobe 7822 DT				DEPTH TO WATER (ft.)	FIRST 11.0	COMPL. NA		
SAMPLING METHOD: Geoprobe DT21 dual-tube sampling system [5' x 1.25"]				LOGGED BY: G. Stemler				
HAMMER WEIGHT: NA		DROP: NA		RESPONSIBLE PROFESSIONAL: A. Patton	REG. NO. PG 8541			
DEPTH (feet)	SAMPLES Sample No.	SAMPLES Sample No.	OVM READING (ppm)	DESCRIPTION NAME (USCS): color, moist, % by wt., plast. density, structure, cementation, react. w/HCl, geo. inter.	REMARKS			
				Surface Elevation: Not surveyed				
SB-06-3.0				ASPHALTIC CONCRETE : (1 inch thick) CONCRETE : (18 inches thick)	Hand augered to 5 feet bgs.			
SB-06-11.0				LEAN CLAY (CL): black (2.5Y 2.5/1), moist, 90% fines, 10% fine sand, medium plasticity, firm	OVM = MiniRAE 2000 PID calibrated with 100 ppm isobutylene standard.			
				dark olive brown (2.5Y 3/3)				
				contains trace gravel olive brown (2.5Y 4/3)				
					Grab groundwater sample SB-06 collected through 5 feet of 1-inch OD Sch. 40 PVC screen (0.010-inch slot size) placed in borehole from 10 to 15 feet bgs. Drive casing retracted from bottom of boring to 10 feet bgs to maintain surface seal. Depth to water measured prior to sampling using an electronic water level meter at 1105 on September 28, 2010: 10.8 feet bgs.			
				CLAYEY SAND (SC): light olive brown (2.5Y 5/3), wet, 55% fine to medium sand, 45% medium plasticity fines				
				LEAN CLAY (CL): light olive brown (2.5Y 5/3) mottled with yellowish brown (10YR 5/6), moist, 90% fines, 10% fine sand, medium plasticity, firm				
				black (2.5Y 2.5/1)	Borehole destroyed using Type I-II neat cement grout placed from total depth to ground surface with a tremie pipe.			
	Bottom of boring at 15.0 feet							
OAKBOREV (REV. 6/2008)								
AMEC Geomatrix				Project No. OD10160070	Page 1 of 1			

PROJECT: 7544 DUBLIN BOULEVARD Dublin, California 94568				<b>Log of Boring No. SB-07</b>				
BORING LOCATION: 70' W, 35' S of NE corner of southern site parcel				ELEVATION AND DATUM: Not surveyed; datum is ground surface				
DRILLING CONTRACTOR: PeneCore Drilling				DATE STARTED: 9/29/10	DATE FINISHED: 9/29/10			
DRILLING METHOD: Direct push				TOTAL DEPTH (ft.): 17.0	MEASURING POINT: Ground surface			
DRILLING EQUIPMENT: Geoprobe 7822 DT				DEPTH TO WATER (ft.)	FIRST 13.2	COMPL. NA		
SAMPLING METHOD: Geoprobe DT21 dual-tube sampling system [5' x 1.25"]				LOGGED BY: G. Stemler				
HAMMER WEIGHT: NA			DROP: NA	RESPONSIBLE PROFESSIONAL: A. Patton	REG. NO. PG 8541			
DEPTH (feet)	SAMPLES Sample No.	SAMPLES Sample No.	OVM READING (ppm)	DESCRIPTION NAME (USCS): color, moist, % by wt., plast. density, structure, cementation, react. w/HCl, geo. inter.				
				Surface Elevation: Not surveyed				
1				ASPHALTIC CONCRETE : (2 inches thick) AGGREGATE BASE : (8 inches thick)				
2				GRAVELLY LEAN CLAY with SAND (CL): black (2.5Y 2.5/1), moist, 65% fines, 20% fine gravel, 15% fine to coarse sand, medium plasticity, firm				
3								
4								
5								
6								
7								
8								
9								
10								
11								
12	SB-07-12.5							
13	SB-07-13.2							
14	SB-07-13.2							
15	SB-07-13.2							
REMARKS								
Hand augered to 5 feet bgs.								
OVM = MiniRAE 2000 PID calibrated with 100 ppm isobutylene standard.								
Grab groundwater sample SB-07 collected through 5 feet of 1-inch OD Sch. 40 PVC screen (0.010-inch slot size) placed in borehole from 12 to 17 feet bgs. Drive casing retracted from bottom of boring to 12 feet bgs to maintain surface seal. Depth to water measured prior to sampling using an electronic water level meter at 945 on September 29, 2010: 13.8 feet bgs.								
OAKBOREV (REV. 6/2008)								
AMEC Geomatrix				Project No. OD10160070	Page 1 of 2			

PROJECT: 7544 DUBLIN BOULEVARD  
Dublin, California 94568

## Log of Boring No. SB-07 (cont'd)

DEPTH (feet)	SAMPLES			DESCRIPTION NAME (USCS): color, moist, % by wt., plast. density, structure, cementation, react. w/HCl, geo. inter.	REMARKS
	Sample No.	Sample	Blows/ Foot		
16				soft LEAN CLAY (CL): cont'd	
17				black (2.5Y 2.5/1) Bottom of boring at 17.0 feet	Borehole destroyed using Type I-II neat cement grout placed from total depth to ground surface with a tremie pipe.
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					

OAKBOREV (REV. 6/2008)

PROJECT: 7544 DUBLIN BOULEVARD Dublin, California 94568				<b>Log of Boring No. SB-08</b>		
BORING LOCATION: 135' S, 60' W of NE corner of southern site parcel				ELEVATION AND DATUM: Not surveyed; datum is ground surface		
DRILLING CONTRACTOR: PeneCore Drilling				DATE STARTED: 9/29/10	DATE FINISHED: 9/29/10	
DRILLING METHOD: Direct push				TOTAL DEPTH (ft.): 20.0	MEASURING POINT: Ground surface	
DRILLING EQUIPMENT: Geoprobe 7822 DT				DEPTH TO WATER (ft.)	FIRST 15.3	COMPL. NA
SAMPLING METHOD: Geoprobe DT21 dual-tube sampling system [5' x 1.25"]				LOGGED BY: G. Stemler		
HAMMER WEIGHT: NA			DROP: NA	RESPONSIBLE PROFESSIONAL: A. Patton	REG. NO. PG 8541	
DEPTH (feet)	SAMPLES Sample No.	SAMPLES Sample No.	OVM READING (ppm)	DESCRIPTION NAME (USCS): color, moist, % by wt., plast. density, structure, cementation, react. w/HCl, geo. inter.	REMARKS	
				Surface Elevation: Not surveyed		
1				AGGREGATE BASE : (7 inches thick)		
1				GRAVELLY LEAN CLAY (CL): black (2.5Y 2.5/1), moist, 65% fines, 20% fine gravel, 15% fine to coarse sand, medium plasticity, firm	Hand augered to 5 feet bgs.	
5						
7						
8						
10						
11						
12						
13						
14						
15						
I:\PROJECT\...\OD10160070\10000_LOGSIGINT\DRAWINGS\SB-08.GDW OAKBOREV (REV. 6/2008)						
<b>AMEC Geomatrix</b>				Project No. OD10160070	Page 1 of 2	

PROJECT: 7544 DUBLIN BOULEVARD Dublin, California 94568				Log of Boring No. SB-08 (cont'd)	
DEPTH (feet)	SAMPLES		OVM READING (ppm)	DESCRIPTION NAME (USCS): color, moist, % by wt., plast. density, structure, cementation, react. w/HCl, geo. inter.	REMARKS
	Sample No.	Sample Type			
Blows/ Foot					
SB-08-15.7			0	LEAN CLAY with SAND (CL): cont'd 55% fines, 45% fine sand	
16			0		
17			0		
18			0	LEAN CLAY (CL) black (2.5Y 2.5/1)	
19					
20				Bottom of boring at 20.0 feet	
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					

PROJECT: 7544 DUBLIN BOULEVARD Dublin, California 94568				<b>Log of Boring No. SB-09</b>		
BORING LOCATION: 120' W of SE corner of Bldg. B				ELEVATION AND DATUM: Not surveyed; datum is ground surface		
DRILLING CONTRACTOR: PeneCore Drilling				DATE STARTED: 9/28/10	DATE FINISHED: 9/28/10	
DRILLING METHOD: Direct push				TOTAL DEPTH (ft.): 15.0	MEASURING POINT: Ground surface	
DRILLING EQUIPMENT: Geoprobe 7822 DT				DEPTH TO WATER (ft.)	FIRST NA	COMPL. NA
SAMPLING METHOD: Geoprobe DT21 dual-tube sampling system [5' x 1.25"]				LOGGED BY: G. Stemler		
HAMMER WEIGHT: NA			DROP: NA	RESPONSIBLE PROFESSIONAL: A. Patton	REG. NO. PG 8541	
DEPTH (feet)	SAMPLE No.	SAMPLE No.	OVM READING (ppm)	DESCRIPTION NAME (USCS): color, moist, % by wt., plast. density, structure, cementation, react. w/HCl, geo. inter.	REMARKS	
				Surface Elevation: Not surveyed		
SB-09-3.0				CONCRETE : (4 inches thick)		
SB-09-4.9				AGGREGATE BASE : (3 inches thick)		
SB-09-6.0				SANDY LEAN CLAY with GRAVEL (CL): olive brown (2.5Y 4/3), moist, 60% fines, 20% fine to coarse sand, 20% fine to coarse gravel, medium plasticity, firm [FILL]	Hand augered to 5 feet bgs.	
SB-09-11.8				CLAYEY SAND (SC)	OVM = MiniRAE 2000 PID calibrated with 100 ppm isobutylene standard.	
				LEAN CLAY with SAND (CL): olive brown (2.5Y 4/3), moist, 80% fines, 20% fine to coarse sand, medium plasticity, firm		
				dark greenish gray (5GY 4/1)		
				LEAN CLAY (CL): black (2.5Y 5/1), moist, 90% fines, 10% fine sand, medium plasticity, firm		
				contains trace gravel		
				grayish brown (2.5Y 5/2)		
				SANDY LEAN CLAY (CL)		
				soft	Borehole destroyed using Type I-II neat cement grout placed from total depth to ground surface with a tremie pipe.	
				Bottom of boring at 15.0 feet		
OAKBOREV (REV. 6/2008)						
AMEC Geomatrix				Project No. OD10160070	Page 1 of 1	

PROJECT: 7544 DUBLIN BOULEVARD Dublin, California 94568				<b>Log of Boring No. SB-10</b>				
BORING LOCATION: South end of car wash				ELEVATION AND DATUM: Not surveyed; datum is ground surface				
DRILLING CONTRACTOR: PeneCore Drilling				DATE STARTED: 9/28/10	DATE FINISHED: 9/28/10			
DRILLING METHOD: Direct push				TOTAL DEPTH (ft.): 16.5	MEASURING POINT: Ground surface			
DRILLING EQUIPMENT: Geoprobe 7822 DT				DEPTH TO WATER (ft.)	FIRST NA	COMPL. NA		
SAMPLING METHOD: Geoprobe DT21 dual-tube sampling system [5' x 1.25"]				LOGGED BY: G. Stemler				
HAMMER WEIGHT: NA			DROP: NA	RESPONSIBLE PROFESSIONAL: A. Patton	REG. NO. PG 8541			
DEPTH (feet)	SAMPLES Sample No.	SAMPLES Sample No.	OVM READING (ppm)	DESCRIPTION NAME (USCS): color, moist, % by wt., plast. density, structure, cementation, react. w/HCl, geo. inter.				
				Surface Elevation: Not surveyed				
SB-10-4.0				CONCRETE : (4 inches thick)				
1				LEAN CLAY with SAND (CL): black (2.5Y 2.5/1), moist, 80% fines, 20% fine to coarse sand, medium plasticity, firm				
2				CLAYEY SAND with GRAVEL (SC): light yellowish brown (2.5Y 6/4), moist, 50% fine to coarse sand, 25% fine to coarse gravel, 25% medium plasticity fines				
3								
4								
5				LEAN CLAY (CL): black (2.5Y 2.5/1), moist, 90% fines, 10% fine sand, medium plasticity, firm				
6								
7								
8								
9								
10								
SB-10-10.5								
SB-10-9.0								
11								
12								
13								
14								
15								
REMARKS								
Hand augered to 5 feet bgs.								
OVM = MiniRAE 2000 PID calibrated with 100 ppm isobutylene standard.								
Grab groundwater sample SB-10 collected through 5 feet of 1-inch OD Sch. 40 PVC screen (0.010-inch slot size) placed in borehole from 11.5 to 16.5 feet bgs. Drive casing retracted from bottom of boring to 11.5 feet bgs to maintain surface seal. Depth to water measured prior to sampling using an electronic water level meter at 840 on September 28, 2010: 15.5 feet bgs.								
I:\PROJECT\...\OD10160070\10000_LOGSIGINT\DRAWINGS\SB-10.GDW OAKBOREV (REV. 6/2008)								
AMEC Geomatrix				Project No. OD10160070	Page 1 of 2			

PROJECT: 7544 DUBLIN BOULEVARD  
Dublin, California 94568

## Log of Boring No. SB-10 (cont'd)

DEPTH (feet)	SAMPLES			DESCRIPTION NAME (USCS): color, moist, % by wt., plast. density, structure, cementation, react. w/HCl, geo. inter.	REMARKS
	Sample No.	Sample	Blows/ Foot		
16				0 SANDY LEAN CLAY (CL): cont'd 0 LEAN CLAY (CL): dark olive brown (2.5Y 3/3), moist, 90% fines, 10% fine sand, low plasticity, firm 0 Bottom of boring at 16.5 feet	
17					Borehole destroyed using Type I-II neat cement grout placed from total depth to ground surface with a tremie pipe.
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					

PROJECT: 7544 DUBLIN BOULEVARD Dublin, California 94568				Log of Boring No. SB-11	
BORING LOCATION: 50' south of car wash				ELEVATION AND DATUM: Not surveyed; datum is ground surface	
DRILLING CONTRACTOR: PeneCore Drilling				DATE STARTED: 9/27/10	DATE FINISHED: 9/27/10
DRILLING METHOD: Direct push				TOTAL DEPTH (ft.): 18.0	MEASURING POINT: Ground surface
DRILLING EQUIPMENT: Geoprobe 7822 DT				DEPTH TO WATER (ft.)	FIRST NA      COMPL. NA
SAMPLING METHOD: Geoprobe DT21 dual-tube sampling system [5' x 1.25"]				LOGGED BY: G. Stemler	
HAMMER WEIGHT: NA		DROP: NA		RESPONSIBLE PROFESSIONAL: A. Patton	REG. NO. PG 8541
DEPTH (feet)	SAMPLES		OVM READING (ppm)	DESCRIPTION	REMARKS
	Sample No.	Sample No.		Blows/ Foot	
				Surface Elevation: Not surveyed	
1				ASPHALTIC CONCRETE : (6 inches thick)	
2				LEAN CLAY with SAND (CL): very dark gray (10YR 3/1), moist, 75% fines, 25% fine to coarse sand, medium plasticity, hard	
3					Hand augered to 5 feet bgs.
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
SB-11-12.8					
dark grayish brown (2.5Y 4/2), contains trace gravel					
LEAN CLAY (CL): dark grayish brown (2.5Y 4/2), moist, 90% fines, 10% fine sand, medium plasticity, firm					
very dark grayish brown (2.5Y 3/2)					
SANDY LEAN CLAY (CL): light olive brown (2.5Y 5/4) mottled with dark yellowish brown (10YR 4/6), moist, 65% fines, 35% fine to medium sand, medium plasticity, soft					
LEAN CLAY (CL): very dark grayish brown (10YR 4/6), moist, 90% fines, 10% fine sand, medium plasticity, firm					
Grab groundwater sample SB-11 collected through 5 feet of 1-inch OD Sch. 40 PVC screen (0.010-inch slot size) placed in borehole from 13 to 18 feet bgs. Drive casing retracted from bottom of boring to 13 feet bgs to maintain surface seal. Depth to water measured prior to sampling using an electronic water level meter at 1355 on September 27, 2010: 12.0 feet bgs.					

PROJECT: 7544 DUBLIN BOULEVARD  
Dublin, California 94568

## Log of Boring No. SB-11 (cont'd)

DEPTH (feet)	SAMPLES			DESCRIPTION NAME (USCS): color, moist, % by wt., plast. density, structure, cementation, react. w/HCl, geo. inter.	REMARKS
	Sample No.	Sample	Blows/ Foot		
16				LEAN CLAY (CL): cont'd	
16				dark grayish brown (2.5Y 4/2)	
17				SANDY LEAN CLAY (CL)	
18				Bottom of boring at 18.0 feet	Borehole destroyed using Type I-II neat cement grout placed from total depth to ground surface with a tremie pipe.
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					

OAKBOREV (REV. 6/2008)

PROJECT: 7544 DUBLIN BOULEVARD Dublin, California 94568				<b>Log of Boring No. SB-12</b>				
BORING LOCATION: 95' W, 230' S of SE corner of Bldg. B				ELEVATION AND DATUM: Not surveyed; datum is ground surface				
DRILLING CONTRACTOR: PeneCore Drilling				DATE STARTED: 9/28/10	DATE FINISHED: 9/28/10			
DRILLING METHOD: Direct push				TOTAL DEPTH (ft.): 17.0	MEASURING POINT: Ground surface			
DRILLING EQUIPMENT: Geoprobe 7822 DT				DEPTH TO WATER (ft.)	FIRST NA	COMPL. NA		
SAMPLING METHOD: Geoprobe DT21 dual-tube sampling system [5' x 1.25"]				LOGGED BY: G. Stemler				
HAMMER WEIGHT: NA			DROP: NA	RESPONSIBLE PROFESSIONAL: A. Patton	REG. NO. PG 8541			
DEPTH (feet)	SAMPLES Sample No.	SAMPLES Sample No.	OVM READING (ppm)	DESCRIPTION NAME (USCS): color, moist, % by wt., plast. density, structure, cementation, react. w/HCl, geo. inter.				
				Surface Elevation: Not surveyed				
1				ASPHALTIC CONCRETE : (2 inches thick) AGGREGATE BASE : (5 inches thick) LEAN CLAY (CL): black (2.5Y 2.5/1), moist, 90% fines, 10% fine sand, medium plasticity, firm				
2								
3								
4								
5				LEAN CLAY (CL): olive brown (2.5Y 4/3), moist, 85% fines, 15% fine sand, medium plasticity, firm				
6								
7								
8								
9								
10								
11								
12				SANDY LEAN CLAY (CL): olive brown (2.5Y 4/3), moist, 55% fines, 45% fine sand, medium plasticity, firm				
13								
14				LEAN CLAY (CL) black (2.5Y 2.5/1)				
15								
SB-12-12.0								
Hand augered to 5 feet bgs.  OVM = MiniRAE 2000 PID calibrated with 100 ppm isobutylene standard.								
Grab groundwater sample SB-12 collected through 5 feet of 1-inch OD Sch. 40 PVC screen (0.010-inch slot size) placed in borehole from 12 to 17 feet bgs. Drive casing retracted from bottom of boring to 12 feet bgs to maintain surface seal.								
OAKBOREV (REV. 6/2008)								
AMEC Geomatrix				Project No. OD10160070	Page 1 of 2			

PROJECT: 7544 DUBLIN BOULEVARD  
Dublin, California 94568

## Log of Boring No. SB-12 (cont'd)

DEPTH (feet)	SAMPLES			DESCRIPTION NAME (USCS): color, moist, % by wt., plast. density, structure, cementation, react. w/HCl, geo. inter.	REMARKS
	Sample No.	Sample	Blows/ Foot		
16				0 SANDY LEAN CLAY (CL): cont'd brown (10YR 4/3)	
17				0 0 Bottom of boring at 17.0 feet	Borehole destroyed using Type I-II neat cement grout placed from total depth to ground surface with a tremie pipe.
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					

OAKBOREV (REV. 6/2008)

---

**APPENDIX C**

Data Quality Review

## **APPENDIX C DATA QUALITY REVIEW**

Crown Chevrolet Cadillac Isuzu  
7544 Dublin Boulevard and 6707 Golden Gate Drive  
Dublin, California

AMEC evaluated the analytical data using guidelines set forth in the U.S. Environmental Protection Agency's (EPA's) *USEPA Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review* (U.S. EPA, 2008), and the *USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review* (U.S. EPA, 2010).

Quality assurance procedures for soil samples included the collection and analysis of one matrix spike/matrix spike duplicate (MS/MSD) sample; laboratory analysis of method blank samples, surrogate spikes, and laboratory control samples/laboratory control sample duplicates (LCS/LCSDs); and evaluation of the analytical results.

Quality assurance procedures for groundwater samples included the collection and analysis of one blind field duplicate sample and two MS/MSD samples; laboratory analysis of method blank samples, surrogate spikes, and LCS/LCSDs; and evaluation of the analytical results.

The blind duplicate groundwater sample was collected from soil boring SB-04 and labeled SB-40. The groundwater MS/MSD samples were collected from borings SB-04 and SB-07 and the soil MS/MSD sample was collected from boring SB-07.

The data quality review also included a data completeness check of the data packages, a transcription check of sample results, and a review of all laboratory reporting forms. Qualified data are included in the data summary tables in the main body of this report, and data qualifiers are hand-written onto the laboratory analytical reports in Appendix D.

### **SOIL DATA QUALITY REVIEW**

A review of soil data quality is provided in the following sections.

#### **DATA ACCURACY**

Data accuracy was assessed by the analysis of LCS, LCSD, MS samples, and MSD samples and evaluation of the recovery of spiked compounds, and is expressed as a percentage of the true or known concentrations. Surrogate recoveries and blank results also were used to assess accuracy.

#### **Spike Compounds**

No soil results were qualified due to MS, MSD, LCS or LCSD recoveries.

## Surrogate Recoveries

All surrogate recoveries were within their respective quality control criteria.

## Method Blanks

There were no detections in the method blank samples.

## Other Factors

Other factors influenced data accuracy of soil sample results as reported by the analytical laboratory.

### *Calibration Range Exceedances*

The analytical laboratory noted that one result exceeded the calibration range (i.e., total petroleum hydrocarbons quantified as gasoline (TPHg) in sample SB-01-13.8). The affected result was qualified with "J" to indicate that the analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample.

### *Chromatographic Analysis*

The analytical laboratory noted that one sample result exhibited a chromatographic pattern that did not match the laboratory standard for the target analyte, TPHg. Volatile organic compounds present in sample SB-03-3.2 were detected in the carbon range used by the laboratory to quantify TPHg; however, the laboratory indicated that the spectra for sample SB-03-3.2 does not resemble the pattern for the laboratory's fresh gasoline standard.

## DATA PRECISION

Data precision is evaluated by comparing analytical results from duplicate sample pairs and evaluating the calculated relative percent difference (RPD) between the data sets. Results for LCS/LCSD and MS/MSD samples were evaluated to assess the precision of the analytical methods for the soil sample data.

The RPDs between the MS and the MSD results were greater than acceptable limits for the polynuclear aromatic hydrocarbons (PAH) compounds acenaphthene, acenaphthylene, fluorene, naphthalene, and phenanthrene. The associated project sample results (i.e., soil samples SB-05-0.7, SB-05-11.5, SB-06-3.0, SB-06-11.0, SB-07-13.2, SB-08-15.7, SB-09-4.9, SB-09-11.8, SB-10-11.5, SB-12-12) were qualified with "J" for detected results to indicate that the analyte was positively identified and the associated numerical value is the approximate concentration of the analyte in the sample. Non-detect results were qualified with "UJ" to indicate that the analyte was not detected at a level greater than or equal to the laboratory reporting limit; however, the laboratory reporting limit is approximate and may be inaccurate or imprecise.

The RPDs for the all LCS/LCSD analyses were within criteria.

## DATA COMPLETENESS

Completeness is the ratio of the number of valid sample results to the total number of samples analyzed with a specific matrix and/or analysis. The percent complete is calculated by the following equation:

$$\% \text{ Complete} = \frac{(\text{number of valid measurements})}{(\text{number of measurements planned})} \times 100$$

The percent complete for soil sample data collected during the September 2010 sampling event is 100 percent.

## SUMMARY OF SOIL DATA QUALITY REVIEW

Based on an evaluation of data quality, some data were qualified as estimated (qualified with "J"). Some data were qualified as not detected at or above the laboratory reporting limit; however, the laboratory reporting limit is approximate and may be inaccurate or imprecise (qualified with "UJ"). Overall, the results of the data quality review indicate that the analytical results are valid and useable. The data, as qualified, are acceptable and can be used for decision-making purposes; however, the limitations identified by the applied qualifiers should be considered when using the data.

## GROUNDWATER DATA QUALITY REVIEW

A review of groundwater data quality is provided in the following sections.

### DATA ACCURACY

Data accuracy was assessed by the analysis of LCS, LCSD, MS samples, and MSD samples and evaluation of the recovery of spiked compounds, and is expressed as a percentage of the true or known concentrations. Surrogate recoveries and blank results also were used to assess accuracy.

### Spike Compounds

Results for several analytes were qualified due to MS and MSD recoveries that were outside acceptable laboratory control limits. MS and MSD recoveries were below the laboratory control limits for the PAH compounds benzo(g,h,i)perylene, indeno(1,2,3-cd)pyrene, and dibenz(a,h)anthracene. All associated project sample results (i.e., groundwater samples SB-05, SB-06, SB-07, SB-08, SB-10, SB-12) were non-detect and were qualified with "UJ" to indicate that the analyte was not detected at a level greater than or equal to the laboratory reporting limit; however, the laboratory reporting limit is approximate and may be inaccurate or imprecise.

No results were qualified due to LCS or LCSD recoveries.

## **Surrogate Recoveries**

All surrogate recoveries were within their respective quality control criteria.

## **Method Blanks**

There were no detections in associated method blank samples.

## **Other Factors**

Other factors influenced data accuracy as reported by the analytical laboratory.

### *Reporting Trace Compounds*

At AMEC's request, the analytical laboratory reported the results for total petroleum hydrocarbons quantified as diesel (TPHd) and total petroleum hydrocarbons quantified as motor oil (TPHmo) that were positively identified between their respective method detection limits (MDLs) and the RLs. The TPHd results for groundwater samples SB-07 and SB-12 were qualified with "J" to indicate that the analyte was positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample.

### *Sample Preparation and Preservation*

The work plan specified that the samples SB-05, SB-06, SB-07, and SB-08 would be analyzed for dissolved total chromium; however, the laboratory initially performed the analyses with unfiltered samples. After this error was noted, AMEC requested that samples be reanalyzed by the analytical laboratory using excess groundwater from other sample containers collected from these borings. The sample volume used for the reanalysis was unfiltered and unpreserved between sampling (on September 28 and 29, 2010) and sample extraction (on October 4, 2010), and was stored in a glass container. The laboratory filtered the samples and performed dissolved total chromium analysis. However, since the unfiltered samples were stored in unpreserved glass containers, rather than being filtered and then stored in preserved plastic containers as required by the analytical method, the dissolved total chromium results for samples SB-05, SB-06, SB-07 and SB-08 were qualified with "J-" for detections, to indicate that the result is an estimated quantity, but the result may be biased low.

## **DATA PRECISION**

Data precision is evaluated by comparing analytical results from duplicate sample pairs and evaluating the calculated relative percent difference (RPD) between the data sets. Results for LCS/LCSD and MS/MSD samples and one field duplicate sample were evaluated to assess the precision of the analytical methods. The RPDs for the all LCS/LCSD and MS/MSD analyses were within criteria. There were no detections in the primary sample SB-04 and its field duplicate sample, SB-40.

## DATA COMPLETENESS

Completeness is the ratio of the number of valid sample results to the total number of samples analyzed with a specific matrix and/or analysis. The percent complete is calculated by the following equation:

$$\% \text{ Complete} = \frac{\text{(number of valid measurements)}}{\text{(number of measurements planned)}} \times 100$$

The percent complete for groundwater sample data collected during the September 2010 sampling event is 100 percent.

## SUMMARY OF GROUNDWATER DATA QUALITY REVIEW

Based on an evaluation of data quality, some data were qualified as positively identified, and the associated numerical value is the approximate concentration of the analyte in the sample (qualified with "J"); some data were qualified as estimated quantities that may be biased low (qualified with "J-"); and some data were qualified as not detected at a level greater than or equal to the laboratory reporting limit, but the laboratory reporting limit is approximate and may be inaccurate or imprecise (qualified with "UJ"). Overall, the results of the data quality review indicate that the analytical results are valid and useable. The data, as qualified, are acceptable and can be used for decision-making purposes; however, the limitations identified by the applied qualifiers should be considered when using the data.

---

**APPENDIX D**

Copies of Laboratory Analytical Reports

## ANALYTICAL REPORT

Job Number: 720-30799-1

Job Description: Crown Chevrolet

For:  
AMEC Geomatrix Inc.  
2101 Webster Street, 12th Floor  
Oakland, CA 94612  
Attention: Avery Patton



Approved for release  
Afsaneh Salimpour  
Project Manager I  
11/04/2010 5:03 PM

Afsaneh Salimpour  
Project Manager I  
afsaneh.salimpour@testamericainc.com  
11/04/2010  
Revision: 2

CA ELAP Certification # 2496

The Chain(s) of Custody are included and are an integral part of this report.

The report shall not be reproduced except in full, without the written approval of the laboratory. The client, by accepting this report, also agrees not to alter any reports whether in the hard copy or electronic format and to use reasonable efforts to preserve the reports in the form and substance originally provided by TestAmerica.

A trip blank is required to be provided for volatile analyses. If trip blank results are not included in the report, either the trip blank was not submitted or requested to be analyzed.

Job Narrative  
720-30799-1

### Comments

No additional comments.

### Receipt

Received 3 vials (soil) and 1 soil jar for SB-04-3.0 which is not listed on COC. Logged in as HOLD.

Did not receive enough sample to do MS/MSD for diesel and PAH.

All other samples were received in good condition within temperature requirements.

### GC/MS VOA

Method(s) 8260B: The amount of GRO was estimated and high level Meoh Ext. was ND.

Method(s) 8260B: Surrogate recovery for the following sample(s) was outside control limits: SB-01-13.8 (720-30799-1). Evidence of matrix interference is present; therefore, re-analysis was not performed.

No other analytical or quality issues were noted.

### GC/MS Semi VOA

No other analytical or quality issues were noted.

### GC Semi VOA :

Samples for dissolved TPH(Diesel and Motor oil) were filtered at the lab using 0.7 micron glass fiber filter.

All samples for TPH(Diesel and Motor oil) were analysed with Silica Gel clean up using Method 3630C.

No analytical or quality issues were noted.

### Metals

No analytical or quality issues were noted.

### Organic Prep

No analytical or quality issues were noted.

TestAmerica Laboratories, Inc.

TestAmerica San Francisco 1220 Quarry Lane, Pleasanton, CA 94566  
Tel (925) 484-1919 Fax (925) 600-3002 [www.testamericainc.com](http://www.testamericainc.com)

## EXECUTIVE SUMMARY - Detections

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
720-30799-1 Gasoline Range Organics (GRO)-C5-C12	SB-01-13.8	13000 J E	180	ug/Kg	8260B/CA_LUFTMS
720-30799-3 Gasoline Range Organics (GRO)-C5-C12	SB-02-11.5	1400	180	ug/Kg	8260B/CA_LUFTMS
720-30799-5 Gasoline Range Organics (GRO)-C5-C12	SB-02	63	50	ug/L	8260B/CA_LUFTMS
720-30799-8 <i>Dissolved</i> Diesel Range Organics [C10-C28]	SB-11	<i>H-52</i> J B	52	ug/L	8015B
720-30799-12 <i>Dissolved</i> Diesel Range Organics [C10-C28]	SB-04	<i>V-52</i> J B	52	ug/L	8015B
720-30799-14 <i>Silica Gel Cleanup</i> Diesel Range Organics [C10-C28]	SB-04-3.0	2.6	1.0	mg/Kg	8015B

TestAmerica San Francisco

Page 3 of 54

11/04/2010

## METHOD SUMMARY

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

Description	Lab Location	Method	Preparation Method
<b>Matrix: Solid</b>			
8260B / CA LUFT MS Closed System Purge and Trap	TAL SF	SW846 8260B/CA_LUFTMS	SW846 5035
Semivolatile Organic Compounds (GC/MS SIM) Ultrasonic Extraction	TAL SF	SW846 8270C SIM	SW846 3550B
Diesel Range Organics (DRO) (GC) Ultrasonic Extraction	TAL SF	SW846 8015B	SW846 3550B
<b>Matrix: Water</b>			
8260B / CA LUFT MS Purge and Trap	TAL SF	SW846 8260B/CA_LUFTMS	SW846 5030B
Semivolatile Organic Compounds (GC/MS SIM) Liquid-Liquid Extraction (Separatory Funnel)	TAL SF	SW846 8270C SIM	SW846 3510C
Diesel Range Organics (DRO) (GC) Sample Filtration Liquid-Liquid Extraction (Separatory Funnel)	TAL SF	SW846 8015B	FILTRATION SW846 3510C SGC

### Lab References:

TAL SF = TestAmerica San Francisco

### Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TestAmerica San Francisco

Page 4 of 54

11/04/2010

**METHOD / ANALYST SUMMARY**

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

<u>Method</u>	<u>Analyst</u>	<u>Analyst ID</u>
SW846 8260B/CA_LUFTMS	Chen, Amy	AC
SW846 8260B/CA_LUFTMS	Le, Lien	LL
SW846 8270C SIM	Lee, Michael	ML
SW846 8015B	Hayashi, Derek	DH

**SAMPLE SUMMARY**

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

<u>Lab Sample ID</u>	<u>Client Sample ID</u>	<u>Client Matrix</u>	<u>Date/Time Sampled</u>	<u>Date/Time Received</u>
720-30799-1	SB-01-13.8	Solid	09/27/2010 0850	09/27/2010 1920
720-30799-3	SB-02-11.5	Solid	09/27/2010 1000	09/27/2010 1920
720-30799-5	SB-02	Water	09/27/2010 1050	09/27/2010 1920
720-30799-6	SB-01	Water	09/27/2010 1115	09/27/2010 1920
720-30799-7	SB-11-12.8	Solid	09/27/2010 1330	09/27/2010 1920
720-30799-8	SB-11	Water	09/27/2010 1400	09/27/2010 1920
720-30799-9	SB-04-12.0	Solid	09/27/2010 1645	09/27/2010 1920
720-30799-12	SB-04	Water	09/27/2010 1700	09/27/2010 1920
720-30799-12MS	SB-04	Water	09/27/2010 1700	09/27/2010 1920
720-30799-12MSD	SB-04	Water	09/27/2010 1700	09/27/2010 1920
720-30799-13	SB-40	Water	09/27/2010 1755	09/27/2010 1920
720-30799-14	SB-04-3.0	Solid	09/27/2010 1515	09/27/2010 1920

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

Client Sample ID: SB-01-13.8

Lab Sample ID: 720-30799-1

Client Matrix: Solid

Date Sampled: 09/27/2010 0850

Date Received: 09/27/2010 1920

#### 8260B/CA\_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-78924	Instrument ID: HP12
Preparation:	5035	Prep Batch: 720-79064	Lab File ID: 09291009.D
Dilution:	1.0	Initial Weight/Volume: 6.916 g	
Date Analyzed:	09/29/2010 1201	Final Weight/Volume: 10 mL	
Date Prepared:	09/29/2010 0700		

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
Benzene	ND			3.6
Gasoline Range Organics (GRO)-C5-C12	13000 ✓		E	180
Ethylbenzene	ND			3.6
MTBE	ND			3.6
Toluene	ND			3.6
Xylenes, Total	ND			7.2
Surrogate	%Rec		Qualifier	Acceptance Limits
4-Bromofluorobenzene	145		X	65 - 117
1,2-Dichloroethane-d4 (Surr)	100			73 - 140
Toluene-d8 (Surr)	109			72 - 113

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

Client Sample ID: SB-02-11.5

Lab Sample ID: 720-30799-3

Client Matrix: Solid

Date Sampled: 09/27/2010 1000

Date Received: 09/27/2010 1920

#### 8260B/CA\_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-78924	Instrument ID: HP12
Preparation:	5035	Prep Batch: 720-79064	Lab File ID: 09291012.D
Dilution:	1.0	Initial Weight/Volume: 6.902 g	
Date Analyzed:	09/29/2010 1351	Final Weight/Volume: 10 mL	
Date Prepared:	09/29/2010 0700		

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
Benzene	ND			3.6
Gasoline Range Organics (GRO)-C5-C12	1400			180
Ethylbenzene	ND			3.6
MTBE	ND			3.6
Toluene	ND			3.6
Xylenes, Total	ND			7.2
Surrogate	%Rec		Qualifier	Acceptance Limits
4-Bromofluorobenzene	107			65 - 117
1,2-Dichloroethane-d4 (Surr)	97			73 - 140
Toluene-d8 (Surr)	99			72 - 113

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

Client Sample ID: SB-02

Lab Sample ID: 720-30799-5  
Client Matrix: Water

Date Sampled: 09/27/2010 1050  
Date Received: 09/27/2010 1920

#### 8260B/CA\_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch:	720-79007	Instrument ID:	HP12
Preparation:	5030B	Lab File ID:	09291034.D		
Dilution:	1.0	Initial Weight/Volume:	10 mL		
Date Analyzed:	09/30/2010 0038	Final Weight/Volume:	10 mL		
Date Prepared:	09/30/2010 0038				

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	ND		0.50
Benzene	ND		0.50
Ethylbenzene	ND		0.50
Toluene	ND		0.50
Xylenes, Total	ND		1.0
Gasoline Range Organics (GRO)-C5-C12	63		50
 Surrogate	 %Rec	 Qualifier	 Acceptance Limits
4-Bromofluorobenzene	100		67 - 130
1,2-Dichloroethane-d4 (Surr)	96		67 - 130
Toluene-d8 (Surr)	97		70 - 130

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

Client Sample ID: SB-01

Lab Sample ID: 720-30799-6  
Client Matrix: Water

#### 8260B/CA\_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch:	720-79007	Instrument ID:	HP12
Preparation:	5030B	Lab File ID:	09291035.D		
Dilution:	1.0	Initial Weight/Volume:	10 mL		
Date Analyzed:	09/30/2010 0108	Final Weight/Volume:	10 mL		
Date Prepared:	09/30/2010 0108				

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	ND		0.50
Benzene	ND		0.50
Ethylbenzene	ND		0.50
Toluene	ND		0.50
Xylenes, Total	ND		1.0
Gasoline Range Organics (GRO)-C5-C12	ND		50
 Surrogate	 %Rec	 Qualifier	 Acceptance Limits
4-Bromofluorobenzene	97		67 - 130
1,2-Dichloroethane-d4 (Surr)	95		67 - 130
Toluene-d8 (Surr)	95		70 - 130

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

Client Sample ID: SB-04-12.0

Lab Sample ID: 720-30799-9

Client Matrix: Solid

Date Sampled: 09/27/2010 1645

Date Received: 09/27/2010 1920

#### 8260B/CA\_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-78924	Instrument ID:	HP12
Preparation:	5035	Prep Batch: 720-79064	Lab File ID:	09291011.D
Dilution:	1.0		Initial Weight/Volume:	6.329 g
Date Analyzed:	09/29/2010 1301		Final Weight/Volume:	10 mL
Date Prepared:	09/29/2010 0700			

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
Benzene	ND			4.0
Gasoline Range Organics (GRO)-C5-C12	ND			200
Ethylbenzene	ND			4.0
MTBE	ND			4.0
Toluene	ND			4.0
Xylenes, Total	ND			7.9
Surrogate	%Rec	Qualifier	Acceptance Limits	
4-Bromofluorobenzene	97		65 - 117	
1,2-Dichloroethane-d4 (Surr)	96		73 - 140	
Toluene-d8 (Surr)	96		72 - 113	

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

Client Sample ID: SB-04

Lab Sample ID: 720-30799-12

Client Matrix: Water

Date Sampled: 09/27/2010 1700

Date Received: 09/27/2010 1920

#### 8260B/CA\_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-79007	Instrument ID:	HP12
Preparation:	5030B		Lab File ID:	09291036.D
Dilution:	1.0		Initial Weight/Volume:	10 mL
Date Analyzed:	09/30/2010 0137		Final Weight/Volume:	10 mL
Date Prepared:	09/30/2010 0137			

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	ND		0.50
Benzene	ND		0.50
Ethylbenzene	ND		0.50
Toluene	ND		0.50
Xylenes, Total	ND		1.0
Gasoline Range Organics (GRO)-C5-C12	ND		50
Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	96		67 - 130
1,2-Dichloroethane-d4 (Surr)	96		67 - 130
Toluene-d8 (Surr)	95		70 - 130

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

Client Sample ID: SB-40

Lab Sample ID: 720-30799-13

Client Matrix: Water

Date Sampled: 09/27/2010 1755

Date Received: 09/27/2010 1920

#### 8260B/CA\_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch:	720-79007	Instrument ID:	HP12
Preparation:	5030B	Lab File ID:	09291039.D		
Dilution:	1.0	Initial Weight/Volume:	10 mL		
Date Analyzed:	09/30/2010 0306	Final Weight/Volume:	10 mL		
Date Prepared:	09/30/2010 0306				

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	ND		0.50
Benzene	ND		0.50
Ethylbenzene	ND		0.50
Toluene	ND		0.50
Xylenes, Total	ND		1.0
Gasoline Range Organics (GRO)-C5-C12	ND		50
Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	97		67 - 130
1,2-Dichloroethane-d4 (Surr)	94		67 - 130
Toluene-d8 (Surr)	95		70 - 130

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

Client Sample ID: SB-04-3.0

Lab Sample ID: 720-30799-14

Client Matrix: Solid

Date Sampled: 09/27/2010 1515

Date Received: 09/27/2010 1920

#### 8260B/CA\_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch:	720-78924	Instrument ID:	HP12
Preparation:	5035	Prep Batch:	720-79064	Lab File ID:	09291020.D
Dilution:	1.0			Initial Weight/Volume:	7.68 g
Date Analyzed:	09/29/2010 1751			Final Weight/Volume:	10 mL
Date Prepared:	09/29/2010 0700				

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
Benzene	ND			3.3
Gasoline Range Organics (GRO)-C5-C12	ND			160
Ethylbenzene	ND			3.3
MTBE	ND			3.3
Toluene	ND			3.3
Xylenes, Total	ND			6.5
Surrogate	%Rec	Qualifier	Acceptance Limits	
4-Bromofluorobenzene	93		65 - 117	
1,2-Dichloroethane-d4 (Surr)	94		73 - 140	
Toluene-d8 (Surr)	94		72 - 113	

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

Client Sample ID: SB-11-12.8

Lab Sample ID: 720-30799-7  
Client Matrix: Solid

Date Sampled: 09/27/2010 1330  
Date Received: 09/27/2010 1920

#### 8270C SIM Semivolatile Organic Compounds (GC/MS SIM)

Method:	8270C SIM	Analysis Batch: 720-79035	Instrument ID: SVOA HP 4
Preparation:	3550B	Prep Batch: 720-78948	Lab File ID: 09301005.D
Dilution:	1.0	Initial Weight/Volume: 30.30 g	
Date Analyzed:	09/30/2010 1226	Final Weight/Volume: 1 mL	
Date Prepared:	09/29/2010 1138	Injection Volume: 1 uL	

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
Naphthalene	ND			5.0
Acenaphthene	ND			5.0
Acenaphthylene	ND			5.0
Fluorene	ND			5.0
Phenanthrene	ND			5.0
Anthracene	ND			5.0
Benz[a]anthracene	ND			5.0
Chrysene	ND			5.0
Benz[a]pyrene	ND			5.0
Benz[b]fluoranthene	ND			5.0
Benz[k]fluoranthene	ND			5.0
Benz[g,h,i]perylene	ND			5.0
Indeno[1,2,3-cd]pyrene	ND			5.0
Fluoranthene	ND			5.0
Pyrene	ND			5.0
Dibenz(a,h)anthracene	ND			5.0

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	77		33 - 120
Terphenyl-d14	98		35 - 146

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

Client Sample ID: SB-11

Lab Sample ID: 720-30799-8  
Client Matrix: Water

Date Sampled: 09/27/2010 1400  
Date Received: 09/27/2010 1920

#### 8270C SIM Semivolatile Organic Compounds (GC/MS SIM)

Method:	8270C SIM	Analysis Batch: 720-79122	Instrument ID: SVOA HP 4
Preparation:	3510C	Prep Batch: 720-79056	Lab File ID: 10011023.D
Dilution:	1.0	Initial Weight/Volume: 970 mL	
Date Analyzed:	10/01/2010 1936	Final Weight/Volume: 1 mL	
Date Prepared:	09/30/2010 1403	Injection Volume: 1 uL	

Analyte	Result (ug/L)	Qualifier	RL
Naphthalene	ND		1.0
Acenaphthene	ND		0.10
Acenaphthylene	ND		0.10
Fluorene	ND		0.10
Phenanthrene	ND		0.10
Anthracene	ND		0.10
Benz[a]anthracene	ND		0.10
Chrysene	ND		0.10
Benz[a]pyrene	ND		0.10
Benz[b]fluoranthene	ND		0.10
Benz[k]fluoranthene	ND		0.10
Benz[g,h,i]perylene	ND		0.10
Indeno[1,2,3-cd]pyrene	ND		0.10
Fluoranthene	ND		0.10
Pyrene	ND		0.10
Dibenz(a,h)anthracene	ND		0.10

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	67		29 - 120
Terphenyl-d14	89		45 - 120

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

Client Sample ID: SB-04-12.0

Lab Sample ID: 720-30799-9

Client Matrix: Solid

Date Sampled: 09/27/2010 1645  
Date Received: 09/27/2010 1920

#### 8270C SIM Semivolatile Organic Compounds (GC/MS SIM)

Method:	8270C SIM	Analysis Batch:	720-79035	Instrument ID:	SVOA HP 4
Preparation:	3550B	Prep Batch:	720-78948	Lab File ID:	09301006.D
Dilution:	1.0			Initial Weight/Volume:	30.20 g
Date Analyzed:	09/30/2010 1250			Final Weight/Volume:	1 mL
Date Prepared:	09/29/2010 1138			Injection Volume:	1 uL

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
Naphthalene	ND			5.0
Acenaphthene	ND			5.0
Acenaphthylene	ND			5.0
Fluorene	ND			5.0
Phenanthrene	ND			5.0
Anthracene	ND			5.0
Benzo[a]anthracene	ND			5.0
Chrysene	ND			5.0
Benzo[a]pyrene	ND			5.0
Benzo[b]fluoranthene	ND			5.0
Benzo[k]fluoranthene	ND			5.0
Benzo[g,h,i]perylene	ND			5.0
Indeno[1,2,3-cd]pyrene	ND			5.0
Fluoranthene	ND			5.0
Pyrene	ND			5.0
Dibenz(a,h)anthracene	ND			5.0

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	84		33 - 120
Terphenyl-d14	97		35 - 146

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

Client Sample ID: SB-04

Lab Sample ID: 720-30799-12

Date Sampled: 09/27/2010 1700  
Date Received: 09/27/2010 1920

#### 8270C SIM Semivolatile Organic Compounds (GC/MS SIM)

Method:	8270C SIM	Analysis Batch:	720-79373	Instrument ID:	SVOA HP 4
Preparation:	3510C	Prep Batch:	720-79056	Lab File ID:	10061007.D
Dilution:	1.0			Initial Weight/Volume:	970 mL
Date Analyzed:	10/06/2010 1558			Final Weight/Volume:	1 mL
Date Prepared:	09/30/2010 1403			Injection Volume:	1 uL

Analyte	Result (ug/L)	Qualifier	RL
Naphthalene	ND		1.0
Acenaphthene	ND		0.10
Acenaphthylene	ND		0.10
Fluorene	ND		0.10
Phenanthrene	ND		0.10
Anthracene	ND		0.10
Benzo[a]anthracene	ND		0.10
Chrysene	ND		0.10
Benzo[a]pyrene	ND		0.10
Benzo[b]fluoranthene	ND		0.10
Benzo[k]fluoranthene	ND		0.10
Benzo[g,h,i]perylene	ND		0.10
Benzo[g,h,i]perylene	ND		0.10
Indeno[1,2,3-cd]pyrene	ND		0.10
Fluoranthene	ND		0.10
Pyrene	ND		0.10
Dibenz(a,h)anthracene	ND		0.10

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	63		29 - 120
Terphenyl-d14	90		45 - 120

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

Client Sample ID: SB-40

Lab Sample ID: 720-30799-13

Client Matrix: Water

Date Sampled: 09/27/2010 1755

Date Received: 09/27/2010 1920

#### 8270C SIM Semivolatile Organic Compounds (GC/MS SIM)

Method:	8270C SIM	Analysis Batch: 720-79373	Instrument ID: SVOA HP 4
Preparation:	3510C	Prep Batch: 720-79056	Lab File ID: 10061008.D
Dilution:	1.0	Initial Weight/Volume: 970 mL	
Date Analyzed:	10/06/2010 1621	Final Weight/Volume: 1 mL	
Date Prepared:	09/30/2010 1403	Injection Volume: 1 uL	

Analyte	Result (ug/L)	Qualifier	RL
Naphthalene	ND		1.0
Acenaphthene	ND		0.10
Acenaphthylene	ND		0.10
Fluorene	ND		0.10
Phenanthrene	ND		0.10
Anthracene	ND		0.10
Benz[a]anthracene	ND		0.10
Chrysene	ND		0.10
Benz[a]pyrene	ND		0.10
Benz[b]fluoranthene	ND		0.10
Benz[k]fluoranthene	ND		0.10
Benz[g,h,i]perylene	ND		0.10
Indeno[1,2,3-cd]pyrene	ND		0.10
Fluoranthene	ND		0.10
Pyrene	ND		0.10
Dibenz(a,h)anthracene	ND		0.10

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	61		29 - 120
Terphenyl-d14	88		45 - 120

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

Client Sample ID: SB-04-3.0

Lab Sample ID: 720-30799-14

Client Matrix: Solid

Date Sampled: 09/27/2010 1515

Date Received: 09/27/2010 1920

#### 8270C SIM Semivolatile Organic Compounds (GC/MS SIM)

Method:	8270C SIM	Analysis Batch: 720-79035	Instrument ID: SVOA HP 4
Preparation:	3550B	Prep Batch: 720-78948	Lab File ID: 09301007.D
Dilution:	1.0	Initial Weight/Volume: 30.13 g	
Date Analyzed:	09/30/2010 1314	Final Weight/Volume: 1 mL	
Date Prepared:	09/29/2010 1138	Injection Volume: 1 uL	

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
Naphthalene	ND			5.0
Acenaphthene	ND			5.0
Acenaphthylene	ND			5.0
Fluorene	ND			5.0
Phenanthrene	ND			5.0
Anthracene	ND			5.0
Benz[a]anthracene	ND			5.0
Chrysene	ND			5.0
Benz[a]pyrene	ND			5.0
Benz[b]fluoranthene	ND			5.0
Benz[k]fluoranthene	ND			5.0
Benz[g,h,i]perylene	ND			5.0
Indeno[1,2,3-cd]pyrene	ND			5.0
Fluoranthene	ND			5.0
Pyrene	ND			5.0
Dibenz(a,h)anthracene	ND			5.0

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	70		33 - 120
Terphenyl-d14	93		35 - 146

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

Client Sample ID: SB-11-12.8

Lab Sample ID: 720-30799-7

Client Matrix: Solid

Date Sampled: 09/27/2010 1330

Date Received: 09/27/2010 1920

#### 8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch:	720-79101	Instrument ID:	CHDRO6
Preparation:	3550B	Prep Batch:	720-79041	Initial Weight/Volume:	30.19 g
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/01/2010 1546			Injection Volume:	1 uL
Date Prepared:	09/30/2010 1126			Result Type:	PRIMARY

Analyte	DryWt Corrected: N	Result (mg/Kg)	Qualifier	RL
Diesel Range Organics [C10-C28]	ND			0.99
Motor Oil Range Organics [C24-C36]	ND			50

Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0.2		0 - 5
p-Terphenyl	85		46 - 115

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

Client Sample ID: SB-11

Lab Sample ID: 720-30799-8

Client Matrix: Water

Date Sampled: 09/27/2010 1400  
Date Received: 09/27/2010 1920

#### 8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch:	720-79290	Instrument ID:	CHDRO5
Preparation:	3510C SGC	Prep Batch:	720-79293	Initial Weight/Volume:	980 mL
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/05/2010 2351			Injection Volume:	1 uL
Date Prepared:	10/05/2010 0934			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	ND		10	51
Motor Oil Range Organics [C24-C36]	ND		130	300

Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0.2		0 - 5
p-Terphenyl	91		31 - 150

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

Client Sample ID: SB-11

Lab Sample ID: 720-30799-8

Client Matrix: Water

Date Sampled: 09/27/2010 1400

Date Received: 09/27/2010 1920

#### 8015B Diesel Range Organics (DRO) (GC)-Dissolved

Method:	8015B	Analysis Batch:	720-78937	Instrument ID:	CHDRO5
Preparation:	3510C SGC	Prep Batch:	720-78897	Initial Weight/Volume:	960 mL
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	09/29/2010 1948			Injection Volume:	1 uL
Date Prepared:	09/28/2010 1829			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	<del>11&lt;52</del>	J B	11	52
Motor Oil Range Organics [C24-C36]	ND		130	310

Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0.2		0 - 5
p-Terphenyl	93		31 - 150

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

Client Sample ID: SB-04-12.0

Lab Sample ID: 720-30799-9

Client Matrix: Solid

Date Sampled: 09/27/2010 1645

Date Received: 09/27/2010 1920

#### 8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch:	720-79101	Instrument ID:	CHDRO6
Preparation:	3550B	Prep Batch:	720-79041	Initial Weight/Volume:	30.15 g
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/01/2010 1608			Injection Volume:	1 uL
Date Prepared:	09/30/2010 1126			Result Type:	PRIMARY

Analyte	DryWt Corrected: N	Result (mg/Kg)	Qualifier	RL
Diesel Range Organics [C10-C28]	ND	ND		1.0
Motor Oil Range Organics [C24-C36]	ND	ND		50

Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0.3		0 - 5
p-Terphenyl	88		46 - 115

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

Client Sample ID: SB-04

Lab Sample ID: 720-30799-12

Client Matrix: Water

Date Sampled: 09/27/2010 1700

Date Received: 09/27/2010 1920

#### 8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch:	720-79290	Instrument ID:	CHDROS
Preparation:	3510C SGC	Prep Batch:	720-79293	Initial Weight/Volume:	980 mL
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/06/2010 0014			Injection Volume:	1 uL
Date Prepared:	10/05/2010 0934			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	ND		10	51
Motor Oil Range Organics [C24-C36]	ND		130	300

Surrogate	%Rec	Qualifier	Acceptance Limits	
Capric Acid (Surrogate)	0.3		0 - 5	
p-Terphenyl	93		31 - 150	

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

Client Sample ID: SB-04

Lab Sample ID: 720-30799-12

Client Matrix: Water

Date Sampled: 09/27/2010 1700

Date Received: 09/27/2010 1920

#### 8015B Diesel Range Organics (DRO) (GC)-Dissolved

Method:	8015B	Analysis Batch:	720-78937	Instrument ID:	CHDROS
Preparation:	3510C SGC	Prep Batch:	720-78897	Initial Weight/Volume:	950 mL
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	09/29/2010 2011			Injection Volume:	1 uL
Date Prepared:	09/28/2010 1829			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	<del>112.52</del>	J B	11	52
Motor Oil Range Organics [C24-C36]	ND		130	310

Surrogate	%Rec	Qualifier	Acceptance Limits	
Capric Acid (Surrogate)	0.6		0 - 5	
p-Terphenyl	89		31 - 150	

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

Client Sample ID: SB-40

Lab Sample ID: 720-30799-13

Client Matrix: Water

Date Sampled: 09/27/2010 1755

Date Received: 09/27/2010 1920

#### 8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch:	720-79290	Instrument ID:	CHDROS
Preparation:	3510C SGC	Prep Batch:	720-79293	Initial Weight/Volume:	960 mL
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/06/2010 0037			Injection Volume:	1 uL
Date Prepared:	10/05/2010 0934			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	ND		11	52
Motor Oil Range Organics [C24-C36]	ND		130	310

Surrogate	%Rec	Qualifier	Acceptance Limits	
Capric Acid (Surr)	0.2		0 - 5	
p-Terphenyl	90		31 - 150	

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

Client Sample ID: SB-40

Lab Sample ID: 720-30799-13

Client Matrix: Water

Date Sampled: 09/27/2010 1755

Date Received: 09/27/2010 1920

#### 8015B Diesel Range Organics (DRO) (GC)-Dissolved

Method:	8015B	Analysis Batch:	720-78937	Instrument ID:	CHDROS
Preparation:	3510C SGC	Prep Batch:	720-78897	Initial Weight/Volume:	940 mL
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	09/29/2010 2035			Injection Volume:	1 uL
Date Prepared:	09/28/2010 1829			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	ND		11	53
Motor Oil Range Organics [C24-C36]	ND		130	320

Surrogate	%Rec	Qualifier	Acceptance Limits	
Capric Acid (Surr)	0.2		0 - 5	
p-Terphenyl	92		31 - 150	

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

Client Sample ID: SB-04-3.0

Lab Sample ID: 720-30799-14

Client Matrix: Solid

Date Sampled: 09/27/2010 1515

Date Received: 09/27/2010 1920

#### 8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch:	720-79101	Instrument ID:	CHDRO6
Preparation:	3550B	Prep Batch:	720-79041	Initial Weight/Volume:	30.12 g
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/01/2010 1631			Injection Volume:	1 uL
Date Prepared:	09/30/2010 1126			Result Type:	PRIMARY

Analyte	Dry Wt Corrected: N	Result (mg/Kg)	Qualifier	RL
Diesel Range Organics [C10-C28]		2.6		1.0
Motor Oil Range Organics [C24-C36]		ND		50

Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Sur)	0.2		0 - 5
p-Terphenyl	95		46 - 115

### DATA REPORTING QUALIFIERS

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

Lab Section	Qualifier	Description
GC/MS VOA	E	Result exceeded calibration range.
	X	Surrogate is outside control limits
GC Semi VOA	B	Compound was found in the blank and sample.
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

#### QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
<b>GC/MS VOA</b>					
<b>Analysis Batch:720-78924</b>					
LCS 720-79064/2-A	Lab Control Sample	T	Solid	8260B/CA_LUFT	720-79064
LCS 720-79064/4-A	Lab Control Sample	T	Solid	8260B/CA_LUFT	720-79064
LCSD 720-79064/3-A	Lab Control Sample Duplicate	T	Solid	8260B/CA_LUFT	720-79064
LCSD 720-79064/5-A	Lab Control Sample Duplicate	T	Solid	8260B/CA_LUFT	720-79064
MB 720-79064/1-A	Method Blank	T	Solid	8260B/CA_LUFT	720-79064
720-30799-1	SB-01-13.8	T	Solid	8260B/CA_LUFT	720-79064
720-30799-3	SB-02-11.5	T	Solid	8260B/CA_LUFT	720-79064
720-30799-9	SB-04-12.0	T	Solid	8260B/CA_LUFT	720-79064
720-30799-14	SB-04-3.0	T	Solid	8260B/CA_LUFT	720-79064
<b>Analysis Batch:720-79007</b>					
LCS 720-79007/5	Lab Control Sample	T	Water	8260B/CA_LUFT	
LCS 720-79007/7	Lab Control Sample	T	Water	8260B/CA_LUFT	
LCSD 720-79007/6	Lab Control Sample Duplicate	T	Water	8260B/CA_LUFT	
LCSD 720-79007/8	Lab Control Sample Duplicate	T	Water	8260B/CA_LUFT	
MB 720-79007/4	Method Blank	T	Water	8260B/CA_LUFT	
720-30799-5	SB-02	T	Water	8260B/CA_LUFT	
720-30799-6	SB-01	T	Water	8260B/CA_LUFT	
720-30799-12	SB-04	T	Water	8260B/CA_LUFT	
720-30799-12MS	Matrix Spike	T	Water	8260B/CA_LUFT	
720-30799-12MSD	Matrix Spike Duplicate	T	Water	8260B/CA_LUFT	
720-30799-13	SB-40	T	Water	8260B/CA_LUFT	
<b>Prep Batch: 720-79064</b>					
LCS 720-79064/2-A	Lab Control Sample	T	Solid	5035	
LCS 720-79064/4-A	Lab Control Sample	T	Solid	5035	
LCSD 720-79064/3-A	Lab Control Sample Duplicate	T	Solid	5035	
LCSD 720-79064/5-A	Lab Control Sample Duplicate	T	Solid	5035	
MB 720-79064/1-A	Method Blank	T	Solid	5035	
720-30799-1	SB-01-13.8	T	Solid	5035	
720-30799-3	SB-02-11.5	T	Solid	5035	
720-30799-9	SB-04-12.0	T	Solid	5035	
720-30799-14	SB-04-3.0	T	Solid	5035	

#### Report Basis

T = Total

TestAmerica San Francisco

TestAmerica San Francisco

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

#### QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
<b>GC/MS Semi VOA</b>					
<b>Prep Batch: 720-78948</b>					
LCS 720-78948/2-A	Lab Control Sample	T	Solid		3550B
LCSD 720-78948/3-A	Lab Control Sample Duplicate	T	Solid		3550B
MB 720-78948/1-A	Method Blank	T	Solid		3550B
720-30799-7	SB-11-12.8	T	Solid		3550B
720-30799-9	SB-04-12.0	T	Solid		3550B
720-30799-14	SB-04-3.0	T	Solid		3550B
720-30799-14MS	Matrix Spike	T	Solid		3550B
720-30799-14MSD	Matrix Spike Duplicate	T	Solid		3550B
<b>Analysis Batch:720-79035</b>					
LCS 720-78948/2-A	Lab Control Sample	T	Solid	8270C SIM	720-78948
LCSD 720-78948/3-A	Lab Control Sample Duplicate	T	Solid	8270C SIM	720-78948
MB 720-78948/1-A	Method Blank	T	Solid	8270C SIM	720-78948
720-30799-7	SB-11-12.8	T	Solid	8270C SIM	720-78948
720-30799-9	SB-04-12.0	T	Solid	8270C SIM	720-78948
720-30799-14	SB-04-3.0	T	Solid	8270C SIM	720-78948
720-30799-14MS	Matrix Spike	T	Solid	8270C SIM	720-78948
720-30799-14MSD	Matrix Spike Duplicate	T	Solid	8270C SIM	720-78948
<b>Prep Batch: 720-79056</b>					
LCS 720-79056/2-A	Lab Control Sample	T	Water		3510C
LCSD 720-79056/3-A	Lab Control Sample Duplicate	T	Water		3510C
MB 720-79056/1-A	Method Blank	T	Water		3510C
720-30799-8	SB-11	T	Water		3510C
720-30799-12	SB-04	T	Water		3510C
720-30799-13	SB-40	T	Water		3510C
<b>Analysis Batch:720-79122</b>					
LCS 720-79056/2-A	Lab Control Sample	T	Water	8270C SIM	720-79056
LCSD 720-79056/3-A	Lab Control Sample Duplicate	T	Water	8270C SIM	720-79056
MB 720-79056/1-A	Method Blank	T	Water	8270C SIM	720-79056
720-30799-8	SB-11	T	Water	8270C SIM	720-79056
<b>Analysis Batch:720-79373</b>					
720-30799-12	SB-04	T	Water	8270C SIM	720-79056
720-30799-13	SB-40	T	Water	8270C SIM	720-79056

#### Report Basis

T = Total

TestAmerica San Francisco

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

#### QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
---------------	------------------	--------------	---------------	--------	------------

#### GC Semi VOA

##### Prep Batch: 720-78897

LCS 720-78890/2-B	Lab Control Sample	D	Water	3510C SGC
LCSD 720-78890/3-B	Lab Control Sample Duplicate	D	Water	3510C SGC
MB 720-78890/1-B	Method Blank	D	Water	3510C SGC
720-30799-8	SB-11	D	Water	3510C SGC
720-30799-12	SB-04	D	Water	3510C SGC
720-30799-13	SB-40	D	Water	3510C SGC

##### Analysis Batch: 720-78937

LCS 720-78890/2-B	Lab Control Sample	D	Water	8015B	720-78897
LCSD 720-78890/3-B	Lab Control Sample Duplicate	D	Water	8015B	720-78897
MB 720-78890/1-B	Method Blank	D	Water	8015B	720-78897
720-30799-8	SB-11	D	Water	8015B	720-78897
720-30799-12	SB-04	D	Water	8015B	720-78897
720-30799-13	SB-40	D	Water	8015B	720-78897

##### Prep Batch: 720-79041

LCS 720-79041/2-A	Lab Control Sample	A	Solid	3550B
LCSD 720-79041/3-A	Lab Control Sample Duplicate	A	Solid	3550B
MB 720-79041/1-A	Method Blank	A	Solid	3550B
720-30799-7	SB-11-12.8	A	Solid	3550B
720-30799-9	SB-04-12.0	A	Solid	3550B
720-30799-14	SB-04-3.0	A	Solid	3550B
720-30837-A-6-B MS	Matrix Spike	A	Solid	3550B
720-30837-A-6-C MSD	Matrix Spike Duplicate	A	Solid	3550B

##### Analysis Batch: 720-79101

LCS 720-79041/2-A	Lab Control Sample	A	Solid	8015B	720-79041
LCSD 720-79041/3-A	Lab Control Sample Duplicate	A	Solid	8015B	720-79041
MB 720-79041/1-A	Method Blank	A	Solid	8015B	720-79041
720-30799-7	SB-11-12.8	A	Solid	8015B	720-79041
720-30799-9	SB-04-12.0	A	Solid	8015B	720-79041
720-30799-14	SB-04-3.0	A	Solid	8015B	720-79041

##### Analysis Batch: 720-79102

720-30837-A-6-B MS	Matrix Spike	A	Solid	8015B	720-79041
720-30837-A-6-C MSD	Matrix Spike Duplicate	A	Solid	8015B	720-79041

##### Analysis Batch: 720-79290

LCS 720-79293/2-A	Lab Control Sample	A	Water	8015B	720-79293
LCSD 720-79293/3-A	Lab Control Sample Duplicate	A	Water	8015B	720-79293
720-30799-8	SB-11	A	Water	8015B	720-79293
720-30799-12	SB-04	A	Water	8015B	720-79293
720-30799-13	SB-40	A	Water	8015B	720-79293

TestAmerica San Francisco

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

#### QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
---------------	------------------	--------------	---------------	--------	------------

#### GC Semi VOA

##### Prep Batch: 720-79293

LCS 720-79293/2-A	Lab Control Sample	A	Water	3510C SGC
LCSD 720-79293/3-A	Lab Control Sample Duplicate	A	Water	3510C SGC
MB 720-79293/1-A	Method Blank	A	Water	3510C SGC
720-30799-8	SB-11	A	Water	3510C SGC
720-30799-12	SB-04	A	Water	3510C SGC
720-30799-13	SB-40	A	Water	3510C SGC

##### Analysis Batch: 720-79353

MB 720-79293/1-A	Method Blank	A	Water	8015B	720-79293
------------------	--------------	---	-------	-------	-----------

#### Report Basis

D = Dissolved

A = Silica Gel Cleanup

TestAmerica San Francisco

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

**Method Blank - Batch: 720-79007**

**Method: 8260B/CA\_LUFTMS  
Preparation: 5030B**

Lab Sample ID: MB 720-79007/4  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 09/30/2010 0008  
Date Prepared: 09/30/2010 0008

Analysis Batch: 720-79007  
Prep Batch: N/A  
Units: ug/L

Instrument ID: HP12  
Lab File ID: 09291033.D  
Initial Weight/Volume: 10 mL  
Final Weight/Volume: 10 mL

Analyte	Result	Qual	RL
Benzene	ND		0.50
Ethylbenzene	ND		0.50
Methyl tert-butyl ether	ND		0.50
m-Xylene & p-Xylene	ND		1.0
o-Xylene	ND		0.50
Toluene	ND		0.50
Xylenes, Total	ND		1.0
Gasoline Range Organics (GRO)-C5-C12	ND		50

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	97	67 - 130
1,2-Dichloroethane-d4 (Sur)	95	67 - 130
Toluene-d8 (Sur)	96	70 - 130

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

**Lab Control Sample/  
Lab Control Sample Duplicate Recovery Report - Batch: 720-79007**

**Method: 8260B/CA\_LUFTMS  
Preparation: 5030B**

LC Lab Sample ID: LCS 720-79007/5  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 09/29/2010 2209  
Date Prepared: 09/29/2010 2209

Analysis Batch: 720-79007  
Prep Batch: N/A  
Units: ug/L

Instrument ID: HP12  
Lab File ID: 09291029.D  
Initial Weight/Volume: 10 mL  
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 720-79007/6  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 09/29/2010 2239  
Date Prepared: 09/29/2010 2239

Analysis Batch: 720-79007  
Prep Batch: N/A  
Units: ug/L

Instrument ID: HP12  
Lab File ID: 09291030.D  
Initial Weight/Volume: 10 mL  
Final Weight/Volume: 10 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Benzene	94	92	82 - 127	3	20		
Ethylbenzene	97	96	86 - 135	1	20		
Methyl tert-butyl ether	106	98	62 - 130	8	20		
m-Xylene & p-Xylene	98	97	70 - 142	1	20		
o-Xylene	100	97	89 - 136	2	20		
Toluene	96	94	83 - 129	2	20		
Surrogate	LCS % Rec		LCSD % Rec		Acceptance Limits		
4-Bromofluorobenzene	100		97		67 - 130		
1,2-Dichloroethane-d4 (Sur)	87		85		67 - 130		
Toluene-d8 (Sur)	98		98		70 - 130		

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

**Lab Control Sample/  
Lab Control Sample Duplicate Recovery Report - Batch: 720-79007**

**Method: 8260B/CA\_LUFTMS  
Preparation: 5030B**

LCS Lab Sample ID: LCS 720-79007/7  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 09/29/2010 2308  
Date Prepared: 09/29/2010 2308

Analysis Batch: 720-79007  
Prep Batch: N/A

Instrument ID: HP12  
Lab File ID: 09291031.D  
Initial Weight/Volume: 10 mL  
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 720-79007/8  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 09/29/2010 2338  
Date Prepared: 09/29/2010 2338

Analysis Batch: 720-79007  
Prep Batch: N/A  
Units: ug/L

Instrument ID: HP12  
Lab File ID: 09291032.D  
Initial Weight/Volume: 10 mL  
Final Weight/Volume: 10 mL

Analyte	% Rec.						
	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Gasoline Range Organics (GRO)-C5-C12	80	81	62 - 117	1	20		
Surrogate	LCS % Rec	LCSD % Rec			Acceptance Limits		
4-Bromofluorobenzene	99	101			67 - 130		
1,2-Dichloroethane-d4 (Surr)	91	91			67 - 130		
Toluene-d8 (Surr)	98	97			70 - 130		

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

**Matrix Spike/  
Matrix Spike Duplicate Recovery Report - Batch: 720-79007**

**Method: 8260B/CA\_LUFTMS  
Preparation: 5030B**

MS Lab Sample ID: 720-30799-12  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 09/30/2010 0207  
Date Prepared: 09/30/2010 0207

Analysis Batch: 720-79007  
Prep Batch: N/A

Instrument ID: HP12  
Lab File ID: 09291037.D  
Initial Weight/Volume: 10 mL  
Final Weight/Volume: 10 mL

MSD Lab Sample ID: 720-30799-12  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 09/30/2010 0237  
Date Prepared: 09/30/2010 0237

Analysis Batch: 720-79007  
Prep Batch: N/A

Instrument ID: HP12  
Lab File ID: 09291038.D  
Initial Weight/Volume: 10 mL  
Final Weight/Volume: 10 mL

Analyte	% Rec.						
	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Methyl tert-butyl ether	105	102	60 - 138	3	20		
Benzene	91	92	60 - 140	1	20		
Ethylbenzene	95	94	60 - 140	1	20		
Toluene	92	92	60 - 140	0	20		
m-Xylene & p-Xylene	96	95	60 - 140	1	20		
o-Xylene	98	98	60 - 140	1	20		
Surrogate	MS % Rec	MSD % Rec			Acceptance Limits		
4-Bromofluorobenzene	99	98			67 - 130		
1,2-Dichloroethane-d4 (Surr)	97	94			67 - 130		
Toluene-d8 (Surr)	99	99			70 - 130		

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

**Method Blank - Batch: 720-79064**

**Method: 8260B/CA\_LUFTMS  
Preparation: 5035**

Lab Sample ID: MB 720-79064/1-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 09/29/2010 0921  
Date Prepared: 09/29/2010 0700

Analysis Batch: 720-78924  
Prep Batch: 720-79064  
Units: ug/Kg

Instrument ID: HP12  
Lab File ID: 09291004.D  
Initial Weight/Volume: 5 g  
Final Weight/Volume: 10 mL

Analyte	Result	Qual	RL
Benzene	ND		5.0
Ethylbenzene	ND		5.0
MTBE	ND		5.0
m-Xylene & p-Xylene	ND		5.0
Toluene	ND		5.0
Xylenes, Total	ND		10
Gasoline Range Organics (GRO)-C5-C12	ND		250

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	96	65 - 117
1,2-Dichloroethane-d4 (Surr)	100	73 - 140
Toluene-d8 (Surr)	95	72 - 113

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

**Lab Control Sample/  
Lab Control Sample Duplicate Recovery Report - Batch: 720-79064**

**Method: 8260B/CA\_LUFTMS  
Preparation: 5035**

LCS Lab Sample ID: LCS 720-79064/2-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 09/29/2010 0951  
Date Prepared: 09/29/2010 0700

Instrument ID: HP12  
Lab File ID: 09291005.D  
Initial Weight/Volume: 5 g  
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 720-79064/3-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 09/29/2010 1021  
Date Prepared: 09/29/2010 0700

Instrument ID: HP12  
Lab File ID: 09291006.D  
Initial Weight/Volume: 5 g  
Final Weight/Volume: 10 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Benzene	99	101	82 - 124	2	20		
Ethylbenzene	99	101	80 - 137	2	20		
MTBE	112	115	71 - 144	3	20		
m-Xylene & p-Xylene	101	103	79 - 146	2	20		
Toluene	96	99	83 - 128	3	20		
Surrogate	LCS % Rec		LCSD % Rec		Acceptance Limits		
4-Bromofluorobenzene	101		102		65 - 117		
1,2-Dichloroethane-d4 (Surr)	100		97		73 - 140		
Toluene-d8 (Surr)	100		100		72 - 113		

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

**Lab Control Sample/  
Lab Control Sample Duplicate Recovery Report - Batch: 720-79064**

**Method: 8260B/CA\_LUFTMS  
Preparation: 5035**

LCS Lab Sample ID: LCS 720-79064/4-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 09/29/2010 1051  
Date Prepared: 09/29/2010 0700

Analysis Batch: 720-78924  
Prep Batch: 720-79064  
Units: ug/Kg

Instrument ID: HP12  
Lab File ID: 09291007.D  
Initial Weight/Volume: 5 g  
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 720-79064/5-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 09/29/2010 1121  
Date Prepared: 09/29/2010 0700

Analysis Batch: 720-78924  
Prep Batch: 720-79064  
Units: ug/Kg

Instrument ID: HP12  
Lab File ID: 09291008.D  
Initial Weight/Volume: 5 g  
Final Weight/Volume: 10 mL

Analyte	% Rec.						
	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Gasoline Range Organics (GRO)-C5-C12	89	86	68 - 115	3	20		
Surrogate		LCS % Rec	LCSD % Rec		Acceptance Limits		
4-Bromofluorobenzene	102	102			65 - 117		
1,2-Dichloroethane-d4 (Surr)	103	102			73 - 140		
Toluene-d8 (Surr)	98	96			72 - 113		

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

**Method Blank - Batch: 720-78948**

**Method: 8270C SIM  
Preparation: 3550B**

Lab Sample ID: MB 720-78948/1-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 09/30/2010 1203  
Date Prepared: 09/29/2010 1138

Analysis Batch: 720-79035  
Prep Batch: 720-78948  
Units: ug/Kg

Instrument ID: SVOA HP 4  
Lab File ID: 09301004.D  
Initial Weight/Volume: 30.06 g  
Final Weight/Volume: 1 mL  
Injection Volume: 1 uL

Analyte	Result	Qual	RL
Naphthalene	ND		5.0
Acenaphthene	ND		5.0
Acenaphthylene	ND		5.0
Fluorene	ND		5.0
Phenanthrene	ND		5.0
Anthracene	ND		5.0
Benz[a]anthracene	ND		5.0
Chrysene	ND		5.0
Benz[a]pyrene	ND		5.0
Benz[b]fluoranthene	ND		5.0
Benz[k]fluoranthene	ND		5.0
Benz[g,h,i]perylene	ND		5.0
Indeno[1,2,3-cd]pyrene	ND		5.0
Fluoranthene	ND		5.0
Pyrene	ND		5.0
Dibenz(a,h)anthracene	ND		5.0
<b>Surrogate</b>			
<b>% Rec.</b>		<b>Acceptance Limits</b>	
2-Fluorobiphenyl	82		33 - 120
Terphenyl-d14	92		35 - 146

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

#### Lab Control Sample/ Lab Control Sample Duplicate Recovery Report - Batch: 720-78948

**Method: 8270C SIM  
Preparation: 3550B**

LCS Lab Sample ID: LCS 720-78948/2-A      Analysis Batch: 720-79035  
 Client Matrix: Solid      Prep Batch: 720-78948  
 Dilution: 1.0      Units: ug/Kg  
 Date Analyzed: 09/30/2010 1115  
 Date Prepared: 09/29/2010 1138

Instrument ID: SVOA HP 4  
 Lab File ID: 09301002.D  
 Initial Weight/Volume: 30.37 g  
 Final Weight/Volume: 1 mL  
 Injection Volume: 1 uL

LCSD Lab Sample ID: LCSD 720-78948/3-A      Analysis Batch: 720-79035  
 Client Matrix: Solid      Prep Batch: 720-78948  
 Dilution: 1.0      Units: ug/Kg  
 Date Analyzed: 09/30/2010 1139  
 Date Prepared: 09/29/2010 1138

Instrument ID: SVOA HP 4  
 Lab File ID: 09301003.D  
 Initial Weight/Volume: 30.17 g  
 Final Weight/Volume: 1 mL  
 Injection Volume: 1 uL

Analyte	% Rec.							
	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual	
Naphthalene	78	76	46 - 120	2	20			
Acenaphthene	85	83	49 - 120	1	20			
Acenaphthylene	79	78	52 - 120	1	20			
Fluorene	98	98	52 - 120	0	20			
Phenanthrene	89	84	48 - 120	6	20			
Anthracene	81	75	52 - 120	7	20			
Benz[a]anthracene	86	83	52 - 120	3	20			
Chrysene	94	92	54 - 120	1	20			
Benz[a]pyrene	88	87	54 - 120	0	20			
Benz[b]fluoranthene	100	98	51 - 120	2	20			
Benz[k]fluoranthene	86	85	56 - 120	0	20			
Benz[g,h,i]perylene	91	90	48 - 120	1	20			
Indeno[1,2,3-cd]pyrene	95	93	48 - 120	1	20			
Fluoranthene	91	86	57 - 120	5	20			
Pyrene	90	86	53 - 120	4	20			
Dibenz(a,h)anthracene	94	92	50 - 120	2	20			
Surrogate	LCS % Rec		LCSD % Rec		Acceptance Limits			
2-Fluorobiphenyl	82		80		33 - 120			
Terphenyl-d14	94		91		35 - 146			

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

#### Matrix Spike/ Matrix Spike Duplicate Recovery Report - Batch: 720-78948

**Method: 8270C SIM  
Preparation: 3550B**

MS Lab Sample ID: 720-30799-14      Analysis Batch: 720-79035  
 Client Matrix: Solid      Prep Batch: 720-78948  
 Dilution: 1.0      Units: ug/Kg  
 Date Analyzed: 09/30/2010 1338  
 Date Prepared: 09/29/2010 1138

Instrument ID: SVOA HP 4  
 Lab File ID: 09301008.D  
 Initial Weight/Volume: 30.23 g  
 Final Weight/Volume: 1 mL  
 Injection Volume: 1 uL

MSD Lab Sample ID: 720-30799-14      Analysis Batch: 720-79035  
 Client Matrix: Solid      Prep Batch: 720-78948  
 Dilution: 1.0      Units: ug/Kg  
 Date Analyzed: 09/30/2010 1402  
 Date Prepared: 09/29/2010 1138

Instrument ID: SVOA HP 4  
 Lab File ID: 09301009.D  
 Initial Weight/Volume: 30.13 g  
 Final Weight/Volume: 1 mL  
 Injection Volume: 1 uL

Analyte	% Rec.							
	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual	
Naphthalene	57	59	32 - 120	4	20			
Acenaphthene	63	66	33 - 120	5	20			
Acenaphthylene	59	62	28 - 120	5	20			
Fluorene	78	82	35 - 120	6	20			
Phenanthrene	77	76	28 - 120	2	20			
Anthracene	71	69	36 - 120	2	20			
Benz[a]anthracene	80	79	29 - 120	2	20			
Chrysene	89	88	29 - 120	0	20			
Benz[a]pyrene	83	81	24 - 120	2	20			
Benz[b]fluoranthene	87	87	17 - 132	0	20			
Benz[k]fluoranthene	83	82	35 - 120	1	20			
Benz[g,h,i]perylene	84	83	21 - 120	2	20			
Indeno[1,2,3-cd]pyrene	88	86	20 - 126	1	20			
Fluoranthene	84	81	24 - 120	2	20			
Pyrene	82	81	24 - 123	1	20			
Dibenz(a,h)anthracene	88	86	36 - 120	1	20			
Surrogate	MS % Rec		MSD % Rec		Acceptance Limits			
2-Fluorobiphenyl	59		61		33 - 120			
Terphenyl-d14	85		83		35 - 146			

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

**Method Blank - Batch: 720-79056**

**Method: 8270C SIM  
Preparation: 3510C**

Lab Sample ID: MB 720-79056/1-A  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/01/2010 1206  
Date Prepared: 09/30/2010 1403

Analysis Batch: 720-79122  
Prep Batch: 720-79056  
Units: ug/L

Instrument ID: SVOA HP 4  
Lab File ID: 10011004.D  
Initial Weight/Volume: 1000 mL  
Final Weight/Volume: 1 mL  
Injection Volume: 1 uL

Analyte	Result	Qual	RL
Naphthalene	ND		1.0
Acenaphthene	ND		0.10
Acenaphthylene	ND		0.10
Fluorene	ND		0.10
Phenanthrene	ND		0.10
Anthracene	ND		0.10
Benz[a]anthracene	ND		0.10
Chrysene	ND		0.10
Benz[a]pyrene	ND		0.10
Benz[b]fluoranthene	ND		0.10
Benz[k]fluoranthene	ND		0.10
Benz[g,h,i]perylene	ND		0.10
Indeno[1,2,3-cd]pyrene	ND		0.10
Fluoranthene	ND		0.10
Pyrene	ND		0.10
Dibenz(a,h)anthracene	ND		0.10
Surrogate	% Rec	Acceptance Limits	
2-Fluorobiphenyl	83	29 - 120	
Terphenyl-d14	96	45 - 120	

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

**Lab Control Sample/  
Lab Control Sample Duplicate Recovery Report - Batch: 720-79056**

**Method: 8270C SIM  
Preparation: 3510C**

LCS Lab Sample ID: LCS 720-79056/2-A  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/01/2010 1118  
Date Prepared: 09/30/2010 1403

Analysis Batch: 720-79122  
Prep Batch: 720-79056  
Units: ug/L

Instrument ID: SVOA HP 4  
Lab File ID: 10011002.D  
Initial Weight/Volume: 1000 mL  
Final Weight/Volume: 1 mL  
Injection Volume: 1 uL

LCSD Lab Sample ID: LCSD 720-79056/3-A  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/01/2010 1142  
Date Prepared: 09/30/2010 1403

Analysis Batch: 720-79122  
Prep Batch: 720-79056  
Units: ug/L

Instrument ID: SVOA HP 4  
Lab File ID: 10011003.D  
Initial Weight/Volume: 1000 mL  
Final Weight/Volume: 1 mL  
Injection Volume: 1 uL

Analyte	% Rec.				
	LCS	LCSD	Limit	RPD	RPD Limit
Naphthalene	89	66	33 - 120	30	35
Acenaphthene	82	62	37 - 120	28	35
Acenaphthylene	78	59	36 - 120	29	35
Fluorene	97	77	39 - 120	24	35
Phenanthrene	83	71	44 - 120	18	35
Anthracene	79	72	45 - 120	9	35
Benz[a]anthracene	85	83	48 - 120	3	35
Chrysene	94	91	52 - 120	3	35
Benz[a]pyrene	91	88	50 - 120	4	35
Benz[b]fluoranthene	97	98	48 - 120	1	35
Benz[k]fluoranthene	88	86	50 - 120	3	35
Benz[g,h,i]perylene	82	81	49 - 120	2	35
Indeno[1,2,3-cd]pyrene	86	84	48 - 120	2	35
Fluoranthene	87	82	46 - 120	6	35
Pyrene	88	82	50 - 120	6	35
Dibenz(a,h)anthracene	85	83	48 - 101	2	35
Surrogate	LCS % Rec	LCSD % Rec	Acceptance Limits		
2-Fluorobiphenyl	82	60	29 - 120		
Terphenyl-d14	91	89	45 - 120		

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

#### Method Blank - Batch: 720-78897

Lab Sample ID: MB 720-78890/1-B  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 09/29/2010 2145  
Date Prepared: 09/28/2010 1753

Analysis Batch: 720-78937  
Prep Batch: 720-78897  
Units: ug/L

#### Method: 8015B Preparation: 3510C SGC Dissolved

Instrument ID: CHDRO5  
Lab File ID: 0929105a\_037.d  
Initial Weight/Volume: 1000 mL  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

#### Analyte

Diesel Range Organics [C10-C28]  
Motor Oil Range Organics [C24-C36]

#### Result

13.7

ND

#### Qual

J

#### MDL

10

130

#### RL

50

300

#### Surrogate

Capric Acid (Sur)

p-Terphenyl

#### % Rec

0.2

99

#### Acceptance Limits

0 - 5

31 - 150

#### Lab Control Sample/

Lab Control Sample Duplicate Recovery Report - Batch: 720-78897

#### Method: 8015B Preparation: 3510C SGC Dissolved

LCS Lab Sample ID: LCS 720-78890/2-B  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 09/29/2010 2058  
Date Prepared: 09/28/2010 1753

Analysis Batch: 720-78937  
Prep Batch: 720-78897  
Units: ug/L

Instrument ID: CHDRO5  
Lab File ID: 0929105a\_035.d  
Initial Weight/Volume: 1000 mL  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

LCSD Lab Sample ID: LCSD 720-78890/3-B  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 09/29/2010 2122  
Date Prepared: 09/28/2010 1753

Analysis Batch: 720-78937  
Prep Batch: 720-78897  
Units: ug/L

Instrument ID: CHDRO5  
Lab File ID: 0929105a\_036.d  
Initial Weight/Volume: 1000 mL  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

#### Analyte

Diesel Range Organics [C10-C28]

#### % Rec.

LCS

LCSD

Limit

RPD

RPD Limit

LCS Qual

LCSD Qual

46

52

32 - 119

12

35

Surrogate

LCS % Rec

LCSD % Rec

#### Acceptance Limits

86

115

31 - 150

31 - 150

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

#### Method Blank - Batch: 720-79041

Lab Sample ID: MB 720-79041/1-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 10/01/2010 1431  
Date Prepared: 09/30/2010 1126

Analysis Batch: 720-79101  
Prep Batch: 720-79041  
Units: mg/Kg

#### Method: 8015B Preparation: 3550B Silica Gel Cleanup

Instrument ID: CHDRO6  
Lab File ID: FID1000020.D  
Initial Weight/Volume: 30.20 g  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

#### Analyte

Diesel Range Organics [C10-C28]

Motor Oil Range Organics [C24-C36]

#### Result

ND

ND

#### Qual

0.99

50

#### Surrogate

Capric Acid (Sur)

p-Terphenyl

#### % Rec

0

86

#### Acceptance Limits

0 - 5

46 - 115

#### Lab Control Sample/

Lab Control Sample Duplicate Recovery Report - Batch: 720-79041

#### Method: 8015B Preparation: 3550B Silica Gel Cleanup

LCS Lab Sample ID: LCS 720-79041/2-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 10/01/2010 1503  
Date Prepared: 09/30/2010 1126

Analysis Batch: 720-79101  
Prep Batch: 720-79041  
Units: mg/Kg

Instrument ID: CHDRO6  
Lab File ID: FID1000021.D  
Initial Weight/Volume: 30.22 g  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

LCSD Lab Sample ID: LCSD 720-79041/3-A

Analysis Batch: 720-79101  
Prep Batch: 720-79041  
Units: mg/Kg

Instrument ID: CHDRO6  
Lab File ID: FID1000022.D  
Initial Weight/Volume: 30.24 g  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

#### Analyte

Diesel Range Organics [C10-C28]

Surrogate

p-Terphenyl

#### % Rec.

LCS

LCSD

#### Limit

RPD

RPD Limit

LCS Qual

LCSD Qual

90

86

45 - 115

4

35

103

98

46 - 115

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

#### **Matrix Spike/ Matrix Spike Duplicate Recovery Report - Batch: 720-79041**

MS Lab Sample ID: 720-30837-A-6-B MS Analysis Batch: 720-79102  
 Client Matrix: Solid Prep Batch: 720-79041  
 Dilution: 1.0  
 Date Analyzed: 10/01/2010 1737  
 Date Prepared: 09/30/2010 1126

MSD Lab Sample ID: 720-30837-A-6-C MSD Analysis Batch: 720-79102  
 Client Matrix: Solid Prep Batch: 720-79041  
 Dilution: 1.0  
 Date Analyzed: 10/01/2010 1759  
 Date Prepared: 09/30/2010 1126

**Method: 8015B  
Preparation: 3550B  
Silica Gel Cleanup**

Instrument ID: CHDRO6  
 Lab File ID: FID2000028.D  
 Initial Weight/Volume: 30.16 g  
 Final Weight/Volume: 2 mL  
 Injection Volume: 1 uL  
 Column ID: PRIMARY

Instrument ID: CHDRO6  
 Lab File ID: FID2000029.D  
 Initial Weight/Volume: 30.18 g  
 Final Weight/Volume: 2 mL  
 Injection Volume: 1 uL  
 Column ID: PRIMARY

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Diesel Range Organics [C10-C28]	57	58	50 - 130	1	30		
Surrogate	MS % Rec	MSD % Rec				Acceptance Limits	
p-Terphenyl	93	97			46 - 115		

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-1

#### **Method Blank - Batch: 720-79293**

Lab Sample ID: MB 720-79293/1-A  
 Client Matrix: Water  
 Dilution: 1.0  
 Date Analyzed: 10/06/2010 0958  
 Date Prepared: 10/05/2010 0934

Analyte	Result	Qual	MDL	RL
Diesel Range Organics [C10-C28]	ND		10	50
Motor Oil Range Organics [C24-C36]	ND		130	300
Surrogate		% Rec	Acceptance Limits	
Capric Acid (Surr)	0.3		0 - 5	
p-Terphenyl	91		31 - 150	

#### **Lab Control Sample/ Lab Control Sample Duplicate Recovery Report - Batch: 720-79293**

**Method: 8015B  
Preparation: 3510C SGC  
Silica Gel Cleanup**

LCS Lab Sample ID: LCS 720-79293/2-A  
 Client Matrix: Water  
 Dilution: 1.0  
 Date Analyzed: 10/06/2010 0211  
 Date Prepared: 10/05/2010 0934

LCSD Lab Sample ID: LCSD 720-79293/3-A	Analysis Batch: 720-79290	Instrument ID: CHDROS
Client Matrix: Water	Prep Batch: 720-79293	Lab File ID: 1005105b_043.d
Dilution: 1.0	Units: ug/L	Initial Weight/Volume: 1000 mL
Date Analyzed: 10/06/2010 0234		Final Weight/Volume: 2 mL
Date Prepared: 10/05/2010 0934		Injection Volume: 1 uL
		Column ID: PRIMARY

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Diesel Range Organics [C10-C28]	45	43	32 - 119	5	35		
Surrogate	LCS % Rec	LCSD % Rec				Acceptance Limits	
p-Terphenyl	102	98				31 - 150	

## CHAIN-OF-CUSTODY RECORD

720-30799

OAK 13205 12/147

PROJECT NUMBER:	LABORATORY NAME:	CLIENT INFORMATION:	REPORTING REQUIREMENTS:
RESULTS TO:	LABORATORY ADDRESS:		
TURNAROUND TIME:	See Page 1 of 3		
SAMPLE SHIPMENT METHOD:	LABORATORY CONTACT:	GEOTRACKER REQUIRED	
	LABORATORY PHONE NUMBER:	YES NO	
SITE SPECIFIC GLOBAL ID NO.			
SAMPLERS (SIGNATURE): <i>G. Stet</i>			ANALYSES
DATE	TIME	SAMPLE NUMBER	ANALYSES
9	9/27/2010 16:55	SB-04-12.0	VOC, TPH <sub>4</sub> , MTBE, PAHs, PCBs, Chrom
10	16:50	SB-04-8.5	X X
11	16:55	SB-04-7.0	X X
12	17:00	SB-04	X X X
13	17:55	SB-40	X X X
CONTAINER TYPE AND SIZE			Soil (S), Water (W), Vapor (V), or Other (O) Filtered
90 mL VOA			S N DIK <sub>0</sub> Y N Z
↓			S N Method Y N 1
8oz glass jar			S N None Y N 1
40mL VOA			DIK <sub>0</sub> Y N 2 HOLD
↓			Method Y N 1
8oz glass jar			None Y N 1
40mL VOA			DIK <sub>0</sub> Y N 2
↓			Method Y N 1
8oz glass jar			None Y N 1
40mL VOA			HCl Y N 2 MS/MSD
↓			None Y N 1
32oz Amber Jar			HCl Y N 2
↓			None Y N 1
40mL VOA			None Y N 1
↓			None Y N 1
32oz Amber Jar			HCl Y N 2 MS/MSD
↓			None Y N 1
40mL VOA			HCl Y N 2
↓			None Y N 1
32oz Amber Jar			HCl Y N 2
TOTAL NUMBER OF CONTAINERS:			28
RELINQUISHED BY:			DATE TIME RECEIVED BY:
SIGNATURE: <i>Greg Stetler</i>	DATE: 9/27/10	TIME: 18:54	SIGNATURE: <i>Ed Martin</i>
PRINTED NAME: Greg Stetler	PRINTED NAME: Ed Martin	COMPANY: AMEC Geomatix	
SIGNATURE: <i>Ed Martin</i>	DATE: 9/27/10	TIME: 18:54	SIGNATURE: <i>Ed Martin</i>
PRINTED NAME: Ed Martin	PRINTED NAME: Ed Martin	COMPANY: TASF	
SIGNATURE:	DATE: 9/27/10	TIME: 18:54	SIGNATURE: <i>Ed Martin</i>
PRINTED NAME:	PRINTED NAME: Ed Martin	COMPANY: TASF	2101 Webster Street, 12th Floor Oakland, California 94612-3066 Tel 510.663.4100 Fax 510.663.4141
SAMPLING COMMENTS:			<i>See Page 1 of 3</i>
SAMPLING COMMENTS:			<i>Geomatrix</i>

11/04/2010

Page 52 of 54

## CHAIN-OF-CUSTODY RECORD

720-30799

OAK 13204 12/147

PROJECT NUMBER:	LABORATORY NAME:	CLIENT INFORMATION:	REPORTING REQUIREMENTS:
RESULTS TO:	LABORATORY ADDRESS:		
TURNAROUND TIME:	Standard		
SAMPLE SHIPMENT METHOD:	LABORATORY CONTACT:	GEOTRACKER REQUIRED	
	LABORATORY PHONE NUMBER:	YES NO	
SAMPLERS (SIGNATURE): <i>G. Stet</i>			ANALYSES
DATE	TIME	SAMPLE NUMBER	ANALYSES
1	9/27/2010 08:50	SB-01-13.8	VOC, TPH <sub>4</sub> , MTBE, PAHs, PCBs, Chromium
2	09:00	SB-01-11.7	X
3	10:00	SB-02-11.5	X
4	10:05	SB-02-9.1	X
5	10:50	SB-02	X
6	11:15	SB-01	X
7	13:20	SB-11-12.8	X X
8	14:00	SB-11	X X
CONTAINER TYPE AND SIZE			Soil (S), Water (W), Vapor (V), or Other (O) Filtered
40mL VOA			S N DIK <sub>0</sub> Y N Z
↓			S N Method Y N 1
8oz glass jar			S N DIK <sub>0</sub> Y N 2 HOLD
↓			S N Method Y N 1
8oz glass jar			S N DIK <sub>0</sub> Y N 2
↓			S N Method Y N 1
8oz glass jar			S N HCl Y N 3
↓			S N HCl Y N 3
32 oz Amber Jar			None Y N 1
↓			None Y N 1
32 oz Amber Jar			None Y N 2
↓			None Y N 2
32 oz Amber Jar			None Y N 2
TOTAL NUMBER OF CONTAINERS:			25
RELINQUISHED BY:			DATE TIME RECEIVED BY:
SIGNATURE: <i>Greg Stetler</i>	DATE: 9/27/10	TIME: 18:54	SIGNATURE: <i>Ed Martin</i>
PRINTED NAME: Greg Stetler	PRINTED NAME: Ed Martin	COMPANY: AMEC	
SIGNATURE: <i>Ed Martin</i>	DATE: 9/27/10	TIME: 18:54	SIGNATURE: <i>Ed Martin</i>
PRINTED NAME: Ed Martin	PRINTED NAME: Ed Martin	COMPANY: TASF	
SIGNATURE:	DATE: 9/27/10	TIME: 18:54	SIGNATURE: <i>Ed Martin</i>
PRINTED NAME:	PRINTED NAME: Ed Martin	COMPANY: TASF	2101 Webster Street, 12th Floor Oakland, California 94612-3066 Tel 510.663.4100 Fax 510.663.4141
SAMPLING COMMENTS:			<i>*Silica Gel cleanup VOC, TPH<sub>4</sub>, BTEX by 8260B &amp; MTBE TPH<sub>4</sub> by 8205 → where marked, filtering off anodes PAHs by 8270C SIM Chromium = total L-Hex by G020</i>
SAMPLING COMMENTS:			<i>Geomatrix</i>

11/04/2010

Page 51 of 54

2 coolers 5.4°C, 5.7°C





## ANALYTICAL REPORT

Job Number: 720-30799-2

Job Description: Crown Chevrolet

For:  
AMEC Geomatix Inc.  
2101 Webster Street, 12th Floor  
Oakland, CA 94612

Attention: Avery Patton

Approved for release  
Afsaneh Salimpour  
Project Manager I  
11/04/2010 5:10 PM

Afsaneh Salimpour  
Project Manager I  
afsaneh.salimpour@testamericainc.com  
11/04/2010  
Revision: 1

CA ELAP Certification # 2496

The Chain(s) of Custody are included and are an integral part of this report.

The report shall not be reproduced except in full, without the written approval of the laboratory. The client, by accepting this report, also agrees not to alter any reports whether in the hard copy or electronic format and to use reasonable efforts to preserve the reports in the form and substance originally provided by TestAmerica.

A trip blank is required to be provided for volatile analyses. If trip blank results are not included in the report, either the trip blank was not submitted or requested to be analyzed.

TestAmerica Laboratories, Inc.  
TestAmerica San Francisco 1220 Quarry Lane, Pleasanton, CA 94566  
Tel (925) 484-1919 Fax (925) 600-3002 [www.testamericainc.com](http://www.testamericainc.com)

Job Narrative  
720-30799-2

**Comments**  
No additional comments.

**Receipt**  
Received 3 vials (soil) and 1 soil jar for SB-04-3.0 which is not listed on COC. Logged in as HOLD.

Did not receive enough sample to do MS/MSD for diesel and PAH.

All other samples were received in good condition within temperature requirements.

**GC/MS VOA**  
No analytical or quality issues were noted.

**GC Semi VOA**  
No analytical or quality issues were noted.

**GC Semi VOA :**  
All samples for TPH(Diesel and Motor oil) were analysed with Silica Gel clean up using Method 3630C.

**Organic Prep**  
No analytical or quality issues were noted.

**EXECUTIVE SUMMARY - Detections**

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-2

Lab Sample ID Analyte	Client Sample ID Result / Qualifier	Reporting Limit	Units	Method
No Detections				

No Detections

**METHOD SUMMARY**

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-2

Description	Lab Location	Method	Preparation Method
<b>Matrix: Solid</b>			
8260B / CA LUFT MS Closed System Purge and Trap	TAL SF TAL SF	SW846 8260B/CA_LUFTMS SW846 5035	
Diesel Range Organics (DRO) (GC) Ultrasonic Extraction	TAL SF TAL SF	SW846 8015B SW846 3550B	

**Lab References:**

TAL SF = TestAmerica San Francisco

**Method References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TestAmerica San Francisco

Page 3 of 24

11/04/2010

TestAmerica San Francisco

Page 4 of 24

11/04/2010

**METHOD / ANALYST SUMMARY**

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-2

<u>Method</u>	<u>Analyst</u>	<u>Analyst ID</u>
SW846 8260B/CA_LUFTMS	Chen, Amy	AC
SW846 8015B	Hayashi, Derek	DH

**SAMPLE SUMMARY**

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-2

<u>Lab Sample ID</u>	<u>Client Sample ID</u>	<u>Client Matrix</u>	<u>Date/Time Sampled</u>	<u>Date/Time Received</u>
720-30799-2	SB-01-11.7	Solid	09/27/2010 0900	09/27/2010 1920
720-30799-4	SB-02-9.1	Solid	09/27/2010 1005	09/27/2010 1920
720-30799-10	SB-04-8.5	Solid	09/27/2010 1650	09/27/2010 1920
720-30799-11	SB-04-7.0	Solid	09/27/2010 1655	09/27/2010 1920

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-2

Client Sample ID: SB-01-11.7

Lab Sample ID: 720-30799-2

Client Matrix: Solid

Date Sampled: 09/27/2010 0900

Date Received: 09/27/2010 1920

#### 8260B/CA\_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch:	720-79201	Instrument ID:	HP7
Preparation:	5035	Prep Batch:	720-79321	Lab File ID:	10041009.D
Dilution:	1.0			Initial Weight/Volume:	6.774 g
Date Analyzed:	10/04/2010 1340			Final Weight/Volume:	10 mL
Date Prepared:	10/04/2010 0800				

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
Benzene	ND			3.7
Gasoline Range Organics (GRO)-C5-C12	ND			180
Ethylbenzene	ND			3.7
MTBE	ND			3.7
Toluene	ND			3.7
Xylenes, Total	ND			7.4
Surrogate	%Rec		Qualifier	Acceptance Limits
4-Bromofluorobenzene	97			65 - 117
1,2-Dichloroethane-d4 (Surr)	96			73 - 140
Toluene-d8 (Surr)	96			72 - 113

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-2

Client Sample ID: SB-02-9.1

Lab Sample ID: 720-30799-4

Client Matrix: Solid

Date Sampled: 09/27/2010 1005

Date Received: 09/27/2010 1920

#### 8260B/CA\_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch:	720-79201	Instrument ID:	HP7
Preparation:	5035	Prep Batch:	720-79321	Lab File ID:	10041010.D
Dilution:	1.0			Initial Weight/Volume:	6.583 g
Date Analyzed:	10/04/2010 1414			Final Weight/Volume:	10 mL
Date Prepared:	10/04/2010 0800				

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
Benzene	ND			3.8
Gasoline Range Organics (GRO)-C5-C12	ND			190
Ethylbenzene	ND			3.8
MTBE	ND			3.8
Toluene	ND			3.8
Xylenes, Total	ND			7.6
Surrogate	%Rec		Qualifier	Acceptance Limits
4-Bromofluorobenzene	96			65 - 117
1,2-Dichloroethane-d4 (Surr)	100			73 - 140
Toluene-d8 (Surr)	96			72 - 113

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-2

Client Sample ID: SB-04-8.5

Lab Sample ID: 720-30799-10  
Client Matrix: Solid

Date Sampled: 09/27/2010 1650  
Date Received: 09/27/2010 1920

#### 8260B/CA\_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-79201	Instrument ID: HP7
Preparation:	5035	Prep Batch: 720-79321	Lab File ID: 10041011.D
Dilution:	1.0	Initial Weight/Volume: 6.436 g	
Date Analyzed:	10/04/2010 1448	Final Weight/Volume: 10 mL	
Date Prepared:	10/04/2010 0800		

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
Benzene	ND			3.9
Gasoline Range Organics (GRO)-C5-C12	ND			190
Ethylbenzene	ND			3.9
MTBE	ND			3.9
Toluene	ND			3.9
Xylenes, Total	ND			7.8
Surrogate	%Rec	Qualifier	Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	99		73 - 140	
4-Bromofluorobenzene	94		65 - 117	
Toluene-d8 (Surr)	98		72 - 113	

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-2

Client Sample ID: SB-04-7.0

Lab Sample ID: 720-30799-11  
Client Matrix: Solid

Date Sampled: 09/27/2010 1655  
Date Received: 09/27/2010 1920

#### 8260B/CA\_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-79201	Instrument ID: HP7
Preparation:	5035	Prep Batch: 720-79321	Lab File ID: 10041012.D
Dilution:	1.0	Initial Weight/Volume: 6.315 g	
Date Analyzed:	10/04/2010 1522	Final Weight/Volume: 10 mL	
Date Prepared:	10/04/2010 0800		

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
Benzene	ND			4.0
Gasoline Range Organics (GRO)-C5-C12	ND			200
Ethylbenzene	ND			4.0
MTBE	ND			4.0
Toluene	ND			4.0
Xylenes, Total	ND			7.9
Surrogate	%Rec	Qualifier	Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	105		73 - 140	
4-Bromofluorobenzene	90		65 - 117	
Toluene-d8 (Surr)	93		72 - 113	

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-2

Client Sample ID: SB-04-8.5

Lab Sample ID: 720-30799-10

Client Matrix: Solid

Date Sampled: 09/27/2010 1650

Date Received: 09/27/2010 1920

#### 8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch:	720-79276	Instrument ID:	CHDRO6
Preparation:	3550B	Prep Batch:	720-79235	Initial Weight/Volume:	30.45 g
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/05/2010 1807			Injection Volume:	1 uL
Date Prepared:	10/04/2010 1427			Result Type:	PRIMARY

Analyte	DryWt Corrected: N	Result (mg/Kg)	Qualifier	RL
Diesel Range Organics [C10-C28]	ND			0.99
Motor Oil Range Organics [C24-C36]	ND			49

Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0.04		0 - 5
p-Terphenyl	90		46 - 115

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-2

Client Sample ID: SB-04-7.0

Lab Sample ID: 720-30799-11

Client Matrix: Solid

Date Sampled: 09/27/2010 1655

Date Received: 09/27/2010 1920

#### 8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch:	720-79276	Instrument ID:	CHDRO6
Preparation:	3550B	Prep Batch:	720-79235	Initial Weight/Volume:	30.22 g
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/05/2010 1829			Injection Volume:	1 uL
Date Prepared:	10/04/2010 1427			Result Type:	PRIMARY

Analyte	DryWt Corrected: N	Result (mg/Kg)	Qualifier	RL
Diesel Range Organics [C10-C28]	ND			0.99
Motor Oil Range Organics [C24-C36]	ND			50

Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0.2		0 - 5
p-Terphenyl	83		46 - 115

## DATA REPORTING QUALIFIERS

Lab Section	Qualifier	Description
-------------	-----------	-------------

## Quality Control Results

Client: AMEC Geomatix Inc.

Job Number: 720-30799-2

### QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
<b>GC/MS VOA</b>					
<b>Analysis Batch: 720-79201</b>					
LCS 720-79321/2-A	Lab Control Sample	T	Solid	8260B/CA_LUFT	720-79321
LCS 720-79321/4-A	Lab Control Sample	T	Solid	8260B/CA_LUFT	720-79321
LCSD 720-79321/3-A	Lab Control Sample Duplicate	T	Solid	8260B/CA_LUFT	720-79321
LCSD 720-79321/5-A	Lab Control Sample Duplicate	T	Solid	8260B/CA_LUFT	720-79321
MB 720-79321/1-A	Method Blank	T	Solid	8260B/CA_LUFT	720-79321
720-30799-2	SB-01-11.7	T	Solid	8260B/CA_LUFT	720-79321
720-30799-4	SB-02-9.1	T	Solid	8260B/CA_LUFT	720-79321
720-30799-10	SB-04-8.5	T	Solid	8260B/CA_LUFT	720-79321
720-30799-11	SB-04-7.0	T	Solid	8260B/CA_LUFT	720-79321
<b>Prep Batch: 720-79321</b>					
LCS 720-79321/2-A	Lab Control Sample	T	Solid	5035	
LCS 720-79321/4-A	Lab Control Sample	T	Solid	5035	
LCSD 720-79321/3-A	Lab Control Sample Duplicate	T	Solid	5035	
LCSD 720-79321/5-A	Lab Control Sample Duplicate	T	Solid	5035	
MB 720-79321/1-A	Method Blank	T	Solid	5035	
720-30799-2	SB-01-11.7	T	Solid	5035	
720-30799-4	SB-02-9.1	T	Solid	5035	
720-30799-10	SB-04-8.5	T	Solid	5035	
720-30799-11	SB-04-7.0	T	Solid	5035	

### Report Basis

T = Total

TestAmerica San Francisco

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-2

#### QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
<b>GC Semi VOA</b>					
<b>Analysis Batch: 720-79206</b>					
LCS 720-79235/2-A	Lab Control Sample	A	Solid	8015B	720-79235
LCSD 720-79235/3-A	Lab Control Sample Duplicate	A	Solid	8015B	720-79235
MB 720-79235/1-A	Method Blank	A	Solid	8015B	720-79235
<b>Prep Batch: 720-79235</b>					
LCS 720-79235/2-A	Lab Control Sample	A	Solid	3550B	
LCSD 720-79235/3-A	Lab Control Sample Duplicate	A	Solid	3550B	
MB 720-79235/1-A	Method Blank	A	Solid	3550B	
720-30799-10	SB-04-8.5	A	Solid	3550B	
720-30799-11	SB-04-7.0	A	Solid	3550B	
720-30865-A-3-D MS	Matrix Spike	A	Solid	3550B	
720-30865-A-3-E MSD	Matrix Spike Duplicate	A	Solid	3550B	
<b>Analysis Batch: 720-79276</b>					
720-30799-10	SB-04-8.5	A	Solid	8015B	720-79235
720-30799-11	SB-04-7.0	A	Solid	8015B	720-79235
720-30865-A-3-D MS	Matrix Spike	A	Solid	8015B	720-79235
720-30865-A-3-E MSD	Matrix Spike Duplicate	A	Solid	8015B	720-79235

#### Report Basis

A = Silica Gel Cleanup

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-2

#### Method Blank - Batch: 720-79321

**Method: 8260B/CA\_LUFTMS**  
**Preparation: 5035**

Lab Sample ID: MB 720-79321/1-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 10/04/2010 1042  
Date Prepared: 10/04/2010 0800

Analysis Batch: 720-79201  
Prep Batch: 720-79321  
Units: ug/Kg

Instrument ID: HP7  
Lab File ID: 10041004.D  
Initial Weight/Volume: 5 g  
Final Weight/Volume: 10 mL

Analyte	Result	Qual	RL
Benzene	ND		5.0
Gasoline Range Organics (GRO)-C5-C12	ND		250
Ethylbenzene	ND		5.0
m-Xylene & p-Xylene	ND		5.0
MTBE	ND		5.0
Toluene	ND		5.0
Xylenes, Total	ND		10
<b>Surrogate</b>			
1,2-Dichloroethane-d4 (Surr)	95		73 - 140
4-Bromofluorobenzene	98		65 - 117
Toluene-d8 (Surr)	96		72 - 113

TestAmerica San Francisco

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-2

**Lab Control Sample/  
Lab Control Sample Duplicate Recovery Report - Batch: 720-79321**

**Method: 8260B/CA\_LUFTMS  
Preparation: 5035**

LCS Lab Sample ID: LCS 720-79321/2-A      Analysis Batch: 720-79201  
 Client Matrix: Solid      Prep Batch: 720-79321  
 Dilution: 1.0      Units: ug/Kg  
 Date Analyzed: 10/04/2010 1116  
 Date Prepared: 10/04/2010 0800

Instrument ID: HP7  
 Lab File ID: 10041005.D  
 Initial Weight/Volume: 5 g  
 Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 720-79321/3-A      Analysis Batch: 720-79201  
 Client Matrix: Solid      Prep Batch: 720-79321  
 Dilution: 1.0      Units: ug/Kg  
 Date Analyzed: 10/04/2010 1150  
 Date Prepared: 10/04/2010 0800

Instrument ID: HP7  
 Lab File ID: 10041006.D  
 Initial Weight/Volume: 5 g  
 Final Weight/Volume: 10 mL

Analyte	% Rec.						
	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	93	93	82 - 124	0	20		
Ethylbenzene	100	101	80 - 137	1	20		
m-Xylene & p-Xylene	101	103	79 - 146	2	20		
MTBE	94	96	71 - 144	2	20		
Toluene	96	99	83 - 128	2	20		
Surrogate	LCS % Rec	LCSD % Rec	Acceptance Limits				
1,2-Dichloroethane-d4 (Surr)	101	103	73 - 140				
4-Bromofluorobenzene	99	100	65 - 117				
Toluene-d8 (Surr)	98	97	72 - 113				

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-2

**Lab Control Sample/  
Lab Control Sample Duplicate Recovery Report - Batch: 720-79321**

**Method: 8260B/CA\_LUFTMS  
Preparation: 5035**

LCS Lab Sample ID: LCS 720-79321/4-A      Analysis Batch: 720-79201  
 Client Matrix: Solid      Prep Batch: 720-79321  
 Dilution: 1.0      Units: ug/Kg  
 Date Analyzed: 10/04/2010 1224  
 Date Prepared: 10/04/2010 0800

Instrument ID: HP7  
 Lab File ID: 10041007.D  
 Initial Weight/Volume: 5 g  
 Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 720-79321/5-A      Analysis Batch: 720-79201  
 Client Matrix: Solid      Prep Batch: 720-79321  
 Dilution: 1.0      Units: ug/Kg  
 Date Analyzed: 10/04/2010 1258  
 Date Prepared: 10/04/2010 0800

Instrument ID: HP7  
 Lab File ID: 10041008.D  
 Initial Weight/Volume: 5 g  
 Final Weight/Volume: 10 mL

Analyte	% Rec.						
	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Gasoline Range Organics (GRO)-C5-C12	83	84	68 - 115	1	20		
Surrogate		LCS % Rec	LCSD % Rec			Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)		100	104			73 - 140	
4-Bromofluorobenzene		99	103			65 - 117	
Toluene-d8 (Surr)		94	98			72 - 113	

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-2

#### Method Blank - Batch: 720-79235

Lab Sample ID: MB 720-79235/1-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 10/05/2010 0706  
Date Prepared: 10/04/2010 1427

Analysis Batch: 720-79206  
Prep Batch: 720-79235  
Units: mg/Kg

**Method: 8015B**  
**Preparation: 3550B**  
**Silica Gel Cleanup**

Instrument ID: CHDRO5  
Lab File ID: 1004105b\_061.d  
Initial Weight/Volume: 30.12 g  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

Analyte	Result	Qual	RL
Diesel Range Organics [C10-C28]	ND		1.0
Motor Oil Range Organics [C24-C36]	ND		50

#### Surrogate

	% Rec	Acceptance Limits
Capric Acid (Surr)	0.2	0 - 5
p-Terphenyl	93	46 - 115

#### Lab Control Sample/ Lab Control Sample Duplicate Recovery Report - Batch: 720-79235

LCS Lab Sample ID: LCS 720-79235/2-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 10/05/2010 0619  
Date Prepared: 10/04/2010 1427

Analysis Batch: 720-79206  
Prep Batch: 720-79235  
Units: mg/Kg

**Method: 8015B**  
**Preparation: 3550B**  
**Silica Gel Cleanup**

Instrument ID: CHDRO5  
Lab File ID: 1004105b\_059.d  
Initial Weight/Volume: 30.21 g  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

LCSD Lab Sample ID: LCSD 720-79235/3-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 10/05/2010 0642  
Date Prepared: 10/04/2010 1427

Analysis Batch: 720-79206  
Prep Batch: 720-79235  
Units: mg/Kg

Instrument ID: CHDRO5  
Lab File ID: 1004105b\_060.d  
Initial Weight/Volume: 30.43 g  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Diesel Range Organics [C10-C28]	83	85	45 - 115	1	35		
Surrogate		LCS % Rec		LCSD % Rec		Acceptance Limits	
p-Terphenyl		103		100		46 - 115	

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-2

#### Matrix Spike/ Matrix Spike Duplicate Recovery Report - Batch: 720-79235

MS Lab Sample ID: 720-30865-A-3-D MS  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 10/05/2010 1125  
Date Prepared: 10/04/2010 1427

MSD Lab Sample ID: 720-30865-A-3-E MSD  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 10/05/2010 1147  
Date Prepared: 10/04/2010 1427

**Method: 8015B**  
**Preparation: 3550B**  
**Silica Gel Cleanup**

Instrument ID: CHDRO6  
Lab File ID: FID1000012.D  
Initial Weight/Volume: 30.42 g  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

Instrument ID: CHDRO6  
Lab File ID: FID1000013.D  
Initial Weight/Volume: 30.30 g  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Diesel Range Organics [C10-C28]	55	73	50 - 130	28	30		
Surrogate		MS % Rec		MSD % Rec		Acceptance Limits	
p-Terphenyl		93		93		46 - 115	

## CHAIN-OF-CUSTODY RECORD

720-30799

OAK 13205 (27/147)

PROJECT NAME: Crown Chevrolet	LABORATORY NAME:	CLIENT INFORMATION:	DATE: 9/27/2010	PAGE 2 OF 3
PROJECT NUMBER:			REPORTING REQUIREMENTS:	
RESULTS TO:	LABORATORY ADDRESS:			
TURNAROUND TIME:	See Page 2 of 3			
SAMPLE SHIPMENT METHOD:	LABORATORY CONTACT:		GEOTRACKER REQUIRED	YES NO
	LABORATORY PHONE NUMBER:		SITE SPECIFIC GLOBAL ID NO.	

11/04/2010

## SAMPLERS (SIGNATURE):

*C. Stenler*

## ANALYSES

DATE	TIME	SAMPLE NUMBER	VOC, TPX, MDEP	TPH, TPH <sub>d</sub> , PAH	Chromat	CONTAINER TYPE AND SIZE		Soil (S), Water (W), or Other (O) Vap. (V), or Filtered	Preservative Type	Cooled	MS/MSD	No. of Containers	ADDITIONAL COMMENTS
			✓	✓	✓	40 mL VOA	5 mL DI H <sub>2</sub> O						
9	9/27/2010 16:35	SB-04-12.0	✓					S N	DI H <sub>2</sub> O	Y	N	Z	
	↓	↓		X X				S N	Method	Y	N	1	
10	16:50	SB-04-81.5	X					S N	None	Y	N	1	
	↓	↓		X X				DI H <sub>2</sub> O		Y	Z	2	
11	16:55	CB-04-7.0	X					Method				1	
	↓			X X				None				1	
12	17:00	SB-04	X					DI H <sub>2</sub> O				2	
	↓			X				Method				1	
13	17:55	SB-90	X					None				1	
	↓	↓		X				None				1	
	↓	↓		X				None				1	

Page 22 of 24

## RELINQUISHED BY:

DATE

TIME

RECEIVED BY:

DATE

TIME

TOTAL NUMBER OF CONTAINERS:

28

Signature:

Printed Name:

Company:

SAMPLING COMMENTS:

See Page 2 of 3

Geomatrix

## CHAIN-OF-CUSTODY RECORD

720-30799

OAK 13204 (27/147)

11/04/2010

PROJECT NAME: Crown Chevrolet	LABORATORY NAME: TASF	CLIENT INFORMATION: AMEC Geomatrix	DATE: 9/27/2010	PAGE 1 OF 3
PROJECT NUMBER: JD10016007			REPORTING REQUIREMENTS:	
RESULTS TO: A. Patten	LABORATORY ADDRESS:			
TURNAROUND TIME: Standard				
SAMPLE SHIPMENT METHOD:	Laboratory Contact: TASF	Laboratory Phone Number:	GEOTRACKER REQUIRED	YES NO
			SITE SPECIFIC GLOBAL ID NO.	

## SAMPLERS (SIGNATURE):

*C. Stenler*

## ANALYSES

DATE	TIME	SAMPLE NUMBER	VOC, TPX, MDEP	TPH, TPH <sub>d</sub> , PAH	Chromat	CONTAINER TYPE AND SIZE		Soil (S), Water (W), or Other (O) Vap. (V), or Filtered	Preservative Type	Cooled	MS/MSD	No. of Containers	ADDITIONAL COMMENTS
			✓	✓	✓	40 mL VOA	5 mL DI H <sub>2</sub> O						
1	9/27/2010 08:50	SB-01-13.8	✓					S N	DI H <sub>2</sub> O	Y	N	Z	
	↓			X				S N	Method	Y	N	1	
2	09:00	SB-01-11.7	X					S N	DI H <sub>2</sub> O	Y	N	2	HOLD
	↓			X				S N	Method	Y	N	1	
3	10:00	SB-02-11.5	X					S N	DI H <sub>2</sub> O	Y	N	2	
	↓			X				S N	Method	Y	N	1	
4	10:05	SB-02-9.1	X					S N	DI H <sub>2</sub> O	Y	N	2	HOLD
	↓			X				S N	Method	Y	N	1	
5	10:50	SB-02	X					W N	HCl	Y	N	3	
6	11:15	SB-01	X					W N	HCl	Y	N	3	
7	13:20	SB-11-12.8	X X					S N	None	Y	N	1	
8	14:00	SB-11	X					32 oz Amber Jar	W N	HCl	Y	N	2
	↓			X					W N	None	Y	N	2
	↓			X					W N	None	Y	N	2

## RELINQUISHED BY:

DATE

TIME

RECEIVED BY:

DATE

TIME

TOTAL NUMBER OF CONTAINERS:

25

Signature:

Printed Name:

Company:

Signature:

Signature:

Printed Name:

Company:

Signature:

Printed Name:

Company:

SAMPLING COMMENTS:

\*Silica Gel cleanup

VOC, TPX, MDEP by 8260B & MTBE  
TPH d<sub>4</sub> by 8015 → where marked, filtering off <sup>100</sup>µm  
PAHs by 8260C SIM  
Chromium = total & Hex by G020

Geomatrix

Page 21 of 24

2 coolers 5.4°C, 5.7°C

### Login Sample Receipt Check List

Client: AMEC Geomatrix Inc.

Job Number: 720-30799-2

List Source: TestAmerica San Francisco

#### CHAIN-OF-CUSTODY RECORD

Crown  
Cluster

PROJECT NAME:  
PROJECT NUMBER:

LABORATORY NAME:  
CLIENT INFORMATION:

RESULTS TO:

REPORTING REQUIREMENTS:

TURNDOWN TIME:

LABORATORY CONTACT:

LABORATORY PHONE NUMBER:

GEOTRACKER REQUIRED:

SITE SPECIFIC GLOBAL ID NO:

See page  
193

## ANALYTICAL REPORT

Job Number: 720-30837-1

Job Description: Crown Chevrolet

For:  
AMEC Geomatrix Inc.  
2101 Webster Street, 12th Floor  
Oakland, CA 94612

Attention: Avery Patton



Approved for release.  
Afsaneh Salimpour  
Project Manager I  
11/12/2010 10:50 AM

Afsaneh Salimpour  
Project Manager I  
afsaneh.salimpour@testamericainc.com  
11/12/2010  
Revision: 4

CA ELAP Certification # 2496

The Chain(s) of Custody are included and are an integral part of this report.

The report shall not be reproduced except in full, without the written approval of the laboratory. The client, by accepting this report, also agrees not to alter any reports whether in the hard copy or electronic format and to use reasonable efforts to preserve the reports in the form and substance originally provided by TestAmerica.

A trip blank is required to be provided for volatile analyses. If trip blank results are not included in the report, either the trip blank was not submitted or requested to be analyzed.

TestAmerica Laboratories, Inc.  
TestAmerica San Francisco 1220 Quarry Lane, Pleasanton, CA 94566  
Tel (925) 484-1919 Fax (925) 600-3002 [www.testamericainc.com](http://www.testamericainc.com)

Job Narrative  
720-30837-1

**Comments**  
No additional comments.

**Receipt**  
All samples were received in good condition within temperature requirements.

### GC/MS VOA

The spectra for sample SB-03-3.2 does not resemble the pattern for our fresh gasoline standard. Reviewing the spectra reveals that the sample does not have the appearance of the majority of the characteristic aromatic compounds found in fresh or weathered gasoline product.

No analytical or quality issues were noted.

### GC/MS Semi VOA

Method(s) 8270C SIM: The matrix spike / matrix spike duplicate (MS/MSD) precision for batch #79044 was outside control limits. Non-homogeneity of the sample matrix is suspected. The associated laboratory control sample / laboratory control sample duplicate (LCS/LCSD) precision met acceptance criteria.

Method(s) 8270C SIM: The following sample(s) was diluted due to the abundance of non-target analytes: SB-05-0.7 (720-30837-15). Elevated reporting limits (RLs) are provided.

Method(s) 8270C SIM: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for batch #79141 were outside control limits. The associated laboratory control sample (LCS) recovery met acceptance criteria.

No other analytical or quality issues were noted.

### GC Semi VOA

Samples for dissolved TPH(Diesel and Motor oil) were filtered at the lab using 0.7 micron glass fiber filter.

All samples for TPH(Diesel and Motor oil) were analysed with Silica Gel clean up using Method 3630C.

No analytical or quality issues were noted.

### Metals

No analytical or quality issues were noted.

### General Chemistry

No analytical or quality issues were noted.

### Organic Prep

No analytical or quality issues were noted.

### EXECUTIVE SUMMARY - Detections

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
720-30837-5 <i>Dissolved</i> Diesel Range Organics [C10-C28]	SB-10	<i>✓&lt;53</i> JB	53	ug/L	8015B
720-30837-6 Naphthalene	SB-06-3.0	9.4 <b>J</b>	4.9	ug/Kg	8270C SIM
720-30837-8 Cr (VI)	SB-06	0.94	0.50	ug/L	7199
<i>Dissolved</i> Diesel Range Organics [C10-C28]	<i>✓&lt;53</i> JB	53	ug/L	8015B	
720-30837-11 <i>Silica Gel Cleanup</i> Diesel Range Organics [C10-C28]	SB-12	11 <b>J</b> J	51	ug/L	8015B
<i>Dissolved</i> Diesel Range Organics [C10-C28]	<i>✓&lt;52</i> JB	52	ug/L	8015B	
720-30837-13 Naphthalene	SB-09-4.9	5.0 <b>J</b>	5.0	ug/Kg	8270C SIM
<i>Silica Gel Cleanup</i> Diesel Range Organics [C10-C28]	1.4	0.99	mg/Kg	8015B	
720-30837-14 Cr (VI)	SB-05	1.1	0.50	ug/L	7199
<i>Dissolved</i> Diesel Range Organics [C10-C28]	<i>✓&lt;52</i> JB	52	ug/L	8015B	
720-30837-15 <i>Silica Gel Cleanup</i> Diesel Range Organics [C10-C28]	SB-05-0.7	20	1.0	mg/Kg	8015B
Motor Oil Range Organics [C24-C36]	58	50	mg/Kg	8015B	

TestAmerica San Francisco

Page 3 of 94

11/12/2010

### EXECUTIVE SUMMARY - Detections

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
720-30837-17 Naphthalene	SB-09-11.8	5.1 <b>J</b>	5.0	ug/Kg	8270C SIM
720-30837-20 Chlorobenzene	SB-03-2.8	2600	440	ug/Kg	8260B/CA_LUFTMS
720-30837-21 Chlorobenzene	SB-03-3.2	90000	5200	ug/Kg	8260B/CA_LUFTMS
1,4-Dichlorobenzene		5400	5200	ug/Kg	8260B/CA_LUFTMS
Gasoline Range Organics (GRO)-C5-C12		1200000	260000	ug/Kg	8260B/CA_LUFTMS
720-30837-22 Chlorobenzene	SB-03-11.5	6500	440	ug/Kg	8260B/CA_LUFTMS
1,2-Dichlorobenzene		15000	440	ug/Kg	8260B/CA_LUFTMS
720-30837-23 Chlorobenzene	SB-03-6.5	26000	400	ug/Kg	8260B/CA_LUFTMS
1,2-Dichlorobenzene		30000	400	ug/Kg	8260B/CA_LUFTMS
1,4-Dichlorobenzene		1700	400	ug/Kg	8260B/CA_LUFTMS

TestAmerica San Francisco

Page 4 of 94

11/12/2010

## METHOD SUMMARY

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Description	Lab Location	Method	Preparation Method
<b>Matrix: Solid</b>			
8260B / CA LUFT MS Closed System Purge and Trap	TAL SF	SW846 8260B/CA_LUFTMS	
	TAL SF	SW846 5035	
Semivolatile Organic Compounds (GC/MS SIM) Ultrasonic Extraction	TAL SF	SW846 8270C SIM	
	TAL SF	SW846 3550B	
Diesel Range Organics (DRO) (GC) Ultrasonic Extraction	TAL SF	SW846 8015B	
	TAL SF	SW846 3550B	
<b>Matrix: Water</b>			
Semivolatile Organic Compounds (GC/MS SIM) Liquid-Liquid Extraction (Separatory Funnel)	TAL SF	SW846 8270C SIM	
	TAL SF	SW846 3510C	
Diesel Range Organics (DRO) (GC) Sample Filtration Liquid-Liquid Extraction (Separatory Funnel)	TAL SF	SW846 8015B	
	TAL SF	FILTRATION	
	TAL SF	SW846 3510C SGC	
Chromium, Hexavalent (IC)	TAL SF	SW846 7199	
General Sub Contract Method	TAL IRV	Subcontract	

### Lab References:

TAL IRV = TestAmerica Irvine

TAL SF = TestAmerica San Francisco

### Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TestAmerica San Francisco

Page 5 of 94

11/12/2010

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

## METHOD / ANALYST SUMMARY

Method	Analyst	Analyst ID
SW846 8260B/CA_LUFTMS	Chen, Amy	AC
SW846 8260B/CA_LUFTMS	Nguyen, Thuy M	TMN
SW846 8270C SIM	Lee, Michael	ML
SW846 8015B	Hayashi, Derek	DH
SW846 7199	Kojiro, Mariko J	MJK

TestAmerica San Francisco

Page 6 of 94

11/12/2010

## SAMPLE SUMMARY

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
720-30837-1	SB-10-11.5	Solid	09/28/2010 0730	09/28/2010 1800
720-30837-5	SB-10	Water	09/28/2010 0848	09/28/2010 1800
720-30837-6	SB-06-3.0	Solid	09/28/2010 1005	09/28/2010 1800
720-30837-7	SB-06-11.0	Solid	09/28/2010 1025	09/28/2010 1800
720-30837-8	SB-06	Water	09/28/2010 1105	09/28/2010 1800
720-30837-9	SB-12-12	Solid	09/28/2010 1155	09/28/2010 1800
720-30837-10	SB-05-11.5	Solid	09/28/2010 1205	09/28/2010 1800
720-30837-11	SB-12	Water	09/28/2010 1340	09/28/2010 1800
720-30837-13	SB-09-4.9	Solid	09/28/2010 1405	09/28/2010 1800
720-30837-14	SB-05	Water	09/28/2010 1420	09/28/2010 1800
720-30837-15	SB-05-0.7	Solid	09/28/2010 1130	09/28/2010 1800
720-30837-17	SB-09-11.8	Solid	09/28/2010 1528	09/28/2010 1800
720-30837-20	SB-03-2.8	Solid	09/28/2010 1558	09/28/2010 1800
720-30837-21	SB-03-3.2	Solid	09/28/2010 1610	09/28/2010 1800
720-30837-22	SB-03-11.5	Solid	09/28/2010 1640	09/28/2010 1800
720-30837-23	SB-03-6.5	Solid	09/28/2010 1655	09/28/2010 1800

TestAmerica San Francisco

Page 7 of 94

11/12/2010

## Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-03-2.8

Lab Sample ID: 720-30837-20

Client Matrix: Solid

Date Sampled: 09/28/2010 1558

Date Received: 09/28/2010 1800

### 8260B/CA\_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-79265	Instrument ID:	HP5
Preparation:	5035	Prep Batch: 720-79297	Lab File ID:	100410023.D
Dilution:	100		Initial Weight/Volume:	5.633 g
Date Analyzed:	10/04/2010 2113		Final Weight/Volume:	10 mL
Date Prepared:	10/04/2010 1700			
Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
Methyl teri-butyl ether	ND			440
Acetone	ND			4400
Benzene	ND			440
Dichlorobromomethane	ND			440
Bromobenzene	ND			440
Chlorobromomethane	ND			1800
Bromoform	ND			440
Bromomethane	ND			890
2-Butanone (MEK)	ND			4400
n-Butylbenzene	ND			440
sec-Butylbenzene	ND			440
tert-Butylbenzene	ND			440
Carbon disulfide	ND			440
Carbon tetrachloride	ND			440
Chlorobenzene	2600			440
Chloroethane	ND			890
Chloroform	ND			440
Chloromethane	ND			890
2-Chlorotoluene	ND			440
4-Chlorotoluene	ND			440
Chlorodibromomethane	ND			440
1,2-Dichlorobenzene	ND			440
1,3-Dichlorobenzene	ND			440
1,4-Dichlorobenzene	ND			440
1,3-Dichloropropane	ND			440
1,1-Dichloropropene	ND			440
1,2-Dibromo-3-Chloropropane	ND			4400
Ethylene Dibromide	ND			440
Dibromomethane	ND			890
Dichlorodifluoromethane	ND			890
1,1-Dichloroethane	ND			440
1,2-Dichloroethane	ND			440
1,1-Dichloroethene	ND			440
cis-1,2-Dichloroethene	ND			440
trans-1,2-Dichloroethene	ND			440
1,2-Dichloropropane	ND			440
cis-1,3-Dichloropropene	ND			440
trans-1,3-Dichloropropene	ND			440
Ethylbenzene	ND			440
Hexachlorobutadiene	ND			440
2-Hexanone	ND			4400
Isopropylbenzene	ND			440
4-Isopropyltoluene	ND			440
Methylene Chloride	ND			890
4-Methyl-2-pentanone (MIBK)	ND			4400
Naphthalene	ND			890

TestAmerica San Francisco

Page 8 of 94

11/12/2010

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-03-2.8

Lab Sample ID: 720-30837-20

Client Matrix: Solid

Date Sampled: 09/28/2010 1558

Date Received: 09/28/2010 1800

#### 8260B/CA\_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-79265	Instrument ID: HP5
Preparation:	5035	Prep Batch: 720-79297	Lab File ID: 100410023.D
Dilution:	100		Initial Weight/Volume: 5.633 g
Date Analyzed:	10/04/2010 2113		Final Weight/Volume: 10 mL
Date Prepared:	10/04/2010 1700		

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
N-Propylbenzene	ND			440
Styrene	ND			440
1,1,1,2-Tetrachloroethane	ND			440
1,1,2,2-Tetrachloroethane	ND			440
Tetrachloroethene	ND			440
Toluene	ND			440
1,2,3-Trichlorobenzene	ND			440
1,2,4-Trichlorobenzene	ND			440
1,1,1-Trichloroethane	ND			440
1,1,2-Trichloroethane	ND			440
Trichloroethene	ND			440
Trichlorofluoromethane	ND			440
1,2,3-Trichloropropane	ND			440
1,1,2-Trichloro-1,2,2-trifluoroethane	ND			440
1,2,4-Trimethylbenzene	ND			440
1,3,5-Trimethylbenzene	ND			440
Vinyl acetate	ND			4400
Vinyl chloride	ND			440
Xylenes, Total	ND			890
2,2-Dichloropropane	ND			440
Gasoline Range Organics (GRO)-C5-C12	ND			22000

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	102		66 - 148
1,2-Dichloroethane-d4 (Surr)	102		62 - 137
Toluene-d8 (Surr)	99		65 - 141

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-03-3.2

Lab Sample ID: 720-30837-21

Client Matrix: Solid

Date Sampled: 09/28/2010 1610

Date Received: 09/28/2010 1800

#### 8260B/CA\_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-79105	Instrument ID: HP5
Preparation:	5035	Prep Batch: 720-79069	Lab File ID: 100110012.D
Dilution:	1000		Initial Weight/Volume: 4.806 g
Date Analyzed:	10/01/2010 1420		Final Weight/Volume: 10 mL
Date Prepared:	09/29/2010 1542		

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
Methyl tert-butyl ether	ND			5200
Acetone	ND			5200
Benzene	ND			5200
Dichlorobromomethane	ND			5200
Bromobenzene	ND			5200
Chlorobromomethane	ND			21000
Bromoform	ND			5200
Bromomethane	ND			10000
2-Butanone (MEK)	ND			52000
n-Butylbenzene	ND			5200
sec-Butylbenzene	ND			5200
tert-Butylbenzene	ND			5200
Carbon disulfide	ND			5200
Carbon tetrachloride	ND			5200
Chlorobenzene	90000			5200
Chloroethane	ND			10000
Chloroform	ND			5200
Chloromethane	ND			10000
2-Chlorotoluene	ND			5200
4-Chlorotoluene	ND			5200
Chlorodibromomethane	ND			5200
1,2-Dichlorobenzene	ND			5200
1,3-Dichlorobenzene	ND			5200
1,4-Dichlorobenzene	5400			5200
1,3-Dichloropropane	ND			5200
1,1-Dichloropropene	ND			5200
1,2-Dibromo-3-Chloropropane	ND			52000
Ethylene Dibromide	ND			5200
Dibromomethane	ND			10000
Dichlorodifluoromethane	ND			10000
1,1-Dichloroethane	ND			5200
1,2-Dichloroethane	ND			5200
1,1-Dichloroethylene	ND			5200
cis-1,2-Dichloroethene	ND			5200
trans-1,2-Dichloroethene	ND			5200
1,2-Dichloropropane	ND			5200
cis-1,3-Dichloropropene	ND			5200
trans-1,3-Dichloropropene	ND			5200
Ethylbenzene	ND			5200
Hexachlorobutadiene	ND			5200
2-Hexanone	ND			52000
Isopropylbenzene	ND			5200
4-Isopropyltoluene	ND			5200
Methylene Chloride	ND			10000
4-Methyl-2-pentanone (MIBK)	ND			52000
Naphthalene	ND			10000

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-03-3.2

Lab Sample ID: 720-30837-21

Client Matrix: Solid

Date Sampled: 09/28/2010 1610

Date Received: 09/28/2010 1800

#### 8260B/CA\_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-79105	Instrument ID:	HP5
Preparation:	5035	Prep Batch: 720-79069	Lab File ID:	100110012.D
Dilution:	1000		Initial Weight/Volume:	4.806 g
Date Analyzed:	10/01/2010 1420		Final Weight/Volume:	10 mL
Date Prepared:	09/29/2010 1542			

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
N-Propylbenzene	ND	5200		
Styrene	ND	5200		
1,1,1,2-Tetrachloroethane	ND	5200		
1,1,2,2-Tetrachloroethane	ND	5200		
Tetrachloroethene	ND	5200		
Toluene	ND	5200		
1,2,3-Trichlorobenzene	ND	5200		
1,2,4-Trichlorobenzene	ND	5200		
1,1,1-Trichloroethane	ND	5200		
1,1,2-Trichloroethane	ND	5200		
Trichloroethene	ND	5200		
Trichlorofluoromethane	ND	5200		
1,2,3-Trichloropropane	ND	5200		
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	5200		
1,2,4-Trimethylbenzene	ND	5200		
1,3,5-Trimethylbenzene	ND	5200		
Vinyl acetate	ND	52000		
Vinyl chloride	ND	5200		
Xylenes, Total	ND	10000		
2,2-Dichloropropane	ND	5200		
Gasoline Range Organics (GRO)-C5-C12	1200000	260000		

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	101		66 - 148
1,2-Dichloroethane-d4 (Surr)	92		62 - 137
Toluene-d8 (Surr)	95		65 - 141

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-03-11.5

Lab Sample ID: 720-30837-22

Client Matrix: Solid

Date Sampled: 09/28/2010 1640

Date Received: 09/28/2010 1800

#### 8260B/CA\_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-79105	Instrument ID:	HP5
Preparation:	5035	Prep Batch: 720-79069	Lab File ID:	100110011.D
Dilution:	100		Initial Weight/Volume:	5.704 g
Date Analyzed:	10/01/2010 1348		Final Weight/Volume:	10 mL
Date Prepared:	09/29/2010 1542			

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
Methyl tert-butyl ether	ND	440		
Acetone	ND	4400		
Benzene	ND	440		
Dichlorobromomethane	ND	440		
Bromobenzene	ND	440		
Chlorobromomethane	ND	1800		
Bromoform	ND	440		
Bromomethane	ND	880		
2-Butanone (MEK)	ND	4400		
n-Butylbenzene	ND	440		
sec-Butylbenzene	ND	440		
tert-Butylbenzene	ND	440		
Carbon disulfide	ND	440		
Carbon tetrachloride	ND	440		
Chlorobenzene	6500	440		
Chloroethane	ND	880		
Chloroform	ND	440		
Chloromethane	ND	880		
2-Chlorotoluene	ND	440		
4-Chlorotoluene	ND	440		
Chlorodibromomethane	ND	440		
1,2-Dichlorobenzene	15000	440		
1,3-Dichlorobenzene	ND	440		
1,4-Dichlorobenzene	ND	440		
1,3-Dichloropropane	ND	440		
1,1-Dichloropropene	ND	440		
1,2-Dibromo-3-Chloropropane	ND	4400		
Ethylene Dibromide	ND	440		
Dibromomethane	ND	880		
Dichlorodifluoromethane	ND	880		
1,1-Dichloroethane	ND	440		
1,2-Dichloroethane	ND	440		
1,1-Dichloroethene	ND	440		
cis-1,2-Dichloroethene	ND	440		
trans-1,2-Dichloroethene	ND	440		
1,2-Dichloropropane	ND	440		
cis-1,3-Dichloropropene	ND	440		
trans-1,3-Dichloropropene	ND	440		
Ethylbenzene	ND	440		
Hexachlorobutadiene	ND	440		
2-Hexanone	ND	4400		
Isopropylbenzene	ND	440		
4-Isopropyltoluene	ND	440		
Methylene Chloride	ND	880		
4-Methyl-2-pentanone (MIBK)	ND	4400		
Naphthalene	ND	880		

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-03-11.5

Lab Sample ID: 720-30837-22

Client Matrix: Solid

Date Sampled: 09/28/2010 1640

Date Received: 09/28/2010 1800

#### 8260B/CA\_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-79105	Instrument ID:	HP5
Preparation:	5035	Prep Batch: 720-79069	Lab File ID:	100110011.D
Dilution:	100		Initial Weight/Volume:	5.704 g
Date Analyzed:	10/01/2010 1348		Final Weight/Volume:	10 mL
Date Prepared:	09/29/2010 1542			

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
N-Propylbenzene	ND			440
Styrene	ND			440
1,1,1,2-Tetrachloroethane	ND			440
1,1,2,2-Tetrachloroethane	ND			440
Tetrachloroethene	ND			440
Toluene	ND			440
1,2,3-Trichlorobenzene	ND			440
1,2,4-Trichlorobenzene	ND			440
1,1,1-Trichloroethane	ND			440
1,1,2-Trichloroethane	ND			440
Trichloroethene	ND			440
Trichlorofluoromethane	ND			440
1,2,3-Trichloropropane	ND			440
1,1,2-Trichloro-1,2,2-trifluoroethane	ND			440
1,2,4-Trimethylbenzene	ND			440
1,3,5-Trimethylbenzene	ND			440
Vinyl acetate	ND			4400
Vinyl chloride	ND			440
Xylenes, Total	ND			880
2,2-Dichloropropane	ND			440
Gasoline Range Organics (GRO)-C5-C12	ND			22000

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	97		66 - 148
1,2-Dichloroethane-d4 (Surr)	91		62 - 137
Toluene-d8 (Surr)	96		65 - 141

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-03-6.5

Lab Sample ID: 720-30837-23

Client Matrix: Solid

Date Sampled: 09/28/2010 1655

Date Received: 09/28/2010 1800

#### 8260B/CA\_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-79265	Instrument ID:	HP5
Preparation:	5035	Prep Batch: 720-79297	Lab File ID:	100410024.D
Dilution:	100		Initial Weight/Volume:	6.234 g
Date Analyzed:	10/04/2010 2145		Final Weight/Volume:	10 mL
Date Prepared:	10/04/2010 1700			

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
Methyl tert-butyl ether	ND			400
Acetone	ND			4000
Benzene	ND			400
Dichlorobromomethane	ND			400
Bromobenzene	ND			400
Chlorobromomethane	ND			1600
Bromoform	ND			400
Bromomethane	ND			800
2-Butanone (MEK)	ND			4000
n-Butylbenzene	ND			400
sec-Butylbenzene	ND			400
tert-Butylbenzene	ND			400
Carbon disulfide	ND			400
Carbon tetrachloride	ND			400
Chlorobenzene	ND	26000		400
Chloroethane	ND			800
Chloroform	ND			400
Chlormethane	ND			800
2-Chlorotoluene	ND			400
4-Chlorotoluene	ND			400
Chlorodibromomethane	ND			400
1,2-Dichlorobenzene	ND	30000		400
1,3-Dichlorobenzene	ND			400
1,4-Dichlorobenzene	ND	1700		400
1,3-Dichloropropane	ND			400
1,1-Dichloropropene	ND			400
1,2-Dibromo-3-Chloropropane	ND			4000
Ethylene Dibromide	ND			400
Dibromomethane	ND			800
Dichlorodifluoromethane	ND			800
1,1-Dichloroethane	ND			400
1,2-Dichloroethane	ND			400
1,1-Dichloroethene	ND			400
cis-1,2-Dichloroethene	ND			400
trans-1,2-Dichloroethene	ND			400
1,2-Dichloropropane	ND			400
cis-1,3-Dichloropropene	ND			400
trans-1,3-Dichloropropene	ND			400
Ethylbenzene	ND			400
Hexachlorobutadiene	ND			400
2-Hexanone	ND			4000
Isopropylbenzene	ND			400
4-Isopropyltoluene	ND			400
Methylene Chloride	ND			800
4-Methyl-2-pentanone (MIBK)	ND			4000
Naphthalene	ND			800

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-03-6.5

Lab Sample ID: 720-30837-23

Client Matrix: Solid

Date Sampled: 09/28/2010 1655

Date Received: 09/28/2010 1800

#### 8260B/CA\_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-79265	Instrument ID: HP5
Preparation:	5035	Prep Batch: 720-79297	Lab File ID: 100410024.D
Dilution:	100		Initial Weight/Volume: 6.234 g
Date Analyzed:	10/04/2010 2145		Final Weight/Volume: 10 mL
Date Prepared:	10/04/2010 1700		

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
N-Propylbenzene	ND	400		
Styrene	ND	400		
1,1,2-Tetrachloroethane	ND	400		
1,1,2,2-Tetrachloroethane	ND	400		
Tetrachloroethylene	ND	400		
Toluene	ND	400		
1,2,3-Trichlorobenzene	ND	400		
1,2,4-Trichlorobenzene	ND	400		
1,1,1-Trichloroethane	ND	400		
1,1,2-Trichloroethane	ND	400		
Trichloroethylene	ND	400		
Trichlorofluoromethane	ND	400		
1,2,3-Trichloropropane	ND	400		
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	400		
1,2,4-Trimethylbenzene	ND	400		
1,3,5-Trimethylbenzene	ND	400		
Vinyl acetate	ND	4000		
Vinyl chloride	ND	400		
Xylenes, Total	ND	800		
2,2-Dichloropropane	ND	400		
Gasoline Range Organics (GRO)-C5-C12	ND	20000		

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	108		66 - 148
1,2-Dichloroethane-d4 (Surr)	106		62 - 137
Toluene-d8 (Surr)	98		65 - 141

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-10-11.5

Lab Sample ID: 720-30837-1

Date Sampled: 09/28/2010 0730

Date Received: 09/28/2010 1800

#### 8270C SIM Semivolatile Organic Compounds (GC/MS SIM)

Method:	8270C SIM	Analysis Batch: 720-79121	Instrument ID: HP # 3
Preparation:	3550B	Prep Batch: 720-79044	Lab File ID: 100110019.D
Dilution:	1.0	Initial Weight/Volume: 30.21 g	
Date Analyzed:	10/01/2010 1748	Final Weight/Volume: 1 mL	
Date Prepared:	09/30/2010 1137	Injection Volume: 1 uL	

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
Naphthalene	ND	5.0		
Acenaphthene	ND	5.0		
Acenaphthylene	ND	5.0		
Fluorene	ND	5.0		
Phenanthrene	ND	5.0		
Anthracene	ND	5.0		
Benz[a]anthracene	ND	5.0		
Chrysene	ND	5.0		
Benzo[a]pyrene	ND	5.0		
Benzo[b]fluoranthene	ND	5.0		
Benzo[k]fluoranthene	ND	5.0		
Benzo[g,h,i]perylene	ND	5.0		
Indeno[1,2,3-cd]pyrene	ND	5.0		
Fluoranthene	ND	5.0		
Pyrene	ND	5.0		
Dibenz(a,h)anthracene	ND	5.0		

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	82		33 - 120
Terphenyl-d14	105		35 - 146

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-10

Lab Sample ID: 720-30837-5

Client Matrix: Water

Date Sampled: 09/28/2010 0848

Date Received: 09/28/2010 1800

#### 8270C SIM Semivolatile Organic Compounds (GC/MS SIM)

Method:	8270C SIM	Analysis Batch:	720-79226	Instrument ID:	SVOA HP 4
Preparation:	3510C	Prep Batch:	720-79141	Lab File ID:	10041012.D
Dilution:	1.0			Initial Weight/Volume:	980 mL
Date Analyzed:	10/04/2010 1606			Final Weight/Volume:	1 mL
Date Prepared:	10/01/2010 1436			Injection Volume:	1 uL

Analyte	Result (ug/L)	Qualifier	RL
Naphthalene	ND		1.0
Acenaphthene	ND		0.10
Acenaphthylene	ND		0.10
Fluorene	ND		0.10
Phenanthrene	ND		0.10
Anthracene	ND		0.10
Benz[a]anthracene	ND		0.10
Chrysene	ND		0.10
Benz[a]pyrene	ND		0.10
Benz[b]fluoranthene	ND		0.10
Benz[k]fluoranthene	ND		0.10
Benz[g,h,i]perylene	ND <i>uJ</i>		0.10
Indeno[1,2,3-cd]pyrene	ND <i>uJ</i>		0.10
Fluoranthene	ND		0.10
Pyrene	ND		0.10
Dibenz(a,h)anthracene	ND <i>uJ</i>		0.10

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	48		29 - 120
Terphenyl-d14	97		45 - 120

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-06-3.0

Lab Sample ID: 720-30837-6

Client Matrix: Solid

Date Sampled: 09/28/2010 1005

Date Received: 09/28/2010 1800

#### 8270C SIM Semivolatile Organic Compounds (GC/MS SIM)

Method:	8270C SIM	Analysis Batch:	720-79121	Instrument ID:	HP # 3
Preparation:	3550B	Prep Batch:	720-79044	Lab File ID:	100110020.D
Dilution:	1.0			Initial Weight/Volume:	30.32 g
Date Analyzed:	10/01/2010 1811			Final Weight/Volume:	1 mL
Date Prepared:	09/30/2010 1137			Injection Volume:	1 uL

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
Naphthalene	9.4 <i>J</i>	ND <i>J</i>		4.9
Acenaphthene	ND <i>J</i>	ND <i>J</i>		4.9
Acenaphthylene	ND <i>J</i>	ND <i>J</i>		4.9
Fluorene	ND <i>J</i>	ND <i>J</i>		4.9
Phenanthrene	ND <i>J</i>	ND <i>J</i>		4.9
Anthracene	ND	ND		4.9
Benz[a]anthracene	ND	ND		4.9
Chrysene	ND	ND		4.9
Benz[a]pyrene	ND	ND		4.9
Benz[b]fluoranthene	ND	ND		4.9
Benz[k]fluoranthene	ND	ND		4.9
Benz[g,h,i]perylene	ND	ND		4.9
Indeno[1,2,3-cd]pyrene	ND	ND		4.9
Fluoranthene	ND	ND		4.9
Pyrene	ND	ND		4.9
Dibenz(a,h)anthracene	ND	ND		4.9

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	81		33 - 120
Terphenyl-d14	106		35 - 146

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-06-11.0

Lab Sample ID: 720-30837-7

Client Matrix: Solid

Date Sampled: 09/28/2010 1025

Date Received: 09/28/2010 1800

#### 8270C SIM Semivolatile Organic Compounds (GC/MS SIM)

Method:	8270C SIM	Analysis Batch:	720-79121	Instrument ID:	HP # 3
Preparation:	3550B	Prep Batch:	720-79044	Lab File ID:	100110021.D
Dilution:	1.0			Initial Weight/Volume:	30.13 g
Date Analyzed:	10/01/2010 1834			Final Weight/Volume:	1 mL
Date Prepared:	09/30/2010 1137			Injection Volume:	1 uL
Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL	
Naphthalene	ND	ND	UJ	5.0	
Acenaphthene	ND	ND	UJ	5.0	
Acenaphthylene	ND	ND	UJ	5.0	
Fluorene	ND	ND	UJ	5.0	
Phenanthrene	ND	ND	UJ	5.0	
Anthracene	ND	ND	UJ	5.0	
Benz[a]anthracene	ND	ND	UJ	5.0	
Chrysene	ND	ND	UJ	5.0	
Benzo[a]pyrene	ND	ND	UJ	5.0	
Benzo[b]fluoranthene	ND	ND	UJ	5.0	
Benzo[k]fluoranthene	ND	ND	UJ	5.0	
Benzo[g,h,i]perylene	ND	ND	UJ	5.0	
Indeno[1,2,3-cd]pyrene	ND	ND	UJ	5.0	
Fluoranthene	ND	ND	UJ	5.0	
Pyrene	ND	ND	UJ	5.0	
Dibenz(a,h)anthracene	ND	ND	UJ	5.0	
Surrogate		%Rec	Qualifier	Acceptance Limits	
2-Fluorobiphenyl		58		33 - 120	
Terphenyl-d14		96		35 - 146	

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-06

Lab Sample ID: 720-30837-8

Date Sampled: 09/28/2010 1105

Date Received: 09/28/2010 1800

#### 8270C SIM Semivolatile Organic Compounds (GC/MS SIM)

Method:	8270C SIM	Analysis Batch:	720-79226	Instrument ID:	SVOA HP 4
Preparation:	3510C	Prep Batch:	720-79141	Lab File ID:	10041013.D
Dilution:	1.0			Initial Weight/Volume:	970 mL
Date Analyzed:	10/04/2010 1630			Final Weight/Volume:	1 mL
Date Prepared:	10/01/2010 1436			Injection Volume:	1 uL
Analyte		Result (ug/L)	Qualifier	RL	
Naphthalene	ND	ND	UJ	0.10	
Acenaphthene	ND	ND	UJ	0.10	
Acenaphthylene	ND	ND	UJ	0.10	
Fluorene	ND	ND	UJ	0.10	
Phenanthrene	ND	ND	UJ	0.10	
Anthracene	ND	ND	UJ	0.10	
Benz[a]anthracene	ND	ND	UJ	0.10	
Chrysene	ND	ND	UJ	0.10	
Benzo[a]pyrene	ND	ND	UJ	0.10	
Benzo[b]fluoranthene	ND	ND	UJ	0.10	
Benzo[k]fluoranthene	ND	ND	UJ	0.10	
Benzo[g,h,i]perylene	ND	ND	UJ	0.10	
Indeno[1,2,3-cd]pyrene	ND	ND	UJ	0.10	
Fluoranthene	ND	ND	UJ	0.10	
Pyrene	ND	ND	UJ	0.10	
Dibenz(a,h)anthracene	ND	ND	UJ	0.10	
Surrogate		%Rec	Qualifier	Acceptance Limits	
2-Fluorobiphenyl		60		29 - 120	
Terphenyl-d14		85		45 - 120	

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-12-12

Lab Sample ID: 720-30837-9

Client Matrix: Solid

Date Sampled: 09/28/2010 1155

Date Received: 09/28/2010 1800

#### 8270C SIM Semivolatile Organic Compounds (GC/MS SIM)

Method:	8270C SIM	Analysis Batch:	720-79121	Instrument ID:	HP # 3
Preparation:	3550B	Prep Batch:	720-79044	Lab File ID:	100110022.D
Dilution:	1.0			Initial Weight/Volume:	30.38 g
Date Analyzed:	10/01/2010 1857			Final Weight/Volume:	1 mL
Date Prepared:	09/30/2010 1137			Injection Volume:	1 uL

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
Naphthalene	ND <i>uJ</i>			4.9
Acenaphthene	ND <i>uJ</i>			4.9
Acenaphthylene	ND <i>uJ</i>			4.9
Fluorene	ND <i>uJ</i>			4.9
Phenanthrene	ND <i>uJ</i>			4.9
Anthracene	ND			4.9
Benz[a]anthracene	ND			4.9
Chrysene	ND			4.9
Benz[a]pyrene	ND			4.9
Benz[b]fluoranthene	ND			4.9
Benz[k]fluoranthene	ND			4.9
Benz[g,h,i]perylene	ND			4.9
Indeno[1,2,3-cd]pyrene	ND			4.9
Fluoranthene	ND			4.9
Pyrene	ND			4.9
Dibenz(a,h)anthracene	ND			4.9

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	93		33 - 120
Terphenyl-d14	102		35 - 146

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-05-11.5

Lab Sample ID: 720-30837-10

Client Matrix: Solid

Date Sampled: 09/28/2010 1205

Date Received: 09/28/2010 1800

#### 8270C SIM Semivolatile Organic Compounds (GC/MS SIM)

Method:	8270C SIM	Analysis Batch:	720-79121	Instrument ID:	HP # 3
Preparation:	3550B	Prep Batch:	720-79044	Lab File ID:	100110023.D
Dilution:	1.0			Initial Weight/Volume:	30.28 g
Date Analyzed:	10/01/2010 1920			Final Weight/Volume:	1 mL
Date Prepared:	09/30/2010 1137			Injection Volume:	1 uL

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
Naphthalene	ND <i>uJ</i>			5.0
Acenaphthene	ND <i>uJ</i>			5.0
Acenaphthylene	ND <i>uJ</i>			5.0
Fluorene	ND <i>uJ</i>			5.0
Phenanthrene	ND <i>uJ</i>			5.0
Anthracene	ND			5.0
Benz[a]anthracene	ND			5.0
Chrysene	ND			5.0
Benz[a]pyrene	ND			5.0
Benz[b]fluoranthene	ND			5.0
Benz[k]fluoranthene	ND			5.0
Benz[g,h,i]perylene	ND			5.0
Indeno[1,2,3-cd]pyrene	ND			5.0
Fluoranthene	ND			5.0
Pyrene	ND			5.0
Dibenz(a,h)anthracene	ND			5.0

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	89		33 - 120
Terphenyl-d14	101		35 - 146

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-12

Lab Sample ID: 720-30837-11

Client Matrix: Water

Date Sampled: 09/28/2010 1340

Date Received: 09/28/2010 1800

#### 8270C SIM Semivolatile Organic Compounds (GC/MS SIM)

Method:	8270C SIM	Analysis Batch:	720-79226	Instrument ID:	SVOA HP 4
Preparation:	3510C	Prep Batch:	720-79141	Lab File ID:	10041014.D
Dilution:	1.0			Initial Weight/Volume:	990 mL
Date Analyzed:	10/04/2010 1653			Final Weight/Volume:	1 mL
Date Prepared:	10/01/2010 1436			Injection Volume:	1 uL
Analyte	Result (ug/L)	Qualifier	RL		
Naphthalene	ND		0.10		
Acenaphthene	ND		0.10		
Acenaphthylene	ND		0.10		
Fluorene	ND		0.10		
Phenanthrene	ND		0.10		
Anthracene	ND		0.10		
Benzo[a]anthracene	ND		0.10		
Chrysene	ND		0.10		
Benzo[a]pyrene	ND		0.10		
Benzo[b]fluoranthene	ND		0.10		
Benzo[k]fluoranthene	ND		0.10		
Benzo[g,h,i]perylene	ND <i>uJ</i>		0.10		
Indeno[1,2,3-cd]pyrene	ND <i>uJ</i>		0.10		
Fluoranthene	ND		0.10		
Pyrene	ND		0.10		
Dibenz(a,h)anthracene	ND <i>uJ</i>		0.10		
Surrogate	%Rec	Qualifier	Acceptance Limits		
2-Fluorobiphenyl	61		29 - 120		
Terphenyl-d14	96		45 - 120		

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-09-4.9

Lab Sample ID: 720-30837-13

Client Matrix: Solid

Date Sampled: 09/28/2010 1405

Date Received: 09/28/2010 1800

#### 8270C SIM Semivolatile Organic Compounds (GC/MS SIM)

Method:	8270C SIM	Analysis Batch:	720-79121	Instrument ID:	HP # 3
Preparation:	3550B	Prep Batch:	720-79044	Lab File ID:	100110024.D
Dilution:	1.0			Initial Weight/Volume:	30.02 g
Date Analyzed:	10/01/2010 1943			Final Weight/Volume:	1 mL
Date Prepared:	09/30/2010 1137			Injection Volume:	1 uL
Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL	
Naphthalene	5.0 <i>J</i>	ND		5.0	
Acenaphthene	ND <i>uJ</i>	ND		5.0	
Acenaphthylene	ND <i>uJ</i>	ND		5.0	
Fluorene	ND <i>uJ</i>	ND		5.0	
Phenanthrene	ND <i>uJ</i>	ND		5.0	
Anthracene	ND	ND		5.0	
Benzo[a]anthracene	ND	ND		5.0	
Chrysene	ND	ND		5.0	
Benzo[a]pyrene	ND	ND		5.0	
Benzo[b]fluoranthene	ND	ND		5.0	
Benzo[k]fluoranthene	ND	ND		5.0	
Benzo[g,h,i]perylene	ND	ND		5.0	
Indeno[1,2,3-cd]pyrene	ND	ND		5.0	
Fluoranthene	ND	ND		5.0	
Pyrene	ND	ND		5.0	
Dibenz(a,h)anthracene	ND	ND		5.0	
Surrogate	%Rec	Qualifier	Acceptance Limits		
2-Fluorobiphenyl	81		33 - 120		
Terphenyl-d14	102		35 - 146		

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-05

Lab Sample ID: 720-30837-14  
Client Matrix: Water

Date Sampled: 09/28/2010 1420  
Date Received: 09/28/2010 1800

#### 8270C SIM Semivolatile Organic Compounds (GC/MS SIM)

Method:	8270C SIM	Analysis Batch:	720-79226	Instrument ID:	SVOA HP 4
Preparation:	3510C	Prep Batch:	720-79141	Lab File ID:	10041015.D
Dilution:	1.0			Initial Weight/Volume:	990 μL
Date Analyzed:	10/04/2010 1717			Final Weight/Volume:	1 mL
Date Prepared:	10/01/2010 1436			Injection Volume:	1 μL

Analyte	Result (ug/L)	Qualifier	RL
Naphthalene	ND		0.10
Acenaphthene	ND		0.10
Acenaphthylene	ND		0.10
Fluorene	ND		0.10
Phenanthrene	ND		0.10
Anthracene	ND		0.10
Benz[a]anthracene	ND		0.10
Chrysene	ND		0.10
Benz[a]pyrene	ND		0.10
Benz[b]fluoranthene	ND		0.10
Benz[k]fluoranthene	ND		0.10
Benz[g,h,i]perylene	ND <i>uJ</i>		0.10
Indeno[1,2,3-cd]pyrene	ND <i>uJ</i>		0.10
Fluoranthene	ND		0.10
Pyrene	ND		0.10
Dibenz(a,h)anthracene	ND <i>uJ</i>		0.10

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	51		29 - 120
Terphenyl-d14	96		45 - 120

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-05-0.7

Lab Sample ID: 720-30837-15  
Client Matrix: Solid

Date Sampled: 09/28/2010 1130  
Date Received: 09/28/2010 1800

#### 8270C SIM Semivolatile Organic Compounds (GC/MS SIM)

Method:	8270C SIM	Analysis Batch:	720-79121	Instrument ID:	HP # 3
Preparation:	3550B	Prep Batch:	720-79044	Lab File ID:	100110030.D
Dilution:	2.0			Initial Weight/Volume:	30.11 g
Date Analyzed:	10/01/2010 2200			Final Weight/Volume:	1 mL
Date Prepared:	09/30/2010 1137			Injection Volume:	1 μL

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
Naphthalene	ND <i>uJ</i>	ND		10
Acenaphthene	ND <i>uJ</i>	ND		10
Acenaphthylene	ND <i>uJ</i>	ND		10
Fluorene	ND <i>uJ</i>	ND		10
Phenanthrene	ND <i>uJ</i>	ND		10
Anthracene	ND	ND		10
Benz[a]anthracene	ND	ND		10
Chrysene	ND	ND		10
Benz[a]pyrene	ND	ND		10
Benz[b]fluoranthene	ND	ND		10
Benz[k]fluoranthene	ND	ND		10
Benz[g,h,i]perylene	ND	ND		10
Indeno[1,2,3-cd]pyrene	ND	ND		10
Fluoranthene	ND	ND		10
Pyrene	ND	ND		10
Dibenz(a,h)anthracene	ND	ND		10

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	75		33 - 120
Terphenyl-d14	94		35 - 146

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-09-11.8

Lab Sample ID: 720-30837-17

Client Matrix: Solid

Date Sampled: 09/28/2010 1528

Date Received: 09/28/2010 1800

#### 8270C SIM Semivolatile Organic Compounds (GC/MS SIM)

Method:	8270C SIM	Analysis Batch:	720-79121	Instrument ID:	HP # 3
Preparation:	3550B	Prep Batch:	720-79044	Lab File ID:	100110029.D
Dilution:	1.0			Initial Weight/Volume:	30.08 g
Date Analyzed:	10/01/2010 2137			Final Weight/Volume:	1 mL
Date Prepared:	09/30/2010 1137			Injection Volume:	1 uL
Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL	
Naphthalene	ND	5.1	J	5.0	
Acenaphthene	ND	uJ		5.0	
Acenaphthylene	ND	uJ		5.0	
Fluorene	ND	uJ		5.0	
Phenanthrene	ND	uJ		5.0	
Anthracene	ND			5.0	
Benz[a]anthracene	ND			5.0	
Chrysene	ND			5.0	
Benz[a]pyrene	ND			5.0	
Benz[b]fluoranthene	ND			5.0	
Benz[k]fluoranthene	ND			5.0	
Benz[g,h,i]perylene	ND			5.0	
Indeno[1,2,3-cd]pyrene	ND			5.0	
Fluoranthene	ND			5.0	
Pyrene	ND			5.0	
Dibenz(a,h)anthracene	ND			5.0	
Surrogate	%Rec		Qualifier	Acceptance Limits	
2-Fluorobiphenyl	93			33 - 120	
Terphenyl-d14	105			35 - 146	

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-10-11.5

Lab Sample ID: 720-30837-1

Client Matrix: Solid

Date Sampled: 09/28/2010 0730

Date Received: 09/28/2010 1800

#### 8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch:	720-79102	Instrument ID:	CHDRO6
Preparation:	3550B	Prep Batch:	720-79041	Initial Weight/Volume:	30.07 g
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/01/2010 1653			Injection Volume:	1 uL
Date Prepared:	09/30/2010 1126			Result Type:	PRIMARY

Analyte	DryWt Corrected: N	Result (mg/Kg)	Qualifier	RL
Diesel Range Organics [C10-C28]	ND			1.0
Motor Oil Range Organics [C24-C36]	ND			50
Surrogate	%Rec	Qualifier	Acceptance Limits	
Capric Acid (Surr)	0		0 - 5	
p-Terphenyl	97		46 - 115	

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-10

Lab Sample ID: 720-30837-5

Client Matrix: Water

Date Sampled: 09/28/2010 0848

Date Received: 09/28/2010 1800

#### 8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch:	720-79440	Instrument ID:	CHDRO6
Preparation:	3510C SGC	Prep Batch:	720-79363	Initial Weight/Volume:	980 mL
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/07/2010 1151			Injection Volume:	1 uL
Date Prepared:	10/06/2010 0810			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	ND		10	51
Motor Oil Range Organics [C24-C36]	ND		130	300

Surrogate	%Rec	Qualifier	Acceptance Limits	
Capric Acid (Surr)	0		0 - 5	
p-Terphenyl	97		31 - 150	

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-10

Lab Sample ID: 720-30837-5

Client Matrix: Water

Date Sampled: 09/28/2010 0848

Date Received: 09/28/2010 1800

#### 8015B Diesel Range Organics (DRO) (GC)-Dissolved

Method:	8015B	Analysis Batch:	720-79205	Instrument ID:	CHDRO5
Preparation:	3510C SGC	Prep Batch:	720-79118	Initial Weight/Volume:	930 mL
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/04/2010 1019			Injection Volume:	1 uL
Date Prepared:	10/01/2010 1004			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	18 < 53	J B	11	53
Motor Oil Range Organics [C24-C36]	ND		140	320

Surrogate	%Rec	Qualifier	Acceptance Limits	
Capric Acid (Surr)	0.5		0 - 5	
p-Terphenyl	95		31 - 150	

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-06-3.0

Lab Sample ID: 720-30837-6

Client Matrix: Solid

Date Sampled: 09/28/2010 1005

Date Received: 09/28/2010 1800

#### 8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch:	720-79102	Instrument ID:	CHDRO6
Preparation:	3550B	Prep Batch:	720-79041	Initial Weight/Volume:	30.26 g
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/01/2010 1715			Injection Volume:	1 uL
Date Prepared:	09/30/2010 1126			Result Type:	PRIMARY

Analyte	DryWt Corrected: N	Result (mg/Kg)	Qualifier	RL
Diesel Range Organics [C10-C28]	ND	0.99		
Motor Oil Range Organics [C24-C36]	ND	50		
Surrogate	%Rec		Qualifier	Acceptance Limits
Capric Acid (Surr)	0			0 - 5
p-Terphenyl	100			46 - 115

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-06-11.0

Lab Sample ID: 720-30837-7

Client Matrix: Solid

Date Sampled: 09/28/2010 1025

Date Received: 09/28/2010 1800

#### 8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch:	720-79102	Instrument ID:	CHDRO6
Preparation:	3550B	Prep Batch:	720-79041	Initial Weight/Volume:	30.07 g
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/01/2010 1821			Injection Volume:	1 uL
Date Prepared:	09/30/2010 1126			Result Type:	PRIMARY

Analyte	DryWt Corrected: N	Result (mg/Kg)	Qualifier	RL
Diesel Range Organics [C10-C28]	ND	1.0		
Motor Oil Range Organics [C24-C36]	ND	50		
Surrogate	%Rec		Qualifier	Acceptance Limits
Capric Acid (Surr)	0			0 - 5
p-Terphenyl	92			46 - 115

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-06

Lab Sample ID: 720-30837-8

Client Matrix: Water

Date Sampled: 09/28/2010 1105

Date Received: 09/28/2010 1800

#### 8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch:	720-79440	Instrument ID:	CHDRO6
Preparation:	3510C SGC	Prep Batch:	720-79386	Initial Weight/Volume:	970 mL
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/07/2010 1030			Injection Volume:	1 uL
Date Prepared:	10/06/2010 1311			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	ND		10	51
Motor Oil Range Organics [C24-C36]	ND		130	310

Surrogate	%Rec	Qualifier	Acceptance Limits	
Capric Acid (Surr)	0		0 - 5	
p-Terphenyl	93		31 - 150	

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-06

Lab Sample ID: 720-30837-8

Client Matrix: Water

Date Sampled: 09/28/2010 1105

Date Received: 09/28/2010 1800

#### 8015B Diesel Range Organics (DRO) (GC)-Dissolved

Method:	8015B	Analysis Batch:	720-79205	Instrument ID:	CHDRO5
Preparation:	3510C SGC	Prep Batch:	720-79118	Initial Weight/Volume:	930 mL
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/04/2010 1216			Injection Volume:	1 uL
Date Prepared:	10/01/2010 1258			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	<del>26</del> < 53	J B	11	53
Motor Oil Range Organics [C24-C36]	ND		140	320

Surrogate	%Rec	Qualifier	Acceptance Limits	
Capric Acid (Surr)	0.2		0 - 5	
p-Terphenyl	94		31 - 150	

**Analytical Data**

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-12-12

Lab Sample ID: 720-30837-9

Client Matrix: Solid

Date Sampled: 09/28/2010 1155

Date Received: 09/28/2010 1800

**8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup**

Method:	8015B	Analysis Batch:	720-79102	Instrument ID:	CHDRO6
Preparation:	3550B	Prep Batch:	720-79041	Initial Weight/Volume:	30.46 g
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/01/2010 1842			Injection Volume:	1 uL
Date Prepared:	09/30/2010 1126			Result Type:	PRIMARY

Analyte	DryWt Corrected: N	Result (mg/Kg)	Qualifier	RL
Diesel Range Organics [C10-C28]	ND	0.98		
Motor Oil Range Organics [C24-C36]	ND	49		

Surrogate	%Rec	Qualifier	Acceptance Limits	RL
Capric Acid (Surr)	0		0 - 5	1.0
p-Terphenyl	99		46 - 115	50

**Analytical Data**

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-05-11.5

Lab Sample ID: 720-30837-10

Client Matrix: Solid

Date Sampled: 09/28/2010 1205

Date Received: 09/28/2010 1800

**8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup**

Method:	8015B	Analysis Batch:	720-79102	Instrument ID:	CHDRO6
Preparation:	3550B	Prep Batch:	720-79041	Initial Weight/Volume:	30.15 g
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/01/2010 1904			Injection Volume:	1 uL
Date Prepared:	09/30/2010 1126			Result Type:	PRIMARY

Analyte	DryWt Corrected: N	Result (mg/Kg)	Qualifier	RL
Diesel Range Organics [C10-C28]	ND	ND		1.0
Motor Oil Range Organics [C24-C36]	ND	ND		50

Surrogate	%Rec	Qualifier	Acceptance Limits	RL
Capric Acid (Surr)	0		0 - 5	
p-Terphenyl	104		46 - 115	

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-12

Lab Sample ID: 720-30837-11

Client Matrix: Water

Date Sampled: 09/28/2010 1340

Date Received: 09/28/2010 1800

#### 8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch:	720-79440	Instrument ID:	CHDRO6
Preparation:	3510C SGC	Prep Batch:	720-79386	Initial Weight/Volume:	970 mL
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/07/2010 1052			Injection Volume:	1 uL
Date Prepared:	10/06/2010 1311			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	11 J	J	10	51
Motor Oil Range Organics [C24-C36]	ND		130	310

Surrogate	%Rec	Qualifier	Acceptance Limits	
Capric Acid (Surr)	0		0 - 5	
p-Terphenyl	105		31 - 150	

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-12

Lab Sample ID: 720-30837-11

Client Matrix: Water

#### 8015B Diesel Range Organics (DRO) (GC)-Dissolved

Method:	8015B	Analysis Batch:	720-79205	Instrument ID:	CHDRO5
Preparation:	3510C SGC	Prep Batch:	720-79118	Initial Weight/Volume:	960 mL
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/04/2010 1042			Injection Volume:	1 uL
Date Prepared:	10/01/2010 1004			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	<del>18 &lt; 52</del>	J B	11	52
Motor Oil Range Organics [C24-C36]	ND		130	310

Surrogate	%Rec	Qualifier	Acceptance Limits	
Capric Acid (Surr)	0.3		0 - 5	
p-Terphenyl	96		31 - 150	

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-09-4.9

Lab Sample ID: 720-30837-13

Client Matrix: Solid

Date Sampled: 09/28/2010 1405

Date Received: 09/28/2010 1800

#### 8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch:	720-79102	Instrument ID:	CHDRO6
Preparation:	3550B	Prep Batch:	720-79041	Initial Weight/Volume:	30.23 g
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/01/2010 1926			Injection Volume:	1 uL
Date Prepared:	09/30/2010 1126			Result Type:	PRIMARY

Analyte	Dry Wt Corrected: N	Result (mg/Kg)	Qualifier	RL
Diesel Range Organics [C10-C28]	1.4			0.99
Motor Oil Range Organics [C24-C36]	ND			50
Surrogate	%Rec	Qualifier	Acceptance Limits	
Capric Acid (Surr)	0		0 - 5	
p-Terphenyl	111		46 - 115	

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-05

Lab Sample ID: 720-30837-14

Client Matrix: Water

#### 8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch:	720-79440	Instrument ID:	CHDRO6
Preparation:	3510C SGC	Prep Batch:	720-79386	Initial Weight/Volume:	980 mL
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/07/2010 1113			Injection Volume:	1 uL
Date Prepared:	10/06/2010 1311			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	ND		10	51
Motor Oil Range Organics [C24-C36]	ND		130	300
Surrogate	%Rec	Qualifier	Acceptance Limits	
Capric Acid (Surr)	0		0 - 5	
p-Terphenyl	102		31 - 150	

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-05

Lab Sample ID: 720-30837-14

Client Matrix: Water

Date Sampled: 09/28/2010 1420

Date Received: 09/28/2010 1800

#### 8015B Diesel Range Organics (DRO) (GC)-Dissolved

Method:	8015B	Analysis Batch:	720-79205	Instrument ID:	CHDRO5
Preparation:	3510C SGC	Prep Batch:	720-79118	Initial Weight/Volume:	960 mL
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/04/2010 1106			Injection Volume:	1 uL
Date Prepared:	10/01/2010 1004			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	1652	J B	11	52
Motor Oil Range Organics [C24-C36]	ND		130	310

Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0.1		0 - 5
p-Terphenyl	91		31 - 150

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-05-0.7

Lab Sample ID: 720-30837-15

Client Matrix: Solid

Date Sampled: 09/28/2010 1130

Date Received: 09/28/2010 1800

#### 8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch:	720-79102	Instrument ID:	CHDRO6
Preparation:	3550B	Prep Batch:	720-79041	Initial Weight/Volume:	30.00 g
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/01/2010 1503			Injection Volume:	1 uL
Date Prepared:	09/30/2010 1126			Result Type:	PRIMARY

Analyte	DryWt Corrected: N	Result (mg/Kg)	Qualifier	RL
Diesel Range Organics [C10-C28]		20		1.0
Motor Oil Range Organics [C24-C36]		58		50

Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0		0 - 5
p-Terphenyl	85		46 - 115

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Client Sample ID: SB-09-11.8

Lab Sample ID: 720-30837-17

Client Matrix: Solid

Date Sampled: 09/28/2010 1528

Date Received: 09/28/2010 1800

#### 8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch:	720-79277	Instrument ID:	CHDRO6
Preparation:	3550B	Prep Batch:	720-79235	Initial Weight/Volume:	30.02 g
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/05/2010 1851			Injection Volume:	1 uL
Date Prepared:	10/04/2010 1427			Result Type:	PRIMARY

Analyte	Dry Wt Corrected: N	Result (mg/Kg)	Qualifier	RL
Diesel Range Organics [C10-C28]	ND			1.0
Motor Oil Range Organics [C24-C36]	ND			50
Surrogate	% Rec		Qualifier	Acceptance Limits
Capric Acid (Surr)	0			0 - 5
p-Terphenyl	96			46 - 115

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

#### General Chemistry

Client Sample ID: SB-06

Lab Sample ID: 720-30837-8

Date Sampled: 09/28/2010 1105

Date Received: 09/28/2010 1800

Analyte	Result	Qual	Units	RL	Dil	Method
Cr (VI)	0.94		ug/L	0.50	1.0	7199

Analysis Batch: 720-79232 Date Analyzed: 09/28/2010 2130

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

#### General Chemistry

Client Sample ID: SB-05

Lab Sample ID: 720-30837-14

Client Matrix: Water

Date Sampled: 09/28/2010 1420

Date Received: 09/28/2010 1800

Analyte	Result	Qual	Units	RL	Dil	Method
Cr (VI)	1.1		ug/L	0.50	1.0	7199

Analysis Batch: 720-79232 Date Analyzed: 09/28/2010 2140

### DATA REPORTING QUALIFIERS

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

Lab Section	Qualifier	Description
GC/MS Semi VOA		
	F	MS or MSD exceeds the control limits
	F	RPD of the MS and MSD exceeds the control limits
GC Semi VOA		
	B	Compound was found in the blank and sample.
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

# QUALITY CONTROL RESULTS

TestAmerica San Francisco

Page 47 of 94

11/12/2010

## Quality Control Results

Client: AMEC Geomatix Inc.

Job Number: 720-30837-1

### QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
<b>GC/MS VOA</b>					
<b>Analysis Batch: 720-78924</b>					
LCS 720-79069/4-A	Lab Control Sample	T	Solid	8260B/CA_LUFT	720-79069
LCSD 720-79069/5-A	Lab Control Sample Duplicate	T	Solid	8260B/CA_LUFT	720-79069
<b>Prep Batch: 720-79069</b>					
LCS 720-79069/4-A	Lab Control Sample	T	Solid	5035	
LCSD 720-79069/5-A	Lab Control Sample Duplicate	T	Solid	5035	
720-30837-21	SB-03-3.2	T	Solid	5035	
720-30837-22	SB-03-11.5	T	Solid	5035	
<b>Analysis Batch: 720-79105</b>					
720-30837-21	SB-03-3.2	T	Solid	8260B/CA_LUFT	720-79069
720-30837-22	SB-03-11.5	T	Solid	8260B/CA_LUFT	720-79069
<b>Analysis Batch: 720-79265</b>					
LCS 720-79297/2-A	Lab Control Sample	T	Solid	8260B/CA_LUFT	720-79297
LCS 720-79297/4-A	Lab Control Sample	T	Solid	8260B/CA_LUFT	720-79297
LCSD 720-79297/3-A	Lab Control Sample Duplicate	T	Solid	8260B/CA_LUFT	720-79297
LCSD 720-79297/5-A	Lab Control Sample Duplicate	T	Solid	8260B/CA_LUFT	720-79297
MB 720-79297/1-A	Method Blank	T	Solid	8260B/CA_LUFT	720-79297
720-30837-20	SB-03-2.8	T	Solid	8260B/CA_LUFT	720-79297
720-30837-23	SB-03-6.5	T	Solid	8260B/CA_LUFT	720-79297
<b>Prep Batch: 720-79297</b>					
LCS 720-79297/2-A	Lab Control Sample	T	Solid	5035	
LCS 720-79297/4-A	Lab Control Sample	T	Solid	5035	
LCSD 720-79297/3-A	Lab Control Sample Duplicate	T	Solid	5035	
LCSD 720-79297/5-A	Lab Control Sample Duplicate	T	Solid	5035	
MB 720-79297/1-A	Method Blank	T	Solid	5035	
720-30837-20	SB-03-2.8	T	Solid	5035	
720-30837-23	SB-03-6.5	T	Solid	5035	

### Report Basis

T = Total

TestAmerica San Francisco

Page 48 of 94

11/12/2010

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

#### QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
---------------	------------------	--------------	---------------	--------	------------

##### GC/MS Semi VOA

###### Prep Batch: 720-79044

LCS 720-79044/2-A	Lab Control Sample	T	Solid	3550B	
LCSD 720-79044/3-A	Lab Control Sample Duplicate	T	Solid	3550B	
MB 720-79044/1-A	Method Blank	T	Solid	3550B	
720-30837-1	SB-10-11.5	T	Solid	3550B	
720-30837-6	SB-06-3.0	T	Solid	3550B	
720-30837-7	SB-06-11.0	T	Solid	3550B	
720-30837-9	SB-12-12	T	Solid	3550B	
720-30837-10	SB-05-11.5	T	Solid	3550B	
720-30837-13	SB-09-4.9	T	Solid	3550B	
720-30837-15	SB-05-0.7	T	Solid	3550B	
720-30837-17	SB-09-11.8	T	Solid	3550B	
720-30865-A-3-B MS	Matrix Spike	T	Solid	3550B	
720-30865-A-3-C MSD	Matrix Spike Duplicate	T	Solid	3550B	

###### Analysis Batch: 720-79121

LCS 720-79044/2-A	Lab Control Sample	T	Solid	8270C SIM	720-79044
LCSD 720-79044/3-A	Lab Control Sample Duplicate	T	Solid	8270C SIM	720-79044
MB 720-79044/1-A	Method Blank	T	Solid	8270C SIM	720-79044
720-30837-1	SB-10-11.5	T	Solid	8270C SIM	720-79044
720-30837-6	SB-06-3.0	T	Solid	8270C SIM	720-79044
720-30837-7	SB-06-11.0	T	Solid	8270C SIM	720-79044
720-30837-9	SB-12-12	T	Solid	8270C SIM	720-79044
720-30837-10	SB-05-11.5	T	Solid	8270C SIM	720-79044
720-30837-13	SB-09-4.9	T	Solid	8270C SIM	720-79044
720-30837-15	SB-05-0.7	T	Solid	8270C SIM	720-79044
720-30837-17	SB-09-11.8	T	Solid	8270C SIM	720-79044
720-30865-A-3-B MS	Matrix Spike	T	Solid	8270C SIM	720-79044
720-30865-A-3-C MSD	Matrix Spike Duplicate	T	Solid	8270C SIM	720-79044

###### Prep Batch: 720-79141

LCS 720-79141/2-A	Lab Control Sample	T	Water	3510C	
LCSD 720-79141/3-A	Lab Control Sample Duplicate	T	Water	3510C	
MB 720-79141/1-A	Method Blank	T	Water	3510C	
720-30837-5	SB-10	T	Water	3510C	
720-30837-8	SB-06	T	Water	3510C	
720-30837-11	SB-12	T	Water	3510C	
720-30837-14	SB-05	T	Water	3510C	
720-30865-B-4-A MS	Matrix Spike	T	Water	3510C	
720-30865-B-4-B MSD	Matrix Spike Duplicate	T	Water	3510C	

TestAmerica San Francisco

TestAmerica San Francisco

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

#### QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
---------------	------------------	--------------	---------------	--------	------------

##### GC/MS Semi VOA

###### Analysis Batch: 720-79226

LCS 720-79141/2-A	Lab Control Sample	T	Water	8270C SIM	720-79141
LCSD 720-79141/3-A	Lab Control Sample Duplicate	T	Water	8270C SIM	720-79141
MB 720-79141/1-A	Method Blank	T	Water	8270C SIM	720-79141
720-30837-5	SB-10	T	Water	8270C SIM	720-79141
720-30837-8	SB-06	T	Water	8270C SIM	720-79141
720-30837-11	SB-12	T	Water	8270C SIM	720-79141
720-30837-14	SB-05	T	Water	8270C SIM	720-79141
720-30865-B-4-A MS	Matrix Spike	T	Water	8270C SIM	720-79141
720-30865-B-4-B MSD	Matrix Spike Duplicate	T	Water	8270C SIM	720-79141

###### Report Basis

T = Total

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

#### QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
---------------	------------------	--------------	---------------	--------	------------

##### GC Semi VOA

###### Prep Batch: 720-79041

LCS 720-79041/2-A	Lab Control Sample	A	Solid	3550B	
LCSD 720-79041/3-A	Lab Control Sample Duplicate	A	Solid	3550B	
MB 720-79041/1-A	Method Blank	A	Solid	3550B	
720-30837-1	SB-10-11.5	A	Solid	3550B	
720-30837-6	SB-06-3.0	A	Solid	3550B	
720-30837-6MS	Matrix Spike	A	Solid	3550B	
720-30837-6MSD	Matrix Spike Duplicate	A	Solid	3550B	
720-30837-7	SB-06-11.0	A	Solid	3550B	
720-30837-9	SB-12-12	A	Solid	3550B	
720-30837-10	SB-05-11.5	A	Solid	3550B	
720-30837-13	SB-09-4.9	A	Solid	3550B	
720-30837-15	SB-05-0.7	A	Solid	3550B	

###### Analysis Batch: 720-79101

LCS 720-79041/2-A	Lab Control Sample	A	Solid	8015B	720-79041
LCSD 720-79041/3-A	Lab Control Sample Duplicate	A	Solid	8015B	720-79041
MB 720-79041/1-A	Method Blank	A	Solid	8015B	720-79041

###### Analysis Batch: 720-79102

720-30837-1	SB-10-11.5	A	Solid	8015B	720-79041
720-30837-6	SB-06-3.0	A	Solid	8015B	720-79041
720-30837-6MS	Matrix Spike	A	Solid	8015B	720-79041
720-30837-6MSD	Matrix Spike Duplicate	A	Solid	8015B	720-79041
720-30837-7	SB-06-11.0	A	Solid	8015B	720-79041
720-30837-9	SB-12-12	A	Solid	8015B	720-79041
720-30837-10	SB-05-11.5	A	Solid	8015B	720-79041
720-30837-13	SB-09-4.9	A	Solid	8015B	720-79041
720-30837-15	SB-05-0.7	A	Solid	8015B	720-79041

###### Prep Batch: 720-79118

LCS 720-79115/2-C	Lab Control Sample	D	Water	3510C SGC	
LCSD 720-79115/3-C	Lab Control Sample Duplicate	D	Water	3510C SGC	
MB 720-79115/1-C	Method Blank	D	Water	3510C SGC	
720-30837-5	SB-10	D	Water	3510C SGC	
720-30837-8	SB-06	D	Water	3510C SGC	
720-30837-11	SB-12	D	Water	3510C SGC	
720-30837-14	SB-05	D	Water	3510C SGC	

TestAmerica San Francisco

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

#### QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
---------------	------------------	--------------	---------------	--------	------------

##### GC Semi VOA

###### Analysis Batch: 720-79205

LCS 720-79115/2-C	Lab Control Sample	D	Water	8015B	720-79118
LCSD 720-79115/3-C	Lab Control Sample Duplicate	D	Water	8015B	720-79118
MB 720-79115/1-C	Method Blank	D	Water	8015B	720-79118
720-30837-5	SB-10	D	Water	8015B	720-79118
720-30837-8	SB-06	D	Water	8015B	720-79118
720-30837-11	SB-12	D	Water	8015B	720-79118
720-30837-14	SB-05	D	Water	8015B	720-79118

###### Analysis Batch: 720-79206

LCS 720-79235/2-A	Lab Control Sample	A	Solid	8015B	720-79235
LCSD 720-79235/3-A	Lab Control Sample Duplicate	A	Solid	8015B	720-79235
MB 720-79235/1-A	Method Blank	A	Solid	8015B	720-79235

###### Prep Batch: 720-79235

LCS 720-79235/2-A	Lab Control Sample	A	Solid	3550B	
LCSD 720-79235/3-A	Lab Control Sample Duplicate	A	Solid	3550B	
MB 720-79235/1-A	Method Blank	A	Solid	3550B	
720-30837-17	SB-09-11.8	A	Solid	3550B	
720-30865-A-3-D MS	Matrix Spike	A	Solid	3550B	
720-30865-A-3-E MSD	Matrix Spike Duplicate	A	Solid	3550B	

###### Analysis Batch: 720-79276

720-30865-A-3-D MS	Matrix Spike	A	Solid	8015B	720-79235
720-30865-A-3-E MSD	Matrix Spike Duplicate	A	Solid	8015B	720-79235

###### Analysis Batch: 720-79277

720-30837-17	SB-09-11.8	A	Solid	8015B	720-79235
--------------	------------	---	-------	-------	-----------

###### Prep Batch: 720-79363

LCS 720-79363/2-A	Lab Control Sample	A	Water	3510C SGC	
LCSD 720-79363/3-A	Lab Control Sample Duplicate	A	Water	3510C SGC	
MB 720-79363/1-A	Method Blank	A	Water	3510C SGC	
720-30837-5	SB-10	A	Water	3510C SGC	

###### Prep Batch: 720-79386

LCS 720-79386/2-A	Lab Control Sample	A	Water	3510C SGC	
LCSD 720-79386/3-A	Lab Control Sample Duplicate	A	Water	3510C SGC	
MB 720-79386/1-A	Method Blank	A	Water	3510C SGC	
720-30837-8	SB-06	A	Water	3510C SGC	
720-30837-11	SB-12	A	Water	3510C SGC	
720-30837-14	SB-05	A	Water	3510C SGC	

TestAmerica San Francisco

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

#### QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
<b>GC Semi VOA</b>					
<b>Analysis Batch:720-79440</b>					
720-30837-5	SB-10	A	Water	8015B	720-79363
720-30837-8	SB-06	A	Water	8015B	720-79386
720-30837-11	SB-12	A	Water	8015B	720-79386
720-30837-14	SB-05	A	Water	8015B	720-79386
<b>Analysis Batch:720-79456</b>					
LCS 720-79363/2-A	Lab Control Sample	A	Water	8015B	720-79363
LCSD 720-79363/3-A	Lab Control Sample Duplicate	A	Water	8015B	720-79363
MB 720-79363/1-A	Method Blank	A	Water	8015B	720-79363
LCS 720-79386/2-A	Lab Control Sample	A	Water	8015B	720-79386
LCSD 720-79386/3-A	Lab Control Sample Duplicate	A	Water	8015B	720-79386
MB 720-79386/1-A	Method Blank	A	Water	8015B	720-79386

#### Report Basis

D = Dissolved

A = Silica Gel Cleanup

#### General Chemistry

##### **Analysis Batch:720-79232**

LCS 720-79232/3	Lab Control Sample	T	Water	7199
LCSD 720-79232/4	Lab Control Sample Duplicate	T	Water	7199
MB 720-79232/2	Method Blank	T	Water	7199
720-30814-A-3 MS	Matrix Spike	T	Water	7199
720-30814-A-3 MSD	Matrix Spike Duplicate	T	Water	7199
720-30837-8	SB-06	T	Water	7199
720-30837-14	SB-05	T	Water	7199

#### Report Basis

T = Total

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

#### Surrogate Recovery Report

##### **8260B/CA LUFTMS 8260B / CA LUFT MS**

#### Client Matrix: Solid

Lab Sample ID	Client Sample ID	BFB %Rec	DCA %Rec	TOL %Rec
720-30837-20	SB-03-2.8	102	102	99
720-30837-21	SB-03-3.2	101	92	95
720-30837-22	SB-03-11.5	97	91	96
720-30837-23	SB-03-6.5	108	106	98
MB 720-79297/1-A		97	105	98
LCS 720-79069/4-A		100	89	96
LCS 720-79297/2-A		102	100	101
LCS 720-79297/4-A		105	107	100
LCSD 720-79069/5-A		101	91	96
LCSD 720-79297/3-A		100	98	99
LCSD 720-79297/5-A		101	91	99

TestAmerica San Francisco

TestAmerica San Francisco

Surrogate	Acceptance Limits
BFB = 4-Bromofluorobenzene	66-148
DCA = 1,2-Dichloroethane-d4 (Surr)	62-137
TOL = Toluene-d8 (Surr)	65-141

**Quality Control Results**

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

**Surrogate Recovery Report****8270C SIM Semivolatile Organic Compounds (GC/MS SIM)****Client Matrix: Solid**

Lab Sample ID	Client Sample ID	FBP %Rec	TPH %Rec
720-30837-1	SB-10-11.5	82	105
720-30837-6	SB-06-3.0	81	106
720-30837-7	SB-06-11.0	58	96
720-30837-9	SB-12-12	93	102
720-30837-10	SB-05-11.5	89	101
720-30837-13	SB-09-4.9	81	102
720-30837-15	SB-05-0.7	75	94
720-30837-17	SB-09-11.8	93	105
MB 720-79044/1-A		90	106
LCS 720-79044/2-A		94	103
LCSD 720-79044/3-A		91	101
720-30865-A-3-B MS		56	85
720-30865-A-3-C		81	97
MSD			

Surrogate	Acceptance Limits
FBP = 2-Fluorobiphenyl	33-120
TPH = Terphenyl-d14	35-146

TestAmerica San Francisco

Page 55 of 94

11/12/2010

**Quality Control Results**

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

**Surrogate Recovery Report****8270C SIM Semivolatile Organic Compounds (GC/MS SIM)****Client Matrix: Water**

Lab Sample ID	Client Sample ID	FBP %Rec	TPH %Rec
720-30837-5	SB-10	48	97
720-30837-8	SB-06	60	85
720-30837-11	SB-12	61	96
720-30837-14	SB-05	51	96
MB 720-79141/1-A		75	101
LCS 720-79141/2-A		76	98
LCSD 720-79141/3-A		60	96
720-30865-B-4-A MS		63	87
720-30865-B-4-B		63	80
MSD			

Surrogate	Acceptance Limits
FBP = 2-Fluorobiphenyl	29-120
TPH = Terphenyl-d14	45-120

TestAmerica San Francisco

Page 56 of 94

11/12/2010

**Quality Control Results**

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

**Surrogate Recovery Report****8015B Diesel Range Organics (DRO) (GC)****Client Matrix: Solid Silica Gel Cleanup**

Lab Sample ID	Client Sample ID	NDA1 %Rec	TPH1 %Rec
720-30837-1	SB-10-11.5	0	97
720-30837-6	SB-06-3.0	0	100
720-30837-7	SB-06-11.0	0	92
720-30837-9	SB-12-12	0	99
720-30837-10	SB-05-11.5	0	104
720-30837-13	SB-09-4.9	0	111
720-30837-15	SB-05-0.7	0	85
720-30837-17	SB-09-11.8	0	96
MB 720-79041/1-A		0	86
MB 720-79235/1-A		0.2	93

**Quality Control Results**

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

**Surrogate Recovery Report****8015B Diesel Range Organics (DRO) (GC)****Client Matrix: Solid Silica Gel Cleanup**

Lab Sample ID	Client Sample ID	TPH1 %Rec
LCS 720-79041/2-A		103
LCS 720-79235/2-A		103
LCSD 720-79041/3-A		98
LCSD 720-79235/3-A		100
720-30837-6 MS	SB-06-3.0 MS	93
720-30865-A-3-D MS		93
720-30837-6 MSD	SB-06-3.0 MSD	97
720-30865-A-3-E, MSD		93

Surrogate  
 NDA = Capric Acid (Surr)  
 TPH = p-Terphenyl

Acceptance Limits  
 0-5  
 46-115

Surrogate  
 TPH = p-Terphenyl

Acceptance Limits  
 46-115

TestAmerica San Francisco

Page 57 of 94

11/12/2010

TestAmerica San Francisco

Page 58 of 94

11/12/2010

**Quality Control Results**

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

**Surrogate Recovery Report****8015B Diesel Range Organics (DRO) (GC)****Client Matrix: Water Dissolved**

Lab Sample ID	Client Sample ID	NDA1 %Rec	TPH1 %Rec
720-30837-5	SB-10	0.5	95
720-30837-8	SB-06	0.2	94
720-30837-11	SB-12	0.3	96
720-30837-14	SB-05	0.1	91
MB 720-79115/1-C		0.1	94

**Quality Control Results**

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

**Surrogate Recovery Report****8015B Diesel Range Organics (DRO) (GC)****Client Matrix: Water Dissolved**

Lab Sample ID	Client Sample ID	TPH1 %Rec
LCS 720-79115/2-C		91
LCSD 720-79115/3-C		88

Surrogate  
 NDA = Capric Acid (Sur)  
 TPH = p-Terphenyl

Acceptance Limits  
 0-5  
 31-150

Surrogate  
 TPH = p-Terphenyl  
 Acceptance Limits  
 31-150

TestAmerica San Francisco

Page 59 of 94

11/12/2010

TestAmerica San Francisco

Page 60 of 94

11/12/2010

**Quality Control Results**

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

**Surrogate Recovery Report****8015B Diesel Range Organics (DRO) (GC)****Client Matrix: Water Silica Gel Cleanup**

Lab Sample ID	Client Sample ID	NDA1 %Rec	TPH1 %Rec
720-30837-5	SB-10	0	97
720-30837-8	SB-06	0	93
720-30837-11	SB-12	0	105
720-30837-14	SB-05	0	102
MB 720-79363/1-A		0.2	94
MB 720-79386/1-A		0.2	99

**Quality Control Results**

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

**Surrogate Recovery Report****8015B Diesel Range Organics (DRO) (GC)****Client Matrix: Water Silica Gel Cleanup**

Lab Sample ID	Client Sample ID	TPH1 %Rec
LCS 720-79363/2-A		102
LCS 720-79386/2-A		99
LCSD 720-79363/3-A		116
LCSD 720-79386/3-A		104

Surrogate  
 NDA = Capric Acid (Surr)  
 TPH = p-Terphenyl

Acceptance Limits  
 0-5  
 31-150

Surrogate  
 TPH = p-Terphenyl

Acceptance Limits  
 31-150

TestAmerica San Francisco

Page 61 of 94

11/12/2010

TestAmerica San Francisco

Page 62 of 94

11/12/2010

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

**Lab Control Sample/  
Lab Control Sample Duplicate Recovery Report - Batch: 720-79069**

**Method: 8260B/CA\_LUFTMS  
Preparation: 5035**

LCS Lab Sample ID: LCS 720-79069/4-A  
Client Matrix: Solid  
Dilution: 100  
Date Analyzed: 09/29/2010 1521  
Date Prepared: 09/29/2010 1400

Analysis Batch: 720-78924  
Prep Batch: 720-79069  
Units: ug/Kg

Instrument ID: HP12  
Lab File ID: 09291015.D  
Initial Weight/Volume: 5 g  
Final Weight/Volume: 10 mL

LCSD Lab Sample ID:LCSD 720-79069/5-A  
Client Matrix: Solid  
Dilution: 100  
Date Analyzed: 09/29/2010 1551  
Date Prepared: 09/29/2010 1400

Analysis Batch: 720-78924  
Prep Batch: 720-79069  
Units: ug/Kg

Instrument ID: HP12  
Lab File ID: 09291016.D  
Initial Weight/Volume: 5 g  
Final Weight/Volume: 10 mL

Analyte	% Rec.						
	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
<b>Gasoline Range Organics (GRO)-C5-C12</b>							
Surrogate	LCS % Rec	LCSD % Rec			Acceptance Limits		
4-Bromofluorobenzene	100	101			66 - 148		
1,2-Dichloroethane-d4 (Surr)	89	91			62 - 137		
Toluene-d8 (Surr)	96	96			65 - 141		

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

**Method Blank - Batch: 720-79297**

**Method: 8260B/CA\_LUFTMS  
Preparation: 5035**

Lab Sample ID: MB 720-79297/1-A  
Client Matrix: Solid  
Dilution: 100  
Date Analyzed: 10/05/2010 0206  
Date Prepared: 10/04/2010 1700

Analysis Batch: 720-79265  
Prep Batch: 720-79297  
Units: ug/Kg

Instrument ID: HP5  
Lab File ID: 100410032.D  
Initial Weight/Volume: 5 g  
Final Weight/Volume: 10 mL

Analyte	Result	Qual	RL
Methyl tert-butyl ether	ND		500
Acetone	ND		5000
Benzene	ND		500
Dichlorobromomethane	ND		500
Bromobenzene	ND		500
Chlorobromomethane	ND		2000
Bromoform	ND		500
Bromomethane	ND		1000
2-Butanone (MEK)	ND		5000
n-Butylbenzene	ND		500
sec-Butylbenzene	ND		500
tert-Butylbenzene	ND		500
Carbon disulfide	ND		500
Carbon tetrachloride	ND		500
Chlorobenzene	ND		500
Chloroethane	ND		1000
Chloroform	ND		500
Chloromethane	ND		1000
2-Chlorotoluene	ND		500
4-Chlorotoluene	ND		500
Chlorodibromomethane	ND		500
1,2-Dichlorobenzene	ND		500
1,3-Dichlorobenzene	ND		500
1,4-Dichlorobenzene	ND		500
1,3-Dichloropropane	ND		500
1,1-Dichloropropene	ND		500
1,2-Dibromo-3-Chloropropane	ND		5000
Ethylene Dibromide	ND		500
Dibromomethane	ND		1000
Dichlorodifluoromethane	ND		1000
1,1-Dichloroethane	ND		500
1,2-Dichloroethane	ND		500
1,1-Dichloroethene	ND		500
cis-1,2-Dichloroethene	ND		500
trans-1,2-Dichloroethene	ND		500
1,2-Dichloropropane	ND		500
cis-1,3-Dichloropropene	ND		500
trans-1,3-Dichloropropene	ND		500
Ethylbenzene	ND		500
Hexachlorobutadiene	ND		500
2-Hexanone	ND		5000
Isopropylbenzene	ND		500
4-Isopropyltoluene	ND		500

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

**Method Blank - Batch: 720-79297**

**Method: 8260B/CA\_LUFTMS  
Preparation: 5035**

Lab Sample ID: MB 720-79297/1-A  
Client Matrix: Solid  
Dilution: 100  
Date Analyzed: 10/05/2010 0206  
Date Prepared: 10/04/2010 1700

Analysis Batch: 720-79265  
Prep Batch: 720-79297  
Units: ug/Kg

Instrument ID: HP5  
Lab File ID: 100410032.D  
Initial Weight/Volume: 5 g  
Final Weight/Volume: 10 mL

Analyte	Result	Qual	RL
Methylene Chloride	ND		1000
4-Methyl-2-pentanone (MIBK)	ND		5000
Naphthalene	ND		1000
N-Propylbenzene	ND		500
Styrene	ND		500
1,1,2-Tetrachloroethane	ND		500
1,1,2,2-Tetrachloroethane	ND		500
Tetrachloroethene	ND		500
Toluene	ND		500
1,2,3-Trichlorobenzene	ND		500
1,2,4-Trichlorobenzene	ND		500
1,1,1-Trichloroethane	ND		500
1,1,2-Trichloroethane	ND		500
Trichloroethene	ND		500
Trichlorofluoromethane	ND		500
1,2,3-Trichloropropane	ND		500
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		500
1,2,4-Trimethylbenzene	ND		500
1,3,5-Trimethylbenzene	ND		500
Vinyl acetate	ND		5000
Vinyl chloride	ND		500
m-Xylene & p-Xylene	ND		500
o-Xylene	ND		500
Xylenes, Total	ND		1000
2,2-Dichloropropane	ND		500
Gasoline Range Organics (GRO)-C5-C12	ND		25000

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	97	66 - 148
1,2-Dichloroethane-d4 (Surr)	105	62 - 137
Toluene-d8 (Surr)	98	65 - 141

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

**Lab Control Sample/  
Lab Control Sample Duplicate Recovery Report - Batch: 720-79297**

**Method: 8260B/CA\_LUFTMS  
Preparation: 5035**

LCS Lab Sample ID: LCS 720-79297/2-A  
Client Matrix: Solid  
Dilution: 100  
Date Analyzed: 10/04/2010 2355  
Date Prepared: 10/04/2010 1700

Analysis Batch: 720-79265  
Prep Batch: 720-79297  
Units: ug/Kg

Instrument ID: HP5  
Lab File ID: 100410028.D  
Initial Weight/Volume: 5 g  
Final Weight/Volume: 10 mL

LCS Lab Sample ID: LCSD 720-79297/3-A  
Client Matrix: Solid  
Dilution: 100  
Date Analyzed: 10/05/2010 0028  
Date Prepared: 10/04/2010 1700

Analysis Batch: 720-79265  
Prep Batch: 720-79297  
Units: ug/Kg

Instrument ID: HP5  
Lab File ID: 100410029.D  
Initial Weight/Volume: 5 g  
Final Weight/Volume: 10 mL

Analyte	% Rec		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Methyl tert-butyl ether	106	102	71 - 146	3	20		
Acetone	84	78	12 - 234	8	20		
Benzene	99	99	76 - 122	0	20		
Dichlorobromomethane	100	102	80 - 131	2	20		
Bromobenzene	106	106	77 - 125	0	20		
Chlorobromomethane	105	104	74 - 134	1	20		
Bromoform	84	83	54 - 149	2	20		
Bromomethane	82	94	14 - 175	14	20		
2-Butanone (MEK)	96	90	58 - 159	7	20		
n-Butylbenzene	112	113	57 - 164	0	20		
sec-Butylbenzene	110	111	62 - 153	0	20		
tert-Butylbenzene	113	112	72 - 136	1	20		
Carbon disulfide	99	100	13 - 151	1	20		
Carbon tetrachloride	107	106	72 - 136	1	20		
Chlorobenzene	98	97	81 - 128	1	20		
Chloroethane	87	101	54 - 128	14	20		
Chloroform	101	101	75 - 133	0	20		
Chloromethane	97	103	43 - 146	5	20		
2-Chlorotoluene	108	108	66 - 143	0	20		
4-Chlorotoluene	107	108	73 - 136	1	20		
Chlordibromomethane	95	94	76 - 134	1	20		
1,2-Dichlorobenzene	105	103	77 - 140	1	20		
1,3-Dichlorobenzene	105	104	71 - 135	0	20		
1,4-Dichlorobenzene	101	101	76 - 130	0	20		
1,3-Dichloropropane	107	105	73 - 133	2	20		
1,1-Dichloropropene	105	105	81 - 134	0	20		
1,2-Dibromo-3-Chloropropane	81	77	52 - 156	4	20		
Ethylene Dibromide	106	103	80 - 138	2	20		
Dibromomethane	106	104	76 - 139	1	20		
Dichlorodifluoromethane	107	108	30 - 120	1	20		
1,1-Dichloroethane	100	100	79 - 125	1	20		
1,2-Dichloroethane	104	101	77 - 133	3	20		
1,1-Dichloroethene	97	96	74 - 122	1	20		

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

**Lab Control Sample/  
Lab Control Sample Duplicate Recovery Report - Batch: 720-79297**

**Method: 8260B/CA\_LUFTMS  
Preparation: 5035**

LCS Lab Sample ID: LCS 720-79297/2-A  
Client Matrix: Solid  
Dilution: 100  
Date Analyzed: 10/04/2010 2355  
Date Prepared: 10/04/2010 1700

Analysis Batch: 720-79265  
Prep Batch: 720-79297  
Units: ug/Kg

Instrument ID: HP5  
Lab File ID: 100410028.D  
Initial Weight/Volume: 5 g  
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 720-79297/3-A  
Client Matrix: Solid  
Dilution: 100  
Date Analyzed: 10/05/2010 0028  
Date Prepared: 10/04/2010 1700

Analysis Batch: 720-79265  
Prep Batch: 720-79297  
Units: ug/Kg

Instrument ID: HP5  
Lab File ID: 100410029.D  
Initial Weight/Volume: 5 g  
Final Weight/Volume: 10 mL

Analyte	% Rec.						
	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
cis-1,2-Dichloroethene	109	109	77 - 132	0	20		
trans-1,2-Dichloroethene	102	102	74 - 128	0	20		
1,2-Dichloropropane	107	106	84 - 129	1	20		
cis-1,3-Dichloropropene	103	102	79 - 144	1	20		
trans-1,3-Dichloropropene	100	99	78 - 144	1	20		
Ethylbenzene	102	102	76 - 137	0	20		
Hexachlorobutadiene	103	105	63 - 150	2	20		
2-Hexanone	91	84	63 - 165	8	20		
Isopropylbenzene	107	106	65 - 128	1	20		
4-Isopropyltoluene	106	107	62 - 153	1	20		
Methylene Chloride	99	98	79 - 128	1	20		
4-Methyl-2-pentanone (MIBK)	94	88	66 - 150	6	20		
Naphthalene	97	97	62 - 151	0	20		
N-Propylbenzene	106	106	65 - 144	1	20		
Sterene	110	109	79 - 139	1	20		
1,1,1,2-Tetrachloroethane	116	113	72 - 129	2	20		
1,1,2,2-Tetrachloroethane	109	108	69 - 133	2	20		
Tetrachloroethene	96	95	79 - 130	1	20		
Toluene	95	95	77 - 120	0	20		
1,2,3-Trichlorobenzene	106	109	72 - 159	2	20		
1,2,4-Trichlorobenzene	105	105	71 - 163	0	20		
1,1,1-Trichloroethane	103	105	69 - 132	2	20		
1,1,2-Trichloroethane	111	108	80 - 140	2	20		
Trichloroethene	96	96	69 - 129	0	20		
Trichlorofluoromethane	112	114	49 - 140	2	20		
1,2,3-Trichloropropane	108	104	74 - 135	4	20		
1,1,2-Trichloro-1,2,2-trifluoroethane	93	91	66 - 128	2	20		
1,2,4-Trimethylbenzene	116	117	62 - 155	0	20		
1,3,5-Trimethylbenzene	113	114	69 - 142	1	20		
Vinyl acetate	94	94	56 - 200	0	20		
Vinyl chloride	19	20	10 - 118	4	20		
m-Xylene & p-Xylene	104	104	71 - 142	0	20		
o-Xylene	107	106	71 - 142	1	20		

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

**Lab Control Sample/  
Lab Control Sample Duplicate Recovery Report - Batch: 720-79297**

**Method: 8260B/CA\_LUFTMS  
Preparation: 5035**

LCS Lab Sample ID: LCS 720-79297/2-A  
Client Matrix: Solid  
Dilution: 100  
Date Analyzed: 10/04/2010 2355  
Date Prepared: 10/04/2010 1700

Analysis Batch: 720-79265  
Prep Batch: 720-79297  
Units: ug/Kg

Instrument ID: HP5  
Lab File ID: 100410028.D  
Initial Weight/Volume: 5 g  
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 720-79297/3-A  
Client Matrix: Solid  
Dilution: 100  
Date Analyzed: 10/05/2010 0028  
Date Prepared: 10/04/2010 1700

Analysis Batch: 720-79265  
Prep Batch: 720-79297  
Units: ug/Kg

Instrument ID: HP5  
Lab File ID: 100410029.D  
Initial Weight/Volume: 5 g  
Final Weight/Volume: 10 mL

Analyte	% Rec.						
	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
2,2-Dichloropropane	100	104	67 - 146	4	20		
Surrogate						Acceptance Limits	
4-Bromofluorobenzene	102	100				66 - 148	
1,2-Dichloroethane-d4 (Surr)	100	98				62 - 137	
Toluene-d8 (Surr)	101	99				65 - 141	

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

**Lab Control Sample/  
Lab Control Sample Duplicate Recovery Report - Batch: 720-79297**

**Method: 8260B/CA\_LUFTMS  
Preparation: 5035**

LCS Lab Sample ID: LCS 720-79297/4-A  
Client Matrix: Solid  
Dilution: 100  
Date Analyzed: 10/05/2010 0101  
Date Prepared: 10/04/2010 1700

Analysis Batch: 720-79265  
Prep Batch: 720-79297  
Units: ug/Kg

Instrument ID: HP5  
Lab File ID: 100410030.D  
Initial Weight/Volume: 5 g  
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 720-79297/5-A  
Client Matrix: Solid  
Dilution: 100  
Date Analyzed: 10/05/2010 0133  
Date Prepared: 10/04/2010 1700

Analysis Batch: 720-79265  
Prep Batch: 720-79297  
Units: ug/Kg

Instrument ID: HP5  
Lab File ID: 100410031.D  
Initial Weight/Volume: 5 g  
Final Weight/Volume: 10 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Gasoline Range Organics (GRO)-C5-C12	79	86	70 - 130	8	20		
Surrogate	LCS % Rec	LCSD % Rec				Acceptance Limits	
4-Bromofluorobenzene	105	101			66 - 148		
1,2-Dichloroethane-d4 (Surr)	107	91			62 - 137		
Toluene-d8 (Surr)	100	99			65 - 141		

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

**Method Blank - Batch: 720-79044**

**Method: 8270C SIM  
Preparation: 3550B**

Lab Sample ID: MB 720-79044/1-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 10/01/2010 1725  
Date Prepared: 09/30/2010 1137

Analysis Batch: 720-79121  
Prep Batch: 720-79044  
Units: ug/Kg

Instrument ID: HP # 3  
Lab File ID: 100110018.D  
Initial Weight/Volume: 30.04 g  
Final Weight/Volume: 1 mL  
Injection Volume: 1 uL

Analyte	Result	Qual	RL
Naphthalene	ND		5.0
Acenaphthene	ND		5.0
Acenaphthylene	ND		5.0
Fluorene	ND		5.0
Phenanthrene	ND		5.0
Anthracene	ND		5.0
Benz[a]anthracene	ND		5.0
Chrysene	ND		5.0
Benzo[a]pyrene	ND		5.0
Benzo[b]fluoranthene	ND		5.0
Benzo[k]fluoranthene	ND		5.0
Benzo[g,h,i]perylene	ND		5.0
Indeno[1,2,3-cd]pyrene	ND		5.0
Fluoranthene	ND		5.0
Pyrene	ND		5.0
Dibenz(a,h)anthracene	ND		5.0
Surrogate	% Rec		Acceptance Limits
2-Fluorobiphenyl	90		33 - 120
Terphenyl-d14	106		35 - 146

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

#### Lab Control Sample/ Lab Control Sample Duplicate Recovery Report - Batch: 720-79044

**Method: 8270C SIM  
Preparation: 3550B**

LCS Lab Sample ID: LCS 720-79044/2-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 10/01/2010 1639  
Date Prepared: 09/30/2010 1137

Analysis Batch: 720-79121  
Prep Batch: 720-79044  
Units: ug/Kg

Instrument ID: HP # 3  
Lab File ID: 100110016.D  
Initial Weight/Volume: 30.18 g  
Final Weight/Volume: 1 mL  
Injection Volume: 1 uL

LCSD Lab Sample ID: LCSD 720-79044/3-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 10/01/2010 1702  
Date Prepared: 09/30/2010 1137

Analysis Batch: 720-79121  
Prep Batch: 720-79044  
Units: ug/Kg

Instrument ID: HP # 3  
Lab File ID: 100110017.D  
Initial Weight/Volume: 30.06 g  
Final Weight/Volume: 1 mL  
Injection Volume: 1 uL

Analyte	% Rec.						
	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Naphthalene	88	85	46 - 120	3	20		
Acenaphthene	80	86	49 - 120	7	20		
Acenaphthylene	89	88	52 - 120	0	20		
Fluorene	112	110	52 - 120	2	20		
Phenanthrene	94	92	48 - 120	1	20		
Anthracene	95	94	52 - 120	1	20		
Benz[a]anthracene	86	83	52 - 120	4	20		
Chrysene	101	100	54 - 120	1	20		
Benz[a]pyrene	99	98	54 - 120	1	20		
Benz[b]fluoranthene	89	88	51 - 120	1	20		
Benz[k]fluoranthene	110	104	56 - 120	5	20		
Benz[g,h,i]perylene	92	93	48 - 120	1	20		
Indeno[1,2,3-cd]pyrene	98	99	48 - 120	1	20		
Fluoranthene	105	103	57 - 120	2	20		
Pyrene	93	91	53 - 120	2	20		
Dibenz(a,h)anthracene	97	98	50 - 120	1	20		
Surrogate	LCS % Rec	LCSD % Rec	Acceptance Limits				
2-Fluorobiphenyl	94	91	33 - 120				
Terphenyl-d14	103	101	35 - 146				

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

#### Matrix Spike/ Matrix Spike Duplicate Recovery Report - Batch: 720-79044

**Method: 8270C SIM  
Preparation: 3550B**

MS Lab Sample ID: 720-30865-A-3-B MS  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 10/01/2010 2051  
Date Prepared: 09/30/2010 1137

MSD Lab Sample ID: 720-30865-A-3-C MSD  
Analysis Batch: 720-79121  
Client Matrix: Solid  
Prep Batch: 720-79044  
Dilution: 1.0  
Date Analyzed: 10/01/2010 2114  
Date Prepared: 09/30/2010 1137

Instrument ID: HP # 3  
Lab File ID: 100110027.D  
Initial Weight/Volume: 30.06 g  
Final Weight/Volume: 1 mL  
Injection Volume: 1 uL

Instrument ID: HP # 3  
Lab File ID: 100110028.D  
Initial Weight/Volume: 30.09 g  
Final Weight/Volume: 1 mL  
Injection Volume: 1 uL

Analyte	% Rec.						
	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Naphthalene	60	74	32 - 120	21	20		F
Acenaphthene	58	78	33 - 120	29	20		F
Acenaphthylene	59	86	28 - 120	37	20		F
Fluorene	78	107	35 - 120	32	20		F
Phenanthrene	67	86	28 - 120	25	20		F
Anthracene	73	87	36 - 120	18	20		
Benzo[a]anthracene	70	81	29 - 120	15	20		
Chrysene	82	93	29 - 120	12	20		
Benzo[a]pyrene	81	91	24 - 120	11	20		
Benzo[b]fluoranthene	76	85	17 - 132	11	20		
Benzo[k]fluoranthene	83	96	35 - 120	14	20		
Benzo[g,h,i]perylene	82	92	21 - 120	12	20		
Indeno[1,2,3-cd]pyrene	87	98	20 - 126	12	20		
Fluoranthene	86	96	24 - 120	12	20		
Pyrene	76	87	24 - 123	14	20		
Dibenz(a,h)anthracene	86	98	36 - 120	12	20		
Surrogate	MS % Rec	MSD % Rec	Acceptance Limits				
2-Fluorobiphenyl	56	81	33 - 120				
Terphenyl-d14	85	97	35 - 146				

TestAmerica San Francisco

Page 71 of 94

11/12/2010

TestAmerica San Francisco

Page 72 of 94

11/12/2010

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

**Method Blank - Batch: 720-79141**

**Method: 8270C SIM  
Preparation: 3510C**

Lab Sample ID: MB 720-79141/1-A  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/04/2010 1408  
Date Prepared: 10/01/2010 1436

Analysis Batch: 720-79226  
Prep Batch: 720-79141  
Units: ug/L

Instrument ID: SVOA HP 4  
Lab File ID: 10041007.D  
Initial Weight/Volume: 1000 mL  
Final Weight/Volume: 1 mL  
Injection Volume: 1 uL

Analyte	Result	Qual	RL
Naphthalene	ND		1.0
Acenaphthene	ND		0.10
Acenaphthylene	ND		0.10
Fluorene	ND		0.10
Phenanthrene	ND		0.10
Anthracene	ND		0.10
Benz[a]anthracene	ND		0.10
Chrysene	ND		0.10
Benz[a]pyrene	ND		0.10
Benz[b]fluoranthene	ND		0.10
Benz[k]fluoranthene	ND		0.10
Benz[g,h,i]perylene	ND		0.10
Indeno[1,2,3-cd]pyrene	ND		0.10
Fluoranthene	ND		0.10
Pyrene	ND		0.10
Dibenz(a,h)anthracene	ND		0.10
Surrogate	% Rec		Acceptance Limits
2-Fluorobiphenyl	75		29 - 120
Terphenyl-d14	101		45 - 120

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

**Lab Control Sample/  
Lab Control Sample Duplicate Recovery Report - Batch: 720-79141**

**Method: 8270C SIM  
Preparation: 3510C**

LCS Lab Sample ID: LCS 720-79141/2-A  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/04/2010 1320  
Date Prepared: 10/01/2010 1436

Analysis Batch: 720-79226  
Prep Batch: 720-79141  
Units: ug/L

Instrument ID: SVOA HP 4  
Lab File ID: 10041005.D  
Initial Weight/Volume: 1000 mL  
Final Weight/Volume: 1 mL  
Injection Volume: 1 uL

LCSD Lab Sample ID: LCSD 720-79141/3-A  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/04/2010 1344  
Date Prepared: 10/01/2010 1436

Instrument ID: SVOA HP 4  
Lab File ID: 10041006.D  
Initial Weight/Volume: 1000 mL  
Final Weight/Volume: 1 mL  
Injection Volume: 1 uL

Analyte	% Rec.			
	LCS	LCSD	Limit	RPD
Naphthalene	70	57	33 - 120	21
Acenaphthene	75	59	37 - 120	25
Acenaphthylene	72	56	36 - 120	25
Fluorene	91	71	39 - 120	25
Phenanthrene	86	66	44 - 120	26
Anthracene	85	70	45 - 120	19
Benz[a]anthracene	93	93	48 - 120	1
Chrysene	105	101	52 - 120	4
Benz[a]pyrene	103	101	50 - 120	2
Benz[b]fluoranthene	107	110	48 - 120	2
Benz[k]fluoranthene	101	94	50 - 120	7
Benz[g,h,i]perylene	92	90	49 - 120	1
Indeno[1,2,3-cd]pyrene	96	94	48 - 120	2
Fluoranthene	95	86	46 - 120	10
Pyrene	95	87	50 - 120	9
Dibenz(a,h)anthracene	95	93	48 - 101	2

Surrogate	LCS % Rec	LCSD % Rec	Acceptance Limits
2-Fluorobiphenyl	76	60	29 - 120
Terphenyl-d14	98	96	45 - 120

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

#### Matrix Spike/ Matrix Spike Duplicate Recovery Report - Batch: 720-79141

Method: 8270C SIM  
Preparation: 3510C

MS Lab Sample ID: 720-30865-B-4-A MS Analysis Batch: 720-79226  
Client Matrix: Water Prep Batch: 720-79141  
Dilution: 1.0  
Date Analyzed: 10/04/2010 1431  
Date Prepared: 10/01/2010 1436

Instrument ID: SVOA HP 4  
Lab File ID: 10041008.D  
Initial Weight/Volume: 970 mL  
Final Weight/Volume: 1 mL  
Injection Volume: 1 uL

MSD Lab Sample ID: 720-30865-B-4-B MSD Analysis Batch: 720-79226  
Client Matrix: Water Prep Batch: 720-79141  
Dilution: 1.0  
Date Analyzed: 10/04/2010 1455  
Date Prepared: 10/01/2010 1436

Instrument ID: SVOA HP 4  
Lab File ID: 10041009.D  
Initial Weight/Volume: 970 mL  
Final Weight/Volume: 1 mL  
Injection Volume: 1 uL

Analyte	% Rec.						
	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Naphthalene	58	59	36 - 120	0	35		
Acenaphthene	62	61	40 - 120	2	35		
Acenaphthylene	59	59	39 - 120	1	35		
Fluorene	71	71	44 - 120	0	35		
Phenanthrene	62	62	44 - 120	0	35		
Anthracene	67	66	48 - 120	2	35		
Benzo[a]anthracene	86	84	48 - 120	3	35		
Chrysene	99	93	52 - 120	6	35		
Benzo[a]pyrene	72	60	50 - 120	18	35		
Benzo[b]fluoranthene	78	74	48 - 120	6	35		
Benzo[k]fluoranthene	71	58	50 - 120	21	35		
Benzo[g,h,i]perylene	36	31	49 - 120	16	35	F	F
Indeno[1,2,3-cd]pyrene	40	34	48 - 120	16	35	F	F
Fluoranthene	81	81	52 - 120	0	35		
Pyrene	81	81	50 - 120	0	35		
Dibenz(a,h)anthracene	33	28	48 - 120	14	35	F	F

Surrogate	MS % Rec	MSD % Rec	Acceptance Limits						
			LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
2-Fluorobiphenyl	63	63		29 - 120					
Terphenyl-d14	87	80		45 - 120					

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

#### Method Blank - Batch: 720-79041

Method: 8015B  
Preparation: 3550B  
Silica Gel Cleanup

Lab Sample ID: MB 720-79041/1-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 10/01/2010 1431  
Date Prepared: 09/30/2010 1126

Analysis Batch: 720-79101  
Prep Batch: 720-79041  
Units: mg/Kg

Instrument ID: CHDRO6  
Lab File ID: FID1000020.D  
Initial Weight/Volume: 30.20 g  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

Analyte	Result	Qual	RL
Diesel Range Organics [C10-C28]	ND		0.99
Motor Oil Range Organics [C24-C36]	ND		50
Surrogate	% Rec		Acceptance Limits
Capric Acid (Surr)	0		0 - 5
p-Terphenyl	86		46 - 115

#### Lab Control Sample/ Lab Control Sample Duplicate Recovery Report - Batch: 720-79041

Method: 8015B  
Preparation: 3550B  
Silica Gel Cleanup

LCS Lab Sample ID: LCS 720-79041/2-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 10/01/2010 1503  
Date Prepared: 09/30/2010 1126

Analysis Batch: 720-79101  
Prep Batch: 720-79041  
Units: mg/Kg

Instrument ID: CHDRO6  
Lab File ID: FID1000021.D  
Initial Weight/Volume: 30.22 g  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

LCS Lab Sample ID: LCSD 720-79041/3-A	Analysis Batch: 720-79101	Instrument ID: CHDRO6
Client Matrix:	Prep Batch:	Lab File ID: FID1000022.D
Dilution:	Units: mg/Kg	Initial Weight/Volume: 30.24 g
		Final Weight/Volume: 2 mL
		Injection Volume: 1 uL
		Column ID: PRIMARY

Analyte	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Diesel Range Organics [C10-C28]	90	86	45 - 115	4	35		
Surrogate	LCS % Rec	LCSD % Rec				Acceptance Limits	
p-Terphenyl	103	98				46 - 115	

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

**Matrix Spike/  
Matrix Spike Duplicate Recovery Report - Batch: 720-79041**

MS Lab Sample ID: 720-30837-6 Analysis Batch: 720-79102  
 Client Matrix: Solid Prep Batch: 720-79041  
 Dilution: 1.0  
 Date Analyzed: 10/01/2010 1737  
 Date Prepared: 09/30/2010 1126

MSD Lab Sample ID: 720-30837-6 Analysis Batch: 720-79102  
 Client Matrix: Solid Prep Batch: 720-79041  
 Dilution: 1.0  
 Date Analyzed: 10/01/2010 1759  
 Date Prepared: 09/30/2010 1126

**Method: 8015B  
Preparation: 3550B  
Silica Gel Cleanup**

Instrument ID: CHDRO6  
 Lab File ID: FID2000028.D  
 Initial Weight/Volume: 30.16 g  
 Final Weight/Volume: 2 mL  
 Injection Volume: 1 uL  
 Column ID: PRIMARY

Instrument ID: CHDRO6  
 Lab File ID: FID2000029.D  
 Initial Weight/Volume: 30.18 g  
 Final Weight/Volume: 2 mL  
 Injection Volume: 1 uL  
 Column ID: PRIMARY

Analyte	% Rec.						
	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Diesel Range Organics [C10-C28]	57	58	50 - 130	1	30		
Surrogate		MS % Rec	MSD % Rec			Acceptance Limits	

p-Terphenyl 93 97 46 - 115

### Quality Control Results

Client: AMEC Geomatrix Inc.

### Quality Control Results

Job Number: 720-30837-1

**Method Blank - Batch: 720-79118**

Lab Sample ID: MB 720-79115/1-C  
 Client Matrix: Water  
 Dilution: 1.0  
 Date Analyzed: 10/04/2010 0955  
 Date Prepared: 10/01/2010 1004

Analysis Batch: 720-79205  
 Prep Batch: 720-79118  
 Units: ug/L

**Method: 8015B  
Preparation: 3510C SGC  
Dissolved**

Instrument ID: CHDRO5  
 Lab File ID: 1004105a\_009.d  
 Initial Weight/Volume: 1000 mL  
 Final Weight/Volume: 2 mL  
 Injection Volume: 1 uL  
 Column ID: PRIMARY

Analyte	Result	Qual	MDL	RL
Diesel Range Organics [C10-C28]	18.6	J	10	50
Motor Oil Range Organics [C24-C36]	ND		130	300

Surrogate	% Rec	Acceptance Limits
Capric Acid (Sur)	0.1	0 - 5
p-Terphenyl	94	31 - 150

**Lab Control Sample/  
Lab Control Sample Duplicate Recovery Report - Batch: 720-79118**

**Method: 8015B  
Preparation: 3510C SGC  
Dissolved**

LCS Lab Sample ID: LCS 720-79115/2-C  
 Client Matrix: Water  
 Dilution: 1.0  
 Date Analyzed: 10/04/2010 0909  
 Date Prepared: 10/01/2010 1004

Analysis Batch: 720-79205  
 Prep Batch: 720-79118  
 Units: ug/L

Instrument ID: CHDRO5  
 Lab File ID: 1004105a\_007.d  
 Initial Weight/Volume: 1000 mL  
 Final Weight/Volume: 2 mL  
 Injection Volume: 1 uL  
 Column ID: PRIMARY

LCSD Lab Sample ID: LCSD 720-79115/3-C  
 Client Matrix: Water  
 Dilution: 1.0  
 Date Analyzed: 10/04/2010 0932  
 Date Prepared: 10/01/2010 1004

Analysis Batch: 720-79205  
 Prep Batch: 720-79118  
 Units: ug/L

Instrument ID: CHDRO5  
 Lab File ID: 1004105a\_008.d  
 Initial Weight/Volume: 1000 mL  
 Final Weight/Volume: 2 mL  
 Injection Volume: 1 uL  
 Column ID: PRIMARY

Analyte	% Rec.						
	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Diesel Range Organics [C10-C28]	66	58	32 - 119	12	35		
Surrogate		LCS % Rec	LCSD % Rec			Acceptance Limits	
p-Terphenyl		91	88			31 - 150	

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

#### Method Blank - Batch: 720-79235

Lab Sample ID: MB 720-79235/1-A  
 Client Matrix: Solid  
 Dilution: 1.0  
 Date Analyzed: 10/05/2010 0706  
 Date Prepared: 10/04/2010 1427

Analysis Batch: 720-79206  
 Prep Batch: 720-79235  
 Units: mg/Kg

**Method: 8015B**  
**Preparation: 3550B**  
**Silica Gel Cleanup**

Instrument ID: CHDRO5  
 Lab File ID: 1004105b\_061.d  
 Initial Weight/Volume: 30.12 g  
 Final Weight/Volume: 2 mL  
 Injection Volume: 1 uL  
 Column ID: PRIMARY

Analyte	Result	Qual	RL
Diesel Range Organics [C10-C28]	ND		1.0
Motor Oil Range Organics [C24-C36]	ND		50

Surrogate	% Rec	Acceptance Limits
Capric Acid (Surr)	0.2	0 - 5
p-Terphenyl	93	46 - 115

#### Lab Control Sample/ Lab Control Sample Duplicate Recovery Report - Batch: 720-79235

LCS Lab Sample ID: LCS 720-79235/2-A  
 Client Matrix: Solid  
 Dilution: 1.0  
 Date Analyzed: 10/05/2010 0619  
 Date Prepared: 10/04/2010 1427

Analysis Batch: 720-79206  
 Prep Batch: 720-79235  
 Units: mg/Kg

**Method: 8015B**  
**Preparation: 3550B**  
**Silica Gel Cleanup**

Instrument ID: CHDRO5  
 Lab File ID: 1004105b\_059.d  
 Initial Weight/Volume: 30.21 g  
 Final Weight/Volume: 2 mL  
 Injection Volume: 1 uL  
 Column ID: PRIMARY

LCSD Lab Sample ID: LCSD 720-79235/3-A	Analysis Batch: 720-79206	Instrument ID: CHDRO5
Client Matrix: Solid	Prep Batch: 720-79235	Lab File ID: 1004105b_060.d
Dilution: 1.0	Units: mg/Kg	Initial Weight/Volume: 30.43 g
Date Analyzed: 10/05/2010 0642		Final Weight/Volume: 2 mL
Date Prepared: 10/04/2010 1427		Injection Volume: 1 uL
		Column ID: PRIMARY

Analyte	% Rec.			RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD	Limit				
Diesel Range Organics [C10-C28]	83	85	45 - 115	1	35		
Surrogate	LCS % Rec	LCSD % Rec				Acceptance Limits	
p-Terphenyl	103	100				46 - 115	

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

#### Matrix Spike/ Matrix Spike Duplicate Recovery Report - Batch: 720-79235

**Method: 8015B**  
**Preparation: 3550B**  
**Silica Gel Cleanup**

MS Lab Sample ID: 720-30865-A-3-D MS  
 Client Matrix: Solid  
 Dilution: 1.0  
 Date Analyzed: 10/05/2010 1125  
 Date Prepared: 10/04/2010 1427

MSD Lab Sample ID: 720-30865-A-3-E MSD  
 Client Matrix: Solid  
 Dilution: 1.0  
 Date Analyzed: 10/05/2010 1147  
 Date Prepared: 10/04/2010 1427

Instrument ID: CHDRO6  
 Lab File ID: FID1000012.D  
 Initial Weight/Volume: 30.42 g  
 Final Weight/Volume: 2 mL  
 Injection Volume: 1 uL  
 Column ID: PRIMARY

Instrument ID: CHDRO6  
 Lab File ID: FID1000013.D  
 Initial Weight/Volume: 30.30 g  
 Final Weight/Volume: 2 mL  
 Injection Volume: 1 uL  
 Column ID: PRIMARY

Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Diesel Range Organics [C10-C28]	NaN	NaN	50 - 130	28	30		
Surrogate	MS % Rec	MSD % Rec				Acceptance Limits	
p-Terphenyl	93	93				46 - 115	

TestAmerica San Francisco

Page 79 of 94

11/12/2010

TestAmerica San Francisco

Page 80 of 94

11/12/2010

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

#### Method Blank - Batch: 720-79363

Lab Sample ID: MB 720-79363/1-A  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/07/2010 1047  
Date Prepared: 10/06/2010 0810

Analysis Batch: 720-79456  
Prep Batch: 720-79363  
Units: ug/L

**Method: 8015B**  
**Preparation: 3510C SGC**  
**Silica Gel Cleanup**

Instrument ID: CHDROS  
Lab File ID: 1007105b\_010.d  
Initial Weight/Volume: 1000 mL  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

#### Analyte

Diesel Range Organics [C10-C28]  
Motor Oil Range Organics [C24-C36]

#### Result

ND

#### Qual

50

#### RL

300

#### Surrogate

Capric Acid (Surr)  
p-Terphenyl

#### % Rec

0.2

#### Acceptance Limits

0 - 5

31 - 150

#### Lab Control Sample/

#### Lab Control Sample Duplicate Recovery Report - Batch: 720-79363

**Method: 8015B**

**Preparation: 3510C SGC**  
**Silica Gel Cleanup**

LCS Lab Sample ID: LCS 720-79363/2-A  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/07/2010 1110  
Date Prepared: 10/06/2010 0810

Analysis Batch: 720-79456  
Prep Batch: 720-79363  
Units: ug/L

Instrument ID: CHDROS  
Lab File ID: 1007105b\_011.d  
Initial Weight/Volume: 1000 mL  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

LCSD Lab Sample ID: LCSD 720-79363/3-A  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/07/2010 1134  
Date Prepared: 10/06/2010 0810

Analysis Batch: 720-79456  
Prep Batch: 720-79363  
Units: ug/L

Instrument ID: CHDROS  
Lab File ID: 1007105b\_012.d  
Initial Weight/Volume: 1000 mL  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

#### Analyte % Rec.

#### Analyte

#### LCS

#### LCSD

#### Limit

#### RPD

#### RPD Limit

#### LCS Qual

#### LCSD Qual

Diesel Range Organics [C10-C28]

60

64

32 - 119

7

35

#### Surrogate

p-Terphenyl

#### LCS % Rec

#### LCSD % Rec

#### Acceptance Limits

102

116

31 - 150

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

#### Method Blank - Batch: 720-79386

Lab Sample ID: MB 720-79386/1-A  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/07/2010 0934  
Date Prepared: 10/06/2010 1311

Analysis Batch: 720-79456  
Prep Batch: 720-79386  
Units: ug/L

**Method: 8015B**  
**Preparation: 3510C SGC**  
**Silica Gel Cleanup**

Instrument ID: CHDROS  
Lab File ID: 1007105b\_007.d  
Initial Weight/Volume: 1000 mL  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

#### Analyte

Diesel Range Organics [C10-C28]

#### Result

ND

#### Qual

50

#### RL

300

#### Surrogate

Capric Acid (Surr)  
p-Terphenyl

#### % Rec

0.2

#### Acceptance Limits

0 - 5

31 - 150

#### Lab Control Sample/

#### Lab Control Sample Duplicate Recovery Report - Batch: 720-79386

**Method: 8015B**

**Preparation: 3510C SGC**  
**Silica Gel Cleanup**

LCS Lab Sample ID: LCS 720-79386/2-A  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/07/2010 1000  
Date Prepared: 10/06/2010 1311

Analysis Batch: 720-79456  
Prep Batch: 720-79386  
Units: ug/L

Instrument ID: CHDROS  
Lab File ID: 1007105b\_008.d  
Initial Weight/Volume: 1000 mL  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

LCSD Lab Sample ID: LCSD 720-79386/3-A

Analysis Batch: 720-79456  
Prep Batch: 720-79386  
Units: ug/L

Instrument ID: CHDROS  
Lab File ID: 1007105b\_009.d  
Initial Weight/Volume: 1000 mL  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

#### Analyte % Rec.

#### Analyte

#### LCS

#### LCSD

#### Limit

#### RPD

#### RPD Limit

#### LCS Qual

#### LCSD Qual

Diesel Range Organics [C10-C28]

56

64

32 - 119

13

35

#### Surrogate

p-Terphenyl

#### LCS % Rec

#### LCSD % Rec

#### Acceptance Limits

99

104

31 - 150

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

**Method Blank - Batch: 720-79232**

**Method: 7199**  
**Preparation: N/A**

Lab Sample ID: MB 720-79232/2  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 09/28/2010 1606  
Date Prepared: N/A

Analysis Batch: 720-79232  
Prep Batch: N/A  
Units: ug/L

Instrument ID: IC3  
Lab File ID: 092810.csv  
Initial Weight/Volume: 1.0 mL  
Final Weight/Volume: 10 mL

Analyte  
Cr (VI)

Result  
ND

Qual

RL  
0.50

**Lab Control Sample/  
Lab Control Sample Duplicate Recovery Report - Batch: 720-79232**

**Method: 7199**  
**Preparation: N/A**

LCS Lab Sample ID: LCS 720-79232/3  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 09/28/2010 1616  
Date Prepared: N/A

Analysis Batch: 720-79232  
Prep Batch: N/A  
Units: ug/L

Instrument ID: IC3  
Lab File ID: 092810.csv  
Initial Weight/Volume: 1.0 mL  
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 720-79232/4  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 09/28/2010 1626  
Date Prepared: N/A

Analysis Batch: 720-79232  
Prep Batch: N/A  
Units: ug/L

Instrument ID: IC3  
Lab File ID: 092810.csv  
Initial Weight/Volume: 1.0 mL  
Final Weight/Volume: 10 mL

Analyte  
Cr (VI)

% Rec.  
LCS

LCSD

Limit

RPD

RPD Limit

LCS Qual LCSD Qual

103

101

85 - 115

2

20

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-1

**Matrix Spike/  
Matrix Spike Duplicate Recovery Report - Batch: 720-79232**

**Method: 7199**  
**Preparation: N/A**

MS Lab Sample ID: 720-30814-A-3 MS  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 09/28/2010 1936  
Date Prepared: N/A

Analysis Batch: 720-79232  
Prep Batch: N/A

Instrument ID: IC3  
Lab File ID: 092810.csv  
Initial Weight/Volume: 1.0 mL  
Final Weight/Volume: 10 mL

MSD Lab Sample ID: 720-30814-A-3 MSD  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 09/28/2010 1947  
Date Prepared: N/A

Analysis Batch: 720-79232  
Prep Batch: N/A

Instrument ID: IC3  
Lab File ID: 092810.csv  
Initial Weight/Volume: 1.0 mL  
Final Weight/Volume: 10 mL

Analyte	% Rec.			
	MS	MSD	Limit	RPD
Cr (VI)	97	100	80 - 120	3
				20

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

17461 Dorian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

## LABORATORY REPORT

Prepared For: TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Attention: Dimple Sharma

Project: 720-30837

Sampled: 09/28/10  
Received: 09/30/10  
Issued: 10/05/10 18:27

NELAP #01108CA California ELAP#2706 CSDLAC #10256 AZ #AZ0671 NV #CA01531

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.

This entire report was reviewed and approved for release.

## SAMPLE CROSS REFERENCE

LABORATORY ID	CLIENT ID	MATRIX
ITI2549-01	SB-06	Water
ITI2549-02	SB-05	Water

Reviewed By:

TestAmerica Irvine  
Steven Garcia  
Project Manager

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

17461 Dorian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Attention: Dimple Sharma

Project ID: 720-30837  
Report Number: ITI2549

Sampled: 09/28/10  
Received: 09/30/10

## METALS

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
<b>Sample ID: ITI2549-01 (SB-06 - Water)</b>								
Reporting Units: ug/l								
Chromium	EPA 6020	10J0140	10	250	5	10/2/2010	10/3/2010	
<b>Sample ID: ITI2549-02 (SB-05 - Water)</b>								
Reporting Units: ug/l								
Chromium	EPA 6020	10J0140	2.0	20	1	10/2/2010	10/2/2010	

TestAmerica Irvine  
Steven Garcia  
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Attention: Dimple Sharma

17461 Dorian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

Project ID: 720-30837

Sampled: 09/28/10  
Received: 09/30/10

## METHOD BLANK/QC DATA

### METALS

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
<u>Batch: 10J0140 Extracted: 10/02/10</u>										
Blank Analyzed: 10/02/2010 (10J0140-BLK1)										
Chromium	ND	2.0	ug/l							
LCS Analyzed: 10/02/2010 (10J0140-BS1)										
Chromium	81.0	2.0	ug/l	80.0	101	80-120				
Matrix Spike Analyzed: 10/02/2010 (10J0140-MS1)										
Chromium	117	2.0	ug/l	80.0	43.9	91	75-125			
Matrix Spike Dup Analyzed: 10/02/2010 (10J0140-MSD1)										
Chromium	111	2.0	ug/l	80.0	43.9	83	75-125	6	20	

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Attention: Dimple Sharma

17461 Dorian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

Project ID: 720-30837

Sampled: 09/28/10  
Received: 09/30/10

## DATA QUALIFIERS AND DEFINITIONS

ND	Analyte NOT DETECTED at or above the reporting limit or MDL if MDL is specified.
RPD	Relative Percent Difference

TestAmerica Irvine  
Steven Garcia  
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced,  
except in full, with permission from TestAmerica.

ITI2549 <Page 1 of 5>  
11/12/2010

TestAmerica Irvine  
Steven Garcia  
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced,  
except in full, with permission from TestAmerica.

ITI2549 <Page 4 of 5>  
11/12/2010

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Attention: Dimple Shanna

17461 Dorian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax (949) 260-3297

Project ID: 720-30837

Report Number: ITI2549

Sampled: 09/28/10  
Received: 09/30/10

## Certification Summary

### TestAmerica Irvine

Method	Matrix	Nelac	California
EPA 6020	Water	X	X

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at [www.testamericainc.com](http://www.testamericainc.com)

## TestAmerica San Francisco

1220 Quarry Lane  
Pleasanton, CA 94566  
Phone (925) 454-9119 Fax (925) 603-3002

Client Information (Sub Contract Lab)

Client Contact

Shipping/Receiving

Comments

TestAmerica Laboratories, Inc.

Address:

17461 Dorian Ave., Suite 100,

Irvine

State/Zip:

CA 92614-5817

Phone:

(949)-261-1022(Tel) 949-261-1228(Fax)

Email:

ITI2549@salimpour.com

Project Name:

Crown Chevrolet

Project #: 72008900

Size:

500mls

Due Date Requested:

10/04/2010

TAT Requested (days):

5

PO #:

V/V #:

Sample Identification - Client ID (Lab ID)

Sample Date

Sample Time

Sample Type

Matrix

Preservation/Codex

Particulars/Specimen Description

Subcontractor/Ref ID

Total Number of Subsamples

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

Return To Client

Dispose By Lab

Archive For

Months

Special Instructions/QC Requirements:

Empty Kit Relinquished by:

Date:

Time:

Method of Shipping:

Received by:

Date/Time:

Company:

Received by:

Date/Time:

Company:

Received by:

Date/Time:

Company:

Custody Seal intact: Custody Seal No.:

Code Temperature(s) °C and Other Remarks:

Page 80 of 94

## Chain of Custody Record

ITI 2549

## TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

720-30837-1

Page 1 of 1

Job No.:

720-30837-1

Preservation Codes:

A - HCl N - None

B - NaOH O - AHA#02

C - Zn Acetate P - LiOH

D - H2SO4 Q - H2SO3

E - NaHSO4 R - H2SO4Q3

F - HNO3 S - HNO3

G - Acetone T - TSP-Detergent

H - Acetic Acid U - Acetone

J - DI Water V - MeOH

K - EDTA W - pH 4.5

L - EDA Z - other (specify)

Other:

Total Number of Subsamples:

Special Instructions/Note:

00 9/30/10

TestAmerica Irvine  
Steven Garcia  
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

ITI2549 <Page 80 of 94> 10/12/2010

## CHAIN-OF-CUSTODY RECORD

720-30837

OAK 13209 127182

PROJECT NAME: CROWN CHEVROLET	LABORATORY NAME: TASF	CLIENT INFORMATION: Amee Geomatrix	REPORTING REQUIREMENTS:							
PROJECT NUMBER: OD10160070	LABORATORY ADDRESS:									
RESULTS TO: A. Patton	LABORATORY CONTACT: AF Sanchez									
TURNAROUND TIME: Standard	LABORATORY PHONE NUMBER:									
SAMPLE SHIPMENT METHOD:		GEOTRACKER REQUIRED	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO							
SITE SPECIFIC GLOBAL ID NO. *										
SAMPLERS (SIGNATURE): <i>D. G.</i>		ANALYSES								
DATE	TIME	SAMPLE NUMBER	VOC TPH, TYPE Poly TPH, MTBE Toluene VAP Chromium	CONTAINER TYPE AND SIZE	Soil (S), Water (W), or Other (O) Filtered	Preservative Type	Cooled	MSAED	No. of Containers	ADDITIONAL COMMENTS
9/28	11:05	SB-06	X	Poly 250 mL	W N HNO3	Y N	1			
	11:05	SB-06	X	Poly 250 mL	W N None	Y N	1			
9	11:55	SB-12-12	XX	8oz glass jar	S N None	Y N	1			
10	12:05	SB-05-11.5	XX	8oz glass jar	S N None	Y N	1			
11	13:40	SB-12	X	32 oz Amber jar	W N HCl	Y N	2			
			XX		W N None	Y N	2			
12	14:00	SB-09-3.0	XX		W N None	Y N	2			
13	14:05	SB-09-9.9	XX	8oz glass jar	S N None	Y N	1	HOLD		
14	14:20	SB-05	X		S N None	Y N	1			
	14:20		X		W N HCl	Y N	2			
	14:20		X		W N None	Y N	2			
	14:20		↓		W N HNO3	Y N	1			
	14:20		X		W N None	Y N	1			
<i>BLANK LINE</i>										
RELINQUISHED BY:	DATE	TIME	RECEIVED BY:	DATE	TIME	TOTAL NUMBER OF CONTAINERS: 20				
SIGNATURE: <i>D. G.</i>	9/28	17:05	SIGNATURE: <i>Ed Martinez</i>	9/28	17:22	SAMPLING COMMENTS: See page 2 of 3				
PRINTED NAME: David Greenstein	PRINTED NAME: Ed Martinez	COMPANY: Amee Geomatrix	COMPANY: TASF							
SIGNATURE: <i>Ed Martinez</i>	PRINTED NAME: Ed Martinez	COMPANY: TASF	SIGNATURE: <i>John Muller</i>	PRINTED NAME: John Muller	COMPANY: TASF					
PRINTED NAME: TASF	PRINTED NAME: TASF	COMPANY: TASF	SIGNATURE: <i>John Muller</i>	PRINTED NAME: John Muller	COMPANY: TASF					
SIGNATURE:			SIGNATURE:							
PRINTED NAME:			PRINTED NAME:							
COMPANY:			COMPANY:							
						2101 Webster Street, 12th Floor Oakland, California 94612-3066 Tel 510.663.4100 Fax 510.663.4141				
						 Geomatrix				

## CHAIN-OF-CUSTODY RECORD

720-30837

OAK 13207 127187

PROJECT NAME: CROWN CHEVROLET	LABORATORY NAME: TASF	CLIENT INFORMATION: Amee Geomatrix	REPORTING REQUIREMENTS:							
PROJECT NUMBER: OD10160070	LABORATORY ADDRESS:									
RESULTS TO: A. PATTON	LABORATORY CONTACT: AF Sanchez									
TURNAROUND TIME: Standard	LABORATORY PHONE NUMBER:									
SAMPLE SHIPMENT METHOD:		GEOTRACKER REQUIRED	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO							
SITE SPECIFIC GLOBAL ID NO. *										
SAMPLERS (SIGNATURE): <i>D. G.</i>		ANALYSES								
DATE	TIME	SAMPLE NUMBER	VOC TPH, TYPE Poly TPH, MTBE Toluene VAP Chromium	CONTAINER TYPE AND SIZE	Soil (S), Water (W), or Other (O) Filtered	Preservative Type	Cooled	MSAED	No. of Containers	ADDITIONAL COMMENTS
1	9/28/2010	SB-10-11.5	XX	8oz glass jar	S N None	Y N	1			
2	7:47	SB-10-9.0	XX		S N None	Y N	1	Hold		
3	7:48	SB-10-10.5	XX		S N None	Y N	1	Hold		
4	7:51	SB-10-14.0	XX		S N None	Y N	1	Hold		
5	8:18	SB-10	X	32 oz Amber Jar	W N HCl	Y N	1			
	8:48	SB	X		W N HCl	Y N	1			
	8:48		X		W N None	Y N	1	Filter@ lab		
	8:48		X		W N None	Y N	1	Filter@ lab		
	8:48		↓		W N None	Y N	1			
6	10:06	SB-06-3.0	XX	8oz glass jar	S N None	Y N	1			
7	10:25	SB-06-11.0	XX	8oz glass jar	S N None	Y N	1			
8	11:05	SB-06	X	32 oz Amber Jar	W N HCl	Y N	2			
	11:05	SB-06	X		W N None	Y N	2	Filter@ lab		
	11:05	SB-06	↓		W N None	Y N	2			
RELINQUISHED BY:	DATE	TIME	RECEIVED BY:	DATE	TIME	TOTAL NUMBER OF CONTAINERS: 18				
SIGNATURE: <i>D. G.</i>	9/28	17:05	SIGNATURE: <i>Ed Martinez</i>	9/28	17:22	SAMPLING COMMENTS: <i>PCP</i> 5.7				
PRINTED NAME: David Greenstein	PRINTED NAME: Ed Martinez	COMPANY: Amee Geomatrix	COMPANY: TASF			* Silica Gel Prep for TPH/TPH				
SIGNATURE: <i>Ed Martinez</i>	PRINTED NAME: Ed Martinez	COMPANY: TASF	SIGNATURE: <i>John Muller</i>	PRINTED NAME: John Muller	COMPANY: TASF					
PRINTED NAME: TASF	PRINTED NAME: TASF	COMPANY: TASF	SIGNATURE: <i>John Muller</i>	PRINTED NAME: John Muller	COMPANY: TASF					
SIGNATURE:			SIGNATURE:							
PRINTED NAME:			PRINTED NAME:							
COMPANY:			COMPANY:							
						2101 Webster Street, 12th Floor Oakland, California 94612-3066 Tel 510.663.4100 Fax 510.663.4141				
						 Geomatrix				

11/12/2010

Page 92 of 94

11/12/2010

Page 91 of 94

## Login Sample Receipt Check List

Job Number: 720-30837-1

List Source: TestAmerica San Francisco

Client: AMEC Geomatrix Inc.

<b>CHAIN-OF-CUSTODY RECORD</b>							
PROJECT NAME: CROWN CHEMICAL 720-30837				DATE: 9/28/2010   PAGE 3 OF 3			
PROJECT NUMBER: OB160070	LABORATORY NAME: TASF	CLIENT INFORMATION:	REPORTING REQUIREMENTS:				
RESULTS TO: A. PATTON	LABORATORY ADDRESS: Amec Geomatrix						
TURBOROUGH DATE: Standard	Laboratory Sample Search:						
SAMPLE ELEMENT METHOD:	LABORATORY PHONE NUMBER:						
SAMPLERS (SIGNATURE): <i>D. Mullen</i>							
ANALYSES							
DATE	SAMPLE NUMBER	CONTAINER TYPE AND SIZE	Soil (S), Water (W), Vapor (V), or Other (O)	Preservative Type	ADDITIONAL COMMENTS		
15 9/26/10 11:30	SB-05-0-7	Qnt glass jar	S N None Y N	Cooled			
16 11:35	SB-05-2-0	Qnt glass jar	S N None Y N	MS/MSD	No. of Containers		
17 15:28	SB-04-11.9	Qnt glass jar	S N None Y N				
18 15:31	SB-04-1.0	Qnt glass jar	S N None Y N				
19 16:01	SB-03-1.3	Qnt glass jar	S N None Y N				
20 15:58	SB-03-2.8	Qnt glass jar	S N None Y N				
21 16:10	SB-03-3.2	Qnt glass jar	S N None Y N				
22 16:10	SB-03-3.2	40 ml vial	S N Preservative Y N				
23 16:55	SB-03-11.5	40 ml vial	S N Preservative Y N				
23 16:55	SB-03-6.5	40 ml vial	S N Preservative Y N				
RELINQUISHED BY:	RECEIVED BY:	DATE	TIME	TOTAL NUMBER OF CONTAINERS:			
SIGNATURE: <i>D. Mullen</i> PRINTED NAME: D. Mullen COMPANY: AMEC Geomatrix	SIGNATURE: <i>M. Parker</i> PRINTED NAME: M. Parker COMPANY: TestAmerica	DATE: 9/28/10	TIME: 17:05	19			
SIGNATURE: <i>A. Patton</i> PRINTED NAME: A. Patton COMPANY: Standard	SIGNATURE: <i>J. Jones</i> PRINTED NAME: J. Jones COMPANY: Standard	DATE: 9/28/10	TIME: 17:05	18			
SIGNATURE: <i>J. Jones</i> PRINTED NAME: J. Jones COMPANY: Standard	SIGNATURE: <i>M. Parker</i> PRINTED NAME: M. Parker COMPANY: TestAmerica	DATE: 9/28/10	TIME: 17:05	18			
SIGNATURE: <i>J. Jones</i> PRINTED NAME: J. Jones COMPANY: Standard	SIGNATURE: <i>M. Parker</i> PRINTED NAME: M. Parker COMPANY: TestAmerica	DATE: 9/28/10	TIME: 17:05	18			
SIGNATURE: <i>J. Jones</i> PRINTED NAME: J. Jones COMPANY: Standard	SIGNATURE: <i>M. Parker</i> PRINTED NAME: M. Parker COMPANY: TestAmerica	DATE: 9/28/10	TIME: 17:05	18			
SAMPLE COMMENTS: <i>See page 2 of 3</i>							
2101 Webster Street, 12th Floor Oakland, California 94612-3066 Tel 510.653.4100 Fax 510.653.4141							
 <b>Geomatrix</b>							

Question	T / F / NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	
The cooler's custody seal, if present, is intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	



## ANALYTICAL REPORT

Job Number: 720-30837-2

Job Description: Crown Chevrolet

For:  
AMEC Geomatrix Inc.  
2101 Webster Street, 12th Floor  
Oakland, CA 94612  
Attention: Avery Patton

Approved for release:  
Afsaneh Salimpour  
Project Manager I  
11/5/2010 9:43 AM

Afsaneh Salimpour  
Project Manager I  
afsaneh.salimpour@testamericainc.com  
11/05/2010  
Revision: 1

CA ELAP Certification # 2496

The Chain(s) of Custody are included and are an integral part of this report.

The report shall not be reproduced except in full, without the written approval of the laboratory. The client, by accepting this report, also agrees not to alter any reports whether in the hard copy or electronic format and to use reasonable efforts to preserve the reports in the form and substance originally provided by TestAmerica.

A trip blank is required to be provided for volatile analyses. If trip blank results are not included in the report, either the trip blank was not submitted or requested to be analyzed.

Job Narrative  
720-30837-2

**Comments**  
No additional comments.

**Receipt**  
All samples were received in good condition within temperature requirements.

**GC/MS VOA**  
No analytical or quality issues were noted.

**GC Semi VOA**

All samples for TPH(Diesel and Motor oil) were analysed with Silica Gel clean up using Method 3630C.  
No analytical or quality issues were noted.

**Organic Prep**  
No analytical or quality issues were noted.

TestAmerica Laboratories, Inc.  
TestAmerica San Francisco 1220 Quarry Lane, Pleasanton, CA 94566  
Tel (925) 484-1919 Fax (925) 600-3002 [www.testamericainc.com](http://www.testamericainc.com)

### EXECUTIVE SUMMARY - Detections

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-2

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
720-30837-4 <i>Silica Gel Cleanup</i> Diesel Range Organics [C10-C28]	SB-10-4.0	1.1	1.0	mg/Kg	8015B

TestAmerica San Francisco

Page 3 of 29

11/05/2010

### METHOD SUMMARY

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-2

Description	Lab Location	Method	Preparation Method
Matrix Solid			
8260B / CA LUFT MS Closed System Purge and Trap	TAL SF TAL SF	SW846 8260B/CA_LUFTMS SW846 5035	
Diesel Range Organics (DRO) (GC) Ultrasonic Extraction	TAL SF TAL SF	SW846 8015B SW846 3550B	

#### Lab References:

TAL SF = TestAmerica San Francisco

#### Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TestAmerica San Francisco

Page 4 of 29

11/05/2010

**METHOD / ANALYST SUMMARY**

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-2

<u>Method</u>	<u>Analyst</u>	<u>Analyst ID</u>
SW846 8260B/CA_LUFTMS	Chen, Amy	AC
SW846 8015B	Hayashi, Derek	DH

TestAmerica San Francisco

Page 5 of 29

11/05/2010

**SAMPLE SUMMARY**

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-2

<u>Lab Sample ID</u>	<u>Client Sample ID</u>	<u>Client Matrix</u>	<u>Date/Time Sampled</u>	<u>Date/Time Received</u>
720-30837-2	SB-10-9.0	Solid	09/28/2010 0747	09/28/2010 1800
720-30837-3	SB-10-10.5	Solid	09/28/2010 0748	09/28/2010 1800
720-30837-4	SB-10-4.0	Solid	09/28/2010 0751	09/28/2010 1800
720-30837-12	SB-09-3.0	Solid	09/28/2010 1400	09/28/2010 1800
720-30837-16	SB-05-2.0	Solid	09/28/2010 1135	09/28/2010 1800
720-30837-18	SB-09-6.0	Solid	09/28/2010 1530	09/28/2010 1800
720-30837-19	SB-03-1.3	Solid	09/28/2010 1601	09/28/2010 1800

TestAmerica San Francisco

Page 6 of 29

11/05/2010

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-2

Client Sample ID: SB-03-1.3

Lab Sample ID: 720-30837-19

Client Matrix: Solid

Date Sampled: 09/28/2010 1601

Date Received: 09/28/2010 1800

#### 8260B/CA\_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-79201	Instrument ID:	HP7
Preparation:	5035	Prep Batch: 720-79321	Lab File ID:	10041013.D
Dilution:	1.0		Initial Weight/Volume:	6.60 g
Date Analyzed:	10/04/2010 1556		Final Weight/Volume:	10 mL
Date Prepared:	10/04/2010 0800			

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
Methyl tert-butyl ether	ND		3.8	
Acetone	ND		38	
Benzene	ND		3.8	
Dichlorobromomethane	ND		3.8	
Bromobenzene	ND		3.8	
Chlorobromomethane	ND		15	
Bromoform	ND		3.8	
Bromomethane	ND		7.6	
2-Butanone (MEK)	ND		38	
n-Butylbenzene	ND		3.8	
sec-Butylbenzene	ND		3.8	
tert-Butylbenzene	ND		3.8	
Carbon disulfide	ND		3.8	
Carbon tetrachloride	ND		3.8	
Chlorobenzene	ND		3.8	
Chloroethane	ND		7.6	
Chloroform	ND		3.8	
Chloromethane	ND		7.6	
2-Chlorotoluene	ND		3.8	
4-Chlorotoluene	ND		3.8	
Chlorodibromomethane	ND		3.8	
1,2-Dichlorobenzene	ND		3.8	
1,3-Dichlorobenzene	ND		3.8	
1,4-Dichlorobenzene	ND		3.8	
1,3-Dichloropropane	ND		3.8	
1,1-Dichloropropene	ND		3.8	
1,2-Dibromo-3-Chloropropane	ND		3.8	
Ethylene Dibromide	ND		3.8	
Dibromomethane	ND		7.6	
Dichlorodifluoromethane	ND		7.6	
1,1-Dichloroethane	ND		3.8	
1,2-Dichloroethane	ND		3.8	
1,1-Dichloroethene	ND		3.8	
cis-1,2-Dichloroethene	ND		3.8	
trans-1,2-Dichloroethene	ND		3.8	
1,2-Dichloropropane	ND		3.8	
cis-1,3-Dichloropropene	ND		3.8	
trans-1,3-Dichloropropene	ND		3.8	
Ethylibenzene	ND		3.8	
Hexachlorobutadiene	ND		3.8	
2-Hexanone	ND		38	
Isopropylbenzene	ND		3.8	
4-Isopropyltoluene	ND		3.8	
Methylene Chloride	ND		7.6	
4-Methyl-2-pentanone (MIBK)	ND		38	
Naphthalene	ND		7.6	

TestAmerica San Francisco

Page 7 of 29

11/05/2010

TestAmerica San Francisco

Page 8 of 29

11/05/2010

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-2

Client Sample ID: SB-03-1.3

Lab Sample ID: 720-30837-19

Client Matrix: Solid

Date Sampled: 09/28/2010 1601

Date Received: 09/28/2010 1800

#### 8260B/CA\_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-79201	Instrument ID:	HP7
Preparation:	5035	Prep Batch: 720-79321	Lab File ID:	10041013.D
Dilution:	1.0		Initial Weight/Volume:	6.60 g
Date Analyzed:	10/04/2010 1556		Final Weight/Volume:	10 mL
Date Prepared:	10/04/2010 0800			

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
N-Propylbenzene	ND		3.8	
Styrene	ND		3.8	
1,1,2-Tetrachloroethane	ND		3.8	
1,1,2,2-Tetrachloroethane	ND		3.8	
Tetrachloroethene	ND		3.8	
Toluene	ND		3.8	
1,2,3-Trichlorobenzene	ND		3.8	
1,2,4-Trichlorobenzene	ND		3.8	
1,1,1-Trichloroethane	ND		3.8	
1,1,2-Trichloroethane	ND		3.8	
Trichloroethene	ND		3.8	
Trichlorofluoromethane	ND		3.8	
1,2,3-Trichloropropane	ND		3.8	
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		3.8	
1,2,4-Trimethylbenzene	ND		3.8	
1,3,5-Trimethylbenzene	ND		3.8	
Vinyl acetate	ND		38	
Vinyl chloride	ND		3.8	
Xylenes, Total	ND		7.6	
2,2-Dichloropropane	ND		3.8	
Gasoline Range Organics (GRO)-C5-C12	ND		190	

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	95		65 - 117
1,2-Dichloroethane-d4 (Surr)	97		73 - 140
Toluene-d8 (Surr)	98		72 - 113

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-2

Client Sample ID: SB-10-9.0

Lab Sample ID: 720-30837-2

Client Matrix: Solid

Date Sampled: 09/28/2010 0747

Date Received: 09/28/2010 1800

#### 8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch: 720-79276	Instrument ID:	CHDRO6
Preparation:	3550B	Prep Batch: 720-79235	Initial Weight/Volume:	30.16 g
Dilution:	1.0		Final Weight/Volume:	2 mL
Date Analyzed:	10/05/2010 1913		Injection Volume:	1 uL
Date Prepared:	10/04/2010 1427		Result Type:	PRIMARY

Analyte	Dry/Wt Corrected: N	Result (mg/Kg)	Qualifier	RL
Diesel Range Organics [C10-C28]	ND			0.99
Motor Oil Range Organics [C24-C36]	ND			50

Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0.04		0 - 5
p-Terphenyl	90		46 - 115

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-2

Client Sample ID: SB-10-10.5

Lab Sample ID: 720-30837-3

Client Matrix: Solid

Date Sampled: 09/28/2010 0748

Date Received: 09/28/2010 1800

#### 8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch: 720-79276	Instrument ID:	CHDRO6
Preparation:	3550B	Prep Batch: 720-79235	Initial Weight/Volume:	30.45 g
Dilution:	1.0		Final Weight/Volume:	2 mL
Date Analyzed:	10/05/2010 1935		Injection Volume:	1 uL
Date Prepared:	10/04/2010 1427		Result Type:	PRIMARY

Analyte	Dry/Wt Corrected: N	Result (mg/Kg)	Qualifier	RL
Diesel Range Organics [C10-C28]	ND			0.99
Motor Oil Range Organics [C24-C36]	ND			49

Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0		0 - 5
p-Terphenyl	81		46 - 115

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-2

Client Sample ID: SB-10-4.0

Lab Sample ID: 720-30837-4

Client Matrix: Solid

Date Sampled: 09/28/2010 0751

Date Received: 09/28/2010 1800

#### 8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch:	720-79276	Instrument ID:	CHDRO6
Preparation:	3550B	Prep Batch:	720-79235	Initial Weight/Volume:	30.12 g
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/05/2010 1957			Injection Volume:	1 uL
Date Prepared:	10/04/2010 1427			Result Type:	PRIMARY

Analyte	DryWt Corrected: N	Result (mg/Kg)	Qualifier	RL
Diesel Range Organics [C10-C28]	1.1			1.0
Motor Oil Range Organics [C24-C36]	ND			50

Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0.2		0 - 5
p-Terphenyl	88		46 - 115

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-2

Client Sample ID: SB-09-3.0

Lab Sample ID: 720-30837-12

Client Matrix: Solid

Date Sampled: 09/28/2010 1400

Date Received: 09/28/2010 1800

#### 8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch:	720-79277	Instrument ID:	CHDRO6
Preparation:	3550B	Prep Batch:	720-79235	Initial Weight/Volume:	30.23 g
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/05/2010 1807			Injection Volume:	1 uL
Date Prepared:	10/04/2010 1427			Result Type:	PRIMARY

Analyte	DryWt Corrected: N	Result (mg/Kg)	Qualifier	RL
Diesel Range Organics [C10-C28]	ND			0.99
Motor Oil Range Organics [C24-C36]	ND			50

Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0		0 - 5
p-Terphenyl	96		46 - 115

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-2

Client Sample ID: SB-05-2.0

Lab Sample ID: 720-30837-16

Client Matrix: Solid

Date Sampled: 09/28/2010 1135

Date Received: 09/28/2010 1800

#### 8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch:	720-79277	Instrument ID:	CHDRO6
Preparation:	3550B	Prep Batch:	720-79235	Initial Weight/Volume:	30.18 g
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/05/2010 1829			Injection Volume:	1 uL
Date Prepared:	10/04/2010 1427			Result Type:	PRIMARY

Analyte	DryWt Corrected: N	Result (mg/Kg)	Qualifier	RL
Diesel Range Organics [C10-C28]	ND			0.99
Motor Oil Range Organics [C24-C36]	ND			50

Surrogate	%Rec	Qualifier	Acceptance Limits	RL
Capric Acid (Surr)	0		0 - 5	0.99
p-Terphenyl	93		46 - 115	50

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-2

Client Sample ID: SB-09-6.0

Lab Sample ID: 720-30837-18

Client Matrix: Solid

Date Sampled: 09/28/2010 1530

Date Received: 09/28/2010 1800

#### 8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch:	720-79277	Instrument ID:	CHDRO6
Preparation:	3550B	Prep Batch:	720-79235	Initial Weight/Volume:	30.26 g
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/05/2010 1913			Injection Volume:	1 uL
Date Prepared:	10/04/2010 1427			Result Type:	PRIMARY

Analyte	DryWt Corrected: N	Result (mg/Kg)	Qualifier	RL
Diesel Range Organics [C10-C28]	ND			0.99
Motor Oil Range Organics [C24-C36]	ND			50

Surrogate	%Rec	Qualifier	Acceptance Limits	RL
Capric Acid (Surr)	0		0 - 5	0.99
p-Terphenyl	85		46 - 115	50

## DATA REPORTING QUALIFIERS

## Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-2

## QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
<b>GC/MS VOA</b>					
<b>Analysis Batch: 720-79321</b>					
LCS 720-79321/2-A	Lab Control Sample	T	Solid	8260B/CA_LUFT	720-79321
LCS 720-79321/4-A	Lab Control Sample	T	Solid	8260B/CA_LUFT	720-79321
LCSD 720-79321/3-A	Lab Control Sample Duplicate	T	Solid	8260B/CA_LUFT	720-79321
LCSD 720-79321/5-A	Lab Control Sample Duplicate	T	Solid	8260B/CA_LUFT	720-79321
MB 720-79321/1-A	Method Blank	T	Solid	8260B/CA_LUFT	720-79321
720-30837-19	SB-03-1.3	T	Solid	8260B/CA_LUFT	720-79321
<b>Prep Batch: 720-79321</b>					
LCS 720-79321/2-A	Lab Control Sample	T	Solid	5035	
LCS 720-79321/4-A	Lab Control Sample	T	Solid	5035	
LCSD 720-79321/3-A	Lab Control Sample Duplicate	T	Solid	5035	
LCSD 720-79321/5-A	Lab Control Sample Duplicate	T	Solid	5035	
MB 720-79321/1-A	Method Blank	T	Solid	5035	
720-30837-19	SB-03-1.3	T	Solid	5035	

## Report Basis

T = Total

TestAmerica San Francisco

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-2

#### QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
<b>GC Semi VOA</b>					
<b>Analysis Batch:720-79206</b>					
LCS 720-79235/2-A	Lab Control Sample	A	Solid	8015B	720-79235
LCSD 720-79235/3-A	Lab Control Sample Duplicate	A	Solid	8015B	720-79235
MB 720-79235/1-A	Method Blank	A	Solid	8015B	720-79235
<b>Prep Batch: 720-79235</b>					
LCS 720-79235/2-A	Lab Control Sample	A	Solid	3550B	
LCSD 720-79235/3-A	Lab Control Sample Duplicate	A	Solid	3550B	
MB 720-79235/1-A	Method Blank	A	Solid	3550B	
720-30837-2	SB-10-9.0	A	Solid	3550B	
720-30837-3	SB-10-10.5	A	Solid	3550B	
720-30837-4	SB-10-4.0	A	Solid	3550B	
720-30837-12	SB-09-3.0	A	Solid	3550B	
720-30837-16	SB-05-2.0	A	Solid	3550B	
720-30837-18	SB-09-6.0	A	Solid	3550B	
720-30865-A-3-D MS	Matrix Spike	A	Solid	3550B	
720-30865-A-3-E MSD	Matrix Spike Duplicate	A	Solid	3550B	
<b>Analysis Batch:720-79276</b>					
720-30837-2	SB-10-9.0	A	Solid	8015B	720-79235
720-30837-3	SB-10-10.5	A	Solid	8015B	720-79235
720-30837-4	SB-10-4.0	A	Solid	8015B	720-79235
720-30865-A-3-D MS	Matrix Spike	A	Solid	8015B	720-79235
720-30865-A-3-E MSD	Matrix Spike Duplicate	A	Solid	8015B	720-79235
<b>Analysis Batch:720-79277</b>					
720-30837-12	SB-09-3.0	A	Solid	8015B	720-79235
720-30837-16	SB-05-2.0	A	Solid	8015B	720-79235
720-30837-18	SB-09-6.0	A	Solid	8015B	720-79235

#### Report Basis

A = Silica Gel Cleanup

TestAmerica San Francisco

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-2

#### Method Blank - Batch: 720-79321

Method: 8260B/CA\_LUFTMS  
Preparation: 5035

Lab Sample ID:	MB 720-79321/1-A	Analysis Batch:	720-79201	Instrument ID:	HP7
Client Matrix:	Solid	Prep Batch:	720-79321	Lab File ID:	10041004.D
Dilution:	1.0	Units:	ug/Kg	Initial Weight/Volume:	5 g
Date Analyzed:	10/04/2010 1042			Final Weight/Volume:	10 mL
Date Prepared:	10/04/2010 0800				

Analyte	Result	Qual	RL
Methyl tert-butyl ether	ND		5.0
Acetone	ND		50
Benzene	ND		5.0
Dichlorobromomethane	ND		5.0
Bromobenzene	ND		5.0
Chlorobromomethane	ND		20
Bromoform	ND		5.0
Bromomethane	ND		10
2-Butanone (MEK)	ND		50
n-Butylbenzene	ND		5.0
sec-Butylbenzene	ND		5.0
tert-Butylbenzene	ND		5.0
Carbon disulfide	ND		5.0
Carbon tetrachloride	ND		5.0
Chlorobenzene	ND		5.0
Chloroethane	ND		10
Chloroform	ND		5.0
Chloromethane	ND		10
2-Chlorotoluene	ND		5.0
4-Chlorotoluene	ND		5.0
Chlorodibromomethane	ND		5.0
1,2-Dichlorobenzene	ND		5.0
1,3-Dichlorobenzene	ND		5.0
1,4-Dichlorobenzene	ND		5.0
1,3-Dichloropropane	ND		5.0
1,1-Dichloropropene	ND		5.0
1,2-Dibromo-3-Chloropropane	ND		5.0
Ethylene Dibromide	ND		5.0
Dibromomethane	ND		10
Dichlorodifluoromethane	ND		10
1,1-Dichloroethane	ND		5.0
1,2-Dichloroethane	ND		5.0
1,1-Dichloroethene	ND		5.0
cis-1,2-Dichloroethene	ND		5.0
trans-1,2-Dichloroethene	ND		5.0
1,2-Dichloropropane	ND		5.0
cis-1,3-Dichloropropene	ND		5.0
trans-1,3-Dichloropropene	ND		5.0
Ethylbenzene	ND		5.0
Hexachlorobutadiene	ND		5.0
2-Hexanone	ND		50
Isopropylbenzene	ND		5.0
4-Isopropyltoluene	ND		5.0

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-2

Method Blank - Batch: 720-79321

Method: 8260B/CA\_LUFTMS  
Preparation: 5035

Lab Sample ID: MB 720-79321/1-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 10/04/2010 1042  
Date Prepared: 10/04/2010 0800

Analysis Batch: 720-79201  
Prep Batch: 720-79321  
Units: ug/Kg

Instrument ID: HP7  
Lab File ID: 10041004.D  
Initial Weight/Volume: 5 g  
Final Weight/Volume: 10 mL

Analyte	Result	Qual	RL
Methylene Chloride	ND		10
4-Methyl-2-pentanone (MIBK)	ND		50
Naphthalene	ND		10
N-Propylbenzene	ND		5.0
Styrene	ND		5.0
1,1,2-Tetrachloroethane	ND		5.0
1,1,2,2-Tetrachloroethane	ND		5.0
Tetrachloroethene	ND		5.0
Toluene	ND		5.0
1,2,3-Trichlorobenzene	ND		5.0
1,2,4-Trichlorobenzene	ND		5.0
1,1,1-Trichloroethane	ND		5.0
1,1,2-Trichloroethane	ND		5.0
Trichloroethene	ND		5.0
Trichlorofluoromethane	ND		5.0
1,2,3-Trichloropropane	ND		5.0
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		5.0
1,2,4-Trimethylbenzene	ND		5.0
1,3,5-Trimethylbenzene	ND		5.0
Vinyl acetate	ND		50
Vinyl chloride	ND		5.0
m-Xylene & p-Xylene	ND		5.0
o-Xylene	ND		5.0
Xylenes, Total	ND		10
2,2-Dichloropropane	ND		5.0
Gasoline Range Organics (GRO)-C5-C12	ND		250

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	98	65 - 117
1,2-Dichloroethane-d4 (Surr)	95	73 - 140
Toluene-d8 (Surr)	96	72 - 113

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-2

Lab Control Sample/  
Lab Control Sample Duplicate Recovery Report - Batch: 720-79321

Method: 8260B/CA\_LUFTMS  
Preparation: 5035

LCS Lab Sample ID: LCS 720-79321/2-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 10/04/2010 1116  
Date Prepared: 10/04/2010 0800

Analysis Batch: 720-79201  
Prep Batch: 720-79321  
Units: ug/Kg

Instrument ID: HP7  
Lab File ID: 10041005.D  
Initial Weight/Volume: 5 g  
Final Weight/Volume: 10 mL

Analyte	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Methyl tert-butyl ether	94	96	71 - 144	2	20		
Acetone	73	73	45 - 154	0	30		
Benzene	93	93	82 - 124	0	20		
Dichlorobromomethane	106	107	89 - 131	1	20		
Bromobenzene	100	104	86 - 112	3	20		
Chlorobromomethane	100	98	82 - 115	2	20		
Bromoform	105	109	59 - 158	4	20		
Bromomethane	105	109	71 - 136	4	20		
2-Butanone (MEK)	81	82	61 - 150	2	20		
n-Butylbenzene	110	113	80 - 142	3	20		
sec-Butylbenzene	106	108	85 - 136	2	20		
tert-Butylbenzene	102	104	74 - 134	2	20		
Carbon disulfide	97	95	60 - 136	2	20		
Carbon tetrachloride	108	106	81 - 138	2	20		
Chlorobenzene	98	99	85 - 108	1	20		
Chloroethane	104	110	69 - 141	5	20		
Chloroform	101	103	77 - 127	1	20		
Chloromethane	110	112	60 - 149	2	20		
2-Chlorotoluene	101	105	80 - 138	4	20		
4-Chlorotoluene	100	105	79 - 136	4	20		
Chlordibromomethane	105	106	75 - 146	1	20		
1,2-Dichlorobenzene	100	104	84 - 130	4	20		
1,3-Dichlorobenzene	102	104	84 - 131	2	20		
1,4-Dichlorobenzene	102	103	85 - 125	1	20		
1,3-Dichloropropane	95	99	79 - 140	4	20		
1,1-Dichloropropene	105	104	70 - 130	1	20		
1,2-Dibromo-3-Chloropropane	101	103	68 - 148	2	20		
Ethylene Dibromide	100	102	79 - 140	2	20		
Dibromomethane	100	100	80 - 139	0	20		
Dichlorodifluoromethane	121	126	37 - 158	4	20		
1,1-Dichloroethane	96	98	86 - 111	2	20		
1,2-Dichloroethane	101	104	78 - 140	3	20		
1,1-Dichloroethene	96	96	77 - 120	0	20		

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-2

**Lab Control Sample/  
Lab Control Sample Duplicate Recovery Report - Batch: 720-79321**

**Method: 8260B/CA\_LUFTMS  
Preparation: 5035**

LCS Lab Sample ID: LCS 720-79321/2-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 10/04/2010 1116  
Date Prepared: 10/04/2010 0800

Analysis Batch: 720-79201  
Prep Batch: 720-79321  
Units: ug/Kg

Instrument ID: HP7  
Lab File ID: 10041005.D  
Initial Weight/Volume: 5 g  
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 720-79321/3-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 10/04/2010 1150  
Date Prepared: 10/04/2010 0800

Analysis Batch: 720-79201  
Prep Batch: 720-79321  
Units: ug/Kg

Instrument ID: HP7  
Lab File ID: 10041006.D  
Initial Weight/Volume: 5 g  
Final Weight/Volume: 10 mL

Analyte	% Rec.						
	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
cis-1,2-Dichloroethene	101	103	91 - 133	2	20		
trans-1,2-Dichloroethene	99	96	73 - 117	3	20		
1,2-Dichloropropane	93	96	81 - 124	3	20		
cis-1,3-Dichloropropene	103	105	68 - 147	1	20		
trans-1,3-Dichloropropene	106	108	84 - 136	2	20		
Ethylbenzene	100	101	80 - 137	1	20		
Hexachlorobutadiene	113	114	72 - 132	1	20		
2-Hexanone	90	93	60 - 161	4	20		
Isopropylbenzene	107	108	83 - 121	1	20		
4-Isopropyltoluene	107	110	85 - 133	2	20		
Methylene Chloride	93	92	68 - 126	1	20		
4-Methyl-2-pentanone (MIBK)	90	95	69 - 160	5	20		
Naphthalene	105	108	70 - 147	4	20		
N-Propylbenzene	96	100	72 - 125	3	20		
Styrene	102	103	87 - 128	2	20		
1,1,1,2-Tetrachloroethane	107	107	90 - 130	0	20		
1,1,2,2-Tetrachloroethane	95	102	82 - 146	7	20		
Tetrachloroethene	109	102	78 - 132	7	20		
Toluene	96	99	83 - 128	2	20		
1,2,3-Trichlorobenzene	107	108	74 - 136	0	20		
1,2,4-Trichlorobenzene	106	107	70 - 131	1	20		
1,1,1-Trichloroethane	105	103	85 - 133	2	20		
1,1,2-Trichloroethane	93	95	82 - 125	2	20		
Trichloroethene	105	102	81 - 133	3	20		
Trichlorofluoromethane	118	120	71 - 139	2	20		
1,2,3-Trichloropropane	98	103	76 - 146	5	20		
1,1,2-Trichloro-1,2,2-trifluoroethane	110	104	70 - 130	6	20		
1,2,4-Trimethylbenzene	105	109	84 - 131	4	20		
1,3,5-Trimethylbenzene	105	108	86 - 134	3	20		
Vinyl acetate	91	95	38 - 176	4	20		
Vinyl chloride	103	107	63 - 140	4	20		
m-Xylene & p-Xylene	101	103	79 - 146	2	20		
o-Xylene	96	99	84 - 140	3	20		

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-2

**Lab Control Sample/  
Lab Control Sample Duplicate Recovery Report - Batch: 720-79321**

**Method: 8260B/CA\_LUFTMS  
Preparation: 5035**

LCS Lab Sample ID: LCS 720-79321/2-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 10/04/2010 1116  
Date Prepared: 10/04/2010 0800

Analysis Batch: 720-79201  
Prep Batch: 720-79321  
Units: ug/Kg

Instrument ID: HP7  
Lab File ID: 10041005.D  
Initial Weight/Volume: 5 g  
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 720-79321/3-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 10/04/2010 1150  
Date Prepared: 10/04/2010 0800

Analysis Batch: 720-79201  
Prep Batch: 720-79321  
Units: ug/Kg

Instrument ID: HP7  
Lab File ID: 10041006.D  
Initial Weight/Volume: 5 g  
Final Weight/Volume: 10 mL

Analyte	% Rec.						
	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
2,2-Dichloropropane	107	102	73 - 162	5	20		
Surrogate						LCS % Rec	LCSD % Rec
4-Bromofluorobenzene						99	100
1,2-Dichloroethane-d4 (Surr)						101	103
Toluene-d8 (Surr)						98	97
							65 - 117
							73 - 140
							72 - 113

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-2

**Lab Control Sample/  
Lab Control Sample Duplicate Recovery Report - Batch: 720-79321**

**Method: 8260B/CA\_LUFTMS  
Preparation: 5035**

LCS Lab Sample ID: LCS 720-79321/4-A      Analysis Batch: 720-79201  
 Client Matrix: Solid      Prep Batch: 720-79321  
 Dilution: 1.0      Units: ug/Kg  
 Date Analyzed: 10/04/2010 1224  
 Date Prepared: 10/04/2010 0800

Instrument ID: HP7  
 Lab File ID: 10041007.D  
 Initial Weight/Volume: 5 g  
 Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 720-79321/5-A      Analysis Batch: 720-79201  
 Client Matrix: Solid      Prep Batch: 720-79321  
 Dilution: 1.0      Units: ug/Kg  
 Date Analyzed: 10/04/2010 1258  
 Date Prepared: 10/04/2010 0800

Instrument ID: HP7  
 Lab File ID: 10041008.D  
 Initial Weight/Volume: 5 g  
 Final Weight/Volume: 10 mL

Analyte	% Rec.						
	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	
Gasoline Range Organics (GRO)-C5-C12	83	84	68 - 115	1	20		
Surrogate	LCS % Rec	LCSD % Rec		Acceptance Limits			
4-Bromofluorobenzene	99	103		65 - 117			
1,2-Dichloroethane-d4 (Surr)	100	104		73 - 140			
Toluene-d8 (Surr)	94	98		72 - 113			

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-2

**Method Blank - Batch: 720-79235**

**Method: 8015B  
Preparation: 3550B  
Silica Gel Cleanup**

Lab Sample ID: MB 720-79235/1-A      Analysis Batch: 720-79206  
 Client Matrix: Solid      Prep Batch: 720-79235  
 Dilution: 1.0      Units: mg/Kg  
 Date Analyzed: 10/05/2010 0706  
 Date Prepared: 10/04/2010 1427

Instrument ID: CHDROS  
 Lab File ID: 1004105b\_061.d  
 Initial Weight/Volume: 30.12 g  
 Final Weight/Volume: 2 mL  
 Injection Volume: 1 uL  
 Column ID: PRIMARY

Analyte	Result	Qual	RL
Diesel Range Organics [C10-C28]	ND		1.0
Motor Oil Range Organics [C24-C36]	ND		50
Surrogate	% Rec		Acceptance Limits
Capric Acid (Surr)	0.2		0 - 5
p-Terphenyl	93		46 - 115

**Lab Control Sample/  
Lab Control Sample Duplicate Recovery Report - Batch: 720-79235**

**Method: 8015B  
Preparation: 3550B  
Silica Gel Cleanup**

LCS Lab Sample ID: LCS 720-79235/2-A      Analysis Batch: 720-79206  
 Client Matrix: Solid      Prep Batch: 720-79235  
 Dilution: 1.0      Units: mg/Kg  
 Date Analyzed: 10/05/2010 0619  
 Date Prepared: 10/04/2010 1427

Instrument ID: CHDROS  
 Lab File ID: 1004105b\_059.d  
 Initial Weight/Volume: 30.21 g  
 Final Weight/Volume: 2 mL  
 Injection Volume: 1 uL  
 Column ID: PRIMARY

LCS Lab Sample ID:	LCSD Lab Sample ID:	Analysis Batch:	Instrument ID:
Client Matrix:	Client Matrix:	Prep Batch:	Lab File ID:
Dilution:	Dilution:	Units:	Initial Weight/Volume:
LCS 720-79235/3-A	LCS 720-79206	720-79235	CHDROS
Solid	Solid	720-79235	1004105b_060.d
1.0	1.0	mg/Kg	30.43 g
Date Analyzed:	Date Analyzed:	Final Weight/Volume:	2 mL
10/05/2010 0642	10/04/2010 1427	Injection Volume:	1 uL
		Column ID:	PRIMARY

Analyte	% Rec.					
	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual
Diesel Range Organics [C10-C28]	83	85	45 - 115	1	35	
Surrogate	LCS % Rec	LCSD % Rec		Acceptance Limits		
p-Terphenyl	103	100		46 - 115		

## CHAIN-OF-CUSTODY RECORD

**720-30837**

OAK 13207 12767

PROJECT NAME: CROWN CHIEFLEADER

DATE: 9/28/2010 PAGE 1 OF 3

REPORTING REQUIREMENTS:

RESULTS TO: O&amp;I 600 To

LABORATORY NAME: TA-SF

CLIENT INFORMATION:

TURNAROUND TIME: Standard

LABORATORY ADDRESS: Amec Geomatrix

LABORATORY PHONE NUMBER: 415-567-1800

SAMPLE SHIPMENT METHOD:

LABORATORY CONTACT: Amec Geomatrix

LABORATORY PHONE NUMBER: 415-567-1800

11/05/2010

SAMPLERS (SIGNATURE):		ANALYSES												SITE SPECIFIC GLOBAL ID NO.								
DATE	TIME	SAMPLE NUMBER	VOL, TPH <sub>x</sub> , MTBE			STEX, TPH <sub>x</sub> , MTBE			TPH <sub>x</sub> /mo*			TPH <sub>x</sub> /mo*			CONTAINER TYPE AND SIZE		Soil (S), Water (W), Vapor (V), or Other (O)		Preservative Type		ADDITIONAL COMMENTS	
			SB-10 - 9.0			SB-10 - 10.5			SB-10 - 4.0			SB-10 - 10			9 oz glass jar		S/N		None		Y/N	
1	9/28/2010	7:30	SB-10 - 11.5			SB-10 - 9.0			SB-10 - 10.5			SB-10 - 4.0			S/N		None		Y/N		I	
2			7:47			7:48			7:51			8:48			S/N		None		Y/N		Hold	
3			7:48			7:48			7:48			8:48			S/N		None		Y/N		Hold	
4			7:48			7:48			7:48			8:48			S/N		None		Y/N		1700L	
5			7:48			7:48			7:48			8:48			S/N		None		Y/N		I	
6			7:48			7:48			7:48			8:48			S/N		None		Y/N		HCL	
7			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
8			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
9			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
10			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
11			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
12			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
13			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
14			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
15			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
16			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
17			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
18			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
19			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
20			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
21			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
22			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
23			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
24			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
25			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
26			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
27			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
28			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
29			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
30			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
31			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
32			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
33			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
34			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
35			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
36			7:48			7:48			7:48			8:48			S/N		None		Y/N		None	
37			7:48																			

## CHAIN-OF-CUSTODY RECORD

PROJECT NAME: CROWN CHEVROLET	720-30837		DATE: 9/28/2010	PAGE 3 OF 3
PROJECT NUMBER: 0D10160070	LABORATORY NAME: TASF	CLIENT INFORMATION: Amee Geomatix	REPORTING REQUIREMENTS:	
RESULTS TO: A. PATTON	LABORATORY ADDRESS:			
TURNAROUND TIME: Standard	LABORATORY CONTACT: AF Sanchez			
SAMPLE SHIPMENT METHOD:	LABORATORY PHONE NUMBER:		GEOTRACKER REQUIRED	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
			SITE SPECIFIC GLOBAL ID NO.	

11/05/2010

127182  
OAK 13208

SAMPLERS (SIGNATURE): <i>DJG</i>			ANALYSES																
DATE	TIME	SAMPLE NUMBER	Vac	TBTH	TBTH	Part	Chromium												
15	9/28/10	7:30 SB-05 - 0.7	X	X															
16		11:35 SB-05 - 2.0	X	X															
17		15:38 SB-09 - 11.8	X	X															
18		15:38 SB-09 - 6.0	X	X															
19		16:01 SB-03 - 1.3	X																
20		16:01 SB-03 - 1.3	X																
21		15:58 SB-03 - 2.8	X																
22		15:58 SB-03 - 2.8	X																
23		16:10 SB-03 - 3.2	X																
		16:10 SB-03 - 3.2	X																
		16:40 SB-03 - 11.5	X																
		16:55 SB-03 - 6.5	X																
		16:55 SB-03 - 6.5	X																
<hr/> <i>BLANK LINE</i>																			
RELINQUISHED BY:			DATE	TIME	RECEIVED BY:	DATE	TIME	TOTAL NUMBER OF CONTAINERS:											
SIGNATURE: <i>DJG</i>	PRINTED NAME: David Greenstein	COMPANY: Ames Geomatix	9/28/10	17:05	SIGNATURE: <i>Ed Martinez</i>	PRINTED NAME: Ed Martinez	COMPANY: TASF	9/28/10	17:22	19									
SIGNATURE: <i>Ed Martinez</i>	PRINTED NAME: Ed Martinez	COMPANY: TASF	9/28/10	18:00	SIGNATURE: <i>John Muller</i>	PRINTED NAME: John Muller	COMPANY: TASF	9/28/10	18:00	SAMPLING COMMENTS: <i>See page 1 of 3</i>									
SIGNATURE: <i>John Muller</i>	PRINTED NAME: John Muller	COMPANY: TASF			SIGNATURE: <i>John Muller</i>	PRINTED NAME: John Muller	COMPANY: TASF			2101 Webster Street, 12th Floor Oakland, California 94612-3066 Tel 510.663.4100 Fax 510.663.4141									
																	 Geomatix		

Page 28 of 29

## CHAIN-OF-CUSTODY RECORD

PROJECT NAME: CROWN CHEVROLET	720-30837		DATE: 9/28/2010	PAGE 2 OF 3															
PROJECT NUMBER: 0D10160070	LABORATORY NAME: TASF	CLIENT INFORMATION: Amee Geomatix	REPORTING REQUIREMENTS:																
RESULTS TO: A. Patton	LABORATORY ADDRESS:																		
TURNAROUND TIME: Standard	LABORATORY CONTACT: AF Sanchez																		
SAMPLE SHIPMENT METHOD:	LABORATORY PHONE NUMBER:		GEOTRACKER REQUIRED	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO															
			SITE SPECIFIC GLOBAL ID NO.																
SAMPLERS (SIGNATURE): <i>DJG</i>			ANALYSES																
DATE	TIME	SAMPLE NUMBER	Vac	TBTH	TBTH	Part	Chromium												
9	9/28	11:05 SB-06	X																
10		11:05 SB-06	X																
11		11:55 SB-12 - 12	X	X															
12		12:05 SB-05 - 11.5	X	X															
13		12:40 SB-12	X																
14			X																
15		14:00 SB-09 - 3.0	X	X															
16		14:05 SB-09 - 4.9	X	X															
17		14:20 SB-05	X																
18			X																
19		14:20	X																
20			X																
<hr/> <i>BLANK LINE</i>																			
RELINQUISHED BY:			DATE	TIME	RECEIVED BY:	DATE	TIME	TOTAL NUMBER OF CONTAINERS:											
SIGNATURE: <i>DJG</i>	PRINTED NAME: David Greenstein	COMPANY: Ames Geomatix	9/28/10	17:05	SIGNATURE: <i>Ed Martinez</i>	PRINTED NAME: Ed Martinez	COMPANY: TASF	9/28/10	17:22	20									
SIGNATURE: <i>Ed Martinez</i>	PRINTED NAME: Ed Martinez	COMPANY: TASF	9/28/10	18:00	SIGNATURE: <i>John Muller</i>	PRINTED NAME: John Muller	COMPANY: TASF	9/28/10	18:00	SAMPLING COMMENTS: <i>See page 1 of 3</i>									
SIGNATURE: <i>John Muller</i>	PRINTED NAME: John Muller	COMPANY: TASF			SIGNATURE: <i>John Muller</i>	PRINTED NAME: John Muller	COMPANY: TASF			2101 Webster Street, 12th Floor Oakland, California 94612-3066 Tel 510.663.4100 Fax 510.663.4141									
																	 Geomatix		

Page 27 of 29

11/05/2010

127182  
OAK 13208

11/05/2010

### Login Sample Receipt Check List

Client: AMEC Geomatrix Inc.

Job Number: 720-30837-2

Login Number: 30837

List Source: TestAmerica San Francisco

Creator: Mullen, Joan

List Number: 1

Question	T / F / NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	
The cooler's custody seal, if present, is intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	



## ANALYTICAL REPORT

Job Number: 720-30837-3

Job Description: Crown Chevrolet

For:  
AMEC Geomatrix Inc.  
2101 Webster Street, 12th Floor  
Oakland, CA 94612  
Attention: Avery Patton

Approved for release.  
Afsaneh Salimpour  
Project Manager I  
11/12/2010 2:03 PM

Afsaneh Salimpour  
Project Manager I  
afsaneh.salimpour@testamericainc.com  
11/12/2010  
Revision: 1

CA ELAP Certification # 2496

The Chain(s) of Custody are included and are an integral part of this report.  
The report shall not be reproduced except in full, without the written approval of the laboratory. The client, by accepting this report, also agrees not to alter any reports whether in the hard copy or electronic format and to use reasonable efforts to preserve the reports in the form and substance originally provided by TestAmerica.  
A trip blank is required to be provided for volatile analyses. If trip blank results are not included in the report, either the trip blank was not submitted or requested to be analyzed.

TestAmerica Laboratories, Inc.  
TestAmerica San Francisco 1220 Quarry Lane, Pleasanton, CA 94566  
Tel (925) 484-1919 Fax (925) 600-3002 [www.testamericainc.com](http://www.testamericainc.com)

Job Narrative  
720-30837-3

Comments  
No additional comments.

Receipt  
Per Client request amber glass bottle was filtered on 11/3/10 and then preserved with nitric acid and shipped to our Irvine lab to perform Dissolved Chromium by method 6020.

No other analytical or quality issues were noted.

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

17461 Dorian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

## LABORATORY REPORT

Prepared For: TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Attention: Afsaneh Salimpour

Project: 720-30837  
Sampled: 09/28/10  
Received: 11/04/10  
Issued: 11/05/10 16:50

NELAP #01108CA California ELAP#2706 CSDLAC #10256 AZ #AZ0671 NV #CA01531

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.

This entire report was reviewed and approved for release.

## SAMPLE CROSS REFERENCE

LABORATORY ID	CLIENT ID	MATRIX
ITK0500-01	SB-06	Water
ITK0500-02	SB-05	Water

Reviewed By:

TestAmerica Irvine  
Steven Garcia  
Project Manager

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

17461 Dorian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Attention: Afsaneh Salimpour

Project ID: 720-30837  
Report Number: ITK0500

Sampled: 09/28/10  
Received: 11/04/10

## DISSOLVED METALS

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: ITK0500-01 (SB-06 - Water)								
Reporting Units: ug/l								
Chromium	EPA 6020-Diss	10K0590	2.0	2.3	J-1	11/4/2010	11/5/2010	
Sample ID: ITK0500-02 (SB-05 - Water)								
Reporting Units: ug/l								
Chromium	EPA 6020-Diss	10K0590	2.0	2.5	J-1	11/4/2010	11/5/2010	

TestAmerica Irvine  
Steven Garcia  
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced,  
except in full, without written permission from TestAmerica.

Page 4 of 5

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Attention: Afsaneh Salimpour

Project ID: 720-30837

17461 Dorian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

Report Number: ITK0500

Sampled: 09/28/10  
Received: 11/04/10

## METHOD BLANK/QC DATA

## DISSOLVED METALS

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	%REC Limits	RPD RPD	RPD Limit	Data Qualifiers
<b>Batch: 10K0590 Extracted: 11/04/10</b>										
Blank Analyzed: 11/05/2010 (10K0590-BLK1)										
Chromium	ND	2.0	ug/l							
LCS Analyzed: 11/05/2010 (10K0590-BST1)										
Chromium	74.4	2.0	ug/l	80.0		93	80-120			
Matrix Spike Analyzed: 11/05/2010 (10K0590-MS1)					Source: ITK0514-01					
Chromium	78.1	2.0	ug/l	80.0	3.32	94	75-125			
Matrix Spike Dup Analyzed: 11/05/2010 (10K0590-MSD1)					Source: ITK0514-01					
Chromium	80.6	2.0	ug/l	80.0	3.32	97	75-125	3	20	

TestAmerica Irvine  
Steven Garcia  
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

ITK0500 <Page 3 of 5>  
11/12/2010

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Attention: Afsaneh Salimpour

Project ID: 720-30837  
Report Number: ITK0500

17461 Dorian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

Sampled: 09/28/10  
Received: 11/04/10

## DATA QUALIFIERS AND DEFINITIONS

ND Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.  
RPD Relative Percent Difference

TestAmerica Irvine  
Steven Garcia  
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

ITK0500 <Page 1 of 5>  
11/12/2010

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Attention: Afshaneh Salimpour

Project ID: 720-30837

17461 Denian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax: (949) 260-3297

Sampled: 09/28/10  
Received: 11/04/10

Report Number: ITK0500

## Certification Summary

TestAmerica Irvine

Method	Matrix	Neue	California
EPA 6020-Diss	Water	X	

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at [www.testamericainc.com](http://www.testamericainc.com)

## TestAmerica San Francisco

1220 Quarry Lane  
Pleasanton, CA 94566  
Phone (925) 484-1919 Fax (925) 603-3002

Client Information (Sub Contract Lab)

Sampler: Salimpour, Afshaneh

Lab ID:

Date:

Carrier Tracking No.:

Doc No:

Page:

Page 1 of 1

Job No:

Job 720-30837-3

Analysis Requested

Preservation Codes:

A - HCl M - Hexane

B - NaOH N - None

C - Acetone O - H2O2

D - NaCl P - Na2CO3

E - NH3/NO4 Q - Na2SO3

F - H2O R - Hg2+2SO3

G - Ammonia S - HgSO4

H - Ascorbic Acid T - TSP Dodecylbenzene

I - CH3COOH U - Phenol

J - EDTA V - MCAA

K - EDTA W - pH 4.5

L - EDA X - Other (specify)

Other:

Special Instructions/Note:

RUSH

Call Now!

Sample Identification - Client ID (Lab ID)

Sample Date

Sample Time

Sample Type

Matrix

Preservation Code:

SB-05 (720-30837-8)

9/28/10

11:05

Water

X

SB-05 (720-30637-14)

9/28/10

11:20

Water

X

Possible Hazard Identification

Non-Hazard

Flammable

Skin Irritant

Poison B

Unknown

Radioactive

Sample Disposal / A fee may be assessed if samples are retained longer than 1 month)

Return To Client

Disposal By Lab

Archive For

Months

Special Instructions/QC Requirements

Empty Kit Reinquished by:

Date/Time:

Received by:

Employee:

Reinquished by:

Date/Time:

Received by:

Employee:

Reinquished by:

Date/Time:

Received by:

Employee:

Custody Seal intact:

Custody Seal No.:

Page 8 of 9

Center Temperature/Cert. Other Remarks:

R T

11/12/2010

TestAmerica Irvine  
Steven Garcia  
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without permission from TestAmerica.

ITK0500 <Page 8 of 9>  
11/12/2010

**720-30837-3**  
**720-30865-2**

Page 1 of 4

Salimpour, Afsaneh

From: Stemler, Greg [Greg.Stemler@amec.com]  
Sent: Wednesday, November 03, 2010 3:46 PM  
To: Salimpour, Afsaneh  
Cc: Patton, Avery  
Subject: RE: EPA 7199

Afsaneh,  
Please do send the following samples to Irvine:  
SB-05 (720-30837#14)  
SB-06 (720-30837#8)  
SB-07 (720-30865#4)  
SB-08 (720-30865#2)

We would like these samples run for total dissolved Chromium, however we want to confirm the analyses later tonight or tomorrow morning. We may request both filtered and unfiltered analysis.

For now, please send all the remaining unfiltered, unpreserved sample to Irvine.

Greg Stemler | Project Geologist | AMEC Geomatix, Inc  
The materials transmitted by this electronic mail are confidential.

## ANALYTICAL REPORT

Job Number: 720-30865-1

Job Description: Crown Chevrolet

For:  
AMEC Geomatix Inc.  
2101 Webster Street, 12th Floor  
Oakland, CA 94612  
Attention: Avery Patton



Approved for release  
Afsaneh Salimpour  
Project Manager I  
11/05/2010 8:52 AM

---

Afsaneh Salimpour  
Project Manager I  
afsaneh.salimpour@testamericanainc.com  
11/05/2010  
Revision: 3

### CA ELAP Certification # 2496

The Chain(s) of Custody are included and are an integral part of this report.  
The report shall not be reproduced except in full, without the written approval of the laboratory. The client, by accepting this report, also agrees not to alter any reports whether in the hard copy or electronic format and to use reasonable efforts to preserve the reports in the form and substance originally provided by TestAmerica.  
A trip blank is required to be provided for volatile analyses. If trip blank results are not included in the report, either the trip blank was not submitted or requested to be analyzed.

TestAmerica Laboratories, Inc.  
TestAmerica San Francisco 1220 Quarry Lane, Pleasanton, CA 94566  
Tel (925) 484-1919 Fax (925) 600-3002 [www.testamericanainc.com](http://www.testamericanainc.com)

**Comments**  
No additional comments.

**Receipt**  
Method(s) 7199: Client complaint received. Details are as follows:

All other samples were received in good condition within temperature requirements.

**GC/MS VOA**  
No analytical or quality issues were noted.

**GC/MS Semi VOA**  
Method(s) 8270C SIM: The matrix spike / matrix spike duplicate (MS/MSD) precision for batch #79044 was outside control limits. Non-homogeneity of the sample matrix is suspected. The associated laboratory control sample / laboratory control sample duplicate (LCS/LCSD) precision met acceptance criteria.

Method(s) 8270C SIM: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for batch #79141 were outside control limits. The associated laboratory control sample (LCS) recovery met acceptance criteria.

No other analytical or quality issues were noted.

**GC Semi VOA**

Samples for dissolved TPH(Diesel and Motor oil) were filtered at the lab using 0.7 micron glass fiber filter.

All samples for TPH(Diesel and Motor oil) were analysed with Silica Gel clean up using Method 3630C.

No analytical or quality issues were noted.

**Metals**

No analytical or quality issues were noted.

**General Chemistry**

No analytical or quality issues were noted.

**Organic Prep**

No analytical or quality issues were noted.

## EXECUTIVE SUMMARY - Detections

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
720-30865-1 Naphthalene	SB-08-15.7	5.6 <del>J</del>	5.0	ug/Kg	8270C SIM
<i>Silica Gel Cleanup</i> Diesel Range Organics [C10-C28]		1.1	0.99	mg/Kg	8015B
720-30865-2 Cr (VI)	SB-08	1.1	0.50	ug/L	7199
<i>Dissolved</i> Diesel Range Organics [C10-C28]		<del>41252</del> JB	52	ug/L	8015B
720-30865-4 Cr (VI)	SB-07	1.7	0.50	ug/L	7199
<i>Silica Gel Cleanup</i> Diesel Range Organics [C10-C28]		10 <del>J</del> J	51	ug/L	8015B
<i>Dissolved</i> Diesel Range Organics [C10-C28]		<del>41252</del> JB	52	ug/L	8015B
720-30865-5 Benzene	SB-03	1.5	0.50	ug/L	8260B/CA_LUFTMS
Chlorobenzene		85	0.50	ug/L	8260B/CA_LUFTMS
1,2-Dichlorobenzene		42	0.50	ug/L	8260B/CA_LUFTMS
1,4-Dichlorobenzene		1.3	0.50	ug/L	8260B/CA_LUFTMS
cis-1,2-Dichloroethene		1.3	0.50	ug/L	8260B/CA_LUFTMS
Tetrachloroethene		3.2	0.50	ug/L	8260B/CA_LUFTMS
Trichloroethene		0.96	0.50	ug/L	8260B/CA_LUFTMS

TestAmerica San Francisco

Page 3 of 65

11/05/2010

## METHOD SUMMARY

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

Description	Lab Location	Method	Preparation Method
<b>Matrix: Solid</b>			
8260B / CA LUFT MS Closed System Purge and Trap	TAL SF	SW846 8260B/CA_LUFTMS	SW846 5035
Semivolatile Organic Compounds (GC/MS SIM) Ultrasonic Extraction	TAL SF	SW846 8270C SIM	SW846 3550B
Diesel Range Organics (DRO) (GC) Ultrasonic Extraction	TAL SF	SW846 8015B	SW846 3550B
<b>Matrix: Water</b>			
8260B / CA LUFT MS Purge and Trap	TAL SF	SW846 8260B/CA_LUFTMS	SW846 5030B
Semivolatile Organic Compounds (GC/MS SIM) Liquid-Liquid Extraction (Separatory Funnel)	TAL SF	SW846 8270C SIM	SW846 3510C
Diesel Range Organics (DRO) (GC) Sample Filtration Liquid-Liquid Extraction (Separatory Funnel)	TAL SF	SW846 8015B	FILTRATION SW846 3510C SGC
Chromium, Hexavalent (IC)	TAL SF	SW846 7199	
General Sub Contract Method	TAL IRV	Subcontract	
<b>Lab References:</b>			
TAL IRV = TestAmerica Irvine			
TAL SF = TestAmerica San Francisco			
<b>Method References:</b>			
SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.			

TestAmerica San Francisco

Page 4 of 65

11/05/2010

**METHOD / ANALYST SUMMARY**

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

<u>Method</u>	<u>Analyst</u>	<u>Analyst ID</u>
SW846 8260B/CA_LUFTMS	Chen, Amy	AC
SW846 8260B/CA_LUFTMS	Nguyen, Thuy M	TMN
SW846 8270C SIM	Lee, Michael	ML
SW846 8015B	Hayashi, Derek	DH
SW846 7199	Kojiro, Mariko J	MJK

**SAMPLE SUMMARY**

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

<u>Lab Sample ID</u>	<u>Client Sample ID</u>	<u>Client Matrix</u>	<u>Date/Time Sampled</u>	<u>Date/Time Received</u>
720-30865-1	SB-08-15.7	Solid	09/29/2010 0815	09/29/2010 1120
720-30865-2	SB-08	Water	09/29/2010 0900	09/29/2010 1120
720-30865-3	SB-07-13.2	Solid	09/29/2010 0930	09/29/2010 1120
720-30865-3MS	SB-07-13.2	Solid	09/29/2010 0930	09/29/2010 1120
720-30865-3MSD	SB-07-13.2	Solid	09/29/2010 0930	09/29/2010 1120
720-30865-4	SB-07	Water	09/29/2010 1000	09/29/2010 1120
720-30865-4MS	SB-07	Water	09/29/2010 1000	09/29/2010 1120
720-30865-4MSD	SB-07	Water	09/29/2010 1000	09/29/2010 1120
720-30865-5	SB-03	Water	09/28/2010 1728	09/29/2010 1120

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

Client Sample ID: SB-08-15.7

Lab Sample ID: 720-30865-1

Client Matrix: Solid

Date Sampled: 09/29/2010 0815

Date Received: 09/29/2010 1120

#### 8260B/CA\_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-79012	Instrument ID:	CHMSV2
Preparation:	5035	Prep Batch: 720-79131	Lab File ID:	09301013.D
Dilution:	1.0		Initial Weight/Volume:	5.221 g
Date Analyzed:	09/30/2010 1455		Final Weight/Volume:	10 mL
Date Prepared:	09/30/2010 0800			

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
Benzene	ND			4.8
Gasoline Range Organics (GRO)-C5-C12	ND			240
Ethylbenzene	ND			4.8
MTBE	ND			4.8
Toluene	ND			4.8
Xylenes, Total	ND			9.6
Surrogate	%Rec	Qualifier	Acceptance Limits	
4-Bromofluorobenzene	83		65 - 117	
1,2-Dichloroethane-d4 (Surr)	100		73 - 140	
Toluene-d8 (Surr)	87		72 - 113	

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

Client Sample ID: SB-08

Lab Sample ID: 720-30865-2

Client Matrix: Water

Date Sampled: 09/29/2010 0900

Date Received: 09/29/2010 1120

#### 8260B/CA\_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch: 720-79119	Instrument ID:	SAT 3900A
Preparation:	5030B		Lab File ID:	30852A2 10-1-2010
Dilution:	1.0		Initial Weight/Volume:	10 mL
Date Analyzed:	10/01/2010 2146		Final Weight/Volume:	10 mL
Date Prepared:	10/01/2010 2146			

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	ND		0.50
Benzene	ND		0.50
Ethylbenzene	ND		0.50
Toluene	ND		0.50
Xylenes, Total	ND		1.0
Gasoline Range Organics (GRO)-C5-C12	ND		50
Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	98		67 - 130
1,2-Dichloroethane-d4 (Surr)	82		67 - 130
Toluene-d8 (Surr)	89		70 - 130

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

Client Sample ID: SB-03

Lab Sample ID: 720-30865-5

Client Matrix: Water

Date Sampled: 09/28/2010 1728

Date Received: 09/29/2010 1120

#### 8260B/CA\_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch:	720-79361	Instrument ID:	HP5
Preparation:	5030B	Lab File ID:	100610009.D		
Dilution:	1.0	Initial Weight/Volume:	10 mL		
Date Analyzed:	10/06/2010 1412	Final Weight/Volume:	10 mL		
Date Prepared:	10/06/2010 1412				

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	ND		0.50
Acetone	ND		50
Benzene	1.5		0.50
Dichlorobromomethane	ND		0.50
Bromobenzene	ND		1.0
Chlorobromomethane	ND		1.0
Bromoform	ND		1.0
Bromomethane	ND		1.0
2-Butanone (MEK)	ND		50
n-Butylbenzene	ND		1.0
sec-Butylbenzene	ND		1.0
tert-Butylbenzene	ND		1.0
Carbon disulfide	ND		5.0
Carbon tetrachloride	ND		0.50
Chlorobenzene	85		0.50
Chloroethane	ND		1.0
Chloroform	ND		1.0
Chloromethane	ND		1.0
2-Chlorotoluene	ND		0.50
4-Chlorotoluene	ND		0.50
Chlorodibromomethane	ND		0.50
1,2-Dichlorobenzene	42		0.50
1,3-Dichlorobenzene	ND		0.50
1,4-Dichlorobenzene	1.3		0.50
1,3-Dichloropropane	ND		1.0
1,1-Dichloropropene	ND		0.50
1,2-Dibromo-3-Chloropropane	ND		1.0
Ethylene Dibromide	ND		0.50
Dibromomethane	ND		0.50
Dichlorodifluoromethane	ND		0.50
1,1-Dichloroethane	ND		0.50
1,2-Dichloroethane	ND		0.50
1,1-Dichloroethene	ND		0.50
cis-1,2-Dichloroethene	1.3		0.50
trans-1,2-Dichloroethene	ND		0.50
1,2-Dichloropropane	ND		0.50
cis-1,3-Dichloropropene	ND		0.50
trans-1,3-Dichloropropene	ND		0.50
Ethylbenzene	ND		0.50
Hexachlorobutadiene	ND		1.0
2-Hexanone	ND		50
Isopropylbenzene	ND		0.50
4-Isopropyltoluene	ND		1.0
Methylene Chloride	ND		5.0
4-Methyl-2-pentanone (MIBK)	ND		50
Naphthalene	ND		1.0

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

Client Sample ID: SB-03

Lab Sample ID: 720-30865-5

Client Matrix: Water

Date Sampled: 09/28/2010 1728  
Date Received: 09/29/2010 1120

#### 8260B/CA\_LUFTMS 8260B / CA LUFT MS

Method:	8260B/CA_LUFTMS	Analysis Batch:	720-79361	Instrument ID:	HP5
Preparation:	5030B	Lab File ID:	100610009.D		
Dilution:	1.0	Initial Weight/Volume:	10 mL		
Date Analyzed:	10/06/2010 1412	Final Weight/Volume:	10 mL		
Date Prepared:	10/06/2010 1412				

Analyte	Result (ug/L)	Qualifier	RL
N-Propylbenzene	ND		1.0
Styrene	ND		0.50
1,1,1,2-Tetrachloroethane	ND		0.50
1,1,2,2-Tetrachloroethane	ND		0.50
Tetrachloroethene	3.2		0.50
Toluene	ND		0.50
1,2,3-Trichlorobenzene	ND		1.0
1,2,4-Trichlorobenzene	ND		1.0
1,1,1-Trichloroethane	ND		0.50
1,1,2-Trichloroethane	ND		0.50
Trichloroethene	0.96		
Trichlorofluoromethane	ND		1.0
1,2,3-Trichloropropane	ND		0.50
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		0.50
1,2,4-Trimethylbenzene	ND		0.50
1,3,5-Trimethylbenzene	ND		0.50
Vinyl acetate	ND		10
Vinyl chloride	ND		0.50
Xylenes, Total	ND		1.0
2,2-Dichloropropane	ND		0.50
Gasoline Range Organics (GRO)-C5-C12	ND		50

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	100		67 - 130
1,2-Dichloroethane-d4 (Surr)	104		67 - 130
Toluene-d8 (Surr)	95		70 - 130

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

Client Sample ID: SB-08-15.7

Lab Sample ID: 720-30865-1

Client Matrix: Solid

Date Sampled: 09/29/2010 0815

Date Received: 09/29/2010 1120

#### 8270C SIM Semivolatile Organic Compounds (GC/MS SIM)

Method:	8270C SIM	Analysis Batch:	720-79121	Instrument ID:	HP # 3
Preparation:	3550B	Prep Batch:	720-79044	Lab File ID:	100110025.D
Dilution:	1.0			Initial Weight/Volume:	30.25 g
Date Analyzed:	10/01/2010 2006			Final Weight/Volume:	1 mL
Date Prepared:	09/30/2010 1137			Injection Volume:	1 uL
Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL	
Naphthalene		5.6	uJ	5.0	
Acenaphthene		ND	uJ	5.0	
Acenaphthylene		ND	uJ	5.0	
Fluorene		ND	uJ	5.0	
Phenanthrene		ND	uJ	5.0	
Anthracene		ND		5.0	
Benz[a]anthracene		ND		5.0	
Chrysene		ND		5.0	
Benz[a]pyrene		ND		5.0	
Benz[b]fluoranthene		ND		5.0	
Benz[k]fluoranthene		ND		5.0	
Benz[g,h,i]perylene		ND		5.0	
Indeno[1,2,3-cd]pyrene		ND		5.0	
Fluoranthene		ND		5.0	
Pyrene		ND		5.0	
Dibenz(a,h)anthracene		ND		5.0	
Surrogate	%Rec	Qualifier	Acceptance Limits		
2-Fluorobiphenyl	92		33 - 120		
Terphenyl-d14	108		35 - 146		

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

Client Sample ID: SB-08

Lab Sample ID: 720-30865-2

Date Sampled: 09/29/2010 0900

Date Received: 09/29/2010 1120

#### 8270C SIM Semivolatile Organic Compounds (GC/MS SIM)

Method:	8270C SIM	Analysis Batch:	720-79296	Instrument ID:	SVOA HP 4
Preparation:	3510C	Prep Batch:	720-79141	Lab File ID:	10051007.D
Dilution:	1.0			Initial Weight/Volume:	970 mL
Date Analyzed:	10/05/2010 1229			Final Weight/Volume:	1 mL
Date Prepared:	10/01/2010 1436			Injection Volume:	1 uL
Analyte		Result (ug/L)	Qualifier	RL	
Naphthalene		ND		1.0	
Acenaphthene		ND		0.10	
Acenaphthylene		ND		0.10	
Fluorene		ND		0.10	
Phenanthrene		ND		0.10	
Anthracene		ND		0.10	
Benz[a]anthracene		ND		0.10	
Chrysene		ND		0.10	
Benz[a]pyrene		ND		0.10	
Benz[b]fluoranthene		ND		0.10	
Benz[k]fluoranthene		ND		0.10	
Benz[g,h,i]perylene		ND		0.10	
Indeno[1,2,3-cd]pyrene		ND		0.10	
Fluoranthene		ND		0.10	
Pyrene		ND		0.10	
Dibenz(a,h)anthracene		ND		0.10	
Surrogate	%Rec	Qualifier	Acceptance Limits		
2-Fluorobiphenyl	63		29 - 120		
Terphenyl-d14	99		45 - 120		

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

Client Sample ID: SB-07-13.2

Lab Sample ID: 720-30865-3

Client Matrix: Solid

Date Sampled: 09/29/2010 0930

Date Received: 09/29/2010 1120

#### 8270C SIM Semivolatile Organic Compounds (GC/MS SIM)

Method:	8270C SIM	Analysis Batch:	720-79121	Instrument ID:	HP # 3
Preparation:	3550B	Prep Batch:	720-79044	Lab File ID:	100110026.D
Dilution:	1.0			Initial Weight/Volume:	30.16 g
Date Analyzed:	10/01/2010 2029			Final Weight/Volume:	1 mL
Date Prepared:	09/30/2010 1137			Injection Volume:	1 uL

Analyte	DryWt Corrected: N	Result (ug/Kg)	Qualifier	RL
Naphthalene	ND	ND	5.0	
Acenaphthene	ND	ND	5.0	
Acenaphthylene	ND	ND	5.0	
Fluorene	ND	ND	5.0	
Phenanthrene	ND	ND	5.0	
Anthracene	ND	ND	5.0	
Benz[a]anthracene	ND	ND	5.0	
Chrysene	ND	ND	5.0	
Benz[a]pyrene	ND	ND	5.0	
Benz[b]fluoranthene	ND	ND	5.0	
Benz[k]fluoranthene	ND	ND	5.0	
Benzog,h,i]perylene	ND	ND	5.0	
Indeno[1,2,3-cd]pyrene	ND	ND	5.0	
Fluoranthene	ND	ND	5.0	
Pyrene	ND	ND	5.0	
Dibenz(a,h)anthracene	ND	ND	5.0	

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	91		33 - 120
Terphenyl-d14	104		35 - 146

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

Client Sample ID: SB-07

Lab Sample ID: 720-30865-4

Client Matrix: Water

Date Sampled: 09/29/2010 1000

Date Received: 09/29/2010 1120

#### 8270C SIM Semivolatile Organic Compounds (GC/MS SIM)

Method:	8270C SIM	Analysis Batch:	720-79296	Instrument ID:	SVOA HP 4
Preparation:	3510C	Prep Batch:	720-79141	Lab File ID:	10051008.D
Dilution:	1.0			Initial Weight/Volume:	990 mL
Date Analyzed:	10/05/2010 1253			Final Weight/Volume:	1 mL
Date Prepared:	10/01/2010 1436			Injection Volume:	1 uL

Analyte	Result (ug/L)	Qualifier	RL
Naphthalene	ND		1.0
Acenaphthene	ND		0.10
Acenaphthylene	ND		0.10
Fluorene	ND		0.10
Phenanthrene	ND		0.10
Anthracene	ND		0.10
Benz[a]anthracene	ND		0.10
Chrysene	ND		0.10
Benz[a]pyrene	ND		0.10
Benz[b]fluoranthene	ND		0.10
Benz[k]fluoranthene	ND		0.10
Benzog,h,i]perylene	ND		0.10
Indeno[1,2,3-cd]pyrene	ND	ND	0.10
Fluoranthene	ND		0.10
Pyrene	ND		0.10
Dibenz(a,h)anthracene	ND	ND	0.10

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	65		29 - 120
Terphenyl-d14	101		45 - 120

**Analytical Data**

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

Client Sample ID: SB-08-15.7

Lab Sample ID: 720-30865-1

Client Matrix: Solid

Date Sampled: 09/29/2010 0815

Date Received: 09/29/2010 1120

**8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup**

Method:	8015B	Analysis Batch:	720-79276	Instrument ID:	CHDRO6
Preparation:	3550B	Prep Batch:	720-79235	Initial Weight/Volume:	30.31 g
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/05/2010 1851			Injection Volume:	1 uL
Date Prepared:	10/04/2010 1427			Result Type:	PRIMARY

Analyte	Dry Wt Corrected: N	Result (mg/Kg)	Qualifier	RL
Diesel Range Organics [C10-C28]	1.1			0.99
Motor Oil Range Organics [C24-C36]	ND			49

Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0.1		0 - 5
p-Terphenyl	97		46 - 115

**Analytical Data**

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

Client Sample ID: SB-08

Lab Sample ID: 720-30865-2

Client Matrix: Water

Date Sampled: 09/29/2010 0900

Date Received: 09/29/2010 1120

**8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup**

Method:	8015B	Analysis Batch:	720-79523	Instrument ID:	CHDRO5
Preparation:	3510C SGC	Prep Batch:	720-79462	Initial Weight/Volume:	970 mL
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/08/2010 1041			Injection Volume:	1 uL
Date Prepared:	10/07/2010 1014			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	ND		10	51
Motor Oil Range Organics [C24-C36]	ND		130	310

Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0.07		0 - 5
p-Terphenyl	93		31 - 150

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

Client Sample ID: SB-08

Lab Sample ID: 720-30865-2

Client Matrix: Water

Date Sampled: 09/29/2010 0900

Date Received: 09/29/2010 1120

#### 8015B Diesel Range Organics (DRO) (GC)-Dissolved

Method:	8015B	Analysis Batch:	720-79205	Instrument ID:	CHDROS
Preparation:	3510C SGC	Prep Batch:	720-79118	Initial Weight/Volume:	960 mL
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/04/2010 1129			Injection Volume:	1 uL
Date Prepared:	10/01/2010 1004			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	<del>122</del> 52	J B	11	52
Motor Oil Range Organics [C24-C36]	ND		130	310

Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0.3		0 - 5
p-Terphenyl	87		31 - 150

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

Client Sample ID: SB-07-13.2

Lab Sample ID: 720-30865-3

Client Matrix: Solid

Date Sampled: 09/29/2010 0930

Date Received: 09/29/2010 1120

#### 8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch:	720-79276	Instrument ID:	CHDROS
Preparation:	3550B	Prep Batch:	720-79235	Initial Weight/Volume:	30.12 g
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/05/2010 1209			Injection Volume:	1 uL
Date Prepared:	10/04/2010 1427			Result Type:	PRIMARY

Analyte	DryWt Corrected: N	Result (mg/Kg)	Qualifier	RL
Diesel Range Organics [C10-C28]	ND	ND		1.0
Motor Oil Range Organics [C24-C36]	ND	ND		50

Surrogate	%Rec	Qualifier	Acceptance Limits
Capric Acid (Surr)	0.03		0 - 5
p-Terphenyl	82		46 - 115

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

Client Sample ID: SB-07

Lab Sample ID: 720-30865-4

Client Matrix: Water

Date Sampled: 09/29/2010 1000

Date Received: 09/29/2010 1120

#### 8015B Diesel Range Organics (DRO) (GC)-Silica Gel Cleanup

Method:	8015B	Analysis Batch:	720-79523	Instrument ID:	CHDROS
Preparation:	3510C SGC	Prep Batch:	720-79462	Initial Weight/Volume:	970 mL
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/08/2010 1105			Injection Volume:	1 uL
Date Prepared:	10/07/2010 1014			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	10 J	J	10	51
Motor Oil Range Organics [C24-C36]	ND		130	310

Surrogate	%Rec	Qualifier	Acceptance Limits	
Capric Acid (Sum)	0.2		0 - 5	
p-Terphenyl	100		31 - 150	

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

Client Sample ID: SB-07

Lab Sample ID: 720-30865-4

Client Matrix: Water

Date Sampled: 09/29/2010 1000

Date Received: 09/29/2010 1120

#### 8015B Diesel Range Organics (DRO) (GC)-Dissolved

Method:	8015B	Analysis Batch:	720-79205	Instrument ID:	CHDROS
Preparation:	3510C SGC	Prep Batch:	720-79118	Initial Weight/Volume:	950 mL
Dilution:	1.0			Final Weight/Volume:	2 mL
Date Analyzed:	10/04/2010 1152			Injection Volume:	1 uL
Date Prepared:	10/01/2010 1004			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	16 < 52	J B	11	52
Motor Oil Range Organics [C24-C36]	ND		130	310

Surrogate	%Rec	Qualifier	Acceptance Limits	
Capric Acid (Surr)	1		0 - 5	
p-Terphenyl	97		31 - 150	

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

#### General Chemistry

Client Sample ID: SB-08

Lab Sample ID: 720-30865-2  
Client Matrix: Water

Date Sampled: 09/29/2010 0900  
Date Received: 09/29/2010 1120

Analyte	Result	Qual	Units	RL	Dil	Method
Cr (VI)	1.1		ug/L	0.50	1.0	7199

Analysis Batch: 720-79060 Date Analyzed: 09/29/2010 1623

### Analytical Data

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

#### General Chemistry

Client Sample ID: SB-07

Lab Sample ID: 720-30865-4  
Client Matrix: Water

Date Sampled: 09/29/2010 1000  
Date Received: 09/29/2010 1120

Analyte	Result	Qual	Units	RL	Dil	Method
Cr (VI)	1.7		ug/L	0.50	1.0	7199

Analysis Batch: 720-79060 Date Analyzed: 09/29/2010 1633

## DATA REPORTING QUALIFIERS

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

Lab Section	Qualifier	Description
GC/MS Semi VOA		
	F	MS or MSD exceeds the control limits
	F	RPD of the MS and MSD exceeds the control limits

GC Semi VOA	B	Compound was found in the blank and sample.
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

TestAmerica San Francisco

Page 23 of 65

11/05/2010

## Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

### QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
<b>GC/MS VOA</b>					
<b>Analysis Batch: 720-79012</b>					
LCS 720-79131/2-A	Lab Control Sample	T	Solid	8260B/CA_LUFT	720-79131
LCS 720-79131/4-A	Lab Control Sample	T	Solid	8260B/CA_LUFT	720-79131
LCSD 720-79131/3-A	Lab Control Sample Duplicate	T	Solid	8260B/CA_LUFT	720-79131
LCSD 720-79131/5-A	Lab Control Sample Duplicate	T	Solid	8260B/CA_LUFT	720-79131
MB 720-79131/1-A	Method Blank	T	Solid	8260B/CA_LUFT	720-79131
720-30865-1	SB-08-15.7	T	Solid	8260B/CA_LUFT	720-79131
<b>Analysis Batch: 720-79119</b>					
LCS 720-79119/7	Lab Control Sample	T	Water	8260B/CA_LUFT	
LCS 720-79119/9	Lab Control Sample	T	Water	8260B/CA_LUFT	
LCSD 720-79119/10	Lab Control Sample Duplicate	T	Water	8260B/CA_LUFT	
LCSD 720-79119/8	Lab Control Sample Duplicate	T	Water	8260B/CA_LUFT	
MB 720-79119/6	Method Blank	T	Water	8260B/CA_LUFT	
720-30852-A-14 MS	Matrix Spike	T	Water	8260B/CA_LUFT	
720-30852-A-14 MSD	Matrix Spike Duplicate	T	Water	8260B/CA_LUFT	
720-30865-2	SB-08	T	Water	8260B/CA_LUFT	
<b>Prep Batch: 720-79131</b>					
LCS 720-79131/2-A	Lab Control Sample	T	Solid	5035	
LCS 720-79131/4-A	Lab Control Sample	T	Solid	5035	
LCSD 720-79131/3-A	Lab Control Sample Duplicate	T	Solid	5035	
LCSD 720-79131/5-A	Lab Control Sample Duplicate	T	Solid	5035	
MB 720-79131/1-A	Method Blank	T	Solid	5035	
720-30865-1	SB-08-15.7	T	Solid	5035	
<b>Analysis Batch: 720-79361</b>					
LCS 720-79361/5	Lab Control Sample	T	Water	8260B/CA_LUFT	
LCS 720-79361/7	Lab Control Sample	T	Water	8260B/CA_LUFT	
LCSD 720-79361/6	Lab Control Sample Duplicate	T	Water	8260B/CA_LUFT	
LCSD 720-79361/8	Lab Control Sample Duplicate	T	Water	8260B/CA_LUFT	
MB 720-79361/4	Method Blank	T	Water	8260B/CA_LUFT	
720-30865-5	SB-03	T	Water	8260B/CA_LUFT	
720-30913-B-15 MS	Matrix Spike	T	Water	8260B/CA_LUFT	
720-30913-B-15 MSD	Matrix Spike Duplicate	T	Water	8260B/CA_LUFT	

#### Report Basis

T = Total

TestAmerica San Francisco

Page 24 of 65

11/05/2010

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

#### QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
---------------	------------------	--------------	---------------	--------	------------

#### GC/MS Semi VOA

##### Prep Batch: 720-79044

LCS 720-79044/2-A	Lab Control Sample	T	Solid	3550B	
LCSD 720-79044/3-A	Lab Control Sample Duplicate	T	Solid	3550B	
MB 720-79044/1-A	Method Blank	T	Solid	3550B	
720-30865-1	SB-08-15.7	T	Solid	3550B	
720-30865-3	SB-07-13.2	T	Solid	3550B	
720-30865-3MS	Matrix Spike	T	Solid	3550B	
720-30865-3MSD	Matrix Spike Duplicate	T	Solid	3550B	

##### Analysis Batch: 720-79121

LCS 720-79044/2-A	Lab Control Sample	T	Solid	8270C SIM	720-79044
LCSD 720-79044/3-A	Lab Control Sample Duplicate	T	Solid	8270C SIM	720-79044
MB 720-79044/1-A	Method Blank	T	Solid	8270C SIM	720-79044
720-30865-1	SB-08-15.7	T	Solid	8270C SIM	720-79044
720-30865-3	SB-07-13.2	T	Solid	8270C SIM	720-79044
720-30865-3MS	Matrix Spike	T	Solid	8270C SIM	720-79044
720-30865-3MSD	Matrix Spike Duplicate	T	Solid	8270C SIM	720-79044

##### Prep Batch: 720-79141

LCS 720-79141/2-A	Lab Control Sample	T	Water	3510C	
LCSD 720-79141/3-A	Lab Control Sample Duplicate	T	Water	3510C	
MB 720-79141/1-A	Method Blank	T	Water	3510C	
720-30865-2	SB-08	T	Water	3510C	
720-30865-4	SB-07	T	Water	3510C	
720-30865-4MS	Matrix Spike	T	Water	3510C	
720-30865-4MSD	Matrix Spike Duplicate	T	Water	3510C	

##### Analysis Batch: 720-79226

LCS 720-79141/2-A	Lab Control Sample	T	Water	8270C SIM	720-79141
LCSD 720-79141/3-A	Lab Control Sample Duplicate	T	Water	8270C SIM	720-79141
MB 720-79141/1-A	Method Blank	T	Water	8270C SIM	720-79141
720-30865-4MS	Matrix Spike	T	Water	8270C SIM	720-79141
720-30865-4MSD	Matrix Spike Duplicate	T	Water	8270C SIM	720-79141

##### Analysis Batch: 720-79296

720-30865-2	SB-08	T	Water	8270C SIM	720-79141
720-30865-4	SB-07	T	Water	8270C SIM	720-79141

#### Report Basis

T = Total

TestAmerica San Francisco

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

#### QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
---------------	------------------	--------------	---------------	--------	------------

#### GC Semi VOA

##### Prep Batch: 720-79118

LCS 720-79115/2-C	Lab Control Sample	D	Water	3510C SGC	
LCSD 720-79115/3-C	Lab Control Sample Duplicate	D	Water	3510C SGC	
MB 720-79115/1-C	Method Blank	D	Water	3510C SGC	
720-30865-2	SB-08	D	Water	3510C SGC	
720-30865-4	SB-07	D	Water	3510C SGC	

##### Analysis Batch: 720-79205

LCS 720-79115/2-C	Lab Control Sample	D	Water	8015B	720-79118
LCSD 720-79115/3-C	Lab Control Sample Duplicate	D	Water	8015B	720-79118
MB 720-79115/1-C	Method Blank	D	Water	8015B	720-79118
720-30865-2	SB-08	D	Water	8015B	720-79118
720-30865-4	SB-07	D	Water	8015B	720-79118

##### Analysis Batch: 720-79206

LCS 720-79235/2-A	Lab Control Sample	A	Solid	8015B	720-79235
LCSD 720-79235/3-A	Lab Control Sample Duplicate	A	Solid	8015B	720-79235
MB 720-79235/1-A	Method Blank	A	Solid	8015B	720-79235
720-30865-1	SB-08-15.7	A	Solid	3550B	
720-30865-3	SB-07-13.2	A	Solid	3550B	
720-30865-3MS	Matrix Spike	A	Solid	3550B	
720-30865-3MSD	Matrix Spike Duplicate	A	Solid	3550B	

##### Prep Batch: 720-79235

LCS 720-79235/2-A	Lab Control Sample	A	Solid	3550B	
LCSD 720-79235/3-A	Lab Control Sample Duplicate	A	Solid	3550B	
MB 720-79235/1-A	Method Blank	A	Solid	3550B	
720-30865-1	SB-08-15.7	A	Solid	3550B	
720-30865-3	SB-07-13.2	A	Solid	3550B	
720-30865-3MS	Matrix Spike	A	Solid	3550B	
720-30865-3MSD	Matrix Spike Duplicate	A	Solid	3550B	

##### Analysis Batch: 720-79276

720-30865-1	SB-08-15.7	A	Solid	8015B	720-79235
720-30865-3	SB-07-13.2	A	Solid	8015B	720-79235
720-30865-3MS	Matrix Spike	A	Solid	8015B	720-79235
720-30865-3MSD	Matrix Spike Duplicate	A	Solid	8015B	720-79235

##### Prep Batch: 720-79462

LCS 720-79462/2-A	Lab Control Sample	A	Water	3510C SGC	
LCSD 720-79462/3-A	Lab Control Sample Duplicate	A	Water	3510C SGC	
MB 720-79462/1-A	Method Blank	A	Water	3510C SGC	
720-30865-2	SB-08	A	Water	3510C SGC	
720-30865-4	SB-07	A	Water	3510C SGC	
720-30865-4MS	Matrix Spike	A	Water	3510C SGC	
720-30865-4MSD	Matrix Spike Duplicate	A	Water	3510C SGC	

TestAmerica San Francisco

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

#### QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
<b>GC Semi VOA</b>					
<b>Analysis Batch:720-79523</b>					
720-30865-2	SB-08	A	Water	8015B	720-79462
720-30865-4	SB-07	A	Water	8015B	720-79462
720-30865-4MS	Matrix Spike	A	Water	8015B	720-79462
720-30865-4MSD	Matrix Spike Duplicate	A	Water	8015B	720-79462
<b>Analysis Batch:720-79524</b>					
LCS 720-79462/2-A	Lab Control Sample	A	Water	8015B	720-79462
LCSD 720-79462/3-A	Lab Control Sample Duplicate	A	Water	8015B	720-79462
MB 720-79462/1-A	Method Blank	A	Water	8015B	720-79462
<b>Report Basis</b>					
D = Dissolved					
A = Silica Gel Cleanup					
<b>General Chemistry</b>					
<b>Analysis Batch:720-79060</b>					
LCS 720-79060/3	Lab Control Sample	T	Water	7199	
LCSD 720-79060/4	Lab Control Sample Duplicate	T	Water	7199	
MB 720-79060/2	Method Blank	T	Water	7199	
720-30859-A-1 MS	Matrix Spike	T	Water	7199	
720-30859-A-1 MSD	Matrix Spike Duplicate	T	Water	7199	
720-30865-2	SB-08	T	Water	7199	
720-30865-4	SB-07	T	Water	7199	
<b>Report Basis</b>					
T = Total					

TestAmerica San Francisco

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

#### Method Blank - Batch: 720-79119

**Method: 8260B/CA\_LUFTMS**  
**Preparation: 5030B**

Lab Sample ID: MB 720-79119/6  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/01/2010 1237  
Date Prepared: 10/01/2010 1237

Analysis Batch: 720-79119  
Prep Batch: N/A  
Units: ug/L

Instrument ID: SAT 3900A  
Lab File ID: MB 10-1-2010 12;37;45 PM  
Initial Weight/Volume: 10 mL  
Final Weight/Volume: 10 mL

Analyte	Result	Qual	RL
Benzene	ND		0.50
Methyl tert-butyl ether	ND		0.50
Ethylbenzene	ND		0.50
Toluene	ND		0.50
m-Xylene & p-Xylene	ND		1.0
o-Xylene	ND		0.50
Xylenes, Total	ND		1.0
Gasoline Range Organics (GRO)-C5-C12	ND		50

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	100	67 - 130
1,2-Dichloroethane-d4 (Surr)	88	67 - 130
Toluene-d8 (Surr)	89	70 - 130

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

#### Lab Control Sample/ Lab Control Sample Duplicate Recovery Report - Batch: 720-79119

Method: 8260B/CA\_LUFTMS  
Preparation: 5030B

LCS Lab Sample ID: LCS 720-79119/7  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/01/2010 1303  
Date Prepared: 10/01/2010 1303

Analysis Batch: 720-79119  
Prep Batch: N/A  
Units: ug/L

Instrument ID: SAT 3900A  
Lab File ID: LCS 10-1-2010 1;03;14 PM  
Initial Weight/Volume: 10 mL  
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 720-79119/8  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/01/2010 1328  
Date Prepared: 10/01/2010 1328

Analysis Batch: 720-79119  
Prep Batch: N/A  
Units: ug/L

Instrument ID: SAT 3900A  
Lab File ID: LCSD 10-1-2010 1;28;41 PM  
Initial Weight/Volume: 10 mL  
Final Weight/Volume: 10 mL

Analyte	% Rec.						
	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	96	93	82 - 127	4	20		
Methyl tert-butyl ether	101	95	62 - 130	6	20		
Ethylbenzene	99	97	86 - 135	2	20		
Toluene	92	93	83 - 129	2	20		
m-Xylene & p-Xylene	97	98	70 - 142	1	20		
o-Xylene	102	102	89 - 136	0	20		
Surrogate	LCS % Rec	LCSD % Rec	Acceptance Limits				
4-Bromofluorobenzene	97	91	67 - 130				
1,2-Dichloroethane-d4 (Surr)	88	84	67 - 130				
Toluene-d8 (Surr)	94	91	70 - 130				

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

#### Lab Control Sample/ Lab Control Sample Duplicate Recovery Report - Batch: 720-79119

Method: 8260B/CA\_LUFTMS  
Preparation: 5030B

LCS Lab Sample ID: LCS 720-79119/9  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/01/2010 1354  
Date Prepared: 10/01/2010 1354

Analysis Batch: 720-79119  
Prep Batch: N/A  
Units: ug/L

Instrument ID: SAT 3900A  
Lab File ID: LCS G 10-1-2010 1;54;05 I  
Initial Weight/Volume: 10 mL  
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 720-79119/10  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/01/2010 1419  
Date Prepared: 10/01/2010 1419

Analysis Batch: 720-79119  
Prep Batch: N/A  
Units: ug/L

Instrument ID: SAT 3900A  
Lab File ID: LCSD G 10-1-2010 2;19;31 I  
Initial Weight/Volume: 10 mL  
Final Weight/Volume: 10 mL

Analyte	% Rec.						
	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Gasoline Range Organics (GRO)-C5-C12	94	91	62 - 117	4	20		
Surrogate		LCS % Rec		LCSD % Rec		Acceptance Limits	
4-Bromofluorobenzene		95		100		67 - 130	
1,2-Dichloroethane-d4 (Surr)		87		89		67 - 130	
Toluene-d8 (Surr)		97		90		70 - 130	

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

**Matrix Spike/  
Matrix Spike Duplicate Recovery Report - Batch: 720-79119**

**Method: 8260B/CA\_LUFTMS  
Preparation: 5030B**

MS Lab Sample ID: 720-30852-A-14 MS      Analysis Batch: 720-79119  
 Client Matrix: Water      Prep Batch: N/A  
 Dilution: 1.0  
 Date Analyzed: 10/01/2010 1749  
 Date Prepared: 10/01/2010 1749

Instrument ID: SAT 3900A  
 Lab File ID: 30852A14MS 10-1-2010  
 Initial Weight/Volume: 10 mL  
 Final Weight/Volume: 10 mL

MSD Lab Sample ID: 720-30852-A-14 MSD      Analysis Batch: 720-79119  
 Client Matrix: Water      Prep Batch: N/A  
 Dilution: 1.0  
 Date Analyzed: 10/01/2010 1814  
 Date Prepared: 10/01/2010 1814

Instrument ID: SAT 3900A  
 Lab File ID: 30852A14MSD 10-1-2010  
 Initial Weight/Volume: 10 mL  
 Final Weight/Volume: 10 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Benzene	91	88	60 - 140	3	20		
Methyl tert-butyl ether	98	94	60 - 138	4	20		
Ethylbenzene	96	96	60 - 140	0	20		
Toluene	88	91	60 - 140	3	20		
m-Xylene & p-Xylene	94	100	60 - 140	7	20		
o-Xylene	96	96	60 - 140	1	20		
Surrogate	MS % Rec	MSD % Rec			Acceptance Limits		
4-Bromofluorobenzene	90	90			67 - 130		
1,2-Dichloroethane-d4 (Surr)	84	87			67 - 130		
Toluene-d8 (Surr)	90	92			70 - 130		

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

**Method Blank - Batch: 720-79131**

**Method: 8260B/CA\_LUFTMS  
Preparation: 5035**

Lab Sample ID: MB 720-79131/1-A  
 Client Matrix: Solid  
 Dilution: 1.0  
 Date Analyzed: 09/30/2010 1010  
 Date Prepared: 09/30/2010 0800

Analysis Batch: 720-79012  
 Prep Batch: 720-79131  
 Units: ug/Kg

Instrument ID: CHMSV2  
 Lab File ID: 09301004.D  
 Initial Weight/Volume: 5 g  
 Final Weight/Volume: 10 mL

Analyte	Result	Qual	RL
Benzene	ND		5.0
MTBE	ND		5.0
Ethylbenzene	ND		5.0
Toluene	ND		5.0
m-Xylene & p-Xylene	ND		5.0
Xylenes, Total	ND		10
Gasoline Range Organics (GRO)-C5-C12	ND		250

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	90	65 - 117
1,2-Dichloroethane-d4 (Surr)	101	73 - 140
Toluene-d8 (Surr)	89	72 - 113

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

**Lab Control Sample/  
Lab Control Sample Duplicate Recovery Report - Batch: 720-79131**

**Method: 8260B/CA\_LUFTMS  
Preparation: 5035**

LCS Lab Sample ID: LCS 720-79131/2-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 09/30/2010 1041  
Date Prepared: 09/30/2010 0800

Analysis Batch: 720-79012  
Prep Batch: 720-79131  
Units: ug/Kg

Instrument ID: CHMSV2  
Lab File ID: 09301005.D  
Initial Weight/Volume: 5 g  
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 720-79131/3-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 09/30/2010 1112  
Date Prepared: 09/30/2010 0800

Analysis Batch: 720-79012  
Prep Batch: 720-79131  
Units: ug/Kg

Instrument ID: CHMSV2  
Lab File ID: 09301006.D  
Initial Weight/Volume: 5 g  
Final Weight/Volume: 10 mL

Analyte	% Rec.							
	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual	
Benzene	86	87	82 - 124	1	20			
MTBE	92	94	71 - 144	2	20			
Ethylbenzene	96	98	80 - 137	2	20			
Toluene	91	92	83 - 128	1	20			
m-Xylene & p-Xylene	93	94	79 - 146	1	20			
Surrogate	LCS % Rec		LCSD % Rec		Acceptance Limits			
4-Bromofluorobenzene	95	95	65 - 117					
1,2-Dichloroethane-d4 (Surr)	96	97	73 - 140					
Toluene-d8 (Surr)	91	91	72 - 113					

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

**Lab Control Sample/  
Lab Control Sample Duplicate Recovery Report - Batch: 720-79131**

**Method: 8260B/CA\_LUFTMS  
Preparation: 5035**

LCS Lab Sample ID: LCS 720-79131/4-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 09/30/2010 1144  
Date Prepared: 09/30/2010 0800

Analysis Batch: 720-79012  
Prep Batch: 720-79131  
Units: ug/Kg

Instrument ID: CHMSV2  
Lab File ID: 09301007.D  
Initial Weight/Volume: 5 g  
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 720-79131/5-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 09/30/2010 1215  
Date Prepared: 09/30/2010 0800

Analysis Batch: 720-79012  
Prep Batch: 720-79131  
Units: ug/Kg

Instrument ID: CHMSV2  
Lab File ID: 09301008.D  
Initial Weight/Volume: 5 g  
Final Weight/Volume: 10 mL

Analyte	% Rec.						
	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Gasoline Range Organics (GRO)-C5-C12	92	90	68 - 115	2	20		
Surrogate	LCS % Rec		LCSD % Rec		Acceptance Limits		
4-Bromofluorobenzene	96	97	65 - 117				
1,2-Dichloroethane-d4 (Surr)	102	103	73 - 140				
Toluene-d8 (Surr)	92	92	72 - 113				

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

**Method Blank - Batch: 720-79361**

Lab Sample ID: MB 720-79361/4  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/06/2010 1118  
Date Prepared: 10/06/2010 1118

**Method: 8260B/CA\_LUFTMS**  
**Preparation: 5030B**

Analysis Batch: 720-79361  
Prep Batch: N/A  
Units: ug/L  
Instrument ID: HP5  
Lab File ID: 100610004.D  
Initial Weight/Volume: 10 mL  
Final Weight/Volume: 10 mL

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

**Method Blank - Batch: 720-79361**  
**Method: 8260B/CA\_LUFTMS**  
**Preparation: 5030B**

Lab Sample ID: MB 720-79361/4  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/06/2010 1118  
Date Prepared: 10/06/2010 1118

Analysis Batch: 720-79361  
Prep Batch: N/A  
Units: ug/L  
Instrument ID: HP5  
Lab File ID: 100610004.D  
Initial Weight/Volume: 10 mL  
Final Weight/Volume: 10 mL

Analyte	Result	Qual	RL
Acetone	ND		50
Benzene	ND		0.50
Dichlorobromomethane	ND		0.50
Bromobenzene	ND		1.0
Methyl tert-butyl ether	ND		0.50
Chlorobromomethane	ND		1.0
Bromoform	ND		1.0
Bromomethane	ND		1.0
2-Butanone (MEK)	ND		50
n-Butylbenzene	ND		1.0
sec-Butylbenzene	ND		1.0
tert-Butylbenzene	ND		1.0
Carbon disulfide	ND		5.0
Carbon tetrachloride	ND		0.50
Chlorobenzene	ND		0.50
Chloroethane	ND		1.0
Chloroform	ND		1.0
Chloromethane	ND		1.0
2-Chlorotoluene	ND		0.50
4-Chlorotoluene	ND		0.50
Chlorodibromomethane	ND		0.50
1,2-Dichlorobenzene	ND		0.50
1,3-Dichlorobenzene	ND		0.50
1,4-Dichlorobenzene	ND		0.50
1,3-Dichloropropane	ND		1.0
1,1-Dichloropropene	ND		0.50
1,2-Dibromo-3-Chloropropane	ND		1.0
Ethylene Dibromide	ND		0.50
Dibromomethane	ND		0.50
Dichlorodifluoromethane	ND		0.50
1,1-Dichloroethane	ND		0.50
1,2-Dichloroethane	ND		0.50
1,1-Dichloroethene	ND		0.50
cis-1,2-Dichloroethene	ND		0.50
trans-1,2-Dichloroethene	ND		0.50
1,2-Dichloropropane	ND		0.50
cis-1,3-Dichloropropene	ND		0.50
trans-1,3-Dichloropropene	ND		0.50
Ethylbenzene	ND		0.50
Hexachlorobutadiene	ND		1.0
2-Hexanone	ND		50
Isopropylbenzene	ND		0.50
4-Isopropyltoluene	ND		1.0

Analyte	Result	Qual	RL
Methylene Chloride	ND		5.0
4-Methyl-2-pentanone (MIBK)	ND		50
Naphthalene	ND		1.0
N-Propylbenzene	ND		1.0
Styrene	ND		0.50
1,1,1,2-Tetrachloroethane	ND		0.50
1,1,2,2-Tetrachloroethane	ND		0.50
Tetrachloroethene	ND		0.50
Toluene	ND		0.50
1,2,3-Trichlorobenzene	ND		1.0
1,2,4-Trichlorobenzene	ND		1.0
1,1,1-Trichloroethane	ND		0.50
1,1,2-Trichloroethane	ND		0.50
Trichloroethene	ND		0.50
Trichlorofluoromethane	ND		1.0
1,2,3-Trichloropropane	ND		0.50
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		0.50
1,2,4-Trimethylbenzene	ND		0.50
1,3,5-Trimethylbenzene	ND		0.50
Vinyl acetate	ND		10
Vinyl chloride	ND		0.50
m-Xylene & p-Xylene	ND		1.0
o-Xylene	ND		0.50
Xylenes, Total	ND		1.0
2,2-Dichloropropane	ND		0.50
Gasoline Range Organics (GRO)-C5-C12	ND		50
Surrogate	% Rec	Acceptance Limits	
4-Bromofluorobenzene	97	67 - 130	
1,2-Dichloroethane-d4 (Surr)	108	67 - 130	
Toluene-d8 (Surr)	96	70 - 130	

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

#### Lab Control Sample/ Lab Control Sample Duplicate Recovery Report - Batch: 720-79361

Method: 8260B/CA\_LUFTMS  
Preparation: 5030B

LCS Lab Sample ID: LCS 720-79361/5  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/06/2010 1151  
Date Prepared: 10/06/2010 1151

Analysis Batch: 720-79361  
Prep Batch: N/A  
Units: ug/L

Instrument ID: HP5  
Lab File ID: 100610005.D  
Initial Weight/Volume: 10 mL  
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 720-79361/6  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/06/2010 1223  
Date Prepared: 10/06/2010 1223

Analysis Batch: 720-79361  
Prep Batch: N/A  
Units: ug/L

Instrument ID: HP5  
Lab File ID: 100610006.D  
Initial Weight/Volume: 10 mL  
Final Weight/Volume: 10 mL

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

#### Lab Control Sample/ Lab Control Sample Duplicate Recovery Report - Batch: 720-79361

Method: 8260B/CA\_LUFTMS  
Preparation: 5030B

LCS Lab Sample ID: LCS 720-79361/5  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/06/2010 1151  
Date Prepared: 10/06/2010 1151

Analysis Batch: 720-79361  
Prep Batch: N/A  
Units: ug/L

Instrument ID: HP5  
Lab File ID: 100610005.D  
Initial Weight/Volume: 10 mL  
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 720-79361/6  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/06/2010 1223  
Date Prepared: 10/06/2010 1223

Analysis Batch: 720-79361  
Prep Batch: N/A  
Units: ug/L

Instrument ID: HP5  
Lab File ID: 100610006.D  
Initial Weight/Volume: 10 mL  
Final Weight/Volume: 10 mL

Analyte	% Rec.						
	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Acetone	93	99	50 - 147	6	30		
Benzene	99	100	82 - 127	2	20		
Dichlorobromomethane	108	110	70 - 130	2	20		
Bromobenzene	107	108	79 - 127	1	20		
Methyl tert-butyl ether	109	113	62 - 130	3	20		
Chlorobromomethane	108	111	70 - 130	2	20		
Bromoform	94	99	68 - 136	6	20		
Bromomethane	98	104	43 - 151	5	20		
2-Butanone (MEK)	104	110	56 - 135	5	20		
n-Butylbenzene	113	115	70 - 130	1	20		
sec-Butylbenzene	109	111	70 - 130	1	20		
tert-Butylbenzene	110	111	70 - 130	1	20		
Carbon disulfide	104	107	78 - 126	3	20		
Carbon tetrachloride	111	113	77 - 146	2	20		
Chlorobenzene	98	103	70 - 130	5	20		
Chloroethane	103	109	62 - 138	6	20		
Chloroform	104	106	70 - 130	2	20		
Chloromethane	98	104	52 - 175	6	20		
2-Chlorotoluene	107	110	70 - 130	2	20		
4-Chlorotoluene	108	109	70 - 130	0	20		
Chlorodibromomethane	104	106	78 - 145	2	20		
1,2-Dichlorobenzene	105	105	70 - 130	1	20		
1,3-Dichlorobenzene	105	106	70 - 130	1	20		
1,4-Dichlorobenzene	101	102	82 - 113	1	20		
1,3-Dichloropropane	113	116	86 - 135	3	20		
1,1-Dichloropropene	106	108	70 - 130	2	20		
1,2-Dibromo-3-Chloropropane	88	91	61 - 132	3	20		
Ethylene Dibromide	112	115	70 - 130	2	20		
Dibromomethane	113	116	70 - 130	2	20		
Dichlorodifluoromethane	92	97	33 - 125	5	20		
1,1-Dichloroethane	101	104	70 - 130	2	20		
1,2-Dichloroethane	109	111	70 - 126	2	20		
1,1-Dichloroethene	97	100	64 - 128	3	20		

Analyte	% Rec.						
	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
cis-1,2-Dichloroethene	111	112	70 - 130	2	20		
trans-1,2-Dichloroethene	101	103	75 - 131	2	20		
1,2-Dichloropropane	108	110	70 - 130	2	20		
cis-1,3-Dichloropropene	105	107	70 - 130	2	20		
trans-1,3-Dichloropropene	105	107	70 - 130	2	20		
Ethylbenzene	102	107	86 - 135	5	20		
Hexachlorobutadiene	99	101	70 - 130	2	20		
2-Hexanone	101	106	60 - 164	4	20		
Isopropylbenzene	106	111	70 - 130	5	20		
4-isopropyltoluene	106	107	70 - 130	1	20		
Methylene Chloride	103	106	73 - 147	3	20		
4-Methyl-2-pentanone (MIBK)	106	110	63 - 165	4	20		
Naphthalene	101	104	78 - 122	3	20		
N-Propylbenzene	106	107	70 - 130	1	20		
Styrene	109	115	70 - 130	5	20		
1,1,1,2-Tetrachloroethane	117	123	70 - 130	5	20		
1,1,2,2-Tetrachloroethane	120	122	70 - 130	1	20		
Tetrachloroethene	98	99	70 - 130	2	20		
Toluene	93	97	83 - 129	5	20		
1,2,3-Trichlorobenzene	107	109	70 - 130	2	20		
1,2,4-Trichlorobenzene	103	105	70 - 130	2	20		
1,1,1-Trichloroethane	108	111	70 - 130	2	20		
1,1,2-Trichloroethane	117	120	86 - 135	2	20		
Trichloroethene	97	99	70 - 130	2	20		
Trichlorofluoromethane	111	114	74 - 146	3	20		
1,2,3-Trichloropropene	116	118	70 - 130	2	20		
1,1,2-Trichloro-1,2,2-trifluoroethane	95	97	42 - 162	2	20		
1,2,4-Trimethylbenzene	115	117	70 - 132	1	20		
1,3,5-Trimethylbenzene	113	114	70 - 130	1	20		
Vinyl acetate	102	103	37 - 134	0	20		
Vinyl chloride	92	97	65 - 156	5	20		
m-Xylene & p-Xylene	104	109	70 - 142	5	20		
o-Xylene	106	111	89 - 136	5	20		

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

**Lab Control Sample/  
Lab Control Sample Duplicate Recovery Report - Batch: 720-79361**

**Method: 8260B/CA\_LUFTMS  
Preparation: 5030B**

LCS Lab Sample ID: LCS 720-79361/5  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/06/2010 1151  
Date Prepared: 10/06/2010 1151

Analysis Batch: 720-79361  
Prep Batch: N/A  
Units: ug/L

Instrument ID: HP5  
Lab File ID: 100610005.D  
Initial Weight/Volume: 10 mL  
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 720-79361/6  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/06/2010 1223  
Date Prepared: 10/06/2010 1223

Analysis Batch: 720-79361  
Prep Batch: N/A  
Units: ug/L

Instrument ID: HP5  
Lab File ID: 100610006.D  
Initial Weight/Volume: 10 mL  
Final Weight/Volume: 10 mL

Analyte	% Rec.						
	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
2,2-Dichloropropane	109	112	70 - 140	3	20		
Surrogate	LCS % Rec	LCSD % Rec				Acceptance Limits	
4-Bromofluorobenzene	101	106			67 - 130		
1,2-Dichloroethane-d4 (Surr)	104	106			67 - 130		
Toluene-d8 (Surr)	99	99			70 - 130		

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

**Lab Control Sample/  
Lab Control Sample Duplicate Recovery Report - Batch: 720-79361**

**Method: 8260B/CA\_LUFTMS  
Preparation: 5030B**

LCS Lab Sample ID: LCS 720-79361/7  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/06/2010 1256  
Date Prepared: 10/06/2010 1256

Analysis Batch: 720-79361  
Prep Batch: N/A  
Units: ug/L

Instrument ID: HP5  
Lab File ID: 100610007.D  
Initial Weight/Volume: 10 mL  
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 720-79361/8  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/06/2010 1328  
Date Prepared: 10/06/2010 1328

Analysis Batch: 720-79361  
Prep Batch: N/A  
Units: ug/L

Instrument ID: HP5  
Lab File ID: 100610008.D  
Initial Weight/Volume: 10 mL  
Final Weight/Volume: 10 mL

Analyte	% Rec.						
	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Gasoline Range Organics (GRO)-C5-C12	93	91	62 - 117	2	20		
Surrogate	LCS % Rec	LCSD % Rec				Acceptance Limits	
4-Bromofluorobenzene	104	107			67 - 130		
1,2-Dichloroethane-d4 (Surr)	108	111			67 - 130		
Toluene-d8 (Surr)	100	99			70 - 130		

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

#### Matrix Spike/ Matrix Spike Duplicate Recovery Report - Batch: 720-79361

Method: 8260B/CA\_LUFTMS  
Preparation: 5030B

MS Lab Sample ID: 720-30913-B-15 MS Analysis Batch: 720-79361  
Client Matrix: Water Prep Batch: N/A  
Dilution: 1.0  
Date Analyzed: 10/06/2010 1832  
Date Prepared: 10/06/2010 1832

Instrument ID: HP5  
Lab File ID: 100610017.D  
Initial Weight/Volume: 10 mL  
Final Weight/Volume: 10 mL

MSD Lab Sample ID: 720-30913-B-15 MSD Analysis Batch: 720-79361  
Client Matrix: Water Prep Batch: N/A  
Dilution: 1.0  
Date Analyzed: 10/06/2010 1905  
Date Prepared: 10/06/2010 1905

Instrument ID: HP5  
Lab File ID: 100610018.D  
Initial Weight/Volume: 10 mL  
Final Weight/Volume: 10 mL

Analyte	% Rec.						
	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Acetone	67	67	60 - 140	1	20		
Benzene	98	99	60 - 140	1	20		
Dichlorobromomethane	108	109	60 - 140	1	20		
Bromobenzene	107	107	60 - 140	0	20		
Methyl tert-butyl ether	112	113	60 - 138	0	20		
Chlorobromomethane	109	110	60 - 140	0	20		
Bromoform	98	96	56 - 140	2	20		
Bromomethane	96	96	23 - 140	1	20		
2-Butanone (MEK)	93	92	60 - 140	1	20		
n-Butylbenzene	110	112	60 - 140	2	20		
sec-Butylbenzene	107	108	60 - 140	1	20		
tert-Butylbenzene	108	109	60 - 140	1	20		
Carbon disulfide	101	103	38 - 140	2	20		
Carbon tetrachloride	107	110	60 - 140	3	20		
Chlorobenzene	101	99	60 - 140	2	20		
Chloroethane	104	104	51 - 140	0	20		
Chloroform	104	105	60 - 140	1	20		
Chloromethane	98	97	52 - 140	1	20		
2-Chlorotoluene	107	107	60 - 140	0	20		
4-Chlorotoluene	107	107	60 - 140	0	20		
Chlorodibromomethane	104	106	60 - 140	2	20		
1,2-Dichlorobenzene	105	106	60 - 140	1	20		
1,3-Dichlorobenzene	104	105	60 - 140	1	20		
1,4-Dichlorobenzene	101	102	60 - 140	1	20		
1,3-Dichloropropane	115	115	60 - 140	0	20		
1,1-Dichloropropene	104	105	60 - 140	2	20		
1,2-Dibromo-3-Chloropropane	88	89	60 - 140	1	20		
Ethylene Dibromide	114	115	60 - 140	1	20		
Dibromomethane	114	115	60 - 140	0	20		
Dichlorodifluoromethane	98	97	38 - 140	1	20		

TestAmerica San Francisco

Page 41 of 65

11/05/2010

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

#### Matrix Spike/ Matrix Spike Duplicate Recovery Report - Batch: 720-79361

Method: 8260B/CA\_LUFTMS  
Preparation: 5030B

MS Lab Sample ID: 720-30913-B-15 MS Analysis Batch: 720-79361  
Client Matrix: Water Prep Batch: N/A  
Dilution: 1.0  
Date Analyzed: 10/06/2010 1832  
Date Prepared: 10/06/2010 1832

MSD Lab Sample ID: 720-30913-B-15 MSD Analysis Batch: 720-79361  
Client Matrix: Water Prep Batch: N/A  
Dilution: 1.0  
Date Analyzed: 10/06/2010 1905  
Date Prepared: 10/06/2010 1905

Analyte	% Rec.						
	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
1,1-Dichloroethane	101	102	60 - 140	1	20		
1,2-Dichloroethane	110	110	60 - 140	0	20		
1,1-Dichloroethene	94	96	60 - 140	3	20		
cis-1,2-Dichloroethene	111	111	60 - 140	0	20		
trans-1,2-Dichloroethene	100	101	60 - 140	1	20		
1,2-Dichloropropane	109	110	60 - 140	1	20		
cis-1,3-Dichloropropene	105	106	60 - 140	1	20		
trans-1,3-Dichloropropene	106	105	60 - 140	0	20		
Ethylbenzene	104	103	60 - 140	2	20		
Hexachlorobutadiene	96	99	60 - 140	3	20		
2-Hexanone	96	96	60 - 140	0	20		
Isopropylbenzene	108	106	60 - 140	2	20		
4-Isopropyltoluene	104	105	60 - 140	1	20		
Methylene Chloride	101	103	40 - 140	2	20		
4-Methyl-2-pentanone (MIBK)	110	109	60 - 140	1	20		
Naphthalene	103	105	56 - 140	2	20		
N-Propylbenzene	104	105	60 - 140	1	20		
Styrene	108	92	60 - 140	17	20		
1,1,1,2-Tetrachloroethane	121	118	60 - 140	2	20		
1,1,2,2-Tetrachloroethane	123	122	60 - 140	1	20		
Tetrachloroethene	95	96	60 - 140	1	20		
Toluene	96	93	60 - 140	3	20		
1,2,3-Trichlorobenzene	107	111	60 - 140	4	20		
1,2,4-Trichlorobenzene	102	107	60 - 140	3	20		
1,1,1-Trichloroethane	108	109	60 - 140	1	20		
1,1,2-Trichloroethane	119	119	60 - 140	0	20		
Trichloroethene	94	94	60 - 140	0	20		
Trichlorofluoromethane	109	109	60 - 140	0	20		
1,2,3-Trichloropropene	119	117	60 - 140	1	20		
1,1,2-Trichloro-1,2,2-trifluoroethane	91	93	60 - 140	2	20		

TestAmerica San Francisco

Page 42 of 65

11/05/2010

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

**Matrix Spike/  
Matrix Spike Duplicate Recovery Report - Batch: 720-79361**

**Method: 8260B/CA\_LUFTMS  
Preparation: 5030B**

MS Lab Sample ID: 720-30913-B-15 MS      Analysis Batch: 720-79361  
 Client Matrix: Water      Prep Batch: N/A  
 Dilution: 1.0  
 Date Analyzed: 10/06/2010 1832  
 Date Prepared: 10/06/2010 1832

Instrument ID: HP5  
 Lab File ID: 100610017.D  
 Initial Weight/Volume: 10 mL  
 Final Weight/Volume: 10 mL

MSD Lab Sample ID: 720-30913-B-15 MSD      Analysis Batch: 720-79361  
 Client Matrix: Water      Prep Batch: N/A  
 Dilution: 1.0  
 Date Analyzed: 10/06/2010 1905  
 Date Prepared: 10/06/2010 1905

Instrument ID: HPS  
 Lab File ID: 100610018.D  
 Initial Weight/Volume: 10 mL  
 Final Weight/Volume: 10 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
1,2,4-Trimethylbenzene	113	113	60 - 140	0	20		
1,3,5-Trimethylbenzene	111	112	60 - 140	1	20		
Vinyl acetate	98	96	40 - 140	1	20		
Vinyl chloride	93	93	58 - 140	0	20		
m-Xylene & p-Xylene	107	105	60 - 140	2	20		
o-Xylene	110	107	60 - 140	3	20		
2,2-Dichloropropane	106	104	60 - 140	2	20		
Surrogate	MS % Rec	MSD % Rec			Acceptance Limits		
4-Bromofluorobenzene	106	102			67 - 130		
1,2-Dichloroethane-d4 (Surr)	106	106			67 - 130		
Toluene-d8 (Surr)	99	99			70 - 130		

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

**Method Blank - Batch: 720-79044**

**Method: 8270C SIM  
Preparation: 3550B**

Lab Sample ID: MB 720-79044/1-A  
 Client Matrix: Solid  
 Dilution: 1.0  
 Date Analyzed: 10/01/2010 1725  
 Date Prepared: 09/30/2010 1137

Analysis Batch: 720-79121  
 Prep Batch: 720-79044  
 Units: ug/Kg

Instrument ID: HP # 3  
 Lab File ID: 100110018.D  
 Initial Weight/Volume: 30.04 g  
 Final Weight/Volume: 1 mL  
 Injection Volume: 1 uL

Analyte	Result	Qual	RL
Naphthalene	ND		5.0
Acenaphthene	ND		5.0
Acenaphthylenne	ND		5.0
Fluorene	ND		5.0
Phenanthrene	ND		5.0
Anthracene	ND		5.0
Benz[a]anthracene	ND		5.0
Chrysene	ND		5.0
Benzo[a]pyrene	ND		5.0
Benzo[b]fluoranthene	ND		5.0
Benzo[k]fluoranthene	ND		5.0
Benzo[g,h,i]perylene	ND		5.0
Indeno[1,2,3-cd]pyrene	ND		5.0
Fluoranthene	ND		5.0
Pyrene	ND		5.0
Dibenz(a,h)anthracene	ND		5.0

Surrogate	% Rec	Acceptance Limits
2-Fluorobiphenyl	90	33 - 120
Terphenyl-d14	106	35 - 146

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

#### Lab Control Sample/ Lab Control Sample Duplicate Recovery Report - Batch: 720-79044

**Method: 8270C SIM  
Preparation: 3550B**

LCS Lab Sample ID: LCS 720-79044/2-A  
 Client Matrix: Solid  
 Dilution: 1.0  
 Date Analyzed: 10/01/2010 1639  
 Date Prepared: 09/30/2010 1137

Analysis Batch: 720-79121  
 Prep Batch: 720-79044  
 Units: ug/Kg

Instrument ID: HP # 3  
 Lab File ID: 100110016.D  
 Initial Weight/Volume: 30.18 g  
 Final Weight/Volume: 1 mL  
 Injection Volume: 1 uL

LCSD Lab Sample ID: LCSD 720-79044/3-A  
 Client Matrix: Solid  
 Dilution: 1.0  
 Date Analyzed: 10/01/2010 1702  
 Date Prepared: 09/30/2010 1137

Analysis Batch: 720-79121  
 Prep Batch: 720-79044  
 Units: ug/Kg

Instrument ID: HP # 3  
 Lab File ID: 100110017.D  
 Initial Weight/Volume: 30.06 g  
 Final Weight/Volume: 1 mL  
 Injection Volume: 1 uL

Analyte	% Rec.							
	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual	
Naphthalene	88	85	46 - 120	3	20			
Acenaphthene	80	86	49 - 120	7	20			
Acenaphthylene	89	88	52 - 120	0	20			
Fluorene	112	110	52 - 120	2	20			
Phenanthrene	94	92	48 - 120	1	20			
Anthracene	95	94	52 - 120	1	20			
Benz[a]anthracene	86	83	52 - 120	4	20			
Chrysene	101	100	54 - 120	1	20			
Benz[a]pyrene	99	98	54 - 120	1	20			
Benz[b]fluoranthene	89	88	51 - 120	1	20			
Benz[k]fluoranthene	110	104	56 - 120	5	20			
Benzog,h,iperylene	92	93	48 - 120	1	20			
Indeno[1,2,3-cd]pyrene	98	99	48 - 120	1	20			
Fluoranthene	105	103	57 - 120	2	20			
Pyrene	93	91	53 - 120	2	20			
Dibenz(a,h)anthracene	97	98	50 - 120	1	20			
Surrogate	LCS % Rec		LCSD % Rec		Acceptance Limits			
2-Fluorobiphenyl	94	91			33 - 120			
Terphenyl-d14	103	101			35 - 146			

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

#### Matrix Spike/ Matrix Spike Duplicate Recovery Report - Batch: 720-79044

**Method: 8270C SIM  
Preparation: 3550B**

MS Lab Sample ID: 720-30865-3  
 Client Matrix: Solid  
 Dilution: 1.0  
 Date Analyzed: 10/01/2010 2051  
 Date Prepared: 09/30/2010 1137

Analysis Batch: 720-79121  
 Prep Batch: 720-79044

Instrument ID: HP # 3  
 Lab File ID: 100110027.D  
 Initial Weight/Volume: 30.06 g  
 Final Weight/Volume: 1 mL  
 Injection Volume: 1 uL

MSD Lab Sample ID: 720-30865-3  
 Client Matrix: Solid  
 Dilution: 1.0  
 Date Analyzed: 10/01/2010 2114  
 Date Prepared: 09/30/2010 1137

Analysis Batch: 720-79121  
 Prep Batch: 720-79044

Instrument ID: HP # 3  
 Lab File ID: 100110028.D  
 Initial Weight/Volume: 30.09 g  
 Final Weight/Volume: 1 mL  
 Injection Volume: 1 uL

Analyte	% Rec.						
	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Naphthalene	60	74	32 - 120	21	20	F	
Acenaphthene	58	78	33 - 120	29	20	F	
Acenaphthylene	59	86	28 - 120	37	20	F	
Fluorene	78	107	35 - 120	32	20	F	
Phenanthrene	67	86	28 - 120	25	20	F	
Anthracene	73	87	36 - 120	18	20		
Benz[a]anthracene	70	81	29 - 120	15	20		
Chrysene	82	93	29 - 120	12	20		
Benz[a]pyrene	81	91	24 - 120	11	20		
Benz[b]fluoranthene	76	85	17 - 132	11	20		
Benz[k]fluoranthene	83	96	35 - 120	14	20		
Benzog,h,iperylene	82	92	21 - 120	12	20		
Indeno[1,2,3-cd]pyrene	87	98	20 - 126	12	20		
Fluoranthene	86	96	24 - 120	12	20		
Pyrene	76	87	24 - 123	14	20		
Dibenz(a,h)anthracene	86	98	36 - 120	12	20		
Surrogate	MS % Rec		MSD % Rec		Acceptance Limits		
2-Fluorobiphenyl	56	81			33 - 120		
Terphenyl-d14	85	97			35 - 146		

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

**Method Blank - Batch: 720-79141**

**Method: 8270C SIM  
Preparation: 3510C**

Lab Sample ID: MB 720-79141/1-A  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/04/2010 1408  
Date Prepared: 10/01/2010 1436

Analysis Batch: 720-79226  
Prep Batch: 720-79141  
Units: ug/L

Instrument ID: SVOA HP 4  
Lab File ID: 10041007.D  
Initial Weight/Volume: 1000 mL  
Final Weight/Volume: 1 mL  
Injection Volume: 1 uL

Analyte	Result	Qual	RL
Naphthalene	ND		1.0
Acenaphthene	ND		0.10
Acenaphthylene	ND		0.10
Fluorene	ND		0.10
Phenanthrene	ND		0.10
Anthracene	ND		0.10
Benz[a]anthracene	ND		0.10
Chrysene	ND		0.10
Benz[a]pyrene	ND		0.10
Benz[b]fluoranthene	ND		0.10
Benz[k]fluoranthene	ND		0.10
Benz[g,h,i]perylene	ND		0.10
Indeno[1,2,3-cd]pyrene	ND		0.10
Fluoranthene	ND		0.10
Pyrene	ND		0.10
Dibenz(a,h)anthracene	ND		0.10

Surrogate	% Rec	Acceptance Limits
2-Fluorobiphenyl	75	29 - 120
Terphenyl-d14	101	45 - 120

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

**Lab Control Sample/  
Lab Control Sample Duplicate Recovery Report - Batch: 720-79141**

**Method: 8270C SIM  
Preparation: 3510C**

LCS Lab Sample ID: LCS 720-79141/2-A  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/04/2010 1320  
Date Prepared: 10/01/2010 1436

Analysis Batch: 720-79226  
Prep Batch: 720-79141  
Units: ug/L

LCSD Lab Sample ID: LCSD 720-79141/3-A  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/04/2010 1344  
Date Prepared: 10/01/2010 1436

Instrument ID: SVOA HP 4  
Lab File ID: 10041006.D  
Initial Weight/Volume: 1000 mL  
Final Weight/Volume: 1 mL  
Injection Volume: 1 uL

Analyte	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Naphthalene	70	57	33 - 120	21	35		
Acenaphthene	75	59	37 - 120	25	35		
Acenaphthylene	72	56	36 - 120	25	35		
Fluorene	91	71	39 - 120	25	35		
Phenanthrene	86	66	44 - 120	26	35		
Anthracene	85	70	45 - 120	19	35		
Benz[a]anthracene	93	93	48 - 120	1	35		
Chrysene	105	101	52 - 120	4	35		
Benz[a]pyrene	103	101	50 - 120	2	35		
Benz[b]fluoranthene	107	110	48 - 120	2	35		
Benz[k]fluoranthene	101	94	50 - 120	7	35		
Benz[g,h,i]perylene	92	90	49 - 120	1	35		
Indeno[1,2,3-cd]pyrene	96	94	48 - 120	2	35		
Fluoranthene	95	86	46 - 120	10	35		
Pyrene	95	87	50 - 120	9	35		
Dibenz(a,h)anthracene	95	93	48 - 101	2	35		

Surrogate	LCS % Rec	LCSD % Rec	Acceptance Limits
2-Fluorobiphenyl	76	60	29 - 120
Terphenyl-d14	98	96	45 - 120

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

#### Matrix Spike/ Matrix Spike Duplicate Recovery Report - Batch: 720-79141

**Method: 8270C SIM  
Preparation: 3510C**

MS Lab Sample ID: 720-30865-4 Analysis Batch: 720-79226  
Client Matrix: Water Prep Batch: 720-79141  
Dilution: 1.0  
Date Analyzed: 10/04/2010 1431  
Date Prepared: 10/01/2010 1436

Instrument ID: SVOA HP 4  
Lab File ID: 10041008.D  
Initial Weight/Volume: 970 mL  
Final Weight/Volume: 1 mL  
Injection Volume: 1 uL

MSD Lab Sample ID: 720-30865-4 Analysis Batch: 720-79226  
Client Matrix: Water Prep Batch: 720-79141  
Dilution: 1.0  
Date Analyzed: 10/04/2010 1455  
Date Prepared: 10/01/2010 1436

Instrument ID: SVOA HP 4  
Lab File ID: 10041009.D  
Initial Weight/Volume: 970 mL  
Final Weight/Volume: 1 mL  
Injection Volume: 1 uL

Analyte	% Rec.						
	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Naphthalene	58	59	36 - 120	0	35		
Acenaphthene	62	61	40 - 120	2	35		
Acenaphthylene	59	59	39 - 120	1	35		
Fluorene	71	71	44 - 120	0	35		
Phenanthrene	62	62	44 - 120	0	35		
Anthracene	67	66	48 - 120	2	35		
Benz[a]anthracene	86	84	48 - 120	3	35		
Chrysene	99	93	52 - 120	6	35		
Benz[a]pyrene	72	60	50 - 120	18	35		
Benz[b]fluoranthene	78	74	48 - 120	6	35		
Benz[k]fluoranthene	71	58	50 - 120	21	35		
Benzol[g,h,i]perylene	36	31	49 - 120	16	35	F	F
Indeno[1,2,3-cd]pyrene	40	34	48 - 120	16	35	F	F
Fluoranthene	81	81	52 - 120	0	35		
Pyrene	81	81	50 - 120	0	35		
Dibenz(a,h)anthracene	33	28	48 - 120	14	35	F	F

Surrogate	MS % Rec	MSD % Rec	Acceptance Limits			
2-Fluorobiphenyl	63	63		29 - 120		
Terphenyl-d14	87	80		45 - 120		

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

#### Method Blank - Batch: 720-79118

**Method: 8015B  
Preparation: 3510C SGC  
Dissolved**

Lab Sample ID: MB 720-79115/1-C Analysis Batch: 720-79205  
Client Matrix: Water Prep Batch: 720-79118  
Dilution: 1.0 Units: ug/L  
Date Analyzed: 10/04/2010 0955  
Date Prepared: 10/01/2010 1004

Instrument ID: CHDRO5  
Lab File ID: 1004105a\_009.d  
Initial Weight/Volume: 1000 mL  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

Analyte	Result	Qual	MDL	RL
Diesel Range Organics [C10-C28]	18.6	J	10	50
Motor Oil Range Organics [C24-C36]	ND		130	300
Surrogate	% Rec			Acceptance Limits
Capric Acid (Surr)	0.1			0 - 5
p-Terphenyl	94			31 - 150

#### Lab Control Sample/ Lab Control Sample Duplicate Recovery Report - Batch: 720-79118

**Method: 8015B  
Preparation: 3510C SGC  
Dissolved**

LCS Lab Sample ID: LCS 720-79115/2-C Analysis Batch: 720-79205  
Client Matrix: Water Prep Batch: 720-79118  
Dilution: 1.0 Units: ug/L  
Date Analyzed: 10/04/2010 0909  
Date Prepared: 10/01/2010 1004

Instrument ID: CHDRO5  
Lab File ID: 1004105a\_007.d  
Initial Weight/Volume: 1000 mL  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

LCSD Lab Sample ID: LCSD 720-79115/3-C Analysis Batch: 720-79205  
Client Matrix: Water Prep Batch: 720-79118  
Dilution: 1.0 Units: ug/L  
Date Analyzed: 10/04/2010 0932  
Date Prepared: 10/01/2010 1004

Instrument ID: CHDRO5  
Lab File ID: 1004105a\_008.d  
Initial Weight/Volume: 1000 mL  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

Analyte	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Diesel Range Organics [C10-C28]	66	58	32 - 119	12	35		
Surrogate	LCS % Rec			LCSD % Rec			Acceptance Limits
p-Terphenyl	91			88			31 - 150

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

**Method Blank - Batch: 720-79235**

Lab Sample ID: MB 720-79235/1-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 10/05/2010 0706  
Date Prepared: 10/04/2010 1427

Analysis Batch: 720-79206  
Prep Batch: 720-79235  
Units: mg/Kg

**Method: 8015B**  
**Preparation: 3550B**  
**Silica Gel Cleanup**

Instrument ID: CHDRO5  
Lab File ID: 1004105b\_061.d  
Initial Weight/Volume: 30.12 g  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

Analyte	Result	Qual	RL
Diesel Range Organics [C10-C28]	ND		1.0
Motor Oil Range Organics [C24-C36]	ND		50

Surrogate	% Rec	Acceptance Limits
Capric Acid (Sur)	0.2	0 - 5
p-Terphenyl	93	46 - 115

**Lab Control Sample/  
Lab Control Sample Duplicate Recovery Report - Batch: 720-79235**

LCS Lab Sample ID: LCS 720-79235/2-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 10/05/2010 0619  
Date Prepared: 10/04/2010 1427

Analysis Batch: 720-79206  
Prep Batch: 720-79235  
Units: mg/Kg

**Method: 8015B**  
**Preparation: 3550B**  
**Silica Gel Cleanup**

Instrument ID: CHDRO5  
Lab File ID: 1004105b\_059.d  
Initial Weight/Volume: 30.21 g  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

LCSD Lab Sample ID: LCSD 720-79235/3-A  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 10/05/2010 0642  
Date Prepared: 10/04/2010 1427

Analysis Batch: 720-79206  
Prep Batch: 720-79235  
Units: mg/Kg

Instrument ID: CHDRO5  
Lab File ID: 1004105b\_060.d  
Initial Weight/Volume: 30.43 g  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

Analyte	LCS	LCSD	% Rec.	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Diesel Range Organics [C10-C28]	83	85	85	45 - 115	1	35		
Surrogate				LCS % Rec	LCSD % Rec		Acceptance Limits	
p-Terphenyl		103		100		46 - 115		

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

**Matrix Spike/  
Matrix Spike Duplicate Recovery Report - Batch: 720-79235**

**Method: 8015B**  
**Preparation: 3550B**  
**Silica Gel Cleanup**

MS Lab Sample ID: 720-30865-3  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 10/05/2010 1125  
Date Prepared: 10/04/2010 1427

Analysis Batch: 720-79276  
Prep Batch: 720-79235

Instrument ID: CHDRO6  
Lab File ID: FID1000012.D  
Initial Weight/Volume: 30.42 g  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

MSD Lab Sample ID: 720-30865-3  
Client Matrix: Solid  
Dilution: 1.0  
Date Analyzed: 10/05/2010 1147  
Date Prepared: 10/04/2010 1427

Analysis Batch: 720-79276  
Prep Batch: 720-79235

Instrument ID: CHDRO6  
Lab File ID: FID1000013.D  
Initial Weight/Volume: 30.30 g  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Diesel Range Organics [C10-C28]	55	73	50 - 130	28	30		
Surrogate		MS % Rec	MSD % Rec			Acceptance Limits	
p-Terphenyl		93	93			46 - 115	

TestAmerica San Francisco

Page 51 of 65

11/05/2010

TestAmerica San Francisco

Page 52 of 65

11/05/2010

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

**Method Blank - Batch: 720-79462**

Lab Sample ID: MB 720-79462/1-A  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/08/2010 0932  
Date Prepared: 10/07/2010 1014

Analysis Batch: 720-79524  
Prep Batch: 720-79462  
Units: ug/L

**Method: 8015B**  
**Preparation: 3510C SGC**  
**Silica Gel Cleanup**

Instrument ID: CHDRO5  
Lab File ID: 1008105b\_007.d  
Initial Weight/Volume: 1000 mL  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

Analyte	Result	Qual	RL
---------	--------	------	----

Diesel Range Organics [C10-C28]	ND	50	
Motor Oil Range Organics [C24-C36]	ND	300	

Surrogate	% Rec	Acceptance Limits
-----------	-------	-------------------

Capric Acid (Surr)	0.3	0 - 5
p-Terphenyl	95	31 - 150

**Lab Control Sample/**  
**Lab Control Sample Duplicate Recovery Report - Batch: 720-79462**

LCS Lab Sample ID: LCS 720-79462/2-A  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/08/2010 0955  
Date Prepared: 10/07/2010 1014

Analysis Batch: 720-79524  
Prep Batch: 720-79462  
Units: ug/L

**Method: 8015B**  
**Preparation: 3510C SGC**  
**Silica Gel Cleanup**

Instrument ID: CHDRO5  
Lab File ID: 1008105b\_008.d  
Initial Weight/Volume: 1000 mL  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

LCSD Lab Sample ID: LCSD 720-79462/3-A  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/08/2010 1018  
Date Prepared: 10/07/2010 1014

Analysis Batch: 720-79524  
Prep Batch: 720-79462  
Units: ug/L

Instrument ID: CHDRO5  
Lab File ID: 1008105b\_009.d  
Initial Weight/Volume: 1000 mL  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

Analyte	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
---------	-----	------	-------	-----	-----------	----------	-----------

Diesel Range Organics [C10-C28]	49	44	32 - 119	9	35		
---------------------------------	----	----	----------	---	----	--	--

Surrogate	LCS % Rec	LCSD % Rec	Acceptance Limits
-----------	-----------	------------	-------------------

p-Terphenyl	105	117	31 - 150
-------------	-----	-----	----------

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

**Matrix Spike/**  
**Matrix Spike Duplicate Recovery Report - Batch: 720-79462**

MS Lab Sample ID: 720-30865-4  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 10/08/2010 1128  
Date Prepared: 10/07/2010 1014

Instrument ID: CHDRO5  
Lab File ID: 1008105a\_012.d  
Initial Weight/Volume: 990 mL  
Final Weight/Volume: 2 mL  
Injection Volume: 1 uL  
Column ID: PRIMARY

Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
---------	----	-----	-------	-----	-----------	---------	----------

Diesel Range Organics [C10-C28]	55	56	32 - 119	2	30		
---------------------------------	----	----	----------	---	----	--	--

Surrogate	MS % Rec	MSD % Rec	Acceptance Limits
-----------	----------	-----------	-------------------

p-Terphenyl	95	92	31 - 150
-------------	----	----	----------

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

#### Method Blank - Batch: 720-79060

**Method:** 7199  
**Preparation:** N/A

Lab Sample ID: MB 720-79060/2  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 09/29/2010 1521  
Date Prepared: N/A

Analysis Batch: 720-79060  
Prep Batch: N/A  
Units: ug/L

Instrument ID: IC3  
Lab File ID: 092910.csv  
Initial Weight/Volume: 1.0 mL  
Final Weight/Volume: 10 mL

Analyte	Result	Qual	RL
Cr (VI)	ND		0.50

#### Lab Control Sample/ Lab Control Sample Duplicate Recovery Report - Batch: 720-79060

**Method:** 7199  
**Preparation:** N/A

LCS Lab Sample ID: LCS 720-79060/3  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 09/29/2010 1531  
Date Prepared: N/A

Analysis Batch: 720-79060  
Prep Batch: N/A  
Units: ug/L

Instrument ID: IC3  
Lab File ID: 092910.csv  
Initial Weight/Volume: 1.0 mL  
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 720-79060/4  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 09/29/2010 1541  
Date Prepared: N/A

Analysis Batch: 720-79060  
Prep Batch: N/A  
Units: ug/L

Instrument ID: IC3  
Lab File ID: 092910.csv  
Initial Weight/Volume: 1.0 mL  
Final Weight/Volume: 10 mL

Analyte		% Rec.		MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
		LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual		
Cr (VI)		101	98	85 - 115	3	20				

### Quality Control Results

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

#### Matrix Spike/ Matrix Spike Duplicate Recovery Report - Batch: 720-79060

**Method:** 7199  
**Preparation:** N/A

MS Lab Sample ID: 720-30859-A-1 MS  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 09/29/2010 1643  
Date Prepared: N/A

Analysis Batch: 720-79060  
Prep Batch: N/A

Instrument ID: IC3  
Lab File ID: 092910.csv  
Initial Weight/Volume: 1.0 mL  
Final Weight/Volume: 10 mL

MSD Lab Sample ID: 720-30859-A-1 MSD  
Client Matrix: Water  
Dilution: 1.0  
Date Analyzed: 09/29/2010 1653  
Date Prepared: N/A

Analysis Batch: 720-79060  
Prep Batch: N/A

Instrument ID: IC3  
Lab File ID: 092910.csv  
Initial Weight/Volume: 1.0 mL  
Final Weight/Volume: 10 mL

Analyte		% Rec.		MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
		LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual		
Cr (VI)		111	100	80 - 120	10	20				



THE LEADER IN ENVIRONMENTAL TESTING

17461 Dorian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

## LABORATORY REPORT

Prepared For: TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Attention: Afsaneh Salimpour

Project: N/A-Misc.  
720-30865

Sampled: 09/29/10  
Received: 10/01/10  
Issued: 10/08/10 16:20

NELAP #01108CA California ELAP#2706 CSDLAC #10256 AZ #AZ0671 NV #CA01531

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.

This entire report was reviewed and approved for release.

## SAMPLE CROSS REFERENCE

LABORATORY ID	CLIENT ID	MATRIX
ITJ0043-01	SB-08	Water
ITJ0043-02	SB-07	Water

Reviewed By:

TestAmerica Irvine

Kathleen A. Robb For Steven Garcia  
Project Manager



THE LEADER IN ENVIRONMENTAL TESTING

17461 Dorian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Attention: Afsaneh Salimpour

Project ID: N/A-Misc.  
720-30865  
Report Number: ITJ0043

Sampled: 09/29/10  
Received: 10/01/10

## METALS

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
<b>Sample ID: ITJ0043-01 (SB-08 - Water)</b>								
Reporting Units: ug/l								
Chromium	EPA 6020	10J0140	2.0	23	1	10/2/2010	10/2/2010	
<b>Sample ID: ITJ0043-02 (SB-07 - Water)</b>								
Reporting Units: ug/l								
Chromium	EPA 6020	10J0140	2.0	44	1	10/2/2010	10/2/2010	

TestAmerica Irvine

Kathleen A. Robb For Steven Garcia  
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced,  
except in full, without written permission from TestAmerica.



THE LEADER IN ENVIRONMENTAL TESTING

17461 Dorian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Attention: Afsaneh Salimpour

Project ID: N/A-Misc.  
720-30865  
Report Number: ITJ0043  
Sampled: 09/29/10  
Received: 10/01/10

## METHOD BLANK/QC DATA

## METALS

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
<u>Batch: 10J0140 Extracted: 10/02/10</u>										
Blank Analyzed: 10/02/2010 (10J0140-BLK1)										
Chromium	ND	2.0	ug/l							
LCS Analyzed: 10/02/2010 (10J0140-BS1)										
Chromium	81.0	2.0	ug/l		80.0		101	80-120		
Matrix Spike Analyzed: 10/02/2010 (10J0140-MS1)					Source: ITJ0043-02					
Chromium	117	2.0	ug/l		80.0	43.9	91	75-125		
Matrix Spike Dup Analyzed: 10/02/2010 (10J0140-MSD1)					Source: ITJ0043-02					
Chromium	111	2.0	ug/l		80.0	43.9	83	75-125	6	20

## TestAmerica Irvine

Kathleen A. Robb For Steven Garcia  
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced,  
except in full, with written permission from TestAmerica.

Page 3 of 5

ITJ0043 <Page 3 of 5>  
11/09/2010

THE LEADER IN ENVIRONMENTAL TESTING

17461 Dorian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Attention: Afsaneh Salimpour

Project ID: N/A-Misc.  
720-30865  
Report Number: ITJ0043  
Sampled: 09/29/10  
Received: 10/01/10

## DATA QUALIFIERS AND DEFINITIONS

- ND Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.  
RPD Relative Percent Difference

## TestAmerica Irvine

Kathleen A. Robb For Steven Garcia  
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced,  
except in full, with written permission from TestAmerica.

Page 4 of 5

ITJ0043 <Page 4 of 5>  
11/09/2010

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Phone (925) 464-1919 Fax (925) 500-3002  
Attention: Afsaneh Salimpour

17461 Dorian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

Project ID: N/A-Misc.  
720-30865

Sampled: 09/29/10  
Received: 10/01/10

Report Number: ITJ0043

## Certification Summary

### TestAmerica Irvine

Method	Matrix	Nelac	California
EPA 6020	Water	X	X

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at [www.testamericainc.com](http://www.testamericainc.com)

### TestAmerica San Francisco

1220 Quarry Lane  
Pleasanton, CA 94566  
Phone (925) 464-1919 Fax (925) 500-3002

TestAmerica Laboratories, Inc.

Address: 17461 Dorian Ave., Suite 100,

City: Pleasanton

State: CA

Zip: 94566-5817

Phone: (949) 261-1022(Tel) (949) 261-1228(Fax)

Fax:

Email:

Project Name:

Crown Chevrolet

Proj#:

7200680

SSN#:

SSN#:

SUSCONTRACT#:

by 6/30

Due Date Requested:

10/5/2010

TAT Requested (days):

10

P.O.#:

NYC #:










PO#:

Spec#:

**CHAIN-OF-CUSTODY RECORD**

~~720-30865~~

OAK 158

PROJECT NAME: Crown Chevrolet			70-00865		DATE: 9/18/2010	PAGE: 1 OF 1					
PROJECT NUMBER:	LABORATORY NAME: TASF	CLIENT INFORMATION:	REPORTING REQUIREMENTS:								
RESULTS TO: A. Patten	LABORATORY ADDRESS:										
TURNAROUND TIME: Standard	LABORATORY CONTACT: Abigail										
SAMPLE SHIPMENT METHOD:	LABORATORY PHONE NUMBER:										
			GEOTRACKER REQUIRED <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO								
			SITE SPECIFIC GLOBAL ID NO.								
SAMPLERS (SIGNATURE): 			ANALYSES								
DATE	TIME	SAMPLE NUMBER	VOC, THF	CONTAINER TYPE AND SIZE	SOL (S), VAPOR (V), or OTHER (O)	Preservative Type	Coded	MS/MSD	No. of Containers	ADDITIONAL COMMENTS	
9/28/10	17128	SB-03	X	40mL VOC	W	HCl	Y		3		
											
RELINQUISHED BY:			DATE	TIME	RECEIVED BY:	DATE	TIME	TOTAL NUMBER OF CONTAINERS:			
SIGNATURE: 	9/29/10	11:00	SIGNATURE: 	9/29/10	11:00am	SAMPLING COMMENTS:					
PRINTED NAME: Greg Stanley	PRINTED NAME: Ed Martinez	COMPANY: AMEC				VOC, THF by 8/26/08					
SIGNATURE: 	9/29/10	11:20	SIGNATURE: 	9/29/10	11:20	5.5g / 4.0g					
PRINTED NAME: Ed Martinez	PRINTED NAME: Dennis Muller	COMPANY: TASF									
SIGNATURE: 			SIGNATURE: 								
PRINTED NAME: COMPANY: TASF	PRINTED NAME: COMPANY: TASF					2101 Webster Street, 12th Floor Oakland, California 94612-3066 Tel 510.663.4100 Fax 510.663.4141					
SIGNATURE: 			SIGNATURE: 								
PRINTED NAME: COMPANY: TASF	PRINTED NAME: COMPANY: TASF										
											

Page 64 of 65

**CHAIN-OF-CUSTODY RECORD**

720-30865

OAK 15813

11/05/2010

## Login Sample Receipt Check List

Client: AMEC Geomatrix Inc.

Job Number: 720-30865-1

Login Number: 30865  
Creator: Mullen, Joan  
List Number: 1

List Source: TestAmerica San Francisco

Question	T / F / NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	
The cooler's custody seal, if present, is intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	



## ANALYTICAL REPORT

Job Number: 720-30865-2

Job Description: Crown Chevrolet

For:  
AMEC Geomatrix Inc.  
2101 Webster Street, 12th Floor  
Oakland, CA 94612  
Attention: Avery Patton

Approved for release  
Afsaneh Salimpour  
Project Manager I  
11/12/2010 2:05 PM

---

Afsaneh Salimpour  
Project Manager I  
afsaneh.salimpour@testamericainc.com  
11/12/2010  
Revision: 1

CA ELAP Certification # 2496

The Chain(s) of Custody are included and are an integral part of this report.

The report shall not be reproduced except in full, without the written approval of the laboratory. The client, by accepting this report, also agrees not to alter any reports whether in the hard copy or electronic format and to use reasonable efforts to preserve the reports in the form and substance originally provided by TestAmerica.

A trip blank is required to be provided for volatile analyses. If trip blank results are not included in the report, either the trip blank was not submitted or requested to be analyzed.

TestAmerica Laboratories, Inc.  
TestAmerica San Francisco 1220 Quarry Lane, Pleasanton, CA 94566  
Tel (925) 484-1919 Fax (925) 600-3002 [www.testamericainc.com](http://www.testamericainc.com)

Job Narrative  
720-30865-2

**Comments**  
No additional comments.

**Receipt**  
Per Client request amber glass bottle was filtered on 11/3/10 and then preserved with nitric acid and shipped to our Irvine lab to perform Dissolved Chromium by method 6020.

No analytical or quality issues were noted.

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

## LABORATORY REPORT

Prepared For: TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Attention: Afsaneh Salimpour

Project: N/A-Misc.  
720-30865

Sampled: 09/29/10  
Received: 11/04/10  
Issued: 11/05/10 16:52

NELAP #01108CA California ELAP#2706 CSDLAC #10256 AZ #AZ0671 NV #CA01531

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.

This entire report was reviewed and approved for release.

## SAMPLE CROSS REFERENCE

LABORATORY ID	CLIENT ID	MATRIX
ITK0514-01	SB-08	Water
ITK0514-02	SB-07	Water

Reviewed By:

TestAmerica Irvine  
Steven Garcia  
Project Manager

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Attention: Afsaneh Salimpour

Project ID: N/A-Misc.  
720-30865  
Report Number: ITK0514

Sampled: 09/29/10  
Received: 11/04/10

## DISSOLVED METALS

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: ITK0514-01 (SB-08 - Water)								
Reporting Units: ng/l								
Chromium	EPA 6020-Diss	10K0590	2.0	3.3	J-1	11/4/2010	11/5/2010	
Sample ID: ITK0514-02 (SB-07 - Water)								
Reporting Units: ng/l								
Chromium	EPA 6020-Diss	10K0590	2.0	2.8	J-1	11/4/2010	11/5/2010	

TestAmerica Irvine  
Steven Garcia  
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

ITK0514 <Page 2 of 5>  
11/05/2010

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Attention: Afsaneh Salimpour

17461 Dorian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

Project ID: N/A-Misc.  
720-30865  
Report Number: ITK0514  
Sampled: 09/29/10  
Received: 11/04/10

## METHOD BLANK/QC DATA

### DISSOLVED METALS

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	%REC Limits	RPD RPD	RPD Limit	Data Qualifiers
<b>Batch: 10K0590 Extracted: 11/04/10</b>										
Blank Analyzed: 11/05/2010 (10K0590-BLK1)										
Chromium	ND	2.0	ug/l							
LCS Analyzed: 11/05/2010 (10K0590-BST1)										
Chromium	74.4	2.0	ug/l	80.0		93	80-120			
Matrix Spike Analyzed: 11/05/2010 (10K0590-MS1)					Source: ITK0514-01					
Chromium	78.1	2.0	ug/l	80.0	3.32	94	75-125			
Matrix Spike Dup Analyzed: 11/05/2010 (10K0590-MSD1)					Source: ITK0514-01					
Chromium	80.6	2.0	ug/l	80.0	3.32	97	75-125	3	20	

TestAmerica Irvine  
Steven Garcia  
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced,  
except in full, without written permission from TestAmerica.

ITK0514 <Page 1 of 5>  
11/12/2010

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

17461 Dorian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297  
Project ID: N/A-Misc.  
720-30865  
Report Number: ITK0514  
Sampled: 09/29/10  
Received: 11/04/10

## DATA QUALIFIERS AND DEFINITIONS

ND Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.  
RPD Relative Percent Difference

TestAmerica Irvine  
Steven Garcia  
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced,  
except in full, without written permission from TestAmerica.

ITK0514 <Page 1 of 5>  
11/12/2010

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Attention: Afshaneh Salimpour

Project ID: N/A-Misc.  
720-30865

Sampled: 09/29/10  
Received: 11/04/10

17461 Dorian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax (949) 260-3297

Report Number: ITK0514

## Certification Summary

### TestAmerica Irvine

Method	Matrix	Nelac	California
EPA 6020-Diss	Water	X	

Nevada and NELAP provide analytic specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at [www.testamericainc.com](http://www.testamericainc.com)

### TestAmerica San Francisco

220 Quarry Lane  
Pleasanton, CA 94566  
Phone (925) 484-1919 Fax (925) 600-3022

Client Information (Sub Contract Lab)

Client Contact

Delivery/Receiving

Comments

TestAmerica Laboratories, Inc.

Address

17461 Dorian Ave., Suite 100,

Irvine, CA 92614

State Zip:

CA, 92614-2517

Phone:

(949)-251-1022(Tel), 949-251-1228(Fax)

Fax:

PO #

WQ#

Project #

720-30865

Date:

9/29/10

Sample Data

9/29/10

Sample Time

10:00

Sample Type (C=comp, G=grab)

Water

Matrix (Invert, Extract, Dilute, Analyze)

Water

Preservation Codes

X

Subcontracted To

Field Bottled

Sample Identification - Client ID (Lab ID)

SB-08 (720-30865-2)

9/29/10

10:00

Pacific

Water

X

Sample Disposal / A fee may be assessed if samples are retained longer than 4 months

Return To Client  Disposed By Lab  Archived For Months

Deliverable Requested: I, II, III, IV, Other (specify)

Special Instructions/QC Requirements:

Empty Kit Relinquished by:

Date:

Time:

Method of Shipment:

Retrueved By: *John Muller* Date/Time: 11-03-2010 1630 Company: S/F Received By:

Retrueved By: Date/Time: Company: Received By:

Retrueved By: Date/Time: Company: Received By:

Custody Seal intact:  Yes  No Custody Seal No.: *(Signature)* Page 8 of 9

RT Cooler Temperature(s) °C and Other Remarks:

11/4/10 10:25

ITK0514  
TestAmerica  
THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Irvine  
Steven Garcia  
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Page 8 of 9

ITK0514 <Page 8 of 9>  
11/12/2010

**720-30837-3  
720-30865-2**

Page 1 of 4

Salimpour, Afsaneh

From: Stemler, Greg [Greg.Stemler@amec.com]  
Sent: Wednesday, November 03, 2010 3:46 PM  
To: Salimpour, Afsaneh  
Cc: Patton, Avery  
Subject: RE: EPA 7199

Afsaneh,  
Please do send the following samples to Irvine:  
SB-05 (720-30837#14)  
SB-06 (720-30837#8)  
SB-07 (720-30865#4)  
SB-08 (720-30865#2)

We would like these samples run for total dissolved Chromium, however we want to confirm the analyses later tonight or tomorrow morning. We may request both filtered and unfiltered analysis.

For now, please send all the remaining unfiltered, unpreserved sample to Irvine.

Greg Stemler | Project Geologist | AMEC Geomatrix, Inc.  
The materials transmitted by this electronic mail are confidential, ...



## ANALYTICAL REPORT

Job Number: 720-30879-1

Job Description: Crown Chevrolet

For:  
AMEC Geomatrix Inc.  
2101 Webster Street, 12th Floor  
Oakland, CA 94612  
Attention: Avery Patton

Approved for release.  
Afsaneh Salimpour  
Project Manager I  
10/11/2010 2:33 PM

Afsaneh Salimpour  
Project Manager I  
afsaneh.salimpour@testamericainc.com  
10/11/2010

CA ELAP Certification # 2496

The Chain(s) of Custody are included and are an integral part of this report.

The report shall not be reproduced except in full, without the written approval of the laboratory. The client, by accepting this report, also agrees not to alter any reports whether in the hard copy or electronic format and to use reasonable efforts to preserve the reports in the form and substance originally provided by TestAmerica.

A trip blank is required to be provided for volatile analyses. If trip blank results are not included in the report, either the trip blank was not submitted or requested to be analyzed.

TestAmerica Laboratories, Inc.  
TestAmerica San Francisco 1220 Quarry Lane, Pleasanton, CA 94566  
Tel (925) 484-1919 Fax (925) 600-3002 [www.testamericainc.com](http://www.testamericainc.com)

Job Narrative  
720-30879-1

Comments  
No additional comments.

Receipt  
All samples were received in good condition within temperature requirements.

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

## LABORATORY REPORT

Prepared For: TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Attention: Afsaneh Salimpour

Project: N/A-Misc.  
720-30879  
  
Sampled: 09/29/10  
Received: 10/01/10  
Issued: 10/08/10 16:24

NELAP #01108CA California ELAP#2706 CSDLAC #10256 AZ #AZ0671 NV #CA01531

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.

This entire report was reviewed and approved for release.

## SAMPLE CROSS REFERENCE

LABORATORY ID	CLIENT ID	MATRIX
ITJ0049-01	IDW-1	Soil
ITJ0049-02	IDW-2	Water

Reviewed By:

TestAmerica Irvine

Kathleen A. Robb For Steven Garcia  
Project Manager

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Attention: Afsaneh Salimpour

Project ID: N/A-Misc.  
720-30879  
Report Number: ITJ0049

Sampled: 09/29/10  
Received: 10/01/10

## METALS

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
---------	--------	-------	-----------------	---------------	-----------------	----------------	---------------	-----------------

Sample ID: ITJ0049-01 (IDW-1 - Soil)

Reporting Units: mg/kg

Mercury	EPA 7471A	10J0305	0.020	0.042	1	10/4/2010	10/4/2010
Antimony	EPA 6020	10J0275	0.99	ND	0.985	10/4/2010	10/6/2010
Arsenic	EPA 6020	10J0275	0.49	6.1	0.985	10/4/2010	10/6/2010
Barium	EPA 6020	10J0275	0.49	80	0.985	10/4/2010	10/6/2010
Beryllium	EPA 6020	10J0275	0.30	0.54	0.985	10/4/2010	10/6/2010
Cadmium	EPA 6020	10J0275	0.49	ND	0.985	10/4/2010	10/6/2010
Chromium	EPA 6020	10J0275	0.99	33	0.985	10/4/2010	10/6/2010
Cobalt	EPA 6020	10J0275	0.49	7.8	0.985	10/4/2010	10/6/2010
Copper	EPA 6020	10J0275	0.99	18	0.985	10/4/2010	10/6/2010
Lead	EPA 6020	10J0275	0.49	6.7	0.985	10/4/2010	10/6/2010
Molybdenum	EPA 6020	10J0275	0.99	ND	0.985	10/4/2010	10/6/2010
Nickel	EPA 6020	10J0275	0.99	41	0.985	10/4/2010	10/7/2010
Selenium	EPA 6020	10J0275	0.99	ND	0.985	10/4/2010	10/6/2010
Silver	EPA 6020	10J0275	0.49	ND	0.985	10/4/2010	10/6/2010
Thallium	EPA 6020	10J0275	0.49	ND	0.985	10/4/2010	10/6/2010
Vanadium	EPA 6020	10J0275	0.99	26	0.985	10/4/2010	10/6/2010
Zinc	EPA 6020	10J0275	9.9	42	0.985	10/4/2010	10/6/2010

Sample ID: ITJ0049-02 (IDW-2 - Water)

Reporting Units: mg/l

Mercury	EPA 7470A	10J0450	0.00020	ND	1	10/5/2010	10/5/2010
---------	-----------	---------	---------	----	---	-----------	-----------

Sample ID: ITJ0049-02 (IDW-2 - Water)

Reporting Units: ug/l

Antimony	EPA 6020	10J0140	2.0	ND	1	10/2/2010	10/2/2010
Arsenic	EPA 6020	10J0140	1.0	14	1	10/2/2010	10/2/2010
Barium	EPA 6020	10J0140	1.0	320	1	10/2/2010	10/2/2010
Beryllium	EPA 6020	10J0140	0.50	0.67	1	10/2/2010	10/2/2010
Cadmium	EPA 6020	10J0140	1.0	1.0	1	10/2/2010	10/2/2010
Chromium	EPA 6020	10J0140	2.0	85	1	10/2/2010	10/2/2010
Cobalt	EPA 6020	10J0140	1.0	30	1	10/2/2010	10/2/2010
Copper	EPA 6020	10J0140	2.0	48	1	10/2/2010	10/2/2010
Lead	EPA 6020	10J0140	1.0	12	1	10/2/2010	10/2/2010
Molybdenum	EPA 6020	10J0140	2.0	20	1	10/2/2010	10/2/2010
Nickel	EPA 6020	10J0140	2.0	52	1	10/2/2010	10/2/2010
Selenium	EPA 6020	10J0140	2.0	3.3	1	10/2/2010	10/2/2010
Silver	EPA 6020	10J0140	1.0	1.0	1	10/2/2010	10/2/2010
Thallium	EPA 6020	10J0140	1.0	ND	1	10/2/2010	10/2/2010
Vanadium	EPA 6020	10J0140	2.0	72	1	10/2/2010	10/2/2010
Zinc	EPA 6020	10J0140	20	190	1	10/2/2010	10/3/2010

TestAmerica Irvine

Kathleen A. Robb For Steven Garcia  
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Page 4 of 14

ITJ0049 <Page 2 of 14>  
10/07/2010

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Attention: Afsanah Salimpour

17461 Dorian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

Project ID: N/A-Misc.  
720-30879  
Report Number: ITJ0049

Sampled: 09/29/10  
Received: 10/01/10

## METHOD BLANK/QC DATA

### METALS

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
<b>Batch: 10J0140 Extracted: 10/02/10</b>										

#### Blank Analyzed: 10/02/2010-10/03/2010 (10J0140-BLK1)

Antimony	ND	2.0	ug/l							
Arsenic	ND	1.0	ug/l							
Barium	ND	1.0	ug/l							
Beryllium	ND	0.50	ug/l							
Cadmium	ND	1.0	ug/l							
Chromium	ND	2.0	ug/l							
Cobalt	ND	1.0	ug/l							
Copper	ND	2.0	ug/l							
Lead	ND	1.0	ug/l							
Molybdenum	ND	2.0	ug/l							
Nickel	ND	2.0	ug/l							
Selenium	ND	2.0	ug/l							
Silver	ND	1.0	ug/l							
Thallium	ND	1.0	ug/l							
Vanadium	ND	2.0	ug/l							
Zinc	ND	20	ug/l							

#### LCS Analyzed: 10/02/2010-10/03/2010 (10J0140-BS1)

Antimony	81.5	2.0	ug/l	80.0	102	80-120				
Arsenic	79.8	1.0	ug/l	80.0	100	80-120				
Barium	79.7	1.0	ug/l	80.0	100	80-120				
Beryllium	71.2	0.50	ug/l	80.0	89	80-120				
Cadmium	79.5	1.0	ug/l	80.0	99	80-120				
Chromium	81.0	2.0	ug/l	80.0	101	80-120				
Cobalt	78.3	1.0	ug/l	80.0	98	80-120				
Copper	79.3	2.0	ug/l	80.0	99	80-120				
Lead	78.5	1.0	ug/l	80.0	98	80-120				
Molybdenum	82.4	2.0	ug/l	80.0	103	80-120				
Nickel	77.1	2.0	ug/l	80.0	96	80-120				
Selenium	79.3	2.0	ug/l	80.0	99	80-120				
Silver	83.5	1.0	ug/l	80.0	104	80-120				
Thallium	76.4	1.0	ug/l	80.0	95	80-120				
Vanadium	80.7	2.0	ug/l	80.0	101	80-120				
Zinc	82.4	20	ug/l	80.0	103	80-120				

#### TestAmerica Irvine

Kathleen A. Robb For Steven Garcia  
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, with permission from TestAmerica.

ITJ0049 <Page 3 of 14>  
10/01/2010

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Attention: Afsanah Salimpour

17461 Dorian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

Project ID: N/A-Misc.  
720-30879  
Report Number: ITJ0049

Sampled: 09/29/10  
Received: 10/01/10

## METHOD BLANK/QC DATA

### METALS

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
<b>Batch: 10J0140 Extracted: 10/02/10</b>										

#### Matrix Spike Analyzed: 10/02/2010-10/03/2010 (10J0140-MS1)

Antimony	43.6	2.0	ug/l	80.0	521	54	75-125			M2
Arsenic	92.8	1.0	ug/l	80.0	12.3	101	75-125			
Barium	352	1.0	ug/l	80.0	261	114	75-125			
Beryllium	73.8	0.50	ug/l	80.0	0.630	91	75-125			
Cadmium	80.0	1.0	ug/l	80.0	0.581	99	75-125			
Chromium	117	2.0	ug/l	80.0	43.9	91	75-125			
Cobalt	75.6	1.0	ug/l	80.0	10.0	82	75-125			
Copper	94.6	2.0	ug/l	80.0	27.2	84	75-125			
Lead	83.0	1.0	ug/l	80.0	5.91	96	75-125			
Molybdenum	69.0	2.0	ug/l	80.0	1.19	85	75-125			
Nickel	113	2.0	ug/l	80.0	42.4	88	75-125			
Selenium	76.7	2.0	ug/l	80.0	1.05	95	75-125			
Silver	82.9	1.0	ug/l	80.0	0.123	103	75-125			
Thallium	73.8	1.0	ug/l	80.0	0.314	92	75-125			
Vanadium	135	2.0	ug/l	80.0	60.2	93	75-125			
Zinc	162	20	ug/l	80.0	72.7	112	75-125			

#### Matrix Spike Dup Analyzed: 10/02/2010-10/03/2010 (10J0140-MSD1)

Antimony	44.3	2.0	ug/l	80.0	0.521	55	75-125	2	20	M2
Arsenic	90.2	1.0	ug/l	80.0	12.3	97	75-125	3	20	
Barium	342	1.0	ug/l	80.0	261	102	75-125	3	20	
Beryllium	71.7	0.50	ug/l	80.0	0.630	89	75-125	3	20	
Cadmium	78.8	1.0	ug/l	80.0	0.581	98	75-125	1	20	
Chromium	111	2.0	ug/l	80.0	43.9	83	75-125	6	20	
Cobalt	74.4	1.0	ug/l	80.0	10.0	80	75-125	2	20	
Copper	91.7	2.0	ug/l	80.0	27.2	81	75-125	3	20	
Lead	80.9	1.0	ug/l	80.0	5.91	94	75-125	3	20	
Molybdenum	69.9	2.0	ug/l	80.0	1.19	86	75-125	1	20	
Nickel	106	2.0	ug/l	80.0	42.4	80	75-125	6	20	
Selenium	77.4	2.0	ug/l	80.0	1.05	95	75-125	0.8	20	
Silver	81.8	1.0	ug/l	80.0	0.123	102	75-125	1	20	
Thallium	71.9	1.0	ug/l	80.0	0.314	90	75-125	3	20	
Vanadium	127	2.0	ug/l	80.0	60.2	84	75-125	6	20	
Zinc	151	20	ug/l	80.0	72.7	98	75-125	7	20	

#### TestAmerica Irvine

Kathleen A. Robb For Steven Garcia  
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, with permission from TestAmerica.

ITJ0049 <Page 4 of 14>  
10/01/2010

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Attention: Afsaneh Salimpour

Project ID: N/A-Misc.  
720-30879  
Report Number: ITJ0049

Sampled: 09/29/10  
Received: 10/01/10

17461 Dorian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

## METHOD BLANK/QC DATA

### METALS

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
<u>Batch: 10J0275 Extracted: 10/04/10</u>										

**Blank Analyzed: 10/06/2010-10/07/2010 (10J0275-BLK1)**

Antimony	ND	1.0	mg/kg
Arsenic	ND	0.50	mg/kg
Barium	ND	0.50	mg/kg
Beryllium	ND	0.30	mg/kg
Cadmium	ND	0.50	mg/kg
Chromium	ND	1.0	mg/kg
Cobalt	ND	0.50	mg/kg
Copper	ND	1.0	mg/kg
Lead	ND	0.50	mg/kg
Molybdenum	ND	1.0	mg/kg
Nickel	ND	1.0	mg/kg
Selenium	ND	1.0	mg/kg
Silver	ND	0.50	mg/kg
Thallium	ND	0.50	mg/kg
Vanadium	ND	1.0	mg/kg
Zinc	ND	10	mg/kg

**LCS Analyzed: 10/06/2010-10/07/2010 (10J0275-BS1)**

Antimony	49.8	0.99	mg/kg	49.3	101	80-120
Arsenic	46.2	0.49	mg/kg	49.3	94	80-120
Barium	50.0	0.49	mg/kg	49.3	101	80-120
Beryllium	50.6	0.30	mg/kg	49.3	103	80-120
Cadmium	48.9	0.49	mg/kg	49.3	99	80-120
Chromium	45.6	0.99	mg/kg	49.3	92	80-120
Cobalt	47.7	0.49	mg/kg	49.3	97	80-120
Copper	46.9	0.99	mg/kg	49.3	95	80-120
Lead	48.7	0.49	mg/kg	49.3	99	80-120
Molybdenum	48.5	0.99	mg/kg	49.3	98	80-120
Nickel	46.0	0.99	mg/kg	49.3	93	80-120
Selenium	43.6	0.99	mg/kg	49.3	89	80-120
Silver	25.2	0.49	mg/kg	24.6	102	80-120
Thallium	48.7	0.49	mg/kg	49.3	99	80-120
Vanadium	44.0	0.99	mg/kg	49.3	89	80-120
Zinc	43.8	9.9	mg/kg	49.3	89	80-120

TestAmerica Irvine

Kathleen A. Robb For Steven Garcia  
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, with written permission from TestAmerica.

ITJ0049 <Page 5 of 14  
10/01/2010

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Attention: Afsaneh Salimpour

Project ID: N/A-Misc.  
720-30879  
Report Number: ITJ0049

Sampled: 09/29/10  
Received: 10/01/10

17461 Dorian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

## METHOD BLANK/QC DATA

### METALS

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
<u>Batch: 10J0275 Extracted: 10/04/10</u>										

**Duplicate Analyzed: 10/07/2010 (10J0275-DUP1)**

Source: ITI2504-01

Antimony	ND	5.0	mg/kg	0.248						200
Arsenic	3.12	2.5	mg/kg	4.26						200
Barium	99.2	2.5	mg/kg	95.9						200
Beryllium	0.374	1.5	mg/kg	0.321						200
Cadmium	ND	2.5	mg/kg	0.145						200
Chromium	15.3	5.0	mg/kg	13.4						200
Cobalt	7.41	2.5	mg/kg	7.03						200
Copper	26.8	5.0	mg/kg	19.0						200
Lead	7.32	2.5	mg/kg	6.96						200
Molybdenum	ND	5.0	mg/kg	0.235						200
Nickel	11.4	5.0	mg/kg	10.3						200
Selenium	ND	5.0	mg/kg	ND						200
Silver	ND	2.5	mg/kg	ND						200
Thallium	ND	2.5	mg/kg	ND						200
Vanadium	32.0	5.0	mg/kg	30.2						200
Zinc	39.9	50	mg/kg	39.3						200

**Matrix Spike Analyzed: 10/06/2010-10/07/2010 (10J0275-MS1)**

Source: ITI2283-01

Antimony	20.1	0.99	mg/kg	49.5	ND	41	75-125			M2
Arsenic	43.0	0.50	mg/kg	49.5	0.695	85	75-125			
Barium	113	0.50	mg/kg	49.5	63.7	100	75-125			
Beryllium	48.6	0.30	mg/kg	49.5	0.203	98	75-125			
Cadmium	45.8	0.50	mg/kg	49.5	ND	92	75-125			
Chromium	53.9	0.99	mg/kg	49.5	11.6	86	75-125			
Cobalt	47.4	0.50	mg/kg	49.5	4.29	87	75-125			
Copper	50.9	0.99	mg/kg	49.5	8.47	86	75-125			
Lead	45.8	0.50	mg/kg	49.5	2.00	89	75-125			
Molybdenum	44.7	0.99	mg/kg	49.5	0.395	89	75-125			
Nickel	46.2	0.99	mg/kg	49.5	4.75	84	75-125			
Selenium	40.6	0.99	mg/kg	49.5	ND	82	75-125			
Silver	22.8	0.50	mg/kg	24.8	ND	92	75-125			
Thallium	44.0	0.50	mg/kg	49.5	0.164	89	75-125			
Vanadium	62.6	0.99	mg/kg	49.5	20.2	86	75-125			
Zinc	69.4	9.9	mg/kg	49.5	24.3	91	75-125			

TestAmerica Irvine

Kathleen A. Robb For Steven Garcia  
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, with written permission from TestAmerica.

ITJ0049 <Page 14 of 14  
10/01/2010

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Attention: Afsaneh Salimpour

17461 Dorian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

Project ID: N/A-Misc.  
720-30879  
Report Number: ITJ0049

Sampled: 09/29/10  
Received: 10/01/10

## METHOD BLANK/QC DATA

### METALS

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-----------------

Batch: 10J0275 Extracted: 10/04/10

Matrix Spike Dup Analyzed: 10/06/2010-10/07/2010 (10J0275-MSD1)

Source: ITI2283-01										
Antimony	20.1	0.99	mg/kg	49.3	ND	41	75-125	0.2	20	M2
Arsenic	43.1	0.49	mg/kg	49.3	0.695	86	75-125	0.3	20	
Barium	114	0.49	mg/kg	49.3	63.7	101	75-125	0.5	20	
Beryllium	47.7	0.30	mg/kg	49.3	0.203	97	75-125	2	20	
Cadmium	45.7	0.49	mg/kg	49.3	ND	93	75-125	0.07	20	
Chromium	53.5	0.99	mg/kg	49.3	11.6	85	75-125	0.8	20	
Cobalt	47.2	0.49	mg/kg	49.3	4.29	87	75-125	0.3	20	
Copper	50.1	0.99	mg/kg	49.3	8.47	85	75-125	2	20	
Lead	45.4	0.49	mg/kg	49.3	2.00	88	75-125	1	20	
Molybdenum	44.5	0.99	mg/kg	49.3	0.395	90	75-125	0.4	20	
Nickel	47.1	0.99	mg/kg	49.3	4.75	86	75-125	2	20	
Selenium	40.2	0.99	mg/kg	49.3	ND	82	75-125	0.9	20	
Silver	22.7	0.49	mg/kg	24.6	ND	92	75-125	0.4	20	
Thallium	43.7	0.49	mg/kg	49.3	0.164	88	75-125	0.7	20	
Vanadium	62.7	0.99	mg/kg	49.3	20.2	86	75-125	0.08	20	
Zinc	68.9	9.9	mg/kg	49.3	24.3	91	75-125	0.7	20	

Batch: 10J0305 Extracted: 10/04/10

Blank Analyzed: 10/04/2010 (10J0305-BLK1)

Mercury	ND	0.020	mg/kg
---------	----	-------	-------

LCS Analyzed: 10/04/2010 (10J0305-BS1)

Mercury	0.862	0.020	mg/kg	0.800	108	80-120
---------	-------	-------	-------	-------	-----	--------

Matrix Spike Analyzed: 10/04/2010 (10J0305-MS1)

Mercury	0.882	0.020	mg/kg	0.800	0.0247	107	70-130
---------	-------	-------	-------	-------	--------	-----	--------

## TestAmerica Irvine

Kathleen A. Robb For Steven Garcia  
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, with written permission from TestAmerica.

Page 9 of 14

ITJ0049 <Page 7 of 10>  
10/11/2010

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Attention: Afsaneh Salimpour

17461 Dorian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

Project ID: N/A-Misc.  
720-30879  
Report Number: ITJ0049

Sampled: 09/29/10  
Received: 10/01/10

## METHOD BLANK/QC DATA

### METALS

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-----------------

Batch: 10J0305 Extracted: 10/04/10

Matrix Spike Dup Analyzed: 10/04/2010 (10J0305-MSD1)

Mercury	0.869	0.020	mg/kg	0.800	0.0247	106	70-130	1	20
---------	-------	-------	-------	-------	--------	-----	--------	---	----

Batch: 10J0450 Extracted: 10/05/10

Blank Analyzed: 10/05/2010 (10J0450-BLK1)

Mercury	ND	0.00020	mg/l
---------	----	---------	------

LCS Analyzed: 10/05/2010 (10J0450-BS1)

Mercury	0.00800	0.00020	mg/l	0.00800	100	80-120
---------	---------	---------	------	---------	-----	--------

Matrix Spike Analyzed: 10/05/2010 (10J0450-MS1)

Mercury	0.00795	0.00020	mg/l	0.00800	ND	99	70-130
---------	---------	---------	------	---------	----	----	--------

Matrix Spike Dup Analyzed: 10/05/2010 (10J0450-MSD1)

Mercury	0.00811	0.00020	mg/l	0.00800	ND	101	70-130	2	20
---------	---------	---------	------	---------	----	-----	--------	---	----

Source: ITJ0131-01

Source: ITJ0131-01

## TestAmerica Irvine

Kathleen A. Robb For Steven Garcia  
Project Manager

## TestAmerica Irvine

Kathleen A. Robb For Steven Garcia  
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, with written permission from TestAmerica.

Page 10 of 14

ITJ0049 <Page 8 of 10>  
10/11/2010

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Attention: Afsaneh Salimpour

17461 Dorian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

Project ID: N/A-Misc.  
720-30879  
Report Number: ITJ0049

Sampled: 09/29/10  
Received: 10/01/10

## DATA QUALIFIERS AND DEFINITIONS

- M2** The MS and/or MSD were below the acceptance limits due to sample matrix interference. See Blank Spike (LCS).  
**ND** Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.  
**RPD** Relative Percent Difference

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Attention: Afsaneh Salimpour

17461 Dorian Avenue, Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

Project ID: N/A-Misc.  
720-30879  
Report Number: ITJ0049

Sampled: 09/29/10  
Received: 10/01/10

## Certification Summary

### TestAmerica Irvine

Method	Matrix	Nelac	California
EPA 6020	Soil	X	X
EPA 6020	Water	X	X
EPA 7470A	Water	X	X
EPA 7471A	Soil	X	X

*Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at [www.testamericainc.com](http://www.testamericainc.com)*

### TestAmerica Irvine

Kathleen A. Robb For Steven Garcia  
Project Manager

*The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.*

ITJ0049 <Page 9 of 14>  
10/01/2010

### TestAmerica Irvine

Kathleen A. Robb For Steven Garcia  
Project Manager

*The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.*

ITJ0049 <Page 10 of 14>  
10/01/2010

## Login Sample Receipt Check List

Client: AMEC Geomatrix Inc.

Job Number: 720-30879-1

List Source: TestAmerica San Francisco

**TestAmerica San Francisco**  
1220 Quarry Lane  
Pleasanton, CA 94566  
Phone (925) 484-1919 Fax (925) 600-3002

Certified Shipping/Receiving

TestAmerica Laboratories, Inc.

Address: 17461 Denair Ave., Suite 100,

City: Union City

State: CA 925-4-5817

Phone: (925)-261-1022(Tel) 949-261-1228(Fax)

Fax:

Project Name:

Client: Chevron

Site:

Project ID:

Phone #:

COC#:

Sample Identification - Client ID (Lab ID)

Sample ID:

Sample Date:

Sample Time:

Sample Type:

Matrix:

Comments:

Preservation Code:

Expiry Date:

Subcontractor Call In by:

Subcontractor Call In by:

Total Number of Containers:

Special Instructions/Note:

Possible Hazard Identification

Non-Hazard

Flammable

Skin Irritant

Poison A

Unknown

Radioactive

Deliverable Requested: I, II, III, IV, Other (specify)

Special Instructions/QC Requirements:

Empty Kit Relinquished At:

Date:

Time:

Method of Samples:

Received By:

Date:

Company:

Received By:

Date:

Company:

Received By:

Date:

Company:

Custody Seal Intact:

Yes

No

Custody Seal No:

### Chain of Custody Record

**TestAmerica**  
THE FAMER'S ENVIRONMENTAL TESTERS

<b>Client Information (Sub Contract Lab)</b>		<b>Name:</b> Saini, Saini, Alisonh	<b>Lab No:</b> 720-30879-1	<b>Client Recording No:</b>
Cert Control		Phone:	E-Mail: asaini.saini@testamericainc.com	Page: 1 of 1
Shipping/Receiving				
Comments:				
TestAmerica Laboratories, Inc.				
Address: 17461 Denair Ave., Suite 100,				
City: Union City				
State: CA 925-4-5817				
Phone: (925)-261-1022(Tel) 949-261-1228(Fax)				
Fax:				
Project Name:				
Client: Chevron				
Site:				
Project ID:				
Phone #:				
COC#:				
Sample Identification - Client ID (Lab ID)				
Sample ID:				
Sample Date:				
Sample Time:				
Sample Type:				
(C=comp, G=glob)				
Matrix (water, soil, sediment, etc.)				
Comments:				
Preservation Code:				
Expiry Date:				
Subcontractor Call In by:				
Subcontractor Call In by:				
Total Number of Containers:				
Special Instructions/Note:				
Possible Hazard Identification				
Non-Hazard				
Flammable				
Skin Irritant				
Poison A				
Unknown				
Radioactive				
Deliverable Requested: I, II, III, IV, Other (specify)				
Special Instructions/QC Requirements:				
Empty Kit Relinquished At:				
Date:				
Time:				
Method of Samples:				
Received By:				
Date:				
Company:				
Received By:				
Date:				
Company:				
Received By:				
Date:				
Company:				
Custody Seal Intact:				
Yes				
No				
Custody Seal No:				

Page 13 of 14

Code:

4.3

10/11/2010

### Question

Radioactivity either was not measured or, if measured, is at or below background

N/A

The cooler's custody seal, if present, is intact.

N/A

The cooler or samples do not appear to have been compromised or tampered with.

True

Samples were received on ice.

True

Cooler Temperature is acceptable.

True

Cooler Temperature is recorded.

True

COC is present.

True

COC is filled out in ink and legible.

True

COC is filled out with all pertinent information.

True

Is the Field Sampler's name present on COC?

True

There are no discrepancies between the sample IDs on the containers and the COC.

True

Samples are received within Holding Time.

True

Sample containers have legible labels.

True

Containers are not broken or leaking.

True

Sample collection date/times are provided.

True

Appropriate sample containers are used.

True

Sample bottles are completely filled.

True

Sample Preservation Verified

True

There is sufficient vol. for all requested analyses, incl. any requested

MS/MSDs

VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.

True

If necessary, staff have been informed of any short hold time or quick TAT needs

True

Multiphasic samples are not present.

True

Samples do not require splitting or compositing.

True