

## Wickham, Jerry, Env. Health

---

**From:** Wickham, Jerry, Env. Health  
**Sent:** Thursday, June 14, 2012 6:23 PM  
**To:** 'Eric W. Garcia'  
**Subject:** RE: Workplan Addenda

Eric,

I have no objection to the installation of a temporary well in an attempt to improve groundwater sample quality. Therefore, you may proceed with implementation.

However, this is based upon a cursory review of limited information and is not an indication that this is the only scope of work needed to complete site characterization. ACEH may request additional work upon review of all data collected and presented in a complete report.

Regards,  
Jerry Wickham  
Alameda County Environmental Health  
1131 Harbor Bay Parkway  
Alameda, CA 94502-6577  
phone: 510-567-6791  
[jerry.wickham@acgov.org](mailto:jerry.wickham@acgov.org)

---

**From:** Eric W. Garcia [<mailto:ericgarcia@questgsm.com>]  
**Sent:** Thursday, June 14, 2012 1:53 PM  
**To:** Wickham, Jerry, Env. Health  
**Subject:** Workplan Addenda  
**Importance:** High

Hi Jerry,

Thank you for taking my call earlier today. As I indicated in our phone conversation, the attached analytical data indicated that the groundwater grab sample (SP.01W) collected from soil probe location SP.01 had concentrations of TPH-D and TPH-MO at 5,500 and 29,000 µg/L, respectively. Site conditions (saturated gravel base) may have contributed to contaminating the grab sample collected with oil impacted surface water. It is our opinion that the collected sample does not adequately characterize local groundwater conditions and that a more representative groundwater sample should be collected. Our recommendation would be to return to the Site and install a temporary groundwater monitoring well, using a pre-pack monitoring well and appropriate surface/sanitary seals. Once installed we would surge/develop, allow the well to equilibrate, then purge and sample the well. The groundwater sample collected will be analyzed consistent with the previously approved workplan (TPH-G, TPH-D, TPH-MO, and VOC's). Please review the attached data and let us know if you concur with this proposed workplan addenda. Thank you for your time and assistance with this project.

Best Regards,

Eric W. Garcia, CEG, CHG  
Principal Geologist

### [Quest GeoSystems Management, Inc.](#)

11275 Sunrise Gold Circle, Suite R  
Rancho Cordova, CA 95742-6561  
(800) 807-3523 Toll Free • (925) 756-1227 Fax  
(925) 756-1210 Direct • (925) 323-7498 Cell

EMAIL: [ericgarcia@questgsm.com](mailto:ericgarcia@questgsm.com)

ATTENTION: The content of this email may contain protected or privileged information of Quest GSM and/or its client. It is intended for the use of the person to whom it is addressed. If you are not the intended recipient or an authorized representative, then this is notice to you that dissemination, distribution, or copying of this document is prohibited. If this document was received in error, please call us at once and destroy this document.

---

**From:** [main@mccampbell.com](mailto:main@mccampbell.com) [<mailto:main@mccampbell.com>]

**Sent:** Tuesday, June 12, 2012 1:03 PM

**To:** [eric.garcia@questgsm.com](mailto:eric.garcia@questgsm.com)

**Subject:** Analytical Report for Project: #G03062012-01; Byron Power Company [MAI WO#: 1206084]

Eric,

Attached is your final, certified analytical report. If an EDD (EDF for GeoTracker, "WriteOn", Excel format, etc.) has been requested, this file will follow as an attachment in a separate email within one week. Thank you for choosing MAI for your analytical needs.

Best regards,

*Laura Rodriguez*

McC Campbell Analytical, Inc.

Ph: 925-252-9262

Fx: 925-252-9269

[www.mccampbell.com](http://www.mccampbell.com)

*This message and or data is intended for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential, and exempt from disclosure under applicable law. If you are not the intended recipient, you are hereby notified that any use, dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone, and delete this message from your email. Thank You.*