

(One form per facility)

405

1

104105

100

408

1

1


100

409

425

42

**UNIFIED PROGRAM CONSOLIDATED FORM
UNDERGROUND STORAGE TANK
OPERATING PERMIT APPLICATION – TANK INFORMATION** (One form per UST)

TYPE OF ACTION (Check one item only. For an UST permanent closure or removal, complete only this section and Sections I, II, III, IV, and IX below)		430
☐ 1. NEW PERMIT	☒ 3. RENEWAL PERMIT	☐ 5. CHANGE OF INFORMATION
☐ 6. TEMPORARY UST CLOSURE	☐ 7. UST PERMANENT CLOSURE ON SITE	☒ 8. UST REMOVAL
DATE UST PERMANENTLY CLOSED: 8/96 430a		DATE EXISTING UST DISCOVERED: 430b
I. FACILITY INFORMATION		
FACILITY ID# (Agency Use Only)		1
BUSINESS NAME (Same as FACILITY NAME or DBA-Doing Business As) Caltrans Dist 4 3		
BUSINESS SITE ADDRESS SFO BB Toll Plaza 103		CITY Oakland 104
II. TANK DESCRIPTION		
TANK ID# 432	TANK MANUFACTURER Unknown 433	TANK CONFIGURATION: THIS TANK IS ☐ 1. A STAND-ALONE TANK ☐ 2. ONE IN A COMPARTMENTED UNIT. Complete one page for each compartment in the unit. 434
DATE UST SYSTEM INSTALLED Unknown 435	TANK CAPACITY IN GALLONS 3,000 436	NUMBER OF COMPARTMENTS IN THE UNIT 437
III. TANK USE AND CONTENTS		
TANK USE	☒ 1a. MOTOR VEHICLE FUELING ☐ 3. CHEMICAL PRODUCT STORAGE ☐ 6. OTHER GENERATOR FUEL	☐ 1b. MARINA FUELING ☐ 4. HAZARDOUS WASTE (Includes Used Oil) ☐ 95. UNKNOWN ☐ 1c. AVIATION FUELING ☐ 5. EMERGENCY GENERATOR FUEL [HSC §25281.5(c)] ☐ 99. OTHER (Specify): 439
CONTENTS PETROLEUM:	☒ 1a. REGULAR UNLEADED ☐ 3. DIESEL ☐ 8. PETROLEUM BLEND FUEL	☐ 1c. MIDGRADE UNLEADED ☐ 5. JET FUEL ☐ 9. OTHER PETROLEUM (Specify): 440
NON-PETROLEUM:	☐ 7. USED OIL ☐ 11. OTHER NON-PETROLEUM (Specify):	☐ 1b. PREMIUM UNLEADED ☐ 6. AVIATION GAS 440a
		440b
IV. TANK CONSTRUCTION		
TYPE OF TANK	☒ 1. SINGLE WALL ☐ 2. DOUBLE WALL ☐ 95. UNKNOWN	443
PRIMARY CONTAINMENT	☐ 1. STEEL ☐ 3. FIBERGLASS ☐ 7. STEEL + INTERNAL LINING	☐ 6. INTERNAL BLADDER ☒ 95. UNKNOWN ☐ 99. OTHER (Specify): 444
SECONDARY CONTAINMENT	☐ 1. STEEL ☐ 90. NONE	☐ 3. FIBERGLASS ☒ 95. UNKNOWN ☐ 6. EXTERIOR MEMBRANE LINER ☐ 7. JACKETED 445
OVERFILL PREVENTION	☒ 1. AUDIBLE & VISUAL ALARMS ☐ 4. TANK MEETS REQUIREMENTS FOR EXEMPTION FROM OVERFILL PREVENTION EQUIPMENT	☐ 2. BALL FLOAT ☐ 3. FILL TUBE SHUT-OFF VALVE 445a
		452
V. PRODUCT / WASTE PIPING CONSTRUCTION		
PIPING CONSTRUCTION	☒ 1. SINGLE-WALLED ☐ 2. DOUBLE-WALLED ☐ 99. OTHER	460
SYSTEM TYPE	☐ 1. PRESSURE ☐ 2. GRAVITY	☒ 3. CONVENTIONAL SUCTION ☐ 4. SAFE SUCTION [23 CCR §2636(a)(3)] 458
PRIMARY CONTAINMENT	☐ 1. STEEL ☐ 90. NONE	☐ 4. FIBERGLASS ☒ 95. UNKNOWN ☐ 8. FLEXIBLE ☐ 99. OTHER (Specify): 464
SECONDARY CONTAINMENT	☐ 1. STEEL ☐ 90. NONE	☐ 4. FIBERGLASS ☒ 95. UNKNOWN ☐ 8. FLEXIBLE ☐ 10. RIGID PLASTIC 464a
PIPING/TURBINE CONTAINMENT SUMP TYPE	☐ 1. SINGLE WALL ☐ 2. DOUBLE WALL	☒ 90. NONE 464b
		464c
		464d
VI. VENT, VAPOR RECOVERY (VR) AND RISER / FILL PIPE PIPING CONSTRUCTION		
VENT PRIMARY CONTAINMENT	☐ 1. STEEL ☐ 4. FIBERGLASS ☐ 10. RIGID PLASTIC	☒ 90. NONE ☐ 99. OTHER (Specify) 464e
VENT SECONDARY CONTAINMENT	☐ 1. STEEL ☐ 4. FIBERGLASS ☐ 10. RIGID PLASTIC	☒ 90. NONE ☐ 99. OTHER (Specify) 464e1
VR PRIMARY CONTAINMENT	☐ 1. STEEL ☐ 4. FIBERGLASS ☐ 10. RIGID PLASTIC	☒ 90. NONE ☐ 99. OTHER (Specify) 464f
VR SECONDARY CONTAINMENT	☐ 1. STEEL ☐ 4. FIBERGLASS ☐ 10. RIGID PLASTIC	☒ 90. NONE ☐ 99. OTHER (Specify) 464g
VENT PIPING TRANSITION SUMP TYPE	☐ 1. SINGLE WALL ☐ 2. DOUBLE WALL	☒ 90. NONE 464h
RISER PRIMARY CONTAINMENT	☐ 1. STEEL ☐ 4. FIBERGLASS ☐ 10. RIGID PLASTIC	☒ 90. NONE ☐ 99. OTHER (Specify) 464i
RISER SECONDARY CONTAINMENT	☐ 1. STEEL ☐ 4. FIBERGLASS ☐ 10. RIGID PLASTIC	☒ 90. NONE ☐ 99. OTHER (Specify) 464j
FILL COMPONENTS INSTALLED	☐ 1. SPILL BUCKET ☐ 3. STRIKER PLATE/BOTTOM PROTECTOR ☐ 4. CONTAINMENT SUMP	464k1
		451a-c
VII. UNDER DISPENSER CONTAINMENT (UDC)		
CONSTRUCTION TYPE	☐ 1. SINGLE WALL ☐ 2. DOUBLE WALL ☐ 3. NO DISPENSERS	☒ 90. NONE 469a
CONSTRUCTION MATERIAL	☐ 1. STEEL ☐ 4. FIBERGLASS ☐ 10. RIGID PLASTIC	☐ 99. OTHER (Specify) 469b-c
VIII. CORROSION PROTECTION		
STEEL COMPONENT PROTECTION	☐ 2. SACRIFICIAL ANODE(S) ☐ 4. IMPRESSED CURRENT ☐ 6. ISOLATION	448
IX. APPLICANT SIGNATURE		
CERTIFICATION: I certify that this UST system is compatible with the hazardous substance stored and that the information provided herein is true, accurate, and in full compliance with legal requirements.		
APPLICANT SIGNATURE 	DATE 2/18/13	470
APPLICANT NAME (print) John Love 471	APPLICANT TITLE Sr. Project Geologist 472	

**UNIFIED PROGRAM CONSOLIDATED FORM
UNDERGROUND STORAGE TANK
OPERATING PERMIT APPLICATION – TANK INFORMATION** (One form per UST)

TYPE OF ACTION (Check one item only. For an UST permanent closure or removal, complete only this section and Sections I, II, III, IV, and IX below)

☐ 1. NEW PERMIT ☒ 3. RENEWAL PERMIT ☐ 5. CHANGE OF INFORMATION

☐ 6. TEMPORARY UST CLOSURE ☐ 7. UST PERMANENT CLOSURE ON SITE ☒ 8. UST REMOVAL

430

DATE UST PERMANENTLY CLOSED: 8/96

430a

DATE EXISTING UST DISCOVERED:

430b

I. FACILITY INFORMATION

FACILITY ID # (Agency Use Only)

BUSINESS NAME (Same as FACILITY NAME or DBA-Doing Business As)

3

BUSINESS SITE ADDRESS

103

CITY

104

II. TANK DESCRIPTION

TANK ID #

432

TANK MANUFACTURER

433

TANK CONFIGURATION: THIS TANK IS

434

DATE UST SYSTEM INSTALLED

435

TANK CAPACITY IN GALLONS

436

NUMBER OF COMPARTMENTS IN THE UNIT

437

III. TANK USE AND CONTENTS

TANK USE

☐ 1a. MOTOR VEHICLE FUELING☐ 1b. MARINA FUELING☐ 1c. AVIATION FUELING

439

☐ 2. CHEMICAL PRODUCT STORAGE☐ 4. HAZARDOUS WASTE (Includes Used Oil)☐ 5. EMERGENCY GENERATOR FUEL [HSC §25281.5(c)]☒ 6. OTHER GENERATOR FUEL☐ 95. UNKNOWN☐ 99. OTHER (Specify):

439a

CONTENTS

PETROLEUM:

☐ 1a. REGULAR UNLEADED☐ 1c. MIDGRADE UNLEADED☐ 1b. PREMIUM UNLEADED

440

☒ 3. DIESEL☐ 5. JET FUEL☐ 6. AVIATION GAS☐ 8. PETROLEUM BLEND FUEL☐ 9. OTHER PETROLEUM

(Specify):

440a

NON-PETROLEUM: ☐ 7. USED OIL☐ 10. ETHANOL☐ 11. OTHER NON-PETROLEUM (Specify):

440b

IV. TANK CONSTRUCTION

TYPE OF TANK

☒ 1. SINGLE WALL ☐ 2. DOUBLE WALL ☐ 95. UNKNOWN

443

PRIMARY CONTAINMENT

☐ 1. STEEL☐ 3. FIBERGLASS☐ 6. INTERNAL BLADDER

444

☐ 7. STEEL + INTERNAL LINING☒ 95. UNKNOWN ☐ 99. OTHER (Specify):

444a

SECONDARY CONTAINMENT

☐ 1. STEEL☐ 3. FIBERGLASS☐ 6. EXTERIOR MEMBRANE LINER☐ 7. JACKETED

445

☐ 90. NONE☒ 95. UNKNOWN☐ 99. OTHER (Specify):

445a

OVERFILL PREVENTION

☒ 1. AUDIBLE & VISUAL ALARMS ☐ 2. BALL FLOAT☐ 3. FILL TUBE SHUT-OFF VALVE

445b

☐ 4. TANK MEETS REQUIREMENTS FOR EXEMPTION FROM OVERFILL PREVENTION EQUIPMENT

452

V. PRODUCT / WASTE PIPING CONSTRUCTION

PIPING CONSTRUCTION

☒ 1. SINGLE-WALLED ☐ 2. DOUBLE-WALLED ☐ 99. OTHER

460

SYSTEM TYPE

☐ 1. PRESSURE☐ 2. GRAVITY☒ 3. CONVENTIONAL SUCTION ☐ 4. SAFE SUCTION [23 CCR §2636(a)(3)]

458

PRIMARY CONTAINMENT

☐ 1. STEEL☐ 4. FIBERGLASS☒ 8. FLEXIBLE☐ 10. RIGID PLASTIC

464

☐ 90. NONE☒ 95. UNKNOWN☐ 99. OTHER (Specify):

464a

SECONDARY CONTAINMENT

☐ 1. STEEL☐ 4. FIBERGLASS☐ 8. FLEXIBLE☐ 10. RIGID PLASTIC

464b

☐ 90. NONE☒ 95. UNKNOWN☐ 99. OTHER (Specify):

464c

PIPING/TURBINE CONTAINMENT SUMP TYPE

☐ 1. SINGLE WALL☐ 2. DOUBLE WALL☒ 90. NONE

464d

VI. VENT, VAPOR RECOVERY (VR) AND RISER / FILL PIPE PIPING CONSTRUCTION

VENT PRIMARY CONTAINMENT

☒ 1. STEEL ☐ 4. FIBERGLASS ☐ 10. RIGID PLASTIC ☒ 90. NONE ☐ 99. OTHER (Specify)

464e

VENT SECONDARY CONTAINMENT

☐ 1. STEEL ☐ 4. FIBERGLASS ☐ 10. RIGID PLASTIC ☒ 90. NONE ☐ 99. OTHER (Specify)

464f

VR PRIMARY CONTAINMENT

☐ 1. STEEL ☐ 4. FIBERGLASS ☐ 10. RIGID PLASTIC ☒ 90. NONE ☐ 99. OTHER (Specify)

464g

VR SECONDARY CONTAINMENT

☐ 1. STEEL ☐ 4. FIBERGLASS ☐ 10. RIGID PLASTIC ☒ 90. NONE ☐ 99. OTHER (Specify)

464h

VENT PIPING TRANSITION SUMP TYPE

☐ 1. SINGLE WALL ☐ 2. DOUBLE WALL ☒ 90. NONE

464i

RISER PRIMARY CONTAINMENT

☐ 1. STEEL ☐ 4. FIBERGLASS ☐ 10. RIGID PLASTIC ☒ 90. NONE ☐ 99. OTHER (Specify)

464j

RISER SECONDARY CONTAINMENT

☐ 1. STEEL ☐ 4. FIBERGLASS ☐ 10. RIGID PLASTIC ☒ 90. NONE ☐ 99. OTHER (Specify)

464k

FILL COMPONENTS INSTALLED

☐ 1. SPILL BUCKET ☐ 3. STRIKER PLATE/BOTTOM PROTECTOR ☐ 4. CONTAINMENT SUMP

451a-c

VII. UNDER DISPENSER CONTAINMENT (UDC)

CONSTRUCTION TYPE

☐ 1. SINGLE WALL☐ 2. DOUBLE WALL☐ 3. NO DISPENSERS☒ 90. NONE

469a

CONSTRUCTION MATERIAL

☐ 1. STEEL☐ 4. FIBERGLASS☐ 10. RIGID PLASTIC☐ 99. OTHER (Specify)

469b-c

VIII. CORROSION PROTECTION

STEEL COMPONENT PROTECTION

☐ 2. SACRIFICIAL ANODE(S)☐ 4. IMPRESSED CURRENT☐ 6. ISOLATION

448

IX. APPLICANT SIGNATURE

CERTIFICATION: I certify that this UST system is compatible with the hazardous substance stored and that the information provided herein is true, accurate, and in full compliance with legal requirements.

APPLICANT SIGNATURE

DATE

470

APPLICANT NAME (print)

471

APPLICANT TITLE

472

**UNIFIED PROGRAM CONSOLIDATED FORM
UNDERGROUND STORAGE TANK
OPERATING PERMIT APPLICATION – TANK INFORMATION** (One form per UST)

TYPE OF ACTION (Check one item only. For an UST permanent closure or removal, complete only this section and Sections I, II, III, IV, and IX below)		430
☐ 1. NEW PERMIT	☒ 3. RENEWAL PERMIT	☐ 5. CHANGE OF INFORMATION
☐ 6. TEMPORARY UST CLOSURE	☐ 7. UST PERMANENT CLOSURE ON SITE	☒ 8. UST REMOVAL
DATE UST PERMANENTLY CLOSED: 8/96		430a
DATE EXISTING UST DISCOVERED:		430b
I. FACILITY INFORMATION		
FACILITY ID # (Agency Use Only)		1
BUSINESS NAME (Same as FACILITY NAME or DBA-Doing Business As) Caltrans Dist. 4		3
BUSINESS SITE ADDRESS SFOBB Toll Plaza	103 CITY Oakland	104
II. TANK DESCRIPTION		
TANK ID #	TANK MANUFACTURER Unknown	TANK CONFIGURATION: THIS TANK IS ☐ 1. A STAND-ALONE TANK ☐ 2. ONE IN A COMPARTMENTED UNIT. Complete one page for each compartment in the unit.
DATE UST SYSTEM INSTALLED Unknown	TANK CAPACITY IN GALLONS 2,000	NUMBER OF COMPARTMENTS IN THE UNIT
III. TANK USE AND CONTENTS		
TANK USE	☐ 1a. MOTOR VEHICLE FUELING ☐ 3. CHEMICAL PRODUCT STORAGE ☒ 6. OTHER GENERATOR FUEL	☐ 1b. MARINA FUELING ☐ 4. HAZARDOUS WASTE (Includes Used Oil) ☐ 95. UNKNOWN
CONTENTS	☐ 1c. AVIATION FUELING ☐ 5. EMERGENCY GENERATOR FUEL [HSC §25281.5(c)] ☐ 99. OTHER (Specify):	439
PETROLEUM:	☐ 1a. REGULAR UNLEADED ☒ 3. DIESEL ☐ 8. PETROLEUM BLEND FUEL	☐ 1b. PREMIUM UNLEADED ☐ 6. AVIATION GAS (Specify):
NON-PETROLEUM:	☐ 7. USED OIL ☐ 10. ETHANOL ☐ 11. OTHER NON-PETROLEUM (Specify):	440a 440b
IV. TANK CONSTRUCTION		
TYPE OF TANK	☒ 1. SINGLE WALL ☐ 2. DOUBLE WALL ☐ 95. UNKNOWN	443
PRIMARY CONTAINMENT	☐ 1. STEEL ☐ 3. FIBERGLASS ☐ 6. INTERNAL BLADDER ☐ 7. STEEL + INTERNAL LINING ☒ 95. UNKNOWN ☐ 99. OTHER (Specify):	444 444a
SECONDARY CONTAINMENT	☐ 1. STEEL ☐ 3. FIBERGLASS ☐ 6. EXTERIOR MEMBRANE LINER ☐ 7. JACKETED ☐ 90. NONE ☒ 95. UNKNOWN ☐ 99. OTHER (Specify):	445 445a
OVERFILL PREVENTION	☒ 1. AUDIBLE & VISUAL ALARMS ☐ 2. BALL FLOAT ☐ 3. FILL TUBE SHUT-OFF VALVE ☐ 4. TANK MEETS REQUIREMENTS FOR EXEMPTION FROM OVERFILL PREVENTION EQUIPMENT	452
V. PRODUCT / WASTE PIPING CONSTRUCTION		
PIPING CONSTRUCTION	☒ 1. SINGLE-WALLED ☐ 2. DOUBLE-WALLED ☐ 99. OTHER	460
SYSTEM TYPE	☐ 1. PRESSURE ☐ 2. GRAVITY ☒ 3. CONVENTIONAL SUCTION ☐ 4. SAFE SUCTION [23 CCR §2636(a)(3)]	458
PRIMARY CONTAINMENT	☐ 1. STEEL ☐ 4. FIBERGLASS ☐ 8. FLEXIBLE ☐ 10. RIGID PLASTIC ☐ 90. NONE ☒ 95. UNKNOWN ☐ 99. OTHER (Specify):	464 464a
SECONDARY CONTAINMENT	☐ 1. STEEL ☐ 4. FIBERGLASS ☐ 8. FLEXIBLE ☐ 10. RIGID PLASTIC ☐ 90. NONE ☒ 95. UNKNOWN ☐ 99. OTHER (Specify):	464b 464c
PIPING/TURBINE CONTAINMENT SUMP TYPE	☐ 1. SINGLE WALL ☐ 2. DOUBLE WALL ☒ 90. NONE	464d
VI. VENT, VAPOR RECOVERY (VR) AND RISER / FILL PIPE PIPING CONSTRUCTION		
VENT PRIMARY CONTAINMENT	☐ 1. STEEL ☐ 4. FIBERGLASS ☐ 10. RIGID PLASTIC ☒ 90. NONE ☐ 99. OTHER (Specify):	464e 464e1
VENT SECONDARY CONTAINMENT	☐ 1. STEEL ☐ 4. FIBERGLASS ☐ 10. RIGID PLASTIC ☒ 90. NONE ☐ 99. OTHER (Specify):	464f 464f1
VR PRIMARY CONTAINMENT	☐ 1. STEEL ☐ 4. FIBERGLASS ☐ 10. RIGID PLASTIC ☒ 90. NONE ☐ 99. OTHER (Specify):	464g 464g1
VR SECONDARY CONTAINMENT	☐ 1. STEEL ☐ 4. FIBERGLASS ☐ 10. RIGID PLASTIC ☒ 90. NONE ☐ 99. OTHER (Specify):	464h 464h1
VENT PIPING TRANSITION SUMP TYPE	☐ 1. SINGLE WALL ☐ 2. DOUBLE WALL ☒ 90. NONE	464i
RISER PRIMARY CONTAINMENT	☐ 1. STEEL ☐ 4. FIBERGLASS ☐ 10. RIGID PLASTIC ☒ 90. NONE ☐ 99. OTHER (Specify):	464j 464j1
RISER SECONDARY CONTAINMENT	☐ 1. STEEL ☐ 4. FIBERGLASS ☐ 10. RIGID PLASTIC ☒ 90. NONE ☐ 99. OTHER (Specify):	464k 464k1
FILL COMPONENTS INSTALLED	☐ 1. SPILL BUCKET ☐ 3. STRIKER PLATE/BOTTOM PROTECTOR ☐ 4. CONTAINMENT SUMP	451a-c
VII. UNDER DISPENSER CONTAINMENT (UDC)		
CONSTRUCTION TYPE	☐ 1. SINGLE WALL ☐ 2. DOUBLE WALL ☐ 3. NO DISPENSERS ☒ 90. NONE	469a
CONSTRUCTION MATERIAL	☐ 1. STEEL ☐ 4. FIBERGLASS ☐ 10. RIGID PLASTIC ☐ 99. OTHER (Specify):	469b-c
VIII. CORROSION PROTECTION		
STEEL COMPONENT PROTECTION	☐ 2. SACRIFICIAL ANODE(S) ☐ 4. IMPRESSED CURRENT ☐ 6. ISOLATION	448
IX. APPLICANT SIGNATURE		
CERTIFICATION: I certify that this UST system is compatible with the hazardous substance stored and that the information provided herein is true, accurate, and in full compliance with legal requirements.		
APPLICANT SIGNATURE John Love	DATE 2/8/13	470
APPLICANT NAME (Print) John Love	APPLICANT TITLE Sr. Project Geologist	472