Wickham, Jerry, Env. Health

From: Wickham, Jerry, Env. Health

Sent: Wednesday, November 12, 2014 8:18 AM

To: 'Peter Sims'

Subject: RE: Ashland Housing Project Stockpile SPB

Peter,

Based on the information provided, Alameda County Environmental Health has no objection to use of the fill material as proposed.

Regards,
Jerry Wickham
Alameda County Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502-6577
phone: 510-567-6791
jerry.wickham@acgov.org

From: Peter Sims [mailto:psims@ninyoandmoore.com]

Sent: Tuesday, November 11, 2014 10:41 AM

To: Wickham, Jerry, Env. Health

Subject: RE: Ashland Housing Project Stockpile SPB

Hi Jerry,

The lab results are in for the first stockpile we sampled and it is acceptable for reuse based on the site cleanup goals (ESLs included in the IRAP). Please confirm that the soil is acceptable for reuse and/or provide comments based on the below information.

- 1) A map or aerial photo showing the general area where the fill came from. See attached figure showing the location of stockpile SPB and the trench in Kent Avenue where the fill came from.
- 2) The volume of the stockpiles and volume that each sample represents and which sample goes with which stockpile. The stockpile SPB is approximately 42 cubic yards, each discrete sample represents approximately 10.5 cubic yards.
- 3) The type of samples composite or discrete. Composite sample COMPB was analyzed by TPHd, TPHmo, and TItle 22 Metals. Discrete sample SPB-3 was analyzed for TPHg and BTEX.
- 4) The type of fill and the heterogeneity. The fill was observed to be dark brown, moist, silty sand and was generally homogenous.
- 5) Whether the fill contains any debris or construction material. No debris or construction material was observed in the stockpiled soil.
- 6) Whether any staining or odor was observed. No staining or odor was observed in the stockpiled soil.
- 7) Confirmation of where the soil is to be reused. Soil is to be reused as backfill beneath Building A.
- 8) Laboratory analytical results. See Attached.

Thanks,

Peter D. Sims, LEED AP Project Environmental Geologist **Ninyo & Moore** Geotechnical & Environmental Sciences Consultants 1956 Webster Street, Suite 400 Oakland, California 94612 (510) 343-3000 x15216 (Office) (510) 327-9335 (Cell Phone) (510) 343-3001 (Fax) psims@ninyoandmoore.com

San Jose office 2149 O'Toole Avenue, Suite 30 San Jose, CA 95131 (408) 435-9000 (408) 435-9006 (Fax)

Experience · Quality · Commitment

----Original Message-----

From: Wickham, Jerry, Env. Health [mailto:jerry.wickham@acgov.org]

Sent: Tuesday, November 04, 2014 8:25 AM

To: Peter Sims

Subject: RE: Ashland Housing Project

Hello Peter,

The proposed stockpile sampling and submittal of results to ACEH for review is acceptable. TPHg and VOC analyses are to be performed on discrete samples. When submitting the stockpile sampling results, please include the following:

- 1) A map or aerial photo showing the general area where the fill came from.
- 2) The volume of the stockpiles and volume that each sample represents and which sample goes with which stockpile
- 3) The type of samples composite or discrete
- 4) The type of fill and the heterogeneity
- 5) Whether the fill contains any debris or construction material
- 6) Whether any staining or odor was observed
- 7) Confirmation of where the soil is to be reused
- 8) Laboratory analytical results

Regards,

Jerry Wickham
Alameda County Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502-6577

phone: 510-567-6791 jerry.wickham@acgov.org

From: Peter Sims [mailto:psims@ninyoandmoore.com]

Sent: Monday, November 03, 2014 2:55 PM

To: Wickham, Jerry, Env. Health **Subject:** Ashland Housing Project

Hi Jerry,

The contractor at Ashland has more trenching in Kent Avenue to perform and is planning on reusing the soil on site if it is acceptable. We anticipate two 50-cubic yard stockpiles will be generated one after another. Soil will be stockpiled on plastic sheeting on site. The stockpiles will be sampled per Section 6.6 of the IRAP at a rate of one 4-point composite per 50 cubic yards and analyzed for TPHg, TPHd, and TPHmo by EPA Method 8015M; Title 22 Metals by EPA Method 6010B/7471; and BTEX by EPA Method 8260B. Analytical results will be screened by Ninyo & Moore and if they appear acceptable for reuse at the site per the IRAP cleanup goals, then the results will be submitted to you for your review and approval. The planned area for on-site soil reuse is beneath the building

footprint. If soil is not acceptable for reuse then it will be disposed off-site. Results of the sampling, analysis, and reuse or disposal will be reported in the RACR. Please confirm or provide comments regarding the acceptability of the above. We hope to begin the stockpile sampling on this Wednesday.

Thank you,

Peter D. Sims, LEED AP Project Environmental Geologist **Ninyo & Moore**

Geotechnical & Environmental Sciences Consultants 1956 Webster Street, Suite 400 Oakland, California 94612 (510) 343-3000 x15216 (Office) (510) 327-9335 (Cell Phone) (510) 343-3001 (Fax) psims@ninyoandmoore.com

San Jose office 2149 O'Toole Avenue, Suite 30 San Jose, CA 95131 (408) 435-9000 (408) 435-9006 (Fax)

Experience · Quality · Commitment



38' x (8'x 5'

2

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Pleasanton 1220 Quarry Lane Pleasanton, CA 94566 Tel: (925)484-1919

TestAmerica Job ID: 720-61038-1

Client Project/Site: Ashland

For:

Ninyo & Moore 1956 Webster Street Suite 400 Oakland, California 94612

Attn: Mr. Peter D. Sims



Authorized for release by: 11/10/2014 4:03:20 PM

Dimple Sharma, Senior Project Manager (925)484-1919

dimple.sharma@testamericainc.com

·····LINKS ······

Review your project results through

Total Access

Have a Question?



Visit us at: www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Client: Ninyo & Moore Project/Site: Ashland

TestAmerica Job ID: 720-61038-1

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	6
QC Sample Results	8
QC Association Summary	13
Lab Chronicle	15
Certification Summary	16
Method Summary	17
Sample Summary	18
Chain of Custody	19
Receipt Checklists	20

Definitions/Glossary

Client: Ninyo & Moore Project/Site: Ashland

TestAmerica Job ID: 720-61038-1

Qualifiers

GC Semi VOA

Qualifier	Qualifier Description
F1	MS and/or MSD Recovery exceeds the control limits
F2	MS/MSD RPD exceeds control limits

Glossary

TEF

TEQ

Toxicity Equivalent Factor (Dioxin)

Toxicity Equivalent Quotient (Dioxin)

Abbreviation	These commonly used abbreviations may or may not be present in this report.
a	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points

3

5

7

10

13

Case Narrative

Client: Ninyo & Moore
Project/Site: Ashland

TestAmerica Job ID: 720-61038-1

Job ID: 720-61038-1

Laboratory: TestAmerica Pleasanton

Narrative

Job Narrative 720-61038-1

Comments

No additional comments.

Receipt

The samples were received on 11/5/2014 3:05 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.0° C.

GC/MS VOA

Method 8260B: SPB-3 (720-61038-3)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

GC VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

GC Semi VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Metals

Method 6010B: The following sample was diluted due to the abundance of non-target analyte: COMP-B (720-61038-5). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Organic Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

4

E

6

7

8

4 0

11

13

Detection Summary

Client: Ninyo & Moore Project/Site: Ashland

TestAmerica Job ID: 720-61038-1

Client Sample ID: SPB-3

Lab Sample ID: 720-61038-3

No Detections.

Client Sample ID: COMP-B

 Analyte	Result C	Qualifier RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Diesel Range Organics [C10-C28]	23	1.0		mg/Kg	1	_	8015B	Silica Gel
								Cleanup
Arsenic	5.4	3.8		mg/Kg	4		6010B	Total/NA
Barium	150	1.9		mg/Kg	4		6010B	Total/NA
Chromium	45	1.9		mg/Kg	4		6010B	Total/NA
Cobalt	11	0.76		mg/Kg	4		6010B	Total/NA
Copper	33	5.7		mg/Kg	4		6010B	Total/NA
Lead	20	1.9		mg/Kg	4		6010B	Total/NA
Nickel	48	1.9		mg/Kg	4		6010B	Total/NA
Vanadium	43	1.9		mg/Kg	4		6010B	Total/NA
Zinc	72	5.7		mg/Kg	4		6010B	Total/NA
Mercury	0.059	0.0092		ma/Ka	1		7471A	Total/NA

O

0

10

4.0

Client Sample Results

Client: Ninyo & Moore

TestAmerica Job ID: 720-61038-1

Project/Site: Ashland

Client Sample ID: SPB-3 Lab Sample ID: 720-61038-3

Date Collected: 11/05/14 09:22

Matrix: Solid

Date Received: 11/05/14 15:05

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		4.6		ug/Kg		11/05/14 21:41	11/06/14 05:38	1
Benzene	ND		4.6		ug/Kg		11/05/14 21:41	11/06/14 05:38	1
Ethylbenzene	ND		4.6		ug/Kg		11/05/14 21:41	11/06/14 05:38	1
Toluene	ND		4.6		ug/Kg		11/05/14 21:41	11/06/14 05:38	1
Xylenes, Total	ND		9.2		ug/Kg		11/05/14 21:41	11/06/14 05:38	1
Gasoline Range Organics (GRO) -C5-C12	ND		230		ug/Kg		11/05/14 21:41	11/06/14 05:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	76		45 - 131				11/05/14 21:41	11/06/14 05:38	1
1,2-Dichloroethane-d4 (Surr)	99		60 - 140				11/05/14 21:41	11/06/14 05:38	1
Toluene-d8 (Surr)	87		58 - 140				11/05/14 21:41	11/06/14 05:38	1

3

5

6

8

9

10

12

Client Sample Results

Client: Ninyo & Moore Project/Site: Ashland

TestAmerica Job ID: 720-61038-1

Lab Sample ID: 720-61038-5

Matrix: Solid

Client Sample ID: COMP-B Date Collected: 11/05/14 09:20 Date Received: 11/05/14 15:05

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	23		1.0		mg/Kg		11/06/14 15:30	11/07/14 15:16	1
Motor Oil Range Organics [C24-C36]	ND		50		mg/Kg		11/06/14 15:30	11/07/14 15:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	0		0 - 1				11/06/14 15:30	11/07/14 15:16	1
p-Terphenyl	95		38 ₋ 148				11/06/14 15:30	11/07/14 15:16	1

Method: 6010B - Metals (ICP)								
Analyte	Result	Qualifier RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND	1.9		mg/Kg		11/05/14 22:47	11/06/14 17:44	4
Arsenic	5.4	3.8		mg/Kg		11/05/14 22:47	11/06/14 17:44	4
Barium	150	1.9		mg/Kg		11/05/14 22:47	11/06/14 17:44	4
Beryllium	ND	0.38		mg/Kg		11/05/14 22:47	11/06/14 17:44	4
Cadmium	ND	0.48		mg/Kg		11/05/14 22:47	11/06/14 17:44	4
Chromium	45	1.9		mg/Kg		11/05/14 22:47	11/06/14 17:44	4
Cobalt	11	0.76		mg/Kg		11/05/14 22:47	11/06/14 17:44	4
Copper	33	5.7		mg/Kg		11/05/14 22:47	11/06/14 17:44	4
Lead	20	1.9		mg/Kg		11/05/14 22:47	11/06/14 17:44	4
Molybdenum	ND	1.9		mg/Kg		11/05/14 22:47	11/06/14 17:44	4
Nickel	48	1.9		mg/Kg		11/05/14 22:47	11/06/14 17:44	4
Selenium	ND	3.8		mg/Kg		11/05/14 22:47	11/06/14 17:44	4
Silver	ND	0.95		mg/Kg		11/05/14 22:47	11/06/14 17:44	4
Thallium	ND	1.9		mg/Kg		11/05/14 22:47	11/06/14 17:44	4
Vanadium	43	1.9		mg/Kg		11/05/14 22:47	11/06/14 17:44	4
Zinc	72	5.7		mg/Kg		11/05/14 22:47	11/06/14 17:44	4

Method: 7471A - Mercury (CVAA)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.059		0.0092		mg/Kg		11/05/14 22:39	11/06/14 13:08	1

Client: Ninyo & Moore

Project/Site: Ashland

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Lab Sample ID: MB 720-170325/4 Client Sample ID: Method Blank **Matrix: Solid** Prep Type: Total/NA

Analysis Batch: 170325

	MB	MB						
Analyte	Result	Qualifier	RL	MDL Uni	t D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		5.0	ug/l	Kg		11/05/14 20:13	1
Benzene	ND		5.0	ug/l	Kg		11/05/14 20:13	1
Ethylbenzene	ND		5.0	ug/l	Kg		11/05/14 20:13	1
Toluene	ND		5.0	ug/l	Kg		11/05/14 20:13	1
Xylenes, Total	ND		10	ug/l	Kg		11/05/14 20:13	1
Gasoline Range Organics (GRO)	ND		250	ug/l	Kg		11/05/14 20:13	1
-C5-C12								

MB MB Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac 4-Bromofluorobenzene 96 45 - 131 11/05/14 20:13 1,2-Dichloroethane-d4 (Surr) 60 - 140 96 11/05/14 20:13 Toluene-d8 (Surr) 93 58 - 140 11/05/14 20:13

Lab Sample ID: LCS 720-170325/5 Client Sample ID: Lab Control Sample **Matrix: Solid** Prep Type: Total/NA

Analysis Batch: 170325

LCS LCS Spike %Rec. Analyte Added Result Qualifier Unit %Rec Limits Methyl tert-butyl ether 50.0 46.2 ug/Kg 92 70 - 144 Benzene 50.0 47.8 96 70 - 130 ug/Kg Ethylbenzene 50.0 46.5 ug/Kg 93 80 - 137 50.0 93 Toluene 46.5 ug/Kg 80 - 128 m-Xylene & p-Xylene 50.0 46.2 ug/Kg 92 70 - 146 50.0 46.3 ug/Kg 93 70 - 140 o-Xylene

	LCS LCS	
Surrogate	%Recovery Qualifi	er Limits
4-Bromofluorobenzene	93	45 - 131
1,2-Dichloroethane-d4 (Surr)	95	60 - 140
Toluene-d8 (Surr)	95	58 ₋ 140

Lab Sample ID: LCS 720-170325/7 **Client Sample ID: Lab Control Sample Matrix: Solid** Prep Type: Total/NA

Analysis Batch: 170325

	Spike	LCS LCS				%Rec.
Analyte	Added	Result Qualifier	Unit	D	%Rec	Limits
Gasoline Range Organics (GRO)	1000	1110	ug/Kg		111	61 - 128
-C5-C12						

LCS LCS Surrogate %Recovery Qualifier Limits 4-Bromofluorobenzene 100 45 - 131 1,2-Dichloroethane-d4 (Surr) 60 - 140 98 Toluene-d8 (Surr) 94 58 - 140

TestAmerica Pleasanton

Client: Ninyo & Moore Project/Site: Ashland

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS (Continued)

Lab Sample ID: LCSD 720-170325/6

Client Sample ID: Lab Control Sample Dup Prep Type: Total/NA

Matrix: Solid

Analysis Batch: 170325

	эріке	LCSD	LCSD				%Rec.		KPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Methyl tert-butyl ether	50.0	47.9		ug/Kg		96	70 - 144	4	20
Benzene	50.0	48.1		ug/Kg		96	70 - 130	1	20
Ethylbenzene	50.0	46.6		ug/Kg		93	80 - 137	0	20
Toluene	50.0	46.9		ug/Kg		94	80 - 128	1	20
m-Xylene & p-Xylene	50.0	46.5		ug/Kg		93	70 - 146	1	20
o-Xylene	50.0	46.8		ug/Kg		94	70 - 140	1	20

LCCD LCCD

Chiles

LCSD LCSD

MR MR

Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	95		45 - 131
1,2-Dichloroethane-d4 (Surr)	95		60 - 140
Toluene-d8 (Surr)	97		58 ₋ 140

Lab Sample ID: LCSD 720-170325/8

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Matrix: Solid

Analysis Batch: 170325

	Spike	LCSD LCSD				%Rec.		RPD
Analyte	Added	Result Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Gasoline Range Organics (GRO)	1000	1060	ug/Kg		106	61 - 128	5	20

-C5-C12

	LCSD LCS	SD
Surrogate	%Recovery Qua	alifier Limits
4-Bromofluorobenzene	98	45 - 131
1,2-Dichloroethane-d4 (Surr)	98	60 - 140
Toluene-d8 (Surr)	93	58 ₋ 140

Method: 8015B - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 720-170415/1-A

Matrix: Solid

Analysis Batch: 170459

Client Sample ID: Method Blank Prep Type: Silica Gel Cleanup Prep Batch: 170415

	IVID	IAID							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		1.0		mg/Kg		11/06/14 15:30	11/07/14 20:07	1
Motor Oil Range Organics [C24-C36]	ND		50		mg/Kg		11/06/14 15:30	11/07/14 20:07	1

	MB	MB				
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	0.01		0 - 1	11/06/14 15:30	11/07/14 20:07	1
p-Terphenyl	103		38 - 148	11/06/14 15:30	11/07/14 20:07	1

Lab Sample ID: LCS 720-170415/2-A

Matrix: Solid

Analysis Batch: 170459

Client Sample ID: Lab Control Sample
Prep Type: Silica Gel Cleanup
Prep Batch: 170415

 Spike
 LCS
 LCS
 MRec.

 Analyte
 Added
 Result
 Qualifier
 Unit
 D
 %Rec
 Limits

 Diesel Range Organics
 82.6
 60.2
 mg/Kg
 73
 36 - 112

[C10-C28]

TestAmerica Pleasanton

9

6

9

10

12

13

Client: Ninyo & Moore Project/Site: Ashland

Method: 8015B - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 720-170415/2-A

Lab Sample ID: 720-61038-5 MS

Matrix: Solid

Matrix: Solid

Analysis Batch: 170459

Analysis Batch: 170458

Client Sample ID: Lab Control Sample Prep Type: Silica Gel Cleanup

Prep Batch: 170415

LCS LCS

%Recovery Surrogate Qualifier Limits p-Terphenyl 106 38 - 148

Client Sample ID: COMP-B

Prep Type: Silica Gel Cleanup **Prep Batch: 170415**

%Rec.

MS MS Sample Sample Spike Analyte Result Qualifier Added Result Qualifier Unit D %Rec Limits 82.4 97.9 90 50 - 150 Diesel Range Organics 23 mg/Kg

[C10-C28]

MS MS

Qualifier Limits Surrogate %Recovery p-Terphenyl 93 38 - 148

Lab Sample ID: 720-61038-5 MSD

Matrix: Solid

Analysis Batch: 170458

Client Sample ID: COMP-B Prep Type: Silica Gel Cleanup

Prep Batch: 170415

Prep Batch: 170362

Spike MSD MSD RPD Sample Sample %Rec. Analyte Result Qualifier Added Result Qualifier Unit D %Rec Limits **RPD** Limit Diesel Range Organics 23 82.1 160 F1 F2 mg/Kg 167 50 - 150 48 30

[C10-C28]

MSD MSD

Surrogate %Recovery Qualifier Limits 89 38 - 148 p-Terphenyl

Method: 6010B - Metals (ICP)

Lab Sample ID: MB 720-170362/1-A Client Sample ID: Method Blank **Matrix: Solid** Prep Type: Total/NA

Analysis Batch: 170416

MR MR Qualifier Analyte Result RL MDL Unit Prepared Analyzed Dil Fac 0.50 Antimony ND 11/05/14 22:47 11/06/14 14:40 mg/Kg Arsenic ND 1.0 mg/Kg 11/05/14 22:47 11/06/14 14:40 Barium ND 0.50 mg/Kg 11/05/14 22:47 11/06/14 14:40 Beryllium ND 0.10 mg/Kg 11/05/14 22:47 11/06/14 14:40 Cadmium ND 0.13 mg/Kg 11/05/14 22:47 11/06/14 14:40 Chromium ND 0.50 mg/Kg 11/05/14 22:47 11/06/14 14:40 Cobalt ND 0.20 mg/Kg 11/05/14 22:47 11/06/14 14:40 ND Copper 1.5 mg/Kg 11/05/14 22:47 11/06/14 14:40 Lead ND 0.50 mg/Kg 11/05/14 22:47 11/06/14 14:40 ND 0.50 11/05/14 22:47 11/06/14 14:40 Molybdenum mg/Kg ND Nickel 0.50 mg/Kg 11/05/14 22:47 11/06/14 14:40 11/06/14 14:40 Selenium NΠ 1.0 11/05/14 22:47 mg/Kg ND 0.25 11/05/14 22:47 11/06/14 14:40 Silver mg/Kg Thallium 0.50 ND mg/Kg 11/05/14 22:47 11/06/14 14:40 Vanadium ND 0.50 mg/Kg 11/05/14 22:47 11/06/14 14:40 Zinc ND 11/06/14 14:40 1.5 mg/Kg 11/05/14 22:47

TestAmerica Pleasanton

Client: Ninyo & Moore Project/Site: Ashland

Matrix: Solid

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: LCS 720-170362/2-A

Client Sample ID: Lab Control Sampl	е
Prep Type: Total/N	A
Prep Batch: 17036	2

Analysis Batch: 170416							Prep Batch: 170362
	Spike	LCS	LCS				%Rec.
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits
Antimony	50.0	48.5		mg/Kg		97	80 - 120
Arsenic	50.0	48.5		mg/Kg		97	80 - 120
Barium	50.0	50.1		mg/Kg		100	80 - 120
Beryllium	50.0	49.3		mg/Kg		99	80 - 120
Cadmium	50.0	51.3		mg/Kg		103	80 - 120
Chromium	50.0	52.5		mg/Kg		105	80 - 120
Cobalt	50.0	50.4		mg/Kg		101	80 - 120
Copper	50.0	50.7		mg/Kg		101	80 - 120
Lead	50.0	51.4		mg/Kg		103	80 - 120
Molybdenum	50.0	51.4		mg/Kg		103	80 - 120
Nickel	50.0	51.0		mg/Kg		102	80 - 120
Selenium	50.0	49.2		mg/Kg		98	80 - 120
Silver	25.0	24.0		mg/Kg		96	80 - 120
Thallium	50.0	51.0		mg/Kg		102	80 - 120
Vanadium	50.0	49.2		mg/Kg		98	80 - 120
Zinc	50.0	46.3		mg/Kg		93	80 - 120

Lab Sample ID: LCSD 720-170362/3-A

Matrix: Solid

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analysis Batch: 170416							Prep i	Batch: 1	70362	
	Spike	LCSD	LCSD				%Rec.		RPD	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Antimony	50.0	50.0		mg/Kg		100	80 - 120	3	20	
Arsenic	50.0	48.6		mg/Kg		97	80 - 120	0	20	
Barium	50.0	50.3		mg/Kg		101	80 - 120	0	20	
Beryllium	50.0	49.4		mg/Kg		99	80 - 120	0	20	
Cadmium	50.0	51.4		mg/Kg		103	80 - 120	0	20	
Chromium	50.0	52.7		mg/Kg		105	80 - 120	0	20	
Cobalt	50.0	50.5		mg/Kg		101	80 - 120	0	20	
Copper	50.0	50.9		mg/Kg		102	80 - 120	0	20	
Lead	50.0	51.7		mg/Kg		103	80 - 120	1	20	
Molybdenum	50.0	52.0		mg/Kg		104	80 - 120	1	20	
Nickel	50.0	51.3		mg/Kg		103	80 - 120	1	20	
Selenium	50.0	49.8		mg/Kg		100	80 - 120	1	20	
Silver	25.0	23.9		mg/Kg		96	80 - 120	0	20	
Thallium	50.0	51.2		mg/Kg		102	80 - 120	0	20	
Vanadium	50.0	49.2		mg/Kg		98	80 - 120	0	20	
Zinc	50.0	46.4		mg/Kg		93	80 - 120	0	20	

Method: 7471A - Mercury (CVAA)

Lab Sample ID: MB 720-170360/1-A

Matrix: Solid

Analyte

Mercury

Analysis Batch: 170406

Client Sample ID: Method Blank Prep Type: Total/NA **Prep Batch: 170360**

MB MB Result Qualifier MDL Unit Prepared ND 0.010 11/05/14 21:57 11/06/14 12:48 mg/Kg

TestAmerica Pleasanton

QC Sample Results

Client: Ninyo & Moore
Project/Site: Ashland
TestAmerica Job ID: 720-61038-1

Method: 7471A - Mercury (CVAA) (Continued)

Lab Sample ID: LCS 720-170360/2-A			Client Sample ID: Lab Control Sample
Matrix: Solid			Prep Type: Total/NA
Analysis Batch: 170406			Prep Batch: 170360
	Spike	LCS LCS	%Rec.

	Spike	LCS	LCS				%Rec.	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Mercury	0.833	0.665		mg/Kg	_	80	80 - 120	

Lab Sample ID: LCSD 720-170360/3-A			Client Sample ID: Lab Control Sample	le Dup
Matrix: Solid			Prep Type: To	tal/NA
Analysis Batch: 170406			Prep Batch: 1	70360
	Spike	LCSD LCSD	%Rec.	RPD

 Analyte
 LCSD
 LCSD
 KRec.
 RPD

 Mercury
 Added
 Result Re

3

4

6

7

R

9

10

12

13

Client: Ninyo & Moore Project/Site: Ashland

GC/MS VOA

Analysis Batch: 170325

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-61038-3	SPB-3	Total/NA	Solid	8260B/CA_LUFT	170354
				MS	
LCS 720-170325/5	Lab Control Sample	Total/NA	Solid	8260B/CA_LUFT	
				MS	
LCS 720-170325/7	Lab Control Sample	Total/NA	Solid	8260B/CA_LUFT	
				MS	
LCSD 720-170325/6	Lab Control Sample Dup	Total/NA	Solid	8260B/CA_LUFT	
				MS	
LCSD 720-170325/8	Lab Control Sample Dup	Total/NA	Solid	8260B/CA_LUFT	
				MS	
MB 720-170325/4	Method Blank	Total/NA	Solid	8260B/CA_LUFT	
				MS	

Prep Batch: 170354

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-61038-3	SPB-3	Total/NA	Solid	5030B	

GC Semi VOA

Prep Batch: 170415

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-61038-5	COMP-B	Silica Gel Cleanup	Solid	3546	
720-61038-5 MS	COMP-B	Silica Gel Cleanup	Solid	3546	
720-61038-5 MSD	COMP-B	Silica Gel Cleanup	Solid	3546	
LCS 720-170415/2-A	Lab Control Sample	Silica Gel Cleanup	Solid	3546	
MB 720-170415/1-A	Method Blank	Silica Gel Cleanup	Solid	3546	

Analysis Batch: 170458

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-61038-5	COMP-B	Silica Gel Cleanup	Solid	8015B	170415
720-61038-5 MS	COMP-B	Silica Gel Cleanup	Solid	8015B	170415
720-61038-5 MSD	COMP-B	Silica Gel Cleanup	Solid	8015B	170415

Analysis Batch: 170459

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 720-170415/2-A	Lab Control Sample	Silica Gel Cleanup	Solid	8015B	170415
MB 720-170415/1-A	Method Blank	Silica Gel Cleanup	Solid	8015B	170415

Metals

Prep Batch: 170360

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-61038-5	COMP-B	Total/NA	Solid	7471A	
LCS 720-170360/2-A	Lab Control Sample	Total/NA	Solid	7471A	
LCSD 720-170360/3-A	Lab Control Sample Dup	Total/NA	Solid	7471A	
MB 720-170360/1-A	Method Blank	Total/NA	Solid	7471A	

Prep Batch: 170362

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-61038-5	COMP-B	Total/NA	Solid	3050B	
LCS 720-170362/2-A	Lab Control Sample	Total/NA	Solid	3050B	
LCSD 720-170362/3-A	Lab Control Sample Dup	Total/NA	Solid	3050B	

TestAmerica Pleasanton

QC Association Summary

Client: Ninyo & Moore Project/Site: Ashland

TestAmerica Job ID: 720-61038-1

Metals (Continued)

Prep Batch: 170362 (Continu	ued)
-----------------------------	------

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 720-170362/1-A	Method Blank	Total/NA	Solid	3050B	

Analysis Batch: 170406

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-61038-5	COMP-B	Total/NA	Solid	7471A	170360
LCS 720-170360/2-A	Lab Control Sample	Total/NA	Solid	7471A	170360
LCSD 720-170360/3-A	Lab Control Sample Dup	Total/NA	Solid	7471A	170360
MB 720-170360/1-A	Method Blank	Total/NA	Solid	7471A	170360

Analysis Batch: 170416

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 720-170362/2-A	Lab Control Sample	Total/NA	Solid	6010B	170362
LCSD 720-170362/3-A	Lab Control Sample Dup	Total/NA	Solid	6010B	170362
MB 720-170362/1-A	Method Blank	Total/NA	Solid	6010B	170362

Analysis Batch: 170439

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-61038-5	COMP-B	Total/NA	Solid	6010B	170362

3

6

7

8

9

44

12

13

4 /

Lab Chronicle

Client: Ninyo & Moore Project/Site: Ashland

TestAmerica Job ID: 720-61038-1

Lab Sample ID: 720-61038-3

Matrix: Solid

Client Sample ID: SPB-3 Date Collected: 11/05/14 09:22

Date Received: 11/05/14 15:05

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			170354	11/05/14 21:41	LPL	TAL PLS
Total/NA	Analysis	8260B/CA_LUFTMS		1	170325	11/06/14 05:38	ASC	TAL PLS

Client Sample ID: COMP-B Lab Sample ID: 720-61038-5

Date Collected: 11/05/14 09:20 Matrix: Solid

Date Received: 11/05/14 15:05

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Silica Gel Cleanup	Prep	3546			170415	11/06/14 15:30	CJG	TAL PLS
Silica Gel Cleanup	Analysis	8015B		1	170458	11/07/14 15:16	JL	TAL PLS
Total/NA	Prep	3050B			170362	11/05/14 22:47	CTD	TAL PLS
Total/NA	Analysis	6010B		4	170439	11/06/14 17:44	SLK	TAL PLS
Total/NA	Prep	7471A			170360	11/05/14 22:39	JCR	TAL PLS
Total/NA	Analysis	7471A		1	170406	11/06/14 13:08	EFH	TAL PLS

Laboratory References:

TAL PLS = TestAmerica Pleasanton, 1220 Quarry Lane, Pleasanton, CA 94566, TEL (925)484-1919

0

8

10

11

13

Certification Summary

Client: Ninyo & Moore Project/Site: Ashland

TestAmerica Job ID: 720-61038-1

Laboratory: TestAmerica Pleasanton

Unless otherwise noted, all analytes for this laboratory were covered under each certification below.

Authority	Program		EPA Region	Certification ID	Expiration Date
California	State Progra	am	9	2496	01-31-16
Analysis Method	Prep Method	Matrix	Analyt	te	

4

4

5

0

10

11

13

Method Summary

Client: Ninyo & Moore Project/Site: Ashland

TestAmerica Job ID: 720-61038-1

Method 8260B/CA_LUFTM S	Method Description 8260B / CA LUFT MS	Protocol SW846	TAL PLS
8015B	Diesel Range Organics (DRO) (GC)	SW846	TAL PLS
6010B	Metals (ICP)	SW846	TAL PLS
7471A	Mercury (CVAA)	SW846	TAL PLS

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL PLS = TestAmerica Pleasanton, 1220 Quarry Lane, Pleasanton, CA 94566, TEL (925)484-1919

4

5

6

_

9

10

11

13

Sample Summary

Client: Ninyo & Moore Project/Site: Ashland

TestAmerica Job ID: 720-61038-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
720-61038-3	SPB-3	Solid	11/05/14 09:22	11/05/14 15:05
720-61038-5	COMP-B	Solid	11/05/14 09:20	11/05/14 15:05

Δ

5

0

8

9

4 4

12

13

Reference #:

TESTAMERICA Pleasanton Chain of Custody 1220 Quarry Lane Pleasanton CA 94566-4756

13

15739

11/10/2014

Login Sample Receipt Checklist

Client: Ninyo & Moore Job Number: 720-61038-1

Login Number: 61038 List Source: TestAmerica Pleasanton

List Number: 1

Creator: Gonzales, Justinn

orditori contanto, cucimi		
Question	Answer	Comment
Radioactivity wasn't checked or is = background as measured by a survey meter.</td <td>N/A</td> <td></td>	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

-