



---

**INVITATION TO COMMENT – POTENTIAL CASE CLOSURE**

**ROOFING FACILITY  
745 KEVIN COURT, OAKLAND, CA 94621  
FUEL LEAK CASE RO0003159  
GEOTRACKER GLOBAL ID T10000006491**

**March 15, 2018**

The above referenced site is a fuel leak case that is under the regulatory oversight of the Alameda County Department of Environmental Health (ACDEH) Local Oversight Program for the investigation and cleanup of a release of petroleum hydrocarbons from an underground storage tank system. Site investigation and cleanup activities have been completed and the site has been evaluated in accordance with the State Water Resources Control Board Low-Threat Closure Policy. The site appears to meet all of the criteria in the Low-Threat Closure Policy. Therefore, ACDEH is considering closure of the fuel leak case. Due to the residual contamination on site, the site would be closed to existing use with site management requirements that require further evaluation if the site is to be redeveloped in the future.

This notice is being sent to the current landowner in compliance with Health and Safety Code Section 25295.40. It is also being sent to the current occupants and landowners of adjacent properties and known interested parties for this site.

The public is invited to review and comment on the potential closure of the fuel leak case. The entire case file can be viewed over the Internet on the ACDEH website (<http://www.acgov.org/aceh/lop/ust.htm>) or the State of California Water Resources Control Board GeoTracker website (<http://geotracker.waterboards.ca.gov>). Please send written comments to Ms. Karel Detterman at the address below; all comments will be forwarded to the responsible parties. Comments **received by May 14, 2018** will be considered and responded to prior to a final determination on the proposed case closure.

If you have comments or questions regarding this site, please contact the ACDEH caseworker, Karel Detterman at 510-567-6708 or by email at [karel.detterman@acgov.org](mailto:karel.detterman@acgov.org). Please refer to ACDEH case RO0003159 in any correspondence.