

RECEIVED

By Alameda County Environmental Health 2:05 pm, Aug 18, 2016

GRAND AVENUE APARTMENTS, LLC
2295 SAN PABLO AVENUE
BERKELEY, CA 94702
(510) 540-5982

18 August 2016

Ms. Anne Jurek
Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Dear Ms. Jurek,

I declare, under penalty of perjury that the information contained in the enclosed report titled "Work Plan for Environmental Sampling at 378 Grand Avenue" is true and correct to the best of my knowledge.



Igal Sarfaty
Managing Member
Grand Avenue Apartment, LLC

18 August 2016

Ms. Anne Jurek
Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502

Subject: 378 Grand Avenue
Oakland, California 94610
Work Plan for Environmental Sampling

Dear Ms. Jurek:

Geosyntec Consultants (Geosyntec) is pleased to submit this *Work Plan for Environmental Sampling* (Work Plan) on behalf of Grand Avenue Apartment, LLC regarding the property located at 378 Grand Avenue in Oakland, California (Site).

In a letter dated 14 July 2016, the Alameda County Environmental Health (ACEH) required that Grand Avenue Apartment, LLC submit a work plan to conduct environmental sampling in the area of the former underground storage tank (UST). This requirement was made in response to ACEH's review of the *Underground Storage Tank Closure Report*, dated 9 March 2016.¹ ACEH required the Work Plan to include several components, which are described below in detail.

Site Background

The Site is located in mixed commercial and residential area, approximately 600 feet north of Lake Merit in Oakland, California. Between December 2015 and March 2016 a 1,500 gallon UST was removed from the front of the property. The owner had no prior knowledge of the tank or previous activities conducted at the Site. The age of the tank is unknown. The tank measured approximately 10 feet in length, and 5 feet in diameter, and was constructed of single wall bare steel. The area of the former tank (5 ft x 10 ft) was excavated in order to remove the UST. Soil was excavated to a depth of approximately 13.5 feet bgs, and groundwater was not encountered. Soil samples were collected from the tank excavation area, shown on Figure 1. Two confirmation soil samples collected beneath the east (9550 E-11.5) and west (9550 W-11.5) ends of the UST at 11.5 feet below ground surface (bgs) contained elevated concentrations of TPH as diesel of 852 and 646 milligrams per kilogram (mg/kg), respectively, exceeding the San Francisco Bay

¹ Golden Gate Tank Removal, Inc., 2016. *Underground Storage Tank Closure Report*. 9 March.

Regional Water Quality Control Board (RWQCB) Environmental Screening Level (ESL) of 110 mg/kg. The two samples had non-detect concentrations of BTEX, MTBE and naphthalene. The discrete soil sample collected from the south excavation sidewall (Sample ID 9550-SW-S-8.5) exceeded the SF Bay RWQCB ESL for residential (100 mg/kg) and commercial (530 mg/kg) land usage. All other analytical results from the State Certified Laboratory following the tank removal and remedial soil excavation activities were below the ESLs. The excavation was backfilled with imported pea gravel and sidewalk surface repaired. A complete description of tank removal activities is included in the *The Underground Storage Tank Closure Report*¹, included as Attachment 1.

Pre-Field Activities

Before implementing field activities, tenants will be notified of work being conducted at the Site. Geosyntec will apply for a drilling permit through ACEH and an encroachment permit and a parking obstruction permit through the City of Oakland Public Works Department. The proposed boring location will be marked with white paint and underground service dig alert of Northern California will be notified for utility clearance at the locations at least 48 hours in advance of any drilling activities. A Site-Specific Health & Safety Plan will be prepared.

Proposed Soil and Grab-Groundwater Sampling Activities

Geosyntec will collect soil samples and one grab-groundwater sample at a boring location in native soil downgradient (south) of the former UST excavation area (Figure 1).

Prior to drilling activities, Geosyntec will conduct an underground utility survey in the vicinity of the proposed boring with a private utility locator. The boring will be hand augured to 5 feet below ground surface (bgs) before the boring is advanced.

One soil boring will be advanced using direct push technology until groundwater is encountered. Drilling will be conducted by a C-57 licensed drilling contractor. Direct-push drill rods will be equipped with vinyl acetate sleeve liners. The soil samples will be collected continuously for logging and screening purposes. Soil contained in the sleeve will be visually logged using the Unified Soil Classification System (USCS) by the field geologist or engineer, under the supervision of a California Professional Geologist or Engineer. Soil cores will be field-screened for the presence of VOCs using a portable photo-ionization detector (PID) instrument. Soil cores will also be screened based on visible staining and odor observed in the field. The geologic logging and field screening will be used to select the depth interval for the collection of soil samples for laboratory analysis. If no evidence of petroleum hydrocarbons (PID, staining, odor) are observed in the soil core during drilling soil samples will be collected every five feet, until groundwater is encountered. The soil samples will be collected directly from the boring liner and placed in laboratory-supplied containers.

When first groundwater is encountered in the borehole, a grab-groundwater sample will be collected using a Geoprobe® Hydropunch or similar sampler. Once groundwater is observed in the soil boring, hydropunch rods equipped with a disposable tip and a section of ¾-inch slotted polyvinyl chloride (PVC) screen will be pushed 5 feet below the first encountered groundwater. The rods will then be retracted approximately 5 feet, leaving the stainless steel disposable tip in the ground and exposing the slotted PVC screen. A groundwater sample will be collected with a stainless steel bailer, disposable bailer or peristaltic pump and transferred to laboratory-supplied containers.

All samples will be labeled, placed in a cooler with ice, and delivered to a laboratory under chain-of-custody procedures. The samples will be labeled, packaged and stored in an ice-cooled chest, maintained at approximately 4°C, for transport under chain-of-custody procedures to a State-of-California certified analytical laboratory. Sample containers will be labeled with project identification, sample location, analytical parameters, date and time sampled and any preservative added to the sample. The soil and groundwater samples will be analyzed for benzene, toluene, ethylbenzene and total xylenes (BTEX), methyl tertiary butyl ether (MTBE), naphalene, and total petroleum hydrocarbons as gasoline (TPH-g) via EPA Method 8260, and total petroleum hydrocarbons as diesel (TPHd), and motor oil (TPHmo) via EPA Method 8015M.

Following sampling, the borehole will be grouted to the surface using a tremie pipe. Boreholes will be completed to match the surrounding surface, and roadways will be repaired in accordance with ACEH and City of Oakland requirements.

Proposed Soil Vapor Sampling Activities

Geosyntec will collect one soil vapor sample north of the previous excavation area of the former UST in native soil between the building and the excavation area (Figure 1). If field conditions are encountered which prevent coring at this location such as utilities and/or the building foundation then the sample location will be moved to the northeast of the previous tank excavation area, (to the east of the PG&E gas line). Geosyntec will conduct an underground utility survey in the vicinity of the proposed soil vapor sample with a private utility locator. Because this proposed location is in the sidewalk, a concrete corer will be used to core through the concrete sidewalk.

The proposed soil vapor sampling location will be hand-augered to ensure clearance of underground utilities. The building slab is estimated to extend to approximately 3 feet bgs, therefore the soil vapor sample will be collected using a soil vapor well installed 5 feet below the building foundation, at approximately 8 feet bgs. The soil vapor well will be installed on a temporary basis. Once the target depth is reached, a 6-inch long by ½-inch diameter polyethylene

Ms. Anne Jurek
18 August 2016
Page 4 of 6

or stainless steel screened vapor probe will be installed with dedicated ¼-inch Nylaflow® tubing attached. A 1-foot depth interval of the borehole surrounding the probe (i.e., approximately 3 inches above and below the vapor probe screen) will be filled with clean # 3 sand. The remainder of the borehole will be sealed using hydrated granular bentonite. Following probe installation, a vacuum test will be conducted to evaluate whether a sustainable sampling rate of 100 to 200 milliliters per minute (mL/min) can be maintained at a vacuum less than 100 inches-water. If the vacuum exceeds 100 inches-water, the soil vapor sampling location will be abandoned and a nearby location will be attempted.

After waiting at least two hours following the probe installation and vacuum testing, the sample will be collected after withdrawing three purge volumes, in general accordance with California Department of Toxic Substance Control's (DTSC) guidelines². A shut-in test will be conducted prior to sampling and helium will be used as a leak-check tracer gas around the probe during sampling as a QA/QC measure to confirm the sample integrity. The soil vapor sample will be collected in 1-liter Summa canisters and submitted under chain of custody protocol to a State-of-California certified laboratory for analysis by ASTM Method D1946 for methane.

After soil vapor sampling is completed, the temporary soil vapor well will be destroyed by removing the tubing, allowing the bentonite to seal the upper portion of the borehole, adding neat cement to the surface, and replacing the surface material to match surrounding conditions in accordance with city of Oakland requirements.

Investigation-Derived Waste

Soil generated from the sampling activities will be sampled and analyzed for TPHd and TPHmo using EPA Method 8015B (M), VOCs and TPHg using EPA Method 8260B, SVOCs using EPA Method 8270C, and CAM-17 metals using EPA method 6010B and/or 7471A. Geosyntec will coordinate with a waste disposal contractor for the profiling and disposal of the drum. The drum will be temporarily stored on site, and Grand Avenue Apartment, LLC will sign the waste manifest for disposal.

Data Evaluation and Reporting

Geosyntec will perform a QA/QC review of the analytical data received from the laboratory. The groundwater and soil vapor data will be compared to the California State Water Resources Control Board (SWRCB) Low Threat Underground Storage Tank Closure Polity (LTCP)

² California Department of Toxic Substances Control's (DTSC) guidance documents including *Advisory – Active Soil Gas Investigation*, dated July 2015 and *Final Guidance for the Evaluation and Mitigation of Subsurface Vapor Intrusion to Indoor Air*, dated October 2011.

Ms. Anne Jurek
18 August 2016
Page 5 of 6

criteria³, the San Francisco Bay Regional Water Quality Control Board Environmental Screening Levels (ESLs) and the lower explosive limit (LEL) for methane.

Geosyntec will evaluate groundwater flow direction using nearby Geotracker sites. A rose diagram will be included in the final letter report to show the local groundwater gradient based on publically available data for nearby sites. Using detected concentrations in the grab-groundwater sample and local groundwater flow direction and gradient from nearby sites, estimated plume lengths for benzene, MTBE and TPH will be delineated on a site map as requested by ACEH in their letter dated 14 July 2016. If groundwater is encountered above 15 feet bgs, and the concentrations in the groundwater sample exceed screening levels Geosyntec will review city and county records to identify utility conduits within the vicinity of the Site that could potentially act as preferential pathways. If groundwater is encountered above 22 feet bgs, and the concentrations in the groundwater sample exceed screening levels, Geosyntec will review publically available records and perform a site walk to identify potential downgradient properties with basements. Geosyntec will conduct a review of sensitive receptors within a 1,000 foot radius of the Site, including identification of water supply wells and nearby surface water bodies. A well survey will be completed for the Site using records from both the Alameda County Public Works and the California Department of Water Resources.

A letter report transmitting the results of the environmental sampling, and well survey will be prepared for submittal to the ACEH. The report will include a table summarizing the analytical results and a figure showing the sample locations with posted analytical results.

Schedule

The field work will commence following ACEH approval of this work plan and approval of all required permits to conduct the work. Copies of the laboratory reports will be provided to ACEH upon receipt and a letter report documenting the work and summarizing the results will be submitted to ACEH within 30 days of completion of the fieldwork.

³ SWRCB, 2012. Low-Threat Underground Storage Tank Case Closure Policy. Effective 17 August.

Ms. Anne Jurek
18 August 2016
Page 6 of 6

If you have questions regarding the contents of this Work Plan, please contact either of the undersigned at (510) 285-2700.

Sincerely,

Geosyntec Consultants, Inc.





Molly Holleran
Geologist



Nicole Gotberg, P.G.
Senior Geologist

Attachment: Figure 1 – Proposed Sample Locations
Attachment 1 – Underground Storage Tank Closure Report

FIGURE



Legend

- Proposed soil vapor sample location
- Proposed soil/grab-groundwater boring location
- Previous Samples (December 2015)
- Side Walk
- Grand Ave
- Street Light
- Location of 1,500-Gallon Diesel Fuel Underground Storage Tank¹
- AT&T Subsurface Conduit
- PG&E Natural Gas Pipe/Valve
- Excavation Boundary
- Dimensions

Notes:
¹ Removed by GGTR on 1 March, 2016.

Proposed Sample Locations

378 Grand Avenue
Oakland, California

Geosyntec
consultants

Figure 1

WR2217	August 2016
--------	-------------

ATTACHMENT 1

Underground Storage Tank Closure Report



UNDERGROUND STORAGE TANK

CLOSURE REPORT

378 Grand Avenue
Oakland, CA 94610
Job No. 9550
March 9, 2016

Prepared For:

378 Grand Avenue, LLC.
Attention: Mr. Yuval Bobrovitch
2295 San Pablo Avenue
Berkeley, CA 94702

A handwritten signature in black ink, appearing to read "Tim Hallen". The signature is written in a cursive style with a horizontal line underneath it.

Tim Hallen
Registered Environmental Assessor 08006

TABLE OF CONTENTS

COVER SHEET

TABLE OF CONTENTS

1. SITE LOCATION..... 1

2. SITE HISTORY..... 1

3. PRELIMINARY TANK REMOVAL ACTIVITIES..... 1

4. PRELIMINARY CONFIRMATION SAMPLING & ANALYSIS 2

5. SAMPLE DATA REVIEW 2

6. TANK REMOVAL & OVER-EXCAVATION..... 2

7. TANK AND SOIL CONDITION..... 3

8. CONFIRMATION SOIL SAMPLING & ANALYSIS..... 3

9. WASTE MANAGEMENT & SOIL DISPOSAL 4

10. SITE RESTORATION 4

11. FINDINGS / RECOMMENDATION 5

FIGURES

TABLE

ATTACHMENTS

1. SITE LOCATION

The commercial property is located at 378 Grand Avenue, with a cross street of Staten Avenue in Oakland, California. Figure 1 attached shows the general site location.

2. SITE HISTORY

One underground storage tank (UST) containing diesel was located beneath the sidewalk along the Grand Avenue frontage of the property. The tank had a capacity of approximately 1500 gallons, measuring approximately 10 feet in length by 5 feet in diameter, and was constructed of single wall bare steel. The fill port was located at the west end of the tank. The age of the tank is unknown. The owner had no prior knowledge of the tank nor is there any indication of previous site investigation activities. The approximate location of the tank as well as nearby streets is shown on the attached Figure 2.

3. PRELIMINARY TANK REMOVAL ACTIVITIES

In December 2015, Golden Gate Tank Removal, Inc. (GGTR) applied for and obtained permits for the tank removal activities from the Alameda County Department of Environmental Health (ACDEH), the City of Oakland Fire Department (COFD) and City of Oakland Planning and Building Department (COPBD). A copy of each agency's permit is included as an attachment.

On December 28, 2015, GGTR mobilized its equipment and began work on the project. The concrete sidewalk covering the tank was removed and disposed of at a local recycler. The overburden soil covering the tank was removed and stockpiled on visqueen sheeting adjacent to the tank excavation. Field measurements indicated that the bottom of the tank was 9.5 feet below grade (fbg) surface. An exposed subsurface AT&T utility pipe extends east-west through the center of the excavation, and a subsurface concrete utility vault housing a gas service lateral/valve extends north-south above the east end of the UST. Also, a City of Oakland street light pole lies adjacent to the southwest corner of the UST excavation. GGTR simultaneously constructed timber shoring along each excavation sidewall to the top of the UST at approximately 4.5 fbg.

The subsurface product and remote fill piping extending between the top of the tank and the northeast corner of the excavation were cut at each end, drained of any residual product and removed from the excavation area. Any exposed UST vent and product/ remote fill pipes were removed; the pipe lines remaining in place were plugged with concrete and capped at the excavation sidewall.

As part of the removal operations, GGTR contracted Fremouw Environmental Services to pump the residual product from the tank and piping into a vacuum tanker truck. GGTR then washed the interior of the tank with 180-degree water using a 3,000-psi pressure washer. A non-toxic enzyme was used to break down thick oil deposits. After a third washing, Fremouw Environmental Services, Inc., on January 26, 2016, removed the wash and rinse water from the tank and transported the Non-RCRA Hazardous Waste Liquid (totaling 1,386 Gallons) under Uniform Hazardous Waste Manifest No. 015104613JJK to the DK Dixon facility in Dixon, California. A copy of the liquid waste manifest is included as an attachment

On January 26, 2016, COFD Inspector Sheryl Skillern tested the lower explosive limit (LEL) and oxygen (O₂) levels in the tank with a Cannonball 3 combustible gas meter. The LEL and O₂ levels were 0% and 20.9%, respectively. Due to the overlying subsurface utilities and City Street

light pole, the COFD approved cutting of the tank into sections to facilitate removal of the UST from the excavation. GGTR initially cut a small 4"-diameter section from each bottom end of the UST to allow access for collection of representative confirmation soil samples, prior to its removal.

4. PRELIMINARY CONFIRMATION SAMPLING & ANALYSIS

On January 26, 2016, under the direction of Barbara Jakub of the ACHED, GGTR collected two discrete soil samples from the former tank excavation and one four-point composite soil sample from the stockpiled overburden soil. Soil samples 9550 E-11.5 and 9550 W-11.5 were collected 2 feet below the respective east and west ends of the tank bottom, at approximately 11.5 feet below sidewalk grade. The composite sample was labeled 9550-SP. All samples were transported to Accutest Laboratories (State ELAP Certification #08258) under formal chain-of-custody protocol for the required analyses. Figure 2 depicts the approximate soil sample locations.

All samples were analyzed for Total Petroleum Hydrocarbons (TPH) as Diesel (C10-C28) by EPA Method SW846 8015B M, Benzene, Toluene, Ethyl Benzene, Total Xylenes (BTEX), Methyl Tertiary Butyl Ether (MTBE) and Naphthalene by EPA Method SW846 8260B. A summary of the analytical results is included in the Table provided by Accutest Northern California, Inc. A copy of the laboratory certificate of analysis (**Accutest Job #C43826**) and chain of custody form is included as an attachment.

5. SAMPLE DATA REVIEW

The discrete confirmation soil samples collected beneath the east (9550 E-11.5) and west (9550 W-11.5) ends of the UST at 11.5 feet below grade contained elevated concentrations of TPH as diesel at 852 and 646 milligrams per kilogram (mg/kg), respectively, exceeding its applicable San Francisco Bay Regional Water Quality Control Board (RWQCB) Environmental Screening Level (ESL) of 110 mg/kg. The samples also contained non detectable concentrations of BTEX, MTBE and Naphthalene. The stockpile composite sample contained an insignificant concentration of TPH-diesel (44.9 mg/kg) and non detectable BTEX, MTBE and Naphthalene.

As presented above, and in email correspondence to the ACDEH dated February 29, 2016, due to overlying utilities and the presence of a light pole in the direct vicinity of the UST, GGTR cut the UST into small sections and removed them from the excavation using a backhoe transferring them directly into a flatbed truck for offsite disposal as non-hazardous scrap metal.

Immediately following UST removal, GGTR excavated and remove all impacted soil underlying the former UST to approximately 13 fbg. GGTR subsequently collected additional discrete confirmation soil samples at the bottom depth of the excavation, and if warranted, at excavation sidewalls at the groundwater interface.

6. TANK REMOVAL & OVER-EXCAVATION

On March 1, 2016, as directed by Inspector Kevin Hom of the ACDEH, GGTR performed the UST removal and over-excavation & confirmation sampling activities. GGTR initially pumped approximately 150 gallons of residual liquid accumulated within the bottom of the tank (up to 8.5 fbg) directly into 55-gallon storage drums. GGTR then removed the bottom, north and south sidewall sections of the UST from the excavation, and transferred the tank sections to a flatbed truck. The east and west end caps were temporarily left in place to provide support for the overlying utilities and light pole and avoid any sidewall collapsing.

GGTR over-excavated and removed all impacted soil underlying the former UST to approximately 13.5 fbg, and transferred the impacted soil directly into a 20-yard dump truck, parked in the north parking lane of Grand Avenue adjacent to the UST excavation. Visually impacted soil along the north and south sidewalls of the excavation was scraped to the extent feasible and transferred to the dump truck.

Following confirmation sampling (see below), GGTR placed pea gravel in the excavation to approximately 7 fbg to provide support for City light pole and gas service pipe/valve, and then removed the east and west end cap sections of the tank and placed them into a flatbed truck. All tank sections were transported as scrap metal to Circosta Iron & Metal, Inc. in San Francisco, California. A copy of the Certificate of Disposal and Circosta Scrap Metal Recycling Receipt are attached. Figure 3 depicts photographs of the tank removal and over-excavation activities.

7. TANK AND SOIL CONDITION

The tank was found to be in poor condition with visible holes located along the bottom and west end cap sections of the tank. No soil discoloration or hydrocarbon odors were observed in the tank overburden soil; however, visually impacted soil was observed along the north, south and west sidewalls of the excavation, as well as beneath the entire UST from approximately 9.5 to 13 fbg. Soil observed during the UST removal and confirmation sampling, was predominantly a damp to moist, moderate yellowish brown, silty clay (soft to firm). Visually impacted soil was olive gray to dark greenish gray in color with a slight hydrocarbon odor. Soil samples field screened using a calibrated MiniRae Lite photo ionization detector contained total volatile organics ranging between 0.1 and 4.3 parts per million. Drainage water, initially assumed as groundwater, was observed within the bottom of the UST during preliminary UST sampling activities at approximately 8.5 fbg. Groundwater was not observed in the excavation during the UST removal and over-excavation activities. The historical depth to groundwater measured in a former monitoring well (S-1) located at the Chevron-branded Service Station (350 Grand Avenue) approximately 170 feet west of the site, ranged between 6 and 11.5 fbg. An Underground Storage Tank Unauthorized Release (Leak) / Contamination Site Report was required by the ACDEH due to holes observed in the tank and visual contamination beneath the UST. A copy of the Leak report is included as an attachment.

8. CONFIRMATION SOIL SAMPLING & ANALYSIS

On March 1, 2016, under the direction of ACDEH Inspector Hom, GGTR collected one discrete soil sample from each sidewall of the excavation, at approximately 8.5 fbg, initially considered as the soil/groundwater interface level, and the general midway depth of impacted soil observed along the excavation sidewalls. GGTR collected each sample by hand augering approximately 2 feet into each excavation sidewall, and transferring the soil from the auger head directly into a brass tube. The discrete samples collected from the south, north, east and west sidewalls were labeled 9550-SW-S-8.5, 9550-SW-N-8.5, 9550-SW-E-8.5, and 9550-SW-W-8.5, respectively.

Immediately following over-excavation of the impacted soil to approximately 13 fbg, GGTR collected an additional discrete soil sample from the bottom east and west ends of the excavation at 13.5 fbg. The discrete samples were labeled 9550-EX-E-13.5 and 9550-EX-W-13.5, respectively. All samples were transported to Accutest Laboratories under formal chain-of-custody protocol for the required analyses. Figure 2 depicts the approximate confirmation soil sample locations.

All samples were analyzed for TPH as Diesel (C10-C28) by EPA Method SW846 8015B M, BTEX, MTBE and Naphthalene by EPA Method SW846 8260B. A summary of the analytical results is included in the Table provided by Accutest Northern California, Inc. A copy of the laboratory certificate of analysis (**Accutest Job #C44330**) and chain of custody form is included as an attachment.

9. WASTE MANAGEMENT & SOIL DISPOSAL

As above, following removal of the UST wash and rinse water from the UST, Fremouw Environmental Services Inc., on January 26, 2016, transported approximately 1,386 gallons of Non-RCRA Hazardous Waste Liquid under Uniform Waste Manifest No. 015104613 to the DK Dixon facility in Dixon, California. A copy of the associated liquid waste manifest is attached.

Prior to UST removal and over-excavation, GGTR profiled the impacted soil to be generated during over-excavation activities for disposal acceptance at the Keller Canyon Landfill Facility located in Pittsburg, California. Because of the UST overburden soil consisting primarily of clay, and unsuitability for compaction of this material with the overlying utilities, GGTR included the overburden with the remedial soil disposal.

On February 24, 2016, GGTR contracted Big Sky Environmental Solutions (Big Sky) to transport three 55-gallon drums of non-hazardous waste liquid under Non-Hazardous Waste Manifest No. 022216001 to the Instrat Inc. facility in Rio Vista, California. On March 8, 2016, Big Sky transported an additional three 55-gallon drums of non-hazardous waste liquid under Non-Hazardous Waste Manifest No. BSE030816 to the Potrero Hill Landfill. facility in Suisun City, California. A copy of each liquid waste manifest is included as an attachment.

On February 26 and March 1, 2016, GGTR contacted Poli Trucking to transport and dispose of approximately 13 tons of overburden soil and 12.5 tons of impacted soil, respectively, under Non-Hazardous Waste Acceptance Profile No. 4212162659 to the Keller Canyon Landfill facility in Pittsburg, California. A copy of each solid waste manifest and associated weight tag is included as an attachment.

10. SITE RESTORATION



On March 1 & 2, 2016, following UST removal and over-excavation, GGTR backfilled the entire excavation with clean, self-compacting, imported pea gravel. The sidewalk was subsequently replaced in conformance with OPB requirements.

11. FINDINGS / RECOMMENDATION

There were visible holes in the bottom and west end cap sections of the tank, as well as visual evidence of contamination in the soil along the north, south and west sidewalls of the excavation, as well as beneath the entire UST from approximately 9.5 to 13 fbg. GGTR over-excavated and removed all impacted soil underlying the former UST to approximately 13.5 fbg, and transferred the impacted soil directly into a 20-yard dump truck. Visually impacted soil along the north and south sidewalls of the excavation was scraped to the extent feasible and transferred to a dump truck. All impacted soil and the clayey overburden soil was properly profiled and transported for disposal to Keller Canyon Landfill Facility. The contents of the tank were disposed of according to all applicable regulations. Groundwater was not encountered in the excavation during the tank removal, over-excavation or confirmation sampling activities.

Following over-excavation activities, GGTR collected one discrete soil sample from each sidewall of the excavation, at approximately 8.5 fbg, and one additional discrete soil sample from the bottom east and west ends of the excavation at 13.5 fbg. The discrete soil sample collected from the south excavation sidewall (Sample ID 9550-SW-S-8.5) along Grand Avenue exceeded the applicable SF Bay RWQCB Environmental Screening Level for residential (100 mg/kg) and commercial (530 mg/kg) land usage. All other analytical results from the State Certified Laboratory following the tank removal and remedial soil excavation activities were non-detect to insignificant; therefore, GGTR recommends no further action at the site.

FIGURES



GOLDEN GATE TANK REMOVAL, INC.
1480 Carroll Avenue
San Francisco, CA 94124
Ph (415) 512-1555 Fx (415) 512-0964


VICINITY MAP
378 Grand Avenue
Oakland, CA 94610

GGTR Project No.9550

Drawing By: GW

December 2015

Figure 1




UST Removal & Over-Excavation Confirmation Soil Sampling	
Sample Designation #	GGTR Sample ID
1	9550 W-11.5
2	9550 E-11.5
3	9550-SP
4	9550-SW-S-8.5
5	9550-SW-N-8.5
6	9550-SW-E-8.5
7	9550-SW-W-8.5
8	9550-EX-E-13.5
9	9550-EX-E-13.5

Belmont Street

Perkins Street

Staten Avenue



Grand Avenue

Not To Scale

GOLDEN GATE TANK REMOVAL, INC.
 1480 Carroll Avenue
 San Francisco, California 94124
 Phone (415) 512-1555 Fax (415) 512-0964

Site Map
 378 Grand Avenue
 Oakland, California 94610

GGTR Proj. No. 9550

Figure By: GW

December 2015

Figure 2

TANK IN EXCAVATION



TANK REMOVAL IN PROGRESS

GOLDEN GATE TANK REMOVAL, INC.
1480 Carroll Avenue
San Francisco, CA 94124
Ph (415) 512-1555 Fx (415) 512-0964

UST REMOVAL
378 Grand Avenue
Oakland, CA 94610

GGTR Project No. 9550

Drawing By: EJ

March 2016

Figure 3

TABLE



Accutest Northern California, Inc.					
Job Number:	C43826				
Account:	Golden Gate Tank Removal				
Project:	378 Grand Avenue - Oakland, CA				
Project Number:	9550				
				Legend:	Hit
Client Sample ID:		9550 W-11.5	9550 E-11.5	9550-SP	
Lab Sample ID:		C43826-1	C43826-2	C43826-3	
Date Sampled:		1/26/2016	1/26/2016	1/26/2016	
Matrix:		Soil	Soil	Soil	
GC/MS Volatiles (SW846 8260B)					
Benzene	ug/kg	ND (0.50)	ND (0.49)	ND (18)	
Toluene	ug/kg	ND (0.50)	ND (0.49)	ND (18)	
Ethylbenzene	ug/kg	ND (0.50)	ND (0.49)	ND (18)	
Xylene (total)	ug/kg	ND (0.99)	ND (0.98)	ND (35)	
Methyl Tert Butyl Ether	ug/kg	ND (0.99)	ND (0.98)	ND (35)	
Naphthalene	ug/kg	ND (0.99)	ND (0.98)	ND (35)	
GC Semi-volatiles (SW846 8015B M)					
TPH (C10-C28)	mg/kg	646	852	44.9	



Accutest Northern California, Inc.		
Job Number:	C44010	
Account:	Golden Gate Tank Removal	
Project:	378 Grand Avenue - Oakland, CA	
Project Number:	9550	
	Legend:	Hit
Client Sample ID:		9550-SP2
Lab Sample ID:		C44010-1
Date Sampled:		1/26/2016
Matrix:		Soil
GC/MS Volatiles (SW846 8260B)		
Benzene	ug/kg	ND (0.49)
Toluene	ug/kg	ND (0.49)
Ethylbenzene	ug/kg	ND (0.49)
Xylene (total)	ug/kg	ND (0.99)
GC Semi-volatiles (SW846 8015B M)		
TPH (C10-C28)	mg/kg	185



Accutest Northern California, Inc.						
Job Number:	C43975					
Account:	Golden Gate Tank Removal					
Project:	378 Grand Avenue - Oakland, CA					
Project Number:	9550					
					Legend:	Hit
Client Sample ID:		9550-W-13'	9550-W-14.5'	9550-E-13'	9550-E-14.5'	
Lab Sample ID:		C43975-1	C43975-2	C43975-3	C43975-4	
Date Sampled:		2/4/2016	2/4/2016	2/4/2016	2/4/2016	
Matrix:		Soil	Soil	Soil	Soil	
GC/MS Volatiles (SW846 8260B)						
Benzene	ug/kg	ND (0.49)	ND (0.49)	ND (0.50)	ND (0.49)	
Toluene	ug/kg	ND (0.49)	ND (0.49)	ND (0.50)	ND (0.49)	
Ethylbenzene	ug/kg	ND (0.49)	ND (0.49)	ND (0.50)	ND (0.49)	
Xylene (total)	ug/kg	ND (0.97)	ND (0.99)	ND (1.0)	ND (0.98)	
Methyl Tert Butyl Ether	ug/kg	ND (0.97)	ND (0.99)	ND (1.0)	ND (0.98)	
Naphthalene	ug/kg	ND (0.97)	ND (0.99)	1.0 J	ND (0.98)	
GC Semi-volatiles (SW846 8015B M)						
TPH (C10-C28)	mg/kg	0.893 J	2.50 J	19.3	24.9	



Accutest Northern California, Inc.								
Job Number:	C44330							
Account:	Golden Gate Tank Removal							
Project:	378 Grand Avenue - Oakland, CA							
Project Number:	9550							
							Legend:	Hit
Client Sample ID:		9550-SW-S-8.5	9550-SW-N-8.5	9550-SW-E-8.5	9550-SW-W-8.5	9550-EX-E-13.5	9550-EX-W-13.5	
Lab Sample ID:		C44330-1	C44330-2	C44330-3	C44330-4	C44330-5	C44330-6	
Date Sampled:		3/1/2016	3/1/2016	3/1/2016	3/1/2016	3/1/2016	3/1/2016	
Matrix:		Soil	Soil	Soil	Soil	Soil	Soil	
GC/MS Volatiles (SW846 8260B)								
Benzene	ug/kg	ND (0.50)	ND (0.50)	ND (0.49)	ND (0.50)	ND (0.50)	ND (0.49)	
Toluene	ug/kg	ND (0.50)	ND (0.50)	ND (0.49)	ND (0.50)	ND (0.50)	ND (0.49)	
Ethylbenzene	ug/kg	ND (0.50)	ND (0.50)	ND (0.49)	ND (0.50)	ND (0.50)	ND (0.49)	
Xylene (total)	ug/kg	ND (0.99)	ND (1.0)	ND (0.98)	ND (1.0)	ND (1.0)	ND (0.98)	
Methyl Tert Butyl Ether	ug/kg	ND (0.99)	ND (1.0)	ND (0.98)	ND (1.0)	ND (1.0)	ND (0.98)	
Naphthalene	ug/kg	ND (0.99)	ND (1.0)	ND (0.98)	ND (1.0)	ND (1.0)	ND (0.98)	
GC Semi-volatiles (SW846 8015B M)								
TPH (C10-C28)	mg/kg	772	146	6.69	1.63 J	17.7	352	

ATTACHMENTS

**ANALYTICAL REPORT
CERTIFICATE OF TANK DISPOSAL
SCRAP METAL RECYCLING RECEIPT
LIQUID WASTE MANIFESTS
SOIL WASTE MANIFEST/WEIGHT TAGS
UST UNAUTHORIZED RELEASE (LEAK) / CONTAMINATION REPORT
HAZARDOUS WASTE TANK CLOSURE CERTIFICATION
PERMITS**



McC Campbell Analytical, Inc.

"When Quality Counts"

Analytical Report

WorkOrder: 1601340

Report Created for: Fremouw Environmental Services, Inc.

6940 Tremont Rd.,
Dixon, CA 95620

Project Contact: Dina Barron

Project P.O.:

Project Name: #61554; 378 Granda Ave. (GGTR)

Project Received: 01/12/2016

Analytical Report reviewed & approved for release on 01/13/2016 by:

Angela Rydelius,
Laboratory Manager

The report shall not be reproduced except in full, without the written approval of the laboratory. The analytical results relate only to the items tested. Results reported conform to the most current NELAP standards, where applicable, unless otherwise stated in the case narrative.





Glossary of Terms & Qualifier Definitions

Client: Fremouw Environmental Services, Inc.
Project: #61554; 378 Granda Ave. (GGTR)
WorkOrder: 1601340

Glossary Abbreviation

95% Interval	95% Confident Interval
DF	Dilution Factor
DI WET	(DISTLC) Waste Extraction Test using DI water
DISS	Dissolved (direct analysis of 0.45 µm filtered and acidified water sample)
DLT	Dilution Test
DUP	Duplicate
EDL	Estimated Detection Limit
ITEF	International Toxicity Equivalence Factor
LCS	Laboratory Control Sample
MB	Method Blank
MB % Rec	% Recovery of Surrogate in Method Blank, if applicable
MDL	Method Detection Limit
ML	Minimum Level of Quantitation
MS	Matrix Spike
MSD	Matrix Spike Duplicate
N/A	Not Applicable
ND	Not detected at or above the indicated MDL or RL
NR	Data Not Reported due to matrix interference or insufficient sample amount.
PDS	Post Digestion Spike
PDSD	Post Digestion Spike Duplicate
PF	Prep Factor
RD	Relative Difference
RL	Reporting Limit (The RL is the lowest calibration standard in a multipoint calibration.)
RPD	Relative Percent Deviation
RRT	Relative Retention Time
SPK Val	Spike Value
SPKRef Val	Spike Reference Value
SPLP	Synthetic Precipitation Leachate Procedure
TCLP	Toxicity Characteristic Leachate Procedure
TEQ	Toxicity Equivalents
WET (STLC)	Waste Extraction Test (Soluble Threshold Limit Concentration)



Glossary of Terms & Qualifier Definitions

Client: Fremouw Environmental Services, Inc.
Project: #61554; 378 Granda Ave. (GGTR)
WorkOrder: 1601340

Analytical Qualifiers

S	spike recovery outside accepted recovery limits
a1	sample diluted due to matrix interference
b6	lighter than water immiscible sheen/product is present
c7	Surrogate value diluted out of range
h4	sulfuric acid permanganate (EPA 3665) cleanup



Analytical Report

Client: Fremouw Environmental Services, Inc.
Date Received: 1/12/16 10:56
Date Prepared: 1/12/16
Project: #61554; 378 Granda Ave. (GGTR)

WorkOrder: 1601340
Extraction Method: SW3580A
Analytical Method: SW8082
Unit: mg/kg

Polychlorinated Biphenyls (PCBs) Aroclors

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
GGTR-001	1601340-001A	Oil	01/11/2016 07:30	GC5A	115272

Analytes	Result	RL	DF	Date Analyzed
Aroclor1016	ND	2.0	1	01/12/2016 15:04
Aroclor1221	ND	2.0	1	01/12/2016 15:04
Aroclor1232	ND	2.0	1	01/12/2016 15:04
Aroclor1242	ND	2.0	1	01/12/2016 15:04
Aroclor1248	ND	2.0	1	01/12/2016 15:04
Aroclor1254	ND	2.0	1	01/12/2016 15:04
Aroclor1260	ND	2.0	1	01/12/2016 15:04
PCBs, total	ND	2.0	1	01/12/2016 15:04

Surrogates	REC (%)	Limits	Date Analyzed
Decachlorobiphenyl	96	70-130	01/12/2016 15:04

Analyst(s): CK

Analytical Comments: h4



Analytical Report

Client: Fremouw Environmental Services, Inc.
Date Received: 1/12/16 10:56
Date Prepared: 1/12/16
Project: #61554; 378 Granda Ave. (GGTR)

WorkOrder: 1601340
Extraction Method: SW3510C
Analytical Method: SW8082
Unit: µg/L

Polychlorinated Biphenyls (PCBs) Aroclors

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
GGTR-001	1601340-001B	Water	01/11/2016 07:30	GC20	115222

Analytes	Result	RL	DF	Date Analyzed
Aroclor1016	ND	1000	1,000	01/12/2016 16:53
Aroclor1221	ND	1000	1,000	01/12/2016 16:53
Aroclor1232	ND	1000	1,000	01/12/2016 16:53
Aroclor1242	ND	1000	1,000	01/12/2016 16:53
Aroclor1248	ND	1000	1,000	01/12/2016 16:53
Aroclor1254	ND	1000	1,000	01/12/2016 16:53
Aroclor1260	ND	1000	1,000	01/12/2016 16:53
PCBs, total	ND	1000	1,000	01/12/2016 16:53

Surrogates	REC (%)	Qualifiers	Limits	Date Analyzed
Decachlorobiphenyl	220	S	70-130	01/12/2016 16:53

Analyst(s): SS

Analytical Comments: a1,c7,b6



Quality Control Report

Client: Fremouw Environmental Services, Inc.
Date Prepared: 1/12/16
Date Analyzed: 1/12/16
Instrument: GC5A
Matrix: Oil
Project: #61554; 378 Granda Ave. (GGTR)

WorkOrder: 1601340
BatchID: 115272
Extraction Method: SW3580A
Analytical Method: SW8082
Unit: mg/kg
Sample ID: MB-115272

QC Summary Report for SW8082

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Aroclor1016	ND	-	2.0	-	-	-	-
Aroclor1221	ND	-	2.0	-	-	-	-
Aroclor1232	ND	-	2.0	-	-	-	-
Aroclor1242	ND	-	2.0	-	-	-	-
Aroclor1248	ND	-	2.0	-	-	-	-
Aroclor1254	ND	-	2.0	-	-	-	-
Aroclor1260	ND	-	2.0	-	-	-	-
PCBs, total	ND	-	2.0	-	-	-	-
Surrogate Recovery							
Decachlorobiphenyl	3.43	-		4	86	-	-



Quality Control Report

Client: Fremouw Environmental Services, Inc.
Date Prepared: 1/11/16
Date Analyzed: 1/12/16
Instrument: GC20
Matrix: Water
Project: #61554; 378 Granda Ave. (GGTR)

WorkOrder: 1601340
BatchID: 115222
Extraction Method: SW3510C
Analytical Method: SW8082
Unit: µg/L
Sample ID: MB/LCS-115222

QC Summary Report for SW8082

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Aroclor1016	ND	-	0.50	-	-	-	-
Aroclor1221	ND	-	0.50	-	-	-	-
Aroclor1232	ND	-	0.50	-	-	-	-
Aroclor1242	ND	-	0.50	-	-	-	-
Aroclor1248	ND	-	0.50	-	-	-	-
Aroclor1254	ND	-	0.50	-	-	-	-
Aroclor1260	ND	3.62	0.50	3.75	-	97	70-130
PCBs, total	ND	-	0.50	-	-	-	-
Surrogate Recovery							
Decachlorobiphenyl	1.34	1.35		1.25	107	108	70-130



1534 Willow Pass Rd
Pittsburg, CA 94565-1701
(925) 252-9262

CHAIN-OF-CUSTODY RECORD

WorkOrder: 1601340

ClientCode: FESV

WaterTrax
 WriteOn
 EDF
 Excel
 EQulS
 Email
 HardCopy
 ThirdParty
 J-flag

Report to:

Dina Barron
Fremouw Environmental Services, Inc.
6940 Tremont Rd.,
Dixon, CA 95620
(800) 559-3274 FAX: 707-447-3499

Email: dbarron@hazwasteremoval.com; pfremou
cc/3rd Party: dbarron@hazwasteremoval.com; pfremou
PO:
ProjectNo: #61554; 378 Granda Ave. (GGTR)

Bill to:

Accounts Payable
Fremouw Environmental Services, Inc.
6940 Tremont Rd.,
Dixon, CA 95620
ap@hazwasteremoval.com

Requested TAT: 1 day;

Date Received: 01/11/2016

Date Logged: 01/12/2016

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)												
					1	2	3	4	5	6	7	8	9	10	11	12	
1601340-001	GGTR-001	Oil	1/11/2016 7:30	<input type="checkbox"/>	A												
1601340-001	GGTR-001	Water	1/11/2016 7:30	<input type="checkbox"/>		B											

Test Legend:

1	8082_PCB_O(MG/KG)	2	8082_PCB_W	3		4	
5		6		7		8	
9		10		11		12	

Prepared by: Rosa Venegas

Comments: Analyze both oil and water phase per P.R.

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).
Hazardous samples will be returned to client or disposed of at client expense.



WORK ORDER SUMMARY

Client Name: FREMOUW ENVIRONMENTAL SERVICES, INC.

QC Level: LEVEL 2

Work Order: 1601340

Project: #61554; 378 Granda Ave. (GGTR)

Client Contact: Dina Barron

Date Logged: 1/12/2016

Comments: Analyze both oil and water phase per P.R.

Contact's Email: dbarron@hazwasteremoval.com;
 pfremouw@hazwasteremoval.com;

WaterTrax WriteOn EDF Excel Fax Email HardCopy ThirdParty J-flag

Lab ID	Client ID	Matrix	Test Name	Containers /Composites	Bottle & Preservative	De-chlorinated	Collection Date & Time	TAT	Sediment Content	Hold	SubOut
1601340-001A	GGTR-001	Oil	SW8082 (PCBs Only)	1	1LA	<input type="checkbox"/>	1/11/2016 7:30	1 day		<input type="checkbox"/>	
1601340-001B	GGTR-001	Water	SW8082 (PCBs Only)	1	1LA	<input type="checkbox"/>	1/11/2016 7:30	1 day		<input type="checkbox"/>	

NOTES: - STLC and TCLP extractions require 2 days to complete; therefore, all TATs begin after the extraction is completed (i.e., One-day TAT yields results in 3 days from sample submission).
 - MAI assumes that all material present in the provided sampling container is considered part of the sample - MAI does not exclude any material from the sample prior to sample preparation unless requested in writing by the client.



Sample Receipt Checklist

Client Name: **Fremouw Environmental Services, Inc.**
 Project Name: **#61554; 378 Granda Ave. (GGTR)**
 WorkOrder №: **1601340** Matrix: Oil/Water
 Carrier:

Date and Time Received: **1/11/2016 15:30**
 Date Logged: **1/12/2016**
 Received by: **Rosa Venegas**
 Logged by: **Rosa Venegas**

Chain of Custody (COC) Information

Chain of custody present? Yes No
 Chain of custody signed when relinquished and received? Yes No
 Chain of custody agrees with sample labels? Yes No
 Sample IDs noted by Client on COC? Yes No
 Date and Time of collection noted by Client on COC? Yes No
 Sampler's name noted on COC? Yes No

Sample Receipt Information

Custody seals intact on shipping container/cooler? Yes No NA
 Shipping container/cooler in good condition? Yes No
 Samples in proper containers/bottles? Yes No
 Sample containers intact? Yes No
 Sufficient sample volume for indicated test? Yes No

Sample Preservation and Hold Time (HT) Information

All samples received within holding time? Yes No
 Sample/Temp Blank temperature Temp: NA
 Water - VOA vials have zero headspace / no bubbles? Yes No NA
 Sample labels checked for correct preservation? Yes No
 pH acceptable upon receipt (Metal: <2; 522: <4; 218.7: >8)? Yes No NA
 Samples Received on Ice? Yes No

UCMR3 Samples:

Total Chlorine tested and acceptable upon receipt for EPA 522? Yes No NA
 Free Chlorine tested and acceptable upon receipt for EPA 218.7, 300.1, 537, 539? Yes No NA

* NOTE: If the "No" box is checked, see comments below.

 Comments:

Effective January 1, 2016, SGS has acquired all of the assets of Accutest Laboratories and will continue to operate as SGS-Accutest. SGS-Accutest is part of SGS, the world's leading inspection, verification, testing and certification company.

Technical Report for

Golden Gate Tank Removal

378 Grand Avenue - Oakland, CA

9550

Accutest Job Number: C43826

Sampling Date: 01/26/16

Report to:

Golden Gate Tank Removal, Inc.
1455 Yosemite Ave.
San Francisco, CA 94124
gina.wee@ggtr.com; tim@ggtr.com;
b.wheeler@ggtr.com; amm@ggtr.com
ATTN: Gina Wee

Total number of pages in report: **22**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.



James J. Rhudy
Lab Director

Client Service contact: Maureen Coloma 408-588-0200

Certifications: CA (ELAP 2910) AK (UST-092) AZ (AZ0762) NV (CA00150) OR (CA300006) WA (C925)
DoD ELAP (L-A-B L2242)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Summary of Hits	4
Section 3: Sample Results	5
3.1: C43826-1: 9550 W-11.5	6
3.2: C43826-2: 9550 E-11.5	8
3.3: C43826-3: 9550-SP	10
Section 4: Misc. Forms	12
4.1: Chain of Custody	13
Section 5: GC/MS Volatiles - QC Data Summaries	15
5.1: Method Blank Summary	16
5.2: Blank Spike/Blank Spike Duplicate Summary	17
5.3: Matrix Spike/Matrix Spike Duplicate Summary	18
Section 6: GC Semi-volatiles - QC Data Summaries	19
6.1: Method Blank Summary	20
6.2: Blank Spike/Blank Spike Duplicate Summary	21
6.3: Matrix Spike/Matrix Spike Duplicate Summary	22

1

2

3

4

5

6



Sample Summary

Golden Gate Tank Removal

Job No: C43826

378 Grand Avenue - Oakland, CA

Project No: 9550

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
C43826-1	01/26/16	12:15	01/26/16	SO	Soil	9550 W-11.5
C43826-2	01/26/16	12:20	01/26/16	SO	Soil	9550 E-11.5
C43826-3	01/26/16	12:30	01/26/16	SO	Soil	9550-SP

Soil samples reported on a dry weight basis unless otherwise indicated on result page.

Summary of Hits

Job Number: C43826
Account: Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA
Collected: 01/26/16

2

Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
C43826-1	9550 W-11.5					
TPH (C10-C28)		646	67	17	mg/kg	SW846 8015B M
C43826-2	9550 E-11.5					
TPH (C10-C28)		852	66	17	mg/kg	SW846 8015B M
C43826-3	9550-SP					
TPH (C10-C28)		44.9	9.9	2.5	mg/kg	SW846 8015B M

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID: 9550 W-11.5	
Lab Sample ID: C43826-1	Date Sampled: 01/26/16
Matrix: SO - Soil	Date Received: 01/26/16
Method: SW846 8260B	Percent Solids: n/a ^a
Project: 378 Grand Avenue - Oakland, CA	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M58340.D	1	01/26/16	XB	n/a	n/a	VM1751
Run #2							

Run #	Initial Weight
Run #1	5.04 g
Run #2	

Purgeable Aromatics, MTBE, Naphthalene

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	5.0	0.50	ug/kg	
108-88-3	Toluene	ND	5.0	0.50	ug/kg	
100-41-4	Ethylbenzene	ND	5.0	0.50	ug/kg	
1330-20-7	Xylene (total)	ND	9.9	0.99	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	0.99	ug/kg	
91-20-3	Naphthalene	ND	5.0	0.99	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		70-130%
2037-26-5	Toluene-D8	97%		70-130%
460-00-4	4-Bromofluorobenzene	109%		70-130%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

31
3

Client Sample ID: 9550 W-11.5	Date Sampled: 01/26/16
Lab Sample ID: C43826-1	Date Received: 01/26/16
Matrix: SO - Soil	Percent Solids: n/a ^a
Method: SW846 8015B M SW846 3550B	
Project: 378 Grand Avenue - Oakland, CA	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	GG64124.D	20	01/27/16	FL	01/26/16	OP13797	GGG1906
Run #2							

	Initial Weight	Final Volume
Run #1	30.1 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (C10-C28)	646	67	17	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
630-01-3	Hexacosane	128%		38-146%		

(a) All results reported on a wet weight basis.

ND = Not detected	MDL = Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: 9550 E-11.5	Date Sampled: 01/26/16
Lab Sample ID: C43826-2	Date Received: 01/26/16
Matrix: SO - Soil	Percent Solids: n/a ^a
Method: SW846 8260B	
Project: 378 Grand Avenue - Oakland, CA	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M58342.D	1	01/27/16	XB	n/a	n/a	VM1751
Run #2							

Run #	Initial Weight
Run #1	5.10 g
Run #2	

Purgeable Aromatics, MTBE, Naphthalene

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	4.9	0.49	ug/kg	
108-88-3	Toluene	ND	4.9	0.49	ug/kg	
100-41-4	Ethylbenzene	ND	4.9	0.49	ug/kg	
1330-20-7	Xylene (total)	ND	9.8	0.98	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	4.9	0.98	ug/kg	
91-20-3	Naphthalene	ND	4.9	0.98	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		70-130%
2037-26-5	Toluene-D8	96%		70-130%
460-00-4	4-Bromofluorobenzene	110%		70-130%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

32
3

Client Sample ID: 9550 E-11.5	Date Sampled: 01/26/16
Lab Sample ID: C43826-2	Date Received: 01/26/16
Matrix: SO - Soil	Percent Solids: n/a ^a
Method: SW846 8015B M SW846 3550B	
Project: 378 Grand Avenue - Oakland, CA	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	GG64125.D	20	01/27/16	FL	01/26/16	OP13797	GGG1906
Run #2							

Run #	Initial Weight	Final Volume
Run #1	30.2 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (C10-C28)	852	66	17	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
630-01-3	Hexacosane	132%		38-146%		

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: 9550-SP		Date Sampled: 01/26/16
Lab Sample ID: C43826-3		Date Received: 01/26/16
Matrix: SO - Soil		Percent Solids: n/a ^a
Method: SW846 8260B		
Project: 378 Grand Avenue - Oakland, CA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^b	M58337.D	1	01/26/16	XB	n/a	n/a	VM1751
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	7.11 g	5.0 ml	100 ul
Run #2			

Purgeable Aromatics, MTBE, Naphthalene

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	180	18	ug/kg	
108-88-3	Toluene	ND	180	18	ug/kg	
100-41-4	Ethylbenzene	ND	180	18	ug/kg	
1330-20-7	Xylene (total)	ND	350	35	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	180	35	ug/kg	
91-20-3	Naphthalene	ND	180	35	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%		70-130%
2037-26-5	Toluene-D8	98%		70-130%
460-00-4	4-Bromofluorobenzene	91%		70-130%

(a) All results reported on a wet weight basis.

(b) 4:1 composite.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: 9550-SP	Date Sampled: 01/26/16
Lab Sample ID: C43826-3	Date Received: 01/26/16
Matrix: SO - Soil	Percent Solids: n/a ^a
Method: SW846 8015B M SW846 3550B	
Project: 378 Grand Avenue - Oakland, CA	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	GG64117.D	3	01/27/16	FL	01/26/16	OP13797	GGG1906
Run #2							

Run #	Initial Weight	Final Volume
Run #1	30.2 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (C10-C28)	44.9	9.9	2.5	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
630-01-3	Hexacosane	110%		38-146%		

(a) All results reported on a wet weight basis.

ND = Not detected	MDL = Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



ACCUTEST®

LABORATORIES

CHAIN OF CUSTODY

2105 Lundy Ave, San Jose, CA 95131
(408) 588-0200 FAX: (408) 588-0201

FED-EX Tracking #		Bottle Order Control #		
Accutest Quote #		Accutest NC Job #: C43826		
Client / Reporting Information		Project Information		
Company Name: GOLDEN Gate Tank Removal, Inc.		Project Name: 378 GRAND AVE #9550		
Address: 1780 CARROLL AVE.		Street: 378 GRAND AVE.		
City: SAN FRANCISCO CA 94124		City: OAKLAND CA		
Project Contact: Gina Wee		Project #: 9550		
Phone #: 415-512-1555		EMAIL: G.WEE @ GGTR.COM		
Sampler's Name		Client Purchase Order #: 9550		
Accutest Sample ID	Collection		Number of preserved Bottles	
	Sample ID / Field Point / Point of Collection	Date		Time
1	9550 W-11.5	1/26/16	11:15	
2	9550 E-11.5	"	12:20	
3	9550-SP	"	12:30	
Turnaround Time (Business days)				
Approved By / Date:		Data Deliverable Information		
<input type="checkbox"/> 10 Day <input type="checkbox"/> 5 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> 2 Day <input checked="" type="checkbox"/> 1 Day <input type="checkbox"/> Same Day Emergency T/A data available VIA Lablink		<input type="checkbox"/> Commercial "A" - Results only <input type="checkbox"/> Commercial "B" - Results with QC summaries <input type="checkbox"/> Commercial "B+" - Results, QC, and chromatograms <input type="checkbox"/> FULL1 - Level 4 data package <input type="checkbox"/> EDF for Geotracker <input type="checkbox"/> EDD Format Provide EDF Global ID Provide EDF Logcode:		
Comments/Remarks		<div style="font-size: 48px; text-align: center; font-weight: bold;">1 DAY</div>		
Sample Custody must be documented below each time samples change possession, including courier delivery.				
Relinquished by: 1 Jim Hill	Date Time: 1/26/16	Received By: Michael Hernandez	Date Time: 1/26/16 14:20	
Relinquished by:	Date Time:	Received By:	Date Time:	
3		3		
Relinquished by:	Date Time:	Received By:	Date Time:	
5		5		
Custody Seal # NONE	Appropriate Bottle / Pres. Y / N	Headspace Y / N	On Ice <input checked="" type="checkbox"/> / N	
Labels match Coc? Y / N	Separate Receiving Check List used: Y / N	Cooler Temp. 4.0/3.9 °C		

4.1
4

C43826: Chain of Custody

Page 1 of 2



Accutest Laboratories Sample Receipt Summary

Accutest Job Number: C43826 Client: GOLDEN GATE TANK REMOVAL Project: 378 GRAND AVE #9550
 Date / Time Received: 1/26/2016 2:20:00 PM Delivery Method: Accutest Courier Airbill #s: _____
 Cooler Temps (Initial/Adjusted): #1: (4/3.1):

<u>Cooler Security</u>	<u>Y</u>	<u>or</u>	<u>N</u>		<u>Y</u>	<u>or</u>	<u>N</u>
1. Custody Seals Present:	<input type="checkbox"/>		<input checked="" type="checkbox"/>	3. COC Present:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Custody Seals Intact:	<input type="checkbox"/>		<input type="checkbox"/>	4. Smpl Dates/Time OK	<input checked="" type="checkbox"/>		<input type="checkbox"/>

<u>Cooler Temperature</u>	<u>Y</u>	<u>or</u>	<u>N</u>
1. Temp criteria achieved:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Therm ID:	<u>IR3;</u>		
3. Cooler media:	<u>Ice (Bag)</u>		
4. No. Coolers:	<u>1</u>		

<u>Quality Control Preservation</u>	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Trip Blank present / cooler:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>
2. Trip Blank listed on COC:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>
3. Samples preserved properly:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. VOCs headspace free:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

<u>Sample Integrity - Documentation</u>	<u>Y</u>	<u>or</u>	<u>N</u>
1. Sample labels present on bottles:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Container labeling complete:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
3. Sample container label / COC agree:	<input checked="" type="checkbox"/>		<input type="checkbox"/>

<u>Sample Integrity - Condition</u>	<u>Y</u>	<u>or</u>	<u>N</u>
1. Sample recvd within HT:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. All containers accounted for:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
3. Condition of sample:	<u>Intact</u>		

<u>Sample Integrity - Instructions</u>	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Analysis requested is clear:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
2. Bottles received for unspecified tests	<input type="checkbox"/>		<input checked="" type="checkbox"/>	
3. Sufficient volume recvd for analysis:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. Compositing instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>
5. Filtering instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments

Accutest Laboratories
V:408.588.0200

2105 Lundy Avenue
F: 408.588.0201

San Jose, CA 95131
www.accutest.com

4.1
4

GC/MS Volatiles

5

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Job Number: C43826
Account: GGTRCASF Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1751-MB	M58324.D	1	01/26/16	XB	n/a	n/a	VM1751

The QC reported here applies to the following samples:

Method: SW846 8260B

C43826-1, C43826-2, C43826-3

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	5.0	0.50	ug/kg	
100-41-4	Ethylbenzene	ND	5.0	0.50	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	1.0	ug/kg	
91-20-3	Naphthalene	ND	5.0	1.0	ug/kg	
108-88-3	Toluene	ND	5.0	0.50	ug/kg	
1330-20-7	Xylene (total)	ND	10	1.0	ug/kg	

CAS No.	Surrogate Recoveries	Limits
1868-53-7	Dibromofluoromethane	102% 70-130%
2037-26-5	Toluene-D8	98% 70-130%
460-00-4	4-Bromofluorobenzene	91% 70-130%

Blank Spike/Blank Spike Duplicate Summary

Job Number: C43826
Account: GGTRCASF Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1751-BS	M58321.D	1	01/26/16	XB	n/a	n/a	VM1751
VM1751-BSD	M58322.D	1	01/26/16	XB	n/a	n/a	VM1751

The QC reported here applies to the following samples:

Method: SW846 8260B

C43826-1, C43826-2, C43826-3

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	BSD ug/kg	BSD %	RPD	Limits Rec/RPD
71-43-2	Benzene	40	33.9	85	36.6	92	8	70-130/30
100-41-4	Ethylbenzene	40	33.8	85	36.8	92	8	70-130/30
1634-04-4	Methyl Tert Butyl Ether	40	31.5	79	34.3	86	9	70-130/30
91-20-3	Naphthalene	40	37.9	95	41.4	104	9	70-130/30
108-88-3	Toluene	40	35.0	88	37.9	95	8	70-130/30
1330-20-7	Xylene (total)	120	103	86	113	94	9	70-130/30

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
1868-53-7	Dibromofluoromethane	96%	97%	70-130%
2037-26-5	Toluene-D8	97%	101%	70-130%
460-00-4	4-Bromofluorobenzene	92%	92%	70-130%

* = Outside of Control Limits.

5.2.1
 5

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C43826
Account: GGTRCASF Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C43813-1MS	M58338.D	1	01/26/16	XB	n/a	n/a	VM1751
C43813-1MSD	M58339.D	1	01/26/16	XB	n/a	n/a	VM1751
C43813-1	M58325.D	1	01/26/16	XB	n/a	n/a	VM1751

The QC reported here applies to the following samples:

Method: SW846 8260B

C43826-1, C43826-2, C43826-3

CAS No.	Compound	C43813-1 ug/kg	Spike Q ug/kg	MS ug/kg	MS %	Spike ug/kg	MSD ug/kg	MSD %	RPD	Limits Rec/RPD
71-43-2	Benzene	ND	1720	1600	93	1720	1590	92	1	70-130/30
100-41-4	Ethylbenzene	ND	1720	1600	93	1720	1600	93	0	70-130/30
1634-04-4	Methyl Tert Butyl Ether	ND	1720	1460	85	1720	1480	86	1	70-130/30
91-20-3	Naphthalene	ND	1720	1350	78	1720	1720	100	24	70-130/30
108-88-3	Toluene	ND	1720	1640	95	1720	1640	95	0	70-130/30
1330-20-7	Xylene (total)	ND	5170	4710	91	5170	4810	93	2	70-130/30

CAS No.	Surrogate Recoveries	MS	MSD	C43813-1	Limits
1868-53-7	Dibromofluoromethane	94%	94%	91%	70-130%
2037-26-5	Toluene-D8	100%	98%	100%	70-130%
460-00-4	4-Bromofluorobenzene	92%	94%	88%	70-130%

* = Outside of Control Limits.

5.3.1
 5

GC Semi-volatiles

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Job Number: C43826
Account: GGTRCASF Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP13797-MB	GG64111.D	1	01/27/16	FL	01/26/16	OP13797	GGG1906

The QC reported here applies to the following samples:

Method: SW846 8015B M

C43826-1, C43826-2, C43826-3

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (C10-C28)	ND	3.3	0.83	mg/kg	

CAS No.	Surrogate Recoveries	Limits
630-01-3	Hexacosane	123% 38-146%

Blank Spike/Blank Spike Duplicate Summary

Job Number: C43826
Account: GGTRCASF Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP13797-BS	GG64112.D	1	01/27/16	FL	01/26/16	OP13797	GGG1906
OP13797-BSD	GG64113.D	1	01/27/16	FL	01/26/16	OP13797	GGG1906

The QC reported here applies to the following samples:

Method: SW846 8015B M

C43826-1, C43826-2, C43826-3

CAS No.	Compound	Spike mg/kg	BSP mg/kg	BSP %	BSD mg/kg	BSD %	RPD	Limits Rec/RPD
	TPH (C10-C28)	33.3	33.4	100	34.7	104	4	53-107/12

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
630-01-3	Hexacosane	102%	108%	38-146%

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C43826
Account: GGTRCASF Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP13797-MS	GG64126.D	20	01/27/16	FL	01/26/16	OP13797	GGG1906
OP13797-MSD	GG64122.D	20	01/27/16	FL	01/26/16	OP13797	GGG1906
C43826-1	GG64124.D	20	01/27/16	FL	01/26/16	OP13797	GGG1906

The QC reported here applies to the following samples:

Method: SW846 8015B M

C43826-1, C43826-2, C43826-3

CAS No.	Compound	C43826-1 mg/kg	Spike mg/kg	MS mg/kg	MS %	Spike mg/kg	MSD mg/kg	MSD %	RPD	Limits Rec/RPD
	TPH (C10-C28)	646	33.3	710	192* a	33.3	509	-412* a	33* a	53-107/12

CAS No.	Surrogate Recoveries	MS	MSD	C43826-1	Limits
630-01-3	Hexacosane	122%	132%	128%	38-146%

(a) Outside control limits due to high level in sample relative to spike amount.

* = Outside of Control Limits.

Technical Report for

Golden Gate Tank Removal

378 Grand Avenue - Oakland, CA

9550

SGS Accutest Job Number: C44010

Sampling Date: 01/26/16



Report to:

Golden Gate Tank Removal, Inc.
1455 Yosemite Ave.
San Francisco, CA 94124
gina.wee@ggtr.com; tim@ggtr.com;
b.wheeler@ggtr.com; amm@ggtr.com
ATTN: Tim Hallen

Total number of pages in report: **17**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

James J. Rhudy
Lab Director

Client Service contact: Maureen Coloma 408-588-0200

Certifications: CA (ELAP 2910) AK (UST-092) AZ (AZ0762) NV (CA00150) OR (CA300006) WA (C925)
DoD ELAP (L-A-B L2242)

This report shall not be reproduced, except in its entirety, without the written approval of SGS Accutest.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Summary of Hits	4
Section 3: Sample Results	5
3.1: C44010-1: 9550-SP2	6
Section 4: Misc. Forms	8
4.1: Chain of Custody	9
Section 5: GC/MS Volatiles - QC Data Summaries	11
5.1: Method Blank Summary	12
5.2: Blank Spike/Blank Spike Duplicate Summary	13
Section 6: GC Semi-volatiles - QC Data Summaries	14
6.1: Method Blank Summary	15
6.2: Blank Spike/Blank Spike Duplicate Summary	16
6.3: Matrix Spike/Matrix Spike Duplicate Summary	17

1

2

3

4

5

6



Sample Summary

Golden Gate Tank Removal

Job No: C44010

378 Grand Avenue - Oakland, CA

Project No: 9550

Sample Number	Collected		Matrix			Client Sample ID
	Date	Time By	Received	Code	Type	
C44010-1	01/26/16	00:00 BW	02/09/16	SO	Soil	9550-SP2

Soil samples reported on a dry weight basis unless otherwise indicated on result page.

Summary of Hits

Job Number: C44010
Account: Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA
Collected: 01/26/16

2

Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
C44010-1	9550-SP2					
TPH (C10-C28)		185	33	8.3	mg/kg	SW846 8015B M

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID: 9550-SP2		Date Sampled: 01/26/16
Lab Sample ID: C44010-1		Date Received: 02/09/16
Matrix: SO - Soil		Percent Solids: n/a ^a
Method: SW846 8260B		
Project: 378 Grand Avenue - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	L47382.D	1	02/09/16	JT	n/a	n/a	VL1420
Run #2							

	Initial Weight
Run #1	5.06 g
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	4.9	0.49	ug/kg	
108-88-3	Toluene	ND	4.9	0.49	ug/kg	
100-41-4	Ethylbenzene	ND	4.9	0.49	ug/kg	
1330-20-7	Xylene (total)	ND	9.9	0.99	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	109%		70-130%
2037-26-5	Toluene-D8	104%		70-130%
460-00-4	4-Bromofluorobenzene	105%		70-130%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

3.1
3

Client Sample ID: 9550-SP2	Date Sampled: 01/26/16
Lab Sample ID: C44010-1	Date Received: 02/09/16
Matrix: SO - Soil	Percent Solids: n/a ^a
Method: SW846 8015B M SW846 3550B	
Project: 378 Grand Avenue - Oakland, CA	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	HH329546.D	10	02/10/16	YN	02/09/16	OP13854	GHH1734
Run #2							

Run #	Initial Weight	Final Volume
Run #1	30.2 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (C10-C28)	185	33	8.3	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
630-01-3	Hexacosane	90%		38-146%		

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



Accutest Laboratories Sample Receipt Summary

Accutest Job Number: C44010 Client: GOLDEN GATE TANK REMOVAL Project: 1480 CARROLL AVENUE
 Date / Time Received: 2/9/2016 12:05:00 PM Delivery Method: Client Airbill #s: _____
 Cooler Temps (Initial/Adjusted): #1: (4.5/3.6)

Cooler Security Y or N Y or N
 1. Custody Seals Present: 3. COC Present:
 2. Custody Seals Intact: 4. Smpl Dates/Time OK

Cooler Temperature Y or N
 1. Temp criteria achieved:
 2. Therm ID: _____ IR3;
 3. Cooler media: _____ Ice (Bag)
 4. No. Coolers: _____ 1

Quality Control Preservation Y or N N/A
 1. Trip Blank present / cooler:
 2. Trip Blank listed on COC:
 3. Samples preserved properly:
 4. VOCs headspace free:

Sample Integrity - Documentation Y or N
 1. Sample labels present on bottles:
 2. Container labeling complete:
 3. Sample container label / COC agree:

Sample Integrity - Condition Y or N
 1. Sample recvd within HT:
 2. All containers accounted for:
 3. Condition of sample: _____ Intact

Sample Integrity - Instructions Y or N N/A
 1. Analysis requested is clear:
 2. Bottles received for unspecified tests
 3. Sufficient volume recvd for analysis:
 4. Compositing instructions clear:
 5. Filtering instructions clear:

Comments

Accutest Laboratories
 V:408.588.0200

2105 Lundy Avenue
 F: 408.588.0201

San Jose, CA 95131
 www.accutest.com

4.1
 4

GC/MS Volatiles

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Job Number: C44010
Account: GGTRCASF Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL1420-MB	L47377.D	1	02/09/16	JT	n/a	n/a	VL1420

The QC reported here applies to the following samples:

Method: SW846 8260B

C44010-1

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	5.0	0.50	ug/kg	
100-41-4	Ethylbenzene	ND	5.0	0.50	ug/kg	
108-88-3	Toluene	ND	5.0	0.50	ug/kg	
1330-20-7	Xylene (total)	ND	10	1.0	ug/kg	

CAS No.	Surrogate Recoveries	Limits
1868-53-7	Dibromofluoromethane	108% 70-130%
2037-26-5	Toluene-D8	101% 70-130%
460-00-4	4-Bromofluorobenzene	102% 70-130%

Blank Spike/Blank Spike Duplicate Summary

Job Number: C44010
Account: GGTRCASF Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL1420-BS	L47374.D	1	02/09/16	JT	n/a	n/a	VL1420
VL1420-BSD	L47375.D	1	02/09/16	JT	n/a	n/a	VL1420

The QC reported here applies to the following samples:

Method: SW846 8260B

C44010-1

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	BSD ug/kg	BSD %	RPD	Limits Rec/RPD
71-43-2	Benzene	40	37.0	93	37.4	94	1	70-130/30
100-41-4	Ethylbenzene	40	37.2	93	36.8	92	1	70-130/30
108-88-3	Toluene	40	36.6	92	36.4	91	1	70-130/30
1330-20-7	Xylene (total)	120	109	91	108	90	1	70-130/30

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
1868-53-7	Dibromofluoromethane	109%	109%	70-130%
2037-26-5	Toluene-D8	102%	101%	70-130%
460-00-4	4-Bromofluorobenzene	104%	102%	70-130%

* = Outside of Control Limits.

5.2.1
 5

GC Semi-volatiles

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Job Number: C44010
Account: GGTRCASF Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP13854-MB	HH329507.D	1	02/09/16	YN	02/09/16	OP13854	GHH1733

The QC reported here applies to the following samples:

Method: SW846 8015B M

C44010-1

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (C10-C28)	ND	3.3	0.83	mg/kg	

CAS No.	Surrogate Recoveries	Limits
630-01-3	Hexacosane	87% 38-146%

6.1.1

6

Blank Spike/Blank Spike Duplicate Summary

Job Number: C44010
Account: GGTRCASF Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP13854-BS	HH329508.D	1	02/09/16	YN	02/09/16	OP13854	GHH1733
OP13854-BSD	HH329509.D	1	02/09/16	YN	02/09/16	OP13854	GHH1733

The QC reported here applies to the following samples:

Method: SW846 8015B M

C44010-1

CAS No.	Compound	Spike mg/kg	BSP mg/kg	BSP %	BSD mg/kg	BSD %	RPD	Limits Rec/RPD
	TPH (C10-C28)	33.3	27.4	82	25.4	76	8	53-107/12

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
630-01-3	Hexacosane	95%	89%	38-146%

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C44010
Account: GGTRCASF Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP13854-MS	HH329518.D	10	02/09/16	YN	02/09/16	OP13854	GHH1733
OP13854-MSD	HH329519.D	10	02/09/16	YN	02/09/16	OP13854	GHH1733
C43999-1	HH329517.D	10	02/09/16	YN	02/09/16	OP13854	GHH1733

The QC reported here applies to the following samples:

Method: SW846 8015B M

C44010-1

CAS No.	Compound	C43999-1 mg/kg	Spike mg/kg	MS mg/kg	MS %	Spike mg/kg	MSD mg/kg	MSD %	RPD	Limits Rec/RPD
	TPH (C10-C28)	88.1	33.2	145	171* a	33.2	138	150* a	5	53-107/12

CAS No.	Surrogate Recoveries	MS	MSD	C43999-1	Limits
630-01-3	Hexacosane	99%	99%	98%	38-146%

(a) Outside control limits due to high level in sample relative to spike amount.

* = Outside of Control Limits.

Effective January 1, 2016, SGS has acquired all of the assets of Accutest Laboratories and will continue to operate as SGS-Accutest. SGS-Accutest is part of SGS, the world's leading inspection, verification, testing and certification company.

Technical Report for

Golden Gate Tank Removal

378 Grand Avenue - Oakland, CA

9550

Accutest Job Number: C43975

Sampling Date: 02/04/16

Report to:

Golden Gate Tank Removal, Inc.
1455 Yosemite Ave.
San Francisco, CA 94124
gina.wee@ggtr.com; tim@ggtr.com;
b.wheeler@ggtr.com; amm@ggtr.com
ATTN: Tim Hallen

Total number of pages in report: **25**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.



James J. Rhudy
Lab Director

Client Service contact: Maureen Coloma 408-588-0200

Certifications: CA (ELAP 2910) AK (UST-092) AZ (AZ0762) NV (CA00150) OR (CA300006) WA (C925)
DoD ELAP (L-A-B L2242)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Summary of Hits	4
Section 3: Sample Results	5
3.1: C43975-1: 9550-W-13'	6
3.2: C43975-2: 9550-W-14.5'	8
3.3: C43975-3: 9550-E-13'	10
3.4: C43975-4: 9550-E-14.5'	12
Section 4: Misc. Forms	14
4.1: Chain of Custody	15
Section 5: GC/MS Volatiles - QC Data Summaries	17
5.1: Method Blank Summary	18
5.2: Blank Spike/Blank Spike Duplicate Summary	19
5.3: Laboratory Control Sample Summary	20
5.4: Matrix Spike/Matrix Spike Duplicate Summary	21
Section 6: GC Semi-volatiles - QC Data Summaries	22
6.1: Method Blank Summary	23
6.2: Blank Spike/Blank Spike Duplicate Summary	24
6.3: Matrix Spike/Matrix Spike Duplicate Summary	25

1

2

3

4

5

6



Sample Summary

Golden Gate Tank Removal

Job No: C43975

378 Grand Avenue - Oakland, CA

Project No: 9550

Sample Number	Collected Date	Time By	Received	Matrix Code	Type	Client Sample ID
C43975-1	02/04/16	11:50	BW	02/05/16	SO Soil	9550-W-13'
C43975-2	02/04/16	12:00	BW	02/05/16	SO Soil	9550-W-14.5'
C43975-3	02/04/16	12:15	BW	02/05/16	SO Soil	9550-E-13'
C43975-4	02/04/16	12:20	BW	02/05/16	SO Soil	9550-E-14.5'

Soil samples reported on a dry weight basis unless otherwise indicated on result page.

Summary of Hits

Job Number: C43975
Account: Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA
Collected: 02/04/16

Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
C43975-1	9550-W-13'					
TPH (C10-C28)		0.893 J	3.3	0.83	mg/kg	SW846 8015B M
C43975-2	9550-W-14.5'					
TPH (C10-C28)		2.50 J	3.3	0.83	mg/kg	SW846 8015B M
C43975-3	9550-E-13'					
Naphthalene		1.0 J	5.0	1.0	ug/kg	SW846 8260B
TPH (C10-C28)		19.3	3.3	0.83	mg/kg	SW846 8015B M
C43975-4	9550-E-14.5'					
TPH (C10-C28)		24.9	3.3	0.83	mg/kg	SW846 8015B M

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID: 9550-W-13'		Date Sampled: 02/04/16
Lab Sample ID: C43975-1		Date Received: 02/05/16
Matrix: SO - Soil		Percent Solids: n/a ^a
Method: SW846 8260B		
Project: 378 Grand Avenue - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M58521.D	1	02/05/16	XB	n/a	n/a	VM1756
Run #2							

	Initial Weight
Run #1	5.14 g
Run #2	

Purgeable Aromatics, MTBE, Naphthalene

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	4.9	0.49	ug/kg	
108-88-3	Toluene	ND	4.9	0.49	ug/kg	
100-41-4	Ethylbenzene	ND	4.9	0.49	ug/kg	
1330-20-7	Xylene (total)	ND	9.7	0.97	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	4.9	0.97	ug/kg	
91-20-3	Naphthalene	ND	4.9	0.97	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	117%		70-130%
2037-26-5	Toluene-D8	104%		70-130%
460-00-4	4-Bromofluorobenzene	98%		70-130%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

3.1
3

Client Sample ID: 9550-W-13'	Date Sampled: 02/04/16
Lab Sample ID: C43975-1	Date Received: 02/05/16
Matrix: SO - Soil	Percent Solids: n/a ^a
Method: SW846 8015B M SW846 3550B	
Project: 378 Grand Avenue - Oakland, CA	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	HH329479.D	1	02/05/16	YN	02/05/16	OP13842	GHH1731
Run #2							

Run #	Initial Weight	Final Volume
Run #1	30.0 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (C10-C28)	0.893	3.3	0.83	mg/kg	J

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	89%		38-146%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: 9550-W-14.5'		Date Sampled: 02/04/16
Lab Sample ID: C43975-2		Date Received: 02/05/16
Matrix: SO - Soil		Percent Solids: n/a ^a
Method: SW846 8260B		
Project: 378 Grand Avenue - Oakland, CA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M58522.D	1	02/05/16	XB	n/a	n/a	VM1756
Run #2							

Run #	Initial Weight
Run #1	5.06 g
Run #2	

Purgeable Aromatics, MTBE, Naphthalene

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	4.9	0.49	ug/kg	
108-88-3	Toluene	ND	4.9	0.49	ug/kg	
100-41-4	Ethylbenzene	ND	4.9	0.49	ug/kg	
1330-20-7	Xylene (total)	ND	9.9	0.99	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	4.9	0.99	ug/kg	
91-20-3	Naphthalene	ND	4.9	0.99	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	119%		70-130%
2037-26-5	Toluene-D8	104%		70-130%
460-00-4	4-Bromofluorobenzene	100%		70-130%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

32
3

Client Sample ID: 9550-W-14.5'	Date Sampled: 02/04/16
Lab Sample ID: C43975-2	Date Received: 02/05/16
Matrix: SO - Soil	Percent Solids: n/a ^a
Method: SW846 8015B M SW846 3550B	
Project: 378 Grand Avenue - Oakland, CA	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	HH329480.D	1	02/05/16	YN	02/05/16	OP13842	GHH1731
Run #2							

Run #	Initial Weight	Final Volume
Run #1	30.1 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (C10-C28)	2.50	3.3	0.83	mg/kg	J

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	88%		38-146%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: 9550-E-13'		Date Sampled: 02/04/16
Lab Sample ID: C43975-3		Date Received: 02/05/16
Matrix: SO - Soil		Percent Solids: n/a ^a
Method: SW846 8260B		
Project: 378 Grand Avenue - Oakland, CA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M58523.D	1	02/05/16	XB	n/a	n/a	VM1756
Run #2							

Run #	Initial Weight
Run #1	5.00 g
Run #2	

Purgeable Aromatics, MTBE, Naphthalene

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	5.0	0.50	ug/kg	
108-88-3	Toluene	ND	5.0	0.50	ug/kg	
100-41-4	Ethylbenzene	ND	5.0	0.50	ug/kg	
1330-20-7	Xylene (total)	ND	10	1.0	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	1.0	ug/kg	
91-20-3	Naphthalene	1.0	5.0	1.0	ug/kg	J

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	109%		70-130%
2037-26-5	Toluene-D8	103%		70-130%
460-00-4	4-Bromofluorobenzene	104%		70-130%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: 9550-E-13'	Date Sampled: 02/04/16
Lab Sample ID: C43975-3	Date Received: 02/05/16
Matrix: SO - Soil	Percent Solids: n/a ^a
Method: SW846 8015B M SW846 3550B	
Project: 378 Grand Avenue - Oakland, CA	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	HH329481.D	1	02/05/16	YN	02/05/16	OP13842	GHH1731
Run #2							

Run #	Initial Weight	Final Volume
Run #1	30.1 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (C10-C28)	19.3	3.3	0.83	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	93%		38-146%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: 9550-E-14.5'		Date Sampled: 02/04/16
Lab Sample ID: C43975-4		Date Received: 02/05/16
Matrix: SO - Soil		Percent Solids: n/a ^a
Method: SW846 8260B		
Project: 378 Grand Avenue - Oakland, CA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M58524.D	1	02/05/16	XB	n/a	n/a	VM1756
Run #2							

Run #	Initial Weight
Run #1	5.09 g
Run #2	

Purgeable Aromatics, MTBE, Naphthalene

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	4.9	0.49	ug/kg	
108-88-3	Toluene	ND	4.9	0.49	ug/kg	
100-41-4	Ethylbenzene	ND	4.9	0.49	ug/kg	
1330-20-7	Xylene (total)	ND	9.8	0.98	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	4.9	0.98	ug/kg	
91-20-3	Naphthalene	ND	4.9	0.98	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	108%		70-130%
2037-26-5	Toluene-D8	99%		70-130%
460-00-4	4-Bromofluorobenzene	103%		70-130%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

3.4
3

Client Sample ID: 9550-E-14.5'	Date Sampled: 02/04/16
Lab Sample ID: C43975-4	Date Received: 02/05/16
Matrix: SO - Soil	Percent Solids: n/a ^a
Method: SW846 8015B M SW846 3550B	
Project: 378 Grand Avenue - Oakland, CA	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	HH329482.D	1	02/05/16	YN	02/05/16	OP13842	GHH1731
Run #2							

Run #	Initial Weight	Final Volume
Run #1	30.1 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (C10-C28)	24.9	3.3	0.83	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	97%		38-146%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



Accutest Laboratories Sample Receipt Summary

Accutest Job Number: C43975 Client: GGTR Project: 378 GRAND AVE
 Date / Time Received: 2/5/2016 11:15:00 AM Delivery Method: Accutest Courier Airbill #s: _____
 Cooler Temps (Initial/Adjusted): #1: (2.8/1.9)

<u>Cooler Security</u>	<u>Y</u>	<u>or</u>	<u>N</u>		<u>Y</u>	<u>or</u>	<u>N</u>
1. Custody Seals Present:	<input type="checkbox"/>		<input checked="" type="checkbox"/>	3. COC Present:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Custody Seals Intact:	<input type="checkbox"/>		<input type="checkbox"/>	4. Smpl Dates/Time OK	<input checked="" type="checkbox"/>		<input type="checkbox"/>

<u>Cooler Temperature</u>	<u>Y</u>	<u>or</u>	<u>N</u>
1. Temp criteria achieved:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Therm ID:	<u>IR3;</u>		
3. Cooler media:	<u>Ice (Bag)</u>		
4. No. Coolers:	<u>1</u>		

<u>Quality Control Preservation</u>	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Trip Blank present / cooler:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>
2. Trip Blank listed on COC:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>
3. Samples preserved properly:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. VOCs headspace free:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

<u>Sample Integrity - Documentation</u>	<u>Y</u>	<u>or</u>	<u>N</u>
1. Sample labels present on bottles:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Container labeling complete:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
3. Sample container label / COC agree:	<input checked="" type="checkbox"/>		<input type="checkbox"/>

<u>Sample Integrity - Condition</u>	<u>Y</u>	<u>or</u>	<u>N</u>
1. Sample recvd within HT:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. All containers accounted for:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
3. Condition of sample:	<u>Intact</u>		

<u>Sample Integrity - Instructions</u>	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Analysis requested is clear:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
2. Bottles received for unspecified tests	<input type="checkbox"/>		<input checked="" type="checkbox"/>	
3. Sufficient volume recvd for analysis:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. Compositing instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>
5. Filtering instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments

Accutest Laboratories
V:408.588.0200

2105 Lundy Avenue
F: 408.588.0201

San Jose, CA 95131
www.accutest.com

4.1
4

GC/MS Volatiles

5

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Job Number: C43975
Account: GGTRCASF Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1756-MB	M58516.D	1	02/05/16	XB	n/a	n/a	VM1756

The QC reported here applies to the following samples:

Method: SW846 8260B

C43975-1, C43975-2, C43975-3, C43975-4

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	5.0	0.50	ug/kg	
100-41-4	Ethylbenzene	ND	5.0	0.50	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	1.0	ug/kg	
91-20-3	Naphthalene	ND	5.0	1.0	ug/kg	
108-88-3	Toluene	ND	5.0	0.50	ug/kg	
1330-20-7	Xylene (total)	ND	10	1.0	ug/kg	

CAS No.	Surrogate Recoveries	Limits
1868-53-7	Dibromofluoromethane	109% 70-130%
2037-26-5	Toluene-D8	102% 70-130%
460-00-4	4-Bromofluorobenzene	95% 70-130%

Blank Spike/Blank Spike Duplicate Summary

Job Number: C43975
Account: GGTRCASF Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1756-BS	M58513.D	1	02/05/16	XB	n/a	n/a	VM1756
VM1756-BSD	M58514.D	1	02/05/16	XB	n/a	n/a	VM1756

The QC reported here applies to the following samples:

Method: SW846 8260B

C43975-1, C43975-2, C43975-3, C43975-4

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	BSD ug/kg	BSD %	RPD	Limits Rec/RPD
71-43-2	Benzene	40	38.3	96	38.8	97	1	70-130/30
100-41-4	Ethylbenzene	40	38.6	97	40.1	100	4	70-130/30
1634-04-4	Methyl Tert Butyl Ether	40	37.6	94	38.3	96	2	70-130/30
91-20-3	Naphthalene	40	43.5	109	44.0	110	1	70-130/30
108-88-3	Toluene	40	38.2	96	40.0	100	5	70-130/30
1330-20-7	Xylene (total)	120	111	93	116	97	4	70-130/30

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
1868-53-7	Dibromofluoromethane	104%	105%	70-130%
2037-26-5	Toluene-D8	101%	102%	70-130%
460-00-4	4-Bromofluorobenzene	99%	100%	70-130%

* = Outside of Control Limits.

5.2.1
 5

Laboratory Control Sample Summary

Job Number: C43975
Account: GGTRCASF Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1756-LCS	M58515.D	1	02/05/16	XB	n/a	n/a	VM1756

The QC reported here applies to the following samples:

Method: SW846 8260B

C43975-1, C43975-2, C43975-3, C43975-4

CAS No.	Compound	Spike ug/kg	LCS ug/kg	LCS %	Limits
---------	----------	----------------	--------------	----------	--------

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	104%	70-130%
2037-26-5	Toluene-D8	106%	70-130%
460-00-4	4-Bromofluorobenzene	100%	70-130%

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C43975
Account: GGTRCASF Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C43964-2MS	M58525.D	1	02/05/16	XB	n/a	n/a	VM1756
C43964-2MSD	M58526.D	1	02/05/16	XB	n/a	n/a	VM1756
C43964-2	M58518.D	1	02/05/16	XB	n/a	n/a	VM1756

The QC reported here applies to the following samples:

Method: SW846 8260B

C43975-1, C43975-2, C43975-3, C43975-4

CAS No.	Compound	C43964-2 ug/kg	Spike Q ug/kg	MS ug/kg	MS %	Spike ug/kg	MSD ug/kg	MSD %	RPD	Limits Rec/RPD
71-43-2	Benzene	ND	39.5	37.6	95	39.4	33.3	84	12	70-130/30
100-41-4	Ethylbenzene	ND	39.5	38.4	97	39.4	31.6	80	19	70-130/30
1634-04-4	Methyl Tert Butyl Ether	ND	39.5	37.3	94	39.4	34.1	86	9	70-130/30
91-20-3	Naphthalene	6.5	39.5	50.3	111	39.4	47.6	104	6	70-130/30
108-88-3	Toluene	ND	39.5	38.0	96	39.4	32.3	82	16	70-130/30
1330-20-7	Xylene (total)	1.8	J 119	111	92	118	94.5	78	16	70-130/30

CAS No.	Surrogate Recoveries	MS	MSD	C43964-2	Limits
1868-53-7	Dibromofluoromethane	17% * a	23% * a	21% * a	70-130%
2037-26-5	Toluene-D8	100%	99%	104%	70-130%
460-00-4	4-Bromofluorobenzene	98%	97%	102%	70-130%

(a) Outside control limits due to matrix interference (pH= 12); confirmed by MS/MSD.

* = Outside of Control Limits.

5.4.1
5

GC Semi-volatiles

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Job Number: C43975
Account: GGTRCASF Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP13842-MB	HH329476.D	1	02/05/16	YN	02/05/16	OP13842	GHH1731

The QC reported here applies to the following samples:

Method: SW846 8015B M

C43975-1, C43975-2, C43975-3, C43975-4

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (C10-C28)	ND	3.3	0.83	mg/kg	

CAS No.	Surrogate Recoveries	Limits
630-01-3	Hexacosane	87% 38-146%

Blank Spike/Blank Spike Duplicate Summary

Job Number: C43975
Account: GGTRCASF Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP13842-BS	HH329477.D	1	02/05/16	YN	02/05/16	OP13842	GHH1731
OP13842-BSD	HH329478.D	1	02/05/16	YN	02/05/16	OP13842	GHH1731

The QC reported here applies to the following samples:

Method: SW846 8015B M

C43975-1, C43975-2, C43975-3, C43975-4

CAS No.	Compound	Spike mg/kg	BSP mg/kg	BSP %	BSD mg/kg	BSD %	RPD	Limits Rec/RPD
	TPH (C10-C28)	33.3	28.0	84	27.4	82	2	53-107/12

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
630-01-3	Hexacosane	87%	88%	38-146%

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C43975
Account: GGTRCASF Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP13842-MS	HH329483.D	1	02/05/16	YN	02/05/16	OP13842	GHH1731
OP13842-MSD	HH329484.D	1	02/05/16	YN	02/05/16	OP13842	GHH1731
C43975-1	HH329479.D	1	02/05/16	YN	02/05/16	OP13842	GHH1731

The QC reported here applies to the following samples:

Method: SW846 8015B M

C43975-1, C43975-2, C43975-3, C43975-4

CAS No.	Compound	C43975-1 mg/kg	Spike Q	mg/kg	MS mg/kg	MS %	Spike mg/kg	MSD mg/kg	MSD %	RPD	Limits Rec/RPD
	TPH (C10-C28)	0.893	J	33.3	32.6	95	33.3	33.6	98	3	53-107/12

CAS No.	Surrogate Recoveries	MS	MSD	C43975-1	Limits
630-01-3	Hexacosane	94%	94%	89%	38-146%

* = Outside of Control Limits.

Technical Report for

Golden Gate Tank Removal

378 Grand Avenue - Oakland, CA

9550

SGS Accutest Job Number: C44330

Sampling Date: 03/01/16



Report to:

Golden Gate Tank Removal, Inc.
1455 Yosemite Ave.
San Francisco, CA 94124
gina.wee@ggtr.com; tim@ggtr.com;
b.wheeler@ggtr.com; amm@ggtr.com
ATTN: Tim Hallen

Total number of pages in report: **29**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

James J. Rhudy
Lab Director

Client Service contact: Maureen Coloma 408-588-0200

Certifications: CA (ELAP 2910) AK (UST-092) AZ (AZ0762) NV (CA00150) OR (CA300006) WA (C925)
DoD ELAP (L-A-B L2242)

This report shall not be reproduced, except in its entirety, without the written approval of SGS Accutest.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Summary of Hits	4
Section 3: Sample Results	5
3.1: C44330-1: 9550-SW-S-8.5	6
3.2: C44330-2: 9550-SW-N-8.5	8
3.3: C44330-3: 9550-SW-E-8.5	10
3.4: C44330-4: 9550-SW-W-8.5	12
3.5: C44330-5: 9550-EX-E-13.5	14
3.6: C44330-6: 9550-EX-W-13.5	16
Section 4: Misc. Forms	18
4.1: Chain of Custody	19
Section 5: GC/MS Volatiles - QC Data Summaries	21
5.1: Method Blank Summary	22
5.2: Blank Spike/Blank Spike Duplicate Summary	23
5.3: Laboratory Control Sample Summary	24
5.4: Matrix Spike/Matrix Spike Duplicate Summary	25
Section 6: GC Semi-volatiles - QC Data Summaries	26
6.1: Method Blank Summary	27
6.2: Blank Spike/Blank Spike Duplicate Summary	28
6.3: Matrix Spike/Matrix Spike Duplicate Summary	29

1

2

3

4

5

6



Sample Summary

Golden Gate Tank Removal

Job No: C44330

378 Grand Avenue - Oakland, CA

Project No: 9550

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
C44330-1	03/01/16	09:50 BW	03/01/16	SO	Soil	9550-SW-S-8.5
C44330-2	03/01/16	10:45 BW	03/01/16	SO	Soil	9550-SW-N-8.5
C44330-3	03/01/16	10:50 BW	03/01/16	SO	Soil	9550-SW-E-8.5
C44330-4	03/01/16	11:05 BW	03/01/16	SO	Soil	9550-SW-W-8.5
C44330-5	03/01/16	12:35 BW	03/01/16	SO	Soil	9550-EX-E-13.5
C44330-6	03/01/16	13:35 BW	03/01/16	SO	Soil	9550-EX-W-13.5

Soil samples reported on a dry weight basis unless otherwise indicated on result page.

Summary of Hits

Job Number: C44330
Account: Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA
Collected: 03/01/16

Lab Sample ID Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
C44330-1	9550-SW-S-8.5					
TPH (C10-C28)		772	66	17	mg/kg	SW846 8015B M
C44330-2	9550-SW-N-8.5					
TPH (C10-C28)		146	33	8.3	mg/kg	SW846 8015B M
C44330-3	9550-SW-E-8.5					
TPH (C10-C28)		6.69	3.3	0.82	mg/kg	SW846 8015B M
C44330-4	9550-SW-W-8.5					
TPH (C10-C28)		1.63 J	3.3	0.83	mg/kg	SW846 8015B M
C44330-5	9550-EX-E-13.5					
TPH (C10-C28)		17.7	3.3	0.83	mg/kg	SW846 8015B M
C44330-6	9550-EX-W-13.5					
TPH (C10-C28)		352	33	8.3	mg/kg	SW846 8015B M

Sample Results

Report of Analysis

Report of Analysis

3.1
3

Client Sample ID: 9550-SW-S-8.5	Date Sampled: 03/01/16
Lab Sample ID: C44330-1	Date Received: 03/01/16
Matrix: SO - Soil	Percent Solids: n/a ^a
Method: SW846 8260B	
Project: 378 Grand Avenue - Oakland, CA	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M58997.D	1	03/02/16	JT	n/a	n/a	VM1773
Run #2							

Run #	Initial Weight
Run #1	5.03 g
Run #2	

Purgeable Aromatics, MTBE, Naphthalene

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	5.0	0.50	ug/kg	
108-88-3	Toluene	ND	5.0	0.50	ug/kg	
100-41-4	Ethylbenzene	ND	5.0	0.50	ug/kg	
1330-20-7	Xylene (total)	ND	9.9	0.99	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	0.99	ug/kg	
91-20-3	Naphthalene	ND	5.0	0.99	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	103%		70-130%
2037-26-5	Toluene-D8	98%		70-130%
460-00-4	4-Bromofluorobenzene	134% ^b		70-130%

(a) All results reported on a wet weight basis.

(b) Outside control limits (high bias); no target analytes were detected in the sample.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

31
3

Client Sample ID: 9550-SW-S-8.5	Date Sampled: 03/01/16
Lab Sample ID: C44330-1	Date Received: 03/01/16
Matrix: SO - Soil	Percent Solids: n/a ^a
Method: SW846 8015B M SW846 3550B	
Project: 378 Grand Avenue - Oakland, CA	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	HH330239.D	20	03/03/16	YN	03/01/16	OP13965	GHH1753
Run #2							

Run #	Initial Weight	Final Volume
Run #1	30.3 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (C10-C28)	772	66	17	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	45%		38-146%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

32
3

Client Sample ID: 9550-SW-N-8.5	Date Sampled: 03/01/16
Lab Sample ID: C44330-2	Date Received: 03/01/16
Matrix: SO - Soil	Percent Solids: n/a ^a
Method: SW846 8260B	
Project: 378 Grand Avenue - Oakland, CA	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M58996.D	1	03/02/16	JT	n/a	n/a	VM1773
Run #2							

Run #	Initial Weight
Run #1	5.02 g
Run #2	

Purgeable Aromatics, MTBE, Naphthalene

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	5.0	0.50	ug/kg	
108-88-3	Toluene	ND	5.0	0.50	ug/kg	
100-41-4	Ethylbenzene	ND	5.0	0.50	ug/kg	
1330-20-7	Xylene (total)	ND	10	1.0	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	1.0	ug/kg	
91-20-3	Naphthalene	ND	5.0	1.0	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		70-130%
2037-26-5	Toluene-D8	94%		70-130%
460-00-4	4-Bromofluorobenzene	98%		70-130%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

32
3

Client Sample ID: 9550-SW-N-8.5	Date Sampled: 03/01/16
Lab Sample ID: C44330-2	Date Received: 03/01/16
Matrix: SO - Soil	Percent Solids: n/a ^a
Method: SW846 8015B M SW846 3550B	
Project: 378 Grand Avenue - Oakland, CA	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	HH330242.D	10	03/03/16	YN	03/01/16	OP13965	GHH1753
Run #2							

Run #	Initial Weight	Final Volume
Run #1	30.1 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (C10-C28)	146	33	8.3	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	36% ^b		38-146%

(a) All results reported on a wet weight basis.

(b) Outside control limits due to dilution.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: 9550-SW-E-8.5	Date Sampled: 03/01/16
Lab Sample ID: C44330-3	Date Received: 03/01/16
Matrix: SO - Soil	Percent Solids: n/a ^a
Method: SW846 8260B	
Project: 378 Grand Avenue - Oakland, CA	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M58994.D	1	03/02/16	JT	n/a	n/a	VM1773
Run #2							

Run #	Initial Weight
Run #1	5.10 g
Run #2	

Purgeable Aromatics, MTBE, Naphthalene

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	4.9	0.49	ug/kg	
108-88-3	Toluene	ND	4.9	0.49	ug/kg	
100-41-4	Ethylbenzene	ND	4.9	0.49	ug/kg	
1330-20-7	Xylene (total)	ND	9.8	0.98	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	4.9	0.98	ug/kg	
91-20-3	Naphthalene	ND	4.9	0.98	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		70-130%
2037-26-5	Toluene-D8	96%		70-130%
460-00-4	4-Bromofluorobenzene	98%		70-130%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: 9550-SW-E-8.5	Date Sampled: 03/01/16
Lab Sample ID: C44330-3	Date Received: 03/01/16
Matrix: SO - Soil	Percent Solids: n/a ^a
Method: SW846 8015B M SW846 3550B	
Project: 378 Grand Avenue - Oakland, CA	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	HH330243.D	1	03/03/16	YN	03/01/16	OP13965	GHH1753
Run #2							

Run #	Initial Weight	Final Volume
Run #1	30.3 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (C10-C28)	6.69	3.3	0.82	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	42%		38-146%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

3.4
3

Client Sample ID: 9550-SW-W-8.5	Date Sampled: 03/01/16
Lab Sample ID: C44330-4	Date Received: 03/01/16
Matrix: SO - Soil	Percent Solids: n/a ^a
Method: SW846 8260B	
Project: 378 Grand Avenue - Oakland, CA	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M58995.D	1	03/02/16	JT	n/a	n/a	VM1773
Run #2							

Run #	Initial Weight
Run #1	5.01 g
Run #2	

Purgeable Aromatics, MTBE, Naphthalene

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	5.0	0.50	ug/kg	
108-88-3	Toluene	ND	5.0	0.50	ug/kg	
100-41-4	Ethylbenzene	ND	5.0	0.50	ug/kg	
1330-20-7	Xylene (total)	ND	10	1.0	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	1.0	ug/kg	
91-20-3	Naphthalene	ND	5.0	1.0	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		70-130%
2037-26-5	Toluene-D8	95%		70-130%
460-00-4	4-Bromofluorobenzene	121%		70-130%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

3.4
3

Client Sample ID: 9550-SW-W-8.5	Date Sampled: 03/01/16
Lab Sample ID: C44330-4	Date Received: 03/01/16
Matrix: SO - Soil	Percent Solids: n/a ^a
Method: SW846 8015B M SW846 3550B	
Project: 378 Grand Avenue - Oakland, CA	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	HH330244.D	1	03/03/16	YN	03/01/16	OP13965	GHH1753
Run #2							

Run #	Initial Weight	Final Volume
Run #1	30.2 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (C10-C28)	1.63	3.3	0.83	mg/kg	J

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	83%		38-146%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

3.5
3

Client Sample ID: 9550-EX-E-13.5	Date Sampled: 03/01/16
Lab Sample ID: C44330-5	Date Received: 03/01/16
Matrix: SO - Soil	Percent Solids: n/a ^a
Method: SW846 8260B	
Project: 378 Grand Avenue - Oakland, CA	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M58993.D	1	03/02/16	JT	n/a	n/a	VM1773
Run #2							

Run #	Initial Weight
Run #1	5.00 g
Run #2	

Purgeable Aromatics, MTBE, Naphthalene

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	5.0	0.50	ug/kg	
108-88-3	Toluene	ND	5.0	0.50	ug/kg	
100-41-4	Ethylbenzene	ND	5.0	0.50	ug/kg	
1330-20-7	Xylene (total)	ND	10	1.0	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	1.0	ug/kg	
91-20-3	Naphthalene	ND	5.0	1.0	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		70-130%
2037-26-5	Toluene-D8	96%		70-130%
460-00-4	4-Bromofluorobenzene	101%		70-130%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: 9550-EX-E-13.5	Date Sampled: 03/01/16
Lab Sample ID: C44330-5	Date Received: 03/01/16
Matrix: SO - Soil	Percent Solids: n/a ^a
Method: SW846 8015B M SW846 3550B	
Project: 378 Grand Avenue - Oakland, CA	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	HH330246.D	1	03/03/16	YN	03/01/16	OP13965	GHH1753
Run #2							

Run #	Initial Weight	Final Volume
Run #1	30.1 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (C10-C28)	17.7	3.3	0.83	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
630-01-3	Hexacosane	82%		38-146%		

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: 9550-EX-W-13.5	Date Sampled: 03/01/16
Lab Sample ID: C44330-6	Date Received: 03/01/16
Matrix: SO - Soil	Percent Solids: n/a ^a
Method: SW846 8260B	
Project: 378 Grand Avenue - Oakland, CA	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M58992.D	1	03/02/16	JT	n/a	n/a	VM1773
Run #2							

Run #	Initial Weight
Run #1	5.09 g
Run #2	

Purgeable Aromatics, MTBE, Naphthalene

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	4.9	0.49	ug/kg	
108-88-3	Toluene	ND	4.9	0.49	ug/kg	
100-41-4	Ethylbenzene	ND	4.9	0.49	ug/kg	
1330-20-7	Xylene (total)	ND	9.8	0.98	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	4.9	0.98	ug/kg	
91-20-3	Naphthalene	ND	4.9	0.98	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		70-130%
2037-26-5	Toluene-D8	96%		70-130%
460-00-4	4-Bromofluorobenzene	99%		70-130%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

3.6
3

Client Sample ID: 9550-EX-W-13.5	Date Sampled: 03/01/16
Lab Sample ID: C44330-6	Date Received: 03/01/16
Matrix: SO - Soil	Percent Solids: n/a ^a
Method: SW846 8015B M SW846 3550B	
Project: 378 Grand Avenue - Oakland, CA	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	HH330247.D	10	03/03/16	YN	03/01/16	OP13965	GHH1753
Run #2							

Run #	Initial Weight	Final Volume
Run #1	30.2 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (C10-C28)	352	33	8.3	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	80%		38-146%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



ACCUTEST LABORATORIES

CHAIN OF CUSTODY

2105 Lundy Ave, San Jose, CA 95131
(408) 588-0200 FAX: (408) 588-0201

FED-EX Tracking #
Accutest Quote #
Bottle Order Control #
Accutest NC Job #: C
C44330

Client / Reporting Information				Project Information				Requested Analysis												Matrix Codes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Company Name: GRADEN AIRE TANK REMEDIATION INC				Project Name: 378 GRAND AVE #1 Q950																WW- Wastewater																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Address: 480 CATERON AVE.				Street: 378 GRAND AVE.																GW- Ground Water																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
City: San Francisco CA 94124				City: OAKLAND CA																SW- Surface Water																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Project Contact: BILLY WHEELER				Project #: 9550																SO- Soil																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Phone #: 415-512-1535				EMAIL: G.WEE @ GSTR.COM																OI OI																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Sampler's Name: B. WHEELER				Client Purchase Order #: 9550																WP- Wep																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Accutest Sample ID	Sample ID / Field Point / Point of Collection			Date	Time	Sampled by	Matrix	50	# of bottles	HE	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	H32	H33	H34	H35	H36	H37	H38	H39	H40	H41	H42	H43	H44	H45	H46	H47	H48	H49	H50	H51	H52	H53	H54	H55	H56	H57	H58	H59	H60	H61	H62	H63	H64	H65	H66	H67	H68	H69	H70	H71	H72	H73	H74	H75	H76	H77	H78	H79	H80	H81	H82	H83	H84	H85	H86	H87	H88	H89	H90	H91	H92	H93	H94	H95	H96	H97	H98	H99	H100	H101	H102	H103	H104	H105	H106	H107	H108	H109	H110	H111	H112	H113	H114	H115	H116	H117	H118	H119	H120	H121	H122	H123	H124	H125	H126	H127	H128	H129	H130	H131	H132	H133	H134	H135	H136	H137	H138	H139	H140	H141	H142	H143	H144	H145	H146	H147	H148	H149	H150	H151	H152	H153	H154	H155	H156	H157	H158	H159	H160	H161	H162	H163	H164	H165	H166	H167	H168	H169	H170	H171	H172	H173	H174	H175	H176	H177	H178	H179	H180	H181	H182	H183	H184	H185	H186	H187	H188	H189	H190	H191	H192	H193	H194	H195	H196	H197	H198	H199	H200	H201	H202	H203	H204	H205	H206	H207	H208	H209	H210	H211	H212	H213	H214	H215	H216	H217	H218	H219	H220	H221	H222	H223	H224	H225	H226	H227	H228	H229	H230	H231	H232	H233	H234	H235	H236	H237	H238	H239	H240	H241	H242	H243	H244	H245	H246	H247	H248	H249	H250	H251	H252	H253	H254	H255	H256	H257	H258	H259	H260	H261	H262	H263	H264	H265	H266	H267	H268	H269	H270	H271	H272	H273	H274	H275	H276	H277	H278	H279	H280	H281	H282	H283	H284	H285	H286	H287	H288	H289	H290	H291	H292	H293	H294	H295	H296	H297	H298	H299	H300	H301	H302	H303	H304	H305	H306	H307	H308	H309	H310	H311	H312	H313	H314	H315	H316	H317	H318	H319	H320	H321	H322	H323	H324	H325	H326	H327	H328	H329	H330	H331	H332	H333	H334	H335	H336	H337	H338	H339	H340	H341	H342	H343	H344	H345	H346	H347	H348	H349	H350	H351	H352	H353	H354	H355	H356	H357	H358	H359	H360	H361	H362	H363	H364	H365	H366	H367	H368	H369	H370	H371	H372	H373	H374	H375	H376	H377	H378	H379	H380	H381	H382	H383	H384	H385	H386	H387	H388	H389	H390	H391	H392	H393	H394	H395	H396	H397	H398	H399	H400	H401	H402	H403	H404	H405	H406	H407	H408	H409	H410	H411	H412	H413	H414	H415	H416	H417	H418	H419	H420	H421	H422	H423	H424	H425	H426	H427	H428	H429	H430	H431	H432	H433	H434	H435	H436	H437	H438	H439	H440	H441	H442	H443	H444	H445	H446	H447	H448	H449	H450	H451	H452	H453	H454	H455	H456	H457	H458	H459	H460	H461	H462	H463	H464	H465	H466	H467	H468	H469	H470	H471	H472	H473	H474	H475	H476	H477	H478	H479	H480	H481	H482	H483	H484	H485	H486	H487	H488	H489	H490	H491	H492	H493	H494	H495	H496	H497	H498	H499	H500	H501	H502	H503	H504	H505	H506	H507	H508	H509	H510	H511	H512	H513	H514	H515	H516	H517	H518	H519	H520	H521	H522	H523	H524	H525	H526	H527	H528	H529	H530	H531	H532	H533	H534	H535	H536	H537	H538	H539	H540	H541	H542	H543	H544	H545	H546	H547	H548	H549	H550	H551	H552	H553	H554	H555	H556	H557	H558	H559	H560	H561	H562	H563	H564	H565	H566	H567	H568	H569	H570	H571	H572	H573	H574	H575	H576	H577	H578	H579	H580	H581	H582	H583	H584	H585	H586	H587	H588	H589	H590	H591	H592	H593	H594	H595	H596	H597	H598	H599	H600	H601	H602	H603	H604	H605	H606	H607	H608	H609	H610	H611	H612	H613	H614	H615	H616	H617	H618	H619	H620	H621	H622	H623	H624	H625	H626	H627	H628	H629	H630	H631	H632	H633	H634	H635	H636	H637	H638	H639	H640	H641	H642	H643	H644	H645	H646	H647	H648	H649	H650	H651	H652	H653	H654	H655	H656	H657	H658	H659	H660	H661	H662	H663	H664	H665	H666	H667	H668	H669	H670	H671	H672	H673	H674	H675	H676	H677	H678	H679	H680	H681	H682	H683	H684	H685	H686	H687	H688	H689	H690	H691	H692	H693	H694	H695	H696	H697	H698	H699	H700	H701	H702	H703	H704	H705	H706	H707	H708	H709	H710	H711	H712	H713	H714	H715	H716	H717	H718	H719	H720	H721	H722	H723	H724	H725	H726	H727	H728	H729	H730	H731	H732	H733	H734	H735	H736	H737	H738	H739	H740	H741	H742	H743	H744	H745	H746	H747	H748	H749	H750	H751	H752	H753	H754	H755	H756	H757	H758	H759	H760	H761	H762	H763	H764	H765	H766	H767	H768	H769	H770	H771	H772	H773	H774	H775	H776	H777	H778	H779	H780	H781	H782	H783	H784	H785	H786	H787	H788	H789	H790	H791	H792	H793	H794	H795	H796	H797	H798	H799	H800	H801	H802	H803	H804	H805	H806	H807	H808	H809	H810	H811	H812	H813	H814	H815	H816	H817	H818	H819	H820	H821	H822	H823	H824	H825	H826	H827	H828	H829	H830	H831	H832	H833	H834	H835	H836	H837	H838	H839	H840	H841	H842	H843	H844	H845	H846	H847	H848	H849	H850	H851	H852	H853	H854	H855	H856	H857	H858	H859	H860	H861	H862	H863	H864	H865	H866	H867	H868	H869	H870	H871	H872	H873	H874	H875	H876	H877	H878	H879	H880	H881	H882	H883	H884	H885	H886	H887	H888



Accutest Laboratories Sample Receipt Summary

Accutest Job Number: C44330 Client: GOLDEN GATE TANK REMOVAL Project: 378 GRAND AVE #9550
 Date / Time Received: 3/1/2016 4:40:00 PM Delivery Method: Accutest Courier Airbill #s: _____
 Cooler Temps (Initial/Adjusted): #1: (3.4/3.6)

Cooler Security Y or N Y or N
 1. Custody Seals Present: 3. COC Present:
 2. Custody Seals Intact: 4. Smpl Dates/Time OK

Cooler Temperature Y or N
 1. Temp criteria achieved:
 2. Therm ID: _____ IR1;
 3. Cooler media: _____ Ice (Bag)
 4. No. Coolers: _____ 1

Quality Control Preservation Y or N N/A
 1. Trip Blank present / cooler:
 2. Trip Blank listed on COC:
 3. Samples preserved properly:
 4. VOCs headspace free:

Sample Integrity - Documentation Y or N
 1. Sample labels present on bottles:
 2. Container labeling complete:
 3. Sample container label / COC agree:

Sample Integrity - Condition Y or N
 1. Sample recvd within HT:
 2. All containers accounted for:
 3. Condition of sample: _____ Intact

Sample Integrity - Instructions Y or N N/A
 1. Analysis requested is clear:
 2. Bottles received for unspecified tests
 3. Sufficient volume recvd for analysis:
 4. Compositing instructions clear:
 5. Filtering instructions clear:

Comments

Accutest Laboratories
 V:408.588.0200

2105 Lundy Avenue
 F: 408.588.0201

San Jose, CA 95131
 www.accutest.com

4.1
 4

GC/MS Volatiles

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Job Number: C44330
Account: GGTRCASF Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1773-MB	M58983.D	1	03/02/16	JT	n/a	n/a	VM1773

The QC reported here applies to the following samples:

Method: SW846 8260B

C44330-1, C44330-2, C44330-3, C44330-4, C44330-5, C44330-6

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	5.0	0.50	ug/kg	
100-41-4	Ethylbenzene	ND	5.0	0.50	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	1.0	ug/kg	
91-20-3	Naphthalene	ND	5.0	1.0	ug/kg	
108-88-3	Toluene	ND	5.0	0.50	ug/kg	
1330-20-7	Xylene (total)	ND	10	1.0	ug/kg	

CAS No.	Surrogate Recoveries	Limits
1868-53-7	Dibromofluoromethane	101% 70-130%
2037-26-5	Toluene-D8	97% 70-130%
460-00-4	4-Bromofluorobenzene	99% 70-130%

Blank Spike/Blank Spike Duplicate Summary

Job Number: C44330
Account: GGTRCASF Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1773-BS	M58979.D	1	03/02/16	JT	n/a	n/a	VM1773
VM1773-BSD	M58982.D	1	03/02/16	JT	n/a	n/a	VM1773

The QC reported here applies to the following samples:

Method: SW846 8260B

C44330-1, C44330-2, C44330-3, C44330-4, C44330-5, C44330-6

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	BSD ug/kg	BSD %	RPD	Limits Rec/RPD
71-43-2	Benzene	40	35.3	88	35.7	89	1	70-130/30
100-41-4	Ethylbenzene	40	33.5	84	34.3	86	2	70-130/30
1634-04-4	Methyl Tert Butyl Ether	40	34.4	86	33.1	83	4	70-130/30
91-20-3	Naphthalene	40	37.0	93	38.8	97	5	70-130/30
108-88-3	Toluene	40	33.7	84	33.4	84	1	70-130/30
1330-20-7	Xylene (total)	120	97.0	81	99.2	83	2	70-130/30

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
1868-53-7	Dibromofluoromethane	101%	94%	70-130%
2037-26-5	Toluene-D8	96%	92%	70-130%
460-00-4	4-Bromofluorobenzene	95%	95%	70-130%

* = Outside of Control Limits.

5.2.1
5

Laboratory Control Sample Summary

Job Number: C44330
Account: GGTRCASF Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1773-LCS	M58981.D	1	03/02/16	JT	n/a	n/a	VM1773

The QC reported here applies to the following samples:

Method: SW846 8260B

C44330-1, C44330-2, C44330-3, C44330-4, C44330-5, C44330-6

CAS No.	Compound	Spike ug/kg	LCS ug/kg	LCS %	Limits
---------	----------	----------------	--------------	----------	--------

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	102%	70-130%
2037-26-5	Toluene-D8	101%	70-130%
460-00-4	4-Bromofluorobenzene	98%	70-130%

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C44330
Account: GGTRCASF Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C44339-1MS	M58998.D	1	03/02/16	JT	n/a	n/a	VM1773
C44339-1MSD	M58999.D	1	03/02/16	JT	n/a	n/a	VM1773
C44339-1	M58984.D	1	03/02/16	JT	n/a	n/a	VM1773

The QC reported here applies to the following samples:

Method: SW846 8260B

C44330-1, C44330-2, C44330-3, C44330-4, C44330-5, C44330-6

CAS No.	Compound	C44339-1 ug/kg	Spike Q ug/kg	MS ug/kg	MS %	Spike ug/kg	MSD ug/kg	MSD %	RPD	Limits Rec/RPD
71-43-2	Benzene	ND	39.4	31.4	80	39.4	27.9	71	12	70-130/30
100-41-4	Ethylbenzene	ND	39.4	29.9	76	39.4	25.9	66* a	14	70-130/30
1634-04-4	Methyl Tert Butyl Ether	ND	39.4	27.0	68* a	39.4	24.3	62* a	11	70-130/30
91-20-3	Naphthalene	ND	39.4	19.4	49* a	39.4	16.3	41* a	17	70-130/30
108-88-3	Toluene	ND	39.4	30.3	77	39.4	26.9	68* a	12	70-130/30
1330-20-7	Xylene (total)	ND	118	84.9	72	118	73.6	62* a	14	70-130/30

CAS No.	Surrogate Recoveries	MS	MSD	C44339-1	Limits
1868-53-7	Dibromofluoromethane	96%	95%	108%	70-130%
2037-26-5	Toluene-D8	96%	95%	97%	70-130%
460-00-4	4-Bromofluorobenzene	97%	95%	96%	70-130%

(a) Outside control limits due to matrix interference.

* = Outside of Control Limits.

5.4.1
 5

GC Semi-volatiles

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Job Number: C44330
Account: GGTRCASF Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP13965-MB	HH330235.D	1	03/03/16	YN	03/01/16	OP13965	GHH1753

The QC reported here applies to the following samples:

Method: SW846 8015B M

C44330-1, C44330-2, C44330-3, C44330-4, C44330-5, C44330-6

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (C10-C28)	ND	3.3	0.83	mg/kg	

CAS No.	Surrogate Recoveries	Limits
630-01-3	Hexacosane	75% 38-146%

6.1.1
6

Blank Spike/Blank Spike Duplicate Summary

Job Number: C44330
Account: GGTRCASF Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP13965-BS	HH330236.D	1	03/03/16	YN	03/01/16	OP13965	GHH1753
OP13965-BSD	HH330237.D	1	03/03/16	YN	03/01/16	OP13965	GHH1753

The QC reported here applies to the following samples:

Method: SW846 8015B M

C44330-1, C44330-2, C44330-3, C44330-4, C44330-5, C44330-6

CAS No.	Compound	Spike mg/kg	BSP mg/kg	BSP %	BSD mg/kg	BSD %	RPD	Limits Rec/RPD
	TPH (C10-C28)	33.3	26.6	80	26.1	78	2	53-107/12

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
630-01-3	Hexacosane	58%	53%	38-146%

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C44330
Account: GGTRCASF Golden Gate Tank Removal
Project: 378 Grand Avenue - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP13965-MS	HH330248.D	10	03/03/16	YN	03/01/16	OP13965	GHH1753
OP13965-MSD	HH330249.D	10	03/03/16	YN	03/01/16	OP13965	GHH1753
C44330-6	HH330247.D	10	03/03/16	YN	03/01/16	OP13965	GHH1753

The QC reported here applies to the following samples:

Method: SW846 8015B M

C44330-1, C44330-2, C44330-3, C44330-4, C44330-5, C44330-6

CAS No.	Compound	C44330-6 mg/kg	Spike Q mg/kg	MS mg/kg	MS %	Spike mg/kg	MSD mg/kg	MSD %	RPD	Limits Rec/RPD
	TPH (C10-C28)	352	33.1	514	489* a	33.1	444	278* a	15* b	53-107/12

CAS No.	Surrogate Recoveries	MS	MSD	C44330-6	Limits
630-01-3	Hexacosane	83%	80%	80%	38-146%

(a) Outside control limits due to high level in sample relative to spike amount.

(b) Outside laboratory control limits.

* = Outside of Control Limits.



CERTIFICATE OF DISPOSAL

DATE: March 01, 2016

PROJECT NUMBER: 9550

PROJECT ADDRESS: 378 Grand Avenue, Oakland, CA 94610

TANK SIZE: 1500 gallons

ORIGINAL TANK CONTENTS: Diesel

Golden Gate Tank Removal, Inc. hereby issues CERTIFICATION that:

- This tank was cleaned by triple rinsing and allowable for disposal as scrap metal.
- The Oxygen content of the Tank was 20.9%
- The Lower Explosive Limit was 0%
- The above tank was rendered harmless by cutting and disposed of as scrap metal at Circosta Iron and Metal, Inc.
- The above method of tank destruction is suitable for the materials involved and is accepted by the City of Oakland and County of Alameda as an appropriate disposal method.

Copies of the analytical certificate the chain-of-custody and the scrap metal receipt are attached to this Certification. If there are any questions regarding this tank, please contact this office.

Golden Gate Tank Removal, Inc.

CIRCOSTA IRON AND METAL, INC.

1801 EVANS AVENUE • SAN FRANCISCO, CALIFORNIA 94124
PHONE (415) 282-8568 FAX (415) 641-7804


BUY NUMBER
495408

CUSTOMER GOLDEN GATE TANK REMOVAL
ADDRESS 1480 CARROLL AVE SF
LICENSE NO. 616581
DRIVER'S LIC. NO. V9079601
JOB NO. _____ NAME JULIAN MORENO
TIME IN _____ TIME OUT _____

DATE: 3-2-16

11540 LB	LBS. GROSS
8960 LB	LBS. TARE
2580	LBS. NET
—	LBS. DEDUCTION

- #1 HMS
- #2 HMS
- STRUCTURAL
- RE-BAR
- HMS and SHEET MIX
- CLEAN SHEET
- W/G
- CAST IRON
- M-BLOCKS
- BODIES
- NON FERROUS



WEIGHER _____

UNIT PRICE	<u>\$ 50/T</u>
AMOUNT	<u>\$ 6450</u>

EIK69189
LICENCE NO.

TRAILER NO. _____

COMMENTS: _____

X [Signature]
CUSTOMER SIGNATURE

BILL OF SALE: I hereby state that I am the lawful owner of the material described hereon, that I have a right to sell same and that for payment received in full, hereby acknowledged. I sell and convey title of same of the CIRCOSTA IRON & METAL CO.

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number CAC002840269	2. Page 1 of 1	3. Emergency Response Phone 800 424-9300 CHEMFEC	4. Manifest Tracking Number 015104613 JJK				
5. Generator's Name and Mailing Address 378 GRAND AVE, LLC 2295 SAN PABLO AVE BERKELEY CA 94702				Generator's Site Address (if different than mailing address) 378 GRAND AVE, LLC 378 GRAND AVE OAKLAND CA 94610					
Generator's Phone: 510 540-5982				U.S. EPA ID Number CAR00171017					
6. Transporter 1 Company Name FREMOUW ENVIRONMENTAL SERVICES INC				U.S. EPA ID Number					
7. Transporter 2 Company Name				U.S. EPA ID Number					
8. Designated Facility Name and Site Address DR DIXON 7300 CHEVRON WAY DIXON CA 95620				U.S. EPA ID Number CAT080012602					
Facility's Phone: 707 693-6008									
GENERATOR	9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))		10. Containers		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes	
		1. NON-RCRA HAZARDOUS WASTE, LIQUIDS (OILY WATER)		No.	Type				
				1	TT	1386	G	223	
		2.							
		3.							
	4.								
14. Special Handling Instructions and Additional Information 1JDK - Oily Water ERG#171									
HANDLERS TO BE 40HR TRAINED AND USE PPE. ER Contract # 205907									
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.									
Generator's/Officer's Printed/Typed Name Tom Hallen				Signature <i>Tom Hallen</i>				Month Day Year 01 26 16	
TRANSPORTER INT'L	16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____								
	17. Transporter Acknowledgment of Receipt of Materials								
	Transporter 1 Printed/Typed Name Carlos Alvarez				Signature <i>Carlos Alvarez</i>				Month Day Year 01 26 16
Transporter 2 Printed/Typed Name				Signature				Month Day Year	
DESIGNATED FACILITY	18. Discrepancy								
	18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection								
	18b. Alternate Facility (or Generator) U.S. EPA ID Number								
	Facility's Phone:								
	18c. Signature of Alternate Facility (or Generator)							Month Day Year	
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)									
1.		2.		3.		4.			
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a									
Printed/Typed Name				Signature				Month Day Year	

NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No. 022216001	2. Page 1 of 1
3. Generator's Name and Mailing Address <i>Golden Coast Tank 378 Grand Ave Oakland, CA 94610</i>					
4. Generator's Phone ()					
5. Transporter 1 Company Name <i>Big Sky Environmental Solutions</i>		6. US EPA ID Number <i>CAL 000 346 010</i>		A. State Transporter's ID	
7. Transporter 2 Company Name		8. US EPA ID Number		B. Transporter 1 Phone <i>800-474-7993</i>	
9. Designated Facility Name and Site Address <i>Instant Inc 1105 Alameda Rd Riv Vista, CA 94571</i>		10. US EPA ID Number		C. State Transporter's ID	
				D. Transporter 2 Phone	
				E. State Facility's ID	
				F. Facility's Phone <i>707-371-3324</i>	
11. WASTE DESCRIPTION			Containers		13. Total Quantity
			No.	Type	14. Unit Wt./Vol.
a. <i>Non Hazardous Waste Liquid</i>			<i>003</i>	<i>DM</i>	<i>165 G</i>
b.					
c.					
d.					
G. Additional Descriptions for Materials Listed Above			H. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information <i>Wear PPE</i> <i>Emergency Contact: Jill Rhodes</i>					
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.					
IN LIEU OF:					Date
Printed/Typed Name <i>Joe Riley</i>		Signature <i>Joe Riley</i>		Date <i>02/24/16</i>	
17. Transporter 1 Acknowledgement of Receipt of Materials					
Printed/Typed Name <i>Joe Riley</i>		Signature <i>Joe Riley</i>		Date <i>02/24/16</i>	
18. Transporter 2 Acknowledgement of Receipt of Materials					
Printed/Typed Name		Signature		Date	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.					
Printed/Typed Name <i>MICHAEL WHITEHEAD</i>					Date <i>2/24/16</i>
		Signature <i>Michael Whitehead</i>			

NON-HAZARDOUS WASTE



GENERATOR

TRANSPORTER

FACILITY

NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No. 652030816	2. Page 1 of 1
3. Generator's Name and Mailing Address		378 Grand Ave Oakland, CA			
4. Generator's Phone ()					
5. Transporter 1 Company Name		6. US EPA ID Number		A. State Transporter's ID	
Big Sky Enterprises				B. Transporter 1 Phone (800)479-7993	
7. Transporter 2 Company Name		8. US EPA ID Number		C. State Transporter's ID	
				D. Transporter 2 Phone	
9. Designated Facility Name and Site Address		10. US EPA ID Number		E. State Facility's ID	
Big Sky Enterprises 401 W Channel Rd Benicia, CA 94510				F. Facility's Phone (800)479-7993	
11. WASTE DESCRIPTION			Containers		13. Total Quantity
			No.	Type	14. Unit Wt./Vol.
a. Non Hazardous Waste, Water			003	DM	150 JR 165 G
b.					
c.					
d.					
G. Additional Descriptions for Materials Listed Above			H. Handling Codes for Wastes Listed Above		
Wear PPE					
15. Special Handling Instructions and Additional Information					
Material will be binned for disposal at Potrero Hill Landfill in Suisun CA.					
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.					
Printed/Typed Name			Signature		Date
SNA			SNA		Month Day Year
17. Transporter 1 Acknowledgement of Receipt of Materials					
Printed/Typed Name			Signature		Date
Jeff Rhodes					3 8 16
18. Transporter 2 Acknowledgement of Receipt of Materials					
Printed/Typed Name			Signature		Date
					Month Day Year
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.					
Printed/Typed Name			Signature		Date
Jeff Rhodes					3 8 16

GENERATOR

NON-HAZARDOUS WASTE

TRANSPORTER

FACILITY



NON-HAZARDOUS SPECIAL WASTE & ASBESTOS MANIFEST

If waste is asbestos waste, complete Sections I, II, III and IV
If waste is NOT asbestos waste, complete Sections I, II and III

I. GENERATOR (Generator completes Ia-r)

a. Generator's US EPA ID Number N/A		b. Manifest Document Number		c. Page 1 of	
d. Generator's Name and Location: 378 Grand Avenue, LLC 378 Grand Avenue Oakland, CA 94610 f. Phone:510-540-5982			e. Generator's Mailing Address: 378 Grand Avenue, LLC 2295 San Pablo Avenue Berkeley, CA 94702 g. Phone:510-540-5982		
If owner of the generating facility differs from the generator, provide:					
h. Owner's Name:			i. Owner's Phone No.:		
j. Waste Profile #	k. Exp. Date	l. Waste Shipping Name and Description		m. Containers No.	n. Total Quantity
				Type	o. Unit Wt/Vol
4212162659	06/30/2016	Soil			
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if this waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions. I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR 268 and is no longer a hazardous waste as defined by 40 CFR 261.					
p. Generator Authorized Agent Name (Print) Gina Wee			q. Signature 		r. Date 02/26/2016

II. TRANSPORTER (Generator completes IIa-b and Transporter completes IIc-e)

a. Transporter's Name and Address: F.A. Poli Trucking P.O. Box 1624 San Bruno, CA 94066		
b. Phone: 650-589-7529		
c. Driver Name (Print) 	d. Signature 	e. Date 02/26/2016

III. DESTINATION (Generator complete IIIa-c and Destination Site completes III d-g)

a. Disposal Facility and Site Address: Keller Canyon 901 Bailey Rd Pittsburg, CA 94565 b. Phone: 925-458-9800		c. US EPA Number	d. Discrepancy Indication Space:
I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.			
e. Name of Authorized Agent (Print) 	f. Signature 	g. Date 2-26-16	

IV. ASBESTOS (Generator completes IVa-f and Operator complete IVg-i)

a. Operator's Name and Address:		c. Responsible Agency Name and Address:	
b. Phone:		d. Phone:	
e. Special Handling Instructions and Additional Information:			
f. <input type="checkbox"/> Friable <input type="checkbox"/> Non-Friable <input type="checkbox"/> Both % Friable % Non-Friable			
OPERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.			
g. Operator's Name and Title (Print)		i. Date	
h. Signature 			
*Operator refers to the company which owns, leases, operates, controls, or supervises the facility being demolished or renovated, or the demolition or renovation operation or both			


SITE
KELLER CANYON LANDFILL
Pittsburg, CA 925-458-9800

CUSTOMER
674678
Golden Gate Tank Removal, Inc.
1480 Carroll Avenue
San Francisco, CA 94124
4212162659

SITE 01 TICKET # 1054044 CELL
WEIGHMASTER
Police C.
DATE/TIME IN 02-26-2016 1:23 pm DATE/TIME OUT 02-26-2016 1:36 pm
VEHICLE PAPER80 CONTAINER
REFERENCE INVOICE
BILL OF LADING

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
20.00	YD	TRACKING QTY				
13.06	TN	SW-BENEFICIAL REUSE				
1.00		ENVIRONMENTAL FEE 1				
1.00		FUEL RECOVERY FEE				
		OAKLAND				
		SCALE IN	54,540			NET TONS
		SCALE OUT	28,420			NET WEIGHT
						NET WEIGHT
						26,120
						13.06
						INBOUND


WEIGHMASTER CERTIFICATE - This is to certify that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food & Agriculture. The undersigned individual signing this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and that he or she has the authority to sign this document on behalf of the customer.

RS-F042UPR (07/12) 2/21 SIGNATURE 

NET AMOUNT
TENDERED
CHANGE
CHECK#

If waste is asbestos waste, complete Sections I, II, III and IV
 If waste is NOT asbestos waste, complete Sections I, II and III


I. GENERATOR (Generator completes Ia-r)

a. Generator's US EPA ID Number N/A		b. Manifest Document Number		c. Page 1 of	
d. Generator's Name and Location: 378 Grand Avenue, LLC 378 Grand Avenue Oakland, CA 94610 f. Phone: 510-540-5982			e. Generator's Mailing Address: 378 Grand Avenue, LLC 2295 San Pablo Avenue Berkeley, CA 94702 g. Phone: 510-540-5982		
If owner of the generating facility differs from the generator, provide:					
h. Owner's Name:			i. Owner's Phone No.:		
j. Waste Profile #		k. Exp. Date	l. Waste Shipping Name and Description		m. Containers No. Type
4212162659		06/30/2016	Soil		
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if this waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions. I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR 268 and is no longer a hazardous waste as defined by 40 CFR 261.					
p. Generator Authorized Agent Name (Print) Gina Wee			q. Signature 		r. Date 03/01/2016

II. TRANSPORTER (Generator completes IIa-b and Transporter completes IIc-e)

a. Transporter's Name and Address: F.A. Poli Trucking P.O. Box 1624 San Bruno, CA 94066		
b. Phone: 650-589-7529		
c. Driver Name (Print) Tom Hayward		d. Signature 
		e. Date 03/01/2016

III. DESTINATION (Generator complete IIIa-c and Destination Site completes III d-g)

a. Disposal Facility and Site Address: Keller Canyon 901 Bailey Rd Pittsburg, CA 94565 b. Phone: 925-458-9800		c. US EPA Number	d. Discrepancy Indication Space:
I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.			
e. Name of Authorized Agent (Print) Peter Comgo		f. Signature 	g. Date 3-1-16

IV. ASBESTOS (Generator completes IVa-f and Operator complete IVg-i)

a. Operator's Name and Address:		c. Responsible Agency Name and Address:	
b. Phone:		d. Phone:	
e. Special Handling Instructions and Additional Information:			
f. <input type="checkbox"/> Friable <input type="checkbox"/> Non-Friable <input type="checkbox"/> Both % Friable % Non-Friable			
OPERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.			
g. Operator's Name and Title (Print)		h. Signature	i. Date
*Operator refers to the company which owns, leases, operates, controls, or supervises the facility being demolished or renovated, or the demolition or renovation operation or both			

SITE

KELLER CANYON LANDFILL

Pittsburg, CA 925-458-9800

CUSTOMER 674678
Golden Gate Tank Removal, Inc.
1480 Carroll Avenue
San Francisco, CA 94124
4212162659

SITE 01 TICKET # 1054605 CELL

WEIGHMASTER Felipe C.

DATE/TIME IN 03-01-2016 3:15 pm DATE/TIME OUT 03-1-2016 3:15 pm

VEHICLE FAPT80 CONTAINER

REFERENCE INVOICE

BILL OF LADING

SCALE IN GROSS WEIGHT 53,480
TARE OUT TARE WEIGHT 28,420

NET TONS 12.53
NET WEIGHT 25,060

INBOUND

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
20.00	YD	TRACKING				
12.53	TN	SW-BENEFICIAL REUSE				
1.00		ENVIRONMENTAL FEE 1				
1.00		FUEL RECOVERY FEE				
OAKLAND						

WEIGHMASTER CERTIFICATE - This is to certify that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food & Agriculture on the reverse side and that he or she has the authority to sign this document on behalf of the customer.

SIGNATURE

NET AMOUNT
TENDERED
CHANGE
CHECK#

UNDERGROUND STORAGE TANK UNAUTHORIZED RELEASE (LEAK)/ CONTAMINATION SITE REPORT

EMERGENCY <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		HAS STATE OFFICE OF EMERGENCY SERVICES REPORT BEEN FILED? <input type="checkbox"/> Yes <input type="checkbox"/> No		FOR LOCAL AGENCY USE ONLY I HEREBY CERTIFY THAT I AM A DESIGNATED GOVERNMENT EMPLOYEE AND THAT I HAVE REPORTED THIS INFORMATION TO LOCAL OFFICIALS PURSUANT TO SECTION 25180.7 OF THE HEALTH AND SAFETY CODE.	
REPORT DATE 1/26/16		CASE #		SIGNED _____ DATE _____	
REPORTED BY	NAME OF INDIVIDUAL FILING REPORT Gina Wee		PHONE (415) 512-1555		SIGNATURE 
	REPRESENTING <input type="checkbox"/> LOCAL AGENCY <input type="checkbox"/> REGIONAL BOARD <input type="checkbox"/> OWNER/OPERATOR <input checked="" type="checkbox"/> OTHER... contractor		COMPANY OR AGENCY NAME Golden Gate Tank Removal, Inc.		
RESPONSIBLE PARTY	NAME 378 Grand Avenue, LLC <input type="checkbox"/> Unknown		PHONE 510-540-5982		
	ADDRESS 2295 San Pablo Avenue		Berkeley CA 94702		
SITE LOCATION	FACILITY NAME (IF APPLICABLE)		OPERATOR		PHONE
	ADDRESS 378 Grand Avenue		Oakland Alameda 94610		
	CROSS STREET Staten Avenue				
IMPLEMENTING AGENCIES	LOCAL AGENCY AGENCY NAME Alameda County Environmental Health			PHONE 510-567-6737	
	REGIONAL BOARD			PHONE	
SUBSTANCES INVOLVED	(1) NAME Diesel			QUANTITY LOST (GALLONS) _____ <input checked="" type="checkbox"/> Unknown	
	(2)			_____ <input type="checkbox"/> Unknown	
DISCOVERY/ABATEMENT	DATE DISCOVERED 1/26/16		HOW DISCOVERED <input type="checkbox"/> Tank Test <input type="checkbox"/> Tank Removal <input type="checkbox"/> Nuisance Conditions <input type="checkbox"/> Inventory Control <input type="checkbox"/> Subsurface Monitoring <input checked="" type="checkbox"/> Other... Tank Cleaning		
	DATE DISCHARGE BEGAN		METHOD USED TO STOP DISCHARGE (CHECK ALL THAT APPLY)		
	HAS DISCHARGE BEEN STOPPED? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No 01/26/16 IF YES, DATE		<input checked="" type="checkbox"/> Unknown <input checked="" type="checkbox"/> Remove Contents <input type="checkbox"/> Close Tank & Removed <input type="checkbox"/> Repair Tank <input type="checkbox"/> Change Procedure <input type="checkbox"/> Replace Tank <input type="checkbox"/> Other... <input type="checkbox"/> Repair Piping		
SOURCE/ CAUSE	SOURCE OF DISCHARGE		CAUSE(S)		
	<input type="checkbox"/> Tank Leak <input type="checkbox"/> Piping Leak <input checked="" type="checkbox"/> Unknown <input type="checkbox"/> Other...		<input type="checkbox"/> Overfill <input type="checkbox"/> Corrosion <input type="checkbox"/> Rupture/Failure <input type="checkbox"/> Unknown <input type="checkbox"/> Spill <input type="checkbox"/> Other...		
CASE TYPE	CHECK ONE ONLY <input type="checkbox"/> Undetermined <input checked="" type="checkbox"/> Soil Only <input type="checkbox"/> Groundwater <input type="checkbox"/> Drinking Water - (CHECK ONLY IF WATER WELLS HAVE ACTUALLY BEEN AFFECTED)				
	CURRENT STATUS CHECK ONE ONLY <input type="checkbox"/> No Action Taken <input type="checkbox"/> Case Closed (Cleanup Completed or Unnecessary) <input checked="" type="checkbox"/> Leak Being Confirmed <input type="checkbox"/> Pollution Characterization <input type="checkbox"/> Remediation Plan <input type="checkbox"/> Post Cleanup Monitoring in Progress <input type="checkbox"/> Preliminary Site Assessment Workplan Submitted <input type="checkbox"/> Cleanup Underway <input type="checkbox"/> Preliminary Site Assessment Underway				
REMEDIAL ACTION	CHECK APPROPRIATE ACTION(S)				
	<input type="checkbox"/> Cap Site (CD) <input type="checkbox"/> Excavate & Treat (ET) <input type="checkbox"/> Treatment at Hookup (HU) <input checked="" type="checkbox"/> Other... Dispose <input type="checkbox"/> Contamination Barrier (CB) <input type="checkbox"/> No Action Required (NA) <input type="checkbox"/> Enhanced Bio Degradation (IT) <input type="checkbox"/> Vacuum Extract (VE) <input type="checkbox"/> Remove Free Product (FP) <input type="checkbox"/> Replace Supply (RS) <input type="checkbox"/> Excavate & Dispose (ED) <input type="checkbox"/> Pump & Treat Groundwater (GT) <input type="checkbox"/> Vent Soil (VS)				
COMMENTS	Holes found in the tank				

HAZARDOUS WASTE TANK CLOSURE CERTIFICATION

Page of

I. FACILITY IDENTIFICATION

BUSINESS NAME (Same as FACILITY NAME or DBA - Doing Business As) ³ FACILITY ID# ¹

TANK OWNER NAME ⁷⁴⁰
 378 GRAND AVENUE, LLC.

TANK OWNER ADDRESS ⁷⁴¹
 2295 SAN PABLO AVENUE, BERKELEY, CA 94702

TANK OWNER CITY ⁷⁴² BERKELEY STATE ⁷⁴³ CA ZIP CODE ⁷⁴⁴ 94702

II. TANK CLOSURE INFORMATION

TANK INTERIOR ATMOSPHERE READINGS	Tank ID # (Attach additional copies of this page for more than three tanks)	Concentration of Flammable Vapor			Concentration of Oxygen		
		Top	Center	Bottom	Top	Center	Bottom
1	745	746a	746b	746c	747a	747b	747c
2	748	749a	749b	749c	750a	750b	750c
3	751	752a	752b	752c	753a	753b	753c

III. CERTIFICATION

On examination of the tank, I certify the tank is visually free from product, sludge, scale (thin, flaky residual of tank contents), rinseate and debris. I further certify that the information provided herein is true and accurate to the best of my knowledge.

SIGNATURE OF CERTIFIER <i>Jim Hallen</i>	STATUS OR AFFILIATION OF CERTIFYING PERSON Certifier is a representative of the CUPA, authorized agency, or LIA: ⁷⁶⁰
NAME OF CERTIFIER (Print) ⁷⁵⁴ JIM HALLEN	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Name of CUPA, authorized agency, or LIA: ⁷⁶¹
TITLE OF CERTIFIER ⁷⁵⁵ PRESIDENT	If certifier is other than CUPA / LIA check appropriate box below: ⁷⁶²
ADDRESS ⁷⁵⁶ 1400 CARROLL AVENUE	<input type="checkbox"/> a. Certified Industrial Hygienist (CIH)
CITY ⁷⁵⁷ SAN FRANCISCO	<input type="checkbox"/> b. Certified Safety Professional (CSP)
PHONE ⁷⁵⁸ 415-512-1555	<input type="checkbox"/> c. Certified Marine Chemist (CMC)
DATE ⁷⁵⁹ 03/1/2016	<input type="checkbox"/> d. Registered Environmental Health Specialist (REHS)
CERTIFICATION TIME 13:00	<input type="checkbox"/> e. Professional Engineer (PE)
	<input type="checkbox"/> f. Class II Registered Environmental Assessor
	<input checked="" type="checkbox"/> g. Contractors' State License Board licensed contractor (with hazardous substance removal certification)

TANK PREVIOUSLY HELD FLAMMABLE OR COMBUSTIBLE MATERIALS ⁷⁶³
 (If yes, the tank interior atmosphere shall be re-checked with a combustible gas indicator prior to work being conducted on the tank.) Yes No

CERTIFIER'S TANK MANAGEMENT INSTRUCTIONS FOR SCRAP DEALER, DISPOSAL FACILITY, ETC.: ⁷⁶⁴

A copy of this certificate shall accompany the tank to the recycling / disposal facility and be provided to the CUPA. If there is no CUPA, copies shall be submitted to the LIA and authorized agency; owner / operator of the tank system; removal contractor; and the recycling / disposal facility.

Permits for which no major inspection has been approved within 180 days shall expire by limitation. No refund more than 180 days after expiration or final.



CITY OF OAKLAND

CHECK REVERSE

250 FRANK H. OGAWA PLAZA ■ 2ND FLOOR ■ OAKLAND, CA 94612

Planning and Building Department
www.oaklandnet.com

PH: 510-238-3891
FAX: 510-238-2263
TDD: 510-238-3254

Permit No: X1502887 OPW - Excavation

Filed Date: 12/22/2015

Job Site: 378 GRAND AVE

Schedule Inspection by calling: 510-238-3444

Parcel No: 010 077600800

For SL; X; and CGS permits see SPECIAL NOTE below

District:

Project Description:

Excavate to remove existing underground storage tank in sidewalk area.
If working within 25' feet of a monument you must comply with State Law 8771, contact the Inspector prior to starting excavation: minimum \$5,800.00 fine for non-compliance.
Comply with all terms of City of Oakland Public Works Standards, Street Excavation Rules, Revised March 2015 and City Council Ordinance No. 13300 C.M.S. Five day prior notice required for work lasting five days or less in business/commercial districts; 72 hour notice in residential districts. Ten day prior notice required for work lasting six days or more in all districts.
FIRE MARSHAL review required. 3rd FLOOR.
Call PWA INSPECTION prior to start: 510-238-3651. 4th FLOOR.

Related Permits: X1502478

	<u>Name</u>	<u>Applicant</u>	<u>Address</u>	<u>Phone</u>	<u>License #</u>
Owner:	GRAND AVENUE APARTMENTS		2909 MCCLURE ST OAKLAND, CA		
Contractor:	GOLDEN GATE TANK REMOVAL INC	X	1455 YOSEMITE AVENUE SAN FRANCISCO	(415) 512-1555	
Contractor:	GOLDEN GATE TANK REMOVAL INC		1455 YOSEMITE AVENUE SAN FRANCISCO	(415) 512-1555	616521

PERMIT DETAILS: Building/Public Infrastructure/Excavation/NA

General Information

Excavation Type: Private Party Special Paving Detail Required: Tree Removal Involved:
Date Street Last Resurfaced: Holiday Restriction (Nov 1 - Jan 1)
Worker's Compensation Company Name: Limited Operation Area (7AM-9AM) And (4PM-6PM)
Worker's Compensation Policy #:

Key Dates

Approximate Start Date:
Approximate End Date:

TOTAL FEES TO BE PAID AT FILING: \$434.91

Application Fee	\$70.00	Excavation - Private Party Type	\$309.00	Records Management Fee	\$36.01
Technology Enhancement Fee	\$19.90				

Plans Checked By _____ Date _____ Permit Issued By Date 12/22

SPECIAL NOTE

- For SL; X; and CGS permits Call PWA INSPECTION prior to start 510-238-3651 or visit 4th FLOOR.
- For SL and X permits valid 90 days; CGS permits valid 30 days

Applications for which no permit is issued within 180 days shall expire by limitation. No refund more than 180 days after expiration or final.

DIST: ADDRESS:



Oakland Fire Department, Fire Prevention Bureau
250 Frank H. Ogawa Plaza, Ste. 3341
Oakland, CA 94612-2032



(510) 238-3851
TTY (510) 238-6884

Inspection Work Order

Business Name: Golden Gate Tank Removal, Inc.	Reason: Tanks
Address: 378 GRAND AVE	Scheduled: 2015-12-08 2:00PM
Job (Insp Ref#): 2015-40342	Assigned To: Skillern, Sheryl

Comments: Underground Tank Removal plan review & 1 insp. Gina Wee w/Golden Gate Tank Removal Inc., 415-512-1555. PAID \$668.00. hro

Invoice # 2015-38698
 Invoice Amount 668.00

Applicant:
 Applicant Ph#:
 Contractor:
 Contractor Ph#:

Contact Name	Gina Wee
Field Contact #	415-512-1555
Review Type	UST

REVIEWED AND APPROVED
OAKLAND FIRE DEPARTMENT
 BY: Sheryl Skillern
 TITLE: HAZ MAT IWSP
 DATE: 12/23/15
ALL INSPECTIONS REQUIRE
48 HOURS NOTICE



CITY OF OAKLAND
FIRE PREVENTION BUREAU
250 Frank Ogawa Plaza, Ste. 3341
OAKLAND, CALIFORNIA 94612-2032
(510) 238-3851

APPLICATION for PERMIT to INSTALL, REMOVE or REPAIR TANKS
In the CITY OF OAKLAND

Request Submittal Date: December 08, 2015

PLEASE CIRCLE APPROPRIATE ACTIONS: Application is hereby made for permit to:

(a) Remove (b) Install (c) Repair (d) Modify (e) Abandon/Close in Place **A**

(a) Gasoline (b) Fuel oil (c) Diesel (d) _____ tank(s) and excavate, commencing:

(a) four feet inside the curb line*; (b) inside the property line; (c) aboveground; (d) underground tank(s)
*inside curb line, please attach copy of sidewalk/excavation permit from PLANNING AND BUILDING

on the east side of Grand Avenue St./Ave. 100 feet of Staten Ave St./Ave.

Site Address: 378 Grand Avenue Present storage Heating oil

Owner: 378 Grand Avenue, LLC Address 2295 San Pablo Avenue Phone (510)540-5982

Berkeley CA 94702

Applicant: Golden Gate Tank Removal, Inc. Address 1480 Carroll Avenue Phone (415) 512-1555

San Francisco CA 94124

Sidewalk surface to be disturbed X Number of Tanks 1 (one) Capacity 1500 Gallons ea.

Remarks _____

Signature _____

PLEASE ATTACH/SUBMIT: (All applicants must have a City Business License Permit)

- (2) Copies of Closure Plans for underground tank removal(s)
- (2) Sets of plans and (1) copy of specifications for above ground tank removal
- (2) Sets of plans and (2) sets of application packets for underground tank installation/modifications
- (2) Sets of plans for aboveground tank installation and specifications
- copy or prepare to show Planning and Building approval for aboveground tank removal and tank repair


NOTE: FOR TANK INSTALLATION PLEASE SUBMIT THIS APPLICATION FORM ALONG WITH A APPLICATION FOR PERMIT TO OPERATE, MAINTAIN OR STORE


FOR OFFICE USE ONLY

Permit No. _____
Copies to: Electrical Inspection

Amt. Recv'd _____ Date Issued: _____
Ck# _____ Cas# _____
Receipt# _____

rev:05/98





ONSITE CLEANING OR CUTTING OF UNDERGROUND TANKS

Various circumstances at underground tank removals may make on-site cutting of tanks necessary or advantageous. Due to the inherent safety, health and environmental hazards, Golden Gate Tank Removal, Inc. has imposed the following conditions on cutting of any tanks that have held hazardous material of waste.

1. The local fire department shall be advised in advance of planned on-site cutting, or of any change from approved plans to include on-site cutting. The cutting of any tank that previously held flammable and/or combustible liquids shall be approved in advance by the local Fire Department inspector.
2. Tanks shall be completely emptied and the contents handled in accordance with all pertinent regulations.
3. To minimize release of the hazardous waste, any tank to be cut in place shall be cleaned to render it non-hazardous. The final Rinsate or interior wipe sample shall not exceed 100 PPM of product verified by laboratory analysis; or the tank shall be evinced as cleaned to bare metal. Rinsate shall be handled in accordance with all pertinent regulations.
4. Any tank that held flammable or combustible liquid shall be inerted prior to cutting. A minimum of 3 pounds of dry ice per 100 gallons of capacity shall be used for a flammable liquid tank. The atmosphere in the tank shall be maintained below 5% of Lower Explosive Limit (LEL) throughout cutting.
5. Cutting implements shall be approved for use prior to the cutting of any tank. Tanks that are properly inerted may be cut with gas torches only with approval from the local Fire Department. Edged tools may be used in the tank if it is properly inerted. Edged tools shall be lubricated with cutting oil or water spray.
6. At least one charged 20BC Fire extinguisher shall be kept on-site, immediately accessible to the workers performing the cutting.
7. Occupational Health and Safety provisions of Title 8, California Code of Regulations, shall be observed, including but not limited to site safety plans, confined space entry, respirators and other personal protection equipment and sanitation.
8. All other pertinent regulations, including but not limited to those of the local departments of Public Health, Fire and Public Works, the Bay Area Air Quality Management District and the Bay Regional Water Quality Control Board, shall be observed.

ALAMEDA COUNTY
 DEPARTMENT OF ENVIRONMENTAL HEALTH
 1131 HARBOR BAY PARKWAY
 ALAMEDA, CA 94502-6577
 PHONE (510) 567-6700

ACCEPTED

Underground Storage Tank Closure Permit Application
 Alameda County Division of Hazardous Materials
 1131 Harbor Bay Parkway, Suite 250
 Alameda, CA 94502-6577

These closure/removal plans have been received and found to be acceptable and essentially meet the requirements of State and Local Health Laws. Changes to your closure plans indicated by this Department are to assure compliance with State and local laws. The project proposed herein is now released for issuance of any required building permits for construction/destruction.

One copy of the accepted plans must be on the job and available to all contractors and craftsmen involved with the removal.

Any changes or alterations of these plans and specifications must be submitted to this Department and to the Fire and Building Inspections Department to determine if such changes meet the requirements of State and local laws. Notify this Department at least 72 hours prior to the following required inspections:

- ✓ Removal of Tank(s) and Piping
- ✓ Sampling
- ✓ Final Inspection

Issuance of a) permit to operate, b) permanent site closure, is dependent on compliance with accepted plans and all applicable laws and regulations.

"THERE IS A FINANCIAL PENALTY FOR NOT OBTAINING THESE INSPECTIONS"

Contact Specialist

BJJ
 Barbara Jakub
 barbara.jakub@acgov.org
 510-567-6737
 Approved 12/23/2015

UNDERGROUND STORAGE TANK CLOSURE PLAN

***** Complete closure plan according to instructions *****

1. Name of Business 378 Grand Avenue
 Business Owner or Contact Person (PRINT) 378 Grand Avenue, LLC.
2. Site Address 378 Grand Avenue
 City, State Oakland, CA Zip 94610 Phone 510-540-5982
3. Mailing Address 2295 San Pablo Avenue
 City, State Oakland, CA Zip 94702 Phone 510-540-5982
4. Property Owner 378 Grand Avenue, LLC
 Business Name (if applicable) _____
 Address 2295 San Pablo Avenue
 City, State Oakland, CA Zip 94610 Phone 510-540-5982
5. Generator name under which tank will be manifested
378 Grand Avenue, LLC
 EPA I.D. No. under which tank(s) will be manifested CAC002840269

SR0029144

6. Contractor Golden Gate Tank Removal, Inc.
 Address 1480 Carroll Avenue
 City, State San Francisco, CA Zip 94124 Phone 415-512-1555
 License Type A C-8, Haz ID# 616521
7. Consultant (if applicable) _____
 Address _____
 City, State _____ Zip _____ Phone _____
8. Main Contact Person for Investigation (if applicable)
 Name Tim Hallen Title Project Manager
 Company Golden Gate Tank Removal, Inc.
 Phone 415-512-1555
9. Number of underground tanks being closed with this plan 1 (one)
 Length of piping being removed under this plan up to 15 feet
 Total number underground tanks at this facility (**confirmed with owner or operator) one
10. State Registered Hazardous Waste Transporters/Facilities (See Instructions).
- a) Product/Residual Sludge/Rinsate Transporter
 Name NRC Environmental Services EPA I.D. No. CAR000030114
 Hauler License No. ~~414013~~ 5158 License Exp. Date 06/30/2016
 Address 1605 Ferry Point
 City, State Alameda, CA Zip 94501
- b) Product/Residual Sludge/Rinsate Disposal Site
 Name Riverbank Oil Transfer, LLC EPA I.D. No. CAL000190816
 Address 5300 Claus Road, Bldg 11
 City, State Riverbank, CA Zip 95367

c) Tank and Piping Transporter

Name Golden Gate Tank Removal, Inc. (Dispose & Transport as Non Haz) EPA I.D. No. _____

Hauler License No. _____ License Exp. Date _____

d) Tank and Piping Disposal Site

Name Circosta Scrap Metal EPA I.D. No. CAD983650797

Address 1801 Evans Ave.

City, State San Francisco, CA Zip 94124

11. Sample Collector

Name Brent Wheeler/Ascension Mora

Company Golden Gate Tank Removal, Inc.

Address 1480 Carroll Avenue

City, State San Francisco, CA Zip 94124 Phone 415-512-1555

12. Laboratory

Name _____

Company Accutest Laboratories, Inc.

Address 2105 Lundy Avenue

City, State San Jose, CA Zip 95131

State Certification No. ELAP 2910

13. Have tank(s) or piping leaked in the past? Yes [] No [] Unknown [X]

If yes, describe: _____

14. Describe method(s) to be used for rendering tank(s) inert:

Flush lines and triple rinse with water, if necessary

Removal of product, purge, introduce dry ice to reduce vapors

Remove the tanks

Certify it as clean or non hazardous

Haul tanks as scrap metal

Haul rinsate as haz mat under manifest

Before tank(s) are pumped out and inerted, all associated piping must be flushed back into the tank(s). All accessible piping must then be removed. Inaccessible piping must be permanently plugged using grout.

The Bay Area Air Quality Management District, (415) 771-6000, along with local Fire and Building Departments, must also be contacted for tank removal permits. Fire departments typically require the use of a combustible gas indicator to verify tank inertness. **It is the contractor's responsibility to have a functional combustible gas indicator on-site to verify that the tank(s) is inerted.**

15. Tank History and Sampling Information ***** (See Instructions) *****

Tank		Material to be sampled (tank contents, soil, groundwater)	Location and Depth of Sample(s)
Capacity (gallons)	Use History include date last used (estimated)		
1500	Unknown	Soil samples & water if present	1. stockpile 2. north/east end of excavation 3. south/west end of excavation Bottom of tank – max 15 feet

One soil sample must be collected for every 20 linear feet of underground piping that is removed. A groundwater sample must be collected if any groundwater is present in the excavation.

Excavated/Stockpiled Soil	
Stockpiled Soil Volume (estimated)	Sampling Plan
10-20 yards	4 point composite for every 50 cubic yards Or 4 point composite for every 20 cubic yards

Stockpiled soil must be placed on bermed plastic and must be completely covered by plastic sheeting.

Will the excavated soil be returned to the excavation immediately after tank removal?
 yes no unknown

If yes, explain reasoning _____

If unknown at this point in time, please be aware that **excavated soil may not be returned to the excavation without prior approval from this office. This means that the contractor, consultant, or responsible party must communicate with the Specialist IN ADVANCE of backfilling activities.**

16. Chemical methods and associated detection limits to be used for analyzing sample(s):

The Tri-Regional Board recommended minimum verification analyses and practical quantitation reporting limits shall be followed.

See Table 2, Recommended Minimum Verification Analyses for Underground Tank Leaks.

Contaminant Sought	EPA or Other Sample Preparation Method Number	EPA or Other Analysis Method Number	Method Detection Limit
See attached minimum verification analyses			

17. Submit Site Health and Safety Plan (See Instructions)

18. Submit Worker's Compensation Certificate copy

Name of Insurer State Fund Compensation Insurance

19. Submit Plot Plan ***** (See Instructions) *****

20. Enclose Deposit (See Instructions)

21. **Report all leaks or contamination to this office within 5 days of discovery.**
The written report shall be made on an Underground Storage Tank Unauthorized Leak/Contamination Site Report (URL) form.

22. **Submit a closure report to this office within 60 days of the tank removal. The closure report must contain all information listed in item 22 of the instructions.**

23. Submit State (Underground Storage Tank Permit Application) Forms A and B (one-B form for each UST to be removed) (mark box 8 for "tank removed" in the upper right hand corner).

I declare that to the best of my knowledge and belief that the statements and information provided above are correct and true.

I understand that information, in addition to that provided above, may be needed in order to obtain approval from the Environmental Protection Division and that no work is to begin on this project until this plan has been approved.

I understand that any changes in design, materials, or equipment will void this plan if prior approval is not obtained.

I understand that all work performed during this project will be done in compliance with all applicable OSHA (Occupational Safety and Health Administration) requirements concerning personnel health and safety. I understand that site and worker safety are solely the responsibility of the property owner or his agent and that this responsibility is not shared nor assumed by the County of Alameda.

Once I have received my stamped, accepted closure plan, I will contact the project Hazardous Materials Specialist at least three working days in advance of site work to schedule the required inspections.

CONTRACTOR INFORMATION

Name of Business Golden Gate Tank Removal, Inc.

Name of Individual Gina Wee – Project Coordinator

Signature _____ Date 12/08/2015

PROPERTY OWNER OR MOST RECENT TANK OPERATOR (Check one)

Name of Business 378 Grand Avenue, LLC

Name of Individual Yuval Bobrovitch

Signature  Date 12/08/15

Subject: Conditions for Approval of Closure Plan

The following items are included in the Conditions of Approval by Item #:

14. No liquid is to be introduced into the tank. The tank will not be rinsed or washed while it is in the tank pit. Please remove the tank, place it on bermed plastic sheeting before introducing liquids. Ensure that all liquids are captured within the bermed area and appropriately disposed.

16. Tank was reported as an unknown fuel, use the recommended minimum verification analysis for unknown fuel (see attached).

Hazardous Waste Tank Closure Certification – This form is attached. Please complete in order to transport the tank to a scrap metal facility.