

RECEIVED

By Alameda County Environmental Health 2:33 pm, Jan 25, 2017



LIMITED PHASE II ENVIRONMENTAL SITE ASSESSMENT REPORT

1200 PARK STREET

ALAMEDA, CALIFORNIA

Prepared for:

Mr. Aaron Engi
TBC Corporation
4300 TBC Way
Palm Beach Gardens, FL 33410

Prepared by:

Moore Twining Associates, Inc.
2527 Fresno Street
Fresno, California 93721

May 11, 2016

C66423.02

www.mooretwining.com

PH: 559.268.7021
Fx: 559.268.7126
2527 Fresno Street
Fresno, CA 93721

Table of Contents

	Page
1.0 INTRODUCTION.....	1
2.0 BACKGROUND INFORMATION.....	1
3.0 PURPOSE AND SCOPE	2
4.0 FIELD INVESTIGATION PROCEDURES	3
4.1 Pre-Field Activities	3
4.2 Soil Borings.....	3
5.0 LABORATORY ANALYSIS	4
5.1 Hydraulic Hoists (Northern Building, Eastern Building).....	4
5.2 Possible Waste Oil Tank	4
5.3 Patched Concrete Cutout Area	4
5.4 Former Gas Station	4
6.0 RESULTS AND FINDINGS.....	5
6.1 Field Observations	5
6.2 Soil Analytical Results.....	5
6.2.1 Hoists (Northern Building)	5
6.2.2 Possible Waste Oil Tank	5
6.2.3 Hoists/Metal Novelty Factory/Patched Concrete Cutout (Eastern Building)	6
6.2.4 Former Gas Station	6
6.3 Grab Groundwater Analytical Results.....	7
6.3.1 Hoists (Northern Work Bay).....	7
6.3.2 Hoists/Metal Plating Facility	7
6.3.3 Former Gas Station	8
7.0 SUMMARY AND ANALYSIS OF FINDINGS	9
8.0 RECOMMENDATIONS.....	10
9.0 LIMITATIONS	10
10.0 CLOSING	11
11.0 REFERENCES.....	12

Limited Phase II ESA Report
1200 Park Street
Alameda, California

C66423.02
May 11, 2016
Page ii

Drawings

- Drawing 1 Site Location Map
- Drawing 2 Site Plan
- Drawing 3 Soil Results – Analytes Above Environmental Screening Levels
- Drawing 4 Grab Groundwater Results – Analytes Above Environmental Screening Levels

Tables

- Table 1 Summary of Soil Sample Analytical Results - Metals
- Table 2 Summary of Soil Sample Analytical Results – TPH and VOCs
- Table 3 Summary of Soil Sample Analytical Results – SVOCs and PCBs
- Table 1 Summary of Grab Groundwater Sample Analytical Results - Metals
- Table 2 Summary of Grab Groundwater Sample Analytical Results – TPH and VOCs
- Table 3 Summary of Grab Groundwater Sample Analytical Results – SVOCs and PCBs

Appendices

- Appendix A Regulatory UST Information and Historical Sanborn Fire Insurance Maps
- Appendix B Moore Twining Standard Operating Procedures
- Appendix C ACDPW Drilling Permit
- Appendix D Soil Boring Logs
- Appendix E Laboratory Analytical Report

LIMITED PHASE II ENVIRONMENTAL SITE ASSESSMENT REPORT
1200 PARK STREET
ALAMEDA, CALIFORNIA

1.0 INTRODUCTION

This report presents the results and findings of a limited soil and groundwater investigation performed at 1200 Park Street in Alameda, California (Site). It is Moore Twining Associates, Inc. (Moore Twining) understanding that this investigation was requested as part of due diligence for the subject property.

The completed scope of work was in accordance with our Phase II Environmental Site Assessment (Phase II ESA) professional services agreement dated February 10, 2016. The purpose of this Phase II Environmental Site Assessment was to assess, on a preliminary basis, the presence of constituents of potential concern (COPCs) at the Site and, if present, the current magnitude of the past release(s). Furthermore, the purpose was to assess if past releases pose a risk to current users, and if regulatory action will be required when analytical results are brought to the attention of the appropriate regulatory agency.

2.0 BACKGROUND INFORMATION

The Site is located at 1200 Park Street in the city of Alameda, County of Alameda, California. Based on information provided to Moore Twining, the Site has been assigned Alameda County Assessor Parcel Number (APN) 70-184-15. The Site is currently occupied by a Big-O Tires tire store and automotive repair facility that has reportedly operated as a service station since at least the 1920s. A Site location map is included as Drawing 1.

Information obtained from the City of Alameda Fire Department (AFD) indicated that a number of underground storage tanks (USTs) were located on the Site and were reportedly used to store gasoline and waste oil. The information provided by the AFD did not indicate if the tanks had been removed from the Site. Furthermore, a review of historical Sanborn Fire Insurance Maps dated 1948 and 1950 (provided by Environmental Data Resources, Inc. [EDR], a third-party provider of environmental risk information) shows that a "Gas and Oil" facility was located on the Site and indicated that a metal novelty factory and associated metal stamping facility were operated in the building located on the eastern portion of the Site. Based on the Sanborn map, the gas station and metal novelty factory were no longer operating at the Site by 1987. Copies of the documents provided by the AFD and the Sanborn maps are included in Appendix A.

In addition to the areas of concern described above, Moore Twining was made aware of a possible waste oil UST located near the southeast corner of the northern building. This information was provided by Mr. Aaron Engi, a representative of the potential buyer of the Site. Furthermore, during the field investigation, a patched cutout in the concrete slab floor of the eastern building was identified. As described below, samples from this area were collected to determine if the cutout was related to a former sump or hoist that could have potentially released COPCs.

In order to determine groundwater flow direction near the Site, Moore Twining reviewed groundwater monitoring data available on the California State Water Resources Control Board's GeoTracker website from a now-closed fuel release case located approximately 500 feet north-northeast of the Site (ARCO #2112, 1260 Park Street, Alameda – GeoTracker Global ID T0600100083). Based on the review of

groundwater monitoring data from 2008 to 2011, groundwater flow appears to have been toward the west and northwest.

3.0 PURPOSE AND SCOPE

As mentioned above, it is Moore Twining's understanding that multiple USTs and hydraulic hoists may be located or were historically located on the Site. The purpose of this Phase II ESA was to determine the current environmental condition of the Site in regards to possible USTs and/or hydraulic hoists identified in records provided by the AFD and activities conducted at the metal novelty factory identified on the historical Sanborn Maps.

The purpose of this investigation was to characterize soil and groundwater impacts related to current and former operations at the Site, the investigation included the following scope of work:

- **Hydraulic Hoists (Northern Building)** - In order to assess the presence or absence of chemicals of concern, three soil borings (B-1, B-2 and B-3) were drilled to depths of approximately 12 to 14 feet below surface grade (bsg) inside the northern work bay building. The locations of the borings are shown on Drawing 2. The locations were intended to determine if a release from one or more of the hydraulic hoists located in the work bays had occurred and to characterize groundwater in the area. One sample from each boring and a grab groundwater sample were submitted for laboratory analysis as described in Section 5.0 of this report.
- **Possible Waste Oil Tank** - In order to assess the presence or absence of chemicals of concern, one soil boring (B-4) was drilled to a depth of approximately 15 feet bsg at the location shown on Drawing 2. The location was intended to determine if a release from a possible waste oil UST had occurred. One soil sample was submitted for laboratory analysis as described in Section 5.0 of this report.
- **Hydraulic Hoist/Metal Novelty Factory/Patched Concrete Cutout (Eastern Building)** - In order to assess the presence or absence of chemicals of concern, two soil borings (B-5 and B-6) were drilled to depths of approximately 13 to 13.5 feet bsg at the locations shown on Drawing 2. The proposed location of boring B-5 was intended to determine if a release from the hydraulic hoist located in the southern work bay (B-5) had occurred and to characterize groundwater near the hoist. Boring B-6 was drilled adjacent to a patched cutout in the concrete slab floor in the northern portion of the building located on the eastern portion of the property. One soil sample and one grab groundwater sample collected from B-5 and B-6 were submitted for laboratory analysis as described in Section 5.0 of this report.
- **USTs** - In order to assess the presence or absence of chemicals of concern, six soil borings (B-7, B-8, B-9, B-10, B-11 and B-12) were drilled to depths of approximately 15 to 20 bsg at the locations shown on Drawing 2. The boring locations were intended to determine if a release from one or more of the reported USTs has occurred and to determine if potentially impacted groundwater is migrating away from the Site. One soil sample and one grab groundwater sample from each boring were submitted for laboratory analysis as described in Section 5.0 of this report.

4.0 FIELD INVESTIGATION PROCEDURES

This Limited Phase II Environmental Site Assessment consisted of a field exploration, a laboratory testing program, analysis of our findings, and preparation of this report. Areas of potential concern were located in the field using existing features, historical Sanborn fire insurance maps for the Site, and information provided by the client. The investigation was conducted in general conformance with the operating procedures summarized in Appendix B.

4.1 Pre-Field Activities

Prior to conducting drilling and field sampling activities, a drilling permit was obtained from the Alameda County Public Works Agency (ACPWA). A copy of the ACPWA permit is included in Appendix C. In accordance with California law, proposed boring locations were marked with white paint and Underground Service Alert (USA) was notified at least 48 hours prior to drilling for underground utility locating near proposed drilling locations.

4.2 Soil Borings

On April 17, 2016, soil borings B-1 through B-12 were drilled at the locations shown on Drawing 2. Drilling services were provided by Vapor Tech Services of Hayward, California, a California-licensed drilling company (C57 License #916085). Drilling and sampling were completed using a limited-access dolly-mounted Geoprobe 420M or a limited-access track-mounted Geoprobe 7822DT direct push drill rig. The soil borings were drilled to depths between 12 and 20 feet bsg. Groundwater was first encountered in the borings at depths between 8 and 8.5 feet bsg. Soil samples were collected from each boring; groundwater samples were collected from borings B-1, B-5, B-6, B-10 and B-12.

During drilling, continuous soil core samples were collected using an acetate sleeve-lined Macrocore sampler. Field screening was conducted to assess for the presence of volatile organic compounds (VOCs) in accordance with our standard operating procedures (SOPs). The field screening consisted of visual observation for staining or free fluids, unusual odor, and head space analysis using a photo-ionization detector (PID). The procedures for performing head space analysis are described in the attached SOPs (Appendix B). Soil descriptions and the results of the field screening were recorded on field boring logs consistent with the Unified Soil Classification System (USCS). Copies of the soil boring logs are included in Appendix D. Soil samples were collected at various depths by cutting an approximately 6-inch section from acetate sleeves in accordance with the SOP (Appendix B). Selected samples were analyzed as described in Section 5.0 of this report.

Groundwater samples were collected from borings B-1, B-5, B-6, B-10 and B-12. Upon reaching the total depth of each boring, a temporary 3/4-inch diameter PVC casing with a slotted screen was placed in the open borehole. The screened interval extended from the bottom of the boring to approximately 5 feet bsg. Groundwater samples were collected using a peristaltic pump and new 3/8-inch diameter Teflon tubing at each sample location. Samples were collected from the discharge tube of the peristaltic pump into properly preserved laboratory-supplied sample containers. Groundwater samples collected for metals analysis were filtered in the field using 45-micron flow-through filters.

Following completion of sample collection, the boreholes were backfilled to near surface grade with neat cement grout through the temporary casing (tremied). Grout composition and placement were in compliance with ACPWA requirements.

5.0 LABORATORY ANALYSIS

Soil and groundwater samples were submitted to Moore Twining's State of California certified analytical laboratory for analysis. A copy of the laboratory analytical report is included as Appendix E.

5.1 Hydraulic Hoists (Northern Building, Eastern Building)

Soil samples from borings B-1 (B1-10'), B-2 (B2-11.5'), B-3 (B3-11') and B-5 (B5-10') were submitted for laboratory analysis. These soil samples were analyzed in the laboratory for Total Petroleum Hydrocarbons as gasoline (TPHg), as diesel (TPHd) and as motor oil (TPHmo), by EPA Method 8015M, VOCs by EPA Method 8260B, semi-volatile organic compounds (SVOCs) by EPA Method 8270C SIM, CAM 17 Metals by EPA Methods 6010B/7471A and polychlorinated biphenyls (PCBs) by EPA Method 8082.

Groundwater samples B-1 GW and B-5 GW were analyzed for TPHg, TPHd and TPHmo by EPA Method 8015M, VOCs by EPA Method 8260B, SVOCs by EPA Method 8270C SIM and CAM 17 metals by EPA Method 200.8.

5.2 Possible Waste Oil Tank

One soil sample from boring B-4 (B4-10') was submitted for laboratory analysis. The soil sample was analyzed for TPHg, TPHd and TPHmo by EPA Method 8015M, SVOCs by EPA Method 8270C SIM and CAM 17 metals by EPA Method 200.8.

5.3 Patched Concrete Cutout Area

One soil sample from boring B-6 (B6-10.5') was submitted for laboratory analysis. The soil sample was analyzed for TPHg, TPHd and TPHmo by EPA Method 8015M, VOCs by EPA Method 8260B, SVOCs by EPA Method 8270C SIM and CAM 17 metals by EPA Methods 6010B/7471A.

Groundwater samples B-1 GW and B-5 GW were analyzed for TPHg, TPHd and TPHmo by EPA Method 8015M, VOCs by EPA Method 8260B, SVOCs by EPA Method 8270C SIM and CAM 17 metals by EPA Method 200.8.

5.4 Former Gas Station

Soil samples from borings B-7 (B7-10'), B-8 (B8-10'), B-9 (B9-10'), B-10 (B10-10'), B-11 (B11-10') and B-12 (B12-10') were submitted for laboratory analysis. These soil samples were analyzed in the laboratory for TPHg, TPHd and TPHmo by EPA Method 8015M and VOCs by EPA Method 8260B. In addition, soil samples B7-10', B8-10', B9-10' and B11-10' were analyzed for Leaking Underground Fuel Tanks (LUFT) 5 metals by EPA Methods 6010 and soil samples B10-10' and B12-10' were analyzed for SVOCs by EPA Method 8270C SIM and CAM 17 metals by EPA Methods 6010B/7471A.

Groundwater samples B-10 GW and B-12 GW were analyzed for TPHg, TPHd and TPHmo by EPA Method 8015M, VOCs by EPA Method 8260B, SVOCs by EPA Method 8270C SIM and CAM 17 metals by EPA Method 200.8.

6.0 RESULTS AND FINDINGS

The results and findings of this investigation are summarized and discussed in the following subsections.

6.1 Field Observations

Generally, soils encountered in the borings consisted of fine-to-medium grained silty sand. Brick debris was noted between approximately 1 foot bsg and 5 feet bsg in boring B-1 and concrete debris was noted from 1-foot bsg to 4 feet bsg in boring B-2. Petroleum hydrocarbon-like odors and apparent staining were noted in borings B-6, B-8, B-9, B-10 and B-11 at depths of 8-to-10 feet bsg and in boring B-12 at a depth of 5 feet bsg. The odors and staining appeared to attenuate with depth. Furthermore, PID readings above background were noted at similar depths. Boring logs recorded during the investigation are included in Appendix D.

First encountered groundwater was observed during drilling in the borings at depths of approximately 8 to 8.5 feet bsg.

With the exception of a concrete structure encountered approximately two inches below grade in borings B-9, B-10 and B-11 that may be a former dispenser island, evidence of structures related to the former gas station (dispensers, piping and/or USTs) were not encountered during the Phase II ESA.

6.2 Soil Analytical Results

The constituents detected above the laboratory detection limits are summarized in the Tables section following the text of this report. Analytical reports are included in Appendix E.

6.2.1 Hoists (*Northern Building*)

Samples B1-10', B2-11.5' and B3-11' were analyzed for metals, TPHg, TPHd, TPHmo, SVOCs and PCBs.

Various metals were reported in all of the samples at concentrations indicative of background levels. Furthermore, the reported concentrations were below the respective environmental screening levels for residential and commercial properties.

TPHg, TPHd, TPHmo, SVOCs and PCBs were not detected above laboratory detection limits in the analyzed soil samples.

6.2.2 Possible Waste Oil Tank

Sample B4-10' was analyzed for metals, TPHg, TPHd, TPHmo and SVOCs.

Various metals were reported in sample B4-10' at concentrations indicative of background levels. Furthermore, the reported concentrations were below the respective environmental screening levels for residential and commercial properties.

TPHg, TPHd, TPHmo and SVOCs were not detected above laboratory detection limits in the analyzed soil samples.

6.2.3 Hoists/Metal Novelty Factory/Patched Concrete Cutout (Eastern Building)

Samples B5-10' and B6-10.5' were analyzed for metals, TPHg, TPHd, TPHmo, VOCs and SVOCs and sample B5-10' was analyzed for PCBs.

Various metals were reported in all of the samples at concentrations indicative of background levels. Furthermore, the reported concentrations were below the respective environmental screening levels for residential and commercial properties.

TPHg, TPHd, TPHmo, SVOCs and PCBs were not detected above laboratory detection limits in sample B5-10'. TPHd and TPHmo were detected in sample B6-10.5' at concentrations of 710 milligrams per kilogram (mg/kg) and 770 mg/kg, respectively. The laboratory report included a note indicating the TPHd result was a heavier hydrocarbon than diesel. VOCs were not detected in sample B6-10.5.

With the exception of pyrene (0.030 mg/kg) in sample B6-10.5', SVOCs were not detected in the two samples collected from this area.

Sample B5-10' did not contain PCBs above the laboratory detection limit.

6.2.4 Former Gas Station

With the exception of lead and zinc in sample B12-10', the concentrations of metals in soil samples collected from the former gasoline dispenser area were at levels representing background concentrations. Lead and zinc were detected in sample B12-10' at concentrations of 39 mg/kg and 130 mg/kg, respectively.

Gasoline-range hydrocarbons (TPHg) were detected in samples B9-10', B10-10' and B12-10' at concentrations of 76 mg/kg, 3,200 mg/kg and 17,000 mg/kg, respectively. Diesel-range hydrocarbons (TPHd) were detected in samples B9-10', B10-10' and B12-10' at concentrations of 20 mg/kg, 950 mg/kg and 1,800 mg/kg, respectively. Motor oil-range hydrocarbons (TPHmo) were detected in sample B10-10' at 99 mg/kg. Samples B7-10', B8-10' and B11-10' did not contain TPHg, TPHd or TPHmo above the laboratory detection limit.

Ethylbenzene was detected in samples B1-10' and B12-10' at concentrations of 13 mg/kg and 150 mg/kg, respectively. Total xylenes were detected in sample B10-10' at a concentration of 2.7 mg/kg. Naphthalene was detected in samples B9-10', B10-10' and B12-10' at concentrations of 0.13 mg/kg, 40 mg/kg and 65 mg/kg, respectively.

Other VOCs, including n-propylbenzene, isopropylbenzene, 1,3,5-trimethylbenzene, 1,2,4-trimethylbenzene and tert-butylbenzene were detected in one or more of the samples collected from

the former gasoline dispenser area. Four samples, B8-10', B9-10', B10-10' and B12-10', were reported to contain n-propylbenzene at concentrations of 0.0010 mg/kg, 0.089 mg/kg, 140 mg/kg and 160 mg/kg, respectively. Isopropylbenzene was detected in samples B9-10', B10-10' and B12-10' at concentrations of 0.017 mg/kg, 36 mg/kg and 65 mg/kg, respectively. 1,3,5- and 1,2,4-trimethylbenzene were detected in sample B10-10' at concentrations of 36 mg/kg and 53 mg/kg, respectively. Tert-butylbenzene was detected in sample B9-10' at a concentration of 0.013 mg/kg. Sample B8-10' was reported to contain acetone at a concentration of 0.026 mg/kg.

Sample B10-10' was reported to contain several SVOCs above laboratory detection limits including acenaphthene (0.060 mg/kg), naphthalene (1.9 mg/kg), phenanthrene (0.15 mg/kg) and pyrene (0.084 mg/kg). Naphthalene was also detected in sample B12-10' using EPA Method 8270C at a concentration of 4.5 mg/kg.

Sample B11-10' did not contain TPHg, TPHd, TPHmo or VOCs at concentrations above laboratory detection limits.

Analysis for PCBs in sample B12-10' did not indicate the presence of this constituent above laboratory detection limits.

6.3 Grab Groundwater Analytical Results

The constituents detected above the laboratory detection limits are summarized in the Tables section following the text of this report. The analytical report is included in Appendix E.

6.3.1 Hoists (Northern Work Bay)

Sample B-1 GW was analyzed for metals, TPHg, TPHd, TPHmo, VOCs and SVOCs.

Various metals were detected above laboratory detection limits in sample B-1 GW, including barium (23 µg/l), chromium (4.3 µg/l), molybdenum (2.0 µg/l), nickel (11 µg/l) and vanadium (1.9 µg/l).

With the exception of tetrachloroethene (PCE), VOCs were not reported above laboratory detection limits. PCE was detected at 3.9 µg/l.

TPHg, TPHd, TPHmo and SVOCs were not detected in sample B-1 GW above laboratory detection limits.

6.3.2 Hoists/Metal Plating Facility

Samples B-5 GW and B-6 GW were analyzed for metals, TPHg, TPHd, TPHmo, VOCs and SVOCs.

Various metals were detected above laboratory detection limits in samples B-5 GW and B-6 GW, including barium (22 µg/l and 20 µg/l, respectively), chromium (3.7 µg/l and 1.2 µg/l, respectively), nickel (4.0 µg/l and 6.8 µg/l, respectively) and vanadium (1.9 µg/l and 1.7 µg/l, respectively). Cobalt was detected in sample B-6 GW at a concentration of 1.1 µg/l, copper was detected in sample B-5 GW at a concentration of 2.6 µg/l and molybdenum was detected in sample B-5 GW at a concentration of 2.1 µg/l.

TPHd and TPHmo were detected in sample B-6 GW at concentrations of 84,000 µg/l and 89,000 µg/l, respectively. The laboratory report included a note indicating the TPHd result was heavier than diesel.

Naphthalene was detected in sample B-6 GW at a concentration of 0.086 µg/l by EPA Method 8270C.

TPHg, TPHd, TPHmo, VOCs and SVOCs were not reported by the laboratory above detection limits in sample B-5 GW and results from laboratory analysis of sample B-6 GW did indicate the presence of TPHg or VOCs above laboratory detection limits.

6.3.3 Former Gas Station

Samples B-10 GW and B-12 GW were analyzed for metals, TPHg, TPHd, TPHmo, VOCs and SVOCs.

Gasoline-range hydrocarbons (TPHg) were detected in samples B-10 GW and B-12 GW at concentrations of 21,000 µg/l and 3,600 µg/l, respectively. Diesel-range hydrocarbons (TPHd) were detected in samples B-10 GW and B-12 GW at concentrations of 24,000 µg/l and 11,000 µg/l, respectively. Motor oil (TPHmo) was detected in samples B-10 GW and B-12 GW at concentrations of 1,900 µg/l and 16,000 µg/l, respectively. The laboratory report included a note indicating the detected concentration of TPHmo in sample B-10 GW was a lighter hydrocarbon than motor oil.

Benzene and toluene were detected in sample B-12 GW at concentrations of 5.6 µg/l and 2.0 µg/l, respectively. Ethylbenzene was detected in samples B-10 GW and B-12 GW at concentrations of 240 µg/l and 83 µg/l, respectively. Total xylenes were not detected in sample B-10 GW and B-12 GW above laboratory detection limits.

Naphthalene was detected in samples B-10 GW and B-12 GW at concentrations of 730 µg/l and 81 µg/l, respectively, by EPA Method 8260B and by EPA Method 8270C at concentrations of 480 µg/l (B-10 GW) and 5.6 µg/l (B-12 GW).

Other VOCs were detected in sample B-10 GW and B-12 GW including, n-propylbenzene (1,400 µg/l and 76 µg/l, respectively), isopropylbenzene (510 µg/l and 39 µg/l, respectively), p-isopropyltoluene (310 µg/l and 6.6 µg/l, respectively), 1,3,5-trimethylbenzene (570 µg/l and 4.2 µg/l, respectively), 1,2,4-trimethylbenzene (3,100 µg/l and 16 µg/l, respectively) and tert-butylbenzene (66 µg/l and 4.5 µg/l, respectively). PCE was detected in sample B-12 GW at a concentration of 0.81 µg/l.

SVOCs were detected above laboratory reporting limits in samples B-10 GW and B-12 GW, including flourene (240 µg/l and 2.6 µg/l, respectively), pyrene (730 µg/l and 1.6 µg/l, respectively) and benzo(ghi)perylene (0.096 µg/l and 0.29 µg/l, respectively). In addition, acenaphthene (3.0 µg/l), phenanthrene (0.40 µg/l) and flouranthene (0.41 µg/l) were detected in sample B-12 GW.

Various metals were detected above laboratory detection limits in samples B-10 GW and B-12 GW, including barium (27 µg/l and 1,300 µg/l, respectively), chromium (1.1 µg/l and 1.5 µg/l, respectively) molybdenum (6.6 µg/l and 17 µg/l, respectively) and nickel (5.2 µg/l and 4.0 µg/l, respectively). Cobalt was detected in sample B-10 GW at a concentration of 1.4 µg/l and vanadium was detected in sample B-12 GW at a concentration of 2.5 µg/l.

7.0 SUMMARY AND ANALYSIS OF FINDINGS

Based on results of the limited Phase II ESA conducted at the site on April 17, 2016, by Moore Twining:

- The highest concentrations of TPHg, TPHd and VOCs in soil were detected in soil samples collected from the former dispenser and UST areas and near the patched concrete cutout area in the eastern portion of the building. TPHg and/or TPHd were detected at concentrations above San Francisco Bay Regional Water Quality Control Board Environmental Screening Levels (ESLs) in samples B6-10.5' (patched concrete cutout), and B10-10' and B12-10' (UST/dispensers). With the exception of naphthalene and ethylbenzene in samples B10-10' and B12-10' and xylenes in sample B12-10', VOCs were not detected at concentrations above ESLs in the analyzed soil samples. Naphthalene was detected in sample B10-10' and B12-10' at concentrations of 40 mg/kg and 65 mg/kg, respectively, above the Leaching to Drinking Water ESL (0.033 mg/kg) and Direct Exposure ESL (3.3 mg/kg residential, 14 mg/kg commercial). Ethylbenzene was detected at concentrations of 13 mg/kg and 150 mg/kg in samples B10-10' and B12-10', respectively, above the Leaching to Drinking Water ESL (1.4 mg/kg) and the Direct Exposure ESL (5.1 mg/kg residential, 22 mg/kg commercial). The reported concentration of total xylenes in soil sample B10-10' (2.7 mg/kg) was above the Leaching to Drinking Water ESL (2.3 mg/kg). Soil sample results exceeding ESLs are presented on Drawing 3.
- The highest concentrations of SVOCs were detected in soil samples collected from the patched concrete cutout area and the dispenser and UST area. However, with the exception of naphthalene, SVOCs were below respective ESLs. Naphthalene was detected by EPA Method 8270C SIM in samples B10-10' and B12-10' at concentrations of 1.9 mg/kg and 4.5 mg/kg, respectively, and above the Leaching to Drinking Water ESL. In addition, the concentration of naphthalene detected in sample B12-10' was above the residential Direct Exposure ESL of 3.3 mg/kg.
- Soil samples B1-10', B2-11.5', B3-11', B5-10' and B12-10' were analyzed for PCBs but were not detected above laboratory reporting limits.
- Detected concentrations of metals in soil samples appeared to be at background levels with the exception of arsenic, barium, copper, lead, nickel and zinc in sample B12-10'. Although these metals were detected at concentrations above background levels (except arsenic), the reported concentrations were below the most conservative ESL. The concentration of arsenic detected in sample B12-10' was elevated when compared to the other results for soil samples, but within the range of background concentrations for the San Francisco bay area.
- Grab groundwater samples were collected from soil borings B-1, B-5, B-6, B-10 and B-12. A significant number of COPCs were detected in groundwater samples collected during the Phase II ESA. However, when detected, the concentrations in sample B-5 GW were below the most conservative ESL. Groundwater sample B-1 GW contained PCE (3.9 µg/l) above the ESL of 3.0 µg/l. Sample B-6 GW contained TPHd (84,000 µg/l) and TPHmo (89,000 µg/l) above the respective ESLs of 100 µg/l (TPHd) and 54,000 µg/l (TPHmo). Other COPCs detected above laboratory reporting limits in B-6 GW were below ESLs. Groundwater sample B-10 GW contained concentrations of TPHg, TPHd, benzene, ethylbenzene and naphthalene above ESLs.

In addition, phenanthrene was detected at a concentration equivalent to the ESL in sample B-10 GW. Groundwater sample B-12 GW contained concentrations of barium, TPHg, TPHd, benzene, ethylbenzene, napthalene, benzo(g,h,i)perylene and Indeno(1,2,3-cd)pyrene above ESLs. Groundwater sample results exceeding ESLs are presented on Drawing 4.

- With the exception of barium in grab groundwater sample B-12 GW, the source of COPCs in soil and groundwater near borings B-8, B-9, B-10, B-11 and B-12 appears to be related to a release of petroleum hydrocarbons from the former dispensers and USTs located in the central portion of the Site. The source of COPCs in soil and groundwater near boring B-6 could not be determined with the available data. However, the presence of the patched concrete cutout in the area may be related to a former structure or former activities that could have potentially been a source for COPCs.
- The reported concentration of TPHmo in grab groundwater sample is above the saturation concentration and indicative of floating free-phase petroleum hydrocarbons.

8.0 RECOMMENDATIONS

Based on results of the Phase II ESA, Moore Twining recommends the following:

- Submittal of this report to the Alameda County Department of Human Health Services for review to comply with conditions of the ACPWA drilling permit. Condition 7 of the permit states "Under California laws, the owner/operator are responsible for reporting the contamination to the governmental regulatory agencies under Section 25295(a). The owner/operator is liable for civil penalties under Section 25299(a)(4) and criminal penalties under Section 25299(d) for failure to report a leak. The owner/operator is liable for civil penalties under Section 25299(b)(4) for knowing failure to ensure compliance with the law by the operator. These penalty provisions do not apply to a potential buyer."
- Conduct additional assessment on- and off-Site to delineate the vertical and horizontal extent of COPCs in soil, soil vapor and groundwater. Given the age of the release, the relatively high concentrations of COPCs in groundwater on-Site and the assumed groundwater flow direction toward the west, contamination may have migrated off-Site to neighboring properties.
- Notify the property owner of the findings of this report.

9.0 LIMITATIONS

The scope of the investigation undertaken to conduct this soil characterization screening was intended to be an interactive process. The purpose of an environmental assessment is to reasonably characterize existing site conditions based on the geology/hydrogeology of the area. In performing such a study, it is understood that a balance must be struck between a reasonable inquiry into the site conditions and an exhaustive analysis of each conceivable environmental characteristic.

Conditions of interest may exist at the site that cannot be identified by visual observations and the scope of the work performed as part of this Phase II ESA. Where subsurface exploratory work was performed, our professional opinions were based in part on interpretation of data from discrete

Limited Phase II ESA Report
1200 Park Street
Alameda, California

C66423.02
May 11, 2016
Page 11


sampling locations that may not represent actual conditions or un-sampled locations. If conditions of interest were not identified during performance of the work, such a finding should not be construed as a guarantee that such conditions do not exist at the site.

This work was conducted in accordance with generally-accepted engineering principles and practices at the time the work was performed. This warranty is in lieu of all other warranties, either expressed or implied. This report was prepared for the sole use of the client and appropriate regulatory agencies. Any reliance on this report by a third party is at such party's sole risk.


10.0 CLOSING

Moore Twining appreciates the opportunity to be of service on this project. If you should have any questions, please contact Paul Dotson at (800) 268-7021.

Sincerely,
MOORE TWINING ASSOCIATES, INC.
Environmental Services Division



Paul B. Dotson PG 8237
Manager




Limited Phase II ESA Report
1200 Park Street
Alameda, California

C66423.02
May 11, 2016
Page 12

11.0 REFERENCES

G. R. Bradford, A. C. Change, A. L. Page, D. Bakhtar, J. A. Frampton, and H. Wright, March 1996, Kearny Foundation Special Report: Background Concentrations of Trace and Major Elements in California Soils.

DRAWINGS



SOURCE: U.S.G.S. TOPOGRAPHIC MAP, 7 1/2 MINUTE SERIES
OAKLAND EAST, CALIFORNIA QUADRANGLE 1971, PHOTOREVISED 1997


0 2000
APPROXIMATE SCALE
IN FEET

SITE LOCATION MAP
1200 PARK STREET
ALAMEDA, CALIFORNIA

FILE NO.: 66423-02-01	DATE: 05/03/16
DRAWN BY: RM	APPROVED BY:
PROJECT NO. C66423.02	DRAWING NO. 1




MOORE TWINNING
ASSOCIATES, INC.



LEGEND

- SOIL BORING LOCATION (APPROXIMATE)
- B-7
- POSSIBLE DISPENSER ISLAND (CONCRETE SLAB)




SITE PLAN
1200 PARK STREET
ALAMEDA, CALIFORNIA

FILE NO. 66423-02-02	DATE DRAWN: 05/03/16
DRAWN BY: RM	APPROVED BY:
PROJECT NO. C66423.02	DRAWING NO. 2



MOORE TWINNING
ASSOCIATES, INC.



LEGEND

- SOIL BORING LOCATION (APPROXIMATE)
- POSSIBLE DISPENSER ISLAND (CONCRETE SLAB)
- - - INFERRED EXTENT OF PETROLEUM HYDROCARBON-IMPACTED SOIL ABOVE ESLs

NOTES:

TPHg - TOTAL PETROLEUM HYDROCARBONS AS GASOLINE

TPHd - TOTAL PETROLEUM HYDROCARBONS AS DIESEL

NAPHTA - NAPHTHALENE

BENZO - BENZO(g,h,i)PERYLENE


PHENA - PHENANTHRENE

INDENO - INDENO(1,2-c,d)PYRENE

RESULTS IN MILLIGRAMS PER KILOGRAM

ESL - ENVIRONMENTAL SCREENING LEVEL - LEACHING TO GROUNDWATER,
SF BAY REGIONAL WATER QUALITY CONTROL BOARD, FEBRUARY 2016.

* - NAPHTHALENE RESULT BY EPA METHOD 8260B




SOIL RESULTS - ANALYTICS ABOVE
ENVIRONMENTAL SCREENING LEVELS
1200 PARK STREET
ALAMEDA, CALIFORNIA

FILE NO. 66423-02-03	DATE DRAWN: 05/03/16
DRAWN BY: RM	APPROVED BY:
PROJECT NO. C66423.02	DRAWING NO. 3



MOORE TWINNING
ASSOCIATES, INC.



LEGEND

- SOIL BORING LOCATION (APPROXIMATE)
- POSSIBLE DISPENSER ISLAND (CONCRETE SLAB)
- ?-? INFERRRED EXTENT OF PETROLEUM HYDROCARBON-IMPACTED GROUNDWATER ABOVE ESLs


NOTES:

TPHg - TOTAL PETROLEUM HYDROCARBONS AS GASOLINE
 TPHd - TOTAL PETROLEUM HYDROCARBONS AS DIESEL
 NAPHTA - NAPHTHALENE
 BENZO - BENZO(g,h,i)PERYLENE
 PHENA - PHENANTHRENE
 INDENO - INDENO(1,2-c,d)PYRENE

RESULTS IN MICROGRAMS PER LITER

ESL - ENVIRONMENTAL SCREENING LEVEL - TIER 1, SF BAY REGIONAL WATER QUALITY CONTROL BOARD, FEBRUARY 2016.

* - NAPHTHALENE RESULT BY EPA METHOD 8260B



GRAB GROUNDWATER RESULTS - ANALYTES ABOVE ENVIRONMENTAL SCREENING LEVELS
 1200 PARK STREET
 ALAMEDA, CALIFORNIA

FILE NO. 66423-02-03	DATE DRAWN: 05/03/16
DRAWN BY: RM	APPROVED BY:
PROJECT NO. C66423.02	DRAWING NO. 4



MOORE TWINNING
 ASSOCIATES, INC.

TABLES

TABLE 1
SUMMARY OF SOIL SAMPLE ANALYTICAL RESULTS - METALS
1200 PARK STREET, ALAMEDA, CALIFORNIA

Sample ID	Sample Depth (feet bsg)	Area of Concern	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Copper	Lead	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc	Mercury
			EPA Method 6010B																EPA Method 7471A
			Sample Date: April 17, 2016; results in milligrams per kilogram																
B1-10'	10	Hoist	<2.0	<2.0	46	<0.40	<0.40	45	2.7	6.5	2.3	<2.0	30	<5.0	<2.0	<5.0	27	20	<0.013
B2-11.5'	11.5	Hoist	<2.0	<2.0	51	<0.40	<0.40	40	4.6	6.5	2.3	<2.0	34	<5.0	<2.0	<5.0	28	21	<0.013
B3-11'	11	Hoist	<2.0	<2.0	37	<0.40	<0.40	45	3.7	5.6	<2.0	<2.0	29	<5.0	<2.0	<5.0	33	19	<0.013
B4-10'	10	Waste Oil Tank	<2.0	<2.0	48	<0.40	<0.40	48	4.2	7.3	2.3	<2.0	35	<5.0	<2.0	<5.0	32	23	<0.013
B5-10'	10	Hoist	<2.0	<2.0	49	<0.40	<0.40	29	3.7	5.9	2.1	<2.0	31	<5.0	<2.0	<5.0	23	17	<0.013
B6-10.5'	10.5	Concrete Cutout	<2.0	<2.0	39	<0.40	<0.40	48	3.7	5.7	2.6	<2.0	29	<5.0	<2.0	<5.0	31	21	<0.013
B7-10'	10	Gas Station	NA	NA	NA	<0.40	40	NA	NA	<2.0	NA	27	NA	NA	NA	NA	NA	19	NA
B8-10'	10	Gas Station	NA	NA	NA	NA	<0.40	41	NA	NA	3.9	NA	32	NA	NA	NA	NA	21	NA
B9-10'	10	Gas Station	NA	NA	NA	NA	<0.40	45	NA	NA	3.4	NA	28	NA	NA	NA	NA	21	NA
B10-10'	10	Gas Station	<2.0	<2.0	51	<0.40	<0.40	58	1.7	7.1	5.1	<2.0	26	<5.0	<2.0	<5.0	23	23	<0.013
B11-10'	10	Gas Station	NA	NA	NA	NA	<0.40	37	NA	NA	2.5	NA	30	NA	NA	NA	NA	19	NA
B12-10'	10	Gas Station	<2.0	2.5	410	<0.40	<0.40	42	4.8	20	39	<2.0	44	<5.0	<2.0	<5.0	26	130	0.090
ESL (COMMERCIAL/INDUSTRIAL, SHALLOW, ≤10 FEET BSG)	470	0.31	220,000	2,200	580	1,800,000*	350	47,000	160	5,800	11,000	5,800	5,800	12	600,000	350,000	190		
ESL (RESIDENTIAL, SHALLOW, ≤10 FEET BSG)	31	0.067	15,000	150	39	120,000*	23	3,100	80	390	820	390	390	0.78	140,000	23,000	13		
ESL (ANY LAND USE/ANY DEPTH: CONSTRUCTION WORKER EXPOSURE)	140	0.99	67,000	180	110	530,000*	49	14,000	160	1,800	1,700	1,800	1,800	3.5	220,000	110,000	57		

Notes:

bsg = below surface grade

bold = detected concentration is above laboratory reporting limits

Shading = detected concentration is above one or more ESLs

ESLs = Environmental Screening Levels, SF Bay Region of the California Water Quality Control Board, February 2016

TABLE 2
SUMMARY OF SOIL SAMPLE ANALYTICAL RESULTS - TPH AND VOCs
1200 PARK STREET, ALAMEDA, CALIFORNIA

Sample ID	Sample Depth (feet bsg)	Area of Concern	TPHg	TPHd	TPHmo	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE	Acetone	n-Propylbenzene	Isopropylbenzene	1,3,5-Trimethylbenzene	1,2,4-Trimethylbenzene	tert-Butylbenzene	Naphthalene	Other VOCs		
			EPA Method 8015B									EPA Method 8260B								
			Sample Date: April 17, 2016; results in milligrams per kilogram																	
B1-10'	10	Hoist	<1.0	<10	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
B2-11.5'	11.5	Hoist	<1.0	<10	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
B3-11'	11	Hoist	<1.0	<10	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
B4-10'	10	Waste Oil Tank	<1.0	<10	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
B5-10'	10	Hoist	<1.0	<10	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
B6-10.5'	10.5	Concrete Cutout	<1.0	AJ 710	770	<0.0010	<0.0010	<0.0010	<0.0010	<0.020	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	ND		
B7-10'	10	Gas Station	<1.0	<10	<10	<0.0010	<0.0010	<0.0010	<0.0010	<0.020	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	ND		
B8-10'	10	Gas Station	<1.0	<10	<10	<0.0010	<0.0010	<0.0010	<0.0010	0.026	0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	ND		
B9-10'	10	Gas Station	76	AK 20	<10	<0.0050	<0.0050	<0.0050	<0.0050	<0.10	0.089	0.017	<0.0050	<0.0050	0.013	0.13	ND			
B10-10'	10	Gas Station	AS 3,200	950	99	<0.50	<0.50	13	2.7	<0.50	<10	140	36	53	360	<0.50	40	ND		
B11-10'	10	Gas Station	<1.0	<10	<10	<0.0010	<0.0010	<0.0010	<0.0010	<0.020	0.0012	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	ND		
B12-10'	10	Gas Station	AS 17,000	AK 1,800	<400	<2.0	<2.0	150	<2.0	<2.0	<40	160	65	<2.0	<2.0	65	ND			
ESL (LEACHING TO GROUNDWATER)			770	570	51,000**	0.044	2.9	1.4	2.3	0.023	0.50	---	---	---	---	---	0.033	Various		
ESL (COMMERCIAL/INDUSTRIAL, SHALLOW, <10 FEET BSG)	3,900	1,100	140,000	1.0	46,000	22	2,400	180	630,000	---	---	---	---	---	---	14	Various			
ESL (RESIDENTIAL, SHALLOW, <10 FEET BSG)			740	230	11,000	0.23	970	5.1	560	42	59,000	---	---	---	---	---	3.3	Various		
ESL (ANY LAND USE/ANY DEPTH: CONSTRUCTION WORKER EXPOSURE)			7,400	3,800	32,000	24	28,000	480	65,000	3,700	320,000	---	---	---	---	---	350	Various		

Notes:

bsg = below surface grade

AJ = heavier hydrocarbon than diesel

TPHg = total petroleum hydrocarbons as gasoline

AK = lighter hydrocarbon than diesel

TPHd = total petroleum hydrocarbons as diesel

TPHmo = total petroleum hydrocarbons as motor oil

VOCs = volatile organic compounds

NA = not analyzed

ND = these analyses include a variety of individual compounds. The "ND" designation indicates that individual compounds included in the analyses were not detected above laboratory reporting limits

bold = detected concentration is above laboratory reporting limits

Shading = detected concentration is above one or more ESLs

ESLs = Environmental Screening Levels, SF Bay Region of the California Water Quality Control Board, February 2016

** = gross contamination levels (leaching to groundwater ESL not established)

--- = screening level not established

TABLE 3
SUMMARY OF SOIL SAMPLE ANALYTICAL RESULTS - SVOCs and PCBs
1200 PARK STREET, ALAMEDA, CALIFORNIA

Sample ID	Sample Depth (feet bsg)	Area of Concern	Acenaphthene	Naphthalene	Phenanthrene	Pyrene	Benzo(a)pyrene	Other SVOCs	PCBs	
			EPA Method 8270C						EPA Method 8082	
			Sample Date: April 17, 2016; results in milligrams per kilogram							
B1-10'	10	Hoist	<0.020	<0.020	<0.020	<0.020	<0.020	ND	ND	
B2-11.5'	11.5	Hoist	<0.020	<0.020	<0.020	<0.020	<0.020	ND	ND	
B3-11'	11	Hoist	<0.020	<0.020	<0.020	<0.020	<0.020	ND	ND	
B4-10'	10	Waste Oil Tank	<0.020	<0.020	<0.020	<0.020	<0.020	ND	NA	
B5-10'	10	Hoist	<0.020	<0.020	<0.020	<0.020	<0.020	ND	ND	
B6-10.5'	10.5	Concrete Cutout	<0.020	<0.020	<0.020	0.030	<0.020	ND	NA	
B7-10'	10	Gas Station	NA	NA	NA	NA	NA	NA	NA	
B8-10'	10	Gas Station	NA	NA	NA	NA	NA	NA	NA	
B9-10'	10	Gas Station	NA	NA	NA	NA	NA	NA	NA	
B10-10'	10	Gas Station	0.060	1.9	0.15	0.084	<0.030	ND	NA	
B11-10'	10	Gas Station	NA	NA	NA	NA	NA	NA	NA	
B12-10'	10	Gas Station	<0.030	4.5	<0.030	<0.030	<0.030	ND	NA	
ESL (LEACHING TO GROUNDWATER)			16	0.033	11	85	130	Various	Various	
ESL (COMMERCIAL/INDUSTRIAL, SHALLOW, ≤10 FEET BSG)			45,000	14	---	23,000	0.29	Various	Various	
ESL (RESIDENTIAL, SHALLOW, ≤10 FEET BSG)			3,600	3.3	---	1,800	0.016	Various	Various	
ESL (ANY LAND USE/ANY DEPTH: CONSTRUCTION WORKER EXPOSURE)			10,000	350	---	5,000	1.6	Various	Various	

Notes:

bsg = below surface grade

SVOCs = semi-volatile organic compounds

PCBs = polychlorinated biphenyls

NA = not analyzed

ND = these analyses include a variety of individual compounds. The "ND" designation indicates that individual compounds included in the analyses were not detected above laboratory reporting limits

bold = detected concentration is above laboratory reporting limits

Shading = detected concentration is above one or more ESLs

ESLs = Environmental Screening Levels, SF Bay Region of the California Water Quality Control Board, February 2016

TABLE 4
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS - METALS
1200 PARK STREET, ALAMEDA, CALIFORNIA

Sample ID	Area of Concern	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
		EPA Method 200.8																
		Sample Date: April 17, 2016; results in micrograms per liter																
B-1 GW	Hoist	<1.0	<1.0	23	<1.0	<0.20	4.3	<1.0	<2.0	<1.0	<0.20	2.0	11	<1.0	<1.0	<1.0	1.9	<5.0
B-5 GW	Hoist	<1.0	<1.0	22	<1.0	<0.20	3.7	<1.0	2.6	<1.0	<0.20	2.1	4.0	<1.0	<1.0	<1.0	1.9	<5.0
B-6 GW	Concrete Cutout	<1.0	<1.0	20	<1.0	<0.20	1.2	1.1	<2.0	<1.0	<0.20	<1.0	6.8	<1.0	<1.0	<1.0	1.7	<5.0
B-10 GW	Gas Station	<1.0	<1.0	27	<1.0	<0.20	1.1	1.4	<2.0	<1.0	<0.20	6.6	5.2	<1.0	<1.0	<1.0	<1.0	<5.0
B-12 GW	Gas Station	1.3	2.3	1,300	<1.0	<0.20	1.5	<1.0	<2.0	<1.0	<0.20	17	4.0	<1.0	<1.0	<1.0	2.5	<5.0
Tier 1 ESL		6.0	10	1,000	2.7	0.25	50	3.0	3.1	2.5	0.051	100	8.2	5.0	0.19	2.0	19	81
MCL		6.0	10	1,000	4.0	5.0	50	---	1300	15	2	---	100	50	100 *	2.0	---	5,000

Notes:

bold = detected concentration is above laboratory reporting limits

ESL = Environmental Screening Level; San Francisco Region, Regional Water Quality Control Board, February 2016

MCL = Maximum Contaminant Level, California Department of Public Health, September 2013

* = Secondary MCL (taste & order or welfare based)

--- = screening level not established

TABLE 5
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS - TPH AND VOCs
1200 PARK STREET, ALAMEDA, CALIFORNIA

Sample ID	Area of Concern	TPHg	TPHd	TPHmo	Benzene	Toluene	Ethylbenzene	o-Xylene	MTBE	Tetrachloroethene	Naphthalene	Isopropylbenzene	n-Propylbenzene	1,3,5-Trimethylbenzene	tert-Butylbenzene	1,2,4-Trimethylbenzene	p-Isopropyltoluene	Other VOCs
		EPA Method 8015B				EPA Method 8260B Sample Date: April 17, 2016; results in micrograms per liter												
B-1 GW	Hoist	<50	<50	<100	<0.50	<0.50	<0.50	<0.50	<1.0	3.9	<0.50	<1.0	<1.0	<0.50	<1.0	<1.0	<1.0	ND
B-5 GW	Hoist	<50	<54	<110	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<1.0	<1.0	<0.50	<1.0	<1.0	<1.0	ND
B-6 GW	Concrete Cutout	<50	AJ 84,000	89,000	<0.5	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<1.0	<1.0	<0.50	<1.0	<1.0	<1.0	ND
B-10 GW	Gas Station	21,000	24,000	A3 1,900	<2.5	<2.5	240	<2.5	<5.0	<2.5	730	510	1,400	570	66	3,100	310	ND
B-12 GW	Gas Station	3,600	11,000	16,000	5.6	2.0	83	1.3	<1.0	0.81	81	39	76	4.2	4.5	16	6.6	ND
MCL		---	---	---	1.0	40	30	20*	5.0	5.0	0.17	---	---	---	---	---	---	Various
Tier 1 ESL		100	100	54,000	1.0	40	13	20*	5.0	3.0	0.17	---	---	---	---	---	---	Various

Notes:

TPHg = total petroleum hydrocarbons as gasoline
 TPHd = total petroleum hydrocarbons as diesel

AJ = heavier hydrocarbon than diesel
 A3 = lighter hydrocarbon than motor oil

VOCs = volatile organic compounds

ND = these analyses include a variety of individual compounds. The "ND" designation indicates that individual compounds included in the analyses were not detected above laboratory reporting limits

bold = detected concentration is above laboratory reporting limits

Shading = detected concentration is above Tier 1 ESL and/or MCL

ESL = Environmental Screening Level; San Francisco Region, Regional Water Quality Control Board, February 2016.

MCL = Maximum Contaminant Level, California Department of Public Health, September 2013.

--- = screening level not established

* = screening level for total xylenes

TABLE 6
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS - SVOCs
1200 PARK STREET, ALAMEDA, CALIFORNIA

Sample ID	Area of Concern	Naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Fluoranthene	Fluorene	Phenanthrene	Pyrene	Indeno(1,2,3-cd)pyrene	Benz(o,g,h,i)perylene	Other SVOCs
		EPA Method 8270C SIM Sample Date: April 17, 2016; results in micrograms per liter										
B-1 GW	Hoist	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	ND
B-5 GW	Hoist	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	ND
B-6 GW	Concrete Cutout	0.086	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	ND
B-10 GW	Gas Station	480	3.0	<0.050	0.40	0.41	2.6	4.6	1.6	<0.050	0.096	ND
B-12 GW	Gas Station	67	<0.50	0.46	0.29	0.33	<0.050	1.5	1.5	0.10	0.29	ND
MCL		0.17	530	---	18,000	800	290	---	120	0.034	---	Various
Tier 1 ESL		0.17	20	30	0.73	8.0	3.9	4.6	2.0	0.034	0.10	Various

APPENDIX A

Regulatory UST Information and Historical Sanborn Fire Insurance Maps

STREET	ADRS	NOTES	PRMT#	INSTALLED	SIZE	REMOVED/DATE
A	B	C	D	E	F	G
5 0	Otis Dr	2200		78	7/7/58	7,500
5 1	Otis Dr	2200		78	7/7/58	5,000
5 2	Otis Dr	2340 4' underground	no#	7/10/67	10,000	
5 3	Otis Dr	2340 4' underground	76	5/14/58	5,000	
5 4	Otis Dr	2340 4' underground	76	5/14/58	5,000	
5 5	Otis Dr	2340 4' underground	76	5/14/58	3,000	
5 6	Otis Dr	3120 on skids	57	9/27/55	3,000	
5 7	Otis Dr	3120 on skids	57	9/27/55	3,000	
5 8	Otis Dr	3120	57	9/27/55	900	
5 9	Otis Dr	3120 4' underground	56	9/27/55	1,000	
6 0	Pacific Ave	441	173	1/30/25	120	
6 1	Pacific Ave	500	591	7/16/41	2,278	
6 2	Pacific Ave	635	5 unk	280	YES	
6 3	Pacific Ave	706	523	10/20/36	550	YES 9/18/96
6 4	Pacific Ave	841 4' underground - rear yard	351	3/19/29	120	
6 5	Pacific Ave	845 pump system	307	9/6/28	585	
6 6	Pacific Ave	845	220	6/29/26	120	YES 9/25/96
6 7	Pacific Ave	1000 pump system	257	3/21/27	280	
6 8	Pacific Ave	1006 pump system	475	10/18/33	280	
6 9	Pacific Ave	1006 pump system	193	10/9/25	290	
7 0	Pacific Ave	1420 buggy	15	5/27/52	50	
7 1	Pacific Ave	2225 gravity	192	10/1/25	50	
7 2	Pacific Ave	2329 4' underground	557	10/6/47	550	YES 8/12/70
7 3	Palmera Ct	726 pump system	291	2/8/28	750	
7 4	Palmera Ct	730 pump system	251	1/31/27	350	
7 5	Park Ave	1171	501	11/6/35	unk	YES 3/27/95
7 6	Park Ave	1414 4' underground	567	4/14/48	550	
7 7	Park Ave	1416 & 1418 pump system	415	12/4/30	750	Yes 3/7/00
7 8	Park St	* S end (Utah Const) - 4' underground	71	12/17/57	1,000	
7 9	Park St	* NW Corner	no#	1/2/59	6,000	YES???
8 0	Park St	* NW Corner	no#	1/2/59	4,000	YES???
8 1	Park St	* NW Corner	no#	1/2/59	4,000	YES???
8 2	Park St	920 4' underground	19	10/30/52	550	YES 1/13/74
8 3	Park St	1110 pump system	292	2/24/28	1,500	
8 4	Park St	1200	no#	12/13/67	550	
8 5	Park St	1200	???	???	490	YES 9/27/88
8 6	Park St	1200	18	10/17/52	5,000	YES 4/21/78
8 7	Park St	1200	18	10/17/52	5,000	YES 4/21/78
8 8	Park St	1200	18	10/17/52	5,000	YES 4/21/78
8 9	Park St	1200	439	2/9/32	550	YES 4/21/78
9 0	Park St	1200	288	1/14/28	550	
9 1	Park St	1200	288	1/14/28	550	
9 2	Park St	1201	468	6/8/33	250	YES - 10/30/02
9 3	Park St	1201 Portable Buggy	205	1/27/26	50	
9 4	Park St	1231	5	10/6/13	300	CANCELLED?
9 5	Park St	1260 4' underground	no#	2/26/71	6,000	
9 6	Park St	1260 30" underground	no#	5/9/67	6,000	
9 7	Park St	1260 30" underground	no#	5/9/67	4,000	
9 8	Park St	1260 30" underground	no#	5/9/67	4,000	

October 17 1952

Fire Prevention Bureau
City of Alameda
Alameda, California

Gentlemen:

We request permission to install three (3) five thousand (5000) gallon gasoline storage tanks on the premises of Standard Oil Company Service Station located on the north east corner of Park Street and San Jose Avenue. Tanks to be Underwriters Laboratories Inc. labeled and to be located at a position designated by the Fire Marshal.

Tanks shall be protected from corrosion by suitable coating and shall be of the following specifications and used for the storage of gasoline.

<u>Gallons Capacity</u>	<u>U.S. S. Gauge Steel</u>	<u>Vent Size</u>	<u>Contents</u>	<u>Location</u>
5000	1/4 inch	2 in.	Gasoline	4 ft underground

Swing joints shall be installed in piping and the entire installation shall be in accordance with requirements as specified in the provisions of the Alameda Municipal Ordinances pertaining to storage of Petroleum Products.

There are at present three (3) five hundred fifty (550) gallon tanks, which will be removed, at this Service Station. This will make the total gallon capacity fifteen thousand (15,000).

Permit No. 18

Approved by:

Thomas M. Lane

Permission granted by:

Carl Brown
City Manager

Very truly yours,
Standard Oil Co of Calif
R P Clark

Standard Oil Company
1212 Broadway, Oakland

Refer to card on file under 1200 Park St. - "P"

Permit #18

December 13 1967

Fire Prevention Bureau
City of Alameda
Alameda, California

We request permission to relocate one 550 gallon waste oil tank on the premises of Standard Oil Service Station located at 1200 Park Street. Tank to be 4 ft underground and at position designated by the Fire Marshal.

Swing joints shall be installed in piping and the entire installation shall be in accord with requirements as specified in the provisions of the Alameda Municipal Ordinances pertaining to storage of Petroleum Products.

N. Ballard

Fletcher Construction Co
9220 - G Street, Oakland
562-5511

Approved by

E. Servente
Fire Marshal

Granted by

A. Sheller
City Manager

No 134 Alameda Dec 13 1967
Permit is granted to Standard Oil Sta.
1200 Park St.
to store waste oil
on premises located at 1200 Park St.
4 ft underground
in quantities not to exceed 1 - 550 gal
waste oil tank

Permit granted by N. O. Miller
City Mgr.
Permit approved by Ernest L. Servente
Fire Marshal

\$5.00 Plumbing Inspection fee paid:

A. V. Spadoni E.R.

PERMIT NO. 134

CEI Alameda
1200 Park Street
Alameda, CA 94501

Inquiry Number: 4478988.3

November 30, 2015

Certified Sanborn® Map Report



6 Armstrong Road, 4th Floor
Shelton, Connecticut 06484
Toll Free: 800.352.0050
www.edrnet.com

Certified Sanborn® Map Report

11/30/15

Site Name:

CEI Alameda
1200 Park Street
Alameda, CA 94501

Client Name:

MooreTwining Associates, Inc.
2527 Fresno Street
Fresno, CA 93721

EDR Inquiry # 4478988.3

Contact: Katie Lister



The Sanborn Library has been searched by EDR and maps covering the target property location as provided by MooreTwining Associates, Inc. were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

Certified Sanborn Results:

Site Name: CEI Alameda
Address: 1200 Park Street
City, State, Zip: Alameda, CA 94501
Cross Street:
P.O. # NA
Project: CEI Alameda
Certification # E04A-4611-98AA



Sanborn® Library search results
Certification # E04A-4611-98AA

Maps Provided:

1987
1950
1948
1897

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- Library of Congress
- University Publications of America
- EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

MooreTwining Associates, Inc. (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2015 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.


EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Sanborn Sheet Thumbnails

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.



1987 Source Sheets




Volume 1, Sheet 62



Volume 1, Sheet 64

1950 Source Sheets




Volume 1, Sheet 62




Volume 1, Sheet 64

1948 Source Sheets




Volume 1, Sheet 62



Volume 1, Sheet 64

1897 Source Sheets




Volume 1, Sheet 62




Volume 1, Sheet 64


1987 Certified Sanborn Map



This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.




600





Volume 1, Sheet 62
Volume 1, Sheet 64



1950 Certified Sanborn Map




This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.





Volume 1, Sheet 62
 Volume 1, Sheet 64

1948 Certified Sanborn Map




This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 1, Sheet 62
Volume 1, Sheet 64




1897 Certified Sanborn Map



This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600



Volume 1, Sheet 62
 Volume 1, Sheet 64



APPENDIX B
MOORE TWINING ASSOCIATES, INC.
STANDARD OPERATING PROCEDURES

This appendix contains the standard operating procedures used by Moore Twining Associates, Inc. (Moore Twining) in performing investigations. Moore Twining observes these procedures to obtain consistent, reliable data.

Hand Augering and Soil Sampling: Subsurface assessment permits, if required, are filed with the appropriate regulatory agencies prior to conducting field operations. Field activities are performed under the supervision of a California professional geologist or registered professional engineer. Sampling equipment is thoroughly cleaned before, during, and after each use according to Moore Twining's Equipment Decontamination Standard Operating Procedures, described below.

Generally, hand-augered borings are not advanced deeper than 10 to 15 feet. If deeper borings are necessary, the borings will be drilled using hollow stem auger, or other appropriate drilling method. Soil samples are collected by collecting cuttings from the boring, or by driving sample tubes into undisturbed soil at the bottom of the augered hole.

Soil descriptions, including consistency, moisture, particle size, and color, and other relevant observations are recorded on soil boring logs if pertinent to the investigation. Soils are classified in general accordance with the Unified Soil Classification System (USCS). The soil samples are field screened for evidence of volatile organic chemicals (VOCs) and/or other contaminates. The field screening consists of: visual observation for straining or free fluids, unusual odor, and head space analysis using a photo ionization detector (PID). The procedures for performing head space analysis are described in a subsequent paragraph (if pertinent to this investigation).

The soil borings are abandoned by grouting with neat-cement grout. Abandonment procedures may vary depending upon the boring depth, depth to groundwater, project objectives, and regulatory requirements.

Soil cuttings generated during hand augering are either replaced in the borings, or stockpiled, depending upon project requirements. Stockpiled soil is containerized in United States Department of Transportation-approved drums, or placed on and covered with plastic sheeting, and stored on site in an area inaccessible to the general public. Typically, the stockpiled soil is characterized by collecting and analyzing composite samples from the stockpile. Moore Twining can recommend an appropriate method for disposition of stockpiled soil based on the analytical results. Disposal is the responsibility of the client.

Direct Push Drilling: Direct push drilling involves the use of small (1.25 inch to 1.5 inch diameter) steel rods that are hydraulically pushed or hammered into the underlying soil formation to a specified depth. As the steel probe rods are pushed to depth, core samples are collected in clear acetate sleeves that line the inside of the bottom section of rods. After the bottom section of rod is brought to the surface, the acetate sheath is withdrawn and samples of soil for laboratory analysis or for determining lithology are obtained. A new acetate sleeve is then placed in the bottom section of rod and the steel rods are returned to the soil boring in order to sample the next depth interval.

After groundwater has been reached, groundwater samples are collected by the Hydropunch method in general accordance with the US EPA's August 2005 *Groundwater Sampling and Monitoring with*

Appendix B – Moore Twining Associates, Inc .- Standard Operating Procedures Page 2

Direct Push Technologies document. This method consists of driving a Hydropunch sampler from the bottom of a drilled borehole to the desired groundwater sampling depth. The Hydropunch sampler utilizes an air-tight and water-tight sealed intake screen and sample chamber which is isolated from the surrounding environment as the tool is advanced. The shape and smooth exterior surface of the Hydropunch is designed to prevent the downward transport of contamination as the tool is advanced. As the tool is pushed, it cleans itself as the soil particles are displaced to the side and adhere to the surrounding soil material. As the soil is displaced, it compacts into the walls of the hole which produces a very tight annular seal around the tool. The seal enables the Hydropunch to collect a discrete groundwater sample from a specific depth by sealing off groundwater from above and below the zone to be sampled.

When the desired depth for collection of a groundwater sample is reached, the Hydropunch is opened by pulling back on the body of the tool. Soil friction holds the drive cone in place as the body of the tool moves back. The seal between the drive cone and the body of the tool is broken, and groundwater from the surrounding formation flows into the sample chamber. Small diameter inert tubing with a foot valve is then lowered into the Hydropunch screen through the sample rods and a grab groundwater sample is collected. Prior to each use, the Hydropunch tool and all its components are decontaminated.

The soil borings are then abandoned by grouting with neat cement grout. Abandonment procedures may vary depending upon the boring depth, depth to groundwater, project objectives, and regulatory requirements.

Sample Handling and Chain-of-Custody: Records are developed for samples which include the sampling date, sample type, location, job number, name of sampling personnel, and method of preservation. Each sample container is labeled immediately following collection. Sample containers are transported under custody seal. Chain-of-custody protocol, as described in United States Environmental Protection Agency, 1986, Test Methods for Evaluating Solid Waste, SW-846, Third Edition, is followed. Samples will be maintained at approximately 4 °C. Upon arrival at the laboratory, the samples will be preserved for analysis as required for the type of analysis.

Photo ionization Detector (PID) Analyses: The PID is calibrated in accordance with the manufacturer's recommendations prior to use in the field. Upon arrival at the project site, the PID is used to monitor background concentrations of organic vapors in the atmosphere at the site. The background concentrations are measured in a location upwind and removed as far as possible from sources of organic vapors on the site. When background concentrations of organic vapors register as "0.0" on the PID, subsequent readings of "0.0" registered from samples tested in the field are recorded as "0"(not detected). When background concentrations of organic vapors register at some quantity above "0.0", subsequent readings registered from samples tested in the field at or below this value are recorded as "B/G" (background).

Equipment Decontamination: Proper decontamination guidelines reduce the potential for cross-contamination among sample locations and introduction of contamination from outside sources.

Before, during, and following drilling operations, drilling equipment is thoroughly cleaned using a high pressure hot water (steam) washer. Well casing, screen, end caps, and centralizers will also be cleaned using a steam washer. Steam cleaning condensate will be containerized for later disposal.

Sampling equipment and any tools, measuring devices, or other equipment which will contact soil, groundwater, or any media being assessed will be washed in a low-phosphate soap and water solution, and rinsed in clean water before each use. The type of soap used will depend upon project requirements.

Decontamination Rinseate, Monitoring Well Purge Water, and Soil Cuttings Disposal: The soil cuttings generated by drilling operations are retained on site, and either covered by plastic sheeting or containerized in United States Department of Transportation (DOT)-approved drums or lined, roll-on/roll-off dumpsters. The drilling equipment decontamination rinseate is also stored in drums. Water purged from monitoring wells is containerized in drums if contamination is known or suspected. Drums containing soil, rinseate, and purged water are sealed and temporarily stored on site at a location remote to the public. After profile analytical results are received and the material has been profiled and accepted by an appropriate disposal facility, the drums will be removed from the site and disposed of in accordance with applicable Federal, State, and local regulations. The client is responsible for the disposal of these wastes.

Performing Head Space Analyses: Head space analyzes are performed using a photo ionization detector (PID). A soil sample is placed in a sealed plastic bag, agitated, and placed in a warm atmosphere. After approximately 15 minutes, which is generally sufficient for some of the volatiles to escape from the soil, the PID probe is inserted into the plastic bag and the gas is sampled. The highest concentration of organic vapors displayed by the PID will be recorded.

APPENDIX C

ACPWA Drilling Permit

Alameda County Public Works Agency - Water Resources Well Permit



Public Works Agency
Alameda County

399 Elmhurst Street
Hayward, CA 94544-1395
Telephone: (510)670-6633 Fax:(510)782-1939

Application Approved on: 02/02/2016 By jamesy

Permit Numbers: W2016-0068
Permits Valid from 04/03/2016 to 04/04/2016

Application Id:	1454353784955	City of Project Site: Alameda
Site Location:	1200 Park Street	Completion Date: 02/11/2016
Project Start Date:	02/11/2016	Extension End Date: 04/04/2016
Assigned Inspector:	Contact Lindsay Furuyama at (925) 956-2311 or Lfuruyama@groundzonees.com	Extended By: jamesy
Extension Start Date:	04/03/2016	
Extension Count:	1	
Applicant:	Moore Twining Associates, Inc - Paul Dotson 2527 Fresno St, Fresno, CA 93721	Phone: 559-777-8956
Property Owner:	Richard plus Garfinkle 36 Nicholl Ave, Point Richmond, CA 94801	Phone: --
Client:	Cliff Powell TBC Corporation 4300 TBC Way, Palm Beach Gardens, FL 33410	Phone: --
Contact:	Paul Dotson	Phone: 559-268-7021 Cell: 559-268-7126

Receipt Number: WR2016-0051	Total Due:	\$265.00
Payer Name : Kate Cark	Total Amount Paid:	\$265.00
	Paid By: VISA	PAID IN FULL

Works Requesting Permits:

Borehole(s) for Investigation-Environmental/Monitoring Study - 7 Boreholes

Driller: Vapor Tech Services - Lic #: 916085 - Method: DP

Work Total: \$265.00

Specifications

Permit Number	Issued Dt	Expire Dt	#	Hole Diam	Max Depth
W2016-0068	02/02/2016	05/11/2016	7	2.50 in.	15.00 ft

Specific Work Permit Conditions

1. Backfill bore hole by tremie with cement grout or cement grout/sand mixture. Upper two-three feet replaced in kind or with compacted cuttings. All cuttings remaining or unused shall be containerized and hauled off site. The containers shall be clearly labeled to the ownership of the container and labeled hazardous or non-hazardous.
2. Boreholes shall not be left open for a period of more than 24 hours. All boreholes left open more than 24 hours will need approval from Alameda County Public Works Agency, Water Resources Section. All boreholes shall be backfilled according to permit destruction requirements and all concrete material and asphalt material shall be to Caltrans Spec or County/City Codes. No borehole(s) shall be left in a manner to act as a conduit at any time.
3. Permittee shall assume entire responsibility for all activities and uses under this permit and shall indemnify, defend and save the Alameda County Public Works Agency, its officers, agents, and employees free and harmless from any and all expense, cost, liability in connection with or resulting from the exercise of this Permit including, but not limited to, properly damage, personal injury and wrongful death.
4. Applicant shall contact assigned inspector listed on the top of the permit at least five (5) working days prior to starting, once the permit has been approved. Confirm the scheduled date(s) at least 24 hours prior to drilling.
5. Copy of approved drilling permit must be on site at all times. Failure to present or show proof of the approved permit application on site shall result in a fine of \$500.00.

Alameda County Public Works Agency - Water Resources Well Permit

6. Electronic Reporting Regulations (Chapter 30, Division 3 of Title 23 & Division 3 of Title 27, CCR) require electronic submission of any report or data required by a regulatory agency from a cleanup site. Submission dates are set by a Regional Water Board or by a regulatory agency. Once a report/data is successfully uploaded, as required, you have met the reporting requirement (i.e. the compliance measure for electronic submittals is the actual upload itself). The upload date should be on or prior to the regulatory due date.

7. NOTE:

Under California laws, the owner/operator are responsible for reporting the contamination to the governmental regulatory agencies under Section 25295(a). The owner/operator is liable for civil penalties under Section 25299(a)(4) and criminal penalties under Section 25299(d) for failure to report a leak. The owner/operator is liable for civil penalties under Section 25299(b)(4) for knowing failure to ensure compliance with the law by the operator. These penalty provisions do not apply to a potential buyer.

8. Prior to any drilling activities onto any public right-of-ways, it shall be the applicants responsibilities to contact and coordinate a Underground Service Alert (USA), obtain encroachment permit(s), excavation permit(s) or any other permits required for that City or to the County and follow all City or County Ordinances. It shall also be the applicants responsibilities to provide to the Cities or to Alameda County a Traffic Safety Plan for any lane closures or detours planned. No work shall begin until all the permits and requirements have been approved or obtained.

9. Permit is valid only for the purpose specified herein. No changes in construction procedures, as described on this permit application. Boreholes shall not be converted to monitoring wells, without a permit application process.

10. Weekend work approved. Applicant shall within 5 working days from the completion of drilling work the following: Email to well@acpwa.org stating that all the work permitted was completed or not, including any changes made (include a final site map if need be) and photos of each boreholes being grouted and including photos of the finished backfilled holes of each boreholes.

Failure to notify by email within 5 working days shall be a violation of these permit conditions and a fine of \$500 dollars may be imposed or future permit not being permitted.

APPENDIX D



Soil Boring Logs



LOG OF SOIL BORING

BORING B-1

Project:**Location:** 1200 Park St, Alameda, CA**Project Number:** C66423.02**Logged By:** Keith Mayes**Date Started:** 4/17/16**Drilled By:** VTS**Auger Type:** 1.25" Diameter DPT rods**Drill Type:** Geoprobe 420M**Depth to Groundwater:** 8.5'**Elevation:**

DEPTH (feet)	SOIL SYMBOLS SAMPLER SYMBOLS AND FIELD TEST DATA	USCS	Soil Description	Blows per foot	PID READINGS (ppm)
0		RC SM	4" concrete Silty sand, brown, fine- grained, no odor Brick debris		
5			Light brown, no debris Increase in moisture, fine- to medium-grained, no odor, color to brown	0 ppm	0 ppm
10			Wet	0 ppm	0 ppm
15			Bottom of Boring		0 ppm
20					
25					

Notes: Collected grab groundwater sample B-1 GW at 1105. Sample collected through 1/2" diameter PVC temporary well casing using peristaltic pump.



MOORE TWINNING
ASSOCIATES, INC.

LOG OF SOIL BORING

BORING B-2

Project:

Location: 1200 Park St, Alameda, CA

Project Number: C66423.02

Logged By: Keith Mayes

Date Started: 4/17/16




Drilled By: VTS

Auger Type: 1.25" Diameter DPT rods

Drill Type: Geoprobe 420M

Depth to Groundwater: 8.5'

Elevation:

DEPTH (feet)	SOIL SYMBOLS SAMPLER SYMBOLS AND FIELD TEST DATA	USCS	Soil Description	Blows per foot	PID READINGS (ppm)
0		RC SM	4" Concrete Silty sand, damp, brown, fine- to medium-grained, concrete debris, no odor No debris		
5					0 ppm
10			Wet, no odor		0 ppm
15			Bottom of Boring		0 ppm
20					
25					

Notes:



LOG OF SOIL BORING

BORING B-3

Project:

Location: 1200 Park St, Alameda, CA

Project Number: C66423.02

Logged By: Keith Mayes

Date Started: 4/17/16

Drilled By: VTS

Auger Type: 1.25" Diameter DPT rods

Drill Type: Geoprobe 420M

Depth to Groundwater: 8.5'

Elevation:

DEPTH (feet)	SOIL SYMBOLS SAMPLER SYMBOLS AND FIELD TEST DATA	USCS	Soil Description	Blows per foot	PID READINGS (ppm)
0		RC SM	4" Concrete Silty sand, brown, fine-grained, damp, no odor		
5			Color to light brown Color to brown, fine- to medium-grained, moist	0 ppm	0 ppm
8	▽		Wet	0 ppm	0 ppm
10				0 ppm	0 ppm
15			Bottom of Boring	0 ppm	
20					
25					

Notes:



MOORE TWINING
ASSOCIATES, INC.

LOG OF SOIL BORING

BORING B-4

Project:

Location: 1200 Park St, Alameda, CA

Project Number: C66423.02

Logged By: Keith Mayes

Date Started: 4/17/16


Drilled By: VTS

Auger Type: 1.25" Diameter DPT rods

Drill Type: Geoprobe 420M

Depth to Groundwater: 8.5'

Elevation:

DEPTH (feet)	SOIL SYMBOLS SAMPLER SYMBOLS AND FIELD TEST DATA	USCS	Soil Description	Blows per foot	PID READINGS (ppm)
0		RC	10" Concrete, 5" Pea Gravel		
5		SM	Silty sand, damp, fine-grained, brown, no odor		0 ppm
7.5			Moist		0 ppm
10			Wet, no odor		0 ppm
15			Bottom of Boring		0 ppm
20					
25					

Notes:



MOORE TWINNING
ASSOCIATES, INC.

LOG OF SOIL BORING

BORING B-5

Project:

Location: 1200 Park St, Alameda, CA

Project Number: C66423.02

Logged By: Keith Mayes

Date Started: 4/17/16


Drilled By: VTS

Auger Type: 1.25" Diameter DPT rods

Drill Type: Geoprobe 420M

Depth to Groundwater: 8.5'

Elevation:

DEPTH (feet)	SOIL SYMBOLS SAMPLER SYMBOLS AND FIELD TEST DATA	USCS	Soil Description	Blows per foot	PID READINGS (ppm)
0		RC SM	Concrete Silty sand, damp, fine-grained, brown, no odor		
5			Moist, no odor		0 ppm
8.5			Wet		0 ppm
10					0 ppm
15			Bottom of Boring		0 ppm
20					
25					

Notes: Collected grab groundwater sample B-5 GW at 1520. Sample collected through 1/2" diameter PVC temporary well casing using peristaltic pump.



MOORE TWINING
ASSOCIATES, INC.

LOG OF SOIL BORING

BORING B-6

Project:

Location: 1200 Park St, Alameda, CA

Project Number: C66423.02

Logged By: Keith Mayes

Date Started: 4/17/16


Drilled By: VTS

Auger Type: 1.25" Diameter DPT rods

Drill Type: Geoprobe 420M

Depth to Groundwater: 8.5'

Elevation:

DEPTH (feet)	SOIL SYMBOLS SAMPLER SYMBOLS AND FIELD TEST DATA	USCS	Soil Description	Blows per foot	PID READINGS (ppm)
0		RC SM	Concrete Silty sand, damp, fine-grained, brown, no odor		
5			Moist, no odor		0 ppm
7			Slight petroleum odor Wet, slight petroleum odor		0.5 ppm
10			Slight gray banding, slight odor		0.7 ppm
12			Less odor, no staining		0.5 ppm
15			Bottom of Boring		
20					
25					

Notes: Collected grab groundwater sample B-6 GW at 1450. Sample collected through 1/2" diameter PVC temporary well casing using peristaltic pump.



LOG OF SOIL BORING

BORING B-7

Project:

Location: 1200 Park St, Alameda, CA

Project Number: C66423.02

Logged By: Keith Mayes

Date Started: 4/17/16

Drilled By: VTS

Auger Type: 2.25" Diameter DPT rods

Drill Type: Geoprobe 7822DT

Depth to Groundwater: 8.5'

Elevation:

DEPTH (feet)	SOIL SYMBOLS SAMPLER SYMBOLS AND FIELD TEST DATA	USCS	Soil Description	Blows per foot	PID READINGS (ppm)
0		AC RC SM	Asphaltic concrete Concrete Silty sand, damp, fine- to medium-grained, brown, no odor		
5			Moist		0 ppm
8.5'			Wet, no odor		0 ppm
10					0 ppm
15			Bottom of Boring		0 ppm
20					
25					

Notes:



MOORE TWINING
ASSOCIATES, INC.

LOG OF SOIL BORING

BORING B-8

Project:

Location: 1200 Park St, Alameda, CA

Project Number: C66423.02

Logged By: Keith Mayes

Date Started: 4/17/16


Drilled By: VTS

Auger Type: 2.25" Diameter DPT rods

Drill Type: Geoprobe 7822DT

Depth to Groundwater: 8.5'

Elevation:

DEPTH (feet)	SOIL SYMBOLS SAMPLER SYMBOLS AND FIELD TEST DATA	USCS	Soil Description	Blows per foot	PID READINGS (ppm)
0		AC RC SM	Asphaltic concrete Concrete Silty sand, damp, fine- to medium-grained, brown, no odor		
5					0 ppm
10			Wet Gray staining, slight petroleum odor		0 ppm
15			No staining, no odor Only 1 foot of recovered core between 15 - 20 ft bsg		2.6 ppm
20			Bottom of Boring		0.1 ppm
25					

Notes:



MOORE TWINNING
ASSOCIATES, INC.

LOG OF SOIL BORING

BORING B-9

Project:

Location: 1200 Park St, Alameda, CA

Project Number: C66423.02

Logged By: Keith Mayes

Date Started: 4/17/16

Drilled By: VTS

Auger Type: 2.25" Diameter DPT rods

Drill Type: Geoprobe 7822DT

Depth to Groundwater: 8.5'

Elevation:

DEPTH (feet)	SOIL SYMBOLS SAMPLER SYMBOLS AND FIELD TEST DATA	USCS	Soil Description	Blows per foot	PID READINGS (ppm)
0		AC RC SM	Asphaltic concrete Concrete Silty sand, damp, fine to medium-grained, brown, no odor		
5			Moist, no odor		0 ppm
10	▽		Wet Gray staining, slight petroleum odor Moderate petroleum odor		0 ppm 13.1 ppm
15			Brown, no gray staining, no odor		0 ppm
20			Bottom of Boring		0 ppm
25					

Notes:



MOORE TWINING
ASSOCIATES, INC.

LOG OF SOIL BORING

BORING B-10

Project:

Location: 1200 Park St, Alameda, CA

Project Number: C66423.02

Logged By: Keith Mayes

Date Started: 4/17/16

Drilled By: VTS

Auger Type: 2.25" Diameter DPT rods

Drill Type: Geoprobe 7822DT

Depth to Groundwater: 8.5'

Elevation:

DEPTH (feet)	SOIL SYMBOLS SAMPLER SYMBOLS AND FIELD TEST DATA	USCS	Soil Description	Blows per foot	PID READINGS (ppm)
0		AC RC SM	Asphaltic concrete Concrete Silty sand, damp, fine to medium-grained, brown, no odor		
5			Moist		0 ppm
10	☒		Wet Gray, strong petroleum odor		0 ppm 453 ppm
15			No staining, color to brown, slight petroleum odor		3.4 ppm
20			Gray staining, no odor		0.8 ppm
25			Bottom of Boring		

Notes: Collected grab groundwater sample B-10 GW at 1840. Sample collected through 1/2" diameter PVC temporary well casing using peristaltic pump.



LOG OF SOIL BORING

BORING B-11

Project:

Location: 1200 Park St, Alameda, CA

Project Number: C66423.02

Logged By: Keith Mayes

Date Started: 4/17/16

Drilled By: VTS

Auger Type: 2.25" Diameter DPT rods

Drill Type: Geoprobe 7822DT

Depth to Groundwater: 8.5'

Elevation:

DEPTH (feet)	SOIL SYMBOLS SAMPLER SYMBOLS AND FIELD TEST DATA	USCS	Soil Description	Blows per foot	PID READINGS (ppm)
0		AC SM	Asphaltic concrete Silty sand, damp, fine to medium-grained, brown, no odor		
5			Moist		0 ppm
10	▽		Wet Gray color staining, slight petroleum odor		5.8 ppm
15			Color to brown, no odor		0.2 ppm
20			Bottom of Boring		0.7 ppm
25					

Notes:



MOORE TWINNING
ASSOCIATES, INC.

LOG OF SOIL BORING

BORING B-12

Project:

Location: 1200 Park St, Alameda, CA

Project Number: C66423.02

Logged By: Keith Mayes

Date Started: 4/17/16

Drilled By: VTS

Auger Type: 2.25" Diameter DPT rods

Drill Type: Geoprobe 7822DT

Depth to Groundwater: 8.5'

Elevation:

DEPTH (feet)	SOIL SYMBOLS SAMPLER SYMBOLS AND FIELD TEST DATA	USCS	Soil Description	Blows per foot	PID READINGS (ppm)
0		AC SM	Asphaltic concrete Silty sand, damp, fine- to medium-grained, brown, no odor		
5			Slight petroleum odor		
10			Color to gray, moderate petroleum odor (gas)		41.3 ppm
12			Strong petroleum odor		641 ppm
15			Brown, slight odor		
18			No odor		0 ppm
20			Bottom of Boring		4.0 ppm
25					

Notes: Collected grab groundwater sample B-12 GW at 2000. Sample collected through 1/2" diameter PVC temporary well casing using peristaltic pump.

KEY TO SYMBOLS

Symbol Description

Strata symbols



Reinforced Concrete



Silty sand

Misc. Symbols



Water table during
drilling

Notes:

1. Boring locations are referenced to existing site features.
2. These logs are subject to the limitations, conclusions, and recommendations in this report.

APPENDIX E

Laboratory Analytical Reports



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

May 10, 2016

Work Order #: CD18037

Paul Dotson
MTA Environmental Division
2527 Fresno Street
Fresno, CA 93721

RE: 1200 Park St, Alameda, CA

Enclosed are the analytical results for samples received by our laboratory on 04/18/16 . For your reference, these analyses have been assigned laboratory work order number CD18037 .

All analyses have been performed according to our laboratory's quality assurance program. All results are intended to be considered in their entirety, Moore Twining Associates, Inc. (MTA) is not responsible for use of less than complete reports. Results apply only to samples analyzed.

If you have any questions, please feel free to contact us at the number listed above.

Sincerely,

Moore Twining Associates, Inc.

A handwritten signature in black ink, appearing to read 'Julio Morales'.

Julio Morales
Client Services Supervisor



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
B1-10'	CD18037-01	Soil	04/17/16 08:35	04/18/16 13:35
B2-11.5'	CD18037-02	Soil	04/17/16 09:23	04/18/16 13:35
B3-11'	CD18037-03	Soil	04/17/16 09:52	04/18/16 13:35
B4-10'	CD18037-04	Soil	04/17/16 10:35	04/18/16 13:35
B5-10'	CD18037-05	Soil	04/17/16 13:30	04/18/16 13:35
B6-10.5'	CD18037-06	Soil	04/17/16 14:03	04/18/16 13:35
B7-10'	CD18037-07	Soil	04/17/16 16:05	04/18/16 13:35
B8-10'	CD18037-08	Soil	04/17/16 16:23	04/18/16 13:35
B9-10'	CD18037-09	Soil	04/17/16 16:53	04/18/16 13:35
B10-10'	CD18037-10	Soil	04/17/16 17:30	04/18/16 13:35
B11-10'	CD18037-11	Soil	04/17/16 18:03	04/18/16 13:35
B12-10'	CD18037-12	Soil	04/17/16 18:55	04/18/16 13:35
B-1 GW	CD18037-13	Ground Water	04/17/16 11:05	04/18/16 13:35
B-5 GW	CD18037-14	Ground Water	04/17/16 15:20	04/18/16 13:35
B-6 GW	CD18037-15	Ground Water	04/17/16 14:03	04/18/16 13:35
B-10 GW	CD18037-16	Ground Water	04/17/16 18:40	04/18/16 13:35
B-12 GW	CD18037-17	Ground Water	04/17/16 20:00	04/18/16 13:35



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B1-10'

CD18037-01 (Soil)

Sampled: 04/17/16 08:35

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Metals - Totals									
Antimony		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Arsenic		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Barium		46	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Beryllium		ND	0.40	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Cadmium		ND	0.40	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Chromium		45	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Cobalt		2.7	0.80	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Copper		6.5	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Lead		2.3	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Mercury		ND	0.013	mg/kg	1	U6D2210	04/25/16	04/25/16	EPA 7471A
Molybdenum		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Nickel		30	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Selenium		ND	5.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Silver		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Thallium		ND	5.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Vanadium		27	2.5	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Zinc		20	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Semi-Volatile Organics									
Acenaphthylene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Acenaphthene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Fluorene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Naphthalene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Phenanthrene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Anthracene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Fluoranthene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Pyrene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Benzo (a) anthracene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Chrysene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Benzo (b) fluoranthene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Benzo (k) fluoranthene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Benzo (a) pyrene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Indeno(1,2,3-cd)pyrene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Dibenzo(a,h)anthracene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B1-10'

CD18037-01 (Soil)

Sampled: 04/17/16 08:35

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Semi-Volatile Organics									
Benzo(ghi)perylene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Surrogate: Nitrobenzene-d5		73.9 %	41-110			U6D2102	04/21/16	04/27/16	EPA 8270C
Surrogate: 2-Fluorobiphenyl		77.1 %	40-92			U6D2102	04/21/16	04/27/16	EPA 8270C
Surrogate: d14-Terphenyl		84.0 %	44-131			U6D2102	04/21/16	04/27/16	EPA 8270C
PCB-1016		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
PCB-1221		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
PCB-1232		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
PCB-1242		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
PCB-1248		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
PCB-1254		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
PCB-1260		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
Total PCBs		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
Surrogate: Tetrachloro-meta-xylene (TMX)		40.0 %	20.6-119			U6D2209	04/22/16	04/22/16	EPA 8082
Surrogate: Decachlorobiphenyl (DCB)		100 %	17.2-156			U6D2209	04/22/16	04/22/16	EPA 8082
Diesel		ND	10	mg/kg	1	U6D1805	04/19/16	04/19/16	EPA 8015B
Surrogate: o-Terphenyl		78.3 %	11.8-130			U6D1805	04/19/16	04/19/16	EPA 8015B
Motor Oil		ND	10	mg/kg	1	U6D1805	04/19/16	04/19/16	EPA 8015B
Volatile Organics									
Gasoline (C6-C10)		ND	1.0	mg/kg	1	U6D1905	04/19/16	04/19/16	EPA 8015B
Surrogate: 4-Bromofluorobenzene (FID)		104 %	70-130			U6D1905	04/19/16	04/19/16	EPA 8015B



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B2-11.5'

CD18037-02 (Soil)

Sampled: 04/17/16 09:23

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Metals - Totals									
Antimony		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Arsenic		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Barium		51	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Beryllium		ND	0.40	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Cadmium		ND	0.40	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Chromium		40	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Cobalt		4.6	0.80	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Copper		6.5	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Lead		2.3	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Mercury		ND	0.013	mg/kg	1	U6D2210	04/25/16	04/25/16	EPA 7471A
Molybdenum		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Nickel		34	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Selenium		ND	5.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Silver		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Thallium		ND	5.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Vanadium		28	2.5	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Zinc		21	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Semi-Volatile Organics									
Acenaphthylene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Acenaphthene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Fluorene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Naphthalene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Phenanthrene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Anthracene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Fluoranthene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Pyrene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Benzo (a) anthracene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Chrysene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Benzo (b) fluoranthene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Benzo (k) fluoranthene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Benzo (a) pyrene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Indeno(1,2,3-cd)pyrene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Dibenzo(a,h)anthracene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B2-11.5'

CD18037-02 (Soil) Sampled: 04/17/16 09:23

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Semi-Volatile Organics									
Benzo(ghi)perylene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Surrogate: Nitrobenzene-d5		74.2 %	41-110			U6D2102	04/21/16	04/27/16	EPA 8270C
Surrogate: 2-Fluorobiphenyl		70.8 %	40-92			U6D2102	04/21/16	04/27/16	EPA 8270C
Surrogate: d14-Terphenyl		89.2 %	44-131			U6D2102	04/21/16	04/27/16	EPA 8270C
PCB-1016		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
PCB-1221		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
PCB-1232		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
PCB-1242		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
PCB-1248		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
PCB-1254		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
PCB-1260		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
Total PCBs		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
Surrogate: Tetrachloro-meta-xylene (TMX)		40.0 %	20.6-119			U6D2209	04/22/16	04/22/16	EPA 8082
Surrogate: Decachlorobiphenyl (DCB)		100 %	17.2-156			U6D2209	04/22/16	04/22/16	EPA 8082
Diesel		ND	10	mg/kg	1	U6D1805	04/19/16	04/20/16	EPA 8015B
Surrogate: o-Terphenyl		68.0 %	11.8-130			U6D1805	04/19/16	04/20/16	EPA 8015B
Motor Oil		ND	10	mg/kg	1	U6D1805	04/19/16	04/20/16	EPA 8015B
Volatile Organics									
Gasoline (C6-C10)		ND	1.0	mg/kg	1	U6D1905	04/19/16	04/19/16	EPA 8015B
Surrogate: 4-Bromofluorobenzene (FID)		103 %	70-130			U6D1905	04/19/16	04/19/16	EPA 8015B



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B3-11'

CD18037-03 (Soil) Sampled: 04/17/16 09:52

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Metals - Totals									
Antimony		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Arsenic		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Barium		37	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Beryllium		ND	0.40	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Cadmium		ND	0.40	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Chromium		45	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Cobalt		3.7	0.80	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Copper		5.6	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Lead		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Mercury		ND	0.013	mg/kg	1	U6D2210	04/25/16	04/25/16	EPA 7471A
Molybdenum		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Nickel		29	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Selenium		ND	5.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Silver		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Thallium		ND	5.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Vanadium		33	2.5	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Zinc		19	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Semi-Volatile Organics									
Acenaphthylene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Acenaphthene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Fluorene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Naphthalene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Phenanthrene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Anthracene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Fluoranthene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Pyrene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Benzo (a) anthracene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Chrysene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Benzo (b) fluoranthene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Benzo (k) fluoranthene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Benzo (a) pyrene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Indeno(1,2,3-cd)pyrene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Dibenz(a,h)anthracene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division

2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA

Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B3-11'

CD18037-03 (Soil) Sampled: 04/17/16 09:52

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Semi-Volatile Organics									
Benzo(ghi)perylene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
<i>Surrogate: Nitrobenzene-d5</i>		75.1 %	41-110			U6D2102	04/21/16	04/27/16	EPA 8270C
<i>Surrogate: 2-Fluorobiphenyl</i>		75.3 %	40-92			U6D2102	04/21/16	04/27/16	EPA 8270C
<i>Surrogate: d14-Terphenyl</i>		78.6 %	44-131			U6D2102	04/21/16	04/27/16	EPA 8270C
PCB-1016		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
PCB-1221		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
PCB-1232		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
PCB-1242		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
PCB-1248		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
PCB-1254		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
PCB-1260		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
Total PCBs		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
<i>Surrogate: Tetrachloro-meta-xylene (TMX)</i>		40.0 %	20.6-119			U6D2209	04/22/16	04/22/16	EPA 8082
<i>Surrogate: Decachlorobiphenyl (DCB)</i>		110 %	17.2-156			U6D2209	04/22/16	04/22/16	EPA 8082
Diesel		ND	10	mg/kg	1	U6D1805	04/19/16	04/20/16	EPA 8015B
<i>Surrogate: o-Terphenyl</i>		88.8 %	11.8-130			U6D1805	04/19/16	04/20/16	EPA 8015B
Motor Oil		ND	10	mg/kg	1	U6D1805	04/19/16	04/20/16	EPA 8015B
Volatile Organics									
Gasoline (C6-C10)		ND	1.0	mg/kg	1	U6D1905	04/19/16	04/19/16	EPA 8015B
<i>Surrogate: 4-Bromofluorobenzene (FID)</i>		105 %	70-130			U6D1905	04/19/16	04/19/16	EPA 8015B



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B4-10'

CD18037-04 (Soil)

Sampled: 04/17/16 10:35

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Metals - Totals									
Antimony		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Arsenic		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Barium		48	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Beryllium		ND	0.40	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Cadmium		ND	0.40	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Chromium		48	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Cobalt		4.2	0.80	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Copper		7.3	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Lead		2.3	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Mercury		ND	0.013	mg/kg	1	U6D2210	04/25/16	04/25/16	EPA 7471A
Molybdenum		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Nickel		35	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Selenium		ND	5.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Silver		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Thallium		ND	5.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Vanadium		32	2.5	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Zinc		23	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Semi-Volatile Organics									
Acenaphthylene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Acenaphthene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Fluorene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Naphthalene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Phenanthrene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Anthracene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Fluoranthene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Pyrene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Benzo (a) anthracene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Chrysene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Benzo (b) fluoranthene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Benzo (k) fluoranthene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Benzo (a) pyrene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Indeno(1,2,3-cd)pyrene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Dibenzo(a,h)anthracene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B4-10'

CD18037-04 (Soil) Sampled: 04/17/16 10:35

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Semi-Volatile Organics									
Benzo(ghi)perylene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Surrogate: Nitrobenzene-d5		70.4 %	41-110			U6D2102	04/21/16	04/27/16	EPA 8270C
Surrogate: 2-Fluorobiphenyl		70.4 %	40-92			U6D2102	04/21/16	04/27/16	EPA 8270C
Surrogate: d14-Terphenyl		87.9 %	44-131			U6D2102	04/21/16	04/27/16	EPA 8270C
Diesel		ND	10	mg/kg	1	U6D1805	04/19/16	04/20/16	EPA 8015B
Surrogate: o-Terphenyl		95.0 %	11.8-130			U6D1805	04/19/16	04/20/16	EPA 8015B
Motor Oil		ND	10	mg/kg	1	U6D1805	04/19/16	04/20/16	EPA 8015B
Volatile Organics									
Gasoline (C6-C10)		ND	1.0	mg/kg	1	U6D1905	04/19/16	04/19/16	EPA 8015B
Surrogate: 4-Bromofluorobenzene (FID)		107 %	70-130			U6D1905	04/19/16	04/19/16	EPA 8015B



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B5-10'

CD18037-05 (Soil) Sampled: 04/17/16 13:30

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Metals - Totals									
Antimony		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Arsenic		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Barium		49	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Beryllium		ND	0.40	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Cadmium		ND	0.40	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Chromium		29	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Cobalt		3.7	0.80	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Copper		5.9	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Lead		2.1	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Mercury		ND	0.013	mg/kg	1	U6D2210	04/25/16	04/25/16	EPA 7471A
Molybdenum		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Nickel		31	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Selenium		ND	5.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Silver		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Thallium		ND	5.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Vanadium		23	2.5	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Zinc		17	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Semi-Volatile Organics									
Acenaphthylene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Acenaphthene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Fluorene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Naphthalene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Phenanthrene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Anthracene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Fluoranthene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Pyrene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Benzo (a) anthracene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Chrysene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Benzo (b) fluoranthene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Benzo (k) fluoranthene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Benzo (a) pyrene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Indeno(1,2,3-cd)pyrene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Dibenzo(a,h)anthracene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B5-10'

CD18037-05 (Soil) Sampled: 04/17/16 13:30

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Semi-Volatile Organics									
Benzo(ghi)perylene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/27/16	EPA 8270C
Surrogate: Nitrobenzene-d5		70.9 %	41-110			U6D2102	04/21/16	04/27/16	EPA 8270C
Surrogate: 2-Fluorobiphenyl		73.4 %	40-92			U6D2102	04/21/16	04/27/16	EPA 8270C
Surrogate: d14-Terphenyl		120 %	44-131			U6D2102	04/21/16	04/27/16	EPA 8270C
PCB-1016		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
PCB-1221		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
PCB-1232		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
PCB-1242		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
PCB-1248		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
PCB-1254		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
PCB-1260		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
Total PCBs		ND	0.050	mg/kg	1	U6D2209	04/22/16	04/22/16	EPA 8082
Surrogate: Tetrachloro-meta-xylene (TMX)		30.0 %	20.6-119			U6D2209	04/22/16	04/22/16	EPA 8082
Surrogate: Decachlorobiphenyl (DCB)		100 %	17.2-156			U6D2209	04/22/16	04/22/16	EPA 8082
Diesel		ND	10	mg/kg	1	U6D1805	04/19/16	04/20/16	EPA 8015B
Surrogate: o-Terphenyl		89.2 %	11.8-130			U6D1805	04/19/16	04/20/16	EPA 8015B
Motor Oil		ND	10	mg/kg	1	U6D1805	04/19/16	04/20/16	EPA 8015B
Volatile Organics									
Gasoline (C6-C10)		ND	1.0	mg/kg	1	U6D1905	04/19/16	04/19/16	EPA 8015B
Surrogate: 4-Bromofluorobenzene (FID)		104 %	70-130			U6D1905	04/19/16	04/19/16	EPA 8015B



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B6-10.5'

CD18037-06 (Soil) Sampled: 04/17/16 14:03

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Metals - Totals									
Antimony		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Arsenic		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Barium		39	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Beryllium		ND	0.40	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Cadmium		ND	0.40	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Chromium		48	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Cobalt		3.7	0.80	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Copper		5.7	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Lead		2.6	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Mercury		ND	0.013	mg/kg	1	U6D2210	04/25/16	04/25/16	EPA 7471A
Molybdenum		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Nickel		29	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Selenium		ND	5.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Silver		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Thallium		ND	5.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Vanadium		31	2.5	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Zinc		21	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Semi-Volatile Organics									
Acenaphthylene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Acenaphthene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Fluorene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Naphthalene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Phenanthrene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Anthracene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Fluoranthene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Pyrene		0.030	0.020	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Benzo (a) anthracene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Chrysene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Benzo (b) fluoranthene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Benzo (k) fluoranthene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Benzo (a) pyrene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Indeno(1,2,3-cd)pyrene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Dibenzo(a,h)anthracene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B6-10.5'

CD18037-06 (Soil) Sampled: 04/17/16 14:03

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Semi-Volatile Organics									
Benzo(ghi)perylene		ND	0.020	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Surrogate: Nitrobenzene-d5		65.6 %	41-110			U6D2102	04/21/16	04/28/16	EPA 8270C
Surrogate: 2-Fluorobiphenyl		65.6 %	40-92			U6D2102	04/21/16	04/28/16	EPA 8270C
Surrogate: d14-Terphenyl	S02	200 %	44-131			U6D2102	04/21/16	04/28/16	EPA 8270C
Diesel	AJ	710	200	mg/kg	20	U6D1805	04/19/16	04/20/16	EPA 8015B
Surrogate: o-Terphenyl	S02	1260 %	11.8-130			U6D1805	04/19/16	04/20/16	EPA 8015B
Motor Oil		770	200	mg/kg	20	U6D1805	04/19/16	04/20/16	EPA 8015B
Volatile Organics									
Dichlorodifluoromethane (CFC-12)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Chloromethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Vinyl chloride		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromomethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Chloroethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Trichlorofluoromethane (CFC-11)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Ethanol		ND	0.050	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Trichlorotrifluoroethane (CFC-113)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1-Dichloroethene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Carbon disulfide		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Iodomethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Acrolein		ND	0.050	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Methylene chloride		ND	0.0020	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Acetone		ND	0.020	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
trans-1,2-Dichloroethene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
tert-Butyl alcohol (TBA)		ND	0.020	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Methyl tert-Butyl Ether (MTBE)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Di-isopropyl ether (DIPE)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Chloroprene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1-Dichloroethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Acrylonitrile		ND	0.010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Ethyl tert-Butyl Ether (ETBE)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Vinyl acetate		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B6-10.5'

CD18037-06 (Soil) Sampled: 04/17/16 14:03

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Volatile Organics									
cis-1,2-Dichloroethene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
2,2-Dichloropropane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromochloromethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Chloroform		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Carbon tetrachloride		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
2-Butanone (MEK)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1,1-Trichloroethane (TCA)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1-Dichloropropene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Tert-Amyl Methyl Ether (TAME)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Benzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dichloroethane (1,2-DCA)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Trichloroethene (TCE)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Dibromomethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dichloropropane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromodichloromethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Methyl Methacrylate		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
2-Chloroethylvinyl ether		ND	0.020	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
cis-1,3-Dichloropropene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Toluene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
4-Methyl-2-pentanone (MIBK)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
trans-1,3-Dichloropropene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Tetrachloroethene (PCE)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1,2-Trichloroethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Ethyl methacrylate		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Dibromochloromethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,3-Dichloropropane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dibromoethane (EDB)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
2-Hexanone		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Ethylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Chlorobenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1,1,2-Tetrachloroethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
m,p-Xylene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B6-10.5¹

CD18037-06 (Soil) Sampled: 04/17/16 14:03

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Volatile Organics									
o-Xylene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Styrene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromoform		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Isopropylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
trans-1,4-Dichloro-2-butene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromobenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
n-Propylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1,2,2-Tetrachloroethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,3,5-Trimethylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
2-Chlorotoluene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2,3-Trichloropropane (123TCP)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
4-Chlorotoluene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
tert-Butylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2,4-Trimethylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
sec-Butylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
p-Isopropyltoluene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,3-Dichlorobenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,4-Dichlorobenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
n-Butylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dichlorobenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dibromo-3-chloropropane (DBCP)		ND	0.0050	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2,4-Trichlorobenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Hexachlorobutadiene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Naphthalene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2,3-Trichlorobenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Xylenes		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Surrogate: Dibromofluoromethane		102 %	70-130			U6D2005	04/20/16	04/20/16	EPA 8260B
Surrogate: Toluene-d8		91.8 %	70-130			U6D2005	04/20/16	04/20/16	EPA 8260B
Surrogate: 4-Bromofluorobenzene		118 %	70-130			U6D2005	04/20/16	04/20/16	EPA 8260B
Gasoline (C6-C10)		ND	1.0	mg/kg	1	U6D1905	04/19/16	04/19/16	EPA 8015B
Surrogate: 4-Bromofluorobenzene (FID)		96.2 %	70-130			U6D1905	04/19/16	04/19/16	EPA 8015B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B7-10'

CD18037-07 (Soil) Sampled: 04/17/16 16:05

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Metals - Totals									
Cadmium		ND	0.40	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Chromium		40	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Lead		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Nickel		27	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Zinc		19	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Semi-Volatile Organics									
Diesel		ND	10	mg/kg	1	U6D1805	04/19/16	04/20/16	EPA 8015B
Surrogate: o-Terphenyl		84.9 %	11.8-130			U6D1805	04/19/16	04/20/16	EPA 8015B
Motor Oil		ND	10	mg/kg	1	U6D1805	04/19/16	04/20/16	EPA 8015B
Volatile Organics									
Dichlorodifluoromethane (CFC-12)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Chloromethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Vinyl chloride		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromomethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Chloroethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Trichlorofluoromethane (CFC-11)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Ethanol		ND	0.050	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Trichlorotrifluoroethane (CFC-113)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1-Dichloroethene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Carbon disulfide		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Iodomethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Acrolein		ND	0.050	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Methylene chloride		ND	0.0020	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Acetone		ND	0.020	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
trans-1,2-Dichloroethene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
tert-Butyl alcohol (TBA)		ND	0.020	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Methyl tert-Butyl Ether (MTBE)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Di-isopropyl ether (DIPE)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Chloroprene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1-Dichloroethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B7-10'

CD18037-07 (Soil) Sampled: 04/17/16 16:05

Analyte	Notcs.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Volatile Organics									
Acrylonitrile		ND	0.010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Ethyl tert-Butyl Ether (ETBE)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Vinyl acetate		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
cis-1,2-Dichloroethene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
2,2-Dichloropropane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromochloromethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Chloroform		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Carbon tetrachloride		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
2-Butanone (MEK)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1,1-Trichloroethane (TCA)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1-Dichloropropene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Tert-Amyl Methyl Ether (TAME)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Benzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dichloroethane (1,2-DCA)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Trichloroethene (TCE)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Dibromomethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dichloropropane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromodichloromethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Methyl Methacrylate		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
2-Chloroethylvinyl ether		ND	0.020	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
cis-1,3-Dichloropropene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Toluene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
4-Methyl-2-pentanone (MIBK)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
trans-1,3-Dichloropropene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Tetrachloroethene (PCE)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1,2-Trichloroethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Ethyl methacrylate		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Dibromochloromethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,3-Dichloropropane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dibromoethane (EDB)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
2-Hexanone		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Ethylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B7-10'

CD18037-07 (Soil) Sampled: 04/17/16 16:05

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Volatile Organics									
Chlorobenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1,1,2-Tetrachloroethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
m,p-Xylene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
o-Xylene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Styrene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromoform		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Isopropylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
trans-1,4-Dichloro-2-butene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromobenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
n-Propylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1,2,2-Tetrachloroethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,3,5-Trimethylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
2-Chlorotoluene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2,3-Trichloropropane (123TCP)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
4-Chlorotoluene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
tert-Butylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2,4-Trimethylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
sec-Butylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
p-Isopropyltoluene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,3-Dichlorobenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,4-Dichlorobenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
n-Butylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dichlorobenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dibromo-3-chloropropane (DBCP)		ND	0.0050	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2,4-Trichlorobenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Hexachlorobutadiene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Naphthalene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2,3-Trichlorobenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Xylenes		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Surrogate: Dibromofluoromethane		107 %	70-130			U6D2005	04/20/16	04/20/16	EPA 8260B
Surrogate: Toluene-d8		99.4 %	70-130			U6D2005	04/20/16	04/20/16	EPA 8260B
Surrogate: 4-Bromofluorobenzene		99.4 %	70-130			U6D2005	04/20/16	04/20/16	EPA 8260B
Gasoline (C6-C10)		ND	1.0	mg/kg	1	U6D1905	04/19/16	04/19/16	EPA 8015B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B7-10'

CD18037-07 (Soil) Sampled: 04/17/16 16:05

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
---------	--------	--------	-----------------	-------	----------	-------	----------	----------	--------

Volatile Organics

Surrogate: 4-Bromofluorobenzene (FID) 94.2 % 70-130 U6D1905 04/19/16 04/19/16 EPA 8015B



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B8-10'

CD18037-08 (Soil)

Sampled: 04/17/16 16:23

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Metals - Totals									
Cadmium		ND	0.40	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Chromium		41	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Lead		3.9	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Nickel		32	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Zinc		21	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Semi-Volatile Organics									
Diesel		ND	10	mg/kg	1	U6D1805	04/19/16	04/20/16	EPA 8015B
Surrogate: o-Terphenyl		92.7 %	11.8-130			U6D1805	04/19/16	04/20/16	EPA 8015B
Motor Oil		ND	10	mg/kg	1	U6D1805	04/19/16	04/20/16	EPA 8015B
Volatile Organics									
Dichlorodifluoromethane (CFC-12)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Chloromethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Vinyl chloride		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromomethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Chloroethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Trichlorofluoromethane (CFC-11)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Ethanol		ND	0.050	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Trichlorotrifluoroethane (CFC-113)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1-Dichloroethene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Carbon disulfide		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Iodomethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Acrolein		ND	0.050	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Methylene chloride		ND	0.0020	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Acetone		0.026	0.020	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
trans-1,2-Dichloroethene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
tert-Butyl alcohol (TBA)		ND	0.020	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Methyl tert-Butyl Ether (MTBE)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Di-isopropyl ether (DIPE)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Chloroprene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1-Dichloroethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Acrylonitrile		ND	0.010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B8-10¹

CD18037-08 (Soil) Sampled: 04/17/16 16:23

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Volatile Organics									
Ethyl tert-Butyl Ether (ETBE)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Vinyl acetate		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
cis-1,2-Dichloroethene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
2,2-Dichloropropane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromochloromethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Chloroform		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Carbon tetrachloride		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
2-Butanone (MEK)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1,1-Trichloroethane (TCA)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1-Dichloropropene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Tert-Amyl Methyl Ether (TAME)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Benzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dichloroethane (1,2-DCA)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Trichloroethene (TCE)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Dibromomethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dichloropropane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromodichloromethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Methyl Methacrylate		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
2-Chloroethylvinyl ether		ND	0.020	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
cis-1,3-Dichloropropene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Toluene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
4-Methyl-2-pentanone (MIBK)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
trans-1,3-Dichloropropene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Tetrachloroethene (PCE)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1,2-Trichloroethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Ethyl methacrylate		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Dibromochloromethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,3-Dichloropropane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dibromoethane (EDB)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
2-Hexanone		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Ethylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Chlorobenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B8-10'

CD18037-08 (Soil) Sampled: 04/17/16 16:23

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Volatile Organics									
1,1,1,2-Tetrachloroethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
m,p-Xylene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
o-Xylene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Styrene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromoform		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Isopropylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
trans-1,4-Dichloro-2-butene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromobenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
n-Propylbenzene		0.0010	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1,2,2-Tetrachloroethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,3,5-Trimethylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
2-Chlorotoluene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2,3-Trichloropropane (123TCP)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
4-Chlorotoluene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
tert-Butylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2,4-Trimethylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
sec-Butylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
p-Isopropyltoluene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,3-Dichlorobenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,4-Dichlorobenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
n-Butylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dichlorobenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dibromo-3-chloropropane (DBCP)		ND	0.0050	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2,4-Trichlorobenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Hexachlorobutadiene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Naphthalene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2,3-Trichlorobenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Xylenes		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
<i>Surrogate: Dibromofluoromethane</i>		101 %	70-130			U6D2005	04/20/16	04/20/16	EPA 8260B
<i>Surrogate: Toluene-d8</i>		95.5 %	70-130			U6D2005	04/20/16	04/20/16	EPA 8260B
<i>Surrogate: 4-Bromofluorobenzene</i>		101 %	70-130			U6D2005	04/20/16	04/20/16	EPA 8260B
Gasoline (C6-C10)		ND	1.0	mg/kg	1	U6D1905	04/19/16	04/19/16	EPA 8015B
<i>Surrogate: 4-Bromofluorobenzene (FID)</i>		106 %	70-130			U6D1905	04/19/16	04/19/16	EPA 8015B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B9-10'

CD18037-09 (Soil) Sampled: 04/17/16 16:53

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Metals - Totals									
Cadmium		ND	0.40	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Chromium		45	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Lead		3.4	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Nickel		28	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Zinc		21	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Semi-Volatile Organics									
Diesel	AK	20	10	mg/kg	1	U6D1805	04/19/16	04/20/16	EPA 8015B
Surrogate: o-Terphenyl		87.0 %	11.8-130			U6D1805	04/19/16	04/20/16	EPA 8015B
Motor Oil		ND	10	mg/kg	1	U6D1805	04/19/16	04/20/16	EPA 8015B
Volatile Organics									
Dichlorodifluoromethane (CFC-12)		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Chloromethane		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Vinyl chloride		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Bromomethane		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Chloroethane		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Trichlorofluoromethane (CFC-11)		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Ethanol		ND	0.25	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Trichlorotrifluoroethane (CFC-113)		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
1,1-Dichloroethene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Carbon disulfide		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Iodomethane		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Acrolein		ND	0.25	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Methylene chloride		ND	0.010	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Acetone		ND	0.10	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
trans-1,2-Dichloroethene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
tert-Butyl alcohol (TBA)		ND	0.10	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Methyl tert-Butyl Ether (MTBE)		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Di-isopropyl ether (DIPE)		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Chloroprene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
1,1-Dichloroethane		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Acrylonitrile		ND	0.050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B9-10'

CD18037-09 (Soil) Sampled: 04/17/16 16:53

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Volatile Organics									
Ethyl tert-Butyl Ether (ETBE)		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Vinyl acetate		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
cis-1,2-Dichloroethene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
2,2-Dichloropropane		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Bromochloromethane		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Chloroform		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Carbon tetrachloride		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
2-Butanone (MEK)		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
1,1,1-Trichloroethane (TCA)		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
1,1-Dichloropropene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Tert-Amyl Methyl Ether (TAME)		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Benzene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
1,2-Dichloroethane (1,2-DCA)		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Trichloroethene (TCE)		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Dibromomethane		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
1,2-Dichloropropane		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Bromodichloromethane		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Methyl Methacrylate		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
2-Chloroethylvinyl ether		ND	0.10	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
cis-1,3-Dichloropropene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Toluene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
4-Methyl-2-pentanone (MIBK)		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
trans-1,3-Dichloropropene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Tetrachloroethene (PCE)		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
1,1,2-Trichloroethane		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Ethyl methacrylate		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Dibromochloromethane		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
1,3-Dichloropropane		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
1,2-Dibromoethane (EDB)		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
2-Hexanone		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Ethylbenzene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Chlorobenzene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B9-10'

CD18037-09 (Soil) Sampled: 04/17/16 16:53

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Volatile Organics									
1,1,1,2-Tetrachloroethane		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
m,p-Xylene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
o-Xylene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Styrene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Bromoform		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Isopropylbenzene		0.017	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
trans-1,4-Dichloro-2-butene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Bromobenzene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
n-Propylbenzene		0.089	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
1,1,2,2-Tetrachloroethane		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
1,3,5-Trimethylbenzene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
2-Chlorotoluene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
1,2,3-Trichloropropane (123TCP)		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
4-Chlorotoluene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
tert-Butylbenzene		0.013	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
1,2,4-Trimethylbenzene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
sec-Butylbenzene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
p-Isopropyltoluene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
1,3-Dichlorobenzene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
1,4-Dichlorobenzene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
n-Butylbenzene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
1,2-Dichlorobenzene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
1,2-Dibromo-3-chloropropane (DBCP)		ND	0.025	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
1,2,4-Trichlorobenzene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Hexachlorobutadiene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Naphthalene		0.13	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
1,2,3-Trichlorobenzene		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
Xylenes		ND	0.0050	mg/kg	5	U6D2005	04/20/16	04/21/16	EPA 8260B
<i>Surrogate: Dibromoform</i>		104 %	70-130			U6D2005	04/20/16	04/21/16	EPA 8260B
<i>Surrogate: Toluene-d8</i>		112 %	70-130			U6D2005	04/20/16	04/21/16	EPA 8260B
<i>Surrogate: 4-Bromofluorobenzene</i>		103 %	70-130			U6D2005	04/20/16	04/21/16	EPA 8260B
Gasoline (C6-C10)	AS	76	50	mg/kg	50	U6D1905	04/19/16	04/20/16	EPA 8015B
<i>Surrogate: 4-Bromofluorobenzene (FID)</i>	S02	224 %	70-130			U6D1905	04/19/16	04/20/16	EPA 8015B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B10-10'

CD18037-10 (Soil)

Sampled: 04/17/16 17:30

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Metals - Totals									
Antimony		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Arsenic		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Barium		51	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Beryllium		ND	0.40	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Cadmium		ND	0.40	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Chromium		58	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Cobalt		1.7	0.80	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Copper		7.1	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Lead		5.1	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Mercury		ND	0.013	mg/kg	1	U6D2210	04/25/16	04/25/16	EPA 7471A
Molybdenum		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Nickel		26	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Selenium		ND	5.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Silver		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Thallium		ND	5.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Vanadium		23	2.5	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Zinc		23	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Semi-Volatile Organics									
Acenaphthylene		ND	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Acenaphthene		0.060	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Fluorene		ND	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Naphthalene		1.9	0.15	mg/kg	5	U6D2102	04/21/16	04/28/16	EPA 8270C
Phenanthrene		0.15	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Anthracene		ND	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Fluoranthene		ND	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Pyrene		0.084	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Benzo (a) anthracene		ND	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Chrysene		ND	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Benzo (b) fluoranthene		ND	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Benzo (k) fluoranthene		ND	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Benzo (a) pyrene		ND	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Indeno(1,2,3-cd)pyrene		ND	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Dibenzo(a,h)anthracene		ND	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B10-10'

CD18037-10 (Soil) Sampled: 04/17/16 17:30

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Semi-Volatile Organics									
Benzo(ghi)perylene		ND	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Surrogate: Nitrobenzene-d5		61.4 %	41-110			U6D2102	04/21/16	04/28/16	EPA 8270C
Surrogate: 2-Fluorobiphenyl		69.6 %	40-92			U6D2102	04/21/16	04/28/16	EPA 8270C
Surrogate: d14-Terphenyl	S02	133 %	44-131			U6D2102	04/21/16	04/28/16	EPA 8270C
Diesel		950	400	mg/kg	40	U6D1805	04/19/16	04/20/16	EPA 8015B
Surrogate: o-Terphenyl	S02	188 %	11.8-130			U6D1805	04/19/16	04/20/16	EPA 8015B
Motor Oil		99	10	mg/kg	1	U6D1805	04/19/16	04/20/16	EPA 8015B
Volatile Organics									
Dichlorodifluoromethane (CFC-12)		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Chloromethane		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Vinyl chloride		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromomethane		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Chloroethane		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Trichlorofluoromethane (CFC-11)		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Ethanol		ND	25	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Trichlorotrifluoroethane (CFC-113)		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1-Dichloroethene		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Carbon disulfide		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Iodomethane		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Acrolein		ND	25	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Methylene chloride		ND	1.0	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Acetone		ND	10	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
trans-1,2-Dichloroethene		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
tert-Butyl alcohol (TBA)		ND	10	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Methyl tert-Butyl Ether (MTBE)		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Di-isopropyl ether (DIPE)		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Chloroprene		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1-Dichloroethane		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Acrylonitrile		ND	5.0	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Ethyl tert-Butyl Ether (ETBE)		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Vinyl acetate		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B

Moore Twinning Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B10-10'

CD18037-10 (Soil) Sampled: 04/17/16 17:30

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Volatile Organics									
cis-1,2-Dichloroethene		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
2,2-Dichloropropane		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromochloromethane		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Chloroform		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Carbon tetrachloride		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
2-Butanone (MEK)		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1,1-Trichloroethane (TCA)		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1-Dichloropropene		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Tert-Amyl Methyl Ether (TAME)		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Benzene		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dichloroethane (1,2-DCA)		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Trichloroethylene (TCE)		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Dibromomethane		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dichloropropane		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromodichloromethane		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Methyl Methacrylate		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
2-Chloroethylvinyl ether		ND	10	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
cis-1,3-Dichloropropene		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Toluene		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
4-Methyl-2-pentanone (MIBK)		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
trans-1,3-Dichloropropene		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Tetrachloroethylene (PCE)		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1,2-Trichloroethane		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Ethyl methacrylate		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Dibromochloromethane		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
1,3-Dichloropropane		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dibromoethane (EDB)		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
2-Hexanone		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Ethylbenzene		13	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Chlorobenzene		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1,1,2-Tetrachloroethane		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
m,p-Xylene		2.7	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
o-Xylene		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B10-10'

CD18037-10 (Soil) Sampled: 04/17/16 17:30

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Volatile Organics									
Styrene		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromoform		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Isopropylbenzene		36	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
trans-1,4-Dichloro-2-butene		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromobenzene		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
n-Propylbenzene		140	5.0	mg/kg	5000	U6D2005	04/20/16	04/21/16	EPA 8260B
1,1,2,2-Tetrachloroethane		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
1,3,5-Trimethylbenzene		53	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
2-Chlorotoluene		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2,3-Trichloropropane (123TCP)		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
4-Chlorotoluene		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
tert-Butylbenzene		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2,4-Trimethylbenzene		360	5.0	mg/kg	5000	U6D2005	04/20/16	04/21/16	EPA 8260B
sec-Butylbenzene		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
p-Isopropyltoluene		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
1,3-Dichlorobenzene		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
1,4-Dichlorobenzene		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
n-Butylbenzene		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dichlorobenzene		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dibromo-3-chloropropane (DBCP)		ND	2.5	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2,4-Trichlorobenzene		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Hexachlorobutadiene		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Naphthalene		40	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2,3-Trichlorobenzene		ND	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
Xylenes		2.7	0.50	mg/kg	500	U6D2005	04/20/16	04/20/16	EPA 8260B
<i>Surrogate: Dibromofluoromethane</i>		97.1 %	70-130			U6D2005	04/20/16	04/20/16	EPA 8260B
<i>Surrogate: Toluene-d8</i>		102 %	70-130			U6D2005	04/20/16	04/20/16	EPA 8260B
<i>Surrogate: 4-Bromofluorobenzene</i>		93.8 %	70-130			U6D2005	04/20/16	04/20/16	EPA 8260B
Gasoline (C6-C10)	AS	3200	2500	mg/kg	2500	U6D1905	04/19/16	04/20/16	EPA 8015B
<i>Surrogate: 4-Bromofluorobenzene (FID)</i>	S02	586 %	70-130			U6D1905	04/19/16	04/20/16	EPA 8015B



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B11-10'

CD18037-11 (Soil) Sampled: 04/17/16 18:03

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Metals - Totals									
Cadmium		ND	0.40	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Chromium		37	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Lead		2.5	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Nickel		30	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Zinc		19	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Semi-Volatile Organics									
Diesel		ND	10	mg/kg	1	U6D1805	04/19/16	04/20/16	EPA 8015B
Surrogate: o-Terphenyl		86.6 %	11.8-130			U6D1805	04/19/16	04/20/16	EPA 8015B
Motor Oil		ND	10	mg/kg	1	U6D1805	04/19/16	04/20/16	EPA 8015B
Volatile Organics									
Dichlorodifluoromethane (CFC-12)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Chloromethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Vinyl chloride		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromomethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Chloroethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Trichlorofluoromethane (CFC-11)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Ethanol		ND	0.050	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Trichlorotrifluoroethane (CFC-113)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1-Dichloroethene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Carbon disulfide		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Iodomethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Acrolein		ND	0.050	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Methylene chloride		ND	0.0020	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Acetone		ND	0.020	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
trans-1,2-Dichloroethene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
tert-Butyl alcohol (TBA)		ND	0.020	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Methyl tert-Butyl Ether (MTBE)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Di-isopropyl ether (DIPE)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Chloroprene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1-Dichloroethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B11-10'

CD18037-11 (Soil) Sampled: 04/17/16 18:03

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Volatile Organics									
Acrylonitrile		ND	0.010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Ethyl tert-Butyl Ether (ETBE)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Vinyl acetate		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
cis-1,2-Dichloroethene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
2,2-Dichloropropane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromochloromethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Chloroform		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Carbon tetrachloride		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
2-Butanone (MEK)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1,1-Trichloroethane (TCA)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1-Dichloropropene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Tert-Amyl Methyl Ether (TAME)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Benzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dichloroethane (1,2-DCA)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Trichloroethene (TCE)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Dibromomethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dichloropropane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromodichloromethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Methyl Methacrylate		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
2-Chloroethylvinyl ether		ND	0.020	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
cis-1,3-Dichloropropene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Toluene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
4-Methyl-2-pentanone (MIBK)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
trans-1,3-Dichloropropene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Tetrachloroethene (PCE)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1,2-Trichloroethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Ethyl methacrylate		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Dibromochloromethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,3-Dichloropropane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dibromoethane (EDB)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
2-Hexanone		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Ethylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B11-10'

CD18037-11 (Soil) Sampled: 04/17/16 18:03

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Volatile Organics									
Chlorobenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1,1,2-Tetrachloroethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
m,p-Xylene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
o-Xylene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Styrene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromoform		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Isopropylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
trans-1,4-Dichloro-2-butene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromobenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
n-Propylbenzene		0.0012	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1,2,2-Tetrachloroethane		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,3,5-Trimethylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
2-Chlorotoluene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2,3-Trichloropropane (123TCP)		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
4-Chlorotoluene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
tert-Butylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2,4-Trimethylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
sec-Butylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
p-Isopropyltoluene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,3-Dichlorobenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,4-Dichlorobenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
n-Butylbenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dichlorobenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dibromo-3-chloropropane (DBCP)		ND	0.0050	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2,4-Trichlorobenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Hexachlorobutadiene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Naphthalene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2,3-Trichlorobenzene		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
Xylenes		ND	0.0010	mg/kg	1	U6D2005	04/20/16	04/20/16	EPA 8260B
<i>Surrogate: Dibromofluoromethane</i>		106 %	70-130			U6D2005	04/20/16	04/20/16	EPA 8260B
<i>Surrogate: Toluene-d8</i>		99.7 %	70-130			U6D2005	04/20/16	04/20/16	EPA 8260B
<i>Surrogate: 4-Bromofluorobenzene</i>		98.4 %	70-130			U6D2005	04/20/16	04/20/16	EPA 8260B
Gasoline (C6-C10)		ND	1.0	mg/kg	1	U6D1905	04/19/16	04/19/16	EPA 8015B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division

2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA

Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B11-10^t

CD18037-11 (Soil)

Sampled: 04/17/16 18:03

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
---------	--------	--------	-----------------	-------	----------	-------	----------	----------	--------

Volatile Organics

Surrogate: 4-Bromofluorobenzene (FID)

130 % 70-130

U6D1905 04/19/16 04/19/16 EPA 8015B



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B12-10'

CD18037-12 (Soil)

Sampled: 04/17/16 18:55

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Metals - Totals									
Antimony		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Arsenic		2.5	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Barium		410	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Beryllium		ND	0.40	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Cadmium		ND	0.40	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Chromium		42	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Cobalt		4.8	0.80	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Copper		20	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Lead		39	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Mercury		0.090	0.013	mg/kg	1	U6D2210	04/25/16	04/25/16	EPA 7471A
Molybdenum		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Nickel		44	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Selenium		ND	5.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Silver		ND	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Thallium		ND	5.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Vanadium		26	2.5	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Zinc		130	2.0	mg/kg	1	U6D1705	04/24/16	04/24/16	EPA 6010B
Semi-Volatile Organics									
Acenaphthylene		ND	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Acenaphthene		ND	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Fluorene		ND	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Naphthalene		4.5	0.30	mg/kg	10	U6D2102	04/21/16	04/28/16	EPA 8270C
Phenanthrene		ND	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Anthracene		ND	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Fluoranthene		ND	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Pyrene		ND	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Benzo (a) anthracene		ND	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Chrysene		ND	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Benzo (b) fluoranthene		ND	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Benzo (k) fluoranthene		ND	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Benzo (a) pyrene		ND	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Indeno(1,2,3-cd)pyrene		ND	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Dibenzo(a,h)anthracene		ND	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B12-10'

CD18037-12 (Soil) Sampled: 04/17/16 18:55

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Semi-Volatile Organics									
Benzo(ghi)perylene		ND	0.030	mg/kg	1	U6D2102	04/21/16	04/28/16	EPA 8270C
Surrogate: Nitrobenzene-d5		74.1 %	41-110			U6D2102	04/21/16	04/28/16	EPA 8270C
Surrogate: 2-Fluorobiphenyl		78.9 %	40-92			U6D2102	04/21/16	04/28/16	EPA 8270C
Surrogate: d14-Terphenyl	S02	151 %	44-131			U6D2102	04/21/16	04/28/16	EPA 8270C
Diesel	AK	1800	400	mg/kg	40	U6D1805	04/19/16	04/20/16	EPA 8015B
Surrogate: o-Terphenyl	S02	193 %	11.8-130			U6D1805	04/19/16	04/20/16	EPA 8015B
Motor Oil		ND	400	mg/kg	40	U6D1805	04/19/16	04/20/16	EPA 8015B
Volatile Organics									
Dichlorodifluoromethane (CFC-12)		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Chloromethane		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Vinyl chloride		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromomethane		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Chloroethane		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Trichlorofluoromethane (CFC-11)		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Ethanol		ND	100	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Trichlorotrifluoroethane (CFC-113)		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1-Dichloroethene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Carbon disulfide		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Iodomethane		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Acrolein		ND	100	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Methylene chloride		ND	4.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Acetone		ND	40	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
trans-1,2-Dichloroethene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
tert-Butyl alcohol (TBA)		ND	40	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Methyl tert-Butyl Ether (MTBE)		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Di-isopropyl ether (DIPE)		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Chloroprene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1-Dichloroethane		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Acrylonitrile		ND	20	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Ethyl tert-Butyl Ether (ETBE)		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Vinyl acetate		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B12-10'

CD18037-12 (Soil) Sampled: 04/17/16 18:55

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Volatile Organics									
cis-1,2-Dichloroethene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
2,2-Dichloropropane		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromochloromethane		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Chloroform		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Carbon tetrachloride		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
2-Butanone (MEK)		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1,1-Trichloroethane (TCA)		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1-Dichloropropene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Tert-Amyl Methyl Ether (TAME)		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Benzene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dichloroethane (1,2-DCA)		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Trichloroethylene (TCE)		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Dibromomethane		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dichloropropane		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromodichloromethane		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Methyl Methacrylate		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
2-Chloroethylvinyl ether		ND	40	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
cis-1,3-Dichloropropene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Toluene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
4-Methyl-2-pentanone (MIBK)		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
trans-1,3-Dichloropropene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Tetrachloroethylene (PCE)		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1,2-Trichloroethane		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Ethyl methacrylate		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Dibromochloromethane		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
1,3-Dichloropropane		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dibromoethane (EDB)		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
2-Hexanone		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Ethylbenzene		150	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Chlorobenzene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1,1,2-Tetrachloroethane		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
m,p-Xylene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
o-Xylene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division

2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA

Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B12-10¹

CD18037-12 (Soil) Sampled: 04/17/16 18:55

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Volatile Organics									
Styrene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromoform		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Isopropylbenzene		65	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
trans-1,4-Dichloro-2-butene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Bromobenzene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
n-Propylbenzene		160	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
1,1,2,2-Tetrachloroethane		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
1,3,5-Trimethylbenzene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
2-Chlorotoluene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2,3-Trichloropropane (123TCP)		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
4-Chlorotoluene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
tert-Butylbenzene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2,4-Trimethylbenzene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
sec-Butylbenzene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
p-Isopropyltoluene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
1,3-Dichlorobenzene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
1,4-Dichlorobenzene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
n-Butylbenzene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dichlorobenzene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2-Dibromo-3-chloropropane (DBCP)		ND	10	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2,4-Trichlorobenzene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Hexachlorobutadiene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Naphthalene		65	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
1,2,3-Trichlorobenzene		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
Xylenes		ND	2.0	mg/kg	2000	U6D2005	04/20/16	04/20/16	EPA 8260B
<i>Surrogate: Dibromofluoromethane</i>		86.9 %	70-130			U6D2005	04/20/16	04/20/16	EPA 8260B
<i>Surrogate: Toluene-d8</i>		107 %	70-130			U6D2005	04/20/16	04/20/16	EPA 8260B
<i>Surrogate: 4-Bromofluorobenzene</i>		89.6 %	70-130			U6D2005	04/20/16	04/20/16	EPA 8260B
Gasoline (C6-C10)	AS	17000	10000	mg/kg	10000	U6D1905	04/19/16	04/20/16	EPA 8015B
<i>Surrogate: 4-Bromofluorobenzene (FID)</i>	S02	393 %	70-130			U6D1905	04/19/16	04/20/16	EPA 8015B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B-1 GW

CD18037-13 (Ground Water)

Sampled: 04/17/16 11:05

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Metals - Dissolved									
Antimony		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Arsenic		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Barium		23	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Beryllium		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Cadmium		ND	0.20	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Chromium		4.3	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Cobalt		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Copper		ND	2.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Lead		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Mercury		ND	0.20	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Molybdenum		2.0	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Nickel		11	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Selenium		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Silver		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Thallium		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Vanadium		1.9	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Zinc		ND	5.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Semi-Volatile Organics									
Naphthalene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Acenaphthylene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Acenaphthene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Fluorene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Phenanthrene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Anthracene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Fluoranthene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Pyrene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Benzo (a) anthracene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Chrysene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Benzo (b) fluoranthene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Benzo (k) fluoranthene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Benzo (a) pyrene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Indeno(1,2,3-cd)pyrene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Dibenzo(a,h)anthracene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division

2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA

Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B-1 GW

CD18037-13 (Ground Water)

Sampled: 04/17/16 11:05

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Semi-Volatile Organics									
Benzo(ghi)perylene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Surrogate: Nitrobenzene-d5		57.4 %	41-110			U6D1902	04/19/16	04/27/16	EPA 8270C
Surrogate: 2-Fluorobiphenyl		55.8 %	40-92			U6D1902	04/19/16	04/27/16	EPA 8270C
Surrogate: d14-Terphenyl		82.2 %	44-131			U6D1902	04/19/16	04/27/16	EPA 8270C
Diesel		ND	50	µg/L	1	U6D2103	04/21/16	04/21/16	EPA 8015B
Surrogate: o-Terphenyl		63.9 %	34-150			U6D2103	04/21/16	04/21/16	EPA 8015B
Motor Oil		ND	100	µg/L	1	U6D2103	04/21/16	04/21/16	EPA 8015B
Volatile Organics									
Dichlorodifluoromethane (CFC-12)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Chloromethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Vinyl chloride		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Bromomethane		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Chloroethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Trichlorofluoromethane (CFC-11)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Ethanol		ND	50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Trichlorotrifluoroethane (CFC-113)		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,1-Dichloroethene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Carbon disulfide		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Iodomethane		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Acrolein		ND	10	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Methylene chloride		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Acetone		ND	10	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
trans-1,2-Dichloroethene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
tert-Butyl alcohol (TBA)		ND	20	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Methyl tert-Butyl Ether (MTBE)		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Acetonitrile		ND	10	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Di-isopropyl ether (DIPE)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,1-Dichloroethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Acrylonitrile		ND	5.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Ethyl tert-Butyl Ether (ETBE)		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Vinyl acetate		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
cis-1,2-Dichloroethene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B-1 GW

CD18037-13 (Ground Water)

Sampled: 04/17/16 11:05

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Volatile Organics									
2,2-Dichloropropane		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Bromochloromethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Chloroform		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Carbon tetrachloride		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
2-Butanone (MEK)		ND	10	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,1,1-Trichloroethane (TCA)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,1-Dichloropropene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Isobutyl alcohol		ND	20	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Propionitrile		ND	10	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Tert-Amyl Methyl Ether (TAME)		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Benzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Methacrylonitrile		ND	5.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,2-Dichloroethane (1,2-DCA)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Trichloroethylene (TCE)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Dibromomethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,2-Dichloropropane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Bromodichloromethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Methyl Methacrylate		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
2-Chloroethylvinyl ether		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
cis-1,3-Dichloropropene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Toluene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
4-Methyl-2-pentanone (MIBK)		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
trans-1,3-Dichloropropene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Tetrachloroethylene (PCE)		3.9	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,1,2-Trichloroethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Ethyl methacrylate		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Dibromochloromethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,3-Dichloropropane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,2-Dibromoethane (EDB)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
2-Hexanone		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Ethylbenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Chlorobenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,1,1,2-Tetrachloroethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division

Project: 1200 Park St, Alameda, CA

2527 Fresno Street
Fresno CA, 93721

Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B-1 GW

CD18037-13 (Ground Water)

Sampled: 04/17/16 11:05

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Volatile Organics									
m,p-Xylene		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
o-Xylene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Styrene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Bromoform		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Isopropylbenzene		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
trans-1,4-Dichloro-2-butene		ND	5.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Bromobenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
n-Propylbenzene		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,1,2,2-Tetrachloroethane		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,3,5-Trimethylbenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
2-Chlorotoluene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,2,3-Trichloropropane (123TCP)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
4-Chlorotoluene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
tert-Butylbenzene		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,2,4-Trimethylbenzene		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
sec-Butylbenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
p-Isopropyltoluene		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,3-Dichlorobenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,4-Dichlorobenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
n-Butylbenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Hexachloroethane		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,2-Dichlorobenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,2-Dibromo-3-chloropropane (DBCP)		ND	5.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,2,4-Trichlorobenzene		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Hexachlorobutadiene		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Naphthalene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,2,3-Trichlorobenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Xylenes		ND	2.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Surrogate: 4-Bromofluorobenzene		99.9 %	70-130			U6D2105	04/21/16	04/21/16	EPA 8260B
Surrogate: Dibromofluoromethane		111 %	70-130			U6D2105	04/21/16	04/21/16	EPA 8260B
Surrogate: Toluene-d8		102 %	70-130			U6D2105	04/21/16	04/21/16	EPA 8260B
Gasoline (C6-C10)		ND	50	µg/L	1	U6D2106	04/21/16	04/21/16	EPA 8015B
Surrogate: 4-Bromofluorobenzene (FID)		108 %	70-130			U6D2106	04/21/16	04/21/16	EPA 8015B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B-5 GW

CD18037-14 (Ground Water)

Sampled: 04/17/16 15:20

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Metals - Dissolved									
Antimony		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Arsenic		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Barium		22	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Beryllium		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Cadmium		ND	0.20	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Chromium		3.7	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Cobalt		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Copper		2.6	2.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Lead		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Mercury		ND	0.20	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Molybdenum		2.1	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Nickel		4.0	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Selenium		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Silver		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Thallium		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Vanadium		1.9	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Zinc		ND	5.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Semi-Volatile Organics									
Naphthalene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Acenaphthylene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Acenaphthene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Fluorene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Phenanthrene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Anthracene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Fluoranthene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Pyrene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Benzo (a) anthracene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Chrysene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Benzo (b) fluoranthene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Benzo (k) fluoranthene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Benzo (a) pyrene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Indeno(1,2,3-cd)pyrene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Dibenzo(a,h)anthracene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division

2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA

Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B-5 GW

CD18037-14 (Ground Water)

Sampled: 04/17/16 15:20

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Semi-Volatile Organics									
Benzo(ghi)perylene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Surrogate: Nitrobenzene-d5		52.6 %	41-110			U6D1902	04/19/16	04/27/16	EPA 8270C
Surrogate: 2-Fluorobiphenyl		51.2 %	40-92			U6D1902	04/19/16	04/27/16	EPA 8270C
Surrogate: d14-Terphenyl		59.4 %	44-131			U6D1902	04/19/16	04/27/16	EPA 8270C
Diesel		ND	54	µg/L	1	U6D2103	04/21/16	04/21/16	EPA 8015B
Surrogate: o-Terphenyl		66.8 %	34-150			U6D2103	04/21/16	04/21/16	EPA 8015B
Motor Oil		ND	110	µg/L	1	U6D2103	04/21/16	04/21/16	EPA 8015B
Volatile Organics									
Dichlorodifluoromethane (CFC-12)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Chloromethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Vinyl chloride		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Bromomethane		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Chloroethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Trichlorofluoromethane (CFC-11)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Ethanol		ND	50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Trichlorotrifluoroethane (CFC-113)		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,1-Dichloroethene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Carbon disulfide		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Iodomethane		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Acrolein		ND	10	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Methylene chloride		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Acetone		ND	10	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
trans-1,2-Dichloroethene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
tert-Butyl alcohol (TBA)		ND	20	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Methyl tert-Butyl Ether (MTBE)		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Acetonitrile		ND	10	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Di-isopropyl ether (DIPE)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,1-Dichloroethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Acrylonitrile		ND	5.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Ethyl tert-Butyl Ether (ETBE)		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Vinyl acetate		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
cis-1,2-Dichloroethene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B-5 GW

CD18037-14 (Ground Water)

Sampled: 04/17/16 15:20

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Volatile Organics									
2,2-Dichloropropane		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Bromochloromethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Chloroform		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Carbon tetrachloride		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
2-Butanone (MEK)		ND	10	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,1,1-Trichloroethane (TCA)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,1-Dichloropropene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Isobutyl alcohol		ND	20	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Propionitrile		ND	10	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Tert-Amyl Methyl Ether (TAME)		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Benzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Methacrylonitrile		ND	5.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,2-Dichloroethane (1,2-DCA)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Trichloroethylene (TCE)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Dibromomethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,2-Dichloropropane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Bromodichloromethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Methyl Methacrylate		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
2-Chloroethylvinyl ether		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
cis-1,3-Dichloropropene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Toluene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
4-Methyl-2-pentanone (MIBK)		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
trans-1,3-Dichloropropene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Tetrachloroethylene (PCE)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,1,2-Trichloroethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Ethyl methacrylate		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Dibromochloromethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,3-Dichloropropane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,2-Dibromoethane (EDB)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
2-Hexanone		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Ethylbenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Chlorobenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B-5 GW

CD18037-14 (Ground Water)

Sampled: 04/17/16 15:20

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Volatile Organics									
1,1,1,2-Tetrachloroethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
m,p-Xylene		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
o-Xylene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Styrene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Bromoform		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Isopropylbenzene		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
trans-1,4-Dichloro-2-butene		ND	5.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Bromobenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
n-Propylbenzene		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,1,2,2-Tetrachloroethane		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,3,5-Trimethylbenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
2-Chlorotoluene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,2,3-Trichloropropane (123TCP)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
4-Chlorotoluene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
tert-Butylbenzene		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,2,4-Trimethylbenzene		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
sec-Butylbenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
p-Isopropyltoluene		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,3-Dichlorobenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,4-Dichlorobenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
n-Butylbenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Hexachloroethane		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,2-Dichlorobenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,2-Dibromo-3-chloropropane (DBCP)		ND	5.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,2,4-Trichlorobenzene		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Hexachlorobutadiene		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Naphthalene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,2,3-Trichlorobenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Xylenes		ND	2.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Surrogate: 4-Bromofluorobenzene		101 %	70-130			U6D2105	04/21/16	04/21/16	EPA 8260B
Surrogate: Dibromofluoromethane		110 %	70-130			U6D2105	04/21/16	04/21/16	EPA 8260B
Surrogate: Toluene-d8		102 %	70-130			U6D2105	04/21/16	04/21/16	EPA 8260B
Gasoline (C6-C10)		ND	50	µg/L	1	U6D2106	04/21/16	04/21/16	EPA 8015B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division

2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA

Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B-5 GW

CD18037-14 (Ground Water)

Sampled: 04/17/16 15:20

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
---------	--------	--------	-----------------	-------	----------	-------	----------	----------	--------

Volatile Organics

Surrogate: 4-Bromofluorobenzene (FID)

108 % 70-130

U6D2106 04/21/16 04/21/16 EPA 8015B



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B-6 GW

CD18037-15 (Ground Water)

Sampled: 04/17/16 14:03

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Metals - Dissolved									
Antimony		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Arsenic		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Barium		20	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Beryllium		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Cadmium		ND	0.20	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Chromium		1.2	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Cobalt		1.1	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Copper		ND	2.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Lead		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Mercury		ND	0.20	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Molybdenum		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Nickel		6.8	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Selenium		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Silver		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Thallium		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Vanadium		1.7	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Zinc		ND	5.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Semi-Volatile Organics									
Naphthalene		0.086	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Acenaphthylene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Acenaphthene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Fluorene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Phenanthrene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Anthracene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Fluoranthene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Pyrene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Benzo (a) anthracene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Chrysene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Benzo (b) fluoranthene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Benzo (k) fluoranthene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Benzo (a) pyrene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Indeno(1,2,3-cd)pyrene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Dibenzo(a,h)anthracene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division

2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA

Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B-6 GW

CD18037-15 (Ground Water)

Sampled: 04/17/16 14:03

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Semi-Volatile Organics									
Benzo(ghi)perylene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Surrogate: Nitrobenzene-d5		77.4 %	41-110			U6D1902	04/19/16	04/27/16	EPA 8270C
Surrogate: 2-Fluorobiphenyl		70.7 %	40-92			U6D1902	04/19/16	04/27/16	EPA 8270C
Surrogate: d14-Terphenyl		81.0 %	44-131			U6D1902	04/19/16	04/27/16	EPA 8270C
Diesel	AJ	84000	5000	µg/L	100	U6D2103	04/21/16	04/22/16	EPA 8015B
Surrogate: o-Terphenyl	S02	6270 %	34-150			U6D2103	04/21/16	04/22/16	EPA 8015B
Motor Oil		89000	10000	µg/L	100	U6D2103	04/21/16	04/22/16	EPA 8015B
Volatile Organics									
Dichlorodifluoromethane (CFC-12)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Chloromethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Vinyl chloride		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Bromomethane		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Chloroethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Trichlorofluoromethane (CFC-11)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Ethanol		ND	50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Trichlorotrifluoroethane (CFC-113)		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,1-Dichloroethene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Carbon disulfide		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Iodomethane		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Acrolein		ND	10	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Methylene chloride		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Acetone		ND	10	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
trans-1,2-Dichloroethene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
tert-Butyl alcohol (TBA)		ND	20	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Methyl tert-Butyl Ether (MTBE)		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Acetonitrile		ND	10	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Di-isopropyl ether (DIPE)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,1-Dichloroethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Acrylonitrile		ND	5.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Ethyl tert-Butyl Ether (ETBE)		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Vinyl acetate		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
cis-1,2-Dichloroethene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B-6 GW

CD18037-15 (Ground Water)

Sampled: 04/17/16 14:03

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Volatile Organics									
2,2-Dichloropropane		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Bromochloromethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Chloroform		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Carbon tetrachloride		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
2-Butanone (MEK)		ND	10	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,1,1-Trichloroethane (TCA)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,1-Dichloropropene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Isobutyl alcohol		ND	20	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Propionitrile		ND	10	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Tert-Amyl Methyl Ether (TAME)		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Benzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Methacrylonitrile		ND	5.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,2-Dichloroethane (1,2-DCA)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Trichloroethene (TCE)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Dibromomethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,2-Dichloropropane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Bromodichloromethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Methyl Methacrylate		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
2-Chloroethylvinyl ether		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
cis-1,3-Dichloropropene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Toluene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
4-Methyl-2-pentanone (MIBK)		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
trans-1,3-Dichloropropene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Tetrachloroethene (PCE)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,1,2-Trichloroethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Ethyl methacrylate		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Dibromochloromethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,3-Dichloropropane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,2-Dibromoethane (EDB)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
2-Hexanone		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Ethylbenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Chlorobenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B-6 GW

CD18037-15 (Ground Water)

Sampled: 04/17/16 14:03

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Volatile Organics									
1,1,1,2-Tetrachloroethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
m,p-Xylene		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
o-Xylene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Styrene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Bromoform		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Isopropylbenzene		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
trans-1,4-Dichloro-2-butene		ND	5.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Bromobenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
n-Propylbenzene		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,1,2,2-Tetrachloroethane		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,3,5-Trimethylbenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
2-Chlorotoluene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,2,3-Trichloropropane (123TCP)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
4-Chlorotoluene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
tert-Butylbenzene		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,2,4-Trimethylbenzene		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
sec-Butylbenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
p-Isopropyltoluene		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,3-Dichlorobenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,4-Dichlorobenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
n-Butylbenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Hexachloroethane		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,2-Dichlorobenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,2-Dibromo-3-chloropropane (DBCP)		ND	5.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,2,4-Trichlorobenzene		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Hexachlorobutadiene		ND	1.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Naphthalene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
1,2,3-Trichlorobenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Xylenes		ND	2.0	µg/L	1	U6D2105	04/21/16	04/21/16	EPA 8260B
Surrogate: 4-Bromofluorobenzene		100 %	70-130			U6D2105	04/21/16	04/21/16	EPA 8260B
Surrogate: Dibromofluoromethane		111 %	70-130			U6D2105	04/21/16	04/21/16	EPA 8260B
Surrogate: Toluene-d8		102 %	70-130			U6D2105	04/21/16	04/21/16	EPA 8260B
Gasoline (C6-C10)		ND	50	µg/L	1	U6D2106	04/21/16	04/21/16	EPA 8015B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B-6 GW

CD18037-15 (Ground Water) Sampled: 04/17/16 14:03

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
---------	--------	--------	-----------------	-------	----------	-------	----------	----------	--------

Volatile Organics

Surrogate: 4-Bromofluorobenzene (FID) 109 % 70-130 U6D2106 04/21/16 04/21/16 EPA 8015B



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division

2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA

Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B-10 GW

CD18037-16 (Ground Water)

Sampled: 04/17/16 18:40

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Metals - Dissolved									
Antimony		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Arsenic		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Barium		27	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Beryllium		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Cadmium		ND	0.20	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Chromium		1.1	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Cobalt		1.4	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Copper		ND	2.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Lead		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Mercury		ND	0.20	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Molybdenum		6.6	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Nickel		5.2	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Selenium		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Silver		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Thallium		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Vanadium		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Zinc		ND	5.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Semi-Volatile Organics									
Naphthalene		480	1.0	µg/L	20	U6D1902	04/19/16	04/28/16	EPA 8270C
Acenaphthylene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Acenaphthene		3.0	0.050*	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Fluorene		2.6	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Phenanthrene		4.6	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Anthracene		0.40	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Fluoranthene		0.41	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Pyrene		1.6	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Benzo (a) anthracene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Chrysene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Benzo (b) fluoranthene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Benzo (k) fluoranthene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Benzo (a) pyrene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Indeno(1,2,3-cd)pyrene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Dibenzo(a,h)anthracene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B-10 GW

CD18037-16 (Ground Water)

Sampled: 04/17/16 18:40

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Semi-Volatile Organics									
Benzo(ghi)perylene		0.096	0.050	µg/L	1	U6D1902	04/19/16	04/27/16	EPA 8270C
Surrogate: Nitrobenzene-d5		75.6 %	41-110			U6D1902	04/19/16	04/27/16	EPA 8270C
Surrogate: 2-Fluorobiphenyl		80.4 %	40-92			U6D1902	04/19/16	04/27/16	EPA 8270C
Surrogate: d14-Terphenyl		106 %	44-131			U6D1902	04/19/16	04/27/16	EPA 8270C
Diesel		24000	1100	µg/L	20	U6D2103	04/21/16	04/22/16	EPA 8015B
Surrogate: o-Terphenyl		109 %	34-150			U6D2103	04/21/16	04/22/16	EPA 8015B
Motor Oil	A3	1900	110	µg/L	1	U6D2103	04/21/16	04/22/16	EPA 8015B
Volatile Organics									
Dichlorodifluoromethane (CFC-12)		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Chloromethane		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Vinyl chloride		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Bromomethane		ND	5.0	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Chloroethane		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Trichlorofluoromethane (CFC-11)		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Ethanol		ND	250	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Trichlorotrifluoroethane (CFC-113)		ND	5.0	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
1,1-Dichloroethene		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Carbon disulfide		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Iodomethane		ND	5.0	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Acrolein		ND	50	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Methylene chloride		ND	5.0	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Acetone		ND	50	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
trans-1,2-Dichloroethene		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
tert-Butyl alcohol (TBA)		ND	100	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Methyl tert-Butyl Ether (MTBE)		ND	5.0	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Acetonitrile		ND	50	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Di-isopropyl ether (DIPE)		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
1,1-Dichloroethane		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Acrylonitrile		ND	25	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Ethyl tert-Butyl Ether (ETBE)		ND	5.0	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Vinyl acetate		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
cis-1,2-Dichloroethene		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B-10 GW

CD18037-16 (Ground Water)

Sampled: 04/17/16 18:40

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Volatile Organics									
2,2-Dichloropropane		ND	5.0	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Bromochloromethane		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Chloroform		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Carbon tetrachloride		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
2-Butanone (MEK)		ND	50	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
1,1,1-Trichloroethane (TCA)		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
1,1-Dichloropropene		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Isobutyl alcohol		ND	100	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Propionitrile		ND	50	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Tert-Amyl Methyl Ether (TAME)		ND	5.0	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Benzene		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Methacrylonitrile		ND	25	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
1,2-Dichloroethane (1,2-DCA)		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Trichloroethylene (TCE)		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Dibromomethane		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
1,2-Dichloropropane		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Bromodichloromethane		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Methyl Methacrylate		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
2-Chloroethylvinyl ether		ND	5.0	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
cis-1,3-Dichloropropene		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Toluene		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
4-Methyl-2-pentanone (MIBK)		ND	5.0	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
trans-1,3-Dichloropropene		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Tetrachloroethylene (PCE)		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
1,1,2-Trichloroethane		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Ethyl methacrylate		ND	5.0	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Dibromochloromethane		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
1,3-Dichloropropane		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
1,2-Dibromoethane (EDB)		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
2-Hexanone		ND	5.0	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Ethylbenzene		240	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Chlorobenzene		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
1,1,2-Tetrachloroethane		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B-10 GW

CD18037-16 (Ground Water)

Sampled: 04/17/16 18:40

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Volatile Organics									
m,p-Xylene		ND	5.0	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
o-Xylene		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Styrene		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Bromoform		ND	5.0	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Isopropylbenzene		510	5.0	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
trans-1,4-Dichloro-2-butene		ND	25	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Bromobenzene		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
n-Propylbenzene		1400	100	µg/L	100	U6D2105	04/21/16	04/22/16	EPA 8260B
1,1,2,2-Tetrachloroethane		ND	5.0	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
1,3,5-Trimethylbenzene		570	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
2-Chlorotoluene		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
1,2,3-Trichloropropane (123TCP)		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
4-Chlorotoluene		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
tert-Butylbenzene		66	5.0	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
1,2,4-Trimethylbenzene		3100	100	µg/L	100	U6D2105	04/21/16	04/22/16	EPA 8260B
sec-Butylbenzene		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
p-Isopropyltoluene		310	5.0	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
1,3-Dichlorobenzene		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
1,4-Dichlorobenzene		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
n-Butylbenzene		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Hexachloroethane		ND	5.0	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
1,2-Dichlorobenzene		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
1,2-Dibromo-3-chloropropane (DBCP)		ND	25	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
1,2,4-Trichlorobenzene		ND	5.0	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Hexachlorobutadiene		ND	5.0	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Naphthalene		730	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
1,2,3-Trichlorobenzene		ND	2.5	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Xylenes		ND	10	µg/L	5	U6D2105	04/21/16	04/22/16	EPA 8260B
Surrogate: 4-Bromofluorobenzene		100 %	70-130			U6D2105	04/21/16	04/22/16	EPA 8260B
Surrogate: Dibromofluoromethane		108 %	70-130			U6D2105	04/21/16	04/22/16	EPA 8260B
Surrogate: Toluene-d8		102 %	70-130			U6D2105	04/21/16	04/22/16	EPA 8260B
Gasoline (C6-C10)		21000	2500	µg/L	50	U6D2106	04/21/16	04/21/16	EPA 8015B
Surrogate: 4-Bromofluorobenzene (FID)	S02	201 %	70-130			U6D2106	04/21/16	04/21/16	EPA 8015B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division

2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA

Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B-12 GW

CD18037-17 (Ground Water)

Sampled: 04/17/16 20:00

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Metals - Dissolved									
Antimony		1.3	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Arsenic		2.3	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Barium		1300	10	µg/L	10	U6D2203	04/25/16	05/04/16	EPA 200.8
Beryllium		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Cadmium		ND	0.20	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Chromium		1.5	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Cobalt		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Copper		ND	2.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Lead		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Mercury		ND	0.20	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Molybdenum		17	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Nickel		4.0	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Selenium		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Silver		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Thallium		ND	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Vanadium		2.5	1.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Zinc		ND	5.0	µg/L	1	U6D2203	04/25/16	04/26/16	EPA 200.8
Semi-Volatile Organics									
Naphthalene		67	0.25	µg/L	5	U6D1902	04/19/16	04/28/16	EPA 8270C
Acenaphthylene		0.46	0.050	µg/L	1	U6D1902	04/19/16	04/28/16	EPA 8270C
Acenaphthene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/28/16	EPA 8270C
Fluorene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/28/16	EPA 8270C
Phenanthrene		1.5	0.050	µg/L	1	U6D1902	04/19/16	04/28/16	EPA 8270C
Anthracene		0.29	0.050	µg/L	1	U6D1902	04/19/16	04/28/16	EPA 8270C
Fluoranthene		0.33	0.050	µg/L	1	U6D1902	04/19/16	04/28/16	EPA 8270C
Pyrene		1.5	0.050	µg/L	1	U6D1902	04/19/16	04/28/16	EPA 8270C
Benzo (a) anthracene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/28/16	EPA 8270C
Chrysene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/28/16	EPA 8270C
Benzo (b) fluoranthene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/28/16	EPA 8270C
Benzo (k) fluoranthene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/28/16	EPA 8270C
Benzo (a) pyrene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/28/16	EPA 8270C
Indeno(1,2,3-cd)pyrene		0.10	0.050	µg/L	1	U6D1902	04/19/16	04/28/16	EPA 8270C
Dibenzo(a,h)anthracene		ND	0.050	µg/L	1	U6D1902	04/19/16	04/28/16	EPA 8270C

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B-12 GW

CD18037-17 (Ground Water) Sampled: 04/17/16 20:00

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Semi-Volatile Organics									
Benzo(ghi)perylene		0.29	0.050	µg/L	1	U6D1902	04/19/16	04/28/16	EPA 8270C
Surrogate: Nitrobenzene-d5		44.2 %	41-110			U6D1902	04/19/16	04/28/16	EPA 8270C
Surrogate: 2-Fluorobiphenyl	S02	30.6 %	40-92			U6D1902	04/19/16	04/28/16	EPA 8270C
Surrogate: d14-Terphenyl		62.1 %	44-131			U6D1902	04/19/16	04/28/16	EPA 8270C
Diesel		11000	5400	µg/L	100	U6D2103	04/21/16	04/22/16	EPA 8015B
Surrogate: o-Terphenyl	S02	313 %	34-150			U6D2103	04/21/16	04/22/16	EPA 8015B
Motor Oil		16000	11000	µg/L	100	U6D2103	04/21/16	04/22/16	EPA 8015B
Volatile Organics									
Dichlorodifluoromethane (CFC-12)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Chloromethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Vinyl chloride		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Bromomethane		ND	1.0	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Chloroethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Trichlorofluoromethane (CFC-11)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Ethanol		ND	50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Trichlorotrifluoroethane (CFC-113)		ND	1.0	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
1,1-Dichloroethene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Carbon disulfide		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Iodomethane		ND	1.0	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Acrolein		ND	10	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Methylene chloride		ND	1.0	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Acetone		ND	10	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
trans-1,2-Dichloroethene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
tert-Butyl alcohol (TBA)		ND	20	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Methyl tert-Butyl Ether (MTBE)		ND	1.0	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Acetonitrile		ND	10	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Di-isopropyl ether (DIPE)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
1,1-Dichloroethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Acrylonitrile		ND	5.0	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Ethyl tert-Butyl Ether (ETBE)		ND	1.0	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Vinyl acetate		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
cis-1,2-Dichloroethene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division

2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA

Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B-12 GW

CD18037-17 (Ground Water)

Sampled: 04/17/16 20:00

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Volatile Organics									
2,2-Dichloropropane		ND	1.0	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Bromochloromethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Chloroform		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Carbon tetrachloride		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
2-Butanone (MEK)		ND	10	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
1,1,1-Trichloroethane (TCA)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
1,1-Dichloropropene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Isobutyl alcohol		ND	20	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Propionitrile		ND	10	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Tert-Amyl Methyl Ether (TAME)		ND	1.0	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Benzene		5.6	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Methacrylonitrile		ND	5.0	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
1,2-Dichloroethane (1,2-DCA)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Trichloroethylene (TCE)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Dibromomethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
1,2-Dichloropropane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Bromodichloromethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Methyl Methacrylate		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
2-Chloroethylvinyl ether		ND	1.0	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
cis-1,3-Dichloropropene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Toluene		2.0	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
4-Methyl-2-pentanone (MIBK)		ND	1.0	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
trans-1,3-Dichloropropene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Tetrachloroethene (PCE)		0.81	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
1,1,2-Trichloroethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Ethyl methacrylate		ND	1.0	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Dibromochloromethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
1,3-Dichloropropane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
1,2-Dibromoethane (EDB)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
2-Hexanone		ND	1.0	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Ethylbenzene		83	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Chlorobenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
1,1,1,2-Tetrachloroethane		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

B-12 GW

CD18037-17 (Ground Water)

Sampled: 04/17/16 20:00

Analyte	Notes.	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Volatile Organics									
m,p-Xylene		ND	1.0	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
o-Xylene		1.3	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Styrene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Bromoform		ND	1.0	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Isopropylbenzene		39	1.0	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
trans-1,4-Dichloro-2-butene		ND	5.0	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Bromobenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
n-Propylbenzene		76	1.0	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
1,1,2,2-Tetrachloroethane		ND	1.0	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
1,3,5-Trimethylbenzene		4.2	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
2-Chlorotoluene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
1,2,3-Trichloropropane (123TCP)		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
4-Chlorotoluene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
tert-Butylbenzene		4.5	1.0	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
1,2,4-Trimethylbenzene		16	1.0	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
sec-Butylbenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
p-Isopropyltoluene		6.6	1.0	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
1,3-Dichlorobenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
1,4-Dichlorobenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
n-Butylbenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Hexachloroethane		ND	1.0	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
1,2-Dichlorobenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
1,2-Dibromo-3-chloropropane (DBCP)		ND	5.0	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
1,2,4-Trichlorobenzene		ND	1.0	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Hexachlorobutadiene		ND	1.0	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Naphthalene		81	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
1,2,3-Trichlorobenzene		ND	0.50	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Xylenes		ND	2.0	µg/L	1	U6D2105	04/21/16	04/22/16	EPA 8260B
Surrogate: 4-Bromofluorobenzene		94.0 %	70-130			U6D2105	04/21/16	04/22/16	EPA 8260B
Surrogate: Dibromofluoromethane		104 %	70-130			U6D2105	04/21/16	04/22/16	EPA 8260B
Surrogate: Toluene-d8		100 %	70-130			U6D2105	04/21/16	04/22/16	EPA 8260B
Gasoline (C6-C10)		3600	250	µg/L	5	U6D2106	04/21/16	04/21/16	EPA 8015B
Surrogate: 4-Bromofluorobenzene (FID)	S02	132 %	70-130			U6D2106	04/21/16	04/21/16	EPA 8015B

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division

2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA

Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

Notes and Definitions

S02 Surrogate recovery was affected by the matrix.

RPD The RPD result exceeded the QC control limits. However, both percent recoveries were acceptable.

MS3 Recovery for this analyte was biased low; associated blank spike recoveries are within range.

MS1 Recovery for this analyte was affected by matrix.

AS Heavier hydrocarbon than gasoline

AK Lighter hydrocarbon than diesel

AJ Heavier hydrocarbon than diesel

A3 Lighter hydrocarbon than motor oil

* Blank contamination was due to single peak, which was not present in samples or spikes.

ug/L micrograms per liter (parts per billion concentration units)

mg/kg milligrams per kilogram (parts per million concentration units)

mg/L milligrams per Liter (parts per million concentration units)

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

Analysis of pH, filtration, and residual chlorine is to take place immediately after sampling in the field.
If the test was performed in the laboratory, the hold time was exceeded.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

Metals - Totals - Quality Control

Analyte	Result	Reporting Limit	Spike Units	Source Level	%REC Result	%REC Limits	RPD RPD	Notes Limit
---------	--------	-----------------	-------------	--------------	-------------	-------------	---------	-------------

Batch U6D1705 - EPA 6010B

Blank (U6D1705-BLK1)				Prepared & Analyzed: 04/24/16				
Selenium	ND	5.0	mg/kg					
Arsenic	ND	2.0	mg/kg					
Vanadium	ND	2.5	mg/kg					
Beryllium	ND	0.40	mg/kg					
Cadmium	ND	0.40	mg/kg					
Thallium	ND	5.0	mg/kg					
Antimony	ND	2.0	mg/kg					
Barium	ND	2.0	mg/kg					
Chromium	ND	2.0	mg/kg					
Silver	ND	2.0	mg/kg					
Cobalt	ND	0.80	mg/kg					
Lead	ND	2.0	mg/kg					
Copper	ND	2.0	mg/kg					
Nickel	ND	2.0	mg/kg					
Molybdenum	ND	2.0	mg/kg					
Zinc	ND	2.0	mg/kg					

LCS (U6D1705-BS1)				Prepared & Analyzed: 04/24/16				
Thallium	85.8	5.0	mg/kg	80.0	107	75-125		20
Barium	40.7	2.0	mg/kg	40.0	102	75-125		20
Vanadium	40.6	2.5	mg/kg	40.0	101	75-125		20
Molybdenum	20.8	2.0	mg/kg	20.0	104	75-125		20
Beryllium	4.11	0.40	mg/kg	4.00	103	75-125		20
Selenium	71.8	5.0	mg/kg	80.0	89.8	75-125		20
Cadmium	4.03	0.40	mg/kg	4.00	101	75-125		20
Cobalt	8.40	0.80	mg/kg	8.00	105	75-125		20
Nickel	20.7	2.0	mg/kg	20.0	103	75-125		20
Silver	21.3	2.0	mg/kg	20.0	107	75-125		20
Copper	20.0	2.0	mg/kg	20.0	100	75-125		20
Chromium	20.2	2.0	mg/kg	20.0	101	75-125		20
Lead	19.3	2.0	mg/kg	20.0	96.7	70-130		20
Antimony	18.2	2.0	mg/kg	20.0	90.9	75-125		20
Zinc	19.4	2.0	mg/kg	20.0	96.9	75-125		20
Arsenic	43.2	2.0	mg/kg	40.0	108	75-125		20

LCS Dup (U6D1705-BSD1)	Prepared & Analyzed: 04/24/16				
Moore Twining Associates, Inc.					

Moore Twining Associates, Inc.
Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division

2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA

Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

Metals - Totals - Quality Control

Analyte	Result	Reporting Limit	Spike Units	Source Level	%REC Result	%REC Limits	RPD	Notes RPD Limit
---------	--------	-----------------	-------------	--------------	-------------	-------------	-----	-----------------

Batch U6D1705 - EPA 6010B

LCS Dup (U6D1705-BSD1)

	Prepared & Analyzed: 04/24/16							
Chromium	20.0	2.0	mg/kg	20.0	100	75-125	0.655	20
Beryllium	4.07	0.40	mg/kg	4.00	102	75-125	0.993	20
Selenium	72.1	5.0	mg/kg	80.0	90.1	75-125	0.326	20
Nickel	20.8	2.0	mg/kg	20.0	104	75-125	0.251	20
Antimony	18.3	2.0	mg/kg	20.0	91.6	75-125	0.814	20
Vanadium	40.2	2.5	mg/kg	40.0	100	75-125	0.934	20
Cobalt	8.33	0.80	mg/kg	8.00	104	75-125	0.740	20
Silver	21.1	2.0	mg/kg	20.0	106	75-125	0.990	20
Copper	19.7	2.0	mg/kg	20.0	98.5	75-125	1.47	20
Barium	40.2	2.0	mg/kg	40.0	101	75-125	1.08	20
Molybdenum	20.7	2.0	mg/kg	20.0	104	75-125	0.515	20
Cadmium	4.02	0.40	mg/kg	4.00	100	75-125	0.309	20
Lead	19.2	2.0	mg/kg	20.0	95.8	70-130	0.984	20
Thallium	85.1	5.0	mg/kg	80.0	106	75-125	0.768	20
Zinc	19.2	2.0	mg/kg	20.0	96.1	75-125	0.848	20
Arsenic	43.0	2.0	mg/kg	40.0	108	75-125	0.450	20

Matrix Spike (U6D1705-MS1)

	Source: CD13005-01 Prepared & Analyzed: 04/24/16							
Selenium	73.2	5.0	mg/kg	80.5	0.391	90.5	75-125	20
Cadmium	3.85	0.40	mg/kg	4.02	ND	95.6	75-125	20
Zinc	58.8	2.0	mg/kg	20.1	37.1	108	75-125	20
Beryllium	4.15	0.40	mg/kg	4.02	0.248	97.0	75-125	20
Silver	21.1	2.0	mg/kg	20.1	ND	105	75-125	20
Thallium	85.5	5.0	mg/kg	80.5	ND	106	75-125	20
Antimony	6.65	2.0	mg/kg	20.1	0.437	30.9	75-125	20
Vanadium	91.2	2.5	mg/kg	40.2	50.7	101	75-125	20
Arsenic	41.8	2.0	mg/kg	40.2	1.13	101	75-125	20
Cobalt	20.3	0.80	mg/kg	8.05	12.9	91.9	75-125	20
Lead	21.8	2.0	mg/kg	20.1	3.61	90.3	70-130	20
Copper	41.8	2.0	mg/kg	20.1	20.8	105	75-125	20
Barium	146	2.0	mg/kg	40.2	105	101	75-125	20
Molybdenum	18.0	2.0	mg/kg	20.1	ND	89.7	75-125	20
Nickel	43.0	2.0	mg/kg	20.1	21.3	108	75-125	20
Chromium	50.1	2.0	mg/kg	20.1	28.0	110	75-125	20

Matrix Spike (U6D1705-MS2)

Source: CD18037-08 Prepared & Analyzed: 04/24/16

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

Metals - Totals - Quality Control

Analyte	Result	Reporting Limit	Spike Units	Source Level	%REC Result	%REC Limits	RPD RPD	Notes
---------	--------	-----------------	-------------	--------------	-------------	-------------	---------	-------

Batch U6D1705 - EPA 6010B

Matrix Spike (U6D1705-MS2)	Source: CD18037-08		Prepared & Analyzed: 04/24/16					
Molybdenum	18.7	2.0	mg/kg	19.9	ND	93.8	75-125	20
Silver	20.7	2.0	mg/kg	19.9	ND	104	75-125	20
Zinc	40.4	2.0	mg/kg	19.9	20.6	99.3	75-125	20
Lead	21.8	2.0	mg/kg	19.9	3.89	90.1	70-130	20
Cobalt	11.8	0.80	mg/kg	7.96	4.24	95.4	75-125	20
Nickel	48.3	2.0	mg/kg	19.9	32.0	82.0	75-125	20
Copper	25.8	2.0	mg/kg	19.9	6.31	98.2	75-125	20
Arsenic	42.2	2.0	mg/kg	39.8	2.04	101	75-125	20
Selenium	71.8	5.0	mg/kg	79.6	ND	90.2	75-125	20
Chromium	61.0	2.0	mg/kg	19.9	41.3	99.3	75-125	20
Thallium	84.1	5.0	mg/kg	79.6	ND	106	75-125	20
Antimony	8.29	2.0	mg/kg	19.9	ND	41.7	75-125	20 MS3
Barium	87.0	2.0	mg/kg	39.8	42.6	112	75-125	20
Vanadium	70.2	2.5	mg/kg	39.8	31.2	97.9	75-125	20
Beryllium	4.07	0.40	mg/kg	3.98	0.184	97.6	75-125	20
Cadmium	3.84	0.40	mg/kg	3.98	0.0515	95.3	75-125	20

Matrix Spike Dup (U6D1705-MSD1)	Source: CD13005-01		Prepared & Analyzed: 04/24/16					
Nickel	42.1	2.0	mg/kg	20.2	21.3	103	75-125	2.20
Molybdenum	18.0	2.0	mg/kg	20.2	ND	89.2	75-125	0.161
Lead	21.9	2.0	mg/kg	20.2	3.61	90.4	70-130	0.316
Beryllium	4.24	0.40	mg/kg	4.04	0.248	99.0	75-125	2.15
Chromium	48.7	2.0	mg/kg	20.2	28.0	103	75-125	2.81
Zinc	58.0	2.0	mg/kg	20.2	37.1	104	75-125	1.32
Arsenic	42.0	2.0	mg/kg	40.4	1.13	101	75-125	0.317
Silver	21.2	2.0	mg/kg	20.2	ND	105	75-125	0.367
Cobalt	19.3	0.80	mg/kg	8.07	12.9	79.9	75-125	4.79
Copper	40.6	2.0	mg/kg	20.2	20.8	98.1	75-125	3.07
Selenium	72.7	5.0	mg/kg	80.7	0.391	89.6	75-125	0.713
Barium	141	2.0	mg/kg	40.4	105	88.8	75-125	3.34
Cadmium	3.83	0.40	mg/kg	4.04	ND	94.8	75-125	0.562
Vanadium	89.6	2.5	mg/kg	40.4	50.7	96.5	75-125	1.77
Thallium	85.3	5.0	mg/kg	80.7	ND	106	75-125	0.219
Antimony	6.79	2.0	mg/kg	20.2	0.437	31.5	75-125	2.16

Matrix Spike Dup (U6D1705-MSD2)	Source: CD18037-08		Prepared & Analyzed: 04/24/16					
Moore Twining Associates, Inc.								



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

Metals - Totals - Quality Control

Analyte	Result	Reporting Limit	Spike Units	Source Level	%REC Result	%REC Limits	RPD	Notes RPD	Limit
---------	--------	-----------------	-------------	--------------	-------------	-------------	-----	-----------	-------

Batch U6D1705 - EPA 6010B

Matrix Spike Dup (U6D1705-MSD2)	Source: CD18037-08		Prepared & Analyzed: 04/24/16						
Beryllium	4.11	0.40	mg/kg	4.01	0.184	98.0	75-125	1.15	20
Molybdenum	19.0	2.0	mg/kg	20.0	ND	94.6	75-125	1.64	20
Barium	81.5	2.0	mg/kg	40.1	42.6	96.9	75-125	6.60	20
Arsenic	41.5	2.0	mg/kg	40.1	2.04	98.4	75-125	1.71	20
Zinc	39.7	2.0	mg/kg	20.0	20.6	95.3	75-125	1.63	20
Chromium	59.6	2.0	mg/kg	20.0	41.3	91.4	75-125	2.37	20
Vanadium	70.5	2.5	mg/kg	40.1	31.2	98.0	75-125	0.473	20
Copper	26.4	2.0	mg/kg	20.0	6.31	100	75-125	2.01	20
Nickel	50.2	2.0	mg/kg	20.0	32.0	90.9	75-125	3.89	20
Cobalt	11.8	0.80	mg/kg	8.02	4.24	93.8	75-125	0.570	20
Lead	22.0	2.0	mg/kg	20.0	3.89	90.6	70-130	1.05	20
Thallium	85.3	5.0	mg/kg	80.2	ND	106	75-125	1.43	20
Cadmium	3.92	0.40	mg/kg	4.01	0.0515	96.5	75-125	2.00	20
Selenium	73.2	5.0	mg/kg	80.2	ND	91.3	75-125	1.98	20
Antimony	9.20	2.0	mg/kg	20.0	ND	45.9	75-125	10.4	20
Silver	21.1	2.0	mg/kg	20.0	ND	105	75-125	2.16	20

Batch U6D2210 - EPA 7471A

Blank (U6D2210-BLK1)	Prepared & Analyzed: 04/25/16							
Mercury	ND	0.040	mg/kg					
LCS (U6D2210-BS1)	Prepared & Analyzed: 04/25/16							
Mercury	0.990	0.040	mg/kg	1.00	99.0	70-130	20	
LCS Dup (U6D2210-BSD1)	Prepared & Analyzed: 04/25/16							
Mercury	0.994	0.040	mg/kg	1.00	99.4	70-130	0.388	
Matrix Spike (U6D2210-MS1)	Source: CD20047-01		Prepared & Analyzed: 04/25/16					
Mercury	0.331	0.013	mg/kg	0.333	ND	99.2	70-130	20
Matrix Spike (U6D2210-MS2)	Source: CD21035-01		Prepared & Analyzed: 04/25/16					
Mercury	0.333	0.013	mg/kg	0.331	0.0125	96.7	70-130	20
Matrix Spike Dup (U6D2210-MSD1)	Source: CD20047-01		Prepared & Analyzed: 04/25/16					
Mercury	0.333	0.013	mg/kg	0.333	ND	100	70-130	0.780
Matrix Spike Dup (U6D2210-MSD2)	Source: CD21035-01		Prepared & Analyzed: 04/25/16					
Mercury	0.342	0.013	mg/kg	0.331	0.0125	99.5	70-130	2.75

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

Metals - Dissolved - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	RPD Limits	RPD	Notes
---------	--------	-----------------	-------	-------------	---------------	-----------	------------	-----	-------

Batch U6D2203 - EPA 200.8

Blank (U6D2203-BLK1)

Prepared: 04/25/16 Analyzed: 04/26/16

Vanadium	ND	1.0	µg/L						
Thallium	ND	1.0	µg/L						
Antimony	ND	1.0	µg/L						
Lead	ND	1.0	µg/L						
Nickel	ND	1.0	µg/L						
Arsenic	ND	1.0	µg/L						
Molybdenum	ND	1.0	µg/L						
Mercury	ND	0.20	µg/L						
Barium	ND	1.0	µg/L						
Copper	ND	2.0	µg/L						
Chromium	ND	1.0	µg/L						
Cobalt	ND	1.0	µg/L						
Silver	ND	1.0	µg/L						
Beryllium	ND	1.0	µg/L						
Cadmium	ND	0.20	µg/L						
Selenium	ND	1.0	µg/L						
Zinc	ND	5.0	µg/L						

LCS (U6D2203-BS1)

Prepared: 04/25/16 Analyzed: 04/26/16

Mercury	0.964	0.20	µg/L	1.00	96.4	80-115	20
Nickel	49.6	1.0	µg/L	50.0	99.1	85-115	20
Barium	51.0	1.0	µg/L	50.0	102	85-115	20
Lead	50	1.0	µg/L	50.0	99.6	85-115	20
Molybdenum	49.5	1.0	µg/L	50.0	99.0	85-115	20
Copper	49.0	2.0	µg/L	50.0	98.0	85-115	20
Arsenic	51.7	1.0	µg/L	50.0	103	85-115	20
Cobalt	48.4	1.0	µg/L	50.0	96.9	85-115	20
Beryllium	49.6	1.0	µg/L	50.0	99.2	85-115	20
Vanadium	50.5	1.0	µg/L	50.0	101	85-115	20
Antimony	50.8	1.0	µg/L	50.0	102	85-115	20
Selenium	53.4	1.0	µg/L	50.0	107	85-115	20
Zinc	50.9	5.0	µg/L	50.0	102	85-115	20
Silver	49.1	1.0	µg/L	50.0	98.3	85-115	20
Cadmium	49.5	0.20	µg/L	50.0	99.0	85-115	20
Chromium	51.4	1.0	µg/L	50.0	103	85-115	20



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division

2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA

Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

Metals - Dissolved - Quality Control

Analyte	Result	Reporting Limit	Spike Units	Source Level	%REC Result	%REC Limits	RPD	Notes RPD Limit
---------	--------	-----------------	-------------	--------------	-------------	-------------	-----	-----------------

Batch U6D2203 - EPA 200.8

LCS (U6D2203-BS1)	Prepared: 04/25/16 Analyzed: 04/26/16						
Thallium	50	1.0	µg/L	50.0	100	85-115	20

LCS Dup (U6D2203-BSD1)	Prepared: 04/25/16 Analyzed: 04/26/16						
Chromium	50.2	1.0	µg/L	50.0	100	85-115	2.26
Arsenic	50.4	1.0	µg/L	50.0	101	85-115	2.54
Cadmium	49.2	0.20	µg/L	50.0	98.4	85-115	0.628
Thallium	50	1.0	µg/L	50.0	99.0	85-115	0.934
Barium	50.4	1.0	µg/L	50.0	101	85-115	1.14
Molybdenum	48.9	1.0	µg/L	50.0	97.9	85-115	1.18
Mercury	0.979	0.20	µg/L	1.00	97.9	80-115	1.47
Silver	49.0	1.0	µg/L	50.0	98.1	85-115	0.188
Beryllium	48.3	1.0	µg/L	50.0	96.6	85-115	2.66
Selenium	52.8	1.0	µg/L	50.0	106	85-115	1.15
Cobalt	47.5	1.0	µg/L	50.0	94.9	85-115	2.03
Zinc	50.1	5.0	µg/L	50.0	100	85-115	1.50
Vanadium	50.5	1.0	µg/L	50.0	101	85-115	0.00145
Nickel	48.6	1.0	µg/L	50.0	97.2	85-115	1.94
Copper	48.6	2.0	µg/L	50.0	97.1	85-115	0.956
Antimony	49.6	1.0	µg/L	50.0	99.3	85-115	2.33
Lead	49	1.0	µg/L	50.0	98.4	85-115	1.21

Matrix Spike (U6D2203-MS1)	Source: CD18037-13 Prepared: 04/25/16 Analyzed: 04/26/16						
Mercury	0.969	0.20	µg/L	1.00	ND	96.9	70-125
Barium	74	1.0	µg/L	50.0	23	101	70-130
Lead	48	1.0	µg/L	50.0	0.045	96.2	70-130
Antimony	53	1.0	µg/L	50.0	0.13	107	70-130
Arsenic	53	1.0	µg/L	50.0	ND	106	70-130
Beryllium	51	1.0	µg/L	50.0	ND	102	70-130
Copper	49	2.0	µg/L	50.0	1.9	93.5	70-130
Cadmium	52	0.20	µg/L	50.0	0.017	103	70-130
Cobalt	47.8	1.0	µg/L	50.0	0.865	93.9	70-130
Chromium	53	1.0	µg/L	50.0	4.3	97.3	70-130
Thallium	48	1.0	µg/L	50.0	ND	96.9	70-130
Silver	50	1.0	µg/L	50.0	ND	100	75-125
Selenium	57	1.0	µg/L	50.0	0.78	112	70-130
Zinc	54	5.0	µg/L	50.0	2.3	103	75-125

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

Metals - Dissolved - Quality Control

Analyte	Result	Reporting Limit	Spikes Units	Source Level	%REC Result	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	--------------	--------------	-------------	-------------	-----	-----------	-------

Batch U6D2203 - EPA 200.8

Matrix Spike (U6D2203-MS1)	Source: CD18037-13	Prepared: 04/25/16	Analyzed: 04/26/16	
Nickel	58	1.0 µg/L	50.0	11 93.3
Vanadium	51	1.0 µg/L	50.0	1.9 98.9
Molybdenum	53	1.0 µg/L	50.0	2.0 102

Matrix Spike (U6D2203-MS2)	Source: CD20052-01	Prepared: 04/25/16	Analyzed: 04/26/16	
Beryllium	51	1.0 µg/L	50.0	ND 102
Selenium	56	1.0 µg/L	50.0	ND 112
Vanadium	60	1.0 µg/L	50.0	8.6 102
Antimony	52	1.0 µg/L	50.0	0.14 103
Cobalt	46.6	1.0 µg/L	50.0	0.0685 93.0
Arsenic	68	1.0 µg/L	50.0	16 104
Copper	49	2.0 µg/L	50.0	2.3 92.9
Cadmium	49	0.20 µg/L	50.0	0.011 98.9
Zinc	52	5.0 µg/L	50.0	0.66 103
Barium	79	1.0 µg/L	50.0	29 100
Chromium	50	1.0 µg/L	50.0	1.1 98.2
Lead	48	1.0 µg/L	50.0	0.16 96.3
Thallium	48	1.0 µg/L	50.0	ND 96.4
Mercury	1.14	0.20 µg/L	1.00	0.186 95.7
Nickel	47	1.0 µg/L	50.0	0.41 93.2
Molybdenum	55	1.0 µg/L	50.0	4.3 101
Silver	49	1.0 µg/L	50.0	ND 97.1

Matrix Spike Dup (U6D2203-MSD1)	Source: CD18037-13	Prepared: 04/25/16	Analyzed: 04/26/16	
Cobalt	46.9	1.0 µg/L	50.0	0.865 92.1
Vanadium	51	1.0 µg/L	50.0	1.9 98.7
Mercury	0.958	0.20 µg/L	1.00	ND 95.8
Molybdenum	53	1.0 µg/L	50.0	2.0 102
Beryllium	52	1.0 µg/L	50.0	ND 104
Selenium	57	1.0 µg/L	50.0	0.78 113
Cadmium	52	0.20 µg/L	50.0	0.017 103
Silver	49	1.0 µg/L	50.0	ND 97.0
Barium	73	1.0 µg/L	50.0	23 100
Lead	48	1.0 µg/L	50.0	0.045 96.2
Nickel	57	1.0 µg/L	50.0	11 91.8
Arsenic	53	1.0 µg/L	50.0	ND 105



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division

2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA

Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

Metals - Dissolved - Quality Control

Analyte	Result	Reporting Limit	Spikes Units	Source Level	%REC Result	%REC Limits	RPD	Notes RPD Limit
Batch U6D2203 - EPA 200.8								
Matrix Spike Dup (U6D2203-MSD1)								
Copper	49	2.0	µg/L	50.0	1.9	94.4	70-130	0.945 20
Thallium	48	1.0	µg/L	50.0	ND	96.6	70-130	0.343 20
Antimony	53	1.0	µg/L	50.0	0.13	105	70-130	1.41 20
Zinc	53	5.0	µg/L	50.0	2.3	102	75-125	0.493 20
Chromium	53	1.0	µg/L	50.0	4.3	97.7	70-130	0.321 20
Matrix Spike Dup (U6D2203-MSD2)								
Silver	48	1.0	µg/L	50.0	ND	96.8	75-125	0.246 20
Chromium	50	1.0	µg/L	50.0	1.1	97.3	70-130	0.900 20
Thallium	48	1.0	µg/L	50.0	ND	95.5	70-130	0.951 20
Selenium	54	1.0	µg/L	50.0	ND	108	70-130	3.14 20
Barium	77	1.0	µg/L	50.0	29	96.8	70-130	2.25 20
Mercury	1.18	0.20	µg/L	1.00	0.186	98.9	70-125	2.80 20
Molybdenum	55	1.0	µg/L	50.0	4.3	101	70-130	0.565 20
Nickel	47	1.0	µg/L	50.0	0.41	92.2	75-125	1.06 20
Lead	48	1.0	µg/L	50.0	0.16	96.4	70-130	0.0904 20
Arsenic	67	1.0	µg/L	50.0	16	102	70-130	1.27 20
Antimony	52	1.0	µg/L	50.0	0.14	104	70-130	1.02 20
Copper	48	2.0	µg/L	50.0	2.3	91.2	70-130	1.74 20
Beryllium	50	1.0	µg/L	50.0	ND	100	70-130	2.11 20
Cadmium	50	0.20	µg/L	50.0	0.011	99.9	70-130	0.964 20
Vanadium	57	1.0	µg/L	50.0	8.6	96.7	70-130	4.48 20
Cobalt	45.6	1.0	µg/L	50.0	0.0685	91.0	70-130	2.17 20
Zinc	50	5.0	µg/L	50.0	0.66	98.9	75-125	4.27 20



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

Semi-Volatile Organics - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	%REC Limits	RPD RPD	Notes
---------	--------	-----------------	-------	-------------	---------------	-----------	-------------	---------	-------

Batch U6D1805 - EPA 8015B

Blank (U6D1805-BLK1)						Prepared & Analyzed: 04/19/16			
Surrogate: o-Terphenyl	1.56		mg/kg	2.00		77.8		11.8-130	
Diesel	ND		10	mg/kg					
Blank (U6D1805-BLK2)						Prepared & Analyzed: 04/19/16			
Surrogate: o-Terphenyl	1.48		mg/kg	2.00		74.1		11.8-130	
Motor Oil	ND		10	mg/kg					
LCS (U6D1805-BS1)						Prepared & Analyzed: 04/19/16			
Surrogate: o-Terphenyl	1.88		mg/kg	2.00		94.0		11.8-130	
Diesel	25.1		10	mg/kg	25.0	100		48-131	20
LCS (U6D1805-BS2)						Prepared & Analyzed: 04/19/16			
Surrogate: o-Terphenyl	1.61		mg/kg	2.00		80.5		11.8-130	
Motor Oil	23.3		10	mg/kg	25.0	93.0		62-132	20
LCS Dup (U6D1805-BSD1)						Prepared & Analyzed: 04/19/16			
Surrogate: o-Terphenyl	1.52		mg/kg	2.00		75.8		11.8-130	
Diesel	20.4		10	mg/kg	25.0	81.8		48-131	20.3
LCS Dup (U6D1805-BSD2)						Prepared & Analyzed: 04/19/16			
Surrogate: o-Terphenyl	1.65		mg/kg	2.00		82.4		11.8-130	
Motor Oil	26.2		10	mg/kg	25.0	105		62-132	11.7
Matrix Spike (U6D1805-MS1)						Source: CD18037-01 Prepared & Analyzed: 04/19/16			
Surrogate: o-Terphenyl	1.68		mg/kg	2.00		83.9		11.8-130	
Diesel	14.2		10	mg/kg	25.0	ND	56.7	48-131	20
Matrix Spike (U6D1805-MS2)						Source: CD18037-02 Prepared & Analyzed: 04/19/16			
Surrogate: o-Terphenyl	1.65		mg/kg	2.00		82.4		11.8-130	
Motor Oil	24.5		10	mg/kg	25.0	ND	98.2	48-131	20
Matrix Spike Dup (U6D1805-MSD1)						Source: CD18037-01 Prepared & Analyzed: 04/19/16			
Surrogate: o-Terphenyl	1.60		mg/kg	2.00		79.9		11.8-130	
Diesel	11.7		10	mg/kg	25.0	ND	46.7	48-131	19.4
Matrix Spike Dup (U6D1805-MSD2)						Source: CD18037-02 Prepared & Analyzed: 04/19/16			
Surrogate: o-Terphenyl	1.68		mg/kg	2.00		84.2		11.8-130	
Motor Oil	24.4		10	mg/kg	25.0	ND	97.5	48-131	0.674
Batch U6D1902 - EPA 8270C									

Blank (U6D1902-BLK1)

Prepared: 04/19/16 Analyzed: 04/20/16

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

Semi-Volatile Organics - Quality Control

Analyte	Result	Reporting Limit	Spiked Units	Source Level	%REC Result	%REC Limits	RPD	Notes RPD Limit
---------	--------	-----------------	--------------	--------------	-------------	-------------	-----	-----------------

Batch U6D1902 - EPA 8270C

Blank (U6D1902-BLK1)		Prepared: 04/19/16 Analyzed: 04/20/16					
Surrogate: Nitrobenzene-d5	39.4		µg/L	50.0	78.8	41-110	
Surrogate: 2-Fluorobiphenyl	37.4		µg/L	50.0	74.7	40-92	
Surrogate: d14-Terphenyl	38.8		µg/L	50.0	77.7	44-131	
Naphthalene	ND	5.0	µg/L				
Acenaphthylene	ND	5.0	µg/L				
Acenaphthene	ND	5.0	µg/L				
Fluorene	ND	5.0	µg/L				
Phenanthrene	ND	5.0	µg/L				
Anthracene	ND	5.0	µg/L				
Fluoranthene	ND	5.0	µg/L				
Pyrene	ND	5.0	µg/L				
Benzo (a) anthracene	ND	5.0	µg/L				
Chrysene	ND	5.0	µg/L				
Benzo (b) fluoranthene	ND	5.0	µg/L				
Benzo (k) fluoranthene	ND	5.0	µg/L				
Benzo (a) pyrene	ND	5.0	µg/L				
Indeno(1,2,3-cd)pyrene	ND	5.0	µg/L				
Dibenzo(a,h)anthracene	ND	5.0	µg/L				
Benzo(ghi)perylene	ND	5.0	µg/L				

LCS (U6D1902-BS1)		Prepared: 04/19/16 Analyzed: 04/20/16					
Surrogate: Nitrobenzene-d5	30.8		µg/L	50.0	61.7	41-110	
Surrogate: 2-Fluorobiphenyl	22.6		µg/L	50.0	45.3	40-92	
Surrogate: d14-Terphenyl	35.1		µg/L	50.0	70.2	44-131	
Acenaphthene	17.3	5.0	µg/L	25.0	69.1	47-145	20
Pyrene	15.8	5.0	µg/L	25.0	63.2	52-115	20

LCS Dup (U6D1902-BS1D)		Prepared: 04/19/16 Analyzed: 04/20/16					
Surrogate: Nitrobenzene-d5	36.0		µg/L	50.0	72.1	41-110	
Surrogate: 2-Fluorobiphenyl	36.2		µg/L	50.0	72.3	40-92	
Surrogate: d14-Terphenyl	38.1		µg/L	50.0	76.2	44-131	
Acenaphthene	18.5	5.0	µg/L	25.0	73.8	47-145	6.59
Pyrene	17.2	5.0	µg/L	25.0	68.7	52-115	8.46

Batch U6D2102 - EPA 8270C

Blank (U6D2102-BLK1)	Prepared: 04/21/16 Analyzed: 04/27/16					
----------------------	---------------------------------------	--	--	--	--	--

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

Semi-Volatile Organics - Quality Control

Analyte	Result	Reporting Limit	Spiked Units	Source Level	%REC Result	%REC Limits	RPD	Notes
---------	--------	-----------------	--------------	--------------	-------------	-------------	-----	-------

Batch U6D2102 - EPA 8270C

Blank (U6D2102-BLK1)		Prepared: 04/21/16 Analyzed: 04/27/16					
Surrogate: Nitrobenzene-d5	1.26		mg/kg	1.67	75.5	41-110	
Surrogate: 2-Fluorobiphenyl	1.33		mg/kg	1.67	79.7	40-92	
Surrogate: d14-Terphenyl	1.70		mg/kg	1.67	102	44-131	
Acenaphthylene	ND	0.020	mg/kg				
Acenaphthene	ND	0.020	mg/kg				
Fluorene	ND	0.020	mg/kg				
Naphthalene	ND	0.020	mg/kg				
Phenanthrene	ND	0.020	mg/kg				
Anthracene	ND	0.020	mg/kg				
Fluoranthene	ND	0.020	mg/kg				
Pyrene	ND	0.020	mg/kg				
Benzo (a) anthracene	ND	0.020	mg/kg				
Chrysene	ND	0.020	mg/kg				
Benzo (b) fluoranthene	ND	0.020	mg/kg				
Benzo (k) fluoranthene	ND	0.020	mg/kg				
Benzo (a) pyrene	ND	0.020	mg/kg				
Indeno(1,2,3-cd)pyrene	ND	0.020	mg/kg				
Dibenzo(a,h)anthracene	ND	0.020	mg/kg				
Benzo(ghi)perylene	ND	0.020	mg/kg				

LCS (U6D2102-BS1)		Prepared: 04/21/16 Analyzed: 04/27/16					
Surrogate: Nitrobenzene-d5	1.31		mg/kg	1.67	78.6	41-110	
Surrogate: 2-Fluorobiphenyl	1.36		mg/kg	1.67	81.8	40-92	
Surrogate: d14-Terphenyl	1.40		mg/kg	1.67	83.8	44-131	
Acenaphthene	0.658	0.020	mg/kg	0.833	79.0	47-145	20
Pyrene	0.641	0.020	mg/kg	0.833	76.9	52-115	20

LCS Dup (U6D2102-BSD1)		Prepared: 04/21/16 Analyzed: 04/27/16					
Surrogate: Nitrobenzene-d5	1.26		mg/kg	1.67	75.3	41-110	
Surrogate: 2-Fluorobiphenyl	1.28		mg/kg	1.67	77.1	40-92	
Surrogate: d14-Terphenyl	1.40		mg/kg	1.67	83.8	44-131	
Acenaphthene	0.621	0.020	mg/kg	0.833	74.5	47-145	5.85
Pyrene	0.630	0.020	mg/kg	0.833	75.6	52-115	1.79

Matrix Spike (U6D2102-MS1)		Source: CD18037-01 Prepared: 04/21/16 Analyzed: 04/28/16					
Surrogate: Nitrobenzene-d5	1.11		mg/kg	1.67	66.5	41-110	
Surrogate: 2-Fluorobiphenyl	1.14		mg/kg	1.67	68.3	40-92	

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division

2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA

Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

Semi-Volatile Organics - Quality Control

Analyte	Result	Reporting Limit	Spike Units	Source Level	%REC Result	%REC Limits	RPD RPD	Notes Limit
---------	--------	-----------------	-------------	--------------	-------------	-------------	---------	-------------

Batch U6D2102 - EPA 8270C

Matrix Spike (U6D2102-MS1)		Source: CD18037-01 Prepared: 04/21/16 Analyzed: 04/28/16						
Surrogate: d14-Terphenyl	2.34		mg/kg	1.67	141	44-131		MSI
Acenaphthene	0.589	0.020	mg/kg	0.833	ND	70.6	47-145	20
Pyrene	1.04	0.020	mg/kg	0.833	ND	125	52-115	20 MS1
Matrix Spike Dup (U6D2102-MSD1)		Source: CD18037-01 Prepared: 04/21/16 Analyzed: 04/28/16						
Surrogate: Nitrobenzene-d5	1.24		mg/kg	1.67	74.5	41-110		
Surrogate: 2-Fluorobiphenyl	1.40		mg/kg	1.67	84.1	40-92		
Surrogate: d14-Terphenyl	2.39		mg/kg	1.67	143	44-131		MSI
Acenaphthene	0.635	0.020	mg/kg	0.833	ND	76.2	47-145	7.63 20
Pyrene	1.14	0.020	mg/kg	0.833	ND	137	52-115	9.54 20 MS1

Batch U6D2103 - EPA 8015B

Blank (U6D2103-BLK1)		Prepared & Analyzed: 04/21/16					
Surrogate: o-Terphenyl	34.1		µg/L	40.0	85.3	34-150	
Diesel	ND	50	µg/L				
Blank (U6D2103-BLK2)		Prepared & Analyzed: 04/21/16					
Surrogate: o-Terphenyl	32.7		µg/L	40.0	81.8	0-200	
Motor Oil	231	100	µg/L				*
LCS (U6D2103-BS1)		Prepared & Analyzed: 04/21/16					
Surrogate: o-Terphenyl	41.7		µg/L	40.0	104	34-150	
Diesel	502	50	µg/L	500	100	70-130	20
LCS (U6D2103-BS2)		Prepared & Analyzed: 04/21/16					
Surrogate: o-Terphenyl	34.8		µg/L	40.0	86.9	62-132	
Motor Oil	502	100	µg/L	500	100	62-132	20
LCS Dup (U6D2103-BSD1)		Prepared & Analyzed: 04/21/16					
Surrogate: o-Terphenyl	41.6		µg/L	40.0	104	34-150	
Diesel	489	50	µg/L	500	97.9	70-130	2.56 20
LCS Dup (U6D2103-BSD2)		Prepared & Analyzed: 04/21/16					
Surrogate: o-Terphenyl	26.2		µg/L	40.0	65.4	62-132	
Motor Oil	378	100	µg/L	500	75.5	62-132	28.2 20 RPD

Batch U6D2209 - EPA 8082

Blank (U6D2209-BLK1)		Prepared & Analyzed: 04/22/16					
Surrogate: Tetrachloro-meta-xylene (TMX)	0.0350		mg/kg	0.0500	70.0	20.6-119	

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

Semi-Volatile Organics - Quality Control

Analyte	Result	Reporting Limit	Spikes Units	Source Level	%REC Result	%REC Limits	RPD	Notes RPD Limit
---------	--------	-----------------	--------------	--------------	-------------	-------------	-----	-----------------

Batch U6D2209 - EPA 8082

Blank (U6D2209-BLK1)		Prepared & Analyzed: 04/22/16						
Surrogate: Decachlorobiphenyl (DCB)	0.0550		mg/kg	0.0500	110	17.2-156		
PCB-1016	ND	0.050	mg/kg					
PCB-1221	ND	0.050	mg/kg					
PCB-1232	ND	0.050	mg/kg					
PCB-1242	ND	0.050	mg/kg					
PCB-1248	ND	0.050	mg/kg					
PCB-1254	ND	0.050	mg/kg					
PCB-1260	ND	0.050	mg/kg					
Total PCBs	ND	0.050	mg/kg					
LCS (U6D2209-BS1)		Prepared & Analyzed: 04/22/16						
Surrogate: Tetrachloro-meta-xylene (TMX)	0.0350		mg/kg	0.0500	70.0	20.6-119		
Surrogate: Decachlorobiphenyl (DCB)	0.0550		mg/kg	0.0500	110	17.2-156		
PCB-1016	0.200	0.050	mg/kg	0.250	80.2	45-117	20	
PCB-1260	0.217	0.050	mg/kg	0.250	86.8	45-117	20	
LCS Dup (U6D2209-BSD1)		Prepared & Analyzed: 04/22/16						
Surrogate: Tetrachloro-meta-xylene (TMX)	0.0200		mg/kg	0.0500	40.0	20.6-119		
Surrogate: Decachlorobiphenyl (DCB)	0.0500		mg/kg	0.0500	100	17.2-156		
PCB-1016	0.162	0.050	mg/kg	0.250	64.6	45-117	21.5	
PCB-1260	0.196	0.050	mg/kg	0.250	78.6	45-117	9.92	
Matrix Spike (U6D2209-MS1)		Source: CD20047-01	Prepared & Analyzed: 04/22/16					
Surrogate: Tetrachloro-meta-xylene (TMX)	0.0200		mg/kg	0.0500	40.0	20.6-119		
Surrogate: Decachlorobiphenyl (DCB)	0.0500		mg/kg	0.0500	100	17.2-156		
PCB-1016	0.196	0.050	mg/kg	0.250	ND	78.4	45-117	
PCB-1260	0.220	0.050	mg/kg	0.250	ND	87.8	45-117	
Matrix Spike Dup (U6D2209-MSD1)		Source: CD20047-01	Prepared & Analyzed: 04/22/16					
Surrogate: Tetrachloro-meta-xylene (TMX)	0.0250		mg/kg	0.0500	50.0	20.6-119		
Surrogate: Decachlorobiphenyl (DCB)	0.0450		mg/kg	0.0500	90.0	17.2-156		
PCB-1016	0.189	0.050	mg/kg	0.250	ND	75.6	45-117	
PCB-1260	0.206	0.050	mg/kg	0.250	ND	82.4	45-117	



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

Volatile Organics - Quality Control

Analyte	Result	Reporting Limit	Spikes Units	Source Level	%REC Result	%REC Limits	RPD	Notes RPD Limit
---------	--------	-----------------	--------------	--------------	-------------	-------------	-----	-----------------

Batch U6D1905 - EPA 8015B

Blank (U6D1905-BLK1)		Prepared & Analyzed: 04/19/16					
Surrogate: 4-Bromofluorobenzene (FID)	0.0606		mg/kg	0.0625		97.0	70-130
Gasoline (C6-C10)	ND	1.0	mg/kg				
LCS (U6D1905-BS1)		Prepared & Analyzed: 04/19/16					
Surrogate: 4-Bromofluorobenzene (FID)	0.0624		mg/kg	0.0625		99.8	70-130
Gasoline (C6-C10)	2.75	1.0	mg/kg	2.50		110	70-130
LCS Dup (U6D1905-BSD1)		Prepared & Analyzed: 04/19/16					
Surrogate: 4-Bromofluorobenzene (FID)	0.0638		mg/kg	0.0625		102	70-130
Gasoline (C6-C10)	2.72	1.0	mg/kg	2.50		109	70-130 0.913
Batch U6D2005 - EPA 8260B							

Blank (U6D2005-BLK1)		Prepared & Analyzed: 04/20/16					
Surrogate: Dibromofluoromethane	0.0247		mg/kg	0.0250		98.7	70-130
Surrogate: Toluene-d8	0.0245		mg/kg	0.0250		98.0	70-130
Surrogate: 4-Bromofluorobenzene	0.0247		mg/kg	0.0250		98.6	70-130
Dichlorodifluoromethane (CFC-12)	ND	0.0010	mg/kg				
Chloromethane	ND	0.0010	mg/kg				
Vinyl chloride	ND	0.0010	mg/kg				
Bromomethane	ND	0.0010	mg/kg				
Chloroethane	ND	0.0010	mg/kg				
Trichlorofluoromethane (CFC-11)	ND	0.0010	mg/kg				
Ethanol	ND	0.050	mg/kg				
Trichlorotrifluoroethane (CFC-113)	ND	0.0010	mg/kg				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.0010	mg/kg				
1,1-Dichloroethene	ND	0.0010	mg/kg				
Carbon disulfide	ND	0.0010	mg/kg				
Iodomethane	ND	0.0010	mg/kg				
Acrolein	ND	0.050	mg/kg				
Methylene chloride	ND	0.0020	mg/kg				
Acetone	ND	0.020	mg/kg				
trans-1,2-Dichloroethene	ND	0.0010	mg/kg				
tert-Butyl alcohol (TBA)	ND	0.020	mg/kg				
Methyl tert-Butyl Ether (MTBE)	ND	0.0010	mg/kg				
Di-isopropyl ether (DIPE)	ND	0.0010	mg/kg				

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

Volatile Organics - Quality Control

Analyte	Result	Reporting Limit	Spiked Units	Source Level	%REC Result	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	--------------	--------------	-------------	-------------	-----	-----------	-------

Batch U6D2005 - EPA 8260B

Blank (U6D2005-BLK1)	Prepared & Analyzed: 04/20/16								
Analyte	Result	Reporting Limit	Spiked Units	Source Level	%REC Result	%REC Limits	RPD	RPD Limit	Notes
Chloroprene	ND	0.0010	mg/kg						
1,1-Dichloroethane	ND	0.0010	mg/kg						
Acrylonitrile	ND	0.010	mg/kg						
Ethyl tert-Butyl Ether (ETBE)	ND	0.0010	mg/kg						
Vinyl acetate	ND	0.0010	mg/kg						
cis-1,2-Dichloroethene	ND	0.0010	mg/kg						
2,2-Dichloropropane	ND	0.0010	mg/kg						
Bromochloromethane	ND	0.0010	mg/kg						
Chloroform	ND	0.0010	mg/kg						
Carbon tetrachloride	ND	0.0010	mg/kg						
2-Butanone (MEK)	ND	0.0010	mg/kg						
1,1,1-Trichloroethane (TCA)	ND	0.0010	mg/kg						
1,1-Dichloropropene	ND	0.0010	mg/kg						
Tert-Amyl Methyl Ether (TAME)	ND	0.0010	mg/kg						
Benzene	ND	0.0010	mg/kg						
1,2-Dichloroethane (1,2-DCA)	ND	0.0010	mg/kg						
Trichloroethylene (TCE)	ND	0.0010	mg/kg						
Dibromomethane	ND	0.0010	mg/kg						
1,2-Dichloropropane	ND	0.0010	mg/kg						
Bromodichloromethane	ND	0.0010	mg/kg						
Methyl Methacrylate	ND	0.0010	mg/kg						
2-Chloroethylvinyl ether	ND	0.020	mg/kg						
cis-1,3-Dichloropropene	ND	0.0010	mg/kg						
Toluene	ND	0.0010	mg/kg						
4-Methyl-2-pentanone (MIBK)	ND	0.0010	mg/kg						
trans-1,3-Dichloropropene	ND	0.0010	mg/kg						
Tetrachloroethylene (PCE)	ND	0.0010	mg/kg						
1,1,2-Trichloroethane	ND	0.0010	mg/kg						
Ethyl methacrylate	ND	0.0010	mg/kg						
Dibromochloromethane	ND	0.0010	mg/kg						
1,3-Dichloropropane	ND	0.0010	mg/kg						
1,2-Dibromoethane (EDB)	ND	0.0010	mg/kg						
2-Hexanone	ND	0.0010	mg/kg						
Ethylbenzene	ND	0.0010	mg/kg						
Chlorobenzene	ND	0.0010	mg/kg						

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

Volatile Organics - Quality Control

Analyte	Result	Reporting Limit	Spike Units	Source Level	%REC Result	%REC Limits	RPD	Notes RPD Limit
---------	--------	-----------------	-------------	--------------	-------------	-------------	-----	-----------------

Batch U6D2005 - EPA 8260B

Blank (U6D2005-BLK1)

Prepared & Analyzed: 04/20/16

1,1,1,2-Tetrachloroethane	ND	0.0010	mg/kg					
m,p-Xylene	ND	0.0010	mg/kg					
o-Xylene	ND	0.0010	mg/kg					
Styrene	ND	0.0010	mg/kg					
Bromoform	ND	0.0010	mg/kg					
Isopropylbenzene	ND	0.0010	mg/kg					
trans-1,4-Dichloro-2-butene	ND	0.0010	mg/kg					
Bromobenzene	ND	0.0010	mg/kg					
n-Propylbenzene	ND	0.0010	mg/kg					
1,1,2,2-Tetrachloroethane	ND	0.0010	mg/kg					
1,3,5-Trimethylbenzene	ND	0.0010	mg/kg					
2-Chlorotoluene	ND	0.0010	mg/kg					
1,2,3-Trichloropropane (123TCP)	ND	0.0010	mg/kg					
4-Chlorotoluene	ND	0.0010	mg/kg					
tert-Butylbenzene	ND	0.0010	mg/kg					
1,2,4-Trimethylbenzene	ND	0.0010	mg/kg					
sec-Butylbenzene	ND	0.0010	mg/kg					
p-Isopropyltoluene	ND	0.0010	mg/kg					
1,3-Dichlorobenzene	ND	0.0010	mg/kg					
1,4-Dichlorobenzene	ND	0.0010	mg/kg					
n-Butylbenzene	ND	0.0010	mg/kg					
1,2-Dichlorobenzene	ND	0.0010	mg/kg					
1,2-Dibromo-3-chloropropane (DBCP)	ND	0.0050	mg/kg					
1,2,4-Trichlorobenzene	ND	0.0010	mg/kg					
Hexachlorobutadiene	ND	0.0010	mg/kg					
Naphthalene	ND	0.0010	mg/kg					
1,2,3-Trichlorobenzene	ND	0.0010	mg/kg					
Chlorodifluoromethane	ND	0.0010	mg/kg					
Dichlorotetrafluoroethane (CFC-114)	ND	0.010	mg/kg					
Xylenes	ND	0.0010	mg/kg					

LCS (U6D2005-BS1)

Prepared & Analyzed: 04/20/16

Surrogate: Dibromofluoromethane	0.0252	mg/kg	0.0250	101	70-130		
Surrogate: Toluene-d8	0.0245	mg/kg	0.0250	98.0	70-130		
Surrogate: 4-Bromofluorobenzene	0.0244	mg/kg	0.0250	97.4	70-130		
1,1-Dichloroethene	0.0207	0.0010	mg/kg	0.0198	105	70-130	20

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

Volatile Organics - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	%REC Limits	RPD RPD	Notes
---------	--------	-----------------	-------	-------------	---------------	-----------	-------------	---------	-------

Batch U6D2005 - EPA 8260B

LCS (U6D2005-BS1)	Prepared & Analyzed: 04/20/16						
Benzene	0.0203	0.0010	mg/kg	0.0200	102	70-130	20
Trichloroethene (TCE)	0.0176	0.0010	mg/kg	0.0200	88.2	70-130	20
Toluene	0.0192	0.0010	mg/kg	0.0199	96.4	70-130	20
Chlorobenzene	0.0199	0.0010	mg/kg	0.0200	99.6	70-130	20

LCS Dup (U6D2005-BSD1)	Prepared & Analyzed: 04/20/16						
Surrogate: Dibromofluoromethane	0.0261		mg/kg	0.0250	104	70-130	
Surrogate: Toluene-d8	0.0244		mg/kg	0.0250	97.6	70-130	
Surrogate: 4-Bromofluorobenzene	0.0251		mg/kg	0.0250	100	70-130	
1,1-Dichloroethene	0.0218	0.0010	mg/kg	0.0198	110	70-130	5.18
Benzene	0.0224	0.0010	mg/kg	0.0200	112	70-130	9.51
Trichloroethene (TCE)	0.0186	0.0010	mg/kg	0.0200	93.1	70-130	5.46
Toluene	0.0197	0.0010	mg/kg	0.0199	99.0	70-130	2.73
Chlorobenzene	0.0204	0.0010	mg/kg	0.0200	102	70-130	2.53

Batch U6D2105 - EPA 8260B

Blank (U6D2105-BLK1)	Prepared & Analyzed: 04/21/16						
Surrogate: 4-Bromofluorobenzene	25.5		µg/L	25.0	102	70-130	
Surrogate: Dibromofluoromethane	25.4		µg/L	25.0	101	70-130	
Surrogate: Toluene-d8	24.4		µg/L	25.0	97.7	70-130	
Dichlorodifluoromethane (CFC-12)	ND	0.50	µg/L				
Chloromethane	ND	0.50	µg/L				
Vinyl chloride	ND	0.50	µg/L				
Bromomethane	ND	1.0	µg/L				
Chloroethane	ND	0.50	µg/L				
Trichlorofluoromethane (CFC-11)	ND	0.50	µg/L				
Ethanol	ND	50	µg/L				
Trichlorotrifluoroethane (CFC-113)	ND	1.0	µg/L				
1,1-Dichloroethene	ND	0.50	µg/L				
Carbon disulfide	ND	0.50	µg/L				
Iodomethane	ND	1.0	µg/L				
Acrolein	ND	10	µg/L				
Methylene chloride	ND	1.0	µg/L				
Acetone	ND	10	µg/L				
trans-1,2-Dichloroethene	ND	0.50	µg/L				
tert-Butyl alcohol (TBA)	ND	20	µg/L				

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

Volatile Organics - Quality Control

Analyte	Result	Reporting Limit	Spike Units	Source Level	%REC Result	%REC Limits	RPD RPD	Notes Limit
---------	--------	-----------------	-------------	--------------	-------------	-------------	---------	-------------

Batch U6D2105 - EPA 8260B

Blank (U6D2105-BLK1) Prepared & Analyzed: 04/21/16

Methyl tert-Butyl Ether (MTBE)	ND	1.0	µg/L
Acetonitrile	ND	10	µg/L
Di-isopropyl ether (DIPE)	ND	0.50	µg/L
1,1-Dichloroethane	ND	0.50	µg/L
Acrylonitrile	ND	5.0	µg/L
Ethyl tert-Butyl Ether (ETBE)	ND	1.0	µg/L
Vinyl acetate	ND	0.50	µg/L
cis-1,2-Dichloroethene	ND	0.50	µg/L
2,2-Dichloropropane	ND	1.0	µg/L
Bromochloromethane	ND	0.50	µg/L
Chloroform	ND	0.50	µg/L
Carbon tetrachloride	ND	0.50	µg/L
2-Butanone (MEK)	ND	10	µg/L
1,1,1-Trichloroethane (TCA)	ND	0.50	µg/L
1,1-Dichloropropene	ND	0.50	µg/L
Isobutyl alcohol	ND	20	µg/L
Propionitrile	ND	10	µg/L
Tert-Amyl Methyl Ether (TAME)	ND	1.0	µg/L
Benzene	ND	0.50	µg/L
Methacrylonitrile	ND	5.0	µg/L
1,2-Dichloroethane (1,2-DCA)	ND	0.50	µg/L
Trichloroethene (TCE)	ND	0.50	µg/L
Dibromomethane	ND	0.50	µg/L
1,2-Dichloropropane	ND	0.50	µg/L
Bromodichloromethane	ND	0.50	µg/L
Methyl Methacrylate	ND	0.50	µg/L
2-Chloroethylvinyl ether	ND	1.0	µg/L
cis-1,3-Dichloropropene	ND	0.50	µg/L
Toluene	ND	0.50	µg/L
4-Methyl-2-pentanone (MIBK)	ND	1.0	µg/L
trans-1,3-Dichloropropene	ND	0.50	µg/L
Tetrachloroethylene (PCE)	ND	0.50	µg/L
1,1,2-Trichloroethane	ND	0.50	µg/L
Ethyl methacrylate	ND	1.0	µg/L
Dibromochloromethane	ND	0.50	µg/L

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

Volatile Organics - Quality Control

Analyte	Result	Reporting Limit	Spike Units	Source Level	%REC Result	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------------	--------------	-------------	-------------	-----	-----------	-------

Batch U6D2105 - EPA 8260B

Blank (U6D2105-BLK1)	Prepared & Analyzed: 04/21/16								
1,3-Dichloropropane	ND	0.50	µg/L						
1,2-Dibromoethane (EDB)	ND	0.50	µg/L						
2-Hexanone	ND	1.0	µg/L						
Ethylbenzene	ND	0.50	µg/L						
Chlorobenzene	ND	0.50	µg/L						
1,1,1,2-Tetrachloroethane	ND	0.50	µg/L						
m,p-Xylene	ND	1.0	µg/L						
o-Xylene	ND	0.50	µg/L						
Styrene	ND	0.50	µg/L						
Bromoform	ND	1.0	µg/L						
Isopropylbenzene	ND	1.0	µg/L						
trans-1,4-Dichloro-2-butene	ND	5.0	µg/L						
Bromobenzene	ND	0.50	µg/L						
n-Propylbenzene	ND	1.0	µg/L						
1,1,2,2-Tetrachloroethane	ND	1.0	µg/L						
1,3,5-Trimethylbenzene	ND	0.50	µg/L						
2-Chlorotoluene	ND	0.50	µg/L						
1,2,3-Trichloropropane (123TCP)	ND	0.50	µg/L						
4-Chlorotoluene	ND	0.50	µg/L						
tert-Butylbenzene	ND	1.0	µg/L						
1,2,4-Trimethylbenzene	ND	1.0	µg/L						
sec-Butylbenzene	ND	0.50	µg/L						
p-Isopropyltoluene	ND	1.0	µg/L						
1,3-Dichlorobenzene	ND	0.50	µg/L						
1,4-Dichlorobenzene	ND	0.50	µg/L						
n-Butylbenzene	ND	0.50	µg/L						
Hexachloroethane	ND	1.0	µg/L						
1,2-Dichlorobenzene	ND	0.50	µg/L						
1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0	µg/L						
1,2,4-Trichlorobenzene	ND	1.0	µg/L						
Hexachlorobutadiene	ND	1.0	µg/L						
Naphthalene	ND	0.50	µg/L						
1,2,3-Trichlorobenzene	ND	0.50	µg/L						
Xylenes	ND	2.0	µg/L						

LCS (U6D2105-BS1)

Prepared & Analyzed: 04/21/16

Moore Twining Associates, Inc.

Juliane Adams, Director of Analytical Chemistry

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



2527 Fresno Street
Fresno, CA 93721
(559) 268-7021 Phone
(559) 268-0740 Fax

California ELAP Certificate #1371

MTA Environmental Division
2527 Fresno Street
Fresno CA, 93721

Project: 1200 Park St, Alameda, CA
Project Number: C66423.02
Project Manager: Paul Dotson

Reported:
05/10/16 09:16

Volatile Organics - Quality Control

Analyte	Result	Reporting Limit	Spike Units	Source Level	%REC Result	%REC Limits	RPD	Notes
---------	--------	-----------------	-------------	--------------	-------------	-------------	-----	-------

Batch U6D2105 - EPA 8260B

LCS (U6D2105-BS1)		Prepared & Analyzed: 04/21/16					
Surrogate: 4-Bromofluorobenzene	25.4		µg/L	25.0	102	70-130	
Surrogate: Dibromofluoromethane	25.5		µg/L	25.0	102	70-130	
Surrogate: Toluene-d8	24.6		µg/L	25.0	98.6	70-130	
1,1-Dichloroethene	20.9	0.50	µg/L	19.8	106	70-130	20
Benzene	20.3	0.50	µg/L	20.0	102	70-130	20
Trichloroethene (TCE)	20.7	0.50	µg/L	20.0	103	70-130	20
Toluene	20.6	0.50	µg/L	19.9	103	70-130	20
Chlorobenzene	20.3	0.50	µg/L	20.0	102	70-130	20

LCS Dup (U6D2105-BSD1)		Prepared & Analyzed: 04/21/16					
Surrogate: 4-Bromofluorobenzene	25.5		µg/L	25.0	102	70-130	
Surrogate: Dibromofluoromethane	25.8		µg/L	25.0	103	70-130	
Surrogate: Toluene-d8	24.7		µg/L	25.0	98.7	70-130	
1,1-Dichloroethene	21.9	0.50	µg/L	19.8	111	70-130	4.76
Benzene	21.0	0.50	µg/L	20.0	105	70-130	3.53
Trichloroethene (TCE)	21.2	0.50	µg/L	20.0	106	70-130	2.30
Toluene	21.0	0.50	µg/L	19.9	106	70-130	2.31
Chlorobenzene	20.6	0.50	µg/L	20.0	103	70-130	1.37

Batch U6D2106 - EPA 8015B

Blank (U6D2106-BLK1)		Prepared & Analyzed: 04/21/16					
Surrogate: 4-Bromofluorobenzene (FID)	27.0		µg/L	25.0	108	70-130	
Gasoline (C6-C10)	ND	50	µg/L				
LCS (U6D2106-BS1)		Prepared & Analyzed: 04/21/16					
Surrogate: 4-Bromofluorobenzene (FID)	24.5		µg/L	25.0	97.8	75-125	
Gasoline (C6-C10)	1070	50	µg/L	1000	107	70-130	20
LCS Dup (U6D2106-BSD1)		Prepared & Analyzed: 04/21/16					
Surrogate: 4-Bromofluorobenzene (FID)	24.2		µg/L	25.0	96.8	75-125	
Gasoline (C6-C10)	1030	50	µg/L	1000	103	70-130	3.23



ANALYTICAL CHEMISTRY DIVISION
CALIFORNIA ELAP CERTIFICATION # 1371

CHAIN OF CUSTODY/ANALYSIS REQUEST

2527 FRESNO STREET • FRESNO, CA 93721 • PHONE (559) 268-7021 • FAX: (559) 268-0740

WORKORDER #:

PAGE 1 OF 3

CD18037

REPORT TO:

INVOICE TO: REPORT COPY TO:

REPORTING :

ATTENTION: Paul Dotson		ATTENTION: Same		<input checked="" type="checkbox"/> STANDARD FORMAT <input type="checkbox"/> EDT (STATE FORM) <input type="checkbox"/> GEOTRACKER/COELT (LUFT) <input type="checkbox"/> PDF <input type="checkbox"/> EXCEL <input type="checkbox"/> County DHS : _____ <input type="checkbox"/> Environmental Health Agency : _____ <input type="checkbox"/> OTHER : _____	
NAME: Moore Twining Associates	ADDRESS: 2527 Fresno St	NAME:	ADDRESS:		
PHONE: 559-268-7021	PHONE:	FAX:	FAX:		
SAMPLE INFORMATION		SAMPLE TYPES:		PROJECT INFORMATION	
SAMPLED BY (PRINT): Keith Mayes SIGNATURE: 		SOLID: BS - BIOSOLID CR - CERAMIC SL - SOIL/SOLID LIQUID: DW - DRINKING WATER GW - GROUND WATER OL - OIL SF - SURFACE WATER ST - STORM WATER WW - WASTE WATER		CONTRACT/P.O. NO.: PROJECT: 1200 Park St, Alameda, ca PROJECT NUMBER: C66423.02 PROJECT MANAGER: Paul Dotson	
<input type="checkbox"/> PUBLIC SYSTEM <input type="checkbox"/> ROUTINE <input type="checkbox"/> PRIVATE WELL <input type="checkbox"/> REPEAT <input type="checkbox"/> OTHER <input type="checkbox"/> REPLACEMENT TURN AROUND TIME: <input type="checkbox"/> RUSH, DUE ON: <input checked="" type="checkbox"/> STANDARD					

L A B U S E	NOTES ON RECEIVED CONDITION:				TRP ^{Hg}	TRP ^{me/d}	SVOCs (8220)	VOCS (8260)	CAM 17 metals	PCBs	LWT 5 meters	System Number / Station Code
	<input type="checkbox"/> CUSTODY SEAL(S) BROKEN	<input type="checkbox"/> SAMPLE(S) DAMAGED	<input type="checkbox"/> ON ICE	<input type="checkbox"/> AMBIENT TEMP.								
	CLIENT SAMPLE ID	DATE	TIME	TYPE								
1	B1-10'	4/17/16	0835	SL	X	X	X	X	X	X		
2	B2-11.5'		0923		X	X	X		X	X		
3	B3-11'		0952		X	X	X		X	X		
4	B4-10'		1035		X	X	X		X			
5	B5-10'		1330		X	X	X		X	X		
6	B6-10.5'		1403		X	X	X	X	X	X		
7	B7-10'		1605		X	X		X		X		
8	B8-10'		1623		X	X		X		X		
9	B9-10'		1653		X	X		X		X		
10	B10-10'		1730		X	X	X	X	X	X		

COMMENTS/ADDITIONAL INSTRUCTIONS:

Groundwater samples filtered w/ 0.45 um filter prior to filling

CAM 17 metal containers

REINQUISITED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY
	MITA	4/18/16	13:35		
		4-18-16	1335	Donna	MITA



ANALYTICAL CHEMISTRY DIVISION
CALIFORNIA ELAP CERTIFICATION # 1371

CHAIN OF CUSTODY/ANALYSIS REQUEST
2527 FRESNO STREET • FRESNO, CA 93721 • PHONE (559) 268-7021 • FAX: (559) 268-0740

WORK ORDER #:
PAGE 2 OF 3

CD18037

REPORT TO:

INVOICE TO:

REPORT COPY TO:

REPORTING :

ATTENTION:	ATTENTION:
NAME:	NAME:
ADDRESS:	ADDRESS:
PHONE:	PHONE:
FAX:	FAX:
SAMPLE INFORMATION	
SAMPLED BY (PRINT): <i>Keith Maiges</i>	SAMPLE TYPES: SOLID: BS - BIOSOLID CR - CERAMIC SL - SOIL/SOLID LIQUID: DW - DRINKING WATER GW - GROUND WATER OL - OIL SF - SURFACE WATER ST - STORM WATER WW - WASTE WATER
<input type="checkbox"/> PUBLIC SYSTEM <input type="checkbox"/> ROUTINE	
<input type="checkbox"/> PRIVATE WELL <input type="checkbox"/> REPEAT	
<input type="checkbox"/> OTHER <input type="checkbox"/> REPLACEMENT	
TURN AROUND TIME: <input checked="" type="checkbox"/> STANDARD	<input type="checkbox"/> RUSH, DUE ON:

ATTENTION:	REPORTING :
NAME:	<input type="checkbox"/> STANDARD FORMAT <input type="checkbox"/> EDT (STATE FORM) <input type="checkbox"/> GEOTRACKER/COELT (LUFT) <input type="checkbox"/> PDF <input type="checkbox"/> EXCEL <input type="checkbox"/> County DHS : _____ <input type="checkbox"/> Environmental Health Agency : _____ <input type="checkbox"/> OTHER :
ADDRESS:	
PHONE:	
FAX:	
PROJECT INFORMATION	
CONTRACT/P.O. NO.:	
PROJECT:	
PROJECT NUMBER: <i>SEE pg 1</i>	
PROJECT MANAGER:	

L A B U S E	NOTES ON RECEIVED CONDITION:																																																																																																																																																	
	<input type="checkbox"/> CUSTODY SEAL(S) BROKEN	<input type="checkbox"/> SAMPLE(S) DAMAGED																																																																																																																																																
	<input type="checkbox"/> ON ICE	<input type="checkbox"/> AMBIENT TEMP.	<input type="checkbox"/> INCORRECT PRESERVATION																																																																																																																																															
<table border="1"> <thead> <tr> <th>CLIENT SAMPLE ID</th> <th>DATE</th> <th>TIME</th> <th>TYPE</th> <th>TP (10)</th> <th>TP (10mL / P)</th> <th>SVOCs (8270)</th> <th>VOCs (2260)</th> <th>Crust + metals</th> <th>PCBs</th> <th>Luft S metals</th> </tr> </thead> <tbody> <tr> <td>11 B11-10'</td> <td>4/17/16</td> <td>1803</td> <td>SL</td> <td>X X</td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td>X</td> <td></td> </tr> <tr> <td>12 B12-10'</td> <td></td> <td>1855</td> <td>SL</td> <td>X X</td> <td>X X</td> <td>X X</td> <td>X X</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>13 B-1 GW</td> <td></td> <td>1105</td> <td>GW</td> <td>X X</td> <td>X X</td> <td>X X</td> <td>X X</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>14 B-5 GW</td> <td></td> <td>1520</td> <td>GW</td> <td>X X</td> <td>X X</td> <td>X X</td> <td>X X</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>15 B-6 GW</td> <td></td> <td>1403</td> <td>GW</td> <td>X X</td> <td>X X</td> <td>X X</td> <td>X X</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>16 B-10 GW</td> <td></td> <td>1840</td> <td>GW</td> <td>X X</td> <td>X X</td> <td>X X</td> <td>X X</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>17 B-12 GW</td> <td></td> <td>20:00</td> <td>GW</td> <td>X X</td> <td>X X</td> <td>X X</td> <td>X X</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> </tr> <tr> <td></td> </tr> <tr> <td></td> </tr> <tr> <td></td> </tr> </tbody> </table>				CLIENT SAMPLE ID	DATE	TIME	TYPE	TP (10)	TP (10mL / P)	SVOCs (8270)	VOCs (2260)	Crust + metals	PCBs	Luft S metals	11 B11-10'	4/17/16	1803	SL	X X		X				X		12 B12-10'		1855	SL	X X	X X	X X	X X					13 B-1 GW		1105	GW	X X	X X	X X	X X					14 B-5 GW		1520	GW	X X	X X	X X	X X					15 B-6 GW		1403	GW	X X	X X	X X	X X					16 B-10 GW		1840	GW	X X	X X	X X	X X					17 B-12 GW		20:00	GW	X X	X X	X X	X X																																																				
CLIENT SAMPLE ID	DATE	TIME	TYPE	TP (10)	TP (10mL / P)	SVOCs (8270)	VOCs (2260)	Crust + metals	PCBs	Luft S metals																																																																																																																																								
11 B11-10'	4/17/16	1803	SL	X X		X				X																																																																																																																																								
12 B12-10'		1855	SL	X X	X X	X X	X X																																																																																																																																											
13 B-1 GW		1105	GW	X X	X X	X X	X X																																																																																																																																											
14 B-5 GW		1520	GW	X X	X X	X X	X X																																																																																																																																											
15 B-6 GW		1403	GW	X X	X X	X X	X X																																																																																																																																											
16 B-10 GW		1840	GW	X X	X X	X X	X X																																																																																																																																											
17 B-12 GW		20:00	GW	X X	X X	X X	X X																																																																																																																																											

COMMENTS/ADDITIONAL INSTRUCTIONS:

RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY
<i>Keith Maiges</i>	MTA	4/18/16	13:35		
		4-18-16	13:35	<i>Dawn Ross</i>	MTA

Sample Integrity

Page 2 of 3

Moore Twining Associates

WO# CD18037

MTA Bottles: Yes or No

COC Info	Was temperature within range? Chemistry ≤6°C Micro <10°C Temp <u>45</u> °C	Yes No N/A	Did all bottle labels agree with COC? Was a sufficient amount of sample received? Were correct containers and preservatives received for the tests requested?	Yes No N/A	Were there bubbles in VOA vials? (Volatiles Only) Was PM notified of discrepancies? PM: By/Time:	Yes No N/A
	If samples were taken today, is there evidence that chilling has begun? Recvd <u>45</u> C°					
	Did all bottles arrive unbroken and intact?	Yes No N/A				
	Do samples have a hold time <72 hours?	Yes No N/A				
Bottles Received	125ml (A) 250ml (B) 1Liter (C) 40ml VOA (V)	1	2-12	13	14-17	
	Bacti Na ₂ S ₂ O ₃					
	None (P)					
	Cr6 Buffer (P) Borate Carbonate Buffer					
	HNO ₃ (P)					
	H ₂ SO ₄ (P)					
	NaOH (P)					
	NaOH+ZnAc (P)					
	Dissolved Oxygen 300ml (P)					
	None (AG)		1-V	1-V	2-C	3-C
	None (CG) 500ml					
	Na ₂ S ₂ O ₃ 250ml (Brown P) 549					
	Na ₂ S ₂ O ₃ (AG)					
	Na ₂ S ₂ O ₃ (AG)					
	Thio/K Citrate					
	NH ₄ Cl (AG) 552					
	HCl (AG)			4-V	4-V	
	None (CG) 500ml					
	H ₃ PO ₄ (AG)					
	Other:					
	Plastic Bag					
	Low Level Hg/Metals Double Bag					
	Client Own					
	Glass Jar: 125/ 250/ 500					
	Soil Tube: Brass/ Steel/ <u>Plastic</u>	1	1			
	5 g Encore					
Comments						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						
Page #						

Labeled by: 45 @ 153

Labels checked by: M @ 1715

FL-SC-0003-06