



21 Technology Drive  
Irvine, CA 92618

949.727.9336 PHONE  
949.727.7399 FAX

www.TRCSolutions.com

RECEIVED

1:58 pm, Apr 01, 2009

Alameda County  
Environmental Health

DATE: January 18, 2008

TO: ConocoPhillips Company  
76 Broadway  
Sacramento, CA 95818

ATTN: MR. BILL BORGH

SITE: 76 STATION 5325  
3220 LAKESHORE AVENUE  
OAKLAND, CALIFORNIA

RE: QUARTERLY MONITORING REPORT  
OCTOBER THROUGH DECEMBER 2007

Dear Mr. Borgh:

Please find enclosed our Quarterly Monitoring Report for 76 Station 5325, located at 3220 Lakeshore Avenue, Oakland, California. If you have any questions regarding this report, please call us at (949) 727-9336.

Sincerely,

TRC

Anju Farfan  
Groundwater Program Operations Manager

CC: Mr. Daniel Davis, Delta Consultants (2 copies)

Enclosures  
20-0400/5325R018.QMS

**QUARTERLY MONITORING REPORT  
OCTOBER THROUGH DECEMBER 2007**

76 STATION 5325  
3200 Lakeshore Avenue  
Oakland, California

Prepared For:

Mr. Bill Borgh  
CONOCOPHILLIPS COMPANY  
76 Broadway  
Sacramento, California 95818

By:

*Dennis E Jensen*



---

Senior Project Geologist, Irvine Operations

Date: 1/18/08



## LIST OF ATTACHMENTS

Summary Sheet	Summary of Gauging and Sampling Activities
Tables	Table Key Contents of Tables Table 1: Current Fluid Levels and Selected Analytical Results Table 1a: Additional Current Analytical Results Table 2: Historic Fluid Levels and Selected Analytical Results Table 2a: Additional Historic Analytical Results Table 2b: Additional Historic Analytical Results
Figures	Figure 1: Vicinity Map Figure 2: Groundwater Elevation Contour Map Figure 3: Dissolved-Phase TPH-G (GC/MS) Concentration Map Figure 4: Dissolved-Phase Benzene Concentration Map Figure 5: Dissolved-Phase MTBE Concentration Map
Graphs	Groundwater Elevations vs. Time Benzene Concentrations vs. Time
Field Activities	General Field Procedures Field Monitoring Data Sheet – 12/27/07 Groundwater Sampling Field Notes – 12/27/07
Laboratory Reports	Official Laboratory Reports Quality Control Reports Chain of Custody Records
Statements	Purge Water Disposal Limitations



# TABLES

## TABLE KEY

### STANDARD ABBREVIATIONS

--	=	not analyzed, measured, or collected
LPH	=	liquid-phase hydrocarbons
Trace	=	less than 0.01 foot of LPH in well
□g/l	=	micrograms per liter (approx. equivalent to parts per billion, ppb)
mg/l	=	milligrams per liter (approx. equivalent to parts per million, ppm)
ND<	=	not detected at or above laboratory detection limit
TOC	=	top of casing (surveyed reference elevation)

### ANALYTES

BTEX	=	benzene, toluene, ethylbenzene, and (total) xylenes
DIPE	=	di-isopropyl ether
ETBE	=	ethyl tertiary butyl ether
MTBE	=	methyl tertiary butyl ether
PCB	=	polychlorinated biphenyls
PCE	=	tetrachloroethene
TBA	=	tertiary butyl alcohol
TCA	=	trichloroethane
TCE	=	trichloroethene
TPH-G	=	total petroleum hydrocarbons with gasoline distinction
TPH-G (GC/MS)	=	total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B
TPH-D	=	total petroleum hydrocarbons with diesel distinction
TRPH	=	total recoverable petroleum hydrocarbons
TAME	=	tertiary amyl methyl ether
1,1-DCA	=	1,1-dichloroethane
1,2-DCA	=	1,2-dichloroethane (same as EDC, ethylene dichloride)
1,1-DCE	=	1,1-dichloroethene
1,2-DCE	=	1,2-dichloroethene (cis- and trans-)

### NOTES

1. Elevations are in feet above mean sea level. Depths are in feet below surveyed top-of-casing.
2. Groundwater elevations for wells with LPH are calculated as:  $\text{Surface Elevation} - \text{Measured Depth to Water} + (\text{Dp} \times \text{LPH Thickness})$ , where Dp is the density of the LPH, if known. A value of 0.75 is used for gasoline and when the density is not known. A value of 0.83 is used for diesel.
3. Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures).
4. Comments shown on tables are general. Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report.
5. A "J" flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory.
6. Other laboratory flags (qualifiers) may have been reported. See the official laboratory report (attached) for a complete list of laboratory flags.
7. Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display. Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report.
8. Groundwater vs. Time graphs may be corrected for apparent level changes due to resurvey.

### REFERENCE

TRC began groundwater monitoring and sampling for 76 Station 5325 in October 2003. Historical data compiled prior to that time were provided by Gettler-Ryan Inc.

# Contents of Tables 1 and 2

## Site: 76 Station 5325

### Current Event

Table 1	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
---------	---------------	-------------------	------------------	-------------------------------	------------------------	------------------	------------------	---------	---------	-------------------	------------------	-----------------	-----------------	----------

Table 1a	Well/ Date	Ethanol (8260B)	Iron Ferrous	Nitrate	Phosphate (ortho)	Pre-purge Dissolved Oxygen	Pre-purge ORP
----------	---------------	--------------------	-----------------	---------	----------------------	----------------------------------	------------------

### Historic Data

Table 2	Well/ Date	Depth to, Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
---------	---------------	--------------------	------------------	-------------------------------	------------------------	------------------	------------------	---------	---------	-------------------	------------------	-----------------	-----------------	----------

Table 2a	Well/ Date	TBA	Ethanol (8260B)	Ethylene- dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Acenaph- thylene	Iron Ferrous	Nitrate	Phosphate (ortho)	Phosphate (total)	Redox Potential (ORP-Lab)	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen
----------	---------------	-----	--------------------	---------------------------------	------------------	------	------	------	---------------------	-----------------	---------	----------------------	----------------------	---------------------------------	-----------------------------------	----------------------------------

Table 2b	Well/ Date	Pre-purge ORP	Post-purge ORP
----------	---------------	------------------	-------------------

**Table 1**  
**CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 27, 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>U-1</b>		<b>(Screen Interval in feet: 5.0-20.0)</b>												
12/27/07	8.46	8.12	0.00	0.34	-2.80	--	5900	ND<2.5	ND<2.5	290	130	--	42	
<b>U-2</b>		<b>(Screen Interval in feet: 5.0-20.0)</b>												
12/27/07	7.62	5.80	0.00	1.82	-1.07	--	2200	21	ND<5.0	77	16	--	470	
<b>U-3</b>		<b>(Screen Interval in feet: 5.0-20.0)</b>												
12/27/07	10.98	10.93	0.00	0.05	0.08	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.63	
<b>U-4</b>		<b>(Screen Interval in feet: 5.0-20.0)</b>												
12/27/07	11.15	8.63	0.00	2.52	0.45	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
<b>U-5</b>		<b>(Screen Interval in feet: 5.0-20.0)</b>												
12/27/07	6.98	6.77	0.00	0.21	-2.06	--	180	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	18	
<b>U-6</b>		<b>(Screen Interval in feet: 5.0-24.0)</b>												
12/27/07	7.14	6.96	0.00	0.18	-4.25	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.4	

**Table 1 a**  
**ADDITIONAL CURRENT ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	Ethanol (8260B)  (µg/l)	Iron Ferrou  (µg/l)	Nitrate  (mg/l)	Phosphate (ortho)  (mg/l)	Pre-purge Dissolved Oxygen  (mg/l)	Pre-purge ORP  (mV)
<b>U-1</b> 12/27/07	ND<1200	25000	ND<0.10	ND<0.050	2.36	-60
<b>U-2</b> 12/27/07	ND<2500	7600	ND<0.10	ND<0.050	2.81	-64
<b>U-3</b> 12/27/07	ND<250	130	4.6	0.75	1.78	-72
<b>U-4</b> 12/27/07	ND<250	ND<100	5.3	0.43	3.74	33
<b>U-5</b> 12/27/07	ND<250	5900	ND<0.10	ND<0.050	1.63	-83
<b>U-6</b> 12/27/07	ND<250	7700	ND<0.10	1.0	2.55	-5

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>U-1 (Screen Interval in feet: 5.0-20.0)</b>														
8/10/90	--	--	--	--	--	690	--	38	75	8.6	130	--	--	
1/7/91	--	--	--	--	--	250	--	22	16	4.2	17	--	--	
4/1/91	--	--	--	--	--	160	--	13	8.6	1.0	15	--	--	
7/3/91	--	--	--	--	--	140	--	21	4.3	0.36	17	--	--	
10/9/91	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
2/12/92	--	--	--	--	--	250	--	ND	ND	ND	ND	--	--	
5/5/92	--	--	--	--	--	230	--	1.2	ND	ND	ND	--	--	
6/11/92	--	--	--	--	--	1000	--	80	1.4	6.7	41	--	--	
8/20/92	--	--	--	--	--	400	--	1.0	ND	ND	0.6	--	--	
2/22/93	--	--	--	--	--	34000	--	1400	5500	910	7300	--	--	
5/7/93	--	--	--	--	--	8700	--	600	240	650	3300	--	--	
8/8/93	--	--	--	--	--	4900	--	79	ND	832	270	--	--	
11/16/93	5.32	8.61	0.00	-3.29	--	690	--	ND	ND	ND	ND	--	--	
2/16/94	5.32	8.54	0.00	-3.22	0.07	6800	--	ND	ND	ND	ND	--	--	
6/22/94	8.46	8.39	0.00	0.07	3.29	200	--	ND	ND	5.9	21	--	--	
9/22/94	8.46	8.66	0.00	-0.20	-0.27	6100	--	ND	ND	ND	ND	--	--	
12/24/94	8.46	8.04	0.00	0.42	0.62	50000	--	2500	9700	2400	17000	--	--	
3/25/95	8.46	7.72	0.37	1.02	0.60	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
6/21/95	8.46	9.30	0.20	-0.69	-1.71	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
9/19/95	8.46	9.29	0.40	-0.53	0.16	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
12/19/95	8.46	8.98	0.03	-0.50	0.03	--	--	--	--	--	--	--	--	Not sampled due to LPH in well

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>U-1 continued</b>														
3/18/96	8.46	8.25	0.00	0.21	0.71	27000	--	ND	2300	1400	11000	4900	--	
6/27/96	8.46	7.92	0.00	0.54	0.33	120000	--	540	4300	2600	26000	ND	--	
9/26/96	8.46	9.10	0.02	-0.63	-1.17	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
12/9/96	8.46	6.88	0.03	1.60	2.23	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
3/14/97	8.46	9.02	0.55	-0.15	-1.75	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
6/30/97	8.46	8.41	0.02	0.07	0.21	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
9/19/97	8.46	8.56	0.02	-0.09	-0.15	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
12/12/97	8.46	8.58	0.01	-0.11	-0.03	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
3/3/98	8.46	8.23	0.04	0.26	0.37	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
6/15/98	8.46	8.37	0.00	0.09	-0.17	52000	--	ND	900	1800	13000	ND	--	Sheen
9/30/98	8.46	8.94	0.00	-0.48	-0.57	1000000	--	ND	2600	13000	83000	4800	--	Sheen
12/28/98	8.46	8.57	0.00	-0.11	0.37	1100000	--	ND	1600	8600	71000	5700	--	
3/22/99	8.46	8.18	0.00	0.28	0.39	130000	--	470	1100	2000	28000	5700	--	Sheen
6/9/99	8.46	9.37	0.00	-0.91	-1.19	40000	--	230	640	590	13000	3500	2100	
9/8/99	8.46	9.53	0.00	-1.07	-0.16	55000	--	217	202	745	14300	6890	6690	
12/7/99	8.46	9.67	0.00	-1.21	-0.14	41200	--	89.3	ND	385	6930	15800	14700	
3/13/00	8.46	8.44	0.00	0.02	1.23	48000	--	490	610	2400	10000	22000	23000	
6/21/00	8.46	9.45	0.00	-0.99	-1.01	37000	--	200	ND	1200	7200	15000	20000	
9/27/00	8.46	9.29	0.00	-0.83	0.16	15000	--	92	ND	540	2800	74000	83000	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>U-1 continued</b>														
12/12/00	8.46	9.37	0.00	-0.91	-0.08	50000	--	ND	ND	250	1900	12000	15000	
3/7/01	8.46	8.45	0.00	0.01	0.92	6220	--	29.8	10.4	96.3	638	11200	11800	
6/6/01	8.46	9.29	0.00	-0.83	-0.84	5200	--	17	ND	69	420	6500	8700	
9/24/01	8.46	9.39	0.00	-0.93	-0.10	4300	--	36	ND<25	65	590	4400	4400	
12/10/01	8.46	9.17	0.00	-0.71	0.22	11000	--	220	ND<100	380	1500	5100	5100	
3/11/02	8.46	9.44	0.00	-0.98	-0.27	5500	--	28	ND<20	360	690	6400	6300	
6/4/02	8.46	8.32	0.00	0.14	1.12	4600	--	31	ND<10	240	180	6500	--	
9/3/02	8.46	9.36	0.00	-0.90	-1.04	2300	--	ND<12	ND<12	ND<12	68	3500	4700	
12/3/02	8.46	8.18	0.00	0.28	1.18	--	ND<5000	ND<50	ND<50	ND<50	<100	--	4700	
3/4/03	8.46	8.29	0.00	0.17	-0.11	--	8900	26	ND<25	400	130	--	5500	
6/18/03	8.46	7.58	0.00	0.88	0.71	--	8300	ND<25	ND<25	ND<25	ND<50	--	10000	
9/24/03	8.46	8.18	0.00	0.28	-0.60	--	ND<10000	ND<100	ND<100	ND<100	ND<200	--	11000	
12/2/03	8.46	8.90	0.00	-0.44	-0.72	--	ND<10000	ND<100	ND<100	ND<100	ND<200	--	11000	
3/30/04	8.46	8.38	0.00	0.08	0.52	--	12000	ND<100	ND<100	190	ND<200	--	13000	
6/7/04	8.46	10.35	0.00	-1.89	-1.97	--	13000	ND<100	ND<100	ND<100	ND<200	--	12000	
9/9/04	8.46	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
12/20/04	8.46	9.00	0.00	-0.54	--	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	8.2	
3/28/05	8.46	8.10	0.00	0.36	0.90	--	37000	ND<10	ND<10	1500	5300	--	460	
6/14/05	8.46	8.91	0.00	-0.45	-0.81	--	3900	ND<0.50	ND<0.50	48	68	--	60	
9/28/05	8.46	11.35	0.00	-2.89	-2.44	--	560	ND<0.50	0.60	3.0	26	--	18	
12/29/05	8.46	8.58	0.00	-0.12	2.77	--	510	0.77	ND<0.50	27	63	--	62	
3/27/06	8.46	7.20	0.00	1.26	1.38	--	29000	ND<25	ND<25	1500	4900	--	300	
6/12/06	8.46	7.81	0.00	0.65	-0.61	--	3200	ND<0.50	ND<0.50	42	15	--	56	
9/21/06	8.46	8.04	0.00	0.42	-0.23	--	2600	ND<12	ND<12	ND<12	ND<12	--	30	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>U-1 continued</b>														
12/21/06	8.46	8.32	0.00	0.14	-0.28	--	2000	ND<0.50	ND<0.50	13	2.2	--	53	
3/28/07	8.46	6.17	0.00	2.29	2.15	--	12000	ND<2.5	ND<2.5	690	1900	--	110	
6/27/07	8.46	5.39	0.00	3.07	0.78	--	13000	2.8	ND<2.5	960	1300	--	79	
9/26/07	8.46	5.32	0.00	3.14	0.07	--	6900	2.6	ND<2.5	310	680	--	44	
12/27/07	8.46	8.12	0.00	0.34	-2.80	--	5900	ND<2.5	ND<2.5	290	130	--	42	
<b>U-2 (Screen Interval in feet: 5.0-20.0)</b>														
8/10/90	--	--	--	--	--	780	--	27	46	15	130	--	--	
1/7/91	--	--	--	--	--	1900	--	67	5.8	58	69	--	--	
4/1/91	--	--	--	--	--	1700	--	250	89	34	190	--	--	
7/3/91	--	--	--	--	--	2100	--	150	25	3.1	290	--	--	
10/9/91	--	--	--	--	--	230	--	7.1	ND	ND	11	--	--	
2/12/92	--	--	--	--	--	410	--	1.9	ND	0.36	0.4	--	--	
5/5/92	--	--	--	--	--	1600	--	120	52	6.2	290	--	--	
6/11/92	--	--	--	--	--	620	--	17	2.1	ND	37	--	--	
8/20/92	--	--	--	--	--	700	--	28	6.5	1.3	4.6	--	--	
2/22/93	--	--	--	--	--	3400	--	2400	2100	1200	5800	--	--	
5/7/93	--	--	--	--	--	17000	--	1800	660	1700	4000	--	--	
8/8/93	--	--	--	--	--	5600	--	420	ND	410	670	--	--	
11/16/93	4.53	8.17	0.00	-3.64	--	510	--	ND	ND	ND	ND	--	--	
2/16/94	4.53	7.73	0.00	-3.20	0.44	980	--	49	13	2.7	40	--	--	
6/22/94	7.62	7.60	0.00	0.02	3.22	31000	--	2200	62	1500	3500	--	--	
9/22/94	7.62	7.93	0.00	-0.31	-0.33	8500	--	29	ND	ND	ND	--	--	
12/24/94	7.62	7.27	0.00	0.35	0.66	32000	--	1500	890	1300	5000	--	--	
3/25/95	7.62	7.01	0.00	0.61	0.26	170000	--	1900	21000	4800	33000	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>U-2 continued</b>														
6/21/95	7.62	6.98	0.00	0.64	0.03	16000	--	2100	ND	1800	1700	--	--	
9/19/95	7.62	7.70	0.00	-0.08	-0.72	3000	--	610	ND	78	240	--	--	
12/19/95	7.62	7.30	0.00	0.32	0.40	1600	--	140	55	52	270	--	--	
3/18/96	7.62	6.45	0.00	1.17	0.85	12000	--	2200	ND	1200	2200	22000	--	
6/27/96	7.62	7.41	0.00	0.21	-0.96	28000	--	3400	ND	2800	3100	3000	--	
9/26/96	7.62	7.90	0.00	-0.28	-0.49	5900	--	750	ND	ND	ND	18000	--	
12/9/96	7.62	6.76	0.00	0.86	1.14	13000	--	5100	290	980	370	2700	--	
3/14/97	7.62	7.12	0.03	0.52	-0.34	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
6/30/97	7.62	6.19	0.00	1.43	0.91	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
9/19/97	7.62	7.31	0.00	0.31	-1.12	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
12/12/97	7.62	6.75	0.00	0.87	0.56	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
3/3/98	7.62	6.36	0.00	1.26	0.39	80000	--	3000	1100	820	16000	16000	--	Sheen
6/15/98	7.62	6.51	0.00	1.11	-0.15	48000	--	1800	330	470	7900	20000	--	Sheen
9/30/98	7.62	7.17	0.00	0.45	-0.66	60000	--	1300	ND	500	9700	19000	--	Sheen
12/28/98	7.62	7.06	0.00	0.56	0.11	63000	--	590	160	320	5600	16000	--	
3/22/99	7.62	6.82	0.00	0.80	0.24	28000	--	1100	ND	360	2900	25000	--	
6/9/99	7.62	7.51	0.00	0.11	-0.69	21000	--	110	190	310	2600	7900	7800	
9/8/99	7.62	8.16	0.00	-0.54	-0.65	23300	--	477	138	286	4110	16400	15300	
12/7/99	7.62	8.31	0.00	-0.69	-0.15	4840	--	17.2	ND	ND	157	14900	15600	
3/13/00	7.62	6.69	0.00	0.93	1.62	11000	--	380	160	ND	2100	22000	26000	
6/21/00	7.62	7.67	0.00	-0.05	-0.98	9100	--	22	ND	ND	800	16000	22000	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>U-2 continued</b>														
9/27/00	7.62	7.44	0.00	0.18	0.23	2900	--	43	ND	ND	39	20000	26000	
12/12/00	7.62	7.51	0.00	0.11	-0.07	3600	--	17	ND	ND	87	8000	7800	
3/7/01	7.62	7.15	0.00	0.47	0.36	1670	--	51.0	ND	7.20	19.5	5930	7900	
6/6/01	7.62	7.57	0.00	0.05	-0.42	1100	--	14	ND	9.3	35	9200	10000	
9/24/01	7.62	7.63	0.00	-0.01	-0.06	1000	--	25	ND<2.5	12	100	9800	11000	
12/10/01	7.62	6.78	0.00	0.84	0.85	83	--	14	0.55	3.4	6.8	2500	2500	
3/11/02	7.62	7.12	0.00	0.50	-0.34	ND<1000	--	28	ND<10	40	31	11000	11000	
6/4/02	7.62	7.18	0.00	0.44	-0.06	7700	--	32	ND<25	33	48	14000	--	
9/3/02	7.62	7.58	0.00	0.04	-0.40	5200	--	ND<25	ND<25	ND<25	ND<25	11000	15000	
12/3/02	7.62	7.68	0.00	-0.06	-0.10	--	ND<5000	ND<50	ND<50	ND<50	ND<100	--	3200	
3/4/03	7.62	7.77	0.00	-0.15	-0.09	--	8100	ND<50	ND<50	ND<50	ND<100	--	7800	
6/18/03	7.62	6.87	0.00	0.75	0.90	--	11000	ND<50	ND<50	ND<50	ND<100	--	16000	
9/24/03	7.62	7.49	0.00	0.13	-0.62	--	ND<10000	ND<100	ND<100	ND<100	ND<200	--	10000	
12/2/03	7.62	7.95	0.00	-0.33	-0.46	--	ND<10000	ND<100	ND<100	ND<100	ND<200	--	10000	
3/30/04	7.62	7.07	0.00	0.55	0.88	--	12000	ND<100	ND<100	ND<100	ND<200	--	11000	
6/7/04	7.62	7.75	0.00	-0.13	-0.68	--	14000	ND<100	ND<100	ND<100	ND<200	--	13000	
9/9/04	7.62	8.65	0.00	-1.03	-0.90	--	ND<10000	ND<100	ND<100	ND<100	ND<200	--	9500	
12/20/04	7.62	7.73	0.00	-0.11	0.92	--	ND<5000	ND<50	ND<50	ND<50	ND<100	--	11000	
3/28/05	7.62	6.24	0.00	1.38	1.49	--	12000	ND<50	ND<50	160	120	--	7000	
6/14/05	7.62	7.05	0.00	0.57	-0.81	--	2000	0.75	ND<0.50	3.7	1.1	--	2400	
9/28/05	7.62	8.00	0.00	-0.38	-0.95	--	320	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	80	
12/29/05	7.62	7.23	0.00	0.39	0.77	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	35	
3/27/06	7.62	5.31	0.00	2.31	1.92	--	2400	31	0.73	120	15	--	1400	
6/12/06	7.62	6.25	0.00	1.37	-0.94	--	ND<1200	ND<12	ND<12	17	ND<25	--	490	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>U-2 continued</b>														
9/21/06	7.62	6.00	0.00	1.62	0.25	--	440	6.1	ND<0.50	1.7	ND<0.50	--	1100	
12/21/06	7.62	6.08	0.00	1.54	-0.08	--	670	10	ND<0.50	52	1.2	--	730	
3/28/07	7.62	5.05	0.00	2.57	1.03	--	3300	36	ND<5.0	200	6.8	--	1200	
6/27/07	7.62	4.80	0.00	2.82	0.25	--	5100	94	ND<5.0	640	7.1	--	1100	
9/26/07	7.62	4.73	0.00	2.89	0.07	--	3900	54	ND<5.0	240	240	--	670	
12/27/07	7.62	5.80	0.00	1.82	-1.07	--	2200	21	ND<5.0	77	16	--	470	
<b>U-3 (Screen Interval in feet: 5.0-20.0)</b>														
8/10/90	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
1/7/91	--	--	--	--	--	ND	--	ND	ND	ND	1.8	--	--	
4/1/91	--	--	--	--	--	ND	--	1.0	2.9	0.53	5.4	--	--	
7/3/91	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
10/9/91	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
2/12/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
5/5/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
6/11/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
8/20/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
2/22/93	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
5/7/93	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
8/8/93	--	--	--	--	--	210	--	5.0	9.7	0.7	4.1	--	--	
11/16/93	7.86	11.82	0.00	-3.96	--	ND	--	ND	ND	ND	ND	--	--	
2/16/94	7.86	11.62	0.00	-3.76	0.20	ND	--	ND	ND	ND	ND	--	--	
6/22/94	10.98	11.64	0.00	-0.66	3.10	ND	--	ND	ND	ND	ND	--	--	
9/22/94	10.98	11.76	0.00	-0.78	-0.12	ND	--	ND	ND	ND	ND	--	--	
12/24/94	10.98	11.28	0.00	-0.30	0.48	ND	--	ND	ND	ND	ND	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>U-3 continued</b>														
3/25/95	10.98	10.96	0.00	0.02	0.32	ND	--	ND	ND	ND	ND	--	--	
6/21/95	10.98	11.37	0.00	-0.39	-0.41	ND	--	ND	ND	ND	ND	--	--	
9/19/95	10.98	11.55	0.00	-0.57	-0.18	ND	--	ND	ND	ND	ND	--	--	
12/19/95	10.98	11.45	0.00	-0.47	0.10	ND	--	ND	ND	ND	ND	--	--	
3/18/96	10.98	11.10	0.00	-0.12	0.35	ND	--	ND	ND	ND	ND	--	--	
6/27/96	10.98	11.16	0.00	-0.18	-0.06	440	--	49	50	51	140	50	--	
9/26/96	10.98	11.55	0.00	-0.57	-0.39	ND	--	ND	ND	ND	ND	ND	--	
12/9/96	10.98	10.12	0.00	0.86	1.43	ND	--	ND	ND	ND	ND	29	--	
3/14/97	10.98	10.87	0.00	0.11	-0.75	ND	--	ND	ND	ND	ND	ND	--	
6/30/97	10.98	11.08	0.00	-0.10	-0.21	ND	--	ND	ND	ND	ND	ND	--	
9/19/97	10.98	11.05	0.00	-0.07	0.03	ND	--	ND	ND	ND	ND	ND	--	
12/12/97	10.98	10.58	0.00	0.40	0.47	ND	--	ND	ND	ND	ND	ND	--	
3/3/98	10.98	9.84	0.00	1.14	0.74	ND	--	ND	ND	ND	ND	ND	--	
6/15/98	10.98	10.56	0.00	0.42	-0.72	ND	--	ND	ND	ND	ND	ND	--	
9/30/98	10.98	11.12	0.00	-0.14	-0.56	ND	--	ND	ND	ND	ND	ND	--	
12/28/98	10.98	10.96	0.00	0.02	0.16	ND	--	ND	ND	ND	ND	ND	--	
3/22/99	10.98	9.46	0.00	1.52	1.50	ND	--	ND	ND	ND	ND	ND	--	
6/9/99	10.98	11.01	0.00	-0.03	-1.55	ND	--	ND	ND	ND	ND	ND	--	
9/8/99	10.98	11.31	0.00	-0.33	-0.30	ND	--	ND	ND	ND	ND	ND	--	
12/7/99	10.98	11.26	0.00	-0.28	0.05	ND	--	ND	ND	ND	ND	ND	--	
3/13/00	10.98	8.28	0.00	2.70	2.98	ND	--	ND	ND	ND	ND	ND	--	
6/21/00	10.98	11.12	0.00	-0.14	-2.84	ND	--	ND	ND	ND	ND	ND	--	
9/27/00	10.98	11.07	0.00	-0.09	0.05	ND	--	ND	ND	ND	ND	ND	--	
12/12/00	10.98	10.94	0.00	0.04	0.13	ND	--	ND	ND	ND	ND	ND	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>U-3 continued</b>														
3/7/01	10.98	8.32	0.00	2.66	2.62	ND	--	ND	ND	ND	ND	ND	--	
6/6/01	10.98	10.94	0.00	0.04	-2.62	ND	--	ND	ND	ND	ND	ND	--	
9/24/01	10.98	11.03	0.00	-0.05	-0.09	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
12/10/01	10.98	8.16	0.00	2.82	2.87	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
3/11/02	10.98	7.82	0.00	3.16	0.34	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
6/4/02	10.98	10.58	0.00	0.40	-2.76	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
9/3/02	10.98	10.94	0.00	0.04	-0.36	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
12/3/02	10.98	10.66	0.00	0.32	0.28	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
3/4/03	10.98	10.76	0.00	0.22	-0.10	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
6/18/03	10.98	10.26	0.00	0.72	0.50	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
9/24/03	10.98	10.88	0.00	0.10	-0.62	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
12/2/03	10.98	11.00	0.00	-0.02	-0.12	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
3/30/04	10.98	10.64	0.00	0.34	0.36	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
6/7/04	10.98	11.00	0.00	-0.02	-0.36	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
9/9/04	10.98	11.31	0.00	-0.33	-0.31	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/20/04	10.98	10.79	0.00	0.19	0.52	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
3/28/05	10.98	9.80	0.00	1.18	0.99	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
6/14/05	10.98	10.75	0.00	0.23	-0.95	--	ND<50	ND<0.50	ND<0.50	ND<0.50	1.2	--	ND<0.50	
9/28/05	10.98	11.16	0.00	-0.18	-0.41	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/29/05	10.98	10.41	0.00	0.57	0.75	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
3/27/06	10.98	10.16	0.00	0.82	0.25	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
6/12/06	10.98	9.94	0.00	1.04	0.22	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
9/21/06	10.98	11.01	0.00	-0.03	-1.07	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/21/06	10.98	10.92	0.00	0.06	0.09	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>U-3 continued</b>														
3/28/07	10.98	10.84	0.00	0.14	0.08	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
6/27/07	10.98	10.93	0.00	0.05	-0.09	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
9/26/07	10.98	11.01	0.00	-0.03	-0.08	--	770	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	18	
12/27/07	10.98	10.93	0.00	0.05	0.08	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.63	
<b>U-4 (Screen Interval in feet: 5.0-20.0)</b>														
6/22/94	11.15	10.16	0.00	0.99	--	ND	--	ND	ND	ND	ND	--	--	
9/22/94	11.15	10.79	0.00	0.36	-0.63	ND	--	0.78	1.3	ND	1.4	--	--	
12/24/94	11.15	9.81	0.00	1.34	0.98	ND	--	ND	ND	ND	ND	--	--	
3/25/95	11.15	9.51	0.00	1.64	0.30	ND	--	ND	ND	ND	ND	--	--	
6/21/95	11.15	9.54	0.00	1.61	-0.03	ND	--	ND	ND	ND	ND	--	--	
9/19/95	11.15	10.17	0.00	0.98	-0.63	ND	--	ND	ND	ND	ND	--	--	
12/19/95	11.15	9.98	0.00	1.17	0.19	ND	--	ND	ND	ND	ND	--	--	
3/18/96	11.15	9.66	0.00	1.49	0.32	ND	--	ND	ND	ND	ND	--	--	
6/27/96	11.15	9.74	0.00	1.41	-0.08	ND	--	ND	ND	ND	ND	ND	--	
9/26/96	11.15	10.14	0.00	1.01	-0.40	ND	--	ND	ND	ND	ND	ND	--	
12/9/96	11.15	8.67	0.00	2.48	1.47	ND	--	ND	ND	ND	ND	33	--	
3/14/97	11.15	9.35	0.00	1.80	-0.68	ND	--	ND	ND	ND	ND	ND	--	
6/30/97	11.15	9.89	0.00	1.26	-0.54	ND	--	ND	ND	ND	ND	ND	--	
9/19/97	11.15	9.96	0.00	1.19	-0.07	ND	--	ND	ND	ND	ND	ND	--	
12/12/97	11.15	8.56	0.00	2.59	1.40	ND	--	ND	ND	ND	ND	ND	--	
3/3/98	11.15	7.85	0.00	3.30	0.71	ND	--	ND	ND	ND	ND	ND	--	
6/15/98	11.15	9.08	0.00	2.07	-1.23	ND	--	ND	ND	ND	ND	ND	--	
9/30/98	11.15	9.75	0.00	1.40	-0.67	ND	--	ND	ND	ND	ND	ND	--	
12/28/98	11.15	9.59	0.00	1.56	0.16	ND	--	ND	ND	ND	ND	ND	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>U-4 continued</b>														
3/22/99	11.15	8.34	0.00	2.81	1.25	ND	--	ND	ND	ND	ND	ND	--	
6/9/99	11.15	9.39	0.00	1.76	-1.05	ND	--	ND	ND	ND	ND	ND	--	
9/8/99	11.15	9.90	0.00	1.25	-0.51	ND	--	ND	ND	ND	ND	ND	--	
12/7/99	11.15	10.05	0.00	1.10	-0.15	ND	--	ND	ND	ND	ND	ND	--	
3/13/00	11.15	7.24	0.00	3.91	2.81	ND	--	ND	ND	ND	ND	ND	--	
6/21/00	11.15	9.48	0.00	1.67	-2.24	ND	--	ND	ND	ND	ND	ND	--	
9/27/00	11.15	9.42	0.00	1.73	0.06	ND	--	ND	ND	ND	ND	ND	--	
12/12/00	11.15	9.50	0.00	1.65	-0.08	ND	--	ND	ND	ND	ND	ND	--	
3/7/01	11.15	6.88	0.00	4.27	2.62	ND	--	ND	ND	ND	ND	ND	--	
6/6/01	11.15	9.18	0.00	1.97	-2.30	ND	--	ND	ND	ND	ND	ND	--	
9/24/01	11.15	9.21	0.00	1.94	-0.03	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
12/10/01	11.15	7.32	0.00	3.83	1.89	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
3/11/02	11.15	6.92	0.00	4.23	0.40	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
6/4/02	11.15	7.58	0.00	3.57	-0.66	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
9/3/02	11.15	9.17	0.00	1.98	-1.59	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
12/3/02	11.15	9.20	0.00	1.95	-0.03	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
3/4/03	11.15	9.32	0.00	1.83	-0.12	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
6/18/03	11.15	7.65	0.00	3.50	1.67	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
9/24/03	11.15	8.26	0.00	2.89	-0.61	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
12/2/03	11.15	9.16	0.00	1.99	-0.90	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
3/30/04	11.15	7.47	0.00	3.68	1.69	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
6/7/04	11.15	8.93	0.00	2.22	-1.46	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
9/9/04	11.15	9.83	0.00	1.32	-0.90	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/20/04	11.15	8.28	0.00	2.87	1.55	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>U-4 continued</b>														
3/28/05	11.15	6.35	0.00	4.80	1.93	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
6/14/05	11.15	8.10	0.00	3.05	-1.75	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
9/28/05	11.15	9.59	0.00	1.56	-1.49	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/29/05	11.15	7.13	0.00	4.02	2.46	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
3/27/06	11.15	6.27	0.00	4.88	0.86	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
6/12/06	11.15	8.45	0.00	2.70	-2.18	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
9/21/06	11.15	9.63	0.00	1.52	-1.18	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/21/06	11.15	8.50	0.00	2.65	1.13	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
3/28/07	11.15	8.00	0.00	3.15	0.50	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
6/27/07	11.15	8.78	0.00	2.37	-0.78	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
9/26/07	11.15	9.08	0.00	2.07	-0.30	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/27/07	11.15	8.63	0.00	2.52	0.45	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
<b>U-5 (Screen Interval in feet: 5.0-20.0)</b>														
6/22/94	6.98	6.83	0.00	0.15	--	210	--	7.1	13	4.5	26	--	--	
9/22/94	6.98	6.90	0.00	0.08	-0.07	170	--	8.4	10	8.5	18	--	--	
12/24/94	6.98	6.43	0.00	0.55	0.47	8700	--	560	70	670	430	--	--	
3/25/95	6.98	6.35	0.00	0.63	0.08	44000	--	390	960	1500	7600	--	--	
6/21/95	6.98	7.11	0.00	-0.13	-0.76	400	--	2.3	ND	9.1	3.5	--	--	
9/19/95	6.98	6.99	0.00	-0.01	0.12	850	--	14	7.1	13	66	--	--	
12/19/95	6.98	7.17	0.00	-0.19	-0.18	ND	--	ND	ND	ND	ND	--	--	
3/18/96	6.98	6.65	0.00	0.33	0.52	100	--	0.67	0.5	0.51	5.4	--	--	
6/27/96	6.98	6.49	0.00	0.49	0.16	16000	--	280	150	1400	4600	530	--	
9/26/96	6.98	7.13	0.00	-0.15	-0.64	ND	--	ND	0.57	ND	0.96	ND	--	
12/9/96	6.98	5.90	0.00	1.08	1.23	1300	--	29	46	ND	140	97	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>U-5 continued</b>														
3/14/97	6.98	6.99	0.00	-0.01	-1.09	ND	--	ND	ND	ND	ND	14	--	
6/30/97	6.98	7.08	0.00	-0.10	-0.09	4200	--	74	51	180	980	270	--	
9/19/97	6.98	6.78	0.00	0.20	0.30	6300	--	160	13	370	1000	480	--	
12/12/97	6.98	6.94	0.00	0.04	-0.16	60	--	1.3	ND	1.6	2.1	47	--	
3/3/98	6.98	6.50	0.00	0.48	0.44	1700	--	29	ND	150	190	330	--	
6/15/98	6.98	6.85	0.00	0.13	-0.35	1500	--	32	ND	91	83	330	--	
9/30/98	6.98	7.31	0.00	-0.33	-0.46	1700	--	44	ND	39	150	60	--	
12/28/98	6.98	7.25	0.00	-0.27	0.06	1400	--	59	ND	13	27	150	--	
3/22/99	6.98	6.86	0.00	0.12	0.39	780	--	8.9	ND	0.76	4.5	350	--	
6/9/99	6.98	7.28	0.00	-0.30	-0.42	1000	--	ND	ND	10	35	280	350	
9/8/99	6.98	7.52	0.00	-0.54	-0.24	2620	--	26.2	ND	32.2	157	280	239	
12/7/99	6.98	7.67	0.00	-0.69	-0.15	949	--	9.26	ND	11.2	22.7	235	301	
3/13/00	6.98	6.73	0.00	0.25	0.94	880	--	12	1.0	5.6	8.7	46	37	
6/21/00	6.98	7.39	0.00	-0.41	-0.66	700	--	4.0	ND	0.99	4.0	120	140	
9/27/00	6.98	7.45	0.00	-0.47	-0.06	400	--	1.9	ND	ND	1.5	160	250	
12/12/00	6.98	7.68	0.00	-0.70	-0.23	770	--	3.2	ND	ND	ND	27	13	
3/7/01	6.98	6.83	0.00	0.15	0.85	623	--	5.15	ND	ND	0.669	35.7	43.4	
6/6/01	6.98	7.42	0.00	-0.44	-0.59	110	--	ND	ND	ND	ND	ND	--	
9/24/01	6.98	7.50	0.00	-0.52	-0.08	270	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	40	42	
12/10/01	6.98	6.65	0.00	0.33	0.85	420	--	13	0.60	0.66	ND<0.50	ND<2.5	--	
3/11/02	6.98	7.00	0.00	-0.02	-0.35	260	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	42	47	
6/4/02	6.98	6.71	0.00	0.27	0.29	170	--	ND<0.50	0.77	0.87	0.69	29	--	
9/3/02	6.98	7.47	0.00	-0.49	-0.76	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	37	53	
12/3/02	6.98	6.64	0.00	0.34	0.83	--	320	ND<0.50	ND<0.50	5.7	ND<1.0	--	11	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
(feet)	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>U-5 continued</b>														
3/4/03	6.98	6.75	0.00	0.23	-0.11	--	100	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	44	
6/18/03	6.98	6.25	0.00	0.73	0.50	--	51	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	36	
9/24/03	6.98	6.86	0.00	0.12	-0.61	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
12/2/03	6.98	7.12	0.00	-0.14	-0.26	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	24	
3/30/04	6.98	6.88	0.00	0.10	0.24	--	100	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	130	
6/7/04	6.98	8.53	0.00	-1.55	-1.65	--	250	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	160	
9/9/04	6.98	12.28	0.00	-5.30	-3.75	--	340	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	260	
12/20/04	6.98	7.51	0.00	-0.53	4.77	--	130	ND<0.50	ND<0.50	1.9	2.0	--	120	
3/28/05	6.98	7.22	0.00	-0.24	0.29	--	670	ND<2.0	ND<2.0	ND<2.0	ND<4.0	--	230	
6/14/05	6.98	7.46	0.00	-0.48	-0.24	--	160	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	400	
9/28/05	6.98	9.59	0.00	-2.61	-2.13	--	460	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	370	
12/29/05	6.98	7.53	0.00	-0.55	2.06	--	150	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	190	
3/27/06	6.98	6.29	0.00	0.69	1.24	--	450	ND<0.50	ND<0.50	8.3	ND<1.0	--	70	
6/12/06	6.98	6.45	0.00	0.53	-0.16	--	370	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	61	
9/21/06	6.98	6.60	0.00	0.38	-0.15	--	130	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	35	
12/21/06	6.98	6.92	0.00	0.06	-0.32	--	230	ND<0.50	ND<0.50	0.58	ND<0.50	--	11	
3/28/07	6.98	5.12	0.00	1.86	1.80	--	400	ND<0.50	ND<0.50	5.4	ND<0.50	--	13	
6/27/07	6.98	4.41	0.00	2.57	0.71	--	210	ND<0.50	ND<0.50	2.4	ND<0.50	--	18	
9/26/07	6.98	4.71	0.00	2.27	-0.30	--	740	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	18	
12/27/07	6.98	6.77	0.00	0.21	-2.06	--	180	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	18	
<b>U-6 (Screen Interval in feet: 5.0-24.0)</b>														
6/22/94	7.14	7.14	0.00	0.00	--	ND	--	ND	ND	ND	ND	--	--	
9/22/94	7.14	7.34	0.00	-0.20	-0.20	130	--	1.3	0.8	ND	0.73	--	--	
12/24/94	7.14	6.67	0.00	0.47	0.67	6900	--	500	59	600	380	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>U-6 continued</b>														
3/25/95	7.14	6.29	0.00	0.85	0.38	47000	--	450	1300	1700	8200	--	--	
6/21/95	7.14	7.60	0.00	-0.46	-1.31	ND	--	ND	ND	ND	ND	--	--	
9/19/95	7.14	7.70	0.00	-0.56	-0.10	ND	--	ND	ND	ND	ND	--	--	
12/19/95	7.14	7.75	0.00	-0.61	-0.05	210	--	2.5	1.0	2.9	17	--	--	
3/18/96	7.14	6.86	0.00	0.28	0.89	ND	--	ND	ND	ND	ND	--	--	
6/27/96	7.14	6.52	0.00	0.62	0.34	ND	--	ND	ND	ND	ND	510	--	
9/26/96	7.14	7.62	0.00	-0.48	-1.10	ND	--	ND	ND	ND	ND	1400	--	
12/9/96	7.14	5.88	0.00	1.26	1.74	1200	--	29	48	6.4	140	58	--	
3/14/97	7.14	7.30	0.00	-0.16	-1.42	ND	--	ND	ND	ND	ND	1500	--	
6/30/97	7.14	7.35	0.00	-0.21	-0.05	ND	--	ND	ND	ND	ND	990	--	
9/19/97	7.14	7.25	0.00	-0.11	0.10	ND	--	ND	ND	ND	ND	1400	--	
12/12/97	7.14	7.29	0.00	-0.15	-0.04	ND	--	ND	ND	ND	ND	680	--	
3/3/98	7.14	7.00	0.00	0.14	0.29	ND	--	ND	ND	ND	ND	1600	--	
6/15/98	7.14	7.18	0.00	-0.04	-0.18	ND	--	ND	ND	ND	ND	1000	--	
9/30/98	7.14	7.90	0.00	-0.76	-0.72	ND	--	ND	ND	ND	ND	1200	--	
12/28/98	7.14	7.79	0.00	-0.65	0.11	ND	--	ND	ND	ND	ND	730	--	
3/22/99	7.14	7.47	0.00	-0.33	0.32	ND	--	ND	ND	ND	ND	1800	--	
6/9/99	7.14	7.73	0.00	-0.59	-0.26	ND	--	ND	ND	ND	ND	1000	850	
9/8/99	7.14	7.95	0.00	-0.81	-0.22	ND	--	ND	ND	ND	ND	851	1040	
12/7/99	7.14	8.10	0.00	-0.96	-0.15	ND	--	ND	ND	ND	ND	1140	1150	
3/13/00	7.14	6.95	0.00	0.19	1.15	ND	--	ND	ND	ND	ND	560	670	
6/21/00	7.14	7.84	0.00	-0.70	-0.89	ND	--	ND	ND	ND	ND	400	590	
9/27/00	7.14	7.68	0.00	-0.54	0.16	ND	--	ND	ND	ND	ND	2500	2800	
12/12/00	7.14	7.74	0.00	-0.60	-0.06	ND	--	ND	ND	ND	ND	590	580	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>U-6 continued</b>														
3/7/01	7.14	7.27	0.00	-0.13	0.47	ND	--	ND	ND	ND	ND	310	321	
6/6/01	7.14	7.80	0.00	-0.66	-0.53	ND	--	ND	ND	ND	ND	250	330	
9/24/01	7.14	7.82	0.00	-0.68	-0.02	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	530	660	
12/10/01	7.14	7.15	0.00	-0.01	0.67	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	220	220	
3/11/02	7.14	7.32	0.00	-0.18	-0.17	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	720	760	
6/4/02	7.14	7.18	0.00	-0.04	0.14	250	--	ND<1.0	ND<1.0	ND<1.0	ND<1.0	470	--	
9/3/02	7.14	7.72	0.00	-0.58	-0.54	420	--	ND<2.5	ND<2.5	ND<2.5	4.7	860	1200	
12/3/02	7.14	6.92	0.00	0.22	0.80	--	ND<500	ND<5.0	ND<5.0	ND<5.0	ND<10	--	870	
3/4/03	7.14	7.01	0.00	0.13	-0.09	--	2300	ND<10	ND<10	ND<10	ND<20	--	2700	
6/18/03	7.14	6.60	0.00	0.54	0.41	--	1300	ND<10	ND<10	ND<10	ND<20	--	1700	
9/24/03	7.14	7.24	0.00	-0.10	-0.64	--	ND<10000	ND<100	ND<100	ND<100	ND<200	--	1500	
12/2/03	7.14	7.80	0.00	-0.66	-0.56	--	1300	ND<10	ND<10	ND<10	ND<20	--	1800	
3/30/04	7.14	7.32	0.00	-0.18	0.48	--	1200	ND<10	ND<10	ND<10	ND<20	--	1700	
6/7/04	7.14	9.35	0.00	-2.21	-2.03	--	1700	ND<10	ND<10	ND<10	ND<20	--	1800	
9/9/04	7.14	12.81	0.00	-5.67	-3.46	--	ND<1000	ND<10	ND<10	ND<10	ND<20	--	1400	
12/20/04	7.14	7.96	0.00	-0.82	4.85	--	320	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	65	
3/28/05	7.14	7.07	0.00	0.07	0.89	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	150	
6/14/05	7.14	7.88	0.00	-0.74	-0.81	--	ND<100	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	20	
9/28/05	7.14	10.44	0.00	-3.30	-2.56	--	150	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	4.6	
12/29/05	7.14	7.63	0.00	-0.49	2.81	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	13	
3/27/06	7.14	6.16	0.00	0.98	1.47	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	8.1	
6/12/06	7.14	6.59	0.00	0.55	-0.43	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	6.9	
9/21/06	7.14	6.90	0.00	0.24	-0.31	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	3.1	
12/21/06	7.14	7.36	0.00	-0.22	-0.46	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	1.2	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>U-6 continued</b>														
3/28/07	7.14	3.48	0.00	3.66	3.88	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
6/27/07	7.14	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible - dumpster over well
9/26/07	7.14	2.71	0.00	4.43	--	--	54	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/27/07	7.14	6.96	0.00	0.18	-4.25	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.4	

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Acenaphthylene	Iron Ferrou	Nitrate	Phosphate (ortho)	Phosphate (total)	Redox Potential (ORP-Lab)	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mg/l)
<b>U-1</b>															
6/15/98	--	--	--	--	--	--	--	--	39000	ND	--	ND	382	--	--
9/30/98	--	--	--	--	--	--	--	--	17000	ND	--	ND	366	--	--
12/28/98	--	--	--	--	--	--	--	--	4300	6.30	--	28	298	--	--
3/22/99	--	--	--	--	--	--	--	--	4900	ND	--	3.5	320	--	--
6/9/99	--	--	--	--	--	--	--	--	1200	ND	--	ND	260	--	--
9/8/99	--	--	--	--	--	--	--	--	1800	ND	--	ND	85	--	--
12/7/99	--	--	--	--	--	--	--	--	5700	ND	--	17.0	404	--	1.36
3/13/00	--	--	--	--	--	--	--	--	8000	0.18	--	ND	262	--	--
6/21/00	--	--	--	--	--	--	--	--	9300	ND	--	ND	148	--	1.53
9/27/00	ND	--	ND	--	ND	ND	ND	--	2800	ND	--	18.4	119	--	1.63
12/12/00	--	--	--	--	--	--	--	--	490	ND	--	16.0	131	--	1.48
3/7/01	ND	--	ND	--	ND	ND	ND	--	483	2.64	--	6.89	125	--	1.91
6/6/01	ND	--	ND	--	ND	ND	ND	--	1000	ND	--	2.7	141	--	1.77
9/24/01	ND<20000	ND<400000	ND<1000	ND<1000	ND<1000	ND<1000	ND<1000	--	ND<100	0.45	--	--	125	--	1.64
12/10/01	ND<4000	ND<8000	ND<100	ND<100	ND<100	ND<100	ND<100	--	14000	ND<0.50	--	2.2	141	--	1.82
3/11/02	ND<5000	ND<25000	ND<100	ND<100	ND<100	ND<100	ND<100	--	15000	ND<0.50	--	0.11	132	--	2.21
6/4/02	--	--	--	--	--	--	--	--	ND<500	ND<0.50	--	ND<0.10	117	--	1.88
9/3/02	ND<10000	ND<50000	ND<200	ND<200	ND<200	ND<200	ND<200	--	ND<500	ND<0.50	--	ND<0.10	94	--	1.62
12/3/02	ND<10000	ND<50000	ND<200	ND<200	ND<200	ND<200	ND<200	--	9600	ND<1.0	--	ND<1.0	72	--	1.71
3/4/03	ND<5000	ND<25000	ND<100	ND<100	ND<100	ND<100	ND<100	--	36000	ND<1.0	--	ND<1.0	-125	--	0.30
6/18/03	ND<5000	ND<25000	ND<100	ND<100	ND<100	ND<100	ND<100	--	16000	ND<1.0	--	ND<1.0	-48	1.7	--
9/24/03	ND<20000	ND<100000	ND<400	ND<400	ND<400	ND<400	ND<400	--	15	ND<1.0	--	ND<1.0	-36	--	0.40
12/2/03	--	ND<100000	--	--	--	--	--	--	4000	--	--	--	--	6.46	2.05
3/30/04	3100	ND<10000	ND<100	ND<100	ND<200	ND<100	ND<100	--	12000	ND<1.0	ND<1.0	--	--	1.08	3.05
6/7/04	3300	ND<10000	ND<100	ND<100	ND<200	ND<100	ND<100	--	660	ND<0.50	6.8	--	--	1.62	2.30
12/20/04	11	ND<50	ND<0.50	ND<0.50	ND<1.0	ND<0.50	ND<0.50	--	0.015	ND<1.0	ND<1.0	--	--	1.35	5.55

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Acenaphthylene	Iron Ferrou	Nitrate	Phosphate (ortho)	Phosphate (total)	Redox Potential (ORP-Lab)	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mg/l)
<b>U-1 continued</b>															
3/28/05	--	ND<1000	--	--	--	--	--	--	16	ND<1.0	ND<1.0	--	--	4.32	3.26
6/14/05	4400	ND<1000	ND<10	ND<10	ND<10	ND<10	ND<10	--	7100	ND<1.0	12	--	--	3.95	4.52
9/28/05	5500	ND<250	ND<10	ND<10	ND<10	ND<10	ND<10	--	7300	ND<0.10	39	--	--	7.13	2.59
12/29/05	3900	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	9500	ND<0.10	21	--	--	3.74	2.81
3/27/06	--	ND<12000	--	--	--	--	--	--	8500	ND<0.10	ND<0.050	--	--	--	1.95
6/12/06	--	ND<250	--	--	--	--	--	--	25000	ND<0.10	0.64	--	--	--	1.20
9/21/06	--	ND<6200	--	--	--	--	--	--	16000	ND<0.10	1.5	--	--	--	1.28
12/21/06	--	ND<250	--	--	--	--	--	--	22000	ND<0.10	1.0	--	--	--	---
3/28/07	1600	ND<1200	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	--	20000	ND<0.10	ND<0.050	--	--	--	6.75
6/27/07	1500	ND<1200	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	--	35000	ND<0.10	0.065	--	--	--	3.87
9/26/07	--	ND<1200	--	--	--	--	--	--	27000	ND<0.10	0.11	--	--	--	2.39
12/27/07	--	ND<1200	--	--	--	--	--	--	25000	ND<0.10	ND<0.050	--	--	--	2.36
<b>U-2</b>															
3/3/98	--	--	--	--	--	--	--	--	25000	ND	--	ND	369	--	--
6/15/98	--	--	--	--	--	--	--	--	42000	ND	--	ND	341	--	--
9/30/98	--	--	--	--	--	--	--	--	25000	ND	--	ND	354	--	--
12/28/98	--	--	--	--	--	--	--	--	28000	ND	--	ND	276	--	--
3/22/99	--	--	--	--	--	--	--	--	680	ND	--	2.3	320	--	--
6/9/99	--	--	--	--	--	--	--	--	500	ND	--	ND	290	--	--
9/8/99	--	--	--	--	--	--	--	--	1900	ND	--	ND	235	--	--
12/7/99	--	--	--	--	--	--	--	--	250	ND	--	ND	389	--	2.28
3/13/00	--	--	--	--	--	--	--	--	4300	0.31	--	ND	184	--	--
6/21/00	--	--	--	--	--	--	--	--	260	ND	--	ND	136	--	1.96
9/27/00	--	--	--	--	--	--	--	--	640	ND	--	10.5	142	--	2.12
12/12/00	--	--	--	--	--	--	--	--	2700	ND	--	ND	155	--	2.35
3/7/01	ND	ND	ND	ND	ND	ND	ND	--	677	2.24	--	3.02	148	--	2.21

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene-dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Acenaphthylene (µg/l)	Iron Ferrou (µg/l)	Nitrate (mg/l)	Phosphate (ortho) (mg/l)	Phosphate (total) (mg/l)	Redox Potential (ORP-Lab) (mV)	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)
<b>U-2 continued</b>															
6/6/01	ND	ND	ND	ND	ND	ND	ND	--	800	ND	--	2.8	163	--	2.67
9/24/01	ND<20000	ND<400000	ND<1000	ND<1000	ND<1000	ND<1000	ND<1000	--	ND<100	0.49	--	--	151	--	2.10
12/10/01	ND<2000	ND<4000	ND<50	ND<50	ND<50	ND<50	ND<50	--	ND<100	ND<0.50	--	0.20	171	--	2.81
3/11/02	ND<10000	ND<50000	ND<200	ND<200	ND<200	ND<200	ND<200	--	ND<100	ND<0.50	--	0.65	156	--	2.77
6/4/02	--	--	--	--	--	--	--	--	ND<100	ND<0.50	--	ND<0.10	144	--	3.14
9/3/02	ND<50000	ND<250000	ND<1000	ND<1000	ND<1000	ND<1000	ND<1000	--	ND<250	ND<0.50	--	0.26	151	--	2.85
12/3/02	ND<10000	ND<50000	ND<200	ND<200	ND<200	ND<200	ND<200	--	9900	ND<1.0	--	ND<1.0	94	--	1.97
3/4/03	ND<10000	ND<50000	ND<200	ND<200	ND<200	ND<200	ND<200	--	8600	ND<1.0	--	ND<1.0	-147	--	0.40
6/18/03	ND<10000	ND<50000	ND<200	ND<200	ND<200	ND<200	ND<200	--	5500	ND<1.0	--	3.1	-8	3.2	--
9/24/03	ND<20000	ND<100000	ND<400	ND<400	ND<400	ND<400	ND<400	--	14	ND<1.0	--	ND<1.0	-10	--	0.20
12/2/03	--	ND<100000	--	--	--	--	--	--	2700	--	--	--	--	1.81	1.70
3/30/04	2400	ND<10000	ND<100	ND<100	ND<200	ND<100	ND<100	--	ND<200	ND<1.0	2.9	--	--	--	2.40
6/7/04	2600	ND<10000	ND<100	ND<100	ND<200	ND<100	ND<100	--	210	ND<0.50	2.4	--	--	3.29	3.10
9/9/04	2700	ND<10000	ND<100	ND<100	ND<200	ND<100	ND<100	--	930	ND<1.0	5.9	--	--	3.10	3.12
12/20/04	3500	ND<5000	ND<50	ND<50	ND<100	ND<50	ND<50	--	0.87	ND<1.0	ND<1.0	--	--	6.54	41
3/28/05	830	ND<5000	ND<50	ND<50	ND<50	ND<50	ND<0.50	--	4.0	ND<1.0	ND<1.0	--	--	4.30	3.76
6/14/05	10000	ND<2000	ND<20	ND<20	ND<20	ND<20	ND<20	--	3400	ND<1.0	ND<1.0	--	--	3.99	3.28
9/28/05	13000	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	4000	ND<0.20	7.5	--	--	6.62	2.87
12/29/05	1000000000	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	2200	ND<0.20	4.6	--	--	5.71	1.76
3/27/06	--	ND<250	--	--	--	--	--	--	1100	ND<0.10	ND<0.050	--	--	--	0.95
6/12/06	--	ND<6200	--	--	--	--	--	--	1500	ND<0.10	ND<0.050	--	--	--	19.82
9/21/06	--	ND<250	--	--	--	--	--	--	100	33	0.36	--	--	--	3.15
12/21/06	--	ND<250	--	--	--	--	--	--	770	ND<0.20	0.21	--	--	--	--
3/28/07	4000	ND<2500	ND<5.0	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	8600	ND<0.10	ND<0.050	--	--	--	8.80
6/27/07	3000	ND<2500	ND<5.0	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	9000	ND<0.10	ND<0.050	--	--	--	4.72
9/26/07	--	ND<2500	--	--	--	--	--	--	22000	ND<0.10	0.10	--	--	--	1.84

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Acenaphthylene	Iron Ferrou	Nitrate	Phosphate (ortho)	Phosphate (total)	Redox Potential (ORP-Lab)	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mg/l)
<b>U-2 continued</b>															
12/27/07	--	ND<2500	--	--	--	--	--	--	7600	ND<0.10	ND<0.050	--	--	--	2.81
<b>U-3</b>															
6/30/97	--	--	--	--	--	--	--	--	1400	21	--	0.86	190	--	4.10
9/19/97	--	--	--	--	--	--	--	--	570	19	--	ND	75	--	4.20
12/12/97	--	--	--	--	--	--	--	--	1900	23	--	0.85	390	--	2.97
3/3/98	--	--	--	--	--	--	--	--	13	36	--	ND	358	--	2.63
6/15/98	--	--	--	--	--	--	--	--	160	33	--	ND	318	--	2.93
9/30/98	--	--	--	--	--	--	--	--	40	31	--	ND	295	--	3.11
12/28/98	--	--	--	--	--	--	--	--	ND	29	--	ND	281	--	3.59
3/22/99	--	--	--	--	--	--	--	--	15	30	--	0.14	310	--	4.02
6/9/99	--	--	--	--	--	--	--	--	ND	26	--	1.2	350	--	3.70
9/8/99	--	--	--	--	--	--	--	--	ND	32.90	--	ND	417	--	3.96
12/7/99	--	--	--	--	--	--	--	--	52	27.90	--	ND	437	--	4.21
3/13/00	--	--	--	--	--	--	--	--	150	33	--	ND	307	--	--
6/21/00	--	--	--	--	--	--	--	--	200	32	--	ND	225	--	4.27
9/27/00	--	--	--	--	--	--	--	307	ND	34	--	15.7	211	--	4.67
12/12/00	--	--	--	--	--	--	--	--	ND	31	--	ND	246	--	4.79
3/7/01	--	--	--	--	--	--	--	--	ND	36.5	--	0.443	251	--	5.16
6/6/01	--	--	--	--	--	--	--	--	ND	8.0	--	0.18	214	--	4.79
9/24/01	--	--	--	--	--	--	--	--	ND<100	23.0	--	ND	198	--	4.27
12/10/01	--	--	--	--	--	--	--	--	ND<100	21	--	0.11	188	--	4.66
3/11/02	--	--	--	--	--	--	--	--	ND<100	30	--	0.14	166	--	5.06
6/4/02	--	--	--	--	--	--	--	--	ND<100	18	--	ND<0.10	151	--	5.79
9/3/02	--	--	--	--	--	--	--	--	ND<100	28	--	ND<0.10	143	--	6.04
12/3/02	--	--	--	--	--	--	--	--	ND<200	20	--	ND<1.0	154	--	5.58
3/4/03	--	--	--	--	--	--	--	--	ND<200	18	--	ND<1.0	-136	--	0.20

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Acenaphthylene	Iron Ferrou	Nitrate	Phosphate (ortho)	Phosphate (total)	Redox Potential (ORP-Lab)	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mg/l)
<b>U-3 continued</b>															
6/18/03	--	--	--	--	--	--	--	--	ND<200	17	--	ND<1.0	333	3.5	--
9/24/03	--	ND<500	--	--	--	--	--	--	ND<0.20	18	--	1.4	-50	--	0.60
12/2/03	--	ND<500	--	--	--	--	--	--	ND<200	--	--	--	--	4.28	4.30
3/30/04	--	ND<50	--	--	--	--	--	--	ND<200	16	ND<1.0	--	--	7.75	2.80
6/7/04	--	ND<50	--	--	--	--	--	--	ND<200	17	ND<0.20	--	--	4.19	4.70
9/9/04	--	ND<50	--	--	--	--	--	--	ND<10	16	1.2	--	--	4.68	4.75
12/20/04	--	ND<50	--	--	--	--	--	--	ND<0.010	17	ND<1.0	--	--	6.70	3.28
3/28/05	--	ND<50	--	--	--	--	--	--	ND<0.050	17	ND<1.0	--	--	4.21	3.32
6/14/05	--	ND<50	--	--	--	--	--	--	ND<50	18	ND<1.0	--	--	2.97	2.82
9/28/05	--	ND<250	--	--	--	--	--	--	ND<100	4.3	0.66	--	--	6.99	4.96
12/29/05	--	ND<250	--	--	--	--	--	--	ND<100	4.3	0.65	--	--	4.57	3.35
3/27/06	--	ND<250	--	--	--	--	--	--	ND<100	4.5	0.66	--	--	--	2.67
6/12/06	--	ND<250	--	--	--	--	--	--	ND<100	4.4	0.64	--	--	--	3.97
9/21/06	--	ND<250	--	--	--	--	--	--	170	4.4	0.69	--	--	--	2.64
12/21/06	--	ND<250	--	--	--	--	--	--	ND<100	4.5	0.68	--	--	--	---
3/28/07	--	ND<250	--	--	--	--	--	--	ND<100	4.7	0.67	--	--	--	8.10
6/27/07	--	ND<250	--	--	--	--	--	--	ND<100	4.5	0.64	--	--	--	8.72
9/26/07	--	ND<250	--	--	--	--	--	--	9900	ND<0.10	ND<0.050	--	--	--	3.49
12/27/07	--	ND<250	--	--	--	--	--	--	130	4.6	0.75	--	--	--	1.78
<b>U-4</b>															
6/30/97	--	--	--	--	--	--	--	--	130	35	--	0.52	200	--	5.40
9/19/97	--	--	--	--	--	--	--	--	350	30	--	ND	45	--	5.10
12/12/97	--	--	--	--	--	--	--	--	680	31	--	0.73	380	--	3.11
3/3/98	--	--	--	--	--	--	--	--	18	3.2	--	ND	284	--	2.94
6/15/98	--	--	--	--	--	--	--	--	140	33	--	ND	256	--	3.08
9/30/98	--	--	--	--	--	--	--	--	49	31	--	ND	276	--	4.05

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Acenaphthylene	Iron Ferrou	Nitrate	Phosphate (ortho)	Phosphate (total)	Redox Potential (ORP-Lab)	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mg/l)
<b>U-4 continued</b>															
12/28/98	--	--	--	--	--	--	--	--	360	31	--	ND	280	--	4.57
3/22/99	--	--	--	--	--	--	--	--	ND	30	--	0.14	320	--	4.26
6/9/99	--	--	--	--	--	--	--	--	ND	35	--	0.91	340	--	3.61
9/8/99	--	--	--	--	--	--	--	--	ND	24	--	ND	391	--	3.75
12/7/99	--	--	--	--	--	--	--	--	ND	27.7	--	ND	478	--	4.03
3/13/00	--	--	--	--	--	--	--	--	ND	33	--	ND	244	--	--
6/21/00	--	--	--	--	--	--	--	--	34	32	--	ND	248	--	4.89
9/27/00	--	--	--	--	--	--	--	--	ND	28	--	ND	198	--	5.09
12/12/00	--	--	--	--	--	--	--	--	ND	30	--	ND	210	--	4.86
3/7/01	--	--	--	--	--	--	--	--	ND	33.9	--	0.226	233	--	4.97
6/6/01	--	--	--	--	--	--	--	--	ND	7.4	--	0.21	248	--	5.12
9/24/01	--	--	--	--	--	--	--	--	ND<100	24	--	--	262	--	4.86
12/10/01	--	--	--	--	--	--	--	--	ND<100	19	--	0.10	242	--	5.05
3/11/02	--	--	--	--	--	--	--	--	ND<100	31	--	0.14	195	--	4.83
6/4/02	--	--	--	--	--	--	--	--	ND<100	27	--	ND<0.10	169	--	5.58
9/3/02	--	--	--	--	--	--	--	--	ND<100	28	--	0.27	126	--	5.94
12/3/02	--	--	--	--	--	--	--	--	ND<200	20	--	ND<1.0	133	--	5.82
3/4/03	--	--	--	--	--	--	--	--	ND<200	26	--	ND<1.0	-148	--	0.30
6/18/03	--	--	--	--	--	--	--	--	ND<200	31	--	ND<1.0	250	3.6	--
9/24/03	--	ND<500	--	--	--	--	--	--	ND<0.20	17	--	1.5	-24	--	0.20
12/2/03	--	ND<500	--	--	--	--	--	--	ND<200	--	--	--	--	3.45	3.57
3/30/04	--	ND<50	--	--	--	--	--	--	ND<200	25	ND<1.0	--	--	3.84	4.29
6/7/04	--	ND<50	--	--	--	--	--	--	ND<200	24	ND<0.20	--	--	4.02	4.56
9/9/04	--	ND<50	--	--	--	--	--	--	ND<10	22	ND<1.0	--	--	4.09	4.20
12/20/04	--	ND<50	--	--	--	--	--	--	ND<0.010	20	ND<1.0	--	--	6.19	5.11
3/28/05	--	ND<50	--	--	--	--	--	--	0.060	31	ND<1.0	--	--	4.66	4.54

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Acenaphthylene	Iron Ferrou	Nitrate	Phosphate (ortho)	Phosphate (total)	Redox Potential (ORP-Lab)	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mg/l)
<b>U-4 continued</b>															
6/14/05	--	ND<50	--	--	--	--	--	--	ND<50	32	ND<1.0	--	--	3.09	3.02
9/28/05	--	ND<250	--	--	--	--	--	--	190	6.8	0.45	--	--	6.59	5.02
12/29/05	--	ND<250	--	--	--	--	--	--	ND<100	5.3	0.37	--	--	5.09	5.03
3/27/06	--	ND<250	--	--	--	--	--	--	ND<100	6.4	0.41	--	--	--	5.51
6/12/06	--	ND<250	--	--	--	--	--	--	2200	6.8	0.39	--	--	--	4.33
9/21/06	--	ND<250	--	--	--	--	--	--	360	5.7	0.43	--	--	--	3.51
12/21/06	--	ND<250	--	--	--	--	--	--	ND<100	5.6	0.41	--	--	--	--
3/28/07	--	ND<250	--	--	--	--	--	--	ND<100	5.5	0.49	--	--	--	12.16
6/27/07	--	ND<250	--	--	--	--	--	--	ND<100	5.3	0.34	--	--	--	10.42
9/26/07	--	ND<250	--	--	--	--	--	--	ND<100	5.4	0.40	--	--	--	4.27
12/27/07	--	ND<250	--	--	--	--	--	--	ND<100	5.3	0.43	--	--	--	3.74
<b>U-5</b>															
6/30/97	--	--	--	--	--	--	--	--	16000	ND	--	ND	160	--	3.40
9/19/97	--	--	--	--	--	--	--	--	220	ND	--	ND	63	--	0.60
12/12/97	--	--	--	--	--	--	--	--	6700	ND	--	ND	400	--	1.75
3/3/98	--	--	--	--	--	--	--	--	18000	3.1	--	ND	345	--	2.36
6/15/98	--	--	--	--	--	--	--	--	17000	ND	--	ND	333	--	2.55
9/30/98	--	--	--	--	--	--	--	--	17000	ND	--	ND	318	--	1.93
12/28/98	--	--	--	--	--	--	--	--	17000	6.6	--	ND	305	--	1.64
3/22/99	--	--	--	--	--	--	--	--	120	ND	--	2.4	340	--	1.99
6/9/99	--	--	--	--	--	--	--	--	230	ND	--	ND	320	--	2.10
9/8/99	--	--	--	--	--	--	--	--	2100	ND	--	ND	335	--	2.21
12/7/99	--	--	--	--	--	--	--	--	310	ND	--	ND	408	--	2.66
3/13/00	--	--	--	--	--	--	--	--	330	0.16	--	ND	264	--	--
6/21/00	--	--	--	--	--	--	--	--	150	ND	--	ND	159	--	3.42
9/27/00	--	--	--	--	--	--	--	--	330	ND	--	ND	136	--	3.85

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Acenaphthylene	Iron Ferrou	Nitrate	Phosphate (ortho)	Phosphate (total)	Redox Potential (ORP-Lab)	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mg/l)
<b>U-5 continued</b>															
12/12/00	--	--	--	--	--	--	--	--	86	ND	--	ND	122	--	3.53
3/7/01	ND	ND	ND	ND	ND	ND	ND	--	1070	3.02	--	4.00	141	--	2.98
6/6/01	--	--	--	--	--	--	--	--	ND	ND	--	1.2	112	--	2.67
9/24/01	ND<200	ND<4000	ND<10	ND<10	ND<10	ND<10	ND<10	--	ND<100	0.77	--	--	146	--	3.15
12/10/01	--	--	--	--	--	--	--	--	3700	ND<0.50	--	2.6	96	--	2.85
3/11/02	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	100	ND<0.50	--	0.52	108	--	3.15
6/4/02	--	--	--	--	--	--	--	--	ND<250	ND<0.50	--	ND<0.10	118	--	3.46
9/3/02	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	ND<250	ND<0.50	--	ND<0.10	87	--	2.85
12/3/02	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	22000	ND<1.0	--	ND<1.0	104	--	2.71
3/4/03	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	19000	ND<1.0	--	ND<1.0	-166	--	0.20
6/18/03	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	11000	ND<1.0	--	ND<1.0	-10	2.4	--
9/24/03	--	ND<500	--	--	--	--	--	--	ND<0.20	18	--	1.8	-28	--	0.30
12/2/03	--	ND<500	--	--	--	--	--	--	9400	--	--	--	--	2.22	2.15
3/30/04	52	ND<50	ND<0.50	ND<0.50	ND<1.0	ND<0.50	ND<0.50	--	5900	ND<1.0	ND<1.0	--	--	1.89	1.88
6/7/04	69	ND<50	ND<0.5	ND<0.5	ND<1.0	ND<0.5	ND<0.5	--	3800	ND<0.50	ND<0.20	--	--	1.88	1.92
9/9/04	130	ND<50	ND<0.50	ND<0.50	ND<1.0	ND<0.50	ND<0.50	--	4100	ND<1.0	ND<1.0	--	--	2.38	2.58
12/20/04	--	ND<50	--	--	--	--	--	--	5.0	ND<1.0	ND<1.0	--	--	.71	2.01
3/28/05	150	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	6.5	ND<1.0	ND<1.0	--	--	2.02	1.06
6/14/05	160	ND<100	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	7400	3.6	ND<1.0	--	--	2.38	2.02
9/28/05	220	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	7300	ND<0.50	0.10	--	--	6.94	4.58
12/29/05	280	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	7300	ND<0.50	ND<0.050	--	--	2.17	1.99
3/27/06	--	ND<250	--	--	--	--	--	--	6300	ND<0.50	ND<0.050	--	--	--	2.69
6/12/06	--	ND<250	--	--	--	--	--	--	8700	ND<0.20	ND<0.050	--	--	--	2.32
9/21/06	--	ND<250	--	--	--	--	--	--	6800	ND<0.50	ND<0.050	--	--	--	1.37
12/21/06	--	ND<250	--	--	--	--	--	--	15000	ND<0.50	ND<0.050	--	--	--	---
3/28/07	870	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	10000	ND<0.20	ND<0.050	--	--	--	9.09

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Acenaphthylene	Iron Ferrou	Nitrate	Phosphate (ortho)	Phosphate (total)	Redox Potential (ORP-Lab)	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mg/l)
<b>U-5 continued</b>															
6/27/07	220	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	10000	ND<0.10	ND<0.050	--	--	--	3.52
9/26/07	--	ND<250	--	--	--	--	--	--	9200	ND<0.10	ND<0.050	--	--	--	2.66
12/27/07	--	ND<250	--	--	--	--	--	--	5900	ND<0.10	ND<0.050	--	--	--	1.63
<b>U-6</b>															
6/30/97	--	--	--	--	--	--	--	--	88000	0.80	--	ND	190	--	0.30
9/19/97	--	--	--	--	--	--	--	--	2900	1.80	--	ND	ND	--	0.60
12/12/97	--	--	--	--	--	--	--	--	51000	ND	--	ND	380	--	2.70
3/3/98	--	--	--	--	--	--	--	--	60000	3.5	--	ND	327	--	2.18
6/15/98	--	--	--	--	--	--	--	--	590000	4.8	--	ND	315	--	2.48
9/30/98	--	--	--	--	--	--	--	--	33000	ND	--	ND	345	--	3.06
12/28/98	--	--	--	--	--	--	--	--	83000	7.2	--	ND	297	--	3.42
3/22/99	--	--	--	--	--	--	--	--	2100	ND	--	0.98	330	--	3.88
6/9/99	--	--	--	--	--	--	--	--	470	0.20	--	ND	320	--	3.29
9/8/99	--	--	--	--	--	--	--	--	140	5.59	--	ND	305	--	3.12
12/7/99	--	--	--	--	--	--	--	--	260	ND	--	ND	443	--	3.44
3/13/00	--	--	--	--	--	--	--	--	790	0.26	--	ND	222	--	--
6/21/00	--	--	--	--	--	--	--	--	1900	ND	--	ND	159	--	3.27
9/27/00	--	--	--	--	--	--	--	--	2600	ND	--	ND	170	--	3.49
12/12/00	--	--	--	--	--	--	--	--	ND	2.7	--	ND	128	--	3.06
3/7/01	ND	ND	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--
6/6/01	ND	ND	ND	ND	ND	ND	ND	--	470	0.15	--	0.70	97	--	2.46
9/24/01	ND<2000	ND<40000	ND<100	ND<100	ND<100	ND<100	ND<100	--	ND<100	0.58	--	--	123	--	3.10
12/10/01	ND<200	ND<400	ND<5.0	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	990	0.50	--	2.0	112	--	2.57
3/11/02	ND<400	ND<2000	ND<8.0	ND<8.0	ND<8.0	ND<8.0	ND<8.0	--	1200	ND<0.50	--	0.089	128	--	3.03
6/4/02	--	--	--	--	--	--	--	--	ND<100	ND<0.50	--	ND<1.0	97	--	2.84
9/3/02	ND<2000	ND<10000	ND<40	ND<40	ND<40	ND<40	ND<40	--	ND<100	0.58	--	1.1	110	--	3.12

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Acenaphthylene	Iron Ferrou	Nitrate	Phosphate (ortho)	Phosphate (total)	Redox Potential (ORP-Lab)	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mg/l)
<b>U-6 continued</b>															
12/3/02	ND<1000	ND<5000	ND<20	ND<20	ND<20	ND<20	ND<20	--	1200	ND<1.0	--	2.6	95	--	2.96
3/4/03	ND<2000	ND<10000	ND<40	ND<40	ND<40	ND<40	ND<40	--	20000	ND<1.0	--	ND<1.0	-112	--	0.30
6/18/03	ND<2000	ND<10000	ND<40	ND<40	ND<40	ND<40	ND<40	--	3200	ND<1.0	--	2.0	-15	3.2	--
9/24/03	ND<20000	ND<100000	ND<400	ND<400	ND<400	ND<400	ND<400	--	1.4	ND<1.0	--	4.6	-12	--	0.30
12/2/03	--	ND<10000	--	--	--	--	--	--	1400	--	--	--	--	3.10	2.53
3/30/04	770	ND<1000	ND<10	ND<10	ND<20	ND<10	ND<10	--	2600	ND<1.0	ND<1.0	--	--	3.61	1.88
6/7/04	110	ND<1000	ND<10	ND<10	ND<20	ND<10	ND<10	--	2100	0.8	ND<0.20	--	--	2.43	2.90
9/9/04	1900	ND<1000	ND<10	ND<10	ND<20	ND<10	ND<10	--	870	ND<1.0	3.8	--	--	2.84	2.96
12/20/04	5000	ND<250	ND<2.5	ND<2.5	ND<5.0	ND<2.5	ND<2.5	--	2.5	ND<1.0	ND<1.0	--	--	--	--
3/28/05	990	--	ND<2.5	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	3.4	ND<1.0	ND<1.0	--	--	3.18	2.57
6/14/05	ND<5.0	ND<100	ND<0.5	ND<0.5	ND<0.50	ND<0.50	ND<0.50	--	4100	3.8	ND<1.0	--	--	4.02	4.20
9/28/05	3800	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	21000	ND<0.20	3.4	--	--	7.93	6.82
12/29/05	1100	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	8300	0.48	ND<0.050	--	--	1.49	3.56
3/27/06	--	ND<250	--	--	--	--	--	--	8800	0.37	0.19	--	--	--	1.33
6/12/06	--	ND<250	--	--	--	--	--	--	8500	0.23	ND<0.050	--	--	--	1.32
9/21/06	--	ND<250	--	--	--	--	--	--	2900	0.19	0.31	--	--	--	2.07
12/21/06	--	ND<250	--	--	--	--	--	--	11000	0.36	0.41	--	--	--	--
3/28/07	--	ND<250	--	--	--	--	--	--	ND<100	0.55	0.31	--	--	--	7.37
9/26/07	--	ND<250	--	--	--	--	--	--	ND<100	0.41	0.34	--	--	--	3.92
12/27/07	--	ND<250	--	--	--	--	--	--	7700	ND<0.10	1.0	--	--	--	2.55

**Table 2 b**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	Pre-purge ORP  (mV)	Post-purge ORP  (mV)
<b>U-1</b>		
12/2/03	-72	-73
3/30/04	-40	-54
6/7/04	-32	-48
12/20/04	--	32
3/28/05	124	138
6/14/05	-145	-177
9/28/05	-065	-160
12/29/05	-310	-508
3/27/06	-667	--
6/12/06	-229	--
9/21/06	-110	--
12/21/06	-102	--
3/28/07	-93	--
6/27/07	-106	--
9/26/07	-60	--
12/27/07	-60	--
<b>U-2</b>		
12/2/03	-29	-67
3/30/04	-6	--
6/7/04	-8	7
9/9/04	-74	-79
12/20/04	-84	-72
3/28/05	118	140
6/14/05	-155	-206
9/28/05	-100	-179
12/29/05	-578	-484

**Table 2 b**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	Pre-purge ORP	Post-purge ORP
	(mV)	(mV)
<b>U-2 continued</b>		
3/27/06	-1334	--
6/12/06	-130	--
9/21/06	-18	--
12/21/06	-92	--
3/28/07	-97	--
6/27/07	-105	--
9/26/07	-25	--
12/27/07	-64	--
<b>U-3</b>		
12/2/03	97	105
3/30/04	-38	12
6/7/04	23	42
9/9/04	14	21
12/20/04	45	32
3/28/05	145	137
6/14/05	90	86
9/28/05	-068	-060
12/29/05	-802	-1132
3/27/06	-1588	--
6/12/06	77	--
9/21/06	-33	--
12/21/06	85	--
3/28/07	-10	--
6/27/07	111	--
9/26/07	72	--
12/27/07	-72	--

**Table 2 b**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**


Date Sampled	Pre-purge ORP	Post-purge ORP
	(mV)	(mV)
<b>U-4</b>		
12/2/03	107	102
3/30/04	19	42
6/7/04	27	15
9/9/04	-26	-8
12/20/04	84	77
3/28/05	163	130
6/14/05	78	88
9/28/05	099	082
12/29/05	-628	-632
3/27/06	-1000	--
6/12/06	102	--
9/21/06	152	--
12/21/06	90	--
3/28/07	144	--
6/27/07	115	--
9/26/07	98	--
12/27/07	33	--
<b>U-5</b>		
12/2/03	-39	-39
3/30/04	-19	-37
6/7/04	-15	-31
9/9/04	-41	-67
12/20/04	-65	-72
3/28/05	132	133
6/14/05	-163	-168
9/28/05	-126	-125

**Table 2 b**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	Pre-purge ORP	Post-purge ORP
	(mV)	(mV)
<b>U-5 continued</b>		
12/29/05	-416	-411
3/27/06	-585	--
6/12/06	-236	--
9/21/06	-125	--
12/21/06	-109	--
3/28/07	-97	--
6/27/07	-101	--
9/26/07	-80	--
12/27/07	-83	--
<b>U-6</b>		
12/2/03	-99	-74
3/30/04	-28	-33
6/7/04	-32	-62
9/9/04	-89	--
3/28/05	84	96
6/14/05	-158	-175
9/28/05	-028	-141
12/29/05	-480	-548
3/27/06	-953	--
6/12/06	-234	--
9/21/06	-113	--
12/21/06	-132	--
3/28/07	-36	--
9/26/07	64	--
12/27/07	-5	--


# FIGURES

PS=1:1 L:\QMS VICINITY M A P S\5325VM.DWG Nov 15, 2007 - 3:03pm cwong



SOURCE:

United States Geological Survey  
7.5 Minute Topographic Map:  
Oakland West Quadrangle



SCALE 1:24,000



PROJECT: 154771

FACILITY:

76 STATION 5325  
3220 LAKESHORE AVENUE  
OAKLAND, CALIFORNIA

VICINITY MAP


FIGURE 1

**LEGEND**

U-6  Monitoring Well with Groundwater Elevation (feet)

2.50  Groundwater Elevation Contour

 General Direction of Groundwater Flow



**NOTES:**

Contour lines are interpretive and based on fluid levels measured in monitoring wells. Elevations are in feet above mean sea level. UST = underground storage tank.

SCALE (FEET)



L:\Graphics\CMS NORTH SOUTH\Jx-5000\5325+5325QMS(NEW).DWG Jan 15, 2008 - 8:36am cvuong

MS-1:40 5325-003



PROJECT: 154771  
 FACILITY:  
 76 STATION 5325  
 3220 LAKESHORE AVENUE  
 OAKLAND, CALIFORNIA


**GROUNDWATER ELEVATION  
 CONTOUR MAP  
 December 27, 2007**

**FIGURE 2**

**LEGEND**

U-6  Monitoring Well with Dissolved-Phase TPH-G (GC/MS) Concentration (µg/l)

 1,000 Dissolved-Phase TPH-G (GC/MS) Contour (µg/l)



**NOTES:**

Contour lines are interpretive and based on laboratory analysis results of groundwater samples. TPH-G (GC/MS) = total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B. µg/l = micrograms per liter. ND = not detected at limit indicated on official laboratory report. UST = underground storage tank.

SCALE (FEET)



L:\Graphics\QMS NORTH-SOUTH\X-5000\5325+5326QMS(NEW).DWG Jan 15, 2008 - 8:36am cvuong

MS-1:40 5325-003



PROJECT: 154771  
 FACILITY:  
 76 STATION 5325  
 3220 LAKESHORE AVENUE  
 OAKLAND, CALIFORNIA


**DISSOLVED-PHASE TPH-G (GC/MS)  
 CONCENTRATION MAP  
 December 27, 2007**

**FIGURE 3**

**LEGEND**

U-6  Monitoring Well with Dissolved-Phase Benzene Concentration ( $\mu\text{g/l}$ )

 10 Dissolved-Phase Benzene Contour ( $\mu\text{g/l}$ )



**NOTES:**

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.  $\mu\text{g/l}$  = micrograms per liter. ND = not detected at limit indicated on official laboratory report. Dashes indicate contour based on non-detect at elevated detection limit. UST = underground storage tank.

SCALE (FEET)



L:\Graphics\QMS NORTH-SOUTH\EX-5000\5325\QMS(NEW).DWG Jan 15, 2008 - 8:36am cvuong

MS=1:40 5325-003



PROJECT: 154771  
 FACILITY:  
 76 STATION 5325  
 3220 LAKESHORE AVENUE  
 OAKLAND, CALIFORNIA


**DISSOLVED-PHASE BENZENE  
 CONCENTRATION MAP  
 December 27, 2007**

**FIGURE 4**

**LEGEND**

U-6  Monitoring Well with Dissolved-Phase MTBE Concentration ( $\mu\text{g/l}$ )

 100 Dissolved-Phase MTBE Contour ( $\mu\text{g/l}$ )



**NOTES:**

Contour lines are interpretive and based on laboratory analysis results of groundwater samples. MTBE = methyl tertiary butyl ether.  $\mu\text{g/l}$  = micrograms per liter. ND = not detected at limit indicated on official laboratory report. UST = underground storage tank. Results obtained using EPA Method 8260B.

SCALE (FEET)



L:\Graphics\GIS\MS NORTH-SOUTH\Hix-6000\5325\5325QMS(NEW).DWG Jan 15, 2008 - 8:36am cvuong

MS=1:40 5325-003



PROJECT: 154771


FACILITY:  
76 STATION 5325  
3220 LAKESHORE AVENUE  
OAKLAND, CALIFORNIA

**DISSOLVED-PHASE MTBE  
CONCENTRATION MAP  
December 27, 2007**

**FIGURE 5**


# GRAPHS

Groundwater Elevations vs. Time  
76 Station 5325



Elevations may have been corrected for apparent changes due to resurvey







Groundwater Elevations vs. Time  
76 Station 5325



Elevations may have been corrected for apparent changes due to resurvey

# Benzene Concentrations vs Time

76 Station 5325



# GENERAL FIELD PROCEDURES

## **Groundwater Monitoring and Sampling Assignments**

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater monitoring and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

## **Fluid Level Measurements**

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyors mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Wells that are found to contain LPH are not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed. Bailed fluids are placed in a container separate from normal purge water, and properly disposed.

## **Purging and Groundwater Parameter Measurement**

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously until they become stable in general accordance with EPA guidelines.

Purge water is generally collected in labeled drums for disposal. Drums may be left on site for disposal by others, or transported to a collection location for eventual transfer to a licensed treatment or recycling facility. In some cases, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

## **Groundwater Sample Collection**

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

Samples are collected by lowering a new, disposable, ½-inch to 4-inch polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

After filling, all containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

## **Sequence of Gauging, Purging and Sampling**

The sequence in which monitoring activities are conducted are specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well.

## **Decontamination**

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated to a particular wells, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liqui-nox and water and rinsing twice. The final rinse is in deionized water.

## **Exceptions**

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, and noted on the site TSR, are documented in field notes on the following pages.



## GROUNDWATER SAMPLING FIELD NOTES

Technician: Andrew Vidaris

Site: 5325

Project No.: 154771

Date: 12/27/07

Well No. U-6

Purge Method: DIA

Depth to Water (feet): 6.96

Depth to Product (feet): —

Total Depth (feet): 23.72

LPH & Water Recovered (gallons): —

Water Column (feet): 16.76

Casing Diameter (Inches): 2

80% Recharge Depth(feet): ~~10.31~~ 10.31

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
0616			3	905.0	12.6	7.40	2.55	-5	
	AV		6	810.8	14.5	6.90	2.06	-10	
	0619		9	761.8	15.7	6.68	1.61	-6	
Static at Time Sampled			Total Gallons Purged		Sample Time				
10.31			9		0633				
Comments:									

Well No. U-4

Purge Method: DIA

Depth to Water (feet): 9.63

Depth to Product (feet): —

Total Depth (feet): 19.46

LPH & Water Recovered (gallons): —

Water Column (feet): 10.43

Casing Diameter (Inches): 4

80% Recharge Depth(feet): 10.90

1 Well Volume (gallons): 7

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
0643		T AV	7	952.4	13.4	6.91	3.74	33	
		T AV	14	1026	15.9	6.75	3.44	41	
	0646	T AV	21	1035	16.6	6.85	4.36	44	
Static at Time Sampled			Total Gallons Purged		Sample Time				
14.96			21		0853				
Comments: <u>Did not recharge in 2 Hrs.</u>									

## GROUNDWATER SAMPLING FIELD NOTES

Technician: Andrew Vidner S.

Site: 5325      Project No.: 154771      Date: 12/27/07

Well No. U-5      Purge Method: DIA  
 Depth to Water (feet): 6.77      Depth to Product (feet): —  
 Total Depth (feet): 20.12      LPH & Water Recovered (gallons): —  
 Water Column (feet): 13.35      Casing Diameter (Inches): 4  
 80% Recharge Depth(feet): 9.44      1 Well Volume (gallons): 9

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
0706			9	1470	13.4	6.93	1.63	-83	
			18	2320	16.3	6.61	1.44	-99	
	0713		27	2123	17.0	6.52	1.38	-82	
Static at Time Sampled			Total Gallons Purged		Sample Time				
8.86			27		0830				
Comments:									

Well No. U-3      Purge Method: DIA  
 Depth to Water (feet): 10.93      Depth to Product (feet): —  
 Total Depth (feet): 19.41      LPH & Water Recovered (gallons): —  
 Water Column (feet): 8.48      Casing Diameter (Inches): 3  
 80% Recharge Depth(feet): 12.63      1 Well Volume (gallons): 3

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
0726			3	1143	14.3	7.06	1.78	-72	
			6	1010	15.3	6.99	4.27	-57	
	0728		9	956.1	15.9	7.09	5.71	-46	
Static at Time Sampled			Total Gallons Purged		Sample Time				
11.47			9		0843				
Comments:									

## GROUNDWATER SAMPLING FIELD NOTES

Technician: Andrew Vidners

Site: 5325      Project No.: 15471      Date: 12/27/07

Well No. U-1      Purge Method: DIA  
 Depth to Water (feet): 8.12      Depth to Product (feet): \_\_\_\_\_  
 Total Depth (feet): 13.26      LPH & Water Recovered (gallons): \_\_\_\_\_  
 Water Column (feet): 5.14      Casing Diameter (Inches): 3  
 80% Recharge Depth(feet): 9.15      1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
0739			2	1067	15.5	6.97	2.36	-60	
			4	1072	16.4	6.80	3.01	-95	
	0741		6	1076	16.8	6.69	5.22	-89	
Static at Time Sampled			Total Gallons Purged		Sample Time				
8.42			6		0910				
Comments:									

Well No. U-2      Purge Method: DIA  
 Depth to Water (feet): 5.80      Depth to Product (feet): \_\_\_\_\_  
 Total Depth (feet): 19.99      LPH & Water Recovered (gallons): \_\_\_\_\_  
 Water Column (feet): 14.19      Casing Diameter (Inches): 3  
 80% Recharge Depth(feet): 8.64      1 Well Volume (gallons): 5

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
0753			5	1541	14.7	6.53	2.81	-64	
			10	1545	16.9	6.36	4.22	-65	
	0757		15	1620	17.4	6.46	4.44	-87	
Static at Time Sampled			Total Gallons Purged		Sample Time				
14.47			15		0957				
Comments: <u>DIA not recovery in 2 hrs.</u>									



LABORATORIES, INC.

Date of Report: 01/11/2008

Anju Farfan

TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

RE: 5325  
BC Work Order: 0715387

Enclosed are the results of analyses for samples received by the laboratory on 12/28/2007 10:25. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Molly Meyers".

Contact Person: Molly Meyers  
Client Service Rep

A stylized, handwritten signature in black ink, consisting of several sweeping strokes.

Authorized Signature



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

### Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information					
0715387-01	COC Number:	---		Receive Date:	12/28/2007 10:25	Delivery Work Order:
	Project Number:	5325		Sampling Date:	12/27/2007 06:33	Global ID: T0600101463
	Sampling Location:	U-6		Sample Depth:	---	Matrix: W
	Sampling Point:	U-6		Sample Matrix:	Water	Samle QC Type (SACode): CS
	Sampled By:	TRCI				Cooler ID:
0715387-02	COC Number:	---		Receive Date:	12/28/2007 10:25	Delivery Work Order:
	Project Number:	5325		Sampling Date:	12/27/2007 08:53	Global ID: T0600101463
	Sampling Location:	U-4		Sample Depth:	---	Matrix: W
	Sampling Point:	U-4		Sample Matrix:	Water	Samle QC Type (SACode): CS
	Sampled By:	TRCI				Cooler ID:
0715387-03	COC Number:	---		Receive Date:	12/28/2007 10:25	Delivery Work Order:
	Project Number:	5325		Sampling Date:	12/27/2007 08:30	Global ID: T0600101463
	Sampling Location:	U-5		Sample Depth:	---	Matrix: W
	Sampling Point:	U-5		Sample Matrix:	Water	Samle QC Type (SACode): CS
	Sampled By:	TRCI				Cooler ID:
0715387-04	COC Number:	---		Receive Date:	12/28/2007 10:25	Delivery Work Order:
	Project Number:	5325		Sampling Date:	12/27/2007 08:43	Global ID: T0600101463
	Sampling Location:	U-3		Sample Depth:	---	Matrix: W
	Sampling Point:	U-3		Sample Matrix:	Water	Samle QC Type (SACode): CS
	Sampled By:	TRCI				Cooler ID:
0715387-05	COC Number:	---		Receive Date:	12/28/2007 10:25	Delivery Work Order:
	Project Number:	5325		Sampling Date:	12/27/2007 09:10	Global ID: T0600101463
	Sampling Location:	U-1		Sample Depth:	---	Matrix: W
	Sampling Point:	U-1		Sample Matrix:	Water	Samle QC Type (SACode): CS
	Sampled By:	TRCI				Cooler ID:



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

### Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information		
0715387-06	<b>COC Number:</b>	---	<b>Receive Date:</b> 12/28/2007 10:25
	<b>Project Number:</b>	5325	<b>Sampling Date:</b> 12/27/2007 09:57
	<b>Sampling Location:</b>	U-2	<b>Sample Depth:</b> ---
	<b>Sampling Point:</b>	U-2	<b>Sample Matrix:</b> Water
	<b>Sampled By:</b>	TRCI	<b>Delivery Work Order:</b>
			Global ID: T0600101463
			Matrix: W
			Samle QC Type (SACode): CS
			Cooler ID:

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

 Project: 5325  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0715387-01		Client Sample Name:	5325, U-6, U-6, 12/27/2007 6:33:00AM									
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	01/03/08	01/03/08 21:20	SDU	MS-V10	1	BRA0115	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	01/03/08	01/03/08 21:20	SDU	MS-V10	1	BRA0115	ND	
Methyl t-butyl ether	2.4	ug/L	0.50		EPA-8260	01/03/08	01/03/08 21:20	SDU	MS-V10	1	BRA0115	ND	
Toluene	ND	ug/L	0.50		EPA-8260	01/03/08	01/03/08 21:20	SDU	MS-V10	1	BRA0115	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	01/03/08	01/03/08 21:20	SDU	MS-V10	1	BRA0115	ND	
Ethanol	ND	ug/L	250		EPA-8260	01/03/08	01/03/08 21:20	SDU	MS-V10	1	BRA0115	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	01/03/08	01/03/08 21:20	SDU	MS-V10	1	BRA0115	ND	
1,2-Dichloroethane-d4 (Surrogate)	103	%	76 - 114 (LCL - UCL)		EPA-8260	01/03/08	01/03/08 21:20	SDU	MS-V10	1	BRA0115		
Toluene-d8 (Surrogate)	103	%	88 - 110 (LCL - UCL)		EPA-8260	01/03/08	01/03/08 21:20	SDU	MS-V10	1	BRA0115		
4-Bromofluorobenzene (Surrogate)	103	%	86 - 115 (LCL - UCL)		EPA-8260	01/03/08	01/03/08 21:20	SDU	MS-V10	1	BRA0115		



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

### Water Analysis (General Chemistry)

BCL Sample ID: 0715387-01 Client Sample Name: 5325, U-6, U-6, 12/27/2007 6:33:00AM

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Nitrate as N	ND	mg/L	0.10		EPA-300.0	12/28/07	12/28/07 22:25	FAD	IC1	1	BQL1577	ND	
Iron (II) Species	7700	ug/L	200		SM-3500-Fe	12/31/07	12/31/07 01:30	MRM	SPEC05	2	BQL1588	ND	A01
ortho-Phosphate	1.0	mg/L	0.050		EPA-365.1	12/28/07	12/28/07 15:04	TDC	KONE-1	1	BQL1599	ND	



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0715387-02		Client Sample Name: 5325, U-4, U-4, 12/27/2007 8:53:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	01/03/08	01/03/08 21:38	SDU	MS-V10	1	BRA0115	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	01/03/08	01/03/08 21:38	SDU	MS-V10	1	BRA0115	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	01/03/08	01/03/08 21:38	SDU	MS-V10	1	BRA0115	ND	
Toluene	ND	ug/L	0.50		EPA-8260	01/03/08	01/03/08 21:38	SDU	MS-V10	1	BRA0115	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	01/03/08	01/03/08 21:38	SDU	MS-V10	1	BRA0115	ND	
Ethanol	ND	ug/L	250		EPA-8260	01/03/08	01/03/08 21:38	SDU	MS-V10	1	BRA0115	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	01/03/08	01/03/08 21:38	SDU	MS-V10	1	BRA0115	ND	
1,2-Dichloroethane-d4 (Surrogate)	104	%	76 - 114 (LCL - UCL)		EPA-8260	01/03/08	01/03/08 21:38	SDU	MS-V10	1	BRA0115		
Toluene-d8 (Surrogate)	127	%	88 - 110 (LCL - UCL)		EPA-8260	01/03/08	01/03/08 21:38	SDU	MS-V10	1	BRA0115		S09
4-Bromofluorobenzene (Surrogate)	103	%	86 - 115 (LCL - UCL)		EPA-8260	01/03/08	01/03/08 21:38	SDU	MS-V10	1	BRA0115		



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Water Analysis (General Chemistry)

<b>BCL Sample ID:</b> 0715387-02		<b>Client Sample Name:</b> 5325, U-4, U-4, 12/27/2007 8:53:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru- ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Nitrate as N	5.3	mg/L	0.10		EPA-300.0	12/28/07	12/28/07 22:40	FAD	IC1	1	BQL1577	ND	
Iron (II) Species	ND	ug/L	100		SM-3500-Fe	12/31/07	12/31/07 01:30	MRM	SPEC05	1	BQL1588	ND	
ortho-Phosphate	0.43	mg/L	0.050		EPA-365.1	12/28/07	12/28/07 15:04	TDC	KONE-1	1	BQL1599	ND	

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

 Project: 5325  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0715387-03		Client Sample Name:	5325, U-5, U-5, 12/27/2007 8:30:00AM									
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	01/03/08	01/03/08 21:55	SDU	MS-V10	1	BRA0115	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	01/03/08	01/03/08 21:55	SDU	MS-V10	1	BRA0115	ND	
Methyl t-butyl ether	18	ug/L	0.50		EPA-8260	01/03/08	01/03/08 21:55	SDU	MS-V10	1	BRA0115	ND	
Toluene	ND	ug/L	0.50		EPA-8260	01/03/08	01/03/08 21:55	SDU	MS-V10	1	BRA0115	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	01/03/08	01/03/08 21:55	SDU	MS-V10	1	BRA0115	ND	
Ethanol	ND	ug/L	250		EPA-8260	01/03/08	01/03/08 21:55	SDU	MS-V10	1	BRA0115	ND	
Total Purgeable Petroleum Hydrocarbons	180	ug/L	50		EPA-8260	01/03/08	01/03/08 21:55	SDU	MS-V10	1	BRA0115	ND	
1,2-Dichloroethane-d4 (Surrogate)	119	%	76 - 114 (LCL - UCL)		EPA-8260	01/03/08	01/03/08 21:55	SDU	MS-V10	1	BRA0115		S09
Toluene-d8 (Surrogate)	94.4	%	88 - 110 (LCL - UCL)		EPA-8260	01/03/08	01/03/08 21:55	SDU	MS-V10	1	BRA0115		
4-Bromofluorobenzene (Surrogate)	89.2	%	86 - 115 (LCL - UCL)		EPA-8260	01/03/08	01/03/08 21:55	SDU	MS-V10	1	BRA0115		

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

 Project: 5325  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Water Analysis (General Chemistry)

BCL Sample ID: 0715387-03	Client Sample Name: 5325, U-5, U-5, 12/27/2007 8:30:00AM
---------------------------	--

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Nitrate as N	ND	mg/L	0.10		EPA-300.0	12/28/07	12/28/07 23:41	FAD	IC1	1	BQL1577	ND	
Iron (II) Species	5900	ug/L	200		SM-3500-Fe	12/31/07	12/31/07 01:30	MRM	SPEC05	2	BQL1588	ND	A01
ortho-Phosphate	ND	mg/L	0.050		EPA-365.1	12/28/07	12/28/07 15:04	TDC	KONE-1	1	BQL1599	ND	



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Volatile Organic Analysis (EPA Method 8260)

**BCL Sample ID:** 0715387-04      **Client Sample Name:** 5325, U-3, U-3, 12/27/2007 8:43:00AM

Constituent	Result	Units	PQL	MDL	Method	Prep	Run	Analyst	Instru- ment ID	Dilution	QC	MB	Lab
						Date	Date/Time				Batch ID	Bias	Quals
Benzene	ND	ug/L	0.50		EPA-8260	01/03/08	01/03/08 22:13	SDU	MS-V10	1	BRA0115	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	01/03/08	01/03/08 22:13	SDU	MS-V10	1	BRA0115	ND	
Methyl t-butyl ether	0.63	ug/L	0.50		EPA-8260	01/03/08	01/03/08 22:13	SDU	MS-V10	1	BRA0115	ND	
Toluene	ND	ug/L	0.50		EPA-8260	01/03/08	01/03/08 22:13	SDU	MS-V10	1	BRA0115	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	01/03/08	01/03/08 22:13	SDU	MS-V10	1	BRA0115	ND	
Ethanol	ND	ug/L	250		EPA-8260	01/03/08	01/03/08 22:13	SDU	MS-V10	1	BRA0115	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	01/03/08	01/03/08 22:13	SDU	MS-V10	1	BRA0115	ND	
1,2-Dichloroethane-d4 (Surrogate)	108	%	76 - 114 (LCL - UCL)		EPA-8260	01/03/08	01/03/08 22:13	SDU	MS-V10	1	BRA0115		
Toluene-d8 (Surrogate)	98.2	%	88 - 110 (LCL - UCL)		EPA-8260	01/03/08	01/03/08 22:13	SDU	MS-V10	1	BRA0115		
4-Bromofluorobenzene (Surrogate)	101	%	86 - 115 (LCL - UCL)		EPA-8260	01/03/08	01/03/08 22:13	SDU	MS-V10	1	BRA0115		



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Water Analysis (General Chemistry)

BCL Sample ID: 0715387-04	Client Sample Name: 5325, U-3, U-3, 12/27/2007 8:43:00AM												
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Nitrate as N	4.6	mg/L	0.10		EPA-300.0	12/28/07	12/28/07 23:56	FAD	IC1	1	BQL1577	ND	
Iron (II) Species	130	ug/L	100		SM-3500-Fe	12/31/07	12/31/07 01:30	MRM	SPEC05	1	BQL1588	ND	
ortho-Phosphate	0.75	mg/L	0.050		EPA-365.1	12/28/07	12/28/07 15:04	TDC	KONE-1	1	BQL1599	ND	



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0715387-05		Client Sample Name: 5325, U-1, U-1, 12/27/2007 9:10:00AM												
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals	
Benzene	ND	ug/L	2.5		EPA-8260	01/03/08	01/03/08 22:31	SDU	MS-V10	5	BRA0115	ND	A01	
Ethylbenzene	290	ug/L	2.5		EPA-8260	01/03/08	01/03/08 22:31	SDU	MS-V10	5	BRA0115	ND	A01	
Methyl t-butyl ether	42	ug/L	2.5		EPA-8260	01/03/08	01/03/08 22:31	SDU	MS-V10	5	BRA0115	ND	A01	
Toluene	ND	ug/L	2.5		EPA-8260	01/03/08	01/03/08 22:31	SDU	MS-V10	5	BRA0115	ND	A01	
Total Xylenes	130	ug/L	5.0		EPA-8260	01/03/08	01/03/08 22:31	SDU	MS-V10	5	BRA0115	ND	A01	
Ethanol	ND	ug/L	1200		EPA-8260	01/03/08	01/03/08 22:31	SDU	MS-V10	5	BRA0115	ND	A01	
Total Purgeable Petroleum Hydrocarbons	5900	ug/L	250		EPA-8260	01/03/08	01/03/08 22:31	SDU	MS-V10	5	BRA0115	ND	A01	
1,2-Dichloroethane-d4 (Surrogate)	104	%	76 - 114 (LCL - UCL)		EPA-8260	01/03/08	01/03/08 22:31	SDU	MS-V10	5	BRA0115			
Toluene-d8 (Surrogate)	100	%	88 - 110 (LCL - UCL)		EPA-8260	01/03/08	01/03/08 22:31	SDU	MS-V10	5	BRA0115			
4-Bromofluorobenzene (Surrogate)	95.1	%	86 - 115 (LCL - UCL)		EPA-8260	01/03/08	01/03/08 22:31	SDU	MS-V10	5	BRA0115			

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

Project: 5325  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Water Analysis (General Chemistry)

**BCL Sample ID:** 0715387-05      **Client Sample Name:** 5325, U-1, U-1, 12/27/2007 9:10:00AM

Constituent	Result	Units	PQL	MDL	Method	Prep	Run	Analyst	Instru- ment ID	Dilution	QC	MB	Lab
						Date	Date/Time				Batch ID	Bias	Quals
Nitrate as N	ND	mg/L	0.10		EPA-300.0	12/28/07	12/29/07 00:11	FAD	IC1	1	BQL1577	ND	
Iron (II) Species	25000	ug/L	500		SM-3500-Fe	12/31/07	12/31/07 01:30	MRM	SPEC05	5	BQL1588	ND	A01
ortho-Phosphate	ND	mg/L	0.050		EPA-365.1	12/28/07	12/28/07 15:04	TDC	KONE-1	1	BQL1599	ND	

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

 Project: 5325  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0715387-06		Client Sample Name:	5325, U-2, U-2, 12/27/2007 9:57:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals	
Benzene	21	ug/L	5.0		EPA-8260	01/03/08	01/03/08 22:49	SDU	MS-V10	10	BRA0115	ND	A01	
Ethylbenzene	77	ug/L	5.0		EPA-8260	01/03/08	01/03/08 22:49	SDU	MS-V10	10	BRA0115	ND	A01	
Methyl t-butyl ether	470	ug/L	5.0		EPA-8260	01/03/08	01/03/08 22:49	SDU	MS-V10	10	BRA0115	ND	A01	
Toluene	ND	ug/L	5.0		EPA-8260	01/03/08	01/03/08 22:49	SDU	MS-V10	10	BRA0115	ND	A01	
Total Xylenes	16	ug/L	10		EPA-8260	01/03/08	01/03/08 22:49	SDU	MS-V10	10	BRA0115	ND	A01	
Ethanol	ND	ug/L	2500		EPA-8260	01/03/08	01/03/08 22:49	SDU	MS-V10	10	BRA0115	ND	A01	
Total Purgeable Petroleum Hydrocarbons	2200	ug/L	500		EPA-8260	01/03/08	01/03/08 22:49	SDU	MS-V10	10	BRA0115	ND	A01	
1,2-Dichloroethane-d4 (Surrogate)	87.8	%	76 - 114 (LCL - UCL)		EPA-8260	01/03/08	01/03/08 22:49	SDU	MS-V10	10	BRA0115			
Toluene-d8 (Surrogate)	103	%	88 - 110 (LCL - UCL)		EPA-8260	01/03/08	01/03/08 22:49	SDU	MS-V10	10	BRA0115			
4-Bromofluorobenzene (Surrogate)	102	%	86 - 115 (LCL - UCL)		EPA-8260	01/03/08	01/03/08 22:49	SDU	MS-V10	10	BRA0115			



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Water Analysis (General Chemistry)

BCL Sample ID: 0715387-06	Client Sample Name: 5325, U-2, U-2, 12/27/2007 9:57:00AM
---------------------------	--

Constituent	Result	Units	PQL	MDL	Method	Prep	Run	Analyst	Instru- ment ID	Dilution	QC	MB	Lab
						Date	Date/Time				Batch ID	Bias	Quals
Nitrate as N	ND	mg/L	0.10		EPA-300.0	12/28/07	12/29/07 00:57	FAD	IC1	1	BQL1577	ND	
Iron (II) Species	7600	ug/L	200		SM-3500-Fc	12/31/07	12/31/07 01:30	MRM	SPEC05	2	BQL1588	ND	A01
ortho-Phosphate	ND	mg/L	0.050		EPA-365.1	12/28/07	12/28/07 15:07	TDC	KONE-1	1	BQL1599	ND	



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Volatile Organic Analysis (EPA Method 8260)

### Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Percent Recovery	Control Limits	
										RPD	Percent Recovery Lab Quals
Benzene	BRA0115	Matrix Spike	0714775-36	0	30.690	25.000	ug/L		123		70 - 130
		Matrix Spike Duplicate	0714775-36	0	26.240	25.000	ug/L	15.8	105	20	70 - 130
Toluene	BRA0115	Matrix Spike	0714775-36	0.10000	28.940	25.000	ug/L		115		70 - 130
		Matrix Spike Duplicate	0714775-36	0.10000	27.240	25.000	ug/L	5.4	109	20	70 - 130
1,2-Dichloroethane-d4 (Surrogate)	BRA0115	Matrix Spike	0714775-36	ND	10.160	10.000	ug/L		102		76 - 114
		Matrix Spike Duplicate	0714775-36	ND	10.270	10.000	ug/L		103		76 - 114
Toluene-d8 (Surrogate)	BRA0115	Matrix Spike	0714775-36	ND	9.9300	10.000	ug/L		99.3		88 - 110 S09
		Matrix Spike Duplicate	0714775-36	ND	9.8300	10.000	ug/L		98.3		88 - 110 S09
4-Bromofluorobenzene (Surrogate)	BRA0115	Matrix Spike	0714775-36	ND	10.390	10.000	ug/L		104		86 - 115
		Matrix Spike Duplicate	0714775-36	ND	10.040	10.000	ug/L		100		86 - 115



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Water Analysis (General Chemistry) Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Percent Recovery	Control Limits	
										RPD	Percent Recovery Lab Quals
Nitrate as N	BQL1577	Duplicate	0715387-02	5.2600	5.2700		mg/L	0.2		10	
		Matrix Spike	0715387-02	5.2600	10.211	5.0505	mg/L		98.0		80 - 120
		Matrix Spike Duplicate	0715387-02	5.2600	10.289	5.0505	mg/L	1.6	99.6	10	80 - 120
Iron (II) Species	BQL1588	Duplicate	0715387-01	7742.9	7742.9		ug/L	0		10	A01
ortho-Phosphate	BQL1599	Duplicate	0715387-04	0.75331	0.75418		mg/L	0.1		10	
		Matrix Spike	0715387-04	0.75331	1.4035	0.64547	mg/L		101		90 - 110
		Matrix Spike Duplicate	0715387-04	0.75331	1.3889	0.64547	mg/L	2.5	98.5	10	90 - 110

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

Project: 5325  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Volatile Organic Analysis (EPA Method 8260)

### Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Percent Recovery	RPD	Control Limits		Lab Quals
										Percent Recovery	RPD	
Benzene	BRA0115	BRA0115-BS1	LCS	26.180	25.000	0.50	ug/L	105		70 - 130		
Toluene	BRA0115	BRA0115-BS1	LCS	27.410	25.000	0.50	ug/L	110		70 - 130		
1,2-Dichloroethane-d4 (Surrogate)	BRA0115	BRA0115-BS1	LCS	10.450	10.000		ug/L	104		76 - 114		
Toluene-d8 (Surrogate)	BRA0115	BRA0115-BS1	LCS	10.110	10.000		ug/L	101		88 - 110		
4-Bromofluorobenzene (Surrogate)	BRA0115	BRA0115-BS1	LCS	10.170	10.000		ug/L	102		86 - 115		

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

Project: 5325  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Water Analysis (General Chemistry)

### Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Percent Recovery	RPD	Control Limits		Lab Quals
										Percent Recovery	RPD	
Nitrate as N	BQL1577	BQL1577-BS1	LCS	4.8790	5.0000	0.10	mg/L	97.6		90 - 110		
Iron (II) Species	BQL1588	BQL1588-BS1	LCS	1932.1	2000.0	100	ug/L	96.6		90 - 110		
ortho-Phosphate	BQL1599	BQL1599-BS1	LCS	0.60785	0.61320	0.050	mg/L	99.1		90 - 110		

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

Project: 5325  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Volatile Organic Analysis (EPA Method 8260)

### Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Benzene	BRA0115	BRA0115-BLK1	ND	ug/L	0.50		
Ethylbenzene	BRA0115	BRA0115-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BRA0115	BRA0115-BLK1	ND	ug/L	0.50		
Toluene	BRA0115	BRA0115-BLK1	ND	ug/L	0.50		
Total Xylenes	BRA0115	BRA0115-BLK1	ND	ug/L	1.0		
Ethanol	BRA0115	BRA0115-BLK1	ND	ug/L	250		
Total Purgeable Petroleum Hydrocarbons	BRA0115	BRA0115-BLK1	ND	ug/L	50		
1,2-Dichloroethane-d4 (Surrogate)	BRA0115	BRA0115-BLK1	104	%	76 - 114 (LCL - UCL)		
Toluene-d8 (Surrogate)	BRA0115	BRA0115-BLK1	97.7	%	88 - 110 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BRA0115	BRA0115-BLK1	103	%	86 - 115 (LCL - UCL)		



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Water Analysis (General Chemistry) Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Nitrate as N	BQL1577	BQL1577-BLK1	ND	mg/L	0.10		
Iron (II) Species	BQL1588	BQL1588-BLK1	ND	ug/L	100		
ortho-Phosphate	BQL1599	BQL1599-BLK1	ND	mg/L	0.050		

TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

### Notes And Definitions

MDL Method Detection Limit  
ND Analyte Not Detected at or above the reporting limit  
PQL Practical Quantitation Limit  
RPD Relative Percent Difference  
A01 PQL's and MDL's are raised due to sample dilution.  
S09 The surrogate recovery on the sample for this compound was not within the control limits.

Submission #: 0715387

Project Code:

TB Batch #

SHIPPING INFORMATION

Federal Express  UPS  Hand Delivery  BC Lab Field Service  Other  (Specify): CSD

SHIPPING CONTAINER

Ice Chest  None  Box  Other  (Specify)

Refrigerant: Ice  Blue Ice  None  Other  Comments:

Custody Seals: Ice Chest  Containers  None  Comments:

All samples received? Yes  No  All samples containers intact? Yes  No  Description(s) match COC? Yes  No

COC Received  YES  NO

Ice Chest ID Temperature: 4.4 °C Thermometer ID: #118

Emissivity Container: 95 PIPZ

Date/Time: 12/28/07 Analyst Init: kw 10/28

SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/ GENERAL PHYSICAL										
PT PE UNPRESERVED <i>x44</i>	C	C	C	C	C	C				
QT INORGANIC CHEMICAL METALS										
PT INORGANIC CHEMICAL METALS										
PT CYANIDE										
PT NITROGEN FORMS										
PT TOTAL SULFIDE										
2oz. NITRATE / NITRITE										
100ml TOTAL ORGANIC CARBON										
QT TOX										
PT CHEMICAL OXYGEN DEMAND										
PTA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK										
40ml VOA VIAL <i>096</i>	0.3	0.3	0.3	0.3	0.3	0.3				
QT EPA 413.1, 413.2, 418.1										
PT ODOR										
RADIOLOGICAL										
BACTERIOLOGICAL										
40 ml VOA VIAL- 504										
QT EPA 508/608/8080										
QT EPA 515.1/8150										
QT EPA 525										
QT EPA 525 TRAVEL BLANK										
100ml EPA 547										
100ml EPA 531.1										
QT EPA 548										
QT EPA 549										
QT EPA 632										
QT EPA 8015M										
QT QA/QC										
QT AMBER										
8 OZ. JAR										
32 OZ. JAR										
SOIL SLEEVE										
PCB VIAL										
PLASTIC BAG										
FERROUS IRON <i>1ra</i>	0.3	0.3	0.3	0.3	0.3	0.3				
ENCORE <i>5</i>										

Comments: -5 7 vials do not match description on COC. Sample Numbering Completed By: ABC Date/Time: 12/28/07 - 11:05

07153877 <sup>RML 12/28</sup>  
**BC LABORATORIES, INC.**

4100 Atlas Court Bakersfield, CA 93308  
 (661) 327-4911 FAX (661) 327-1918

CHK BY	DISTRIBUTION
<i>RML</i>	<i>DKR/KMO</i>
	SUB OUT <input type="checkbox"/>

SHORT HOLDING TIME					
Cr <sup>6+</sup>	NO <sub>2</sub>	NO <sub>3</sub>	OP	SS	
DO	Cl <sub>2</sub>	BOD	MBAS	COT	

**CHAIN OF CUSTODY**

**Analysis Requested**

0715387

Bill to: Conoco Phillips/ TRC		Consultant Firm: TRC		MATRIX (GW) Ground-water (S) Soil (WW) Waste-water (SL) Sludge	BTEX/MTBE by 8021B, Gas by 8015  TPH GAS by 8015M TPH DIESEL by 8015 8260 full list w/ oxygenates BTEX/MTBE/OXYS BY 8260B ETHANOL by 8260B TPH -G by GC/MS BTEX/MTBE by 8260B Nitrate, Ortho-Phosphate Ferrous iron Turnaround Time Requested
Address: 3220 Lakeshore Ave.		21 Technology Drive Irvine, CA 92618-2302 Attn: Anju Farfan			
City: Oakland		4-digit site#: 5325			
State: CA Zip:		Workorder # 01394.00-4509117920			
Conoco Phillips Mgr: Bill Borgh		Project #: 154771			
		Sampler Name: Andrew Vidners			

Lab#	Sample Description	Field Point Name	Date & Time Sampled												
X		<del>U-6</del> U-6	-1 12/27/07 0633	GW						X	X	X	X	X	STD
X		<del>U-4</del> U-4	-2 0853												
X		U-5	-3 0830												
X		U-3	-4 0843												
X		U-1	-5 0910												
X		U-2	-6 0957												

Comments: Run 8 OXYS by 8260 on all MTBE hits  GLOBAL ID: T0600101463	Relinquished by: (Signature)	Received by: <i>stored in refrigerator</i>	Date & Time: 12/27/07 1115
	Relinquished by: (Signature)	Received by: <i>P.BINS BCL</i>	Date & Time: 12/27/07 1515
	Relinquished by: (Signature)	Received by: <i>Insy W...</i>	Date & Time: 12/28/07 10:25

## **STATEMENTS**

### **Purge Water Disposal**

Non-hazardous groundwater produced during purging and sampling of monitoring was accumulated at TRC's groundwater monitoring facility at Concord, California, for transportation by a licensed carrier, to the ConocoPhillips Refinery at Rodeo, California. Disposal at the Rodeo facility was authorized by ConocoPhillips in accordance with "ESD Standard Operating Procedures – Water Quality and Compliance", as revised on February 7, 2003. Documentation of compliance with ConocoPhillips requirements is provided by an ESD Form R-149, which is on file at TRC's Concord Office. Purge water suspected of containing potentially hazardous material, such as liquid-phase hydrocarbons, was accumulated separately in a drum for transportation and disposal by others.

### **Limitations**

The fluid level monitoring and groundwater sampling activities summarized in this report have been performed under the responsible charge of a California Registered Geologist or Registered Civil Engineer and have been conducted in accordance with current practice and the standard of care exercised by geologists and engineers performing similar tasks in this area. No warranty, express or implied, is made regarding the conclusions and professional opinions presented in this report. The conclusions are based solely upon an analysis of the observed conditions. If actual conditions differ from those described in this report, our office should be notified.